B4465-S.1

United States, 1989-90

Healthcare Knowledge Resources
Ann Arbor, Michigan
March, 1991

LENGTH OF STAY BY DRG AND PAYMENT SOURCE

This volume is one of five books in the Length of Stay by DRG and Payment Source series:

Length of Stay by DRG and Payment Source, United States, 1989-90
ISSN 1043-9285

Length of Stay by DRG and Payment Source, Northeastern Region, 1989-90
ISSN 1043-9307

Length of Stay by DRG and Payment Source, North Central Region, 1989-90
ISSN 1043-9323

Length of Stay by DRG and Payment Source, Southern Region, 1989-90
ISSN 1043-9293

Length of Stay by DRG and Payment Source, Western Region, 1989-90
ISSN 1043-9315

For further information, please contact Healthcare Knowledge Resources, P.O. Box 303, Ann Arbor, Michigan 48106-0303, or call 800-521-6210.

Statistics reported in this volume are drawn from individual patient discharge records for the time period July 1, 1989 through June 30, 1990. Neither the Commission on Professional and Hospital Activities (CPHA) nor Healthcare Knowledge Resources assumes any liability for any use, furnishing, analysis, interpretation, conclusions, or utilization review decisions based on data reported herein. Any such liability shall be the responsibility of the user of the data, who agrees to hold CPHA or Healthcare Knowledge Resources harmless from any damages, litigation, liability or claimed liability, claims, and any expenses including legal expenses incident thereto resulting from any such use, furnishing, analysis, interpretation, conclusions, or utilization review decisions.

Copyright 1991 by Healthcare Knowledge Resources, Ann Arbor, Michigan, based on data from the Commission on Professional and Hospital Activities. Printed in the United States of America.

All rights reserved. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any other form, or by any other means, or stored in a database or retrieval system, without prior written permission of the publisher.

CONTENTS

Introduction v

Description of the Database vi

Source of the Data
Data Quality
Hospital Characteristics
Projecting to the Universe

Organization of the Tables x

Diagnosis Related Groups
Expected Principal Payment Source
Presence or Absence of Complications and Comorbidities (CCs)
Patient Age and/or Birth Weight

Explanation of the Statistics xii

Total Number of Patients
Average Length of Stay
Variance
Percentiles
Subtotal and Grand Total

Using the Tables xiii

Length of Stay Tables 1

Appendix 1: 1989 [illegible] Hospital Characteristics 481

Appendix 2: State Inclusions By Region 482

Appendix 3: Diagnosis Related Groups 483

ACKNOWLEDGEMENTS

1989-90 LENGTH OF STAY BY DRG AND PAYMENT SOURCE SERIES

PROJECT TEAM

Jennifer Goewey, Publications Specialist, Normative Products

Information Services
Joyce Beach, Senior Programmer Analyst
Lale Olson, Senior Electronic Publishing Analyst
Jan Sweet, Electronic Publishing Analyst

Additionally, the following individuals made valuable contributions to the development of this publication:

Nancy Ramirez, Medical Systems Specialist, Healthcare Knowledge Resources,
Linda Vanek, Manager, Normative Products, Healthcare Knowledge Resources.

We offer a special thank-you to the following individuals for their assistance:

Clyde McCollum and Donna Witkowski.

Finally, we gratefully acknowledge the hospitals and state organizations that support this and other publications by making their data available.

INTRODUCTION

Healthcare Knowledge Resources is the official vendor and distributor of products derived from the clinical research and classification development activities of the Commission on Professional and Hospital Activities (CPHA). Now in its fourth decade as a reliable source for clinical record information, CPHA retains ownership of its databases and classification systems while Healthcare Knowledge Resources develops and markets high quality, information-oriented products and services to the healthcare industry and related fields.

Length of Stay data have been available from CPHA since 1963. This book is one volume in a set of five books presenting statistics on hospital stay during 1989-90 in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from other organizations contributing to CPHA are also included in the series.

The *Length of Stay by DRG and Payment Source* series has been designed as a companion to the standard reference, *Length of Stay by Diagnosis and Operation*, to provide length of stay data by another patient classification system. *Length of Stay by DRG and Payment Source* is designed to assist the healthcare professional in utilization review and other cost containment and evaluation activities.

Notable differences between the *Length of Stay by DRG and Payment Source* series and the *Length of Stay by Diagnosis and Operation* series are primarily with the data source. Data used for the *Length of Stay by DRG and Payment Source* series have been projected to the universe of short-term, nonfederal general hospitals based on patient records from 492 hospitals. A detailed description of the projection methodology is given on page viii. It is important to keep in mind that the numbers and calculations in *Length of Stay by DRG and Payment Source* represent projections rather than actual numbers.

The *Length of Stay by DRG and Payment Source* series is enhanced by providing length of stay data by the following four principal payment sources: Medicare, Medicaid, Blue Cross/Private Insurance, and No Insurance. This allows for comparison of length of stay by clinical condition and patient age among the major healthcare reimbursement systems.

Healthcare Knowledge Resources offers a range of information products, available through books, magnetic media, and educational seminars. In addition to *Length of Stay by DRG and Payment Source*, other titles in the Cost Containment Series include: *Psychiatric Length of Stay* and *Length of Stay by Diagnosis and Operation*. Each series is available on an annual basis for the United States, Northeastern, North Central, Southern, and Western regions. Pediatric Length of Stay (19 years and under) and Geriatric Length of Stay (65 years and over) are also available in the Diagnosis and Operation series for the United States.

These statistics, also available on magnetic tape and diskette, provide a valuable perspective for utilization review, quality assurance professionals, physicians, consultants, hospital administrators, third party payors, and researchers interested in cost containment and quality care.

DESCRIPTION OF THE DATABASE

Source of the Data

Data in the *Length of Stay by DRG and Payment Source* tables were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS). In addition, discharge data from hospitals participating in information systems other than PAS are included.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer or magnetic tape.
2. The disk or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected.
4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.
5. Data are standardized to create an aggregated patient record base.

Annually these data are utilized to create the *Length of Stay by DRG and Payment Source* series and other reference tools.

Data Quality

Data quality is a primary concern. Although the hospital has basic responsibility for the quality of PAS data, considerable effort is exerted to prevent and correct errors. Over 600 automated checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, numerous edits are done to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death, stillborn
2. admission from other short-term hospital
3. discharge to other short-term hospital
4. discharge against medical advice

Hospital Characteristics

Data chosen for inclusion in the *Length of Stay by DRG and Payment Source* series are from general, nonfederal, short-term hospitals in the United States with twelve complete months of discharge data beginning July 1, 1989. The American Hospital Association (AHA)[1] defines these characteristics in the following manner:

General – The primary function of the institution is to provide patient services, diagnostic and therapeutic, for a variety of medical conditions.

Nonfederal –Controlled by state, county, city, city-county, hospital district or authority, church.

Short-term –The average length of stay for all patients is less than 30 days, or over 50 percent of all patients are admitted to units where the average length of stay is less than 30 days.

Most data used in the Length of Stay tables are from hospitals participating in PAS. In addition, the following organizations have sent data: Colorado Hospital Association, Hospital Association of New York State, Michigan Hospital Association, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), New Hampshire Hospital Association, Oregon Hospital Association, Southern Kaiser Foundation Hospitals, Vermont Hospital Association, and Wyoming Hospital Association. Several individual hospitals throughout the United States have also sent data for special studies.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from long-term specialty institutions, e.g., long-term psychiatric or rehabilitation facilities, are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

The characteristics of all hospitals with discharge data included in the Length of Stay books are displayed in Appendix 1.

[1]American Hospital Association Guide to the Health Care Field, 1989.

Projecting to the Universe

To make the *LOS by DRG and Payment Source* sample reflect the activity of U.S. nonfederal, short-term general hospitals the following steps are taken:

Step 1 - Stratification

First, the hospitals are stratified by factors known to affect inpatient utilization. The two factors used are teaching intensity and geographical region:

A. **Teaching Intensity** is determined by a weighted index measuring program intensity created by Phillip and Hai[1]. The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by the Joint Commission on Accreditation of Healthcare Organizations (JCA)
- Cancer Program approved by the American College of Surgeons (CP)
- Residency approved by the American Medical Association (RES)
- Medical School Affiliation reported by the American Medical Association (MS)
- Hospital-controlled professional nursing school, reported by the National League for Nursing (PNS)
- Member of the Council of Teaching Hospitals of the Association of American Medical Colleges (COT)

Based on this index, hospitals are classified by one of three teaching status groups:

- Low Teaching Intensity Hospitals
- Medium Teaching Intensity Hospitals
- High Teaching Intensity Hospitals

The statistical formula is:

$$lp = 9.9(JCA) + 14.0(CP) + 28.0(RES) + 14.7(MS) + 13.3(PNS) + 20.1(COT)$$

The numerical values in the formula are weights that have been assigned to each of the approvals incorporated in the index.

For the *Length of Stay by DRG and Payment Source* series the following cut-offs are used to stratify hospitals by teaching status:

lp value under 25.0	Nonteaching Institution (low teaching intensity)
lp value 25.0+	Teaching Institution (medium/high teaching intensity)

[1] Phillip P., J., and Hai, Abdul, *An Index of Programs for Hospitals*, American Hospital Association, Chicago, Illinois, 1976.

B. **Census Division** places the 50 states and the District of Columbia into nine geographical areas defined by the U.S. Department of Commerce, Bureau of the Census. These nine divisions and their corresponding regions are:

Region	Division
Northeast	New England
	Mid Atlantic
North Central	East North Central
	West North Central
South	South Atlantic
	East South Central
	West South Central
West	Mountain
	Pacific

A list of the states included in each region is provided in Appendix 2.

Step 2 - Projection

A matrix is constructed which identifies the number of actual discharges from hospitals by program intensity (nonteaching and teaching) and geographical region (Northeast, North Central, South, West). A projection factor is calculated for each cell within the matrix. This factor is calculated as follows:

$$\text{Projection Factor} = \frac{\text{Total discharges from the universe}}{\text{Number of actual discharges in LOS DRG sample}}$$

Each projection factor is multiplied by the number of actual discharges in a particular cell. The resulting numbers represent estimated patient discharges, the sum of which approximates total July 1989 through June 1990 discharges from the U.S. nonfederal, short-term, general hospital universe.

ORGANIZATION OF THE TABLES

The data are stratified by DRG, principal payment source, presence or absence of complications and comorbidities (CCs), and by age ranges.

Diagnosis Related Groups (DRGs)

There are 490 DRGs in the *1989-90 LOS by DRG and Payment Source* series. These DRGs are based on the seventh revision (version 8), effective October 1, 1990. Appendix 3 provides a list of all DRGs for the seventh revision.

Some DRGs have been excluded because they include invalid, ungroupable, or inappropriate categories for examining length of stay. The excluded DRGs are:

DRG Number	English Description
109	(No longer valid)
123	Circulatory Disorders w/AMI, Expired
385	Neonates, Died or Transferred to Another Acute Care Facility
433	Alcohol/Drug Abuse or Dependence, Left Against Medical Advice
438	(No longer valid)
456	Burns, Transferred to Another Acute Care Facility
467	Other Factors Influencing Health Status
468	Extensive Operating Room Procedure Unrelated to Principal Diagnosis
469	Principal Diagnosis Invalid as Discharge Diagnosis
470	Ungroupable
474	(No longer valid)
476	Prostatic Operating Room Procedure Unrelated to Principal Diagnosis
477	Non-extensive Operating Room Procedure Unrelated to Principal Diagnosis

A table is not displayed for the excluded DRGs listed above. Additionally, new ICD-9-CM procedure codes were created 10/1/89 for grouping to DRGs 436 and 437 (Alcohol/Drug Dependence with Rehab Therapy and Alcohol/Drug Dependence, Combined Rehab and Detox Therapy). Patient records used in this series include three months of discharges prior to the addition of the new codes. As a result, only nine months of patient records (from 10/01/89 - 6/30/90) have been grouped to DRGs 436 and 437.

Expected Principal Payment Source

For each DRG, there are four tables corresponding to one of four expected principal payment sources:

1. Medicare
2. Blue Cross/Blue Shield and Private Insurance
3. Medicaid
4. No Insurance

The 'No Insurance' category represents a collapsing of the following payment categories from the PAS abstract: 'Self Pay', 'Other', and 'No Charge'. These three payment categories have not been used consistently by all hospitals contributing data, and therefore this category should be interpreted with some caution.

Presence or Absence of Complications and Comorbidities (CCs)

To determine the presence of complications or comorbidities (CCs), a patient's secondary diagnoses are compared to those specific ICD-9-CM diagnosis codes defined by the Health Care Financing Administration (HCFA) as CCs.

HCFA definitions are:

- A complication is a condition that arises during the hospital stay that prolongs length of stay by at least one day in approximately 75 percent of the cases.
- A comorbidity is a pre-existing condition that will, because of its presence with a specific diagnosis, cause an increase in length of stay by at least one day in approximately 75 percent of the cases.

Determination of the existence of CCs corresponds to the DRG version effective October 1, 1990.

Patient Age and/or Birth Weight

Patient discharges in the Medicare payment source category are in one of the following age groups, recorded in years:

0 - 69
70 - 74
75 - 79
80 - 84
85+

The other three payment source age groups are collapsed as follows:

0 - 17
18 - 34
35 - 49
50 - 69
70+

For DRGs 386 - 391, which classify neonates, the age range is replaced by a birth weight range, recorded in grams. The categories are as follows:

1 - 999
1000 - 1499
1500 - 1749
1750 - 2499
2500 +

All discharge records for newborns and neonates with an unrecorded birth weight have been excluded.

EXPLANATION OF THE STATISTICS

The statistics are displayed by total number of patients, average length of stay, variance, and distribution percentiles. In addition, two subtotals and a grand total are included. Since the *LOS by DRG and Payment Source* series is drawn from patient discharges from 492 hospitals and then projected to the universe of U.S. hospitals, *the numbers and calculations represent projections rather than actual numbers.* One actual patient discharge represents multiple projected patients; the average projection factor is 10.6. If the total number of patients listed is based on five or fewer *actual* discharges, the percentile distribution columns are left blank.

Total Number of Patients

This number represents the total number of projected patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the lengths of stay for all projected patients and then dividing by the total number of projected patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. The smallest variance is zero, indicating all lengths of stay are equal.

When using tables in which there is a large variance, and the projected patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of projected patients is determined by arranging the projected patient stays from low to high. Counting up from the lowest stay to the point where half of the projected patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total projected patients gives the 10th percentile, and so on.

The 10th, 25th, 50th, 75th, 90th, and 95th percentiles of stay are displayed in days. If, for example, the 25th percentile for a group of projected patients is four, it means 25 percent of the projected patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients. (If a line of data consists solely of stays of 99+ days, the discharges in that line will be excluded from all portions of the table.)

Subtotal and Grand Total

The subtotal represents the total projected patients in one of the two complication and comorbidity groups, within each payment source. The grand total represents the total number of projected patients in the payment source categories. In cases where a total is off by one patient, it is the result of rounding the projections.

USING THE TABLES

The Length of Stay series can be used as a valuable supplement and reference in a variety of healthcare settings. Use of hospital stay data as an inpatient utilization measure allows the healthcare professional to compare regional and national norms to an individual institution or special population. The Length of Stay series assists in:

- projecting extended stay reviews;
- identifying candidates for utilization review;
- establishing baselines;
- developing forecasts; and
- service planning.

The following steps are intended to provide a guide in situations where a healthcare professional wishes to determine a reasonable length of stay by using one of the Length of Stay regional or national volumes:

Step 1: Consult Appendix 3 at the back of the book for the particular DRG to be reviewed.

Step 2: Find the corresponding table in the book. The DRG number precedes the title of each table.

Step 3: Find the appropriate portion of the table for review:

- Payment Source
- Complication/Comorbidity Status
- Age Group

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total stratified patient sample (Grand Total) and its variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

A sample table with descriptions of table elements is provided on page xiv.

These general steps can be followed, with more specific applications, by healthcare professionals in many diverse settings.

Length of Stay by DRG and Payment Source

Sample Table

DRG number and title

Payment source

DRG 1: Craniotomy Age >17 except for Trauma

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/CCs									
AGE GROUP									
0-69 (YRS.)	4827	19.3	238	6	9	15	24	42	58
70-74	3670	18.9	190	6	9	15	25	39	50
75-79	2887	19.4	184	7	10	16	23	39	48
80-84	1435	17.9	175	6	8	14	26	45	55
85 +	776	19.3	232	7	12	15	23	29	62
SUBTOTAL	**13594**	**19.0**	**207**	**6**	**9**	**15**	**24**	**40**	**50**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2607	10.0	62	4	6	8	12	18	24
70-74	1924	10.9	75	4	6	8	14	19	25
75-79	1360	10.3	38	4	6	9	13	17	19
80-84	727	10.0	43	4	6	8	14	19	21
85 +	437	10.4	42	5	7	9	11	14	30
SUBTOTAL	**7054**	**10.3**	**58**	**4**	**6**	**8**	**13**	**18**	**24**
GRAND TOTAL	**20648**	**16.1**	**173**	**5**	**8**	**12**	**20**	**34**	**46**

Presence or absence of Complications/ Comorbidities

Length of stay (in days) by percentile

Patient age group

(Note: Age groups for Medicare differ from those for Medicaid, Blue Cross/Private Insurance, and No Insurance)

Total number of projected patients

DRG Length of Stay Tables

All DRGS

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1830858	8.6	75	2	4	6	10	17	24
70-74	1272658	8.9	74	2	4	7	11	17	24
75-79	1231784	9.3	78	2	4	7	11	18	25
80-84	962325	9.6	81	3	4	7	12	19	26
85+	902356	10.0	84	3	5	8	12	19	27
SUBTOTAL	**6199981**	**9.2**	**78**	**2**	**4**	**7**	**11**	**18**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	904150	5.9	43	1	2	4	7	11	17
70-74	562779	5.5	28	1	2	4	7	11	14
75-79	483505	5.8	31	1	2	4	7	11	15
80-84	334327	6.1	34	1	3	5	8	12	16
85+	268557	6.5	36	2	3	5	8	13	16
SUBTOTAL	**2553319**	**5.9**	**36**	**1**	**2**	**4**	**7**	**11**	**16**
GRAND TOTAL	**8753300**	**8.2**	**68**	**2**	**3**	**6**	**10**	**16**	**23**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	652549	6.4	92	1	2	3	7	14	24
18-34	681653	5.8	51	1	2	4	6	11	18
35-49	752104	6.8	57	2	3	5	8	14	20
50-69	1322099	7.7	62	2	3	6	9	15	21
70+	107010	8.9	75	2	4	7	11	18	25
SUBTOTAL	**3515416**	**6.9**	**66**	**2**	**3**	**5**	**8**	**14**	**21**
0-17	2925957	3.2	21	1	2	2	3	5	7
18-34	3168901	3.4	16	1	2	2	4	5	8
35-49	1769577	4.2	21	1	2	3	5	8	11
50-69	1436272	4.5	19	1	2	3	6	9	11
70+	54893.	5.2	31	1	2	4	7	10	14
SUBTOTAL	**9355600**	**3.6**	**19**	**1**	**2**	**3**	**4**	**6**	**9**
GRAND TOTAL	**12871016**	**4.6**	**34**	**1**	**2**	**3**	**5**	**9**	**14**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	400748	7.2	112	2	2	4	7	16	28
18-34	410923	6.1	62	2	2	4	7	13	20
35-49	202053	8.4	82	2	3	6	10	18	26
50-69	248657	8.9	91	2	4	6	11	19	27
70+	30708	10.1	106	3	4	7	12	23	41
SUBTOTAL	**1293090**	**7.5**	**89**	**2**	**3**	**5**	**8**	**16**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1507611	3.4	23	1	2	2	4	5	8
18-34	1214635	3.5	23	1	2	2	4	6	9
35-49	212055	5.9	52	1	2	4	7	13	20
50-69	120717	6.2	48	1	2	4	7	13	19
70+	15178	6.2	56	1	3	5	8	12	20
SUBTOTAL	**3070196**	**3.7**	**27**	**1**	**2**	**2**	**4**	**6**	**10**
GRAND TOTAL	**4363286**	**4.8**	**48**	**1**	**2**	**3**	**5**	**10**	**16**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	236033	6.5	92	1	2	4	7	14	24
18-34	360757	5.7	53	1	2	4	6	12	18
35-49	265934	6.9	60	1	3	5	8	14	21
50-69	306712	7.9	72	2	3	6	10	16	23
70+	77133	8.8	93	2	4	6	11	18	27
SUBTOTAL	**1246569**	**6.9**	**70**	**1**	**2**	**4**	**8**	**14**	**21**
0-17	1234495	2.9	12	1	1	2	3	5	7
18-34	1229717	3.2	16	1	1	2	4	6	9
35-49	450658	4.2	23	1	2	3	5	8	12
50-69	282784	4.5	22	1	2	3	6	9	12
70+	44413	5.3	42	1	2	3	7	11	16
SUBTOTAL	**3242068**	**3.4**	**17**	**1**	**1**	**2**	**4**	**6**	**9**
GRAND TOTAL	**4488636**	**4.3**	**34**	**1**	**2**	**3**	**5**	**9**	**13**

Total U.S., July 1989 - June 1990

DRG 1: Craniotomy Age >17 except for Trauma

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	4827	19.3	238	6	9	15	24	42	58
70-74	3670	18.9	190	6	9	15	25	39	50
75-79	2887	19.4	184	7	10	16	23	39	48
80-84	1435	17.9	175	6	8	14	26	45	55
85 +	776	19.3	232	7	12	15	23	29	62
SUBTOTAL	**13594**	**19.0**	**207**	**6**	**9**	**15**	**24**	**40**	**50**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	2607	10.0	62	4	6	8	12	18	24
70-74	1924	10.9	75	4	6	8	14	19	25
75-79	1360	10.3	38	4	6	9	13	17	19
80-84	727	10.0	43	4	6	8	14	19	21
85 +	437	10.4	42	5	7	9	11	14	30
SUBTOTAL	**7054**	**10.3**	**58**	**4**	**6**	**8**	**13**	**18**	**24**
GRAND TOTAL	**20648**	**16.1**	**173**	**5**	**8**	**12**	**20**	**34**	**46**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2535	11.1	118	3	4	8	13	21	30
35-49	3574	13.7	120	5	7	10	16	27	39
50-69	5964	17.8	260	5	8	12	22	40	60
70 +	290	14.4	71	7	9	12	18	30	35
SUBTOTAL	**12362**	**15.1**	**193**	**5**	**7**	**11**	**18**	**33**	**45**
0-17	0								
18-34	2755	8.1	41	3	5	7	10	14	17
35-49	4853	9.0	37	3	5	8	11	17	20
50-69	5010	9.1	34	4	6	8	11	17	20
70 +	146	11.3	38	4	6	9	15	23	25
SUBTOTAL	**12765**	**8.9**	**37**	**3**	**5**	**7**	**11**	**16**	**20**
GRAND TOTAL	**25127**	**12.0**	**124**	**4**	**6**	**9**	**14**	**23**	**34**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	1029	11.6	138	3	5	8	14	23	35
35-49	750	18.0	216	5	7	13	25	37	53
50-69	737	23.8	402	6	11	16	29	55	70
70 +	21	21.3	1						
SUBTOTAL	**2536**	**17.1**	**262**	**4**	**7**	**12**	**22**	**37**	**55**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	943	10.5	86	3	5	8	13	20	23
35-49	586	14.0	197	3	5	9	16	37	55
50-69	337	10.8	66	3	6	8	15	24	35
70 +	16	7.1	6						
SUBTOTAL	**1882**	**11.6**	**119**	**3**	**5**	**8**	**15**	**23**	**37**
GRAND TOTAL	**4419**	**14.8**	**208**	**4**	**6**	**9**	**18**	**34**	**51**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	703	16.4	281	3	6	10	22	45	60
35-49	996	17.8	172	6	10	15	21	35	52
50-69	968	21.7	345	6	9	16	26	48	59
70 +	144	14.0	45	7	7	14	16	22	31
SUBTOTAL	**2812**	**18.6**	**258**	**5**	**8**	**14**	**22**	**44**	**53**
0-17	0								
18-34	972	9.7	64	3	5	8	11	18	26
35-49	927	12.5	110	4	6	9	16	23	28
50-69	972	12.5	66	4	6	10	16	24	29
70 +	56	11.1	136	2	3	8	15	38	41
SUBTOTAL	**2928**	**11.6**	**82**	**4**	**6**	**9**	**15**	**23**	**29**
GRAND TOTAL	**5740**	**15.0**	**181**	**4**	**7**	**11**	**19**	**30**	**45**

Total U.S., July 1989 - June 1990

DRG 2: Craniotomy for Trauma Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	648	16.7	156	5	7	16	23	34	55
70-74	282	21.5	331	5	9	16	29	38	64
75-79	589	19.6	176	9	10	15	27	43	51
80-84	346	21.5	219	8	13	19	24	39	44
85 +	410	19.8	154	8	11	17	24	33	35
SUBTOTAL	**2274**	**19.3**	**195**	**6**	**10**	**16**	**24**	**39**	**54**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	205	10.3	23	5	6	10	14	17	20
70-74	262	17.4	607	2	4	8	17	49	97
75-79	271	10.2	32	4	6	9	12	22	22
80-84	137	8.8	21	5	6	8	10	18	20
85 +	192	9.9	43	4	5	7	12	19	20
SUBTOTAL	**1067**	**11.8**	**182**	**4**	**5**	**9**	**13**	**20**	**27**
GRAND TOTAL	**3341**	**16.9**	**203**	**5**	**8**	**13**	**22**	**33**	**45**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	586	15.7	211	7	8	13	18	37	91
35-49	428	19.3	216	5	8	15	31	47	66
50-69	504	18.5	223	5	9	14	27	41	68
70 +	78	25.3	236	13	16	22	31	66	99 +
SUBTOTAL	**1596**	**18.0**	**222**	**6**	**9**	**14**	**23**	**44**	**68**
0-17	0								
18-34	832	9.2	53	2	4	7	11	20	28
35-49	527	9.1	31	3	5	8	13	14	17
50-69	453	7.9	22	3	4	7	9	15	16
70 +	103	7.4	3	4	6	8	8	10	10
SUBTOTAL	**1916**	**8.7**	**37**	**3**	**5**	**7**	**11**	**16**	**20**
GRAND TOTAL	**3512**	**13.0**	**143**	**3**	**6**	**9**	**16**	**28**	**43**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	295	23.0	484	6	8	13	31	66	77
35-49	239	21.3	204	7	10	18	26	49	50
50-69	87	11.1	25	6	8	12	16	17	20
70 +	16	8.0							
SUBTOTAL	**636**	**20.4**	**323**	**6**	**8**	**13**	**25**	**49**	**65**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	297	9.5	74	3	4	6	12	20	30
35-49	99	14.4	143	4	4	12	15	38	45
50-69	18	14.3	88						
70 +	6	13.0							
SUBTOTAL	**420**	**11.0**	**94**	**3**	**4**	**7**	**13**	**23**	**30**
GRAND TOTAL	**1057**	**16.6**	**253**	**4**	**6**	**12**	**20**	**42**	**50**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	575	19.9	290	5	7	16	28	56	67
35-49	370	21.8	265	7	10	18	31	55	69
50-69	165	18.8	119	11	12	14	23	40	42
70 +	64	12.7	111	4	6	8	19	22	41
SUBTOTAL	**1175**	**19.9**	**252**	**6**	**8**	**16**	**27**	**48**	**65**
0-17	0								
18-34	1053	10.9	88	4	5	7	12	25	34
35-49	426	9.2	50	1	4	8	15	23	25
50-69	177	8.5	21	4	6	7	11	14	14
70 +	38	8.4	32						
SUBTOTAL	**1704**	**10.2**	**72**	**3**	**5**	**7**	**12**	**23**	**32**
GRAND TOTAL	**2879**	**14.2**	**168**	**4**	**6**	**9**	**19**	**34**	**45**

Total U.S., July 1989 - June 1990

DRG 3: Craniotomy Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	6	21.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**6**	**21.0**							
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	6	4.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**6**	**4.0**							
GRAND TOTAL	**12**	**12.5**	**79**						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	9435	9.7	145	2	3	5	12	25	35
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**9435**	**9.7**	**145**	**2**	**3**	**5**	**12**	**25**	**35**
0-17	12470	5.8	33	2	2	4	7	12	16
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**12470**	**5.8**	**33**	**2**	**2**	**4**	**7**	**12**	**16**
	21905	**7.5**	**85**	**2**	**2**	**4**	**9**	**17**	**25**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	5432	10.8	179	2	3	6	14	26	43
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**5432**	**10.8**	**179**	**2**	**3**	**6**	**14**	**26**	**43**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	5929	6.1	43	2	3	4	7	12	17
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**5929**	**6.1**	**43**	**2**	**3**	**4**	**7**	**12**	**17**
GRAND TOTAL	**11361**	**8.4**	**114**	**2**	**3**	**5**	**9**	**19**	**29**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	2450	12.7	203	2	3	7	17	33	45
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**2450**	**12.7**	**203**	**2**	**3**	**7**	**17**	**33**	**45**
0-17	3854	6.0	43	2	2	4	7	12	17
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**3854**	**6.0**	**43**	**2**	**2**	**4**	**7**	**12**	**17**
	6304	**8.6**	**116**	**2**	**3**	**5**	**10**	**23**	**33**

Total U.S., July 1989 - June 1990

DRG 4: Spinal Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1197	14.4	131	6	7	10	17	30	36
70-74	585	18.0	208	5	7	13	24	37	42
75-79	494	15.0	137	6	9	13	17	36	58
80-84	211	20.6	182	6	8	22	32	50	50
85 +	67	14.8	120	2	8	12	15	36	36
SUBTOTAL	2554	15.9	158	5	8	12	21	35	42
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	725	8.1	40	3	4	7	9	17	21
70-74	211	6.8	18	3	3	6	9	13	16
75-79	307	9.7	24	3	7	8	13	17	20
80-84	161	13.7	83	1	6	14	21	21	33
85 +	23	5.3	7						
SUBTOTAL	1426	8.8	42	3	5	7	11	17	21
GRAND TOTAL	3980	13.4	127	4	6	10	17	30	36

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1433	11.9	86	4	6	8	16	27	30
18-34	810	15.9	211	3	7	11	21	33	51
35-49	564	10.6	95	3	4	7	15	24	27
50-69	1033	13.8	109	4	7	12	20	29	50
70 +	43	24.6	138						
	4243	13.0	123	4	6	10	17	27	40
0-17	3212	8.7	41	4	5	7	10	14	25
18-34	1564	6.0	20	2	3	4	8	12	16
35-49	2654	5.3	18	2	3	4	7	9	13
50-69	1627	6.2	22	2	3	5	7	11	14
70 +	14	7.3	10						
	9070	6.8	29	2	3	6	8	12	17
	13313	8.7	67	2	4	6	10	18	27

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	397	10.6	65	5	7	8	12	20	35
18-34	222	22.2	595	5	8	12	34	99 +	99 +
35-49	205	13.9	61	5	9	12	16	24	29
50-69	77	29.6	738	6	7	21	29	81	81
70 +	0								
SUBTOTAL	900	15.8	289	5	7	11	18	35	81
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	887	9.7	56	4	5	7	11	24	25
18-34	221	8.9	54	2	3	7	15	18	23
35-49	261	6.7	27	2	3	5	9	11	23
50-69	87	6.9	22	3	4	6	7	18	18
70 +	6	17.0							
SUBTOTAL	1462	8.9	50	3	5	7	11	18	24
GRAND TOTAL	2362	11.6	152	3	5	8	13	24	31

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	305	14.3	137	5	7	10	16	25	42
18-34	215	18.7	239	1	7	15	26	34	54
35-49	313	12.0	74	1	5	10	17	25	27
50-69	265	11.9	231	1	3	7	12	39	54
70 +	55	6.6	240	1	1	1	2	50	50
	1152	13.6	173	1	5	9	17	28	42
0-17	592	9.1	41	4	5	7	10	23	25
18-34	385	6.7	32	2	3	4	10	14	19
35-49	378	6.5	40	1	3	4	8	14	15
50-69	200	6.4	35	1	2	5	8	14	22
70 +	40	1.6	1						
	1597	7.4	39	2	4	5	10	15	23
	2749	10.0	105	1	4	7	13	24	27

Total U.S., July 1989 - June 1990

DRG 5: Extracranial Vascular Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	6879	8.3	65	3	4	6	10	15	21
70-74	6291	8.3	52	3	4	6	10	16	21
75-79	5632	8.7	36	3	4	7	11	17	20
80-84	1919	8.8	38	4	5	7	12	17	22
85 +	873	10.2	51	3	5	9	13	22	26
SUBTOTAL	**21594**	**8.5**	**51**	**3**	**4**	**6**	**10**	**16**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	6657	5.1	11	2	3	4	6	9	11
70-74	5536	5.1	11	2	3	4	6	9	11
75-79	5041	5.5	13	3	3	4	6	9	12
80-84	1964	6.0	16	3	4	5	7	10	13
85 +	604	4.9	9	3	4	4	5	7	9
SUBTOTAL	**19802**	**5.3**	**12**	**3**	**3**	**4**	**6**	**9**	**12**
GRAND TOTAL	**41396**	**7.0**	**35**	**3**	**4**	**5**	**8**	**13**	**17**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	26	21.0	80						
18-34	101	5.7	14	3	4	6	6	6	18
35-49	544	7.6	52	3	4	6	9	13	16
50-69	4910	7.1	46	3	4	5	9	12	17
70 +	385	6.1	9	3	4	5	7	11	12
SUBTOTAL	**5965**	**7.1**	**44**	**3**	**4**	**5**	**9**	**12**	**16**
0-17	88	3.8	2	2	2	5	5	5	6
18-34	179	2.5	3	1	1	2	3	5	7
35-49	1091	4.5	6	2	3	4	5	8	11
50-69	6522	4.8	12	2	3	4	6	8	10
70 +	421	5.2	12	2	3	4	6	8	12
SUBTOTAL	**8300**	**4.7**	**11**	**2**	**3**	**4**	**5**	**8**	**10**
GRAND TOTAL	**14265**	**5.7**	**26**	**2**	**3**	**4**	**7**	**10**	**13**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	25	3.5	3						
18-34	28	6.4	22						
35-49	64	15.0	80	4	4	17	19	29	29
50-69	330	8.4	28	3	4	6	11	17	19
70 +	41	17.6	452						
SUBTOTAL	**488**	**9.7**	**81**	**3**	**4**	**6**	**12**	**19**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	26	1.6							
18-34	24	3.6							
35-49	26	6.4	19						
50-69	374	4.2	4	2	3	4	5	8	8
70 +	12	3.5							
SUBTOTAL	**463**	**4.1**	**5**	**2**	**3**	**4**	**5**	**8**	**8**
GRAND TOTAL	**951**	**7.0**	**52**	**2**	**3**	**4**	**8**	**15**	**19**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	32.0							
18-34	73	10.8	66	2	3	7	17	24	24
35-49	41	7.2	40						
50-69	711	6.4	28	2	3	5	9	11	15
70 +	186	9.3	37	3	5	8	12	17	20
SUBTOTAL	**1017**	**7.4**	**38**	**2**	**3**	**5**	**9**	**16**	**22**
0-17	40	4.0	5						
18-34	204	2.4	9	1	1	1	3	5	6
35-49	203	12.9	325	2	2	3	8	47	47
50-69	1080	4.9	19	2	3	3	5	9	16
70 +	224	3.7	2	2	3	4	4	6	6
SUBTOTAL	**1750**	**5.4**	**58**	**2**	**2**	**3**	**5**	**8**	**19**
GRAND TOTAL	**2767**	**6.1**	**52**	**2**	**3**	**4**	**7**	**13**	**21**

Total U.S., July 1989 - June 1990

DRG 6: Carpal Tunnel Release

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	225	5.3	111	<1	1	1	2	13	34
70-74	96	3.9	14	<1	1	2	6	12	13
75-79	121	2.0	1	<1	1	2	3	3	3
80-84	31	3.0							
85+	28	3.5	12						
SUBTOTAL	**501**	**4.0**	**55**	**<1**	**1**	**2**	**3**	**9**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	524	1.3		<1	<1	<1	1	2	3
70-74	361	1.1		<1	<1	<1	1	1	2
75-79	409	1.7	7	<1	<1	<1	1	1	5
80-84	184	1.4	2	<1	<1	<1	1	1	2
85+	97	1.5	1	<1	<1	1	2	3	3
SUBTOTAL	**1574**	**1.4**	**2**	**<1**	**<1**	**<1**	**1**	**2**	**3**
GRAND TOTAL	**2075**	**2.0**	**16**	**<1**	**<1**	**1**	**1**	**3**	**5**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	45	1.7	1						
35-49	140	2.3	5	<1	1	1	2	6	8
50-69	141	3.1	4	1	1	3	5	5	5
70+	0								
SUBTOTAL	**326**	**2.5**	**4**	**1**	**1**	**2**	**5**	**5**	**6**
0-17	79	1.5	2	<1	1	1	1	5	5
18-34	621	1.3	1	<1	<1	1	1	2	3
35-49	1198	1.2	1	<1	<1	<1	1	2	2
50-69	980	1.3	1	<1	<1	<1	1	2	2
70+	16	1.0							
SUBTOTAL	**2894**	**1.3**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**2**
	3220	**1.4**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	10	14.0							
18-34	6	22.0							
35-49	59	7.7	16						
50-69	0								
70+	0								
SUBTOTAL	**75**	**9.7**	**31**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	26	1.6							
18-34	106	1.7	7	<1	1	1	1	1	11
35-49	128	2.0	4	<1	<1	1	2	2	10
50-69	90	1.0		<1	<1	1	1	1	1
70+	0								
SUBTOTAL	**349**	**1.6**	**4**	**<1**	**<1**	**1**	**1**	**2**	**2**
GRAND TOTAL	**424**	**3.0**	**18**	**<1**	**1**	**1**	**2**	**10**	**11**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	6	1.0							
50-69	10	1.0							
70+	8	14.0							
SUBTOTAL	**24**	**5.1**	**38**						
0-17	10	1.0							
18-34	48	1.5	1						
35-49	186	1.1		<1	<1	1	1	1	2
50-69	120	1.3		<1	<1	1	2	2	2
70+	7	1.0							
SUBTOTAL	**371**	**1.2**		**<1**	**<1**	**1**	**1**	**2**	**2**
	395	**1.5**	**3**	**<1**	**<1**	**1**	**1**	**2**	**3**

Total U.S., July 1989 - June 1990

DRG 7: Periph & Cranial Nerve & Other Nerv Syst Proc w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1453	11.6	160	2	3	8	15	28	43
70-74	1126	16.1	224	3	6	11	25	45	99 +
75-79	756	13.2	154	4	6	9	23	32	99 +
80-84	582	18.9	476	3	6	11	27	65	88
85 +	278	16.1	239	3	6	12	28	81	99 +
SUBTOTAL	**4196**	**14.4**	**232**	**2**	**5**	**10**	**21**	**43**	**82**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4196**	**14.4**	**232**	**2**	**5**	**10**	**21**	**43**	**82**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	416	8.6	200	2	2	4	11	24	82
18-34	792	7.3	133	1	2	4	9	14	26
35-49	750	9.0	92	1	4	6	9	21	36
50-69	1276	10.5	178	1	3	6	12	28	39
70 +	183	8.9	50	4	5	6	7	23	23
	3417	**9.1**	**146**	**1**	**3**	**6**	**10**	**21**	**35**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3417	**9.1**	**146**	**1**	**3**	**6**	**10**	**21**	**35**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	204	13.4	555	1	1	4	10	38	80
18-34	237	10.1	153	1	2	6	15	21	39
35-49	105	14.0	242	2	6	9	13	47	51
50-69	130	11.8	142	1	6	8	12	44	47
70 +	20	19.8	146						
SUBTOTAL	**696**	**12.3**	**285**	**1**	**3**	**6**	**13**	**38**	**51**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**696**	**12.3**	**285**	**1**	**3**	**6**	**13**	**38**	**51**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	123	7.3	89	2	3	4	7	11	28
18-34	440	6.6	105	1	2	3	7	17	20
35-49	239	9.5	76	2	3	8	13	23	29
50-69	319	15.9	287	1	3	12	19	54	54
70 +	22	5.8	38						
	1143	**9.9**	**162**	**1**	**2**	**5**	**13**	**24**	**40**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1143	**9.9**	**162**	**1**	**2**	**5**	**13**	**24**	**40**

Total U.S., July 1989 - June 1990

DRG 8: Periph & Cranial Nerve & Other Nerv Syst Proc w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1315	3.5	13	1	1	2	4	8	10
70-74	684	3.4	10	1	1	2	5	7	9
75-79	457	3.6	16	<1	1	2	4	9	11
80-84	272	4.0	11	1	2	3	5	8	11
85 +	204	7.9	44	2	4	6	10	15	27
SUBTOTAL	**2932**	**3.8**	**16**	**1**	**1**	**2**	**5**	**9**	**11**
GRAND TOTAL	**2932**	**3.8**	**16**	**1**	**1**	**2**	**5**	**9**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	3370	3.2	13	1	1	2	4	6	8
18-34	3097	2.8	10	1	1	2	3	6	7
35-49	3496	2.8	5	1	1	2	4	6	7
50-69	3164	3.0	9	1	1	2	4	6	8
70 +	95	4.7	17	2	2	2	9	11	13
	13221	**3.0**	**9**	**1**	**1**	**2**	**4**	**6**	**8**
	13221	**3.0**	**9**	**1**	**1**	**2**	**4**	**6**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	942	5.4	104	1	1	2	4	13	24
18-34	557	4.0	22	1	1	2	5	8	14
35-49	231	2.8	3	1	1	2	4	5	5
50-69	102	6.4	34	1	1	4	11	12	22
70 +	10	2.0							
SUBTOTAL	**1842**	**4.7**	**63**	**1**	**1**	**2**	**4**	**11**	**19**
GRAND TOTAL	**1842**	**4.7**	**63**	**1**	**1**	**2**	**4**	**11**	**19**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	969	3.5	18	<1	1	2	4	7	18
18-34	1602	3.2	15	1	1	2	4	6	8
35-49	638	3.7	11	1	1	2	5	9	12
50-69	383	4.4	39	1	1	2	5	8	13
70 +	21	1.4							
	3614	**3.5**	**18**	**1**	**1**	**2**	**4**	**7**	**12**
	3614	**3.5**	**18**	**1**	**1**	**2**	**4**	**7**	**12**

DRG 9: Spinal Disorders & Injuries

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	265	15.8	293	1	3	10	21	46	53
70-74	145	6.9	48	1	1	6	10	20	21
75-79	150	10.8	27	4	8	9	15	17	18
80-84	50	18.4	162	7	9	14	20	45	45
85 +	124	15.3	72	7	9	14	20	27	37
SUBTOTAL	**733**	**13.1**	**158**	**1**	**6**	**9**	**17**	**25**	**45**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	123	5.3	25	1	3	3	7	8	20
70-74	65	7.3	14	2	6	6	10	15	15
75-79	23	11.2	8						
80-84	75	13.9	40	6	7	16	19	21	21
85 +	75	6.3	24						
SUBTOTAL	**360**	**8.0**	**36**	**3**	**3**	**6**	**10**	**19**	**20**
GRAND TOTAL	**1093**	**11.4**	**123**	**2**	**4**	**8**	**16**	**21**	**31**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	208	9.6	150	1	3	5	12	22	37
18-34	245	11.3	55	2	6	12	17	28	99 +
35-49	114	8.7	50	2	3	5	16	20	21
50-69	211	15.8	99	3	8	15	20	27	35
70 +	78	14.1	41	8	8	14	18	24	24
	857	**11.9**	**93**	**2**	**5**	**12**	**18**	**24**	**35**
0-17	580	3.1	38	< 1	< 1	1	3	6	9
18-34	506	4.7	15	1	2	4	6	7	12
35-49	295	5.6	50	1	1	3	7	11	15
50-69	239	4.6	12	2	2	4	6	9	13
70 +	53	5.7	7	3	4	4	7	11	11
	1672	**4.3**	**29**	**< 1**	**1**	**3**	**6**	**9**	**12**
	2529	**6.9**	**64**	**< 1**	**2**	**4**	**9**	**18**	**24**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	80	6.5	18	2	3	5	10	14	14
18-34	156	14.0	291	2	9	10	13	29	31
35-49	30	8.4	40						
50-69	28	33.0	1407						
70 +	8	3.0							
SUBTOTAL	**302**	**13.0**	**341**	**2**	**4**	**10**	**12**	**20**	**83**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	329	6.7	102	< 1	1	2	9	24	36
18-34	91	5.4	11	2	2	5	9	9	11
35-49	21	3.8	5						
50-69	32	11.9	2						
70 +	0								
SUBTOTAL	**474**	**6.6**	**76**	**< 1**	**1**	**2**	**9**	**23**	**26**
GRAND TOTAL	**776**	**9.1**	**188**	**< 1**	**2**	**5**	**10**	**20**	**31**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	73	19.9	931	< 1	2	10	20	94	94
18-34	131	14.8	103	2	5	15	26	26	99 +
35-49	95	8.6	183	1	2	5	8	12	58
50-69	54	14.0	43	3	11	15	18	27	27
70 +	6	12.0							
	359	**14.0**	**294**	**1**	**3**	**11**	**20**	**26**	**94**
0-17	133	3.1	13	< 1	1	1	5	7	10
18-34	568	6.0	53	1	2	3	7	15	18
35-49	151	7.1	51	1	2	5	10	21	21
50-69	78	10.0	22						
70 +	0								
	931	**6.1**	**47**	**1**	**2**	**3**	**8**	**15**	**18**
	1290	**8.3**	**128**	**1**	**2**	**5**	**12**	**21**	**26**

Total U.S., July 1989 - June 1990

DRG 10: Nervous System Neoplasms w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	5022	9.8	67	2	4	7	13	20	26
70-74	3990	10.9	116	3	5	8	14	22	32
75-79	2746	11.8	161	3	4	8	14	24	44
80-84	1396	11.3	60	3	7	9	15	22	25
85 +	1065	12.4	163	2	5	8	13	38	45
SUBTOTAL	**14220**	**10.9**	**106**	**3**	**4**	**8**	**14**	**22**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**14220**	**10.9**	**106**	**3**	**4**	**8**	**14**	**22**	**30**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1703	5.1	40	1	1	3	6	13	16
18-34	758	5.7	27	1	2	4	8	12	15
35-49	2723	7.3	61	2	3	4	9	16	21
50-69	6505	8.9	69	2	4	6	11	19	26
70 +	339	7.9	23	2	5	6	10	13	19
SUBTOTAL	**12028**	**7.8**	**61**	**2**	**3**	**5**	**10**	**16**	**23**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**12028**	**7.8**	**61**	**2**	**3**	**5**	**10**	**16**	**23**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	419	7.6	65	1	3	5	11	18	19
18-34	268	6.0	24	2	3	4	7	15	15
35-49	548	11.0	128	3	4	7	15	20	33
50-69	857	9.4	81	2	4	7	10	19	31
70 +	28	22.3	184						
SUBTOTAL	**2120**	**9.2**	**89**	**2**	**3**	**6**	**12**	**18**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2120**	**9.2**	**89**	**2**	**3**	**6**	**12**	**18**	**31**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	364	4.7	18	1	2	3	6	12	15
18-34	266	7.5	70	1	2	4	7	24	26
35-49	695	9.7	98	2	4	5	11	28	28
50-69	1460	9.3	95	2	3	6	10	21	33
70 +	138	14.5	92	3	5	11	24	27	31
SUBTOTAL	**2923**	**8.9**	**88**	**2**	**3**	**6**	**10**	**22**	**28**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2923**	**8.9**	**88**	**2**	**3**	**6**	**10**	**22**	**28**

DRG 11: Nervous System Neoplasms w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1074	5.8	78	1	2	3	6	12	18
70-74	750	6.4	30	2	3	5	8	13	17
75-79	651	5.2	16	2	2	4	7	10	13
80-84	340	8.7	46	3	4	8	12	18	18
85 +	237	8.5	105	3	3	4	9	13	45
SUBTOTAL	3052	6.4	53	2	2	4	8	13	17
GRAND TOTAL	3052	6.4	53	2	2	4	8	13	17

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1916	3.1	13	1	1	2	4	7	10
18-34	667	3.3	11	1	1	2	4	10	11
35-49	1243	4.0	11	1	2	3	5	8	11
50-69	2156	5.1	29	1	2	3	6	10	14
70 +	47	7.1	11						
	6029	4.1	19	1	1	3	5	9	13
	6029	4.1	19	1	1	3	5	9	13

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	616	4.6	44	1	1	2	5	9	17
18-34	173	6.9	19	2	3	7	8	12	14
35-49	185	5.1	22	1	3	4	5	12	15
50-69	202	6.8	60	1	2	4	7	16	28
70 +	6	5.0							
SUBTOTAL	1181	5.4	40	1	1	3	7	12	17
GRAND TOTAL	1181	5.4	40	1	1	3	7	12	17

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	525	3.4	10	1	1	2	5	8	10
18-34	170	3.8	13	1	2	3	4	7	13
35-49	417	3.5	5	1	2	3	5	7	7
50-69	386	6.5	54	1	2	4	9	13	19
70 +	57	8.2	77	2	2	4	22	24	24
	1555	4.4	24	1	2	3	5	10	13
	1555	4.4	24	1	2	3	5	10	13

DRG 12: Degenerative Nervous System Disorders

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2483	10.6	120	2	4	7	14	23	34
70-74	2307	13.0	210	3	4	9	16	30	58
75-79	3242	11.0	101	3	5	9	14	21	35
80-84	2678	12.1	127	3	6	8	16	26	35
85 +	1852	12.0	142	4	5	9	14	25	59
SUBTOTAL	**12562**	**11.7**	**137**	**3**	**5**	**8**	**15**	**25**	**36**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1913	7.6	52	2	3	6	10	16	18
70-74	1699	7.0	27	2	3	6	10	13	15
75-79	2229	7.0	30	2	3	6	10	14	16
80-84	1480	7.5	36	2	4	6	10	15	20
85 +	1125	6.5	21	2	3	5	10	11	17
SUBTOTAL	**8448**	**7.2**	**35**	**2**	**3**	**6**	**10**	**14**	**17**
GRAND TOTAL	**21009**	**9.9**	**101**	**2**	**4**	**7**	**13**	**20**	**30**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	619	9.8	204	1	2	3	8	38	44
18-34	275	11.5	136	2	3	7	17	25	31
35-49	426	8.1	104	2	2	4	11	29	44
50-69	1123	9.8	44	3	5	8	13	21	26
70 +	180	11.8	106	3	4	11	17	22	27
	2623	**9.8**	**106**	**2**	**3**	**6**	**13**	**25**	**33**
0-17	1065	3.6	10	1	1	3	5	8	9
18-34	663	5.1	28	1	2	3	6	10	15
35-49	829	5.8	33	1	3	4	7	13	15
50-69	1310	6.4	35	1	3	5	8	14	19
70 +	118	6.0	38	1	2	3	9	19	22
	3985	**5.3**	**28**	**1**	**2**	**4**	**7**	**12**	**15**
	6608	**7.1**	**64**	**1**	**2**	**4**	**9**	**16**	**25**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	362	8.9	90	2	3	5	10	21	34
18-34	203	13.2	250	1	3	11	14	32	40
35-49	154	8.8	246	2	2	3	7	14	63
50-69	340	13.2	199	4	7	11	17	99 +	99 +
70 +	119	16.0	94	4	9	9	27	27	28
SUBTOTAL	**1186**	**11.6**	**176**	**2**	**4**	**8**	**15**	**32**	**83**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	543	5.0	33	< 1	1	3	6	10	15
18-34	239	6.4	12	2	4	6	9	10	13
35-49	203	13.3	238	2	3	5	17	42	42
50-69	388	9.6	100	1	4	6	10	25	36
70 +	83	6.3	26	3	4	8	99 +	99 +	99 +
SUBTOTAL	**1456**	**7.7**	**84**	**1**	**2**	**5**	**9**	**23**	**42**
GRAND TOTAL	**2642**	**9.4**	**129**	**1**	**3**	**6**	**12**	**27**	**47**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	76	3.1	9	1	1	2	5	10	10
18-34	163	10.8	182	2	3	6	15	57	57
35-49	176	8.8	26	3	4	11	14	14	20
50-69	357	11.2	188	1	3	5	11	33	37
70 +	262	14.0	212	1	5	9	22	27	37
	1034	**10.8**	**160**	**1**	**3**	**6**	**14**	**26**	**37**
0-17	205	4.2	19	1	1	3	5	12	13
18-34	488	9.9	231	1	2	3	10	16	56
35-49	245	4.0	8	1	2	3	6	8	10
50-69	307	6.1	32	1	2	4	8	15	20
70 +	310	11.2	182	1	3	6	17	33	55
	1556	**7.7**	**127**	**1**	**2**	**4**	**8**	**17**	**33**
	2589	**9.0**	**142**	**1**	**2**	**5**	**11**	**22**	**37**

Total U.S., July 1989 - June 1990

DRG 13: Multiple Sclerosis & Cerebellar Ataxia

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1658	8.4	30	2	5	8	11	14	19
70-74	178	7.8	7	6	6	6	9	11	13
75-79	111	10.6	37	5	6	9	13	17	27
80-84	65	7.1	24	1	5	6	9	13	18
85 +	15	7.5	2						
SUBTOTAL	**2027**	**8.4**	**28**	**3**	**5**	**8**	**11**	**14**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2300	6.6	16	3	4	6	9	11	14
70-74	233	4.3	4	2	3	4	5	7	7
75-79	55	5.8	11	2	3	5	6	12	12
80-84	40	7.0	8						
85 +	33	18.4	151						
SUBTOTAL	**2662**	**6.5**	**18**	**3**	**4**	**5**	**8**	**11**	**14**
GRAND TOTAL	**4689**	**7.3**	**23**	**3**	**4**	**6**	**10**	**12**	**16**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	117	3.2	7	1	1	2	4	5	11
18-34	791	9.9	62	2	4	8	12	22	29
35-49	1534	9.9	79	3	5	7	12	21	28
50-69	824	11.8	204	3	5	7	14	23	26
70 +	0								
SUBTOTAL	**3266**	**10.1**	**106**	**3**	**4**	**7**	**12**	**22**	**28**
0-17	447	4.2	11	1	2	3	5	8	10
18-34	2160	6.7	50	2	4	5	8	11	15
35-49	4630	6.0	12	2	4	5	8	10	12
50-69	1130	6.1	10	2	4	6	8	11	12
70 +	8	5.0							
SUBTOTAL	**8374**	**6.1**	**22**	**2**	**4**	**5**	**8**	**10**	**13**
GRAND TOTAL	**11640**	**7.2**	**49**	**2**	**4**	**6**	**9**	**13**	**17**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	59	9.2	58	1	3	6	17	22	22
18-34	319	10.8	143	3	4	8	11	23	41
35-49	329	8.6	27	4	5	7	11	15	20
50-69	96	19.5	141	6	19	39	99 +	99 +	99 +
70 +	0								
SUBTOTAL	**804**	**10.8**	**100**	**3**	**5**	**8**	**18**	**56**	**99 +**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	248	2.8	2	1	2	3	3	6	6
18-34	468	7.2	30	3	4	6	9	12	15
35-49	359	6.5	10	2	4	6	9	11	12
50-69	88	12.5	109	4	7	8	20	20	42
70 +	10	4.0							
SUBTOTAL	**1174**	**6.4**	**29**	**2**	**3**	**5**	**8**	**12**	**13**
GRAND TOTAL	**1978**	**8.2**	**63**	**2**	**4**	**6**	**11**	**21**	**45**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	40	6.4	15						
18-34	74	8.6	67	2	3	6	9	29	29
35-49	218	7.7	88	2	4	6	9	10	10
50-69	125	5.5	19	2	2	4	9	14	14
70 +	8	7.0							
SUBTOTAL	**466**	**7.1**	**59**	**2**	**3**	**5**	**9**	**11**	**16**
0-17	122	3.4	5	1	2	3	5	6	9
18-34	580	6.5	16	2	4	6	9	11	18
35-49	616	5.5	18	1	3	4	7	13	13
50-69	154	6.0	15	3	4	4	9	10	11
70 +	8	2.0							
SUBTOTAL	**1479**	**5.7**	**16**	**1**	**3**	**5**	**8**	**11**	**13**
GRAND TOTAL	**1945**	**6.1**	**27**	**2**	**3**	**5**	**8**	**11**	**14**

Total U.S., July 1989 - June 1990

DRG 14: Specific Cerebrovascular Disorders except TIA

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	32298	10.7	92	3	5	8	13	21	29
70-74	32787	11.3	96	3	5	8	14	23	32
75-79	39545	11.9	117	4	6	9	14	23	33
80-84	36411	12.1	123	4	6	9	15	24	37
85 +	37054	12.1	114	4	6	9	15	24	33
SUBTOTAL	**178096**	**11.7**	**110**	**4**	**6**	**9**	**14**	**23**	**32**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	14842	6.9	26	2	4	6	9	13	16
70-74	13623	7.2	30	2	4	6	9	13	17
75-79	15216	7.9	46	2	4	6	10	15	19
80-84	13546	8.5	56	3	4	7	10	16	20
85 +	12531	8.6	52	3	4	7	10	16	20
SUBTOTAL	**69758**	**7.8**	**42**	**2**	**4**	**6**	**10**	**15**	**18**
GRAND TOTAL	**247854**	**10.6**	**94**	**3**	**5**	**8**	**13**	**21**	**29**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	209	10.2	233	1	2	5	10	20	28
18-34	1002	8.8	94	3	5	7	10	15	20
35-49	3635	10.5	117	3	5	8	13	19	29
50-69	19011	10.0	99	3	5	7	12	19	30
70 +	2966	11.6	109	3	5	8	14	27	36
SUBTOTAL	**26823**	**10.2**	**104**	**3**	**5**	**7**	**12**	**20**	**30**
0-17	236	5.2	22	1	2	3	7	11	16
18-34	1016	5.7	52	1	2	4	7	12	14
35-49	3909	6.4	27	2	3	5	9	13	15
50-69	13928	6.8	43	2	3	5	8	13	16
70 +	1668	7.4	24	2	4	6	10	14	17
SUBTOTAL	**20756**	**6.7**	**39**	**2**	**3**	**5**	**9**	**13**	**16**
GRAND TOTAL	**47579**	**8.7**	**79**	**2**	**4**	**6**	**10**	**17**	**24**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	78	18.6	105	3	10	18	31	31	31
18-34	274	11.3	63	3	6	8	18	28	99 +
35-49	1190	12.0	127	3	5	10	14	22	34
50-69	4384	13.0	167	4	6	9	15	29	48
70 +	1009	13.3	126	5	7	10	27	99 +	99 +
SUBTOTAL	**6936**	**12.8**	**150**	**4**	**6**	**9**	**16**	**33**	**64**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	120	6.7	15	2	4	6	10	13	14
18-34	358	6.6	21	2	3	5	10	14	14
35-49	707	8.2	59	3	4	6	10	16	16
50-69	2003	8.7	59	2	4	7	11	21	23
70 +	475	12.7	310	4	5	9	13	17	34
SUBTOTAL	**3663**	**8.8**	**89**	**2**	**4**	**7**	**11**	**17**	**23**
GRAND TOTAL	**10599**	**11.5**	**132**	**3**	**5**	**8**	**14**	**27**	**44**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	51	10.2	42	2	3	8	15	20	20
18-34	385	12.3	116	4	6	9	13	34	43
35-49	1407	10.6	132	3	4	7	12	22	34
50-69	6018	11.9	179	3	5	7	14	27	44
70 +	2469	13.3	267	4	5	9	14	27	42
SUBTOTAL	**10330**	**12.1**	**192**	**3**	**5**	**8**	**14**	**26**	**42**
0-17	84	3.9	7	< 1	2	4	5	7	10
18-34	428	5.4	17	1	2	4	8	12	15
35-49	1491	7.3	51	2	3	5	8	14	19
50-69	4631	6.7	48	2	3	5	8	13	17
70 +	1467	6.5	27	2	3	5	8	14	23
SUBTOTAL	**8101**	**6.7**	**43**	**2**	**3**	**5**	**8**	**13**	**18**
GRAND TOTAL	**18431**	**9.7**	**133**	**2**	**4**	**6**	**11**	**21**	**34**

Total U.S., July 1989 - June 1990

DRG 15: Transient Ischemic Attack & Precerebral Occlusions

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	14900	5.2	16	2	3	4	7	10	13
70-74	14801	5.6	28	2	3	4	7	10	13
75-79	16098	6.3	43	2	3	5	7	12	16
80-84	16018	6.2	46	2	3	5	7	11	15
85+	15272	6.4	36	2	3	5	8	12	15
SUBTOTAL	**77090**	**6.0**	**34**	**2**	**3**	**5**	**7**	**11**	**14**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	11079	3.8	9	1	2	3	5	7	9
70-74	10559	3.7	8	1	2	3	5	7	8
75-79	10481	4.1	11	1	2	3	5	8	9
80-84	9133	4.2	8	1	2	4	5	8	10
85+	7958	4.4	12	2	2	4	5	8	11
SUBTOTAL	**49210**	**4.0**	**10**	**1**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**126300**	**5.2**	**25**	**2**	**3**	**4**	**6**	**10**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	40	15.4	476						
18-34	124	4.7	6	2	3	4	6	8	10
35-49	1635	4.4	18	1	2	3	5	8	11
50-69	8376	4.7	13	2	2	4	6	9	11
70+	1163	5.7	29	1	3	4	7	11	16
SUBTOTAL	**11337**	**4.8**	**17**	**2**	**2**	**4**	**6**	**9**	**12**
0-17	7	1.0							
18-34	469	2.2	3	1	1	2	2	4	6
35-49	3061	3.7	9	1	2	3	5	7	10
50-69	11805	3.4	8	1	2	3	5	6	8
70+	865	3.9	9	1	2	3	5	7	10
SUBTOTAL	**16207**	**3.5**	**8**	**1**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**27544**	**4.0**	**12**	**1**	**2**	**3**	**5**	**8**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	6	2.0							
18-34	150	3.3	3	2	2	3	3	6	6
35-49	327	4.2	6	1	2	4	6	8	9
50-69	1321	5.1	16	2	3	4	6	10	12
70+	452	10.7	82	2	3	11	15	16	22
SUBTOTAL	**2257**	**6.0**	**33**	**2**	**3**	**4**	**7**	**14**	**15**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	8	6.0							
18-34	113	4.0	16	2	2	2	4	6	16
35-49	430	4.7	24	1	2	4	6	9	9
50-69	1043	3.7	6	1	2	3	5	7	8
70+	278	3.0	5	1	1	2	5	5	6
SUBTOTAL	**1872**	**3.8**	**11**	**1**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**4129**	**5.0**	**24**	**1**	**2**	**3**	**6**	**11**	**14**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	90	3.6	28	1	1	2	4	5	21
35-49	315	4.0	10	1	2	3	5	8	9
50-69	1625	4.7	23	1	2	3	6	9	11
70+	968	5.2	18	2	2	4	7	11	15
SUBTOTAL	**2998**	**4.8**	**20**	**1**	**2**	**3**	**6**	**9**	**14**
0-17	16	5.0							
18-34	163	3.3	8	1	2	2	4	6	9
35-49	727	3.0	5	1	1	2	4	6	7
50-69	2738	3.5	9	1	2	3	4	6	10
70+	891	3.0	8	1	1	2	4	6	6
SUBTOTAL	**4535**	**3.3**	**8**	**1**	**2**	**2**	**4**	**6**	**9**
GRAND TOTAL	**7533**	**3.9**	**13**	**1**	**2**	**3**	**5**	**8**	**11**

Total U.S., July 1989 - June 1990

DRG 16: Nonspecific Cerebrovascular Disorders w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1503	8.6	39	3	4	7	12	19	21
70-74	1772	6.8	24	2	4	6	9	12	15
75-79	1902	9.4	90	2	4	7	11	17	26
80-84	1837	11.4	133	3	5	8	14	28	36
85 +	1775	10.2	139	3	4	6	12	17	34
SUBTOTAL	**8789**	**9.3**	**89**	**3**	**4**	**7**	**11**	**18**	**26**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**8789**	**9.3**	**89**	**3**	**4**	**7**	**11**	**18**	**26**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	373	7.3	78	1	2	4	10	12	34
18-34	101	3.8	6	1	2	3	4	9	9
35-49	160	12.1	236	2	3	5	15	39	55
50-69	747	7.9	41	3	4	6	10	16	21
70 +	94	6.6	9	2	5	7	10	10	11
	1475	**7.8**	**70**	**2**	**3**	**5**	**10**	**15**	**23**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1475	**7.8**	**70**	**2**	**3**	**5**	**10**	**15**	**23**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	210	9.9	121	1	4	7	18	18	25
18-34	87	7.2	18	3	4	7	9	14	15
35-49	92	6.9	51	3	3	4	6	26	26
50-69	120	8.9	39	4	6	7	11	17	26
70 +	41	6.1	8						
SUBTOTAL	**550**	**8.5**	**68**	**2**	**4**	**6**	**11**	**18**	**25**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**550**	**8.5**	**68**	**2**	**4**	**6**	**11**	**18**	**25**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	121	7.6	129	1	2	2	8	27	43
18-34	90	9.8	111	2	5	6	7	26	41
35-49	145	7.6	40	2	3	5	9	17	23
50-69	205	6.9	27	3	3	5	8	15	23
70 +	64	15.8	635	1	5	6	13	86	86
	625	**8.5**	**130**	**2**	**3**	**5**	**8**	**23**	**27**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	625	**8.5**	**130**	**2**	**3**	**5**	**8**	**23**	**27**

Total U.S., July 1989 - June 1990

DRG 17: Nonspecific Cerebrovascular Disorders w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	456	6.4	21	2	3	5	9	10	17
70-74	493	6.8	60	2	3	4	8	10	34
75-79	769	5.3	13	2	3	4	6	11	12
80-84	579	6.5	17	3	3	6	9	12	13
85+	639	9.7	244	2	3	5	8	15	63
SUBTOTAL	**2936**	**6.9**	**76**	**2**	**3**	**5**	**8**	**12**	**16**
GRAND TOTAL	**2936**	**6.9**	**76**	**2**	**3**	**5**	**8**	**12**	**16**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
0-17	579	4.3	24	1	1	2	5	12	17
18-34	423	4.1	14	1	2	3	5	6	14
35-49	490	5.1	33	1	2	4	6	8	14
50-69	745	4.2	30	1	2	3	5	8	11
70+	51	4.3	3	2	2	5	5	7	7
SUBTOTAL	**2289**	**4.4**	**26**	**1**	**2**	**3**	**5**	**9**	**14**
GRAND TOTAL	**2289**	**4.4**	**26**	**1**	**2**	**3**	**5**	**9**	**14**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	243	4.2	11	1	2	3	5	10	10
18-34	108	5.0	19	1	2	3	7	14	14
35-49	104	5.5	13	2	2	4	7	12	12
50-69	100	3.6	12	1	2	3	3	6	16
70+	23	2.9	2						
SUBTOTAL	**578**	**4.4**	**13**	**1**	**2**	**3**	**6**	**10**	**13**
GRAND TOTAL	**578**	**4.4**	**13**	**1**	**2**	**3**	**6**	**10**	**13**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
0-17	203	3.7	12	1	2	3	5	5	10
18-34	158	4.8	18	1	2	4	6	8	17
35-49	84	5.9	27	1	2	3	10	11	19
50-69	184	6.2	38	1	2	5	6	14	16
70+	28	2.6	1						
SUBTOTAL	**657**	**4.9**	**23**	**1**	**2**	**3**	**6**	**11**	**17**
GRAND TOTAL	**657**	**4.9**	**23**	**1**	**2**	**3**	**6**	**11**	**17**

Total U.S., July 1989 - June 1990

DRG 18: Cranial & Peripheral Nerve Disorders w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	5527	7.5	39	2	3	6	9	14	22
70-74	2538	7.6	57	2	3	5	9	14	22
75-79	2258	8.6	46	3	4	7	11	17	22
80-84	1368	8.1	29	3	4	7	10	15	19
85 +	1010	7.8	28	3	4	7	9	15	19
SUBTOTAL	12702	7.8	42	2	4	6	10	15	21
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	12702	7.8	42	2	4	6	10	15	21

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	170	6.3	38	1	1	4	7	20	20
18-34	872	5.2	19	1	2	4	7	12	16
35-49	1928	6.4	37	2	3	5	8	13	18
50-69	2927	5.6	25	1	2	4	7	10	14
70 +	181	6.9	10	2	4	6	9	10	10
	6079	5.8	28	1	3	4	6	12	16
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	6079	5.8	28	1	3	4	6	12	16

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	104	4.3	8	1	2	4	7	8	9
18-34	372	6.9	36	2	3	5	9	17	21
35-49	407	6.9	26	2	3	6	8	14	17
50-69	571	7.1	30	1	3	6	9	14	17
70 +	26	11.3	5						
SUBTOTAL	1480	6.9	29	2	3	6	9	14	17
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	1480	6.9	29	2	3	6	9	14	17

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	42	5.2	18						
18-34	307	6.2	23	2	3	5	9	11	17
35-49	621	5.5	28	2	2	4	6	11	19
50-69	670	5.3	21	1	2	4	7	10	18
70 +	97	10.2	33	3	7	11	13	15	25
	1736	5.9	26	1	2	4	7	12	18
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1736	5.9	26	1	2	4	7	12	18

DRG 19: Cranial & Peripheral Nerve Disorders w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2953	5.0	15	1	2	4	7	10	13
70-74	1508	5.4	15	1	3	4	7	10	12
75-79	1295	4.9	22	1	2	3	7	10	16
80-84	621	4.6	10	1	2	4	6	9	11
85 +	429	9.5	146	2	3	7	11	14	21
SUBTOTAL	**6806**	**5.3**	**26**	**1**	**2**	**4**	**7**	**10**	**14**
GRAND TOTAL	**6806**	**5.3**	**26**	**1**	**2**	**4**	**7**	**10**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	984	5.2	28	1	2	4	7	12	16
18-34	2520	3.4	8	1	1	3	5	7	9
35-49	4986	3.4	10	1	1	2	4	8	10
50-69	4843	4.0	12	1	2	3	6	8	10
70 +	172	5.2	22	1	2	4	6	15	16
13505	**3.8**	**12**	**1**	**1**	**3**	**5**	**8**	**11**
13505	**3.8**	**12**	**1**	**1**	**3**	**5**	**8**	**11**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	200	3.8	12	1	1	3	5	9	10
18-34	366	3.8	7	< 1	1	3	6	8	10
35-49	496	3.8	8	1	2	3	5	7	11
50-69	417	5.8	26	2	3	4	7	14	16
70 +	56	5.2	19	1	2	3	5	14	14
SUBTOTAL	**1536**	**4.4**	**15**	**1**	**2**	**3**	**5**	**10**	**13**
GRAND TOTAL	**1536**	**4.4**	**15**	**1**	**2**	**3**	**5**	**10**	**13**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	444	3.5	11	1	1	3	5	9	10
18-34	1039	3.8	9	1	1	3	5	7	9
35-49	1123	3.1	12	1	1	2	4	7	10
50-69	732	3.4	6	1	2	2	5	7	8
70 +	121	7.7	99	1	2	4	8	19	29
3460	**3.6**	**13**	**1**	**1**	**3**	**5**	**8**	**9**
3460	**3.6**	**13**	**1**	**1**	**3**	**5**	**8**	**9**

DRG 20: Nervous System Infection except Viral Meningitis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1189	14.5	129	4	6	12	19	32	35
70-74	856	17.3	203	4	7	13	23	37	37
75-79	637	15.4	174	4	6	12	20	27	35
80-84	612	13.1	149	4	5	8	16	32	39
85 +	340	17.8	115	6	10	16	20	39	41
SUBTOTAL	3634	15.4	159	4	6	12	20	33	39
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	659	6.3	17	1	2	5	9	11	16
70-74	462	6.5	18	2	4	5	9	14	15
75-79	288	8.2	35	2	4	7	11	16	22
80-84	178	6.0	21	2	3	4	11	13	15
85 +	66	12.4	40	2	8	11	14	26	26
SUBTOTAL	1653	6.9	24	2	3	6	9	14	16
GRAND TOTAL	5287	12.7	132	3	5	9	17	27	36

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	3099	11.1	58	4	7	10	14	18	23
18-34	676	12.4	136	3	5	8	18	31	36
35-49	808	10.0	65	2	4	7	14	19	29
50-69	1238	18.6	351	5	6	13	22	52	64
70 +	89	9.2	58	2	3	5	16	19	26
	5911	12.7	139	3	6	10	15	24	33
	5251	7.9	24	2	4	8	10	13	15
	1828	6.6	34	2	3	4	10	12	15
	1626	6.7	26	2	3	5	10	15	16
	1034	8.3	57	1	3	7	11	15	22
	56	4.7	10						
	9794	7.5	30	2	3	7	10	13	15
	15705	9.4	77	2	4	8	11	16	23

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	2223	12.1	83	4	7	11	14	22	26
18-34	310	14.2	99	4	8	13	21	27	34
35-49	183	18.4	206	6	9	15	35	99 +	99 +
50-69	213	15.6	193	1	8	14	19	40	64
70 +	16	8.7	9						
SUBTOTAL	2945	12.9	103	4	7	11	15	23	36
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	3471	9.3	26	3	7	10	11	15	17
18-34	391	6.0	27	1	2	4	9	14	15
35-49	206	12.5	299	2	4	8	10	14	64
50-69	95	13.0	45	6	8	12	15	18	34
70 +	6	9.0							
SUBTOTAL	4169	9.3	42	3	6	9	11	15	17
GRAND TOTAL	7114	10.8	70	3	7	10	12	19	24

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1693	10.3	37	3	7	10	13	16	21
18-34	478	11.6	74	3	7	10	15	22	39
35-49	455	15.8	137	6	9	13	17	29	42
50-69	304	22.7	237	6	12	18	45	60	99 +
70 +	50	6.5	10	2	3	7	8	12	12
	2981	12.6	94	4	7	10	15	24	40
0-17	2231	8.8	25	2	5	9	11	14	16
18-34	870	8.5	56	2	4	6	11	20	27
35-49	361	8.5	27	2	5	7	13	14	19
50-69	286	11.0	73	3	3	10	14	27	30
70 +	20	9.1	24						
	3768	8.9	36	2	4	9	11	15	21
	6749	10.5	65	3	5	10	13	19	27

DRG 21: Viral Meningitis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	193	8.1	15	4	6	6	11	11	18
70-74	89	10.3	30	3	6	10	13	19	19
75-79	82	7.8	8	3	6	8	11	11	11
80-84	41	12.4	113						
85 +	17	17.8	16						
SUBTOTAL	423	9.3	31	3	6	8	11	17	19
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	131	4.3	8	1	2	5	6	9	11
70-74	8	4.0							
75-79	33	10.1	15						
80-84	36	7.1	41						
85 +	43	9.0							
SUBTOTAL	250	6.3	17	1	3	5	9	12	15
GRAND TOTAL	673	8.2	28	3	5	6	11	13	19

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1961	4.3	9	2	2	3	5	8	11
18-34	891	4.5	7	2	3	4	6	7	9
35-49	579	4.8	6	2	3	4	7	9	9
50-69	129	6.1	15	2	3	4	8	11	14
70 +	24	11.9	53						
	3584	4.5	9	2	3	4	6	9	11
	11389	3.3	3	2	2	3	4	5	6
	6012	3.6	5	2	2	3	4	6	8
	1816	4.2	6	1	3	4	5	7	9
	393	4.5	14	2	3	4	5	7	8
	0								
	19609	3.5	4	2	2	3	4	6	7
	23193	3.6	5	2	2	3	4	6	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	1593	4.4	10	2	2	3	5	9	12
18-34	301	5.7	50	1	2	5	8	8	13
35-49	18	7.0	15						
50-69	13	8.4	2						
70 +	0								
SUBTOTAL	1925	4.6	16	2	2	3	5	9	12
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	5560	3.9	6	2	2	3	5	8	8
18-34	762	3.7	7	2	2	3	4	7	10
35-49	152	5.3	7	2	4	5	5	10	10
50-69	16	5.0							
70 +	0								
SUBTOTAL	6491	4.0	6	2	2	3	5	7	9
GRAND TOTAL	8416	4.1	8	2	2	3	5	8	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1064	4.0	8	2	2	3	4	7	10
18-34	554	5.2	19	2	2	3	7	12	15
35-49	199	5.2	19	2	3	4	5	10	13
50-69	38	8.9	92						
70 +	6	2.0							
	1862	4.6	15	2	2	3	5	10	12
	4697	3.5	5	2	2	3	4	6	7
	2234	3.2	5	1	2	3	4	6	7
	625	4.0	6	2	2	3	6	7	9
	97	3.4	4	1	2	3	4	7	8
	0								
	7652	3.4	5	1	2	3	4	6	7
	9513	3.6	7	2	2	3	4	7	8

Total U.S., July 1989 - June 1990

DRG 22: Hypertensive Encephalopathy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2204	8.8	210	2	3	5	8	13	23
70-74	1222	6.3	22	2	3	6	7	10	17
75-79	813	7.8	55	2	3	7	9	17	17
80-84	697	6.1	21	2	2	5	8	10	19
85 +	811	6.2	15	2	4	5	8	13	14
SUBTOTAL	5747	7.5	99	2	3	5	8	12	18
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	752	3.6	14	1	2	3	5	6	7
70-74	714	5.2	8	2	3	5	8	10	10
75-79	554	3.1	3	1	2	3	4	5	6
80-84	580	4.7	10	2	2	4	6	7	8
85 +	269	4.8	17	2	3	4	6	7	20
SUBTOTAL	2869	4.2	10	2	2	4	5	8	10
GRAND TOTAL	8616	6.4	72	2	3	5	7	10	17

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	41	6.2	6						
18-34	111	6.1	35	2	3	4	6	12	25
35-49	781	5.8	13	2	3	5	8	10	13
50-69	1237	5.2	14	2	3	4	7	10	12
70 +	8	3.0							
	2178	5.5	15	2	3	4	7	10	12
0-17	18	3.3	4						
18-34	337	3.6	3	2	2	3	6	6	6
35-49	1099	3.0	2	2	2	3	4	5	6
50-69	1064	3.7	9	2	2	3	5	7	7
70 +	161	4.1	7	1	1	5	7	7	7
	2679	3.4	5	1	2	3	5	6	7
	4857	4.3	11	2	2	3	5	8	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	69	5.4	2						
18-34	60	7.3	25	1	5	6	9	18	18
35-49	215	6.9	43	2	4	5	8	20	22
50-69	280	7.0	54	2	2	4	7	20	24
70 +	105	5.9	9						
SUBTOTAL	729	6.7	37	2	3	5	8	13	22
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	10	13.0							
18-34	93	2.7	1	2	2	2	3	5	5
35-49	188	3.3	2	1	2	4	4	4	5
50-69	196	3.5	4	2	2	2	6	7	7
70 +	50	2.4	12						
SUBTOTAL	538	3.4	5	1	2	3	4	6	7
GRAND TOTAL	1266	5.3	26	2	2	4	6	9	16

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	20	5.5							
18-34	25	6.4	16						
35-49	431	7.2	38	1	3	4	10	19	20
50-69	554	6.8	80	2	3	4	9	13	18
70 +	73	5.3	2						
	1104	6.8	56	2	3	4	9	13	19
0-17	8	1.0							
18-34	37	3.8	3						
35-49	350	3.9	5	2	3	4	4	5	6
50-69	326	3.6	12	1	2	3	5	6	10
70 +	15	1.5							
	737	3.7	8	1	2	3	5	5	9
	1841	5.6	39	1	3	4	6	13	18

Total U.S., July 1989 - June 1990

DRG 23: Nontraumatic Stupor & Coma

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	647	7.3	39	2	3	5	10	14	22
70-74	265	5.2	9	2	4	4	7	10	11
75-79	472	7.6	35	2	4	6	10	14	21
80-84	582	6.6	22	2	3	6	8	13	15
85 +	463	6.3	25	1	3	5	8	13	15
SUBTOTAL	**2428**	**6.8**	**29**	**2**	**3**	**5**	**9**	**13**	**18**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	116	3.6	5	1	2	3	5	7	9
70-74	46	9.0	46						
75-79	80	3.8	6	1	1	4	5	8	8
80-84	87	6.0	30	2	3	4	8	17	17
85 +	127	5.1	30	3	3	3	4	7	23
SUBTOTAL	**456**	**5.0**	**23**	**1**	**3**	**3**	**5**	**9**	**18**
GRAND TOTAL	**2884**	**6.5**	**28**	**2**	**3**	**5**	**8**	**13**	**18**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	154	8.3	286	1	1	2	4	57	58
18-34	213	2.3	2	1	1	2	3	5	6
35-49	259	3.2	5	1	2	2	3	7	9
50-69	156	7.1	21	3	4	6	9	12	19
70 +	23	3.3	1						
SUBTOTAL	**806**	**4.7**	**67**	**1**	**2**	**3**	**4**	**9**	**12**
0-17	235	1.9	6	< 1	1	1	2	3	4
18-34	67	1.2		< 1	1	1	1	3	3
35-49	128	2.6	11	1	1	1	2	7	14
50-69	71	3.6	1	2	3	4	5	5	5
70 +	0								
SUBTOTAL	**502**	**2.2**	**6**	**1**	**1**	**1**	**2**	**4**	**7**
GRAND TOTAL	**1307**	**3.8**	**45**	**1**	**1**	**2**	**4**	**7**	**11**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	83	3.4	4	1	2	3	4	6	8
18-34	116	2.5	5	1	1	2	3	5	9
35-49	137	5.5	98	1	1	3	7	8	11
50-69	106	8.0	21	2	4	8	13	13	13
70 +	0								
SUBTOTAL	**441**	**4.9**	**42**	**1**	**1**	**3**	**6**	**13**	**13**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	86	2.9	13	1	1	1	3	4	14
18-34	53	3.0	3	1	1	3	5	5	5
35-49	23	4.7							
50-69	8	6.0							
70 +	0								
SUBTOTAL	**171**	**3.3**	**8**	**1**	**1**	**3**	**5**	**5**	**6**
GRAND TOTAL	**612**	**4.5**	**33**	**1**	**1**	**3**	**5**	**11**	**13**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	52	3.0	4	< 1	< 1	2	6	6	6
18-34	162	3.6	5	1	1	3	6	6	6
35-49	151	6.1	106	1	1	2	4	35	35
50-69	102	6.6	34	2	3	3	9	18	18
70 +	49	6.4	28	2	3	4	8	16	16
SUBTOTAL	**516**	**5.1**	**44**	**1**	**2**	**3**	**6**	**13**	**18**
0-17	184	1.6	1	1	1	1	2	3	5
18-34	133	3.9	11	1	1	3	4	10	10
35-49	100	1.5	2	< 1	1	1	1	2	6
50-69	23	3.5	4						
70 +	6	2.0							
SUBTOTAL	**447**	**2.4**	**6**	**1**	**1**	**1**	**3**	**5**	**7**
GRAND TOTAL	**963**	**3.8**	**28**	**1**	**1**	**2**	**4**	**8**	**14**

Total U.S., July 1989 - June 1990

DRG 24: Seizure & Headache Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	17795	6.4	55	2	3	5	8	12	15
70-74	8649	6.8	38	2	3	5	8	14	19
75-79	7953	8.4	90	2	3	6	9	17	28
80-84	6122	8.4	68	2	4	6	10	17	25
85+	5469	8.9	73	3	4	6	10	18	26
SUBTOTAL	45989	7.4	63	2	3	5	9	15	20
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
GRAND TOTAL	45989	7.4	63	2	3	5	9	15	20

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	7322	4.6	31	1	2	3	6	9	13
35-49	10021	5.0	25	1	2	4	6	10	14
50-69	9098	5.7	33	2	2	4	7	11	15
70+	673	6.7	55	1	2	5	9	13	20
	27114	5.2	30	1	2	4	6	10	14
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	27114	5.2	30	1	2	4	6	10	14

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	4020	5.2	26	1	2	4	7	10	14
35-49	4213	5.2	23	2	2	4	6	11	13
50-69	3909	6.9	40	2	3	5	8	15	22
70+	165	8.8	79	2	2	4	11	24	31
SUBTOTAL	12307	5.8	31	2	2	4	7	12	17
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
GRAND TOTAL	12307	5.8	31	2	2	4	7	12	17

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	4231	3.2	8	1	1	2	4	6	9
35-49	4858	4.3	32	1	2	3	5	8	11
50-69	2862	5.8	48	2	2	4	7	10	15
70+	533	8.3	54	2	4	6	10	17	33
	12484	4.5	30	1	2	3	5	9	11
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	12484	4.5	30	1	2	3	5	9	11

Total U.S., July 1989 - June 1990

DRG 25: Seizure & Headache Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	10312	3.9	13	1	2	3	5	8	10
70-74	4082	4.2	12	2	2	3	5	8	10
75-79	3113	4.8	37	2	2	4	5	8	11
80-84	2405	4.3	21	1	2	4	5	7	9
85 +	1644	5.2	20	2	2	4	6	10	11
SUBTOTAL	21557	4.2	18	1	2	3	5	8	10
GRAND TOTAL	21557	4.2	18	1	2	3	5	8	10

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	0								
18-34	23102	3.2	8	1	1	2	4	6	8
35-49	18960	3.3	7	1	1	3	4	7	9
50-69	11043	3.2	7	1	2	3	4	6	8
70 +	467	3.8	6	1	2	3	5	8	8
	53572	3.2	8	1	2	2	4	6	8
	53572	3.2	8	1	2	2	4	6	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	8371	3.6	15	1	2	3	4	7	9
35-49	3450	3.5	8	1	2	3	5	7	8
50-69	2006	4.4	23	1	2	3	6	8	11
70 +	204	6.1	54	1	2	2	5	20	20
SUBTOTAL	14031	3.8	15	1	2	3	5	7	9
GRAND TOTAL	14031	3.8	15	1	2	3	5	7	9

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	0								
18-34	9141	2.7	5	1	1	2	4	6	7
35-49	4718	3.0	6	1	1	2	4	6	7
50-69	2657	3.5	17	1	1	2	4	7	9
70 +	238	3.1	2	1	2	3	4	5	7
	16755	2.9	7	1	1	2	4	6	7
	16755	2.9	7	1	1	2	4	6	7

Total U.S., July 1989 - June 1990

DRG 26: Seizure & Headache Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	96	6.3	60	1	2	3	9	23	23
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	96	6.3	60	1	2	3	9	23	23
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	40	1.8	1						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	40	1.8	1						
GRAND TOTAL	136	5.0	47	1	1	2	3	23	23

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10377	3.8	21	1	2	3	4	7	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	10377	3.8	21	1	2	3	4	7	11
0-17	44253	2.7	9	1	1	2	3	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	44253	2.7	9	1	1	2	3	5	7
	54629	2.9	11	1	1	2	3	5	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	6636	4.6	38	1	2	3	5	8	13
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	6636	4.6	38	1	2	3	5	8	13
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	23861	3.0	9	1	1	2	4	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	23861	3.0	9	1	1	2	4	5	7
GRAND TOTAL	30497	3.4	16	1	2	2	4	6	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	3494	4.6	72	1	2	3	4	7	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	3494	4.6	72	1	2	3	4	7	11
0-17	15266	2.7	9	1	1	2	3	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	15266	2.7	9	1	1	2	3	5	7
	18759	3.0	21	1	1	2	3	5	7

Total U.S., July 1989 - June 1990

DRG 27: Traumatic Stupor & Coma, Coma >1 Hr

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	225	8.4	63	2	3	6	12	16	33
70-74	85	12.6	33	1	8	16	16	18	18
75-79	156	13.4	52	6	7	12	15	22	26
80-84	215	17.6	200	5	12	14	17	29	62
85 +	144	10.5	46	5	7	8	14	19	24
SUBTOTAL	825	12.5	102	3	6	12	16	22	31
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	60	15.6	668						
70-74	57	5.8	5						
75-79	62	6.2	17	2	3	4	8	15	15
80-84	10	8.0							
85 +	30	5.4	17						
SUBTOTAL	219	8.7	208	2	4	5	8	12	15
GRAND TOTAL	1044	11.7	127	3	5	9	15	22	31

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	452	10.7	103	2	2	9	13	26	31
18-34	992	7.6	96	1	2	3	11	20	31
35-49	263	6.8	56	1	2	4	11	19	99 +
50-69	262	10.6	68	2	3	10	15	24	28
70 +	16	4.0							
	1985	8.5	90	1	2	5	12	20	31
0-17	1700	4.9	55	1	1	3	6	9	15
18-34	1287	3.9	31	1	1	3	5	7	11
35-49	585	5.0	21	1	2	4	7	11	11
50-69	299	6.6	29	2	2	7	8	13	21
70 +	64	5.9	7						
	3935	4.7	40	1	1	3	6	9	12
	5919	6.0	60	1	2	3	7	14	20

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	111	11.0	22	6	8	11	16	18	99 +
18-34	207	7.2	65	1	2	3	9	24	31
35-49	141	12.7	158	2	4	9	22	37	39
50-69	90	8.0	44	1	3	7	20	53	99 +
70 +	8	6.0							
SUBTOTAL	557	9.5	81	1	3	8	13	27	39
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	560	4.4	65	1	1	2	4	8	18
18-34	223	7.6	60	1	2	5	9	19	19
35-49	89	8.4	196	1	2	3	6	24	54
50-69	19	9.6	45						
70 +	0								
SUBTOTAL	891	5.7	79	1	1	2	6	15	19
GRAND TOTAL	1448	7.2	83	1	2	4	9	19	31

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	263	13.8	243	2	3	8	19	32	65
18-34	603	7.8	148	1	2	4	8	24	32
35-49	342	10.7	236	1	2	6	15	29	32
50-69	135	10.9	33	3	5	13	15	20	99 +
70 +	6	14.0							
	1349	10.0	182	1	2	5	13	27	32
0-17	789	4.1	23	1	1	2	5	10	16
18-34	1347	4.4	48	< 1	1	3	5	9	13
35-49	369	5.3	52	1	1	2	5	18	27
50-69	147	4.5	23	1	2	3	4	7	20
70 +	6	5.0							
	2658	4.4	40	1	1	3	5	10	16
	4007	6.3	94	1	1	3	7	16	25

Total U.S., July 1989 - June 1990

DRG 28: Traumatic Stupor & Coma, Coma <1 Hr Age >17 w/ C

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1230	6.6	33	1	2	5	9	13	18
70-74	931	9.6	81	2	3	8	14	21	35
75-79	904	12.4	137	2	4	9	19	22	42
80-84	1157	8.1	45	2	3	5	12	16	21
85 +	1151	9.6	85	2	3	6	13	19	25
SUBTOTAL	5373	9.1	76	2	3	6	12	20	25
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	5373	9.1	76	2	3	6	12	20	25

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2434	4.0	19	1	1	2	5	8	13
35-49	1139	5.6	38	1	2	3	7	16	21
50-69	1159	8.1	138	1	2	5	9	15	27
70 +	262	6.2	35	1	1	6	9	17	28
	4995	5.5	54	1	2	3	7	12	17
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4995	5.5	54	1	2	3	7	12	17

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	818	6.0	41	1	2	4	9	13	16
35-49	428	5.9	36	1	2	5	7	14	20
50-69	195	8.0	113	1	2	4	10	15	35
70 +	26	21.0	392						
SUBTOTAL	1467	6.5	59	1	2	4	9	13	23
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	1467	6.5	59	1	2	4	9	13	23

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2538	4.5	37	1	1	2	5	11	15
35-49	1076	7.7	134	1	2	4	7	14	39
50-69	495	6.9	27	2	3	5	11	14	17
70 +	184	8.2	66	2	3	5	10	17	21
	4293	5.7	64	1	2	3	6	12	18
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4293	5.7	64	1	2	3	6	12	18

Total U.S., July 1989 - June 1990

DRG 29: Traumatic Stupor & Coma, Coma <1 Hr Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	657	3.7	15	1	1	3	5	7	8
70-74	334	4.6	13	1	2	3	6	10	11
75-79	580	6.9	164	2	3	4	7	11	11
80-84	601	5.3	11	1	2	5	7	9	12
85 +	730	4.8	44	1	1	3	5	10	12
SUBTOTAL	2902	5.0	52	1	2	4	6	9	11
GRAND TOTAL	2902	5.0	52	1	2	4	6	9	11

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	6199	3.1	18	1	1	2	4	6	10
35-49	2754	3.0	9	1	1	2	3	6	10
50-69	1658	3.2	9	1	1	2	4	7	10
70 +	373	7.2	124	2	2	4	8	15	16
	10983	3.2	19	1	1	2	4	6	10
	10983	3.2	19	1	1	2	4	6	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	1042	4.0	47	1	1	2	4	8	10
35-49	354	3.2	8	1	1	2	4	8	10
50-69	178	5.2	18	1	1	3	10	10	12
70 +	70	4.1	17	1	1	2	5	8	15
SUBTOTAL	1644	4.0	35	1	1	2	4	9	10
GRAND TOTAL	1644	4.0	35	1	1	2	4	9	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	5142	3.1	10	1	1	2	4	7	9
35-49	1680	3.5	15	1	1	2	4	7	10
50-69	511	3.0	6	1	1	2	4	6	9
70 +	161	12.7	323	1	3	5	16	16	41
	7494	3.4	19	1	1	2	4	7	10
	7494	3.4	19	1	1	2	4	7	10

Total U.S., July 1989 - June 1990

DRG 30: Traumatic Stupor & Coma, Coma < 1 Hr Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	39	4.0	11						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	39	4.0	11						
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	21	1.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	21	1.0							
GRAND TOTAL	60	2.9	9	1	1	1	7	8	8

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	2335	3.6	24	1	1	2	4	9	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2335	3.6	24	1	1	2	4	9	11
0-17	19304	2.0	7	1	1	1	2	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	19304	2.0	7	1	1	1	2	4	5
	21640	2.1	9	1	1	1	2	4	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	1276	5.8	49	1	2	3	8	13	21
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1276	5.8	49	1	2	3	8	13	21
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	6869	2.4	9	1	1	2	2	4	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	6869	2.4	9	1	1	2	2	4	7
GRAND TOTAL	8145	2.9	17	1	1	2	3	6	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1163	3.8	16	1	1	2	4	10	13
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1163	3.8	16	1	1	2	4	10	13
0-17	8650	2.2	15	1	1	1	2	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	8650	2.2	15	1	1	1	2	4	6
	9813	2.4	15	1	1	1	2	5	7

Total U.S., July 1989 - June 1990

DRG 31: Concussion Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	795	3.3	10	1	1	2	4	6	8
70-74	796	3.7	7	1	2	3	5	9	9
75-79	624	5.5	13	2	3	4	8	12	13
80-84	850	6.5	150	1	2	4	7	13	15
85 +	947	7.9	47	2	4	6	10	20	23
SUBTOTAL	4012	5.5	51	1	2	4	6	10	15
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	4012	5.5	51	1	2	4	6	10	15

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2867	2.7	20	1	1	2	3	5	7
35-49	1289	3.2	8	1	1	2	4	7	12
50-69	950	3.5	8	1	2	2	5	7	9
70 +	258	5.3	9	2	2	4	9	9	9
	5364	3.1	15	1	1	2	4	6	9
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	5364	3.1	15	1	1	2	4	6	9

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	291	3.8	51	1	1	2	3	5	8
35-49	167	3.8	16	1	1	2	5	7	14
50-69	77	4.6	23	1	2	3	7	16	16
70 +	52	4.1	7						
SUBTOTAL	588	3.9	34	1	1	3	4	7	14
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	588	3.9	34	1	1	3	4	7	14

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2376	2.8	6	1	1	2	4	6	6
35-49	867	2.6	4	1	1	2	3	6	7
50-69	352	3.5	9	1	1	3	4	9	10
70 +	43	6.8	35						
	3638	2.9	6	1	1	2	4	6	6
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3638	2.9	6	1	1	2	4	6	6

Total U.S., July 1989 - June 1990

DRG 32: Concussion Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	691	3.2	20	1	2	2	4	5	6
70-74	548	3.6	9	1	2	2	4	8	9
75-79	562	2.9	5	1	1	2	3	8	8
80-84	668	3.6	13	1	2	2	4	9	11
85 +	532	5.0	16	2	2	4	6	9	13
SUBTOTAL	3001	3.6	14	1	2	2	4	8	9
GRAND TOTAL	3001	3.6	14	1	2	2	4	8	9

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	8717	1.7	1	1	1	1	2	3	4
35-49	3392	2.3	4	1	1	2	3	4	6
50-69	2233	2.2	3	1	1	2	3	4	5
70 +	521	4.5	21	1	1	2	6	14	14
	14862	2.0	3	1	1	1	2	4	5
	14862	2.0	3	1	1	1	2	4	5

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	690	2.4	3	1	1	2	3	6	6
35-49	185	1.9	1	1	1	2	2	4	4
50-69	31	3.0	1						
70 +	0								
SUBTOTAL	906	2.3	3	1	1	2	3	4	6
GRAND TOTAL	906	2.3	3	1	1	2	3	4	6

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	5451	1.8	2	< 1	1	1	2	3	4
35-49	1311	2.2	3	1	1	2	3	4	4
50-69	553	2.7	10	1	1	2	3	5	6
70 +	64	2.2	1	< 1	1	3	3	3	3
	7379	1.9	3	1	1	1	2	3	4
	7379	1.9	3	1	1	1	2	3	4

Total U.S., July 1989 - June 1990

DRG 33: Concussion Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	10	7.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	10	7.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	15	2.8	4						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	15	2.8	4						
GRAND TOTAL	25	4.5	7						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1684	2.2	7	1	1	1	2	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1684	2.2	7	1	1	1	2	5	7
0-17	17407	1.4	1	1	1	1	1	2	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	17407	1.4	1	1	1	1	1	2	3
	19092	1.4	1	1	1	1	2	2	3

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	504	2.5	5	1	1	2	3	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	504	2.5	5	1	1	2	3	5	7
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	4361	1.4	1	1	1	1	2	2	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	4361	1.4	1	1	1	1	2	2	3
GRAND TOTAL	4865	1.5	1	1	1	1	2	2	3

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	728	2.6	16	1	1	2	3	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	728	2.6	16	1	1	2	3	4	6
0-17	6279	1.6	2	1	1	1	2	3	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	6279	1.6	2	1	1	1	2	3	3
	7007	1.7	4	1	1	1	2	3	4

Total U.S., July 1989 - June 1990

DRG 34: Other Disorders of Nervous System w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	3360	7.6	68	2	3	5	9	15	19
70-74	2073	8.0	45	2	3	6	9	16	23
75-79	2029	8.6	98	2	3	7	10	17	26
80-84	1919	8.9	66	2	4	6	12	16	24
85 +	1245	7.7	40	3	4	6	9	14	25
SUBTOTAL	10625	8.1	66	2	3	6	10	16	22
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	10625	8.1	66	2	3	6	10	16	22

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1992	4.7	29	1	2	3	6	11	18
18-34	1134	7.4	154	1	2	4	8	13	22
35-49	1049	5.7	57	1	2	3	7	15	16
50-69	2095	7.8	82	1	2	5	11	17	23
70 +	207	5.7	18	2	2	4	10	12	16
	6377	6.4	73	1	2	4	8	14	20
	0								
	0								
	0								
	0								
	0								
	0								
	6377	6.4	73	1	2	4	8	14	20

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	1616	6.5	98	1	2	3	6	16	30
18-34	559	8.9	248	1	2	4	8	41	82
35-49	394	9.0	95	1	2	5	10	28	30
50-69	673	11.6	193	2	5	6	13	29	56
70 +	29	14.2	31						
SUBTOTAL	3271	8.3	146	1	2	4	8	22	34
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	3271	8.3	146	1	2	4	8	22	34

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	526	5.4	46	1	1	3	5	16	18
18-34	428	4.7	20	1	2	3	7	9	11
35-49	430	6.4	48	1	2	4	9	19	24
50-69	436	7.0	45	1	2	4	8	17	24
70 +	156	5.6	23	2	2	2	9	14	14
	1975	5.8	39	1	2	3	8	15	22
	0								
	0								
	0								
	0								
	0								
	0								
	1975	5.8	39	1	2	3	8	15	22

Total U.S., July 1989 - June 1990

DRG 35: Other Disorders of Nervous System w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1264	4.6	30	1	1	3	5	11	15
70-74	680	4.4	11	1	2	4	6	8	10
75-79	565	6.7	28	2	3	5	9	12	20
80-84	572	6.1	30	2	3	5	7	12	14
85 +	432	5.8	24	2	3	5	7	11	27
SUBTOTAL	**3513**	**5.3**	**26**	**1**	**2**	**4**	**6**	**11**	**15**
GRAND TOTAL	**3513**	**5.3**	**26**	**1**	**2**	**4**	**6**	**11**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	4513	3.7	53	1	1	2	3	6	12
18-34	1920	3.0	9	1	1	2	4	6	9
35-49	1943	2.9	8	1	1	2	3	6	7
50-69	1795	3.6	16	1	1	3	4	8	12
70 +	52	4.4	10	1	1	3	8	9	9
	10223	**3.4**	**29**	**1**	**1**	**2**	**4**	**6**	**10**
	10223	**3.4**	**29**	**1**	**1**	**2**	**4**	**6**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	2680	5.0	79	1	1	2	4	11	25
18-34	566	4.2	17	1	2	3	6	8	13
35-49	203	3.6	8	1	2	3	4	8	9
50-69	245	5.9	28	1	3	4	7	14	17
70 +	0								
SUBTOTAL	**3694**	**4.9**	**63**	**1**	**1**	**3**	**5**	**10**	**22**
GRAND TOTAL	**3694**	**4.9**	**63**	**1**	**1**	**3**	**5**	**10**	**22**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1189	4.5	66	1	1	2	3	10	19
18-34	625	3.9	36	1	1	2	4	7	8
35-49	785	3.8	7	1	2	3	6	7	8
50-69	381	4.2	12	1	1	3	7	9	13
70 +	77	4.5	15	1	3	4	4	14	14
	3057	**4.1**	**37**	**1**	**1**	**2**	**5**	**8**	**13**
	3057	**4.1**	**37**	**1**	**1**	**2**	**5**	**8**	**13**

Total U.S., July 1989 - June 1990

DRG 36: Retinal Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2436	2.8	3	1	2	2	3	5	7
70-74	1189	2.8	4	1	2	2	3	5	6
75-79	970	3.4	12	1	2	3	3	6	8
80-84	566	3.2	6	1	2	2	4	5	10
85 +	361	4.8	32	1	2	3	5	12	23
SUBTOTAL	**5522**	**3.1**	**7**	**1**	**2**	**2**	**3**	**5**	**7**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	4154	2.2	2	1	1	2	3	4	4
70-74	2924	2.2	2	1	1	2	3	4	5
75-79	2142	2.2	2	1	1	2	3	4	5
80-84	1048	2.6	3	1	2	2	3	4	6
85 +	437	2.2	1	1	2	2	3	3	3
SUBTOTAL	**10706**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**16228**	**2.5**	**4**	**1**	**2**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	170	3.2	24	1	1	2	2	7	22
18-34	629	2.8	4	1	2	2	4	5	6
35-49	798	2.8	5	1	1	2	3	5	7
50-69	1931	2.8	4	1	2	2	3	5	6
70 +	96	2.8	1	2	2	2	4	4	4
	3624	**2.8**	**5**	**1**	**2**	**2**	**3**	**5**	**7**
0-17	1222	1.9	1	1	1	2	2	3	4
18-34	2332	2.0	1	1	1	2	2	3	4
35-49	3410	2.1	1	1	1	2	3	3	4
50-69	7783	2.1	2	1	1	2	3	4	4
70 +	272	1.9	1	1	1	2	2	4	4
	15019	**2.1**	**2**	**1**	**1**	**2**	**2**	**3**	**4**
	18643	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	66	2.8	3	1	2	2	4	6	6
18-34	376	3.3	5	1	2	3	4	6	7
35-49	209	3.4	5	2	2	3	4	6	7
50-69	301	3.4	5	1	2	3	4	7	8
70 +	0								
SUBTOTAL	**953**	**3.3**	**5**	**1**	**2**	**3**	**4**	**6**	**7**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	606	2.2	3	1	1	2	2	5	6
18-34	584	2.4	3	1	1	2	3	5	5
35-49	388	2.4	1	1	1	2	3	4	5
50-69	527	2.4	3	1	1	2	3	5	5
70 +	65	2.3	3	1	1	2	3	4	7
SUBTOTAL	**2170**	**2.4**	**3**	**1**	**1**	**2**	**3**	**5**	**5**
GRAND TOTAL	**3122**	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	101	6.7	184	<1	1	1	4	21	51
18-34	184	4.3	69	1	1	2	3	4	38
35-49	131	3.4	9	1	1	3	4	5	13
50-69	530	2.9	14	1	1	2	3	5	7
70 +	45	1.7	1	<1	1	1	2	4	4
	991	**3.6**	**41**	**1**	**1**	**2**	**3**	**5**	**12**
0-17	380	2.2	2	1	1	2	3	3	5
18-34	1028	2.5	4	1	1	2	3	5	6
35-49	795	2.2	4	1	1	2	3	4	6
50-69	1564	2.0	2	1	1	2	2	4	5
70 +	158	1.7	2	1	1	1	2	3	4
	3926	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
	4916	**2.5**	**11**	**1**	**1**	**2**	**3**	**4**	**6**

Total U.S., July 1989 - June 1990

DRG 37: Orbital Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	450	3.8	11	1	2	3	5	8	9
70-74	224	6.2	51	1	2	2	11	15	15
75-79	136	3.2	3	2	2	3	4	7	7
80-84	206	5.4	20	2	2	3	8	12	14
85 +	190	6.0	52	1	2	3	7	15	31
SUBTOTAL	1207	4.8	27	1	2	3	6	11	15
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	438	3.0	7	1	1	2	4	7	9
70-74	311	2.8	3	1	1	2	3	6	6
75-79	365	3.5	13	1	1	2	4	10	10
80-84	234	5.1	55	1	2	3	4	12	31
85 +	92	2.9	6	1	1	2	3	8	9
SUBTOTAL	1439	3.4	16	1	1	2	4	7	10
GRAND TOTAL	2646	4.1	21	1	2	3	4	9	13

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	311	6.0	25	2	3	5	7	9	24
18-34	354	4.6	15	1	2	4	6	10	12
35-49	329	3.6	18	1	1	2	4	9	10
50-69	367	4.0	8	1	2	3	6	8	8
70 +	22	2.6	3						
	1383	4.5	17	1	2	3	6	9	12
0-17	1386	2.9	7	1	1	2	4	6	8
18-34	1092	2.9	6	1	1	2	4	6	7
35-49	691	2.1	2	1	1	2	2	5	5
50-69	532	2.4	2	1	1	2	3	4	6
70 +	23	4.7	11						
	3725	2.7	5	1	1	2	3	6	7
	5109	3.2	9	1	1	2	4	7	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	147	6.4	15	1	5	5	9	12	15
18-34	185	5.8	20	1	2	5	9	12	13
35-49	122	10.4	199	2	3	7	11	13	56
50-69	141	3.9	10	1	2	2	7	9	10
70 +	18	5.7	7						
SUBTOTAL	614	6.4	56	1	2	5	9	12	13
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	491	4.2	11	1	1	3	6	11	11
18-34	389	2.9	2	1	1	3	4	5	5
35-49	100	5.1	20	1	2	3	7	11	17
50-69	102	3.3	4	1	2	3	4	6	8
70 +	36	1.2							
SUBTOTAL	1117	3.7	9	1	1	3	5	8	11
GRAND TOTAL	1731	4.6	27	1	2	3	6	10	11

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	86	10.9	169	1	4	5	15	22	48
18-34	300	5.7	14	2	3	5	8	9	11
35-49	213	7.4	27	2	4	6	9	13	17
50-69	49	8.4	45	3	3	6	15	22	22
70 +	0								
	648	7.1	44	2	3	6	9	13	20
0-17	492	3.5	9	1	1	3	5	7	11
18-34	957	3.4	13	1	1	2	4	6	9
35-49	230	3.5	5	1	2	3	5	7	8
50-69	221	3.9	5	1	2	4	5	7	9
70 +	0								
	1900	3.5	10	1	1	3	5	6	9
	2548	4.4	21	1	2	3	5	9	11

Total U.S., July 1989 - June 1990

DRG 38: Primary Iris Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	59	2.4	1	1	1	3	3	4	4
70-74	32	3.6	3						
75-79	60	5.3	66	1	1	2	8	16	28
80-84	25	2.1	1						
85 +	158	1.7	1	1	1	1	3	3	3
SUBTOTAL	334	2.7	15	1	1	2	3	4	6
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	166	2.3	4	< 1	1	1	3	4	6
70-74	91	1.7	1	< 1	1	1	2	3	3
75-79	118	1.7		1	1	2	2	3	3
80-84	218	2.7	2	< 1	1	2	4	5	5
85 +	36	3.0	3						
SUBTOTAL	630	2.3	2	< 1	1	2	3	5	5
GRAND TOTAL	964	2.4	7	< 1	1	2	3	4	5

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	1.0							
18-34	14	4.7	4						
35-49	16	3.2	1						
50-69	28	3.8	4						
70 +	0								
	66	3.5	4	1	2	3	4	7	7
0-17	41	3.2	15						
18-34	87	1.4	1						
35-49	63	1.7	1	< 1	1	1	3	3	3
50-69	126	1.5		< 1	1	1	2	2	3
70 +	0								
	317	1.7	3	1	1	1	2	3	3
	383	2.0	3	1	1	1	2	4	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	49	1.9	1	1	1	2	2	4	4
35-49	0								
50-69	13	10.3	13						
70 +	0								
SUBTOTAL	63	3.6	15	1	1	2	4	9	14
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	54	2.1	2						
18-34	6	2.0							
35-49	16	7.1	6						
50-69	35	1.9	2						
70 +	0								
SUBTOTAL	110	2.7	5	1	1	2	4	4	9
GRAND TOTAL	173	3.1	9	1	1	2	4	7	9

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	20	1.6							
70 +	0								
	20	1.6							
0-17	77	1.5	1	< 1	1	1	2	3	4
18-34	12	1.5							
35-49	27	1.7	2						
50-69	83	1.2		< 1	< 1	< 1	1	2	2
70 +	14	1.6							
	213	1.4	1	< 1	< 1	1	2	2	4
	234	1.4	1	< 1	< 1	1	2	2	4

Total U.S., July 1989 - June 1990

DRG 39: Lens Procedures with or without Vitrectomy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1149	2.8	41	<1	<1	2	2	3	5
70-74	939	2.5	11	<1	<1	1	2	5	8
75-79	1349	2.0	4	<1	<1	1	2	4	6
80-84	1023	1.9	5	<1	<1	1	2	4	5
85 +	688	2.0	4	<1	1	1	2	4	6
SUBTOTAL	**5148**	**2.3**	**14**	**<1**	**<1**	**1**	**2**	**4**	**6**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2167	1.3	1	<1	<1	<1	1	2	3
70-74	3035	1.2	1	<1	<1	<1	1	2	2
75-79	3814	1.1		<1	<1	<1	1	1	2
80-84	3100	1.2		<1	<1	<1	1	2	2
85 +	2335	1.2		<1	<1	<1	1	2	2
SUBTOTAL	**14451**	**1.2**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**2**
GRAND TOTAL	**19599**	**1.5**	**4**	**<1**	**<1**	**<1**	**1**	**2**	**3**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	68	1.4	1	1	1	1	1	4	4
18-34	36	1.4							
35-49	72	2.4	1	2	2	2	2	5	5
50-69	638	2.0	4	<1	<1	1	2	4	5
70 +	49	1.5	1						
SUBTOTAL	**864**	**2.0**	**3**	**<1**	**1**	**1**	**2**	**4**	**5**
0-17	737	1.7	4	<1	1	1	1	2	8
18-34	139	1.7		<1	1	2	2	2	2
35-49	362	1.3	1	<1	<1	<1	1	2	3
50-69	1777	1.2		<1	<1	<1	1	2	2
70 +	170	1.2	1	<1	<1	1	1	2	2
SUBTOTAL	**3184**	**1.4**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**3**
GRAND TOTAL	**4047**	**1.5**	**2**	**<1**	**<1**	**1**	**1**	**2**	**4**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	31	2.9	5						
18-34	64	2.8	5	1	2	2	2	8	8
35-49	38	1.2							
50-69	216	3.6	77	1	1	2	3	4	10
70 +	0								
SUBTOTAL	**349**	**3.2**	**50**	**1**	**1**	**2**	**2**	**4**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	442	1.4	1	<1	1	1	2	3	3
18-34	66	1.7	1	<1	1	1	2	3	3
35-49	65	1.5		1	1	1	2	2	3
50-69	251	1.7	1	<1	1	1	2	3	3
70 +	46	1.3							
SUBTOTAL	**869**	**1.5**	**1**	**<1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**1218**	**2.0**	**15**	**1**	**1**	**1**	**2**	**3**	**4**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	51	5.2	21						
18-34	39	1.4	1						
35-49	0								
50-69	191	1.3	1	<1	<1	1	1	2	2
70 +	70	1.5							
SUBTOTAL	**351**	**1.9**	**6**	**<1**	**1**	**1**	**2**	**3**	**7**
0-17	261	1.5	4	<1	1	1	1	2	2
18-34	122	5.0	15	1	2	3	10	10	10
35-49	74	1.3		<1	<1	1	1	2	3
50-69	215	2.3	7	<1	<1	1	2	6	9
70 +	96	1.1		1	1	1	1	1	2
SUBTOTAL	**769**	**2.2**	**7**	**<1**	**1**	**1**	**2**	**6**	**10**
GRAND TOTAL	**1120**	**2.1**	**7**	**<1**	**1**	**1**	**2**	**4**	**10**

Total U.S., July 1989 - June 1990

DRG 40: Extraocular Procedures except Orbit Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	454	5.8	29	1	2	4	7	15	19
70-74	225	4.1	11	<1	2	4	5	9	13
75-79	198	3.4	36	<1	1	1	3	7	8
80-84	175	3.1	7	<1	1	2	5	6	6
85+	159	8.0	29	2	3	8	10	17	18
SUBTOTAL	**1212**	**5.0**	**26**	**1**	**1**	**3**	**6**	**11**	**16**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	640	2.5	4	<1	1	2	3	5	7
70-74	589	2.5	6	<1	1	1	3	8	8
75-79	600	2.6	7	<1	<1	1	3	6	10
80-84	502	1.6	1	<1	1	1	2	3	4
85+	413	2.5	11	<1	1	1	2	6	12
SUBTOTAL	**2743**	**2.4**	**6**	**<1**	**1**	**1**	**3**	**5**	**8**
GRAND TOTAL	**3955**	**3.2**	**14**	**<1**	**1**	**2**	**4**	**8**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	409	2.2	4	1	1	1	2	5	8
35-49	237	3.5	6	<1	1	3	5	7	7
50-69	196	5.5	42	1	2	4	5	12	13
70+	22	2.6	1						
SUBTOTAL	**863**	**3.3**	**15**	**1**	**1**	**2**	**4**	**7**	**10**
0-17	0								
18-34	1286	1.9	4	<1	1	1	2	4	5
35-49	994	1.7	3	<1	<1	1	2	3	5
50-69	1001	2.0	3	<1	1	1	3	4	5
70+	83	3.5	42	1	1	1	1	21	21
SUBTOTAL	**3364**	**1.9**	**4**	**<1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**4228**	**2.2**	**7**	**<1**	**1**	**1**	**2**	**5**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	95	2.6	5	<1	1	2	3	5	9
35-49	62	5.3	10	1	4	5	6	9	13
50-69	29	12.2	3						
70+	22	1.8	2						
SUBTOTAL	**209**	**4.7**	**17**	**1**	**1**	**4**	**6**	**11**	**13**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	338	2.2	6	<1	1	1	3	5	6
35-49	118	3.1	4	1	1	3	4	6	8
50-69	63	7.5	175	1	1	3	5	18	47
70+	26	3.4	4						
SUBTOTAL	**544**	**3.1**	**27**	**<1**	**1**	**1**	**4**	**5**	**7**
GRAND TOTAL	**753**	**3.5**	**25**	**<1**	**1**	**2**	**5**	**7**	**11**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	232	3.1	8	1	1	2	4	7	9
35-49	103	5.9	49	1	2	4	6	20	27
50-69	137	2.1	2	1	1	2	2	5	5
70+	14	14.0	224						
SUBTOTAL	**487**	**3.7**	**25**	**1**	**1**	**2**	**4**	**6**	**14**
0-17	0								
18-34	852	2.1	9	<1	<1	1	2	4	6
35-49	372	3.5	16	<1	1	2	4	7	15
50-69	325	2.5	10	<1	1	1	3	5	7
70+	98	1.3	1	1	1	1	1	2	4
SUBTOTAL	**1647**	**2.5**	**11**	**<1**	**1**	**1**	**3**	**5**	**7**
GRAND TOTAL	**2134**	**2.7**	**14**	**<1**	**1**	**1**	**3**	**5**	**8**

Total U.S., July 1989 - June 1990

DRG 41: Extraocular Procedures except Orbit Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	460	1.7	1	< 1	< 1	1	2	4	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	460	1.7	1	< 1	< 1	1	2	4	4
0-17	7344	1.2	1	< 1	< 1	< 1	1	1	2
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	7344	1.2	1	< 1	< 1	< 1	1	1	2
	7804	1.2	1	< 1	< 1	< 1	1	1	2

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	218	3.1	36	< 1	< 1	1	3	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	218	3.1	36	< 1	< 1	1	3	4	5
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	2841	1.4	3	< 1	< 1	< 1	1	2	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	2841	1.4	3	< 1	< 1	< 1	1	2	3
GRAND TOTAL	3059	1.5	5	< 1	< 1	< 1	1	2	4

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	158	2.1	6	< 1	< 1	1	3	4	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	158	2.1	6	< 1	< 1	1	3	4	9
0-17	2530	1.2		< 1	< 1	< 1	1	2	2
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2530	1.2		< 1	< 1	< 1	1	2	2
	2689	1.2	1	< 1	< 1	< 1	1	2	3

Total U.S., July 1989 - June 1990

DRG 42: Intraocular Procedures except Retina, Iris & Lens

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1801	3.4	13	1	2	2	4	7	10
70-74	1502	3.0	9	1	2	2	3	5	9
75-79	1488	3.4	8	1	2	3	4	6	8
80-84	960	2.8	3	1	2	2	4	5	6
85 +	656	3.7	11	1	1	2	5	10	10
SUBTOTAL	**6407**	**3.3**	**9**	**1**	**2**	**2**	**4**	**6**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	3849	2.4	4	1	1	2	3	4	6
70-74	3432	2.0	2	1	1	2	2	3	4
75-79	3717	2.3	3	1	1	2	3	5	6
80-84	2810	2.2	3	1	1	2	2	4	5
85 +	1678	2.3	3	1	1	2	3	4	5
SUBTOTAL	**15487**	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**21894**	**2.5**	**5**	**1**	**1**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	150	3.1	6	1	1	3	4	8	9
18-34	379	2.3	4	1	1	2	2	4	5
35-49	688	2.6	4	1	2	2	3	6	6
50-69	1290	2.9	6	1	2	2	3	6	8
70 +	105	2.2	1	1	2	2	3	3	4
	2612	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**8**
0-17	2310	2.6	4	1	1	2	4	5	6
18-34	1627	2.4	4	1	1	2	3	5	6
35-49	2016	2.5	4	1	1	2	3	5	6
50-69	3109	2.1	3	1	1	2	2	4	6
70 +	374	1.8	1	1	1	2	2	3	3
	9436	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**6**
	12048	**2.4**	**4**	**1**	**1**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	95	4.8	28	1	1	3	6	10	20
18-34	244	2.9	5	1	2	2	3	6	11
35-49	282	4.1	16	2	2	3	5	9	16
50-69	291	5.1	31	1	2	3	5	16	16
70 +	28	5.4	22						
SUBTOTAL	**941**	**4.2**	**20**	**1**	**2**	**3**	**5**	**11**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	982	2.8	6	1	1	2	4	6	8
18-34	690	3.0	6	1	1	2	4	7	9
35-49	334	2.9	6	1	1	2	3	8	8
50-69	397	3.4	18	1	1	2	4	7	10
70 +	95	3.9	12	< 1	1	3	5	10	12
SUBTOTAL	**2498**	**3.0**	**8**	**1**	**1**	**2**	**4**	**7**	**9**
GRAND TOTAL	**3438**	**3.3**	**12**	**1**	**1**	**2**	**4**	**7**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	55	3.3	6	1	1	2	7	7	7
18-34	241	3.8	11	1	1	3	5	8	9
35-49	124	4.0	5	2	3	3	5	6	11
50-69	223	2.4	3	1	1	2	3	6	6
70 +	49	4.9	49	1	1	1	4	22	22
	692	**3.4**	**10**	**1**	**1**	**3**	**5**	**7**	**9**
0-17	870	3.1	8	1	1	2	4	6	8
18-34	1083	2.7	3	1	1	2	4	5	6
35-49	447	3.0	5	1	1	3	4	5	7
50-69	673	2.5	22	1	1	1	2	5	8
70 +	141	2.2	4	1	1	1	2	6	6
	3213	**2.8**	**9**	**1**	**1**	**2**	**4**	**5**	**7**
	3905	**2.9**	**9**	**1**	**1**	**2**	**4**	**5**	**7**

Total U.S., July 1989 - June 1990

DRG 43: Hyphema

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	45	5.9	16						
70-74	7	2.0							
75-79	17	5.8	1						
80-84	8	4.0							
85 +	0								
SUBTOTAL	**78**	**5.3**	**11**	**2**	**2**	**5**	**8**	**8**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	15	5.0							
70-74	22	3.0	1						
75-79	18	3.6	2						
80-84	10	2.0							
85 +	28	5.1	10						
SUBTOTAL	**93**	**4.0**	**5**	**2**	**2**	**4**	**5**	**9**	**9**
GRAND TOTAL	**170**	**4.6**	**8**	**2**	**2**	**4**	**5**	**9**	**9**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	96	3.6	2	2	3	3	4	6	7
18-34	135	2.4	2	< 1	1	2	3	5	5
35-49	93	2.4	1	2	2	2	3	4	4
50-69	8	6.0							
70 +	0								
SUBTOTAL	**332**	**2.8**	**2**	**1**	**2**	**2**	**4**	**5**	**6**
0-17	1501	4.0	4	2	2	4	5	6	8
18-34	579	3.4	3	1	2	3	5	5	6
35-49	196	3.7	3	1	2	4	5	6	8
50-69	105	4.5	3	2	3	5	6	7	8
70 +	0								
SUBTOTAL	**2380**	**3.9**	**4**	**1**	**2**	**4**	**5**	**6**	**7**
GRAND TOTAL	**2712**	**3.8**	**4**	**1**	**2**	**4**	**5**	**6**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	20	4.0	4						
18-34	46	3.9	2						
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**66**	**3.9**	**2**	**2**	**4**	**4**	**5**	**6**	**6**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	486	4.0	2	2	3	4	5	5	7
18-34	105	4.0	3	2	3	4	4	7	8
35-49	41	3.0	3						
50-69	23	5.7							
70 +	0								
SUBTOTAL	**655**	**4.0**	**2**	**2**	**3**	**4**	**5**	**6**	**7**
GRAND TOTAL	**721**	**4.0**	**2**	**2**	**3**	**4**	**5**	**6**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	37	3.1	3						
18-34	176	3.6	4	1	1	4	6	6	6
35-49	68	4.1	2	3	4	5	5	5	5
50-69	18	11.8	37						
70 +	0								
SUBTOTAL	**299**	**4.1**	**9**	**1**	**2**	**4**	**5**	**6**	**6**
0-17	458	3.7	3	1	2	4	5	6	7
18-34	350	4.1	5	2	3	4	5	6	7
35-49	109	2.4	2	1	2	2	4	5	5
50-69	38	4.1	1						
70 +	0								
SUBTOTAL	**954**	**3.7**	**4**	**1**	**2**	**4**	**5**	**6**	**7**
GRAND TOTAL	**1253**	**3.8**	**5**	**1**	**2**	**4**	**5**	**6**	**6**

Total U.S., July 1989 - June 1990

DRG 44: Acute Major Eye Infections

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	254	6.4	20	3	3	6	8	11	14
70-74	85	9.6	82	3	4	6	9	28	28
75-79	106	7.4	24	3	4	5	10	12	20
80-84	135	7.4	20	3	5	6	8	15	19
85 +	133	10.8	38	5	7	9	13	13	29
SUBTOTAL	**713**	**7.9**	**34**	**3**	**4**	**6**	**9**	**14**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	217	5.5	10	3	3	5	7	7	9
70-74	140	4.0	5	2	2	3	6	8	9
75-79	221	5.4	5	3	3	5	8	9	9
80-84	143	5.1	3	3	4	5	7	7	7
85 +	92	7.7	21	2	5	6	9	15	17
SUBTOTAL	**812**	**5.4**	**9**	**3**	**3**	**5**	**7**	**8**	**9**
GRAND TOTAL	**1525**	**6.6**	**22**	**3**	**3**	**6**	**8**	**12**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1029	4.0	3	2	3	4	5	7	8
18-34	63	4.6	13	1	2	3	6	11	11
35-49	136	8.3	90	2	4	5	6	31	31
50-69	167	8.3	92	2	4	5	9	20	23
70 +	21	7.0	12						
SUBTOTAL	**1417**	**5.0**	**26**	**2**	**3**	**4**	**5**	**8**	**11**
0-17	6102	3.3	4	2	2	3	4	6	7
18-34	574	3.9	5	2	2	3	5	6	9
35-49	326	4.2	5	2	3	3	5	8	9
50-69	362	4.4	7	2	3	4	5	7	13
70 +	10	3.0							
SUBTOTAL	**7374**	**3.4**	**4**	**2**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**8791**	**3.7**	**8**	**2**	**2**	**3**	**4**	**6**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	663	4.4	13	2	3	4	5	8	9
18-34	46	4.6	7						
35-49	54	6.2	43	2	3	4	5	22	22
50-69	34	7.9	51						
70 +	0								
SUBTOTAL	**797**	**4.7**	**17**	**2**	**3**	**4**	**5**	**8**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	3184	3.5	4	2	2	3	4	6	8
18-34	165	4.5	8	2	2	4	7	8	11
35-49	70	4.2	8	1	2	3	5	9	9
50-69	68	7.1	14	4	4	8	9	14	14
70 +	0								
SUBTOTAL	**3486**	**3.7**	**5**	**2**	**2**	**3**	**4**	**7**	**8**
GRAND TOTAL	**4283**	**3.9**	**7**	**2**	**2**	**3**	**5**	**7**	**8**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	390	4.3	11	2	3	3	4	9	11
18-34	63	4.3	6	2	3	3	6	10	10
35-49	97	4.8	7	2	3	4	6	8	13
50-69	77	8.2	20	3	4	8	13	14	16
70 +	7	6.0							
SUBTOTAL	**634**	**4.9**	**12**	**2**	**3**	**3**	**6**	**10**	**14**
0-17	2292	3.5	4	2	2	3	4	6	8
18-34	414	4.0	6	2	3	3	5	8	9
35-49	262	4.2	7	2	3	4	5	6	7
50-69	66	4.9	15	2	2	3	6	12	13
70 +	14	1.6							
SUBTOTAL	**3048**	**3.6**	**5**	**2**	**2**	**3**	**4**	**7**	**8**
GRAND TOTAL	**3683**	**3.8**	**6**	**2**	**2**	**3**	**4**	**7**	**9**

Total U.S., July 1989 - June 1990

DRG 45: Neurological Eye Disorders

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	762	3.9	5	1	2	4	5	7	7
70-74	407	4.1	7	2	2	3	6	7	10
75-79	239	5.4	12	1	2	5	9	9	10
80-84	264	3.5	4	1	1	3	6	6	7
85 +	63	5.9	6	2	4	5	8	9	9
SUBTOTAL	**1734**	**4.1**	**7**	**1**	**2**	**4**	**6**	**8**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	330	4.3	31	1	2	2	5	8	21
70-74	255	4.1	7	1	2	4	6	8	10
75-79	135	3.9	7	1	2	3	4	10	10
80-84	126	3.9	3	2	3	3	6	6	6
85 +	58	2.0	1	1	1	2	3	4	4
SUBTOTAL	**904**	**4.0**	**15**	**1**	**2**	**3**	**5**	**7**	**10**
GRAND TOTAL	**2639**	**4.1**	**10**	**1**	**2**	**3**	**5**	**8**	**9**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	48	2.6	3	1	1	3	4	5	5
18-34	168	4.7	57	1	2	3	4	7	34
35-49	200	4.6	7	1	3	4	6	8	10
50-69	677	4.3	11	1	2	3	5	9	11
70 +	23	2.3							
SUBTOTAL	**1115**	**4.3**	**17**	**1**	**2**	**3**	**5**	**8**	**11**
0-17	273	2.3	2	1	1	2	3	4	5
18-34	330	2.9	4	1	2	3	4	5	6
35-49	551	3.8	4	2	2	3	5	7	8
50-69	756	3.0	5	1	1	2	4	6	7
70 +	18	1.9	1						
SUBTOTAL	**1929**	**3.1**	**4**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**3044**	**3.5**	**9**	**1**	**2**	**3**	**4**	**7**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	26	3.4							
18-34	77	2.7	8						
35-49	32	6.8	3						
50-69	108	6.2	8	3	4	6	7	8	13
70 +	22	7.0							
SUBTOTAL	**265**	**5.0**	**9**	**2**	**2**	**5**	**7**	**9**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1	3.6	4	1	2	4	5	7	7
18-34	70	4.3	8	1	2	4	7	8	10
35-49	75	3.9	4	1	2	4	6	6	8
50-69	56	4.4	11	1	3	4	5	12	12
70 +	18	4.0	3						
SUBTOTAL	**291**	**4.0**	**6**	**1**	**2**	**4**	**5**	**7**	**8**
GRAND TOTAL	**555**	**4.5**	**8**	**1**	**2**	**4**	**6**	**8**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	22	2.7	8						
18-34	48	5.0	3						
35-49	93	5.3	8						
50-69	129	4.6	12	1	2	3	6	10	12
70 +	7	2.0							
SUBTOTAL	**298**	**4.7**	**9**	**1**	**2**	**4**	**6**	**10**	**12**
0-17	123	2.6	4	1	1	2	3	7	7
18-34	254	3.4	4	1	1	4	5	6	7
35-49	146	3.7	5	1	1	3	6	8	8
50-69	176	3.2	4	1	2	2	4	6	7
70 +	71	2.6	8						
SUBTOTAL	**769**	**3.2**	**5**	**1**	**1**	**3**	**5**	**6**	**7**
GRAND TOTAL	**1067**	**3.6**	**6**	**1**	**1**	**3**	**5**	**7**	**8**

Total U.S., July 1989 - June 1990

DRG 46: Other Disorders of the Eye Age >17 w. CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	796	4.6	19	1	1	3	7	9	12
70-74	425	5.3	23	1	2	4	6	10	16
75-79	544	7.7	95	1	2	6	8	13	25
80-84	319	8.2	152	1	2	3	9	16	46
85 +	480	7.4	63	2	3	5	9	15	18
SUBTOTAL	2564	6.3	63	1	2	4	8	12	18
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	2564	6.3	63	1	2	4	8	12	18

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	357	5.1	12	1	3	4	7	9	11
35-49	475	8.4	191	1	2	4	10	14	18
50-69	577	5.1	18	2	2	4	6	12	15
70 +	36	7.4	22						
	1445	6.2	76	1	2	4	7	12	15
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1445	6.2	76	1	2	4	7	12	15

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	386	10.3	64	1	3	8	15	26	26
35-49	262	9.7	53	2	2	9	15	18	21
50-69	147	6.4	19	2	3	6	8	13	14
70 +	12	2.0	1						
SUBTOTAL	807	9.3	54	2	3	7	15	20	26
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	807	9.3	54	2	3	7	15	20	26

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	324	6.0	83	1	1	3	6	14	22
35-49	223	5.4	17	1	1	4	8	10	15
50-69	279	3.2	11	1	1	2	5	7	7
70 +	82	5.1	8	3	3	4	6	10	11
	908	4.9	40	1	1	3	6	10	15
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	908	4.9	40	1	1	3	6	10	15

Total U.S., July 1989 - June 1990

DRG 47: Other Disorders of the Eye Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	633	3.6	10	1	1	3	4	7	9
70-74	337	2.7	5	< 1	1	2	4	5	7
75-79	553	3.0	5	1	1	2	3	7	8
80-84	251	3.7	10	< 1	< 1	2	6	8	10
85 +	329	3.0	10	< 1	1	2	3	8	8
SUBTOTAL	**2103**	3.1	8	**< 1**	**1**	**2**	**4**	**7**	**8**
GRAND TOTAL	**2103**	**3.1**	**8**	**< 1**	**1**	**2**	**4**	**7**	**8**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	973	2.4	4	< 1	1	2	3	4	6
35-49	742	3.9	12	1	1	3	6	7	15
50-69	876	3.2	5	1	1	3	4	7	8
70 +	50	2.0	1						
	2641	**3.1**	**7**	**1**	**1**	**2**	**4**	**6**	**8**
	2641	**3.1**	**7**	**1**	**1**	**2**	**4**	**6**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	346	3.8	15	1	2	2	4	10	14
35-49	147	2.8	3	1	1	3	4	5	5
50-69	134	5.3	16	1	2	4	7	11	11
70 +	63	7.9	10						
SUBTOTAL	**691**	**4.3**	**14**	**1**	**2**	**3**	**5**	**10**	**10**
GRAND TOTAL	**691**	**4.3**	**14**	**1**	**2**	**3**	**5**	**10**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	704	2.6	6	1	1	2	3	5	8
35-49	424	3.1	5	1	2	3	4	6	8
50-69	420	3.1	4	1	2	3	4	5	8
70 +	105	4.5	43	1	1	2	4	10	27
	1652	**3.0**	**8**	**1**	**1**	**2**	**4**	**5**	**8**
	1652	**3.0**	**8**	**1**	**1**	**2**	**4**	**5**	**8**

Total U.S., July 1989 - June 1990

DRG 48: Other Disorders of the Eye Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	8	2.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	8	2.0							
GRAND TOTAL	8	2.0							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	617	3.1	9	1	1	2	4	6	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	617	3.1	9	1	1	2	4	6	10
0-17	3268	2.6	7	1	1	2	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	3268	2.6	7	1	1	2	3	5	6
	3884	2.7	8	1	1	2	3	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	393	3.9	13	1	2	3	5	6	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	393	3.9	13	1	2	3	5	6	10
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	2026	3.4	7	1	2	3	5	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	2026	3.4	7	1	2	3	5	6	7
GRAND TOTAL	2419	3.5	8	1	2	3	5	6	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	247	3.1	5	1	2	3	4	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	247	3.1	5	1	2	3	4	5	7
0-17	1517	3.0	6	1	1	3	4	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1517	3.0	6	1	1	3	4	6	7
	1764	3.0	6	1	1	3	4	6	7

DRG 49: Major Head & Neck Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	642	11.4	95	3	5	7	14	25	36
70-74	398	12.6	180	2	4	6	19	30	35
75-79	273	10.3	79	3	5	7	12	25	34
80-84	255	6.2	23	1	4	5	8	10	12
85 +	74	24.4	1003	4	8	10	12	85	85
SUBTOTAL	**1642**	**11.3**	**155**	**3**	**4**	**7**	**12**	**26**	**36**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	418	4.2	13	1	2	3	5	8	13
70-74	299	4.2	15	1	2	3	5	10	11
75-79	105	4.1	13	1	1	3	7	11	11
80-84	121	3.2	3	2	2	3	3	6	8
85 +	36	2.9	7						
SUBTOTAL	**979**	**4.0**	**12**	**1**	**2**	**3**	**5**	**8**	**11**
GRAND TOTAL	**2621**	**8.6**	**114**	**1**	**3**	**5**	**10**	**19**	**32**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	28	9.7	48						
18-34	33	3.7	2						
35-49	230	7.5	42	2	3	5	8	20	23
50-69	834	9.1	61	2	4	7	11	19	28
70 +	39	12.4	27						
	1163	**8.7**	**56**	**2**	**4**	**7**	**11**	**18**	**25**
0-17	398	3.3	6	1	2	3	4	7	9
18-34	347	3.1	10	1	2	2	3	5	6
35-49	429	3.5	10	1	1	3	4	8	9
50-69	786	4.4	11	1	2	4	6	9	12
70 +	20	2.5	2						
	1980	**3.7**	**10**	**1**	**2**	**3**	**5**	**8**	**10**
	3143	**5.6**	**33**	**1**	**2**	**4**	**7**	**12**	**17**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	20	11.0	52						
18-34	26	18.3	208						
35-49	53	17.8	100						
50-69	135	10.2	95	4	5	6	11	27	38
70 +	16	30.0							
SUBTOTAL	**249**	**13.9**	**127**	**4**	**5**	**7**	**21**	**36**	**36**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	106	6.0	28	1	3	4	8	15	17
18-34	6	5.0							
35-49	82	9.7	104	2	3	5	9	31	34
50-69	49	8.9	52						
70 +	0								
SUBTOTAL	**243**	**7.8**	**60**	**2**	**3**	**5**	**9**	**17**	**25**
GRAND TOTAL	**493**	**10.9**	**103**	**3**	**4**	**6**	**15**	**30**	**36**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	4.0							
18-34	8	1.0							
35-49	65	11.0	32	4	4	12	17	17	17
50-69	261	9.9	109	3	4	6	14	18	30
70 +	21	13.6	2						
	366	**9.9**	**87**	**3**	**4**	**7**	**15**	**17**	**18**
0-17	103	7.1	36	1	3	5	9	16	21
18-34	99	2.9	5	1	2	2	4	5	9
35-49	99	4.4	10	2	2	3	6	10	12
50-69	169	6.6	20	1	4	5	9	15	16
70 +	31	1.5	1						
	501	**5.2**	**20**	**1**	**2**	**4**	**7**	**10**	**15**
	867	**7.2**	**54**	**1**	**3**	**5**	**9**	**17**	**18**

Total U.S., July 1989 - June 1990

DRG 50: Sialoadenectomy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	600	2.9	5	1	2	2	3	5	9
70-74	275	3.8	6	2	2	3	4	7	8
75-79	296	5.8	65	1	2	3	4	20	35
80-84	344	4.4	18	1	2	3	5	14	14
85 +	148	6.2	6	4	4	7	8	10	10
SUBTOTAL	**1662**	**4.2**	**20**	**1**	**2**	**3**	**4**	**8**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1262	2.0	4	1	1	2	2	3	4
70-74	1116	2.1	1	1	1	2	2	4	4
75-79	591	2.3	1	1	2	2	3	4	4
80-84	397	2.9	6	1	2	2	3	5	10
85 +	237	2.4	1	1	2	2	3	4	5
SUBTOTAL	**3603**	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**4**
GRAND TOTAL	**5265**	**2.8**	**9**	**1**	**1**	**2**	**3**	**5**	**8**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	20	1.0							
18-34	58	6.4	56	1	1	3	7	22	22
35-49	267	3.7	9	1	1	2	6	9	9
50-69	436	2.9	7	1	1	2	4	6	7
70 +	52	3.1	4						
	832	**3.4**	**11**	**1**	**1**	**2**	**4**	**8**	**9**
0-17	400	1.7	1	1	1	1	2	3	3
18-34	2100	1.9	2	1	1	2	2	3	3
35-49	2970	1.8	1	1	1	2	2	3	3
50-69	3295	2.0	1	1	1	2	2	3	4
70 +	91	2.0	1	1	1	2	3	3	3
	8855	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**3**
	9687	**2.0**	**2**	**1**	**1**	**2**	**2**	**3**	**4**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	38	5.9	45						
35-49	0								
50-69	59	2.0	1	1	1	2	2	4	4
70 +	0								
SUBTOTAL	**97**	**3.5**	**22**	**1**	**1**	**2**	**3**	**14**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	110	1.8	1	1	1	1	3	3	3
18-34	166	2.4	3	1	1	2	3	4	6
35-49	124	1.6		1	1	2	2	2	2
50-69	98	2.8	3	1	1	3	4	5	7
70 +	0								
SUBTOTAL	**498**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**595**	**2.4**	**5**	**1**	**1**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	41	1.7	1						
35-49	16	7.2	25						
50-69	69	2.4	1	1	2	2	3	5	5
70 +	10	6.0							
	136	**3.0**	**7**	**1**	**1**	**2**	**3**	**6**	**11**
0-17	120	1.3		1	1	1	2	2	2
18-34	444	2.3	4	1	1	2	3	4	6
35-49	452	1.8	2	1	1	1	2	3	5
50-69	334	1.8	1	1	1	2	2	3	3
70 +	34	1.7	1						
	1384	**1.9**	**3**	**1**	**1**	**2**	**2**	**3**	**4**
	1520	**2.0**	**3**	**1**	**1**	**2**	**2**	**3**	**5**

DRG 51: Salivary Gland Procedures except Sialoadenectomy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	85	8.4	45	1	2	10	10	23	23
70-74	30	3.9	5						
75-79	23	1.7							
80-84	87	3.7	7	2	2	2	7	8	8
85 +	7	2.0							
SUBTOTAL	**232**	**5.2**	**26**	**1**	**2**	**2**	**8**	**10**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	114	2.0	1	1	1	2	3	3	4
70-74	93	2.4	3	1	1	2	3	3	7
75-79	47	7.2	40						
80-84	69	2.5	1	< 1	1	3	3	4	4
85 +	0								
SUBTOTAL	**323**	**3.0**	**10**	**1**	**1**	**2**	**3**	**4**	**10**
GRAND TOTAL	**555**	**3.9**	**18**	**1**	**1**	**2**	**4**	**10**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	56	10.0	92						
18-34	30	3.9	14						
35-49	23	1.7							
50-69	44	4.3	14						
70 +	0								
SUBTOTAL	**152**	**5.9**	**50**	**1**	**1**	**3**	**9**	**25**	**25**
0-17	144	1.4		< 1	1	1	2	3	3
18-34	224	1.4	1	1	1	1	2	2	4
35-49	329	1.5		1	1	2	2	2	2
50-69	403	1.7	1	1	1	1	2	3	3
70 +	10	1.0							
SUBTOTAL	**1110**	**1.6**	**1**	**1**	**1**	**1**	**2**	**2**	**3**
GRAND TOTAL	**1262**	**2.1**	**9**	**1**	**1**	**1**	**2**	**3**	**5**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	6	1.0							
18-34	6	2.0							
35-49	0								
50-69	10	1.0							
70 +	0								
SUBTOTAL	**23**	**1.3**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	88	2.0	1	< 1	1	2	3	4	4
18-34	29	1.0							
35-49	0								
50-69	6	1.0							
70 +	0								
SUBTOTAL	**124**	**1.7**	**1**	**< 1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**146**	**1.6**	**1**	**< 1**	**1**	**1**	**2**	**3**	**4**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	7	10.0							
35-49	7	1.0							
50-69	33	2.7	5						
70 +	14	1.4							
SUBTOTAL	**61**	**3.1**	**9**	**< 1**	**1**	**2**	**6**	**10**	**10**
0-17	87	1.7	2						
18-34	43	3.3	5	1	1	3	4	7	7
35-49	72	4.5	95	1	1	1	2	5	36
50-69	50	3.1							
70 +	0								
SUBTOTAL	**251**	**3.1**	**30**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**313**	**3.1**	**26**	**1**	**1**	**2**	**3**	**6**	**7**

Total U.S., July 1989 - June 1990

DRG 52: Cleft Lip & Palate Repair

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	61	3.6	22						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**61**	**3.6**	**22**						
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	61	2.7	8	1	1	2	2	10	10
70-74	16	2.5							
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**77**	**2.7**	**6**	**1**	**2**	**2**	**2**	**8**	**10**
GRAND TOTAL	**138**	**3.1**	**14**	**1**	**2**	**2**	**2**	**10**	**16**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	465	3.9	22	2	2	3	4	6	6
18-34	6	1.0							
35-49	33	2.0							
50-69	23	1.6	1						
70 +	0								
SUBTOTAL	**527**	**3.6**	**20**	**1**	**2**	**3**	**4**	**5**	**6**
0-17	12187	2.1	2	1	1	2	3	4	4
18-34	311	2.2	1	1	1	2	3	4	4
35-49	383	1.6	1	1	1	2	2	3	3
50-69	283	2.3	2	1	1	2	3	4	5
70 +	10	2.0							
SUBTOTAL	**13174**	**2.1**	**2**	**1**	**1**	**2**	**3**	**4**	**4**
GRAND TOTAL	**13701**	**2.1**	**3**	**1**	**1**	**2**	**3**	**4**	**4**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	328	4.2	9	2	3	3	6	7	7
18-34	8	9.0							
35-49	7	2.0							
50-69	0								
70 +	0								
SUBTOTAL	**343**	**4.3**	**9**	**2**	**2**	**3**	**6**	**7**	**9**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	4324	2.4	2	1	1	2	3	4	5
18-34	78	2.5	1	1	2	2	3	4	4
35-49	0								
50-69	16	4.7	9						
70 +	8	1.0							
SUBTOTAL	**4425**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**4768**	**2.5**	**3**	**1**	**1**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	100	6.5	61	1	2	3	6	24	24
18-34	0								
35-49	7	2.0							
50-69	7	2.0							
70 +	0								
SUBTOTAL	**114**	**6.0**	**56**	**1**	**2**	**3**	**6**	**24**	**24**
0-17	2796	2.5	3	1	2	2	3	4	5
18-34	50	2.9	4	1	2	2	4	7	7
35-49	102	1.9	1	1	1	1	3	3	4
50-69	51	1.4	1	1	1	1	2	3	3
70 +	0								
SUBTOTAL	**2998**	**2.4**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**3113**	**2.6**	**5**	**1**	**2**	**2**	**3**	**4**	**5**

DRG 53: Sinus & Mastoid Procedures Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	945	4.9	45	1	1	3	6	11	17
70-74	450	4.3	17	1	2	3	4	12	12
75-79	369	6.0	26	1	2	4	12	15	15
80-84	129	4.4	18	2	2	3	4	9	14
85+	122	7.4	17	2	3	7	10	14	16
SUBTOTAL	**2015**	**5.1**	**33**	**1**	**2**	**3**	**7**	**12**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2504	2.2	5	1	1	1	2	5	7
70-74	1393	2.1	2	1	1	1	3	4	5
75-79	823	1.8	2	1	1	1	2	3	4
80-84	304	1.8	2	1	1	1	2	3	7
85+	126	2.6	3	1	1	1	4	6	6
SUBTOTAL	**5150**	**2.1**	**4**	**1**	**1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**7165**	**2.9**	**14**	**1**	**1**	**2**	**3**	**7**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	705	5.4	24	1	2	3	9	12	18
35-49	754	3.7	33	1	1	2	5	7	9
50-69	1268	5.0	39	1	1	2	5	11	18
70+	15	1.0							
SUBTOTAL	**2741**	**4.7**	**34**	**1**	**1**	**2**	**5**	**10**	**17**
0-17	0								
18-34	7758	1.7	4	1	1	1	2	3	5
35-49	9467	1.8	3	1	1	1	2	3	5
50-69	6844	1.9	4	1	1	1	2	4	5
70+	39	2.0	1						
SUBTOTAL	**24108**	**1.8**	**3**	**1**	**1**	**1**	**2**	**3**	**5**
GRAND TOTAL	**26849**	**2.1**	**7**	**1**	**1**	**1**	**2**	**4**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	137	4.6	28	1	2	2	5	9	19
35-49	67	4.8	18	1	2	3	5	15	15
50-69	126	5.5	72	<1	1	2	5	15	36
70+	6	1.0							
SUBTOTAL	**337**	**4.9**	**42**	**1**	**1**	**2**	**5**	**14**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	688	1.9	5	1	1	1	2	3	5
35-49	372	1.7	2	1	1	1	2	3	5
50-69	370	2.4	5	1	1	1	3	6	7
70+	16	1.8	1						
SUBTOTAL	**1447**	**2.0**	**4**	**1**	**1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**1784**	**2.5**	**13**	**1**	**1**	**1**	**2**	**5**	**9**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	230	5.9	23	1	2	5	8	14	15
35-49	101	6.3	43	1	1	5	10	16	23
50-69	135	7.2	125	<1	1	4	10	10	45
70+	0								
SUBTOTAL	**466**	**6.4**	**57**	**1**	**2**	**5**	**9**	**13**	**21**
0-17	0								
18-34	1744	2.2	15	1	1	1	2	5	7
35-49	1380	1.6	4	1	1	1	1	2	4
50-69	950	1.8	3	1	1	1	2	3	6
70+	58	1.0		1	1	1	1	1	1
SUBTOTAL	**4141**	**1.9**	**8**	**1**	**1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**4607**	**2.4**	**15**	**1**	**1**	**1**	**2**	**5**	**8**

Total U.S., July 1989 - June 1990

DRG 54: Sinus & Mastoid Procedures Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	723	3.6	13	1	1	2	5	10	13
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	723	3.6	13	1	1	2	5	10	13
0-17	6095	1.7	5	1	1	1	1	3	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	6095	1.7	5	1	1	1	1	3	6
	6818	1.9	6	1	1	1	1	4	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	154	2.9	8	1	1	2	4	7	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	154	2.9	8	1	1	2	4	7	11
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1373	2.3	8	1	1	1	2	5	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1373	2.3	8	1	1	1	2	5	8
GRAND TOTAL	1527	2.3	8	1	1	1	2	5	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	128	9.4	180	1	1	6	10	13	53
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	128	9.4	180	1	1	6	10	13	53
0-17	1413	2.0	7	1	1	1	1	4	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1413	2.0	7	1	1	1	1	4	7
	1541	2.6	26	1	1	1	2	7	10

Total U.S., July 1989 - June 1990

DRG 55: Miscellaneous Ear, Nose, Mouth & Throat Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	530	4.1	22	1	1	2	4	14	15
70-74	259	4.3	71	1	1	1	3	8	18
75-79	77	3.6	5	< 1	1	4	6	7	7
80-84	117	6.7	40	1	1	3	11	11	24
85 +	10	4.0							
SUBTOTAL	**994**	**4.4**	**36**	**1**	**1**	**2**	**4**	**11**	**16**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	1671	1.6	1	< 1	1	1	2	3	4
70-74	811	1.9	4	< 1	1	1	2	4	5
75-79	372	1.8	3	1	1	1	2	3	5
80-84	260	1.7	2	< 1	1	1	2	4	7
85 +	128	2.5	20	< 1	< 1	1	2	3	20
SUBTOTAL	**3242**	**1.7**	**3**	**< 1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**4236**	**2.4**	**12**	**< 1**	**1**	**1**	**2**	**4**	**8**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	828	4.2	14	1	1	3	6	10	12
18-34	616	4.3	16	1	2	4	6	7	11
35-49	505	3.1	13	1	1	1	4	7	10
50-69	462	3.0	7	1	1	2	4	6	9
70 +	24	8.4	44						
SUBTOTAL	**2435**	**3.8**	**14**	**1**	**1**	**2**	**5**	**9**	**12**
0-17	9505	1.7	3	< 1	1	1	1	3	5
18-34	5479	1.4	1	1	1	1	1	3	3
35-49	5297	1.5	2	< 1	1	1	1	2	3
50-69	3326	1.4	1	< 1	1	1	1	2	3
70 +	68	2.7	10	< 1	1	2	2	10	10
SUBTOTAL	**23675**	**1.5**	**2**	**< 1**	**1**	**1**	**1**	**3**	**4**
GRAND TOTAL	**26111**	**1.7**	**4**	**< 1**	**1**	**1**	**2**	**3**	**5**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	466	10.3	130	1	2	6	15	32	42
18-34	94	5.0	20	1	2	3	4	13	16
35-49	67	4.1	24	1	1	2	4	17	17
50-69	70	4.1	30	1	1	2	4	12	20
70 +	13	3.7	7						
SUBTOTAL	**710**	**8.3**	**101**	**1**	**2**	**4**	**12**	**23**	**32**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	2784	2.4	16	1	1	1	2	5	7
18-34	566	1.8	5	< 1	1	1	2	3	6
35-49	325	2.0	3	1	1	1	2	3	5
50-69	184	1.4		1	1	1	2	2	3
70 +	0								
SUBTOTAL	**3857**	**2.2**	**13**	**1**	**1**	**1**	**2**	**4**	**7**
GRAND TOTAL	**4568**	**3.2**	**31**	**1**	**1**	**1**	**3**	**7**	**13**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	271	7.6	58	1	1	5	12	15	28
18-34	164	8.2	129	1	2	5	8	20	49
35-49	128	4.6	34	1	1	3	4	6	24
50-69	144	6.3	99	1	1	2	8	14	39
70 +	14	3.0							
SUBTOTAL	**721**	**6.9**	**79**	**1**	**1**	**3**	**8**	**15**	**26**
0-17	2435	1.7	4	< 1	1	1	2	3	5
18-34	1359	1.8	4	1	1	1	2	4	6
35-49	1023	1.5	2	1	1	1	1	2	4
50-69	741	1.6	4	1	1	1	1	2	5
70 +	36	1.5	1						
SUBTOTAL	**5595**	**1.7**	**3**	**1**	**1**	**1**	**1**	**3**	**5**
GRAND TOTAL	**6316**	**2.3**	**15**	**1**	**1**	**1**	**2**	**5**	**8**

Total U.S., July 1989 - June 1990

DRG 56: Rhinoplasty

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	125	2.3	3	1	1	2	3	4	8
70-74	84	2.8	7	1	2	2	2	5	11
75-79	59	4.6	23	1	1	1	6	16	16
80-84	21	3.0	1						
85 +	7	11.0							
SUBTOTAL	**296**	**3.2**	**10**	**1**	**1**	**2**	**4**	**7**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	741	1.4	1	1	1	1	1	2	3
70-74	178	1.5	1	<1	1	1	2	3	4
75-79	160	1.9	2	1	1	1	2	5	5
80-84	40	1.5	1						
85 +	34	3.4	8						
SUBTOTAL	**1152**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**5**
GRAND TOTAL	**1448**	**1.9**	**4**	**1**	**1**	**1**	**2**	**4**	**6**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	118	1.5	1	1	1	1	2	2	5
18-34	213	1.6	1	1	1	1	2	3	4
35-49	250	2.9	7	1	1	2	5	6	9
50-69	193	4.7	62	1	1	2	3	8	30
70 +	0								
	774	**2.8**	**19**	**1**	**1**	**1**	**2**	**6**	**8**
0-17	2386	1.3	1	1	1	1	1	2	3
18-34	7049	1.2	1	1	1	1	1	2	2
35-49	4490	1.3		1	1	1	1	2	2
50-69	1944	1.5	1	1	1	1	2	3	3
70 +	56	1.4	1						
	15925	**1.3**	**1**	**1**	**1**	**1**	**1**	**2**	**3**
	16698	**1.4**	**2**	**1**	**1**	**1**	**1**	**2**	**3**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	16	1.0							
18-34	31	3.5	14						
35-49	18	2.3	2						
50-69	8	1.0							
70 +	0								
SUBTOTAL	**73**	**2.4**	**8**	**1**	**1**	**1**	**2**	**10**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	245	1.7	3	1	1	1	2	3	7
18-34	317	1.2		1	1	1	1	2	2
35-49	108	1.2		1	1	1	1	2	3
50-69	51	3.2	2	1	2	4	4	5	5
70 +	0								
SUBTOTAL	**721**	**1.5**	**1**	**1**	**1**	**1**	**1**	**3**	**4**
GRAND TOTAL	**794**	**1.6**	**2**	**1**	**1**	**1**	**2**	**3**	**4**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	2.0							
18-34	101	2.1	2	1	1	2	3	5	6
35-49	38	5.0	17						
50-69	57	3.8	8	1	1	4	7	8	8
70 +	0								
	212	**3.1**	**8**	**1**	**1**	**2**	**4**	**8**	**9**
0-17	314	1.5	1	1	1	1	1	2	4
18-34	1532	1.1		1	1	1	1	2	2
35-49	730	1.3		1	1	1	1	2	3
50-69	388	1.2		1	1	1	1	2	3
70 +	15	1.0							
	2978	**1.2**		**1**	**1**	**1**	**1**	**2**	**2**
	3191	**1.3**	**1**	**1**	**1**	**1**	**1**	**2**	**3**

Total U.S., July 1989 - June 1990

DRG 57: T&A Proc, except Tonsillectomy &/or Adenoidectomy Only, Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	252	4.8	29	1	1	3	5	16	18
70-74	41	1.0							
75-79	79	4.4	7	2	3	4	5	9	11
80-84	7	3.0							
85 +	16	7.0	1						
SUBTOTAL	394	4.4	22	1	1	3	5	13	16
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	220	2.5	2	1	2	2	3	4	7
70-74	45	1.9	1						
75-79	58	1.4		1	1	1	2	2	2
80-84	55	4.5	23						
85 +	0								
SUBTOTAL	377	2.6	5	1	1	2	3	4	7
GRAND TOTAL	772	3.5	15	1	1	2	3	8	13

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	683	3.0	4	1	1	2	4	7	7
35-49	428	3.7	19	1	2	2	3	9	11
50-69	193	4.0	18	1	2	3	4	7	17
70 +	0								
	1304	3.4	11	1	1	2	4	7	9
0-17	0								
18-34	3756	2.0	1	1	1	2	3	4	4
35-49	1397	1.8	1	1	1	2	2	3	4
50-69	696	2.6	5	1	1	2	3	5	9
70 +	20	2.0							
	5869	2.0	2	1	1	2	2	4	5
	7173	2.2	4	1	1	2	3	4	5

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	160	3.4	6	1	1	3	5	7	7
35-49	40	3.3	8						
50-69	50	2.4	2						
70 +	0								
SUBTOTAL	251	3.2	5	1	1	2	5	7	8
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	629	2.5	2	1	1	2	3	4	6
35-49	88	1.7	1	1	1	1	2	2	5
50-69	18	2.4							
70 +	0								
SUBTOTAL	735	2.4	2	1	1	2	3	4	6
GRAND TOTAL	985	2.6	3	1	1	2	3	5	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	318	3.5	7	1	2	3	4	6	12
35-49	77	4.3	7	2	2	4	5	10	10
50-69	50	6.4	35	4	4	4	4	21	21
70 +	10	27.0							
	454	4.5	22	1	2	3	4	8	13
0-17	0								
18-34	1343	2.2	2	1	1	2	3	4	5
35-49	435	2.0	2	1	1	2	3	3	4
50-69	153	3.4	16	1	1	2	3	11	15
70 +	0								
	1931	2.3	3	1	1	2	3	4	5
	2385	2.7	8	1	1	2	3	5	6

Total U.S., July 1989 - June 1990

DRG 58: T&A Proc, except Tonsillectomy &/or Adenoidectomy Only, Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	10	1.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	10	1.0							
GRAND TOTAL	10	1.0							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	2033	2.2	8	1	1	1	2	4	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2033	2.2	8	1	1	1	2	4	7
0-17	24774	1.2	1	1	1	1	1	2	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	24774	1.2	1	1	1	1	1	2	3
	26807	1.3	2	1	1	1	1	2	3

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	690	4.1	18	1	1	3	5	8	12
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	690	4.1	18	1	1	3	5	8	12
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	6085	1.5	3	1	1	1	1	3	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	6085	1.5	3	1	1	1	1	3	5
GRAND TOTAL	6774	1.8	5	1	1	1	1	4	6

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	540	3.4	15	1	1	2	3	10	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	540	3.4	15	1	1	2	3	10	11
0-17	5505	1.4	2	1	1	1	1	2	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	5505	1.4	2	1	1	1	1	2	4
	6045	1.6	3	1	1	1	1	3	5

DRG 59: Tonsillectomy &/or Adenoidectomy Only, Age >17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	46	3.4	6						
70-74	0								
75-79	10	1.0							
80-84	10	1.0							
85+	0								
SUBTOTAL	66	2.6	5	1	1	2	3	4	9
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	82	2.3	7	1	1	2	2	3	11
70-74	43	1.0							
75-79	0								
80-84	7	2.0							
85+	0								
SUBTOTAL	132	1.9	5	1	1	1	2	3	10
GRAND TOTAL	199	2.1	5	1	1	1	2	4	9

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	694	2.0	2	1	1	1	2	4	5
35-49	152	1.5	2	1	1	1	1	2	3
50-69	25	3.7	8						
70+	0								
	872	1.9	3	1	1	1	2	4	5
0-17	0								
18-34	15524	1.2		1	1	1	1	1	2
35-49	1463	1.4	1	1	1	1	1	2	5
50-69	305	2.1	2	1	1	2	3	4	5
70+	7	1.0							
	17299	1.2		1	1	1	1	2	2
	18171	1.2	1	1	1	1	1	2	2

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	57	2.2	2	<1	1	1	4	5	5
35-49	13	2.6	2						
50-69	7	7.0							
70+	0								
SUBTOTAL	77	2.7	4	<1	1	2	4	5	7
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	1088	1.2		1	1	1	1	2	2
35-49	97	1.7	2	1	1	1	2	3	6
50-69	0								
70+	0								
SUBTOTAL	1185	1.2		1	1	1	1	2	3
GRAND TOTAL	1261	1.3	1	1	1	1	1	2	3

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	183	1.9	2	1	1	1	2	4	4
35-49	13	1.9	1						
50-69	18	1.0							
70+	0								
	214	1.8	2	1	1	1	2	3	4
0-17	0								
18-34	2790	1.3	1	1	1	1	1	2	3
35-49	204	1.2		1	1	1	1	2	2
50-69	59	1.1		1	1	1	1	2	2
70+	0								
	3053	1.3	1	1	1	1	1	2	3
	3267	1.3	1	1	1	1	1	2	3

Total U.S., July 1989 - June 1990

DRG 60: Tonsillectomy &/or Adenoidectomy Only, Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	59	1.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	59	1.0							
GRAND TOTAL	59	1.0							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	2272	2.2	10	1	1	1	2	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2272	2.2	10	1	1	1	2	4	6
0-17	64328	1.1	1	1	1	1	1	1	1
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	64328	1.1	1	1	1	1	1	1	1
	66599	1.1	1	1	1	1	1	1	2

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	617	3.1	12	1	1	2	4	8	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	617	3.1	12	1	1	2	4	8	10
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	10960	1.2	1	1	1	1	1	2	2
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	10960	1.2	1	1	1	1	1	2	2
GRAND TOTAL	11578	1.3	2	1	1	1	1	2	3

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	595	2.5	8	1	1	1	3	4	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	595	2.5	8	1	1	1	3	4	11
0-17	13140	1.1	1	1	1	1	1	1	2
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	13140	1.1	1	1	1	1	1	1	2
	13735	1.2	1	1	1	1	1	1	2

DRG 61: Myringotomy w/ Tube Insertion Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	98	4.3	16	<1	1	4	6	12	14
70-74	32	2.2	5						
75-79	46	14.9	81	2	9	12	26	27	27
80-84	0								
85 +	8	7.0							
SUBTOTAL	184	6.7	53	1	1	5	9	14	26
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	138	1.2		<1	1	1	1	2	3
70-74	75	1.0		1	1	1	1	1	1
75-79	33	1.0							
80-84	18	1.0							
85 +	7	1.0							
SUBTOTAL	272	1.1		<1	1	1	1	1	2
GRAND TOTAL	455	3.4	29	<1	1	1	3	9	14

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	25	2.6	3						
35-49	40	5.7	37						
50-69	81	2.7	4	1	1	2	3	6	7
70 +	0								
	147	3.5	14	1	1	2	3	7	16
0-17	0								
18-34	512	1.6	4	<1	1	1	1	1	7
35-49	375	1.3		1	1	1	1	2	3
50-69	543	1.6	3	1	1	1	1	2	7
70 +	0								
	1430	1.5	3	1	1	1	1	2	7
	1577	1.7	4	1	1	1	1	3	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	10	1.0							
35-49	8	1.0							
50-69	50	11.8	4						
70 +	0								
SUBTOTAL	68	9.0	26						
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	78	2.1	11	<1	<1	<1	<1	8	12
35-49	37	1.0							
50-69	33	1.9	2						
70 +	0								
SUBTOTAL	148	1.8	6	<1	<1	1	1	4	12
GRAND TOTAL	216	4.1	24	<1	<1	1	11	11	12

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	4.0							
35-49	22	14.0	76						
50-69	29	5.4	18						
70 +	6	3.0							
	67	7.8	52	1	2	4	11	22	22
0-17	0								
18-34	235	2.1	9	<1	1	1	1	4	8
35-49	88	5.0	95	1	1	1	4	11	39
50-69	64	2.4	10	1	1	1	2	3	12
70 +	23	1.0							
	411	2.7	29	1	1	1	2	5	11
	478	3.4	35	1	1	1	2	11	16

Total U.S., July 1989 - June 1990

DRG 62: Myringotomy w/ Tube Insertion Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	6	4.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	6	4.0							
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	6	4.0							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	694	3.8	12	1	1	3	5	8	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	694	3.8	12	1	1	3	5	8	10
0-17	8122	1.5	3	< 1	< 1	< 1	1	3	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	8122	1.5	3	< 1	< 1	< 1	1	3	5
	8815	1.7	4	< 1	< 1	< 1	1	4	5

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	286	3.1	19	< 1	1	2	3	6	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	286	3.1	19	< 1	1	2	3	6	9
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	3017	1.7	4	< 1	< 1	< 1	1	3	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	3017	1.7	4	< 1	< 1	< 1	1	3	6
GRAND TOTAL	3302	1.8	5	< 1	< 1	< 1	1	4	6

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	166	5.1	32	1	2	3	8	14	16
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	166	5.1	32	1	2	3	8	14	16
0-17	1610	2.3	9	< 1	< 1	1	2	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1610	2.3	9	< 1	< 1	1	2	6	7
	1776	2.6	12	< 1	< 1	1	2	6	8

Total U.S., July 1989 - June 1990

DRG 63: Other Ear, Nose, Mouth & Throat O.R. Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	800	6.7	40	2	3	4	10	14	21
70-74	576	6.5	49	1	2	4	9	17	27
75-79	434	9.9	112	2	3	6	14	20	32
80-84	370	8.4	43	2	2	7	12	16	17
85 +	84	7.2	30	1	2	6	13	15	15
SUBTOTAL	**2264**	**7.6**	**58**	**1**	**3**	**5**	**11**	**16**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1156	3.2	5	1	2	3	4	5	8
70-74	412	2.6	3	1	1	2	3	5	6
75-79	370	3.2	8	1	1	3	4	6	9
80-84	212	4.0	10	1	2	4	4	5	10
85 +	180	3.8	8	1	2	3	5	9	10
SUBTOTAL	**2331**	**3.2**	**6**	**1**	**2**	**3**	**4**	**5**	**9**
GRAND TOTAL	**4594**	**5.4**	**36**	**1**	**2**	**3**	**7**	**12**	**16**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1137	4.8	14	1	2	3	6	10	14
18-34	2661	4.5	23	1	2	3	5	9	11
35-49	1257	5.2	24	1	2	3	7	11	13
50-69	992	6.1	44	1	2	4	7	12	18
70 +	91	6.7	3	5	6	6	8	8	10
	6138	**5.0**	**25**	**1**	**2**	**3**	**6**	**10**	**13**
	8163	2.4	3	1	1	2	3	4	6
	16920	2.2	2	1	1	2	3	4	5
	7968	2.5	4	1	1	2	3	5	6
	2348	2.5	4	1	1	2	3	5	6
	157	5.1	12	2	3	5	5	9	16
	35556	**2.4**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
	41695	**2.7**	**7**	**1**	**1**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	244	6.6	33	1	2	4	8	19	19
18-34	594	6.4	18	2	3	6	8	16	16
35-49	317	6.1	29	2	2	4	7	17	18
50-69	117	8.1	38	2	4	7	9	14	25
70 +	0								
SUBTOTAL	**1272**	**6.5**	**26**	**2**	**3**	**5**	**9**	**16**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	979	3.2	10	1	1	2	4	6	10
18-34	1654	3.3	6	1	2	3	4	6	7
35-49	529	3.6	6	1	2	3	5	7	9
50-69	206	4.0	19	< 1	2	2	4	12	16
70 +	0								
SUBTOTAL	**3369**	**3.4**	**8**	**1**	**2**	**3**	**4**	**6**	**9**
GRAND TOTAL	**4640**	**4.2**	**15**	**1**	**2**	**3**	**5**	**9**	**13**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	336	4.6	16	1	2	3	5	13	14
18-34	2241	5.1	22	1	2	4	6	9	16
35-49	848	6.0	20	2	3	5	8	11	14
50-69	296	5.6	14	2	3	4	8	11	16
70 +	21	4.4	7						
	3742	**5.3**	**21**	**2**	**2**	**4**	**7**	**11**	**15**
0-17	1591	2.7	5	1	1	2	3	6	7
18-34	8099	3.0	8	1	1	2	4	6	8
35-49	2495	3.4	8	1	2	2	4	7	9
50-69	566	3.8	24	1	2	3	4	6	8
70 +	62	2.9	2	1	2	3	4	5	6
	12813	**3.1**	**8**	**1**	**1**	**2**	**4**	**6**	**8**
	16554	**3.6**	**12**	**1**	**2**	**3**	**4**	**7**	**9**

Total U.S., July 1989 - June 1990

DRG 64: Ear, Nose, Mouth & Throat Malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	958	7.5	103	1	2	4	8	23	29
70-74	652	9.5	95	2	3	6	12	18	29
75-79	329	10.5	156	1	3	6	13	25	45
80-84	271	12.8	132	2	3	9	15	33	33
85 +	145	10.9	96	4	5	7	13	23	41
SUBTOTAL	**2355**	**9.3**	**114**	**1**	**3**	**6**	**12**	**24**	**33**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	579	4.3	14	1	1	5	6	9	9
70-74	266	2.5	4	1	1	1	4	7	7
75-79	281	3.7	9	1	1	2	6	6	11
80-84	134	1.4	1	< 1	1	1	1	3	4
85 +	85	4.2	4	1	3	4	6	7	7
SUBTOTAL	**1346**	**3.5**	**10**	**1**	**1**	**2**	**6**	**7**	**9**
GRAND TOTAL	**3701**	**7.2**	**84**	**1**	**2**	**5**	**8**	**15**	**29**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	131	6.8	49	1	3	5	8	12	29
18-34	64	5.9	6	3	4	7	7	11	11
35-49	278	10.3	180	1	3	5	17	29	35
50-69	910	7.9	45	2	3	6	11	15	22
70 +	32	4.7	4						
SUBTOTAL	**1415**	**8.1**	**71**	**1**	**3**	**6**	**10**	**18**	**27**
0-17	216	4.6	16	2	2	3	6	7	8
18-34	22	3.3							
35-49	163	2.3	3	< 1	1	2	2	6	6
50-69	587	2.5	6	< 1	1	1	3	7	8
70 +	33	4.9	4						
SUBTOTAL	**1021**	**3.0**	**8**	**< 1**	**1**	**2**	**4**	**7**	**8**
GRAND TOTAL	**2436**	**6.0**	**51**	**1**	**2**	**4**	**7**	**12**	**21**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	91	9.1	61	< 1	1	10	12	15	29
18-34	40	9.5	95						
35-49	256	10.5	74	2	5	7	13	26	32
50-69	473	9.7	81	3	5	8	12	17	25
70 +	20	16.1	314						
SUBTOTAL	**880**	**10.0**	**83**	**2**	**5**	**7**	**12**	**22**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	63	3.2	8	1	1	2	7	8	8
18-34	22	6.6	3						
35-49	140	5.7	8	3	3	6	7	11	11
50-69	258	5.8	19	1	2	5	8	13	13
70 +	0								
SUBTOTAL	**483**	**5.5**	**14**	**1**	**2**	**5**	**8**	**10**	**13**
GRAND TOTAL	**1363**	**8.4**	**64**	**2**	**3**	**6**	**11**	**17**	**25**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	29	6.3	3						
18-34	10	2.0							
35-49	196	5.8	35	1	2	4	6	12	19
50-69	367	8.2	63	1	4	6	10	19	23
70 +	0								
SUBTOTAL	**602**	**7.2**	**52**	**1**	**3**	**5**	**9**	**16**	**23**
0-17	79	3.4	9	1	1	2	7	8	8
18-34	37	4.5	14	1	2	3	8	11	11
35-49	151	6.4	61	1	4	5	6	7	35
50-69	298	4.4	16	1	1	3	6	11	14
70 +	31	2.3	3						
SUBTOTAL	**596**	**4.7**	**27**	**1**	**1**	**4**	**6**	**8**	**13**
GRAND TOTAL	**1198**	**6.0**	**41**	**1**	**2**	**5**	**7**	**12**	**19**

Total U.S., July 1989 - June 1990

DRG 65: Dysequilibrium

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4200	3.9	6	1	2	3	5	7	9
70-74	3625	4.1	7	2	2	3	5	7	10
75-79	3518	4.3	11	1	2	3	5	8	11
80-84	3115	5.0	14	2	3	4	6	9	13
85 +	2046	5.1	20	2	3	4	7	9	11
SUBTOTAL	**16504**	**4.4**	**11**	**2**	**2**	**3**	**5**	**8**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	3947	3.4	9	1	2	2	4	7	8
70-74	3692	3.5	8	1	2	3	4	6	7
75-79	3247	3.8	8	1	2	3	5	7	9
80-84	2012	4.4	53	1	2	3	5	10	12
85 +	1972	4.0	6	2	2	3	4	7	9
SUBTOTAL	**14869**	**3.7**	**14**	**1**	**2**	**3**	**4**	**7**	**9**
GRAND TOTAL	**31373**	**4.1**	**13**	**1**	**2**	**3**	**5**	**7**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	63	2.5	3	< 1	1	2	3	5	7
18-34	387	2.9	9	1	1	2	3	5	11
35-49	1271	2.8	4	1	1	2	4	5	7
50-69	3580	3.5	6	1	2	3	5	6	9
70 +	262	3.1	5	1	2	2	4	6	8
	5563	**3.3**	**6**	**1**	**2**	**3**	**4**	**6**	**9**
0-17	423	2.1	2	1	1	1	3	5	5
18-34	1528	2.8	4	1	1	2	3	5	7
35-49	3905	2.8	4	1	1	2	3	5	7
50-69	7238	2.7	3	1	2	2	3	5	6
70 +	450	2.1	2	1	1	2	3	4	5
	13544	**2.7**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
	19107	**2.9**	**4**	**1**	**1**	**2**	**4**	**5**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	8	2.0							
18-34	184	2.6	5	1	1	2	3	6	10
35-49	154	4.1	7	1	2	4	5	6	11
50-69	426	4.4	8	1	2	4	5	9	10
70 +	42	3.4	2	1	3	3	5	5	5
SUBTOTAL	**814**	**3.8**	**7**	**1**	**2**	**3**	**5**	**7**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	15	4.0							
18-34	240	3.4	3	2	3	3	3	5	7
35-49	296	2.9	3	1	2	3	4	5	6
50-69	396	3.9	4	1	2	4	5	6	6
70 +	70	6.0	5						
SUBTOTAL	**1017**	**3.6**	**4**	**1**	**2**	**3**	**5**	**6**	**7**
GRAND TOTAL	**1830**	**3.7**	**6**	**1**	**2**	**3**	**5**	**7**	**8**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	45	1.6	1						
18-34	75	3.1	5	1	1	3	4	8	8
35-49	295	2.6	3	1	1	2	3	5	7
50-69	539	3.2	5	1	1	2	4	6	9
70 +	269	4.1	25	1	2	3	4	6	23
	1223	**3.2**	**9**	**1**	**1**	**2**	**4**	**6**	**8**
0-17	118	2.8	6	1	1	2	3	7	9
18-34	518	2.5	3	1	1	2	4	6	6
35-49	764	2.6	6	1	1	2	3	5	11
50-69	1097	2.4	2	1	1	2	3	5	6
70 +	301	3.1	9	1	1	2	3	7	9
	2799	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**7**
	4022	**2.8**	**6**	**1**	**1**	**2**	**3**	**6**	**7**

Total U.S., July 1989 - June 1990

DRG 66: Epistaxis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1257	5.0	14	2	3	4	6	9	11
70-74	1089	5.4	23	1	2	4	6	10	21
75-79	937	4.7	11	2	2	4	6	8	11
80-84	705	6.1	94	2	2	4	6	12	13
85+	810	4.6	9	1	2	4	6	9	10
SUBTOTAL	4798	5.1	27	2	2	4	6	9	12
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	1285	2.9	3	1	2	3	4	5	5
70-74	700	3.3	3	1	2	3	4	5	6
75-79	652	3.1	2	1	2	3	4	5	6
80-84	641	3.2	2	1	2	3	4	5	6
85+	505	3.2	4	1	2	2	4	6	8
SUBTOTAL	3783	3.1	3	1	2	3	4	5	6
GRAND TOTAL	8582	4.2	17	1	2	4	5	7	10

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	159	4.0	14	1	2	3	5	9	14
18-34	195	2.9	5	1	2	2	3	5	9
35-49	348	4.2	4	2	3	4	5	8	9
50-69	1267	4.6	9	2	2	4	6	9	11
70+	94	5.0	5	2	3	6	7	7	7
	2063	4.3	8	1	2	4	5	9	10
0-17	196	2.0	2	<1	1	1	2	4	5
18-34	397	3.1	2	1	2	3	4	5	6
35-49	1293	4.0	5	1	2	4	5	7	8
50-69	1820	3.2	3	1	2	3	4	5	6
70+	73	2.7	2	<1	2	3	4	5	5
	3779	3.4	4	1	2	3	5	6	7
	5842	3.7	6	1	2	3	5	7	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	69	2.5	5	<1	1	2	3	4	9
18-34	188	5.1	9	2	3	4	8	9	9
35-49	163	5.9	13	2	3	4	8	9	14
50-69	223	5.2	10	2	3	5	6	8	11
70+	71	4.5	4	2	3	5	7	7	7
SUBTOTAL	714	5.0	10	2	3	4	7	9	10
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	102	2.3	3	<1	<1	1	4	4	6
18-34	102	4.5	1	3	4	4	6	6	6
35-49	94	2.4	1	1	2	3	3	3	3
50-69	92	2.8	4	1	1	2	4	5	7
70+	6	1.0							
SUBTOTAL	397	3.0	3	<1	1	3	4	6	6
GRAND TOTAL	1111	4.3	8	1	2	4	6	8	9

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	42	1.8	1						
18-34	148	3.8	4	<1	2	4	5	7	7
35-49	224	5.2	10	1	3	4	8	10	10
50-69	357	4.0	10	1	1	4	5	10	11
70+	57	4.0	5	<1	3	4	6	8	8
	828	4.2	9	1	2	4	5	10	10
0-17	88	3.2	5	1	1	2	5	8	8
18-34	458	3.2	4	1	1	3	5	6	7
35-49	475	3.2	3	1	2	3	4	6	6
50-69	439	4.0	5	1	2	4	5	6	9
70+	59	2.1	2	1	1	2	3	4	4
	1521	3.4	4	1	2	3	4	6	7
	2349	3.7	6	1	2	3	5	7	9

Total U.S., July 1989 - June 1990

DRG 67: Epiglottitis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	124	4.9	5	3	4	4	5	10	11
70-74	15	3.0							
75-79	91	4.3	8						
80-84	30	5.7	2						
85 +	0								
SUBTOTAL	260	4.7	6	2	3	4	6	9	10
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	81	3.6	8	2	2	3	5	8	11
70-74	16	4.0							
75-79	16	4.4	2						
80-84	18	1.5							
85 +	0								
SUBTOTAL	132	3.4	6	1	2	3	4	6	11
GRAND TOTAL	391	4.3	6	2	2	4	6	8	10

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	307	5.8	6	3	4	6	7	8	10
18-34	62	3.5	5	2	2	2	5	8	8
35-49	154	5.8	5	3	4	6	6	11	11
50-69	181	6.9	9	3	5	6	8	11	11
70 +	29	4.8	2						
SUBTOTAL	733	5.8	7	3	4	6	7	9	11
0-17	861	3.9	4	1	3	4	5	6	7
18-34	700	2.7	2	1	2	2	4	5	5
35-49	513	2.8	3	1	1	3	4	5	6
50-69	220	3.5	2	2	2	3	4	6	6
70 +	6	2.0							
SUBTOTAL	2301	3.3	3	1	2	3	4	6	6
	3034	3.9	5	1	2	4	5	7	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	89	3.9	3	3	3	3	6	6	7
18-34	20	1.5							
35-49	8	4.0							
50-69	8	4.0							
70 +	0								
SUBTOTAL	125	3.5	3	1	3	3	4	6	7
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	133	4.9	7	1	3	5	7	9	10
18-34	78	3.6	1	2	3	4	4	5	5
35-49	47	3.1	3						
50-69	8	2.0							
70 +	0								
SUBTOTAL	267	4.1	5	2	2	4	5	8	9
GRAND TOTAL	392	3.9	4	2	2	4	5	7	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	203	5.2	4	2	3	5	7	8	9
18-34	38	4.0							
35-49	36	7.7	15						
50-69	34	6.2	4						
70 +	0								
SUBTOTAL	311	5.5	6	3	4	5	7	9	9
0-17	253	4.2	3	2	3	5	6	6	7
18-34	240	3.1	2	1	2	3	4	5	6
35-49	220	2.6	2	1	2	2	3	4	6
50-69	97	3.1	1	2	3	3	3	5	5
70 +	0								
SUBTOTAL	810	3.3	3	2	2	3	5	6	6
	1121	3.9	4	2	2	3	5	7	8

Total U.S., July 1989 - June 1990

DRG 68: Otitis Media & URI Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	5812	5.5	21	2	3	5	6	9	12
70-74	3555	6.1	16	2	3	5	8	10	15
75-79	3411	6.5	25	2	4	5	7	11	16
80-84	2525	6.9	20	3	4	6	9	11	14
85 +	2752	7.2	24	3	4	6	8	13	16
SUBTOTAL	**18056**	**6.3**	**21**	**2**	**4**	**5**	**8**	**11**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**18056**	**6.3**	**21**	**2**	**4**	**5**	**8**	**11**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
TYPE OF PATIENT									
0-17	0								
18-34	7204	3.5	8	2	2	3	4	6	7
35-49	4330	3.9	6	2	2	3	5	6	9
50-69	4055	4.7	20	2	3	4	5	7	10
70 +	200	3.4	3	2	2	3	4	7	8
	15789	**3.9**	**11**	**2**	**2**	**3**	**5**	**6**	**8**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	15789	**3.9**	**11**	**2**	**2**	**3**	**5**	**6**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	1702	3.9	7	2	2	3	5	7	8
35-49	620	5.4	12	2	3	5	7	9	12
50-69	844	5.1	8	2	3	4	7	8	9
70 +	84	4.8	3	< 1	4	6	6	6	6
SUBTOTAL	**3250**	**4.5**	**8**	**2**	**3**	**4**	**6**	**8**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3250**	**4.5**	**8**	**2**	**3**	**4**	**6**	**8**	**9**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
TYPE OF PATIENT									
0-17	0								
18-34	2346	3.2	5	1	2	3	4	6	7
35-49	871	3.5	7	1	2	3	5	6	8
50-69	711	4.0	6	1	2	3	5	8	8
70 +	138	5.0	34	2	3	4	5	7	8
	4066	**3.5**	**7**	**1**	**2**	**3**	**4**	**6**	**8**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4066	**3.5**	**7**	**1**	**2**	**3**	**4**	**6**	**8**

Total U.S., July 1989 - June 1990

DRG 69: Otitis Media & URI Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1903	4.0	6	2	2	3	5	7	8
70-74	909	4.2	11	1	2	4	6	7	8
75-79	903	4.9	9	2	2	5	6	9	11
80-84	842	5.0	7	2	3	5	7	9	10
85 +	931	6.0	24	2	3	5	8	12	12
SUBTOTAL	**5487**	**4.7**	**11**	**2**	**2**	**4**	**6**	**8**	**10**
GRAND TOTAL	**5487**	**4.7**	**11**	**2**	**2**	**4**	**6**	**8**	**10**

TYPE OF PATIENT	BLUE CROSS PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	11093	2.8	3	1	2	3	3	5	6
35-49	5779	3.3	5	1	2	3	4	6	7
50-69	5143	3.8	5	1	2	3	5	7	9
70 +	127	4.6	5	1	3	6	6	7	7
22142	**3.2**	**4**	**1**	**2**	**3**	**4**	**6**	**7**	
22142	**3.2**	**4**	**1**	**2**	**3**	**4**	**6**	**7**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	2127	2.9	2	1	2	3	4	5	6
35-49	674	3.3	4	1	2	3	4	6	6
50-69	247	6.0	26	< 1	3	5	6	12	19
70 +	95	4.2	7						
SUBTOTAL	**3143**	**3.3**	**5**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**3143**	**3.3**	**5**	**1**	**2**	**3**	**4**	**6**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	4063	2.7	2	1	2	2	3	5	5
35-49	1278	3.5	6	1	2	3	4	7	8
50-69	794	3.2	2	1	2	3	4	5	6
70 +	111	4.1	5	1	2	4	6	7	7
6246	**2.9**	**3**	**1**	**2**	**3**	**4**	**5**	**6**	
6246	**2.9**	**3**	**1**	**2**	**3**	**4**	**5**	**6**	

Total U.S., July 1989 - June 1990

DRG 70: Otitis Media & URI Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	108	2.5	1	2	2	2	3	3	5
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	108	2.5	1	2	2	2	3	3	5
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	72	2.7	1						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	72	2.7	1						
GRAND TOTAL	180	2.6	1	2	2	2	3	4	5

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	20312	3.0	8	1	2	3	4	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	20312	3.0	8	1	2	3	4	5	6
0-17	37506	2.7	3	1	2	2	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	37506	2.7	3	1	2	2	3	5	6
	57818	2.8	5	1	2	2	3	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	11104	3.4	8	1	2	3	4	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	11104	3.4	8	1	2	3	4	6	8
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	20916	3.0	4	1	2	3	4	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	20916	3.0	4	1	2	3	4	5	7
GRAND TOTAL	32021	3.1	5	1	2	3	4	5	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6297	3.0	6	1	2	2	3	5	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	6297	3.0	6	1	2	2	3	5	8
0-17	12466	2.8	4	1	2	2	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	12466	2.8	4	1	2	2	3	5	6
	18763	2.9	5	1	2	2	3	5	7

Total U.S., July 1989 - June 1990

DRG 71: Laryngotracheitis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	48	7.5	10	5	5	5	10	14	14
70-74	24	5.3	3						
75-79	23	2.2	4						
80-84	38	4.6	5						
85 +	43	3.0							
SUBTOTAL	177	4.8	8	1	3	4	7	8	10
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	56	2.9	5	1	1	1	6	6	6
70-74	43	1.0							
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	99	2.1	4	1	1	1	3	6	6
GRAND TOTAL	276	3.8	8	1	1	3	5	7	8

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	3878	3.0	9	1	1	2	3	5	8
18-34	8	3.0							
35-49	8	9.0							
50-69	6	2.0							
70 +	18	7.5	17						
	3918	3.0	9	1	1	2	3	5	8
	34962	2.0	4	1	1	2	2	3	4
	64	2.7		2	2	3	3	4	4
	59	2.7	3	1	1	2	4	6	6
	107	6.7	37						
	0								
	35192	2.0	4	1	1	2	2	3	4
	39111	2.1	5	1	1	2	2	4	4

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	1800	3.4	8	1	2	2	4	7	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1800	3.4	8	1	2	2	4	7	8
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	10107	2.4	3	1	1	2	3	4	6
18-34	34	1.9	2						
35-49	0								
50-69	0								
70 +	43	9.0							
SUBTOTAL	10185	2.4	4	1	1	2	3	[illegible]	6
GRAND TOTAL	11984	2.6	4	1	1	2	3	5	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1374	2.9	5	1	2	2	3	6	8
18-34	6	2.0							
35-49	0								
50-69	6	2.0							
70 +	0								
	1386	2.9	5	1	2	2	3	6	8
0-17	11325	1.9	2	1	1	1	2	3	4
18-34	0								
35-49	8	4.0							
50-69	0								
70 +	0								
	11332	1.9	2	1	1	1	2	3	4
	12718	2.0	2	1	1	2	2	3	5

Total U.S., July 1989 - June 1990

DRG 72: Nasal Trauma & Deformity

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	15	2.0	1						
70-74	32	5.4	9						
75-79	46	7.1	14	2	3	8	10	13	13
80-84	78	5.3	8	3	4	5	6	6	14
85+	107	4.3	14	1	1	3	4	10	13
SUBTOTAL	**277**	**5.0**	**12**	**1**	**3**	**4**	**6**	**11**	**13**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	28	1.5	1						
70-74	66	3.8	3						
75-79	31	3.3	2						
80-84	75	11.2	27						
85+	72	4.0	5	2	2	4	5	9	9
SUBTOTAL	**271**	**5.6**	**22**	**1**	**2**	**4**	**9**	**15**	**15**
GRAND TOTAL	**548**	**5.3**	**17**	**1**	**2**	**4**	**6**	**13**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	223	3.1	33	1	1	1	3	6	7
18-34	428	2.1	1	1	1	2	3	3	5
35-49	187	2.1	2	<1	1	2	2	5	6
50-69	60	4.2	17	1	2	4	4	15	15
70+	23	8.2	18						
	921	**2.6**	**12**	**<1**	**1**	**2**	**3**	**5**	**7**
0-17	605	1.5	1	<1	<1	1	2	3	3
18-34	588	1.6	2	<1	1	1	2	2	4
35-49	252	2.7	7	<1	1	1	3	8	8
50-69	153	2.0	1	<1	<1	1	3	3	5
70+	57	1.7	3						
	1655	**1.8**	**2**	**<1**	**<1**	**1**	**2**	**3**	**5**
	2577	**2.1**	**6**	**<1**	**1**	**1**	**2**	**3**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	61	5.7							
18-34	78	3.9	17	1	1	3	4	11	16
35-49	43	2.0							
50-69	60	3.7	1						
70+	0								
SUBTOTAL	**242**	**4.0**	**7**	**1**	**2**	**4**	**5**	**6**	**6**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	106	1.5	1	<1	1	1	2	3	3
18-34	106	2.0	1	<1	1	2	2	3	5
35-49	100	2.7	3	1	1	3	3	5	7
50-69	17	1.6							
70+	0								
SUBTOTAL	**330**	**2.0**	**2**	**<1**	**1**	**2**	**3**	**3**	**5**
GRAND TOTAL	**572**	**2.9**	**5**	**1**	**1**	**2**	**4**	**6**	**6**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	33	1.0							
18-34	340	2.4	2	1	1	2	3	4	5
35-49	141	4.1	6	1	2	4	7	7	7
50-69	65	2.3							
70+	25	9.2	32						
	604	**3.0**	**7**	**<1**	**1**	**2**	**3**	**7**	**7**
0-17	244	1.4		<1	<1	1	2	2	2
18-34	580	1.7	2	<1	<1	1	2	3	4
35-49	87	1.2		1	1	1	1	2	2
50-69	22	1.4							
70+	0								
	933	**1.6**	**1**	**<1**	**<1**	**1**	**2**	**3**	**3**
	1537	**2.1**	**4**	**<1**	**1**	**1**	**2**	**4**	**7**

DRG 73: Other Ear, Nose, Mouth & Throat Diagnoses Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1063	6.2	22	1	3	5	8	14	16
70-74	688	6.8	26	2	3	5	8	16	18
75-79	683	6.2	34	2	3	4	8	13	20
80-84	837	7.0	28	2	3	6	9	12	21
85+	853	7.6	36	2	4	6	9	14	18
SUBTOTAL	4124	6.7	29	2	3	5	9	14	18
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1221	3.6	9	1	1	3	5	7	10
70-74	569	4.3	23	1	1	2	6	11	11
75-79	500	3.6	24	<1	1	2	4	7	7
80-84	532	6.0	31	1	2	4	8	13	13
85+	437	5.1	11	1	3	5	7	8	13
SUBTOTAL	3260	4.3	18	1	1	3	6	9	11
GRAND TOTAL	7384	5.7	26	1	2	4	7	11	15

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	560	3.9	8	1	2	3	5	8	9
35-49	649	3.9	7	1	2	3	5	6	9
50-69	822	5.1	44	1	1	3	6	11	19
70+	27	5.1	10						
	2058	4.4	22	1	2	3	5	8	11
	5270	3.0	5	1	1	2	4	6	7
	7327	3.4	10	1	1	3	5	6	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	245	3.8	9	1	2	3	4	9	11
35-49	183	6.2	16	3	3	5	8	13	15
50-69	217	6.3	67	1	3	5	7	8	20
70+	15	2.5							
SUBTOTAL	661	5.3	31	2	3	4	6	10	13
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	442	3.3	6	1	2	2	5	5	8
35-49	158	4.0	8	1	2	3	6	9	10
50-69	295	3.7	6	2	2	3	4	7	9
70+	0								
SUBTOTAL	895	3.6	6	1	2	3	5	7	9
GRAND TOTAL	1556	4.3	18	1	2	3	5	8	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	379	3.3	7	1	2	2	5	6	9
35-49	215	4.0	16	1	2	2	5	11	11
50-69	183	5.5	32	1	2	3	7	12	17
70+	28	4.4	14						
	805	4.0	16	1	2	3	5	9	11
0-17	0								
18-34	958	2.9	5	1	1	2	4	6	7
35-49	577	3.4	7	1	1	3	5	7	8
50-69	371	3.1	6	1	1	2	4	6	7
70+	19	1.3							
	1925	3.1	6	1	1	2	4	6	7
	2730	3.3	9	1	1	2	5	6	10

Total U.S., July 1989 - June 1990

DRG 74: Other Ear, Nose, Mouth & Throat Diagnoses Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	17	5.6							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**17**	5.6							
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**17**	5.6							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1801	4.1	49	1	1	2	5	7	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1801**	**4.1**	**49**	**1**	**1**	**2**	**5**	**7**	**11**
0-17	9453	2.3	5	< 1	1	1	3	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**9453**	**2.3**	**5**	**< 1**	**1**	**1**	**3**	**5**	**7**
	11254	**2.6**	**12**	**< 1**	**1**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	1421	4.9	36	1	2	3	5	10	20
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1421**	**4.9**	**36**	**1**	**2**	**3**	**5**	**10**	**20**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	4117	2.8	9	1	1	2	3	5	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**4117**	**2.8**	**9**	**1**	**1**	**2**	**3**	**5**	**8**
GRAND TOTAL	**5538**	**3.3**	**17**	**1**	**1**	**2**	**4**	**7**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	822	3.7	30	1	1	2	4	7	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**822**	**3.7**	**30**	**1**	**1**	**2**	**4**	**7**	**10**
0-17	3199	2.6	8	< 1	1	2	3	5	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**3199**	**2.6**	**8**	**< 1**	**1**	**2**	**3**	**5**	**8**
	4020	**2.8**	**13**	**1**	**1**	**2**	**3**	**6**	**8**

Total U.S., July 1989 - June 1990

DRG 75: Major Chest Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	9780	14.0	97	6	8	11	16	26	34
70-74	6678	13.8	73	6	8	11	17	25	30
75-79	4263	14.8	89	7	8	12	18	29	37
80-84	1424	15.0	83	7	9	12	19	29	34
85 +	247	14.6	49	8	9	13	19	23	32
SUBTOTAL	**22392**	**14.1**	**87**	**6**	**8**	**11**	**17**	**26**	**34**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2237	8.8	40	5	6	8	10	12	16
70-74	1457	8.8	24	5	6	8	10	15	18
75-79	763	10.7	50	5	7	9	12	19	27
80-84	319	10.3	19	6	7	9	12	15	20
85 +	63	9.8	18	1	7	10	13	16	16
SUBTOTAL	**4839**	**9.2**	**36**	**5**	**6**	**8**	**10**	**15**	**19**
GRAND TOTAL	**27231**	**13.3**	**82**	**6**	**8**	**11**	**16**	**25**	**32**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1652	10.0	89	4	5	7	13	22	62
18-34	1824	11.3	80	4	6	9	15	21	25
35-49	3500	12.5	75	5	7	10	15	23	30
50-69	11686	12.2	63	6	7	10	14	21	27
70 +	363	16.4	169	7	8	10	23	32	40
SUBTOTAL	**19025**	**12.0**	**72**	**5**	**7**	**10**	**14**	**22**	**28**
0-17	2915	5.5	9	3	4	5	6	8	13
18-34	1895	7.3	13	4	5	7	9	12	16
35-49	2214	8.2	20	4	5	7	10	15	18
50-69	4521	8.0	16	4	6	7	9	13	16
70 +	92	6.9	13	3	4	7	9	14	14
SUBTOTAL	**11637**	**7.3**	**16**	**4**	**5**	**6**	**9**	**12**	**16**
GRAND TOTAL	**30662**	**10.2**	**56**	**4**	**6**	**8**	**12**	**19**	**24**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	486	20.7	375	4	7	15	38	69	99 +
18-34	420	14.3	131	5	6	11	19	27	36
35-49	422	14.9	66	6	8	15	18	24	29
50-69	1169	16.8	100	7	9	14	22	32	35
70 +	26	13.0	6						
SUBTOTAL	**2524**	**16.8**	**156**	**6**	**8**	**14**	**21**	**33**	**47**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	597	7.2	33	3	4	5	8	13	21
18-34	299	9.2	29	3	6	8	11	19	21
35-49	143	11.1	71	5	6	8	18	19	19
50-69	394	10.9	55	4	6	8	14	27	27
70 +	6	5.0							
SUBTOTAL	**1440**	**9.0**	**45**	**3**	**5**	**7**	**11**	**19**	**23**
GRAND TOTAL	**3963**	**13.9**	**129**	**4**	**7**	**10**	**18**	**28**	**38**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	498	15.4	235	4	5	8	22	62	63
18-34	884	11.7	48	5	6	10	16	22	25
35-49	1241	13.3	54	5	7	12	19	21	26
50-69	2408	13.3	95	6	7	10	16	26	34
70 +	335	10.8	36	6	7	9	12	15	28
SUBTOTAL	**5365**	**13.1**	**88**	**5**	**7**	**10**	**17**	**24**	**32**
0-17	755	6.9	35	3	4	5	8	13	17
18-34	839	8.6	32	3	5	7	11	17	20
35-49	701	8.7	30	4	5	6	11	20	20
50-69	733	8.7	31	5	6	7	9	16	20
70 +	111	8.5	20	5	5	7	9	11	23
SUBTOTAL	**3139**	**8.2**	**32**	**3**	**5**	**7**	**10**	**16**	**20**
GRAND TOTAL	**8504**	**11.3**	**73**	**4**	**6**	**8**	**14**	**21**	**28**

Total U.S., July 1989 - June 1990

DRG 76: Other Resp System O.R. Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	9547	12.2	117	3	6	9	15	23	33
70-74	6739	12.4	123	3	6	10	16	24	32
75-79	6303	13.7	126	4	7	11	18	25	35
80-84	3500	14.7	167	5	7	11	17	28	46
85 +	1622	17.2	231	5	9	13	20	36	54
SUBTOTAL	27711	13.2	135	3	6	11	16	25	36
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	27711	13.2	135	3	6	11	16	25	36

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	426	14.2	207	2	3	12	20	41	61
18-34	1359	11.0	125	2	4	8	16	22	28
35-49	2994	8.9	56	2	4	7	12	18	22
50-69	9398	10.8	85	2	5	9	14	22	27
70 +	580	11.0	97	2	4	8	15	19	19
	14758	10.5	88	2	4	8	14	22	27
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	14758	10.5	88	2	4	8	14	22	27

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	348	18.1	421	1	3	13	28	53	71
18-34	603	12.5	80	3	6	10	16	26	31
35-49	583	17.3	290	5	9	12	18	27	75
50-69	1281	13.2	126	3	7	9	16	27	38
70 +	87	14.1	66	5	10	11	18	29	99 +
SUBTOTAL	2902	14.5	187	3	7	10	18	28	40
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	2902	14.5	187	3	7	10	18	28	40

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	129	11.3	225	1	2	5	16	27	29
18-34	426	10.4	48	2	5	10	16	21	23
35-49	922	11.9	76	2	5	12	16	21	27
50-69	2318	11.2	93	2	4	9	15	24	32
70 +	441	16.7	192	3	7	12	22	42	43
	4236	11.8	102	2	5	10	16	24	32
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4236	11.8	102	2	5	10	16	24	32

Total U.S., July 1989 - June 1990

DRG 77: Other Resp System O.R. Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1162	6.6	49	1	2	4	9	15	20
70-74	886	5.0	28	1	2	3	7	11	17
75-79	648	6.2	31	1	1	4	10	13	15
80-84	488	8.2	65	2	3	5	10	19	21
85 +	211	5.3	33	< 1	1	2	8	17	17
SUBTOTAL	**3395**	**6.3**	**42**	**1**	**2**	**4**	**9**	**14**	**20**
GRAND TOTAL	**3395**	**6.3**	**42**	**1**	**2**	**4**	**9**	**14**	**20**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	660	3.7	12	1	1	2	5	9	11
18-34	819	4.4	26	1	1	2	5	13	18
35-49	1412	5.3	35	1	1	3	7	11	15
50-69	2635	5.6	24	1	1	3	9	13	15
70 +	49	8.7	66	1	1	8	14	21	21
	5574	**5.2**	**27**	**1**	**1**	**3**	**8**	**13**	**15**
	5574	**5.2**	**27**	**1**	**1**	**3**	**8**	**13**	**15**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	405	5.0	23	1	1	4	7	10	16
18-34	159	7.3	32	1	2	6	13	14	17
35-49	135	11.1	131	1	1	6	19	34	34
50-69	256	8.5	64	2	3	5	15	17	27
70 +	14	3.0							
SUBTOTAL	**968**	**7.2**	**55**	**1**	**2**	**5**	**9**	**17**	**23**
GRAND TOTAL	**968**	**7.2**	**55**	**1**	**2**	**5**	**9**	**17**	**23**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	197	6.6	122	1	1	2	6	18	35
18-34	348	5.5	26	1	1	4	8	13	14
35-49	411	4.0	9	1	1	3	6	8	10
50-69	533	4.4	14	1	1	3	7	10	11
70 +	31	1.5							
	1520	**4.8**	**30**	**1**	**1**	**3**	**7**	**10**	**13**
	1520	**4.8**	**30**	**1**	**1**	**3**	**7**	**10**	**13**

Total U.S., July 1989 - June 1990

DRG 78: Pulmonary Embolism

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	4433	10.5	38	5	7	9	12	17	22
70-74	3855	10.5	28	6	7	10	13	16	19
75-79	3528	11.5	40	6	8	10	13	18	23
80-84	2695	11.7	36	6	8	10	15	20	25
85 +	2326	11.2	35	6	8	10	13	18	22
SUBTOTAL	**16837**	**11.0**	**36**	**6**	**7**	**10**	**13**	**17**	**22**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	1329	8.5	13	6	7	8	10	12	13
70-74	1285	9.1	16	5	7	8	11	16	17
75-79	1247	8.8	14	5	7	8	10	13	18
80-84	494	8.4	8	6	6	8	9	11	14
85 +	292	8.9	10	5	7	9	10	14	14
SUBTOTAL	**4646**	**8.8**	**13**	**5**	**7**	**8**	**10**	**13**	**17**
GRAND TOTAL	**21483**	**10.5**	**32**	**6**	**7**	**9**	**12**	**17**	**21**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	74	4.5	2	3	3	4	5	6	7
18-34	705	8.5	19	3	6	8	11	12	16
35-49	1528	9.0	18	6	7	9	10	13	15
50-69	4068	9.6	24	5	7	9	11	15	17
70 +	460	9.6	21	5	7	8	12	14	22
SUBTOTAL	**6835**	**9.3**	**22**	**5**	**7**	**9**	**11**	**14**	**17**
0-17	22	8.0							
18-34	989	6.5	7	3	5	7	8	9	11
35-49	2069	7.9	8	4	6	8	9	11	13
50-69	2383	8.0	11	5	6	8	9	12	13
70 +	142	8.6	14	4	6	7	11	15	15
SUBTOTAL	**5605**	**7.7**	**10**	**4**	**6**	**8**	**9**	**11**	**13**
GRAND TOTAL	**12440**	**8.6**	**17**	**5**	**6**	**8**	**10**	**13**	**15**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	56	7.0	30	2	2	7	9	17	17
18-34	312	9.3	53	4	6	7	11	14	31
35-49	351	10.1	21	6	7	8	14	16	18
50-69	324	15.2	108	6	9	13	19	23	43
70 +	51	21.3	123	9	14	20	24	41	41
SUBTOTAL	**1095**	**11.7**	**72**	**5**	**7**	**9**	**14**	**20**	**28**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	15	9.5	13						
18-34	224	8.3	14	3	6	8	10	14	14
35-49	207	8.2	17	2	5	8	11	15	17
50-69	187	9.6	17	5	6	11	13	15	15
70 +	67	13.8	20						
SUBTOTAL	**699**	**9.2**	**19**	**4**	**6**	**9**	**12**	**15**	**17**
GRAND TOTAL	**1795**	**10.7**	**53**	**4**	**7**	**9**	**14**	**17**	**21**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	3.7	2						
18-34	294	9.5	18	5	7	8	11	13	18
35-49	571	11.7	62	5	7	10	15	25	25
50-69	704	9.7	21	4	7	9	12	15	21
70 +	228	8.3	10	5	6	7	9	13	14
SUBTOTAL	**1827**	**10.0**	**34**	**5**	**7**	**9**	**12**	**16**	**23**
0-17	34	8.5	19						
18-34	284	7.6	9	4	5	8	9	10	15
35-49	419	7.8	7	4	6	8	9	11	11
50-69	453	8.0	7	5	6	7	10	12	12
70 +	77	9.3	3	6	8	10	10	12	12
SUBTOTAL	**1266**	**7.9**	**8**	**5**	**6**	**8**	**10**	**11**	**13**
GRAND TOTAL	**3093**	**9.2**	**24**	**5**	**6**	**8**	**11**	**14**	**17**

Total U.S., July 1989 - June 1990

DRG 79: Respiratory Infections & Inflammations Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	17685	12.1	96	4	6	9	15	23	32
70-74	13728	11.8	65	5	7	10	15	21	28
75-79	15491	11.6	69	4	6	10	14	22	27
80-84	14748	13.2	121	5	7	10	16	25	35
85 +	19094	13.0	102	5	7	10	16	23	32
SUBTOTAL	**80746**	**12.4**	**92**	**5**	**7**	**10**	**15**	**23**	**31**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**80746**	**12.4**	**92**	**5**	**7**	**10**	**15**	**23**	**31**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2698	10.9	59	4	6	10	14	19	23
35-49	2876	10.4	60	3	5	8	14	21	28
50-69	6286	11.2	71	4	6	9	14	20	26
70 +	835	13.4	200	4	6	9	15	24	39
	12695	**11.1**	**75**	**4**	**6**	**9**	**14**	**20**	**27**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	12695	**11.1**	**75**	**4**	**6**	**9**	**14**	**20**	**27**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	2369	12.0	82	4	6	10	15	24	29
35-49	1623	13.8	203	4	6	9	16	31	44
50-69	2018	12.0	86	5	7	9	14	21	28
70 +	461	9.4	34	3	6	8	15	25	99 +
SUBTOTAL	**6471**	**12.2**	**111**	**4**	**6**	**10**	**15**	**24**	**34**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**6471**	**12.2**	**111**	**4**	**6**	**10**	**15**	**24**	**34**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1725	9.9	50	3	5	9	13	20	23
35-49	1804	11.1	75	3	6	9	13	21	27
50-69	2096	11.8	83	4	5	9	16	25	29
70 +	671	13.7	224	5	7	10	14	23	76
	6296	**11.3**	**88**	**4**	**5**	**9**	**14**	**22**	**29**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	6296	**11.3**	**88**	**4**	**5**	**9**	**14**	**22**	**29**

Total U.S., July 1989 - June 1990

DRG 80: Respiratory Infections & Inflammations Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1883	7.9	23	4	4	7	10	16	20
70-74	1458	8.0	33	3	4	7	10	13	16
75-79	1695	8.0	19	3	5	7	10	15	18
80-84	1271	8.9	30	4	6	8	11	17	19
85 +	1969	8.5	25	4	5	7	11	14	17
SUBTOTAL	**8275**	**8.2**	**26**	**4**	**5**	**7**	**10**	**14**	**18**
GRAND TOTAL	**8275**	**8.2**	**26**	**4**	**5**	**7**	**10**	**14**	**18**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	1173	6.0	13	3	4	5	8	10	11
35-49	1522	6.8	13	3	4	6	9	11	13
50-69	1625	7.0	14	3	4	6	10	12	15
70 +	77	7.3	25	2	5	6	9	11	20
4397	**6.7**	**14**	**3**	**4**	**6**	**9**	**11**	**14**
4397	**6.7**	**14**	**3**	**4**	**6**	**9**	**11**	**14**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	820	8.4	73	2	4	6	10	15	19
35-49	396	10.4	65	3	4	9	13	19	22
50-69	290	11.0	82	3	6	8	11	27	35
70 +	99	6.0	10	3	4	7	99 +	99 +	99 +
SUBTOTAL	**1605**	**9.2**	**71**	**2**	**4**	**7**	**11**	**19**	**32**
GRAND TOTAL	**1605**	**9.2**	**71**	**2**	**4**	**7**	**11**	**19**	**32**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	1138	7.6	31	2	4	6	10	14	18
35-49	1023	7.4	51	2	4	6	10	14	16
50-69	509	11.7	119	3	5	8	15	35	39
70 +	126	8.8	69	1	4	6	9	28	28
2797	**8.3**	**59**	**2**	**4**	**6**	**10**	**16**	**20**
2797	**8.3**	**59**	**2**	**4**	**6**	**10**	**16**	**20**

Total U.S., July 1989 - June 1990

DRG 81: Respiratory Infections & Inflammations Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	53	14.4	44	4	8	12	22	22	22
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**53**	**14.4**	**44**	**4**	**8**	**12**	**22**	**22**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**53**	**14.4**	**44**	**4**	**8**	**12**	**22**	**22**	**22**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	4176	9.9	52	3	5	9	14	17	21
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	4176	**9.9**	**52**	**3**	**5**	**9**	**14**	**17**	**21**
0-17	1940	5.6	27	1	3	4	7	11	17
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1940	**5.6**	**27**	**1**	**3**	**4**	**7**	**11**	**17**
	6116	**8.5**	**48**	**2**	**4**	**7**	**12**	**16**	**20**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	3590	10.4	93	3	5	8	14	20	24
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**3590**	**10.4**	**93**	**3**	**5**	**8**	**14**	**20**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	2394	6.0	31	2	3	4	8	12	16
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**2394**	**6.0**	**31**	**2**	**3**	**4**	**6**	**12**	**16**
GRAND TOTAL	**5984**	**8.7**	**73**	**2**	**4**	**6**	**11**	**16**	**22**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1444	9.2	86	2	4	6	11	20	24
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1444	**9.2**	**86**	**2**	**4**	**6**	**11**	**20**	**24**
0-17	936	5.5	30	1	2	3	6	14	22
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	936	**5.5**	**30**	**1**	**2**	**3**	**6**	**14**	**22**
	2380	**7.7**	**67**	**2**	**3**	**5**	**10**	**18**	**22**

Total U.S., July 1989 - June 1990

DRG 82: Respiratory Neoplasms

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	13330	9.3	76	2	4	7	12	19	26
70-74	11040	9.4	54	2	4	8	12	19	24
75-79	7943	10.3	69	2	5	8	14	20	26
80-84	4632	9.8	63	3	5	7	13	19	24
85 +	2887	12.8	207	4	6	9	13	23	33
SUBTOTAL	**39832**	**9.8**	**77**	**2**	**4**	**8**	**12**	**19**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1795	5.3	19	1	2	4	8	10	16
70-74	1542	6.4	29	1	3	5	8	13	21
75-79	1095	6.0	34	1	2	4	8	14	16
80-84	750	6.1	17	1	3	5	9	12	15
85 +	517	6.2	24	2	4	5	7	10	12
SUBTOTAL	**5700**	**6.0**	**25**	**1**	**2**	**5**	**8**	**12**	**16**
GRAND TOTAL	**45532**	**9.3**	**72**	**2**	**4**	**7**	**12**	**18**	**24**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	294	5.1	19	1	1	4	7	12	15
18-34	516	7.5	41	2	3	5	10	15	20
35-49	3869	8.3	63	2	3	6	10	19	23
50-69	14345	8.5	54	2	4	6	11	17	23
70 +	910	8.9	50	3	5	7	11	16	21
	19934	**8.4**	**55**	**2**	**4**	**6**	**11**	**17**	**23**
0-17	198	4.2	8	1	2	4	6	7	7
18-34	72	5.6	9	1	4	5	8	10	10
35-49	654	4.5	51	1	2	3	5	8	9
50-69	2831	5.1	22	1	2	4	7	10	14
70 +	73	7.4	44	1	2	4	12	20	20
	3828	**5.0**	**26**	**1**	**2**	**4**	**6**	**10**	**14**
	23762	**7.8**	**52**	**2**	**3**	**6**	**10**	**16**	**22**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	104	10.7	198	1	2	9	10	19	52
18-34	261	6.9	26	2	4	5	8	18	19
35-49	1151	9.0	67	2	4	7	11	17	30
50-69	2799	9.4	56	2	4	8	13	18	22
70 +	199	11.3	60	2	4	9	16	23	23
SUBTOTAL	**4514**	**9.3**	**61**	**2**	**4**	**7**	**12**	**18**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	95	3.2	3	1	2	3	5	5	5
18-34	68	3.8	7	2	2	2	6	6	10
35-49	214	4.8	17	1	2	3	6	11	16
50-69	331	6.4	27	1	2	5	9	12	20
70 +	22	7.9	22						
SUBTOTAL	**731**	**5.3**	**20**	**1**	**2**	**4**	**8**	**12**	**15**
GRAND TOTAL	**5246**	**8.7**	**57**	**2**	**4**	**7**	**11**	**17**	**22**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	204	7.8	68	1	3	5	7	25	28
18-34	84	7.8	12	4	4	7	11	13	13
35-49	1101	8.9	49	2	5	7	11	19	22
50-69	4243	8.9	59	2	4	7	12	18	23
70 +	598	11.3	269	2	4	6	11	27	46
	6231	**9.1**	**78**	**2**	**4**	**7**	**12**	**19**	**25**
0-17	57	2.6	2						
18-34	75	5.2	28	< 1	1	5	5	9	21
35-49	262	4.8	35	< 1	2	3	5	8	15
50-69	781	6.1	48	1	2	4	8	11	14
70 +	152	7.6	67	1	2	5	11	29	29
	1327	**5.8**	**45**	**1**	**2**	**4**	**7**	**11**	**15**
	7558	**8.5**	**74**	**2**	**3**	**6**	**11**	**18**	**24**

Total U.S., July 1989 - June 1990

DRG 83: Major Chest Trauma w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1422	6.1	15	2	3	5	8	11	14
70-74	1414	8.1	68	3	4	5	10	15	20
75-79	1870	8.9	47	3	4	7	12	16	20
80-84	1392	7.7	39	2	4	6	10	14	20
85 +	1512	10.9	97	3	4	8	14	22	29
SUBTOTAL	**7611**	**8.4**	**56**	**3**	**4**	**6**	**11**	**16**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**7611**	**8.4**	**56**	**3**	**4**	**6**	**11**	**16**	**21**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	193	5.4	12	2	2	5	10	10	10
18-34	1065	5.4	15	2	3	5	7	9	16
35-49	1835	4.6	11	1	2	4	6	8	11
50-69	2766	5.8	16	2	3	5	8	12	14
70 +	1017	6.9	22	2	4	5	9	13	15
	6876	**5.6**	**16**	**2**	**3**	**5**	**7**	**11**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	6876	**5.6**	**16**	**2**	**3**	**5**	**7**	**11**	**13**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	24	9.3	1						
18-34	135	3.4	3	2	2	3	5	6	7
35-49	120	3.9	4	2	2	4	5	7	8
50-69	247	7.9	36	3	4	4	13	19	19
70 +	13	3.0							
SUBTOTAL	**539**	**5.8**	**23**	**2**	**3**	**4**	**7**	**15**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**539**	**5.8**	**23**	**2**	**3**	**4**	**7**	**15**	**19**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	29	2.1	1						
18-34	515	3.9	7	1	2	3	5	8	9
35-49	845	4.9	50	1	2	3	6	9	10
50-69	700	6.1	10	2	4	6	9	10	11
70 +	198	7.0	27	2	3	6	12	13	15
	2287	**5.2**	**26**	**1**	**2**	**4**	**7**	**9**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2287	**5.2**	**26**	**1**	**2**	**4**	**7**	**9**	**11**

Total U.S., July 1989 - June 1990

DRG 84: Major Chest Trauma w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	487	3.7	7	2	2	3	4	9	9
70-74	397	5.5	16	1	2	5	6	15	15
75-79	528	4.3	6	1	2	4	5	9	9
80-84	365	4.8	12	1	2	3	8	8	11
85 +	411	8.4	334	2	3	4	7	10	13
SUBTOTAL	2188	5.2	73	2	2	4	6	9	11
GRAND TOTAL	2188	5.2	73	2	2	4	6	9	11

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	257	2.0	3	1	1	2	2	4	5
18-34	1380	2.8	4	1	1	2	4	5	7
35-49	1358	3.0	3	1	2	3	4	5	6
50-69	1969	2.9	3	1	2	2	4	5	6
70 +	415	3.9	6	1	2	4	4	7	10
SUBTOTAL	5379	2.9	3	1	2	2	4	5	6
	5379	2.9	3	1	2	2	4	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	57	7.2	64	1	2	4	7	24	24
18-34	155	3.5	3	2	3	3	5	7	7
35-49	68	1.6	3	1	1	1	1	6	6
50-69	83	1.9	1						
70 +	16	2.5							
SUBTOTAL	379	3.3	15	1	1	3	4	6	7
GRAND TOTAL	379	3.3	15	1	1	3	4	6	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	106	2.3	2	1	1	2	4	4	5
18-34	628	2.7	3	1	2	2	3	4	5
35-49	741	2.8	4	1	1	2	4	6	6
50-69	502	2.7	4	1	1	2	3	5	6
70 +	103	3.4	5	2	2	3	3	6	10
SUBTOTAL	2080	2.8	4	1	2	2	3	5	6
	2080	2.8	4	1	2	2	3	5	6

DRG 85: Pleural Effusion w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	3204	7.5	28	2	4	6	10	15	18
70-74	2481	9.3	67	2	4	7	12	18	28
75-79	2950	9.8	52	3	5	8	12	18	23
80-84	2279	10.0	53	3	5	8	13	19	24
85 +	2587	11.0	77	4	5	8	15	22	29
SUBTOTAL	**13501**	**9.4**	**56**	**3**	**5**	**7**	**12**	**18**	**23**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**13501**	**9.4**	**56**	**3**	**5**	**7**	**12**	**18**	**23**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	399	3.3	58	2	3	6	10	23	25
18-34	254	7.7	47	3	4	6	9	13	14
35-49	1028	6.2	22	2	2	4	10	13	14
50-69	2140	7.8	42	2	4	6	9	16	22
70 +	234	5.7	12	2	3	5	7	11	14
	4054	**7.3**	**37**	**2**	**3**	**6**	**9**	**14**	**21**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4054	**7.3**	**37**	**2**	**3**	**6**	**9**	**14**	**21**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	205	7.2	24	1	3	7	11	13	13
18-34	232	7.2	33	2	4	6	8	13	23
35-49	250	6.9	29	2	4	5	8	17	20
50-69	430	7.6	30	2	5	6	10	16	18
70 +	107	5.3	9	3	3	6	6	11	11
SUBTOTAL	**1224**	**7.1**	**28**	**2**	**3**	**6**	**9**	**13**	**17**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1224**	**7.1**	**28**	**2**	**3**	**6**	**9**	**13**	**17**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	128	11.3	155	3	4	5	12	42	42
18-34	163	6.5	13	3	4	6	8	12	13
35-49	382	7.7	35	1	3	6	11	17	19
50-69	874	6.3	20	1	3	5	9	14	15
70 +	214	7.0	21	3	4	5	11	12	16
	1761	**7.1**	**34**	**2**	**3**	**6**	**9**	**15**	**17**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1761	**7.1**	**34**	**2**	**3**	**6**	**9**	**15**	**17**

DRG 86: Pleural Effusion w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	461	4.6	5	2	3	4	6	8	8
70-74	407	3.9	8	2	2	3	5	8	9
75-79	320	5.8	21	2	2	5	7	14	18
80-84	270	7.7	18	2	4	7	11	14	15
85 +	222	5.3	15	1	2	5	7	11	12
SUBTOTAL	**1678**	**5.2**	**14**	**2**	**2**	**4**	**7**	**11**	**14**
GRAND TOTAL	**1678**	**5.2**	**14**	**2**	**2**	**4**	**7**	**11**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	106	4.0	3	2	3	4	5	6	8
18-34	320	4.7	9	2	2	4	7	9	11
35-49	380	4.6	18	1	2	4	6	9	11
50-69	779	5.4	16	1	2	5	7	10	14
70 +	53	5.0	8	< 1	3	5	8	8	8
	1638	**5.0**	**14**	**1**	**2**	**4**	**7**	**9**	**11**
	1638	**5.0**	**14**	**1**	**2**	**4**	**7**	**9**	**11**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	51	4.9	8						
18-34	77	4.9	20	< 1	1	4	7	11	16
35-49	53	5.5	8	2	2	7	7	10	10
50-69	199	3.5	9	1	1	3	3	9	9
70 +	16	2.9	2						
SUBTOTAL	**396**	**4.2**	**11**	**1**	**1**	**3**	**7**	**9**	**10**
GRAND TOTAL	**396**	**4.2**	**11**	**1**	**1**	**3**	**7**	**9**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	10	8.0							
18-34	145	4.4	9	1	2	4	6	8	9
35-49	217	4.2	13	< 1	1	3	7	9	10
50-69	144	4.5	6	2	2	4	5	9	9
70 +	29	21.3	699						
	545	**5.3**	**59**	**1**	**2**	**4**	**7**	**9**	**10**
	545	**5.3**	**59**	**1**	**2**	**4**	**7**	**9**	**10**

DRG 87: Pulmonary Edema & Respiratory Failure

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	16255	8.3	44	3	4	7	10	15	20
70-74	9015	8.8	57	3	5	7	11	15	21
75-79	8733	8.4	34	3	5	7	11	15	19
80-84	4892	9.2	41	3	5	7	12	17	22
85 +	3478	9.9	60	4	5	8	12	19	22
SUBTOTAL	**42373**	**8.7**	**46**	**3**	**5**	**7**	**11**	**16**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	461	6.5	31	2	4	5	8	14	16
70-74	368	5.6	6	2	4	6	7	9	9
75-79	358	7.0	23	2	4	4	11	13	13
80-84	327	5.3	13	1	2	5	7	9	13
85 +	266	6.8	24	3	3	5	8	15	15
SUBTOTAL	**1780**	**6.2**	**21**	**2**	**4**	**5**	**8**	**13**	**15**
GRAND TOTAL	**44153**	**8.6**	**45**	**3**	**5**	**7**	**11**	**16**	**20**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	202	9.3	81	1	2	7	13	27	30
18-34	356	6.0	30	2	3	4	8	12	20
35-49	791	7.9	31	2	4	6	10	15	20
50-69	6803	7.6	28	2	4	6	10	14	20
70 +	536	10.3	111	3	5	7	10	17	43
SUBTOTAL	**8688**	**7.8**	**35**	**2**	**4**	**6**	**10**	**15**	**20**
0-17	86	3.3	8	1	2	4	5	91	99 +
18-34	189	2.5	1	1	2	2	3	4	5
35-49	422	3.8	8	1	1	2	6	8	10
50-69	576	4.1	4	1	3	4	5	7	7
70 +	44	11.1	15						
SUBTOTAL	**1316**	**3.9**	**8**	**1**	**2**	**4**	**5**	**8**	**10**
GRAND TOTAL	**10004**	**7.3**	**33**	**2**	**4**	**6**	**9**	**14**	**20**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	332	10.9	90	3	4	8	15	27	34
18-34	319	7.9	91	1	3	4	8	23	36
35-49	498	7.3	30	2	4	6	9	15	19
50-69	1934	8.7	53	3	5	7	10	16	23
70 +	131	6.3	17	2	3	5	7	14	16
SUBTOTAL	**3214**	**8.5**	**56**	**2**	**4**	**7**	**10**	**17**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	153	4.9	46	1	1	2	5	20	25
18-34	34	4.3	5						
35-49	130	3.7	2	3	3	3	4	6	7
50-69	102	4.7	5	3	4	4	5	7	12
70 +	0								
SUBTOTAL	**418**	**4.4**	**19**	**1**	**2**	**3**	**5**	**7**	**12**
GRAND TOTAL	**3633**	**8.0**	**54**	**2**	**4**	**6**	**9**	**17**	**23**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	148	17.6	293	5	6	10	24	49	60
18-34	176	4.4	31	1	1	2	6	9	13
35-49	568	6.5	12	3	4	5	9	10	14
50-69	1838	6.6	13	3	4	6	8	11	13
70 +	527	7.2	31	3	4	5	11	16	22
SUBTOTAL	**3257**	**7.1**	**35**	**2**	**4**	**6**	**9**	**12**	**16**
0-17	98	4.8	27	2	2	2	6	16	19
18-34	42	6.3	50	2	3	4	4	22	22
35-49	85	4.1	9	2	3	3	4	6	14
50-69	155	4.4	3	3	3	5	5	6	7
70 +	13	1.9	1						
SUBTOTAL	**394**	**4.6**	**16**	**2**	**2**	**3**	**5**	**7**	**14**
GRAND TOTAL	**3651**	**6.8**	**34**	**2**	**4**	**5**	**9**	**12**	**15**

Total U.S., July 1989 - June 1990

DRG 88: Chronic Obstructive Pulmonary Disease

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	25185	7.9	43	3	4	6	10	14	18
70-74	17057	7.5	40	3	4	6	9	14	18
75-79	14256	8.3	53	3	4	7	10	15	19
80-84	8044	8.5	51	3	4	7	10	16	21
85 +	5252	7.7	28	3	4	7	10	14	18
SUBTOTAL	**69795**	**8.0**	**44**	**3**	**4**	**6**	**10**	**14**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	17112	5.9	13	2	3	5	7	10	12
70-74	9223	5.7	13	2	3	5	7	10	12
75-79	8492	5.8	17	2	3	5	7	10	13
80-84	4298	6.2	15	3	4	6	8	10	13
85 +	1858	5.8	12	2	4	5	7	10	13
SUBTOTAL	**40983**	**5.8**	**14**	**2**	**3**	**5**	**7**	**10**	**13**
GRAND TOTAL	**110778**	**7.2**	**34**	**3**	**4**	**6**	**9**	**13**	**17**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	228	11.8	131	3	5	10	13	18	38
18-34	336	7.6	21	3	5	6	10	15	17
35-49	1495	6.4	24	2	3	6	8	11	15
50-69	11552	7.0	25	3	4	6	9	12	15
70 +	1347	7.3	29	2	4	6	10	13	17
SUBTOTAL	**14958**	**7.0**	**27**	**3**	**4**	**6**	**9**	**12**	**16**
0-17	419	3.2	4	1	2	3	4	6	6
18-34	443	3.5	6	1	2	3	4	7	10
35-49	2011	4.8	9	2	3	4	6	8	10
50-69	11300	5.1	9	2	3	4	7	9	11
70 +	852	5.0	6	2	3	5	6	8	9
SUBTOTAL	**15026**	**4.9**	**9**	**2**	**3**	**4**	**6**	**8**	**10**
GRAND TOTAL	**29985**	**6.0**	**19**	**2**	**3**	**5**	**8**	**11**	**13**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	231	7.1	32	3	4	5	8	14	14
18-34	298	8.3	34	2	3	7	13	17	17
35-49	931	7.3	61	2	3	5	9	15	19
50-69	4353	6.4	18	2	4	5	8	11	15
70 +	356	7.7	22	2	4	7	11	12	12
SUBTOTAL	**6169**	**6.7**	**26**	**2**	**4**	**5**	**8**	**12**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	181	4.2	8	1	2	4	6	9	11
18-34	303	4.6	7	1	3	4	5	10	10
35-49	638	5.3	12	2	3	5	6	10	12
50-69	3536	6.1	8	2	3	5	7	11	12
70 +	483	5.1	7	1	3	5	7	9	9
SUBTOTAL	**5142**	**5.8**	**39**	**2**	**3**	**5**	**7**	**10**	**12**
GRAND TOTAL	**11311**	**6.3**	**32**	**2**	**3**	**5**	**8**	**11**	**14**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	65	7.6	29	3	4	5	15	17	17
18-34	140	3.7	6	1	1	3	6	6	6
35-49	719	4.5	13	1	2	3	6	10	11
50-69	2887	6.5	43	2	3	5	8	10	14
70 +	727	7.0	42	2	4	5	8	14	15
SUBTOTAL	**4538**	**6.2**	**38**	**2**	**3**	**5**	**8**	**11**	**14**
0-17	123	3.7	15	1	1	3	3	8	15
18-34	187	2.8	5	1	1	2	3	7	7
35-49	731	4.3	7	1	2	4	5	8	11
50-69	3443	4.9	11	2	3	4	6	9	11
70 +	628	6.1	44	2	3	4	7	13	28
SUBTOTAL	**5112**	**4.9**	**15**	**2**	**3**	**4**	**6**	**9**	**11**
GRAND TOTAL	**9650**	**5.5**	**26**	**2**	**3**	**4**	**7**	**10**	**13**

Total U.S., July 1989 - June 1990

DRG 89: Simple Pneumonia & Pleurisy Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	70939	8.1	30	3	5	7	10	14	17
70-74	57975	8.3	33	4	5	7	10	14	18
75-79	63203	9.1	46	4	5	8	11	16	20
80-84	57040	9.4	47	4	5	8	11	16	22
85 +	72773	10.2	58	4	6	8	12	18	23
SUBTOTAL	321930	9.0	44	4	5	7	11	16	20
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	321930	9.0	44	4	5	7	11	16	20

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	9989	5.8	20	2	3	5	7	10	12
35-49	17288	6.6	26	3	4	6	8	11	14
50-69	40378	7.3	27	3	4	6	9	12	16
70 +	4662	8.5	42	3	4	6	10	16	22
	72318	7.0	27	3	4	6	9	12	15
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	72318	7.0	27	3	4	6	9	12	15

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	6266	6.8	36	3	4	6	8	12	15
35-49	5991	7.7	30	3	4	7	10	13	18
50-69	9854	8.0	27	3	5	7	9	14	19
70 +	2059	8.3	40	3	5	7	11	22	99 +
SUBTOTAL	24169	7.7	31	3	4	6	9	14	19
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	24169	7.7	31	3	4	6	9	14	19

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	5559	5.9	24	2	3	5	7	11	14
35-49	8122	6.6	19	3	4	6	8	12	14
50-69	10505	7.1	24	3	4	6	9	13	16
70 +	3374	8.0	25	3	5	7	10	15	19
	27559	6.8	23	3	4	6	8	12	15
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	27559	6.8	23	3	4	6	8	12	15

Total U.S., July 1989 - June 1990

DRG 90: Simple Pneumonia & Pleurisy Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	11867	5.8	14	2	4	5	7	9	12
70-74	9816	6.3	11	3	4	6	8	10	13
75-79	10107	6.4	15	3	4	6	8	11	13
80-84	8384	7.0	23	3	4	6	8	12	14
85 +	10168	7.4	29	3	4	6	9	12	14
SUBTOTAL	**50343**	**6.5**	**18**	**3**	**4**	**6**	**8**	**11**	**13**
GRAND TOTAL	**50343**	**6.5**	**18**	**3**	**4**	**6**	**8**	**11**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	0								
18-34	17786	4.3	5	2	3	4	5	7	9
35-49	19644	4.8	6	2	3	4	6	8	9
50-69	18783	5.5	9	2	3	5	7	9	12
70 +	998	6.1	13	2	4	5	7	10	14
SUBTOTAL	**57211**	**4.9**	**7**	**2**	**3**	**4**	**6**	**8**	**10**
GRAND TOTAL	**57211**	**4.9**	**7**	**2**	**3**	**4**	**6**	**8**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	3849	4.8	10	2	3	4	6	8	10
35-49	2487	5.6	12	2	3	5	7	10	11
50-69	2066	5.7	13	3	4	5	7	9	11
70 +	587	5.3	6	3	3	5	6	8	10
SUBTOTAL	**8988**	**5.3**	**11**	**2**	**3**	**5**	**6**	**8**	**11**
GRAND TOTAL	**8988**	**5.3**	**11**	**2**	**3**	**5**	**6**	**8**	**11**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	0								
18-34	7101	4.2	6	2	3	4	5	8	9
35-49	5280	4.8	8	2	3	4	6	8	9
50-69	3819	5.3	12	2	3	4	6	9	12
70 +	762	6.4	22	3	4	5	8	11	12
SUBTOTAL	**16962**	**4.7**	**9**	**2**	**3**	**4**	**6**	**8**	**10**
GRAND TOTAL	**16962**	**4.7**	**9**	**2**	**3**	**4**	**6**	**8**	**10**

Total U.S., July 1989 - June 1990

DRG 91: Simple Pneumonia & Pleurisy Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	408	11.1	140	2	4	6	13	42	42
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	408	11.1	140	2	4	6	13	42	42
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	361	3.9	5	1	3	4	5	6	7
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	361	3.9	5	1	3	4	5	6	7
GRAND TOTAL	769	7.7	90	2	3	5	9	17	42

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	37411	4.3	10	2	2	3	5	8	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	37411	4.3	10	2	2	3	5	8	10
0-17	83090	3.4	4	2	2	3	4	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	83090	3.4	4	2	2	3	4	6	7
	120501	3.7	6	2	2	3	4	6	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	26301	5.0	16	2	3	4	6	9	12
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	26301	5.0	16	2	3	4	6	9	12
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	55978	3.7	5	2	2	3	4	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	55978	3.7	5	2	2	3	4	6	7
GRAND TOTAL	82279	4.1	9	2	2	3	5	7	9

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	11869	4.4	19	2	2	3	5	8	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	11869	4.4	19	2	2	3	5	8	10
0-17	27874	3.4	5	1	2	3	4	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	27874	3.4	5	1	2	3	4	6	7
	39743	3.7	9	1	2	3	4	7	9

Total U.S., July 1989 - June 1990

DRG 92: Interstitial Lung Disease w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2580	8.5	53	3	4	6	10	15	21
70-74	1937	7.6	18	3	5	7	10	13	16
75-79	1410	9.0	44	4	5	8	10	16	22
80-84	1425	9.5	58	3	4	7	11	23	28
85 +	1279	7.8	40	3	4	6	9	16	26
SUBTOTAL	**8631**	**8.4**	**43**	**3**	**5**	**7**	**10**	**16**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**8631**	**8.4**	**43**	**3**	**5**	**7**	**10**	**16**	**21**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	442	6.4	26	1	2	5	10	14	17
18-34	713	7.3	36	2	3	5	11	15	21
35-49	901	7.3	66	1	4	5	9	11	25
50-69	1287	10.0	55	3	5	8	13	23	24
70 +	115	10.0	25	5	6	10	16	16	20
	3459	**8.3**	**51**	**2**	**4**	**6**	**11**	**17**	**23**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3459	**8.3**	**51**	**2**	**4**	**6**	**11**	**17**	**23**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	145	4.5	12	< 1	2	3	6	10	11
18-34	305	6.5	20	2	3	5	8	13	15
35-49	287	7.0	20	3	3	6	9	10	14
50-69	369	8.0	31	2	5	6	11	17	22
70 +	41	13.3	138						
SUBTOTAL	**1147**	**7.1**	**29**	**2**	**3**	**6**	**10**	**14**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1147**	**7.1**	**29**	**2**	**3**	**6**	**10**	**14**	**18**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	133	6.5	25	2	3	5	7	17	18
18-34	230	5.4	12	1	3	5	8	12	12
35-49	364	8.3	63	2	3	7	10	15	32
50-69	425	5.6	26	1	4	6	9	12	16
70 +	76	5.4	14	3	3	5	6	15	16
	1227	**6.8**	**35**	**2**	**3**	**5**	**8**	**13**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1227	6.8	35	2	3	5	8	13	16

Total U.S., July 1989 - June 1990

DRG 93: Interstitial Lung Disease w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	604	5.4	15	2	3	5	7	8	13
70-74	274	6.7	16	2	3	6	11	12	12
75-79	394	7.2	12	4	4	6	11	12	12
80-84	170	5.7	6	1	4	7	8	8	9
85 +	247	9.1	15	5	6	8	10	16	16
SUBTOTAL	1689	6.6	15	2	4	6	8	12	13
GRAND TOTAL	1689	6.6	15	2	4	6	8	12	13

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	634	3.9	19	1	2	3	4	7	9
18-34	397	3.7	5	1	2	4	6	7	8
35-49	479	5.8	39	1	2	5	7	9	17
50-69	485	5.4	26	1	3	4	6	12	20
70 +	13	10.4	39						
	2008	4.7	24	1	2	3	6	8	12
	2008	4.7	24	1	2	3	6	8	12

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	391	3.7	4	1	2	4	4	5	7
18-34	199	8.9	37	3	4	6	17	18	18
35-49	165	6.6	88	2	3	3	6	12	42
50-69	62	8.4	129	2	4	5	5	22	42
70 +	68	3.1	11						
SUBTOTAL	885	5.7	41	1	3	4	6	11	18
GRAND TOTAL	885	5.7	41	1	3	4	6	11	18

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	193	3.9	6	2	2	4	4	9	9
18-34	210	5.7	11	2	2	6	8	9	13
35-49	315	5.2	10	2	3	5	6	8	12
50-69	186	6.4	22	3	3	6	8	8	20
70 +	36	5.6	6						
	940	5.3	12	2	3	5	7	9	12
	940	5.3	12	2	3	5	7	9	12

Total U.S., July 1989 - June 1990

DRG 94: Pneumothorax w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2358	8.3	53	3	4	7	10	14	21
70-74	1644	8.1	34	3	4	7	10	16	21
75-79	1446	9.3	47	3	4	8	11	20	23
80-84	1153	10.4	49	4	6	8	15	20	22
85 +	951	9.4	42	3	4	8	12	18	18
SUBTOTAL	7553	8.9	47	3	4	7	11	18	22
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	7553	8.9	47	3	4	7	11	18	22

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	462	5.3	13	2	3	4	7	10	11
18-34	2071	6.7	30	2	3	5	9	13	17
35-49	1599	6.8	28	3	4	6	8	12	13
50-69	2674	7.1	36	2	4	5	9	14	18
70 +	257	7.0	15	3	4	7	9	10	12
	7063	6.8	30	2	3	5	9	12	17
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	7063	6.8	30	2	3	5	9	12	17

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	300	6.2	20	2	4	4	7	10	19
18-34	786	9.8	110	2	4	7	10	22	34
35-49	446	8.5	30	3	5	8	10	14	20
50-69	451	6.6	21	3	4	5	7	12	16
70 +	10	6.0							
SUBTOTAL	1993	8.2	60	3	4	6	9	15	23
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	1993	8.2	60	3	4	6	9	15	23

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	196	8.2	59	2	2	5	10	19	27
18-34	1923	5.6	17	2	3	5	7	9	11
35-49	1209	6.6	27	2	3	5	8	11	14
50-69	656	7.7	69	2	3	5	8	17	34
70 +	166	7.0	33	2	2	4	12	16	18
	4149	6.4	31	2	3	5	8	11	16
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4149	6.4	31	2	3	5	8	11	16

DRG 95: Pneumothorax w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	583	4.7	9	1	3	4	6	9	10
70-74	412	5.1	13	3	3	4	6	9	9
75-79	171	5.7	16	2	3	5	6	11	14
80-84	259	5.3	9	2	2	5	7	10	10
85 +	75	5.8	4	4	4	6	7	10	10
SUBTOTAL	**1501**	**5.1**	**11**	**2**	**3**	**4**	**7**	**9**	**10**
GRAND TOTAL	**1501**	**5.1**	**11**	**2**	**3**	**4**	**7**	**9**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	1784	3.8	7	1	2	3	5	7	8
18-34	6894	4.5	9	2	2	4	6	8	10
35-49	2803	4.6	10	2	3	4	5	8	9
50-69	1511	4.2	7	1	3	4	5	8	10
70 +	105	10.8	41	2	6	8	18	18	18
SUBTOTAL	**13097**	**4.4**	**9**	**2**	**2**	**4**	**6**	**8**	**10**
GRAND TOTAL	**13097**	**4.4**	**9**	**2**	**2**	**4**	**6**	**8**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	502	3.9	8	2	2	3	5	6	9
18-34	1081	4.4	8	2	3	4	5	8	11
35-49	232	4.4	6	2	2	4	6	8	9
50-69	208	6.4	10	3	4	5	10	10	13
70 +	0								
SUBTOTAL	**2023**	**4.5**	**8**	**2**	**2**	**4**	**5**	**9**	**11**
GRAND TOTAL	**2023**	**4.5**	**8**	**2**	**2**	**4**	**5**	**9**	**11**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	764	3.9	5	2	2	4	5	8	8
18-34	5267	4.2	8	2	2	3	5	8	10
35-49	1276	4.7	12	2	2	4	5	9	14
50-69	632	6.7	33	1	3	5	8	16	19
70 +	22	8.5	22						
SUBTOTAL	**7961**	**4.5**	**11**	**2**	**2**	**4**	**5**	**8**	**11**
GRAND TOTAL	**7961**	**4.5**	**11**	**2**	**2**	**4**	**5**	**8**	**11**

Total U.S., July 1989 - June 1990

DRG 96: Bronchitis & Asthma Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	64383	6.8	21	3	4	6	8	12	15
70-74	40999	6.9	28	3	4	6	8	12	16
75-79	35638	7.1	27	3	4	6	9	13	16
80-84	24415	7.2	21	3	4	6	9	13	15
85 +	19768	7.6	30	3	4	6	9	13	17
SUBTOTAL	185203	7.0	25	3	4	6	9	12	16
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	185203	7.0	25	3	4	6	9	12	16

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	8467	4.8	11	2	3	4	6	9	11
35-49	14207	5.3	11	2	3	4	7	9	11
50-69	33477	5.9	14	3	4	5	7	10	12
70 +	2664	6.3	15	3	4	6	8	11	15
	58814	5.6	13	2	3	5	7	10	12
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	58814	5.6	13	2	3	5	7	10	12

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	5085	4.8	10	2	3	4	6	8	10
35-49	5881	5.3	17	2	3	5	6	9	11
50-69	10098	6.1	16	2	4	5	8	11	13
70 +	666	7.5	39	2	3	7	10	27	99 +
SUBTOTAL	21730	5.7	16	2	3	5	7	10	12
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	21730	5.7	16	2	3	5	7	10	12

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	4025	4.2	9	1	2	3	5	8	11
35-49	4653	4.3	6	2	3	4	5	8	9
50-69	7252	5.6	15	2	3	5	7	10	13
70 +	1426	5.8	17	2	4	5	7	11	20
	17357	5.0	12	2	3	4	6	9	11
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	17357	5.0	12	2	3	4	6	9	11

Total U.S., July 1989 - June 1990

DRG 97: Bronchitis & Asthma Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	14821	4.9	9	2	3	4	6	8	11
70-74	8432	5.3	10	2	3	5	7	10	12
75-79	6708	5.2	9	2	3	5	7	9	10
80-84	4588	5.4	8	2	3	5	7	9	10
85 +	3781	5.6	16	2	3	5	7	10	12
SUBTOTAL	**38330**	**5.2**	**10**	**2**	**3**	**4**	**7**	**9**	**11**
GRAND TOTAL	**38330**	**5.2**	**10**	**2**	**3**	**4**	**7**	**9**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	24661	3.4	4	1	2	3	4	6	7
35-49	27399	4.1	6	2	3	4	5	7	8
50-69	24223	4.6	7	2	3	4	6	8	10
70 +	667	4.5	9	2	2	4	6	10	11
76949	**4.1**	**6**	**2**	**2**	**4**	**5**	**7**	**8**	
76949	**4.1**	**6**	**2**	**2**	**4**	**5**	**7**	**8**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	9775	3.5	10	1	2	3	4	6	8
35-49	6809	4.2	6	1	2	4	5	7	10
50-69	5053	4.7	6	2	3	4	6	8	10
70 +	359	4.5	6	2	3	4	5	8	9
SUBTOTAL	**21996**	**4.0**	**8**	**2**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**21996**	**4.0**	**8**	**2**	**2**	**3**	**5**	**7**	**9**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	11147	3.1	5	1	2	3	4	6	6
35-49	8690	3.7	5	1	2	3	5	7	8
50-69	5468	4.1	6	1	2	4	5	7	9
70 +	460	4.5	10	1	3	4	6	8	12
25765	**3.5**	**6**	**1**	**2**	**3**	**4**	**6**	**7**	
25765	**3.5**	**6**	**1**	**2**	**3**	**4**	**6**	**7**	

Total U.S., July 1989 - June 1990

DRG 98: Bronchitis & Asthma Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	199	7.8	33	3	4	5	11	12	21
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	199	7.8	33	3	4	5	11	12	21
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	278	4.0	4	2	2	3	5	7	7
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	278	4.0	4	2	2	3	5	7	7
GRAND TOTAL	476	5.6	19	2	3	5	7	11	12

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	40852	3.7	12	1	2	3	4	7	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	40852	3.7	12	1	2	3	4	7	8
0-17	154691	2.8	3	1	2	2	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	154691	2.8	3	1	2	2	3	5	6
	195543	3.0	5	1	2	3	4	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	33024	4.2	15	2	2	3	5	7	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	33024	4.2	15	2	2	3	5	7	10
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	106888	3.2	4	1	2	3	4	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	106888	3.2	4	1	2	3	4	6	7
GRAND TOTAL	139912	3.5	7	1	2	3	4	6	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	17259	3.3	9	1	2	3	4	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	17259	3.3	9	1	2	3	4	6	8
0-17	64895	2.7	3	1	2	2	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	64895	2.7	3	1	2	2	3	5	6
	82154	2.8	5	1	2	2	3	5	6

Total U.S., July 1989 - June 1990

DRG 99: Respiratory Signs & Symptoms w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	11873	5.0	21	1	2	4	6	9	12
70-74	7760	5.3	28	2	2	4	6	10	13
75-79	6569	5.8	23	2	2	5	7	12	15
80-84	4056	5.6	18	2	3	5	7	11	14
85 +	2784	5.9	23	2	3	5	7	13	15
SUBTOTAL	**33041**	**5.4**	**23**	**2**	**2**	**4**	**7**	**10**	**14**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**33041**	**5.4**	**23**	**2**	**2**	**4**	**7**	**10**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	2732	4.8	24	1	2	3	6	11	14
18-34	1068	4.4	37	1	2	3	5	8	13
35-49	4016	3.6	9	1	2	3	4	7	8
50-69	8059	4.8	25	1	2	4	6	9	12
70 +	569	4.7	7	2	3	4	7	7	8
SUBTOTAL	**16444**	**4.5**	**21**	**1**	**2**	**3**	**5**	**8**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**16444**	**4.5**	**21**	**1**	**2**	**3**	**5**	**8**	**12**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	2637	5.2	24	1	2	4	6	11	17
18-34	523	4.0	10	1	2	3	5	7	10
35-49	1125	4.3	26	1	2	3	5	8	12
50-69	2213	5.1	33	2	3	4	6	8	12
70 +	190	4.7	6	2	3	4	8	8	8
SUBTOTAL	**6688**	**4.9**	**26**	**1**	**2**	**4**	**6**	**9**	**13**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**6688**	**4.9**	**26**	**1**	**2**	**4**	**6**	**9**	**13**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1075	4.8	21	1	2	3	5	12	15
18-34	409	3.8	8	1	1	3	6	7	9
35-49	1634	3.8	9	1	2	3	5	8	10
50-69	2192	4.5	16	1	2	3	6	8	12
70 +	368	4.6	9	1	2	4	6	10	10
SUBTOTAL	**5678**	**4.3**	**14**	**1**	**2**	**3**	**5**	**8**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**5678**	**4.3**	**14**	**1**	**2**	**3**	**5**	**8**	**12**

Total U.S., July 1989 - June 1990

DRG 100: Respiratory Signs & Symptoms w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	4773	3.0	6	1	2	2	4	5	7
70-74	2386	3.0	5	1	1	2	3	6	8
75-79	1731	2.8	3	1	2	2	3	6	7
80-84	1400	4.7	23	1	2	3	6	8	16
85 +	769	3.1	3	1	2	3	4	5	7
SUBTOTAL	11059	3.2	8	1	2	2	4	6	8
GRAND TOTAL	11059	3.2	8	1	2	2	4	6	8

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	7048	2.7	6	1	1	2	3	5	7
18-34	3574	2.4	5	1	1	2	3	4	6
35-49	11749	2.4	2	1	1	2	3	4	5
50-69	9976	2.5	3	1	1	2	3	4	6
70 +	278	3.0	3	1	2	3	4	6	7
	32626	2.5	4	1	1	2	3	4	6
	32626	2.5	4	1	1	2	3	4	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	7138	3.1	8	1	2	2	4	6	8
18-34	534	3.0	10	1	1	2	3	8	10
35-49	848	2.9	3	1	2	3	4	5	7
50-69	911	2.9	2	1	2	3	3	5	6
70 +	54	4.3	9	2	2	3	9	9	9
SUBTOTAL	9485	3.1	7	1	2	2	4	6	8
GRAND TOTAL	9485	3.1	7	1	2	2	4	6	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	3601	3.0	6	1	1	2	4	7	7
18-34	1000	2.6	4	1	1	2	4	5	5
35-49	3329	2.6	6	1	1	2	3	5	7
50-69	2574	2.3	3	1	1	2	3	5	7
70 +	214	2.2	2	1	1	2	3	4	5
	10718	2.7	5	1	1	2	3	5	7
	10718	2.7	5	1	1	2	3	5	7

DRG 101: Other Respiratory System Diagnoses w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	5210	6.9	49	2	3	5	8	12	18
70-74	3887	6.7	59	2	3	5	8	11	15
75-79	4137	7.6	56	2	3	6	9	15	19
80-84	2263	7.2	47	2	3	6	9	14	17
85 +	2434	7.8	86	2	3	5	9	13	18
SUBTOTAL	17930	7.2	58	2	3	5	9	14	18
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	17930	7.2	58	2	3	5	9	14	18

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	2358	4.8	21	1	2	3	6	12	14
18-34	2045	4.8	18	1	2	3	6	11	14
35-49	2735	5.4	14	2	3	4	7	10	12
50-69	4330	5.9	17	2	3	5	8	12	15
70 +	581	6.0	20	2	3	5	7	10	17
	12049	5.4	18	1	2	4	7	11	14
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	12049	5.4	18	1	2	4	7	11	14

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	1117	6.5	59	1	2	4	9	12	14
18-34	492	6.2	22	2	3	4	9	12	18
35-49	405	5.5	23	1	2	4	7	10	18
50-69	733	5.4	15	2	3	4	7	10	14
70 +	128	7.5	13	2	6	7	8	15	15
SUBTOTAL	2875	6.1	35	1	3	4	8	12	16
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	2875	6.1	35	1	3	4	8	12	16

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	744	5.3	34	1	2	3	5	14	21
18-34	1304	4.5	11	1	2	4	5	8	12
35-49	1227	4.6	18	1	2	3	6	9	14
50-69	1167	5.1	32	1	2	3	5	11	20
70 +	221	7.4	38	1	3	6	9	20	23
	4662	4.9	23	1	2	3	6	10	15
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4662	4.9	23	1	2	3	6	10	15

Total U.S., July 1989 - June 1990

DRG 102: Other Respiratory System Diagnoses w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	1359	4.4	15	1	2	3	5	8	10
70-74	959	4.2	10	1	2	3	5	10	11
75-79	922	4.1	8	1	2	3	6	8	9
80-84	708	5.9	20	2	3	4	7	14	15
85+	904	4.5	12	1	2	4	6	8	12
SUBTOTAL	**4853**	**4.5**	**13**	**1**	**2**	**3**	**6**	**9**	**12**
GRAND TOTAL	**4853**	**4.5**	**13**	**1**	**2**	**3**	**6**	**9**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
0									
0-17	5970	2.4	4	1	1	2	3	4	7
18-34	1878	2.8	5	1	1	2	4	5	8
35-49	2336	2.6	3	1	1	2	3	5	6
50-69	2351	3.5	6	1	2	3	5	6	9
70+	254	3.7	7	1	1	3	6	8	8
12789	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**7**	
12789	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**7**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	3278	3.0	7	1	1	2	4	6	8
18-34	242	4.5	35	2	2	3	5	7	8
35-49	202	3.4	4	1	2	3	5	6	6
50-69	227	4.2	14	1	1	2	6	7	13
70+	22	6.0							
SUBTOTAL	**3971**	**3.2**	**9**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**3971**	**3.2**	**9**	**1**	**1**	**2**	**4**	**6**	**8**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
0									
0-17	2362	2.5	17	1	1	2	3	4	7
18-34	983	3.3	8	1	1	2	4	8	9
35-49	735	3.3	11	<1	1	2	4	8	12
50-69	552	4.4	13	1	1	3	6	11	13
70+	133	4.7	5	1	3	5	6	7	9
4765	**3.1**	**14**	**1**	**1**	**2**	**4**	**7**	**9**	
4765	**3.1**	**14**	**1**	**1**	**2**	**4**	**7**	**9**	

Total U.S., July 1989 - June 1990

DRG 103: Heart Transplant

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	166	34.4	475	15	25	29	73	99 +	99 +
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	166	34.4	475	15	25	29	73	99 +	99 +
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	166	34.4	475	15	25	29	73	99 +	99 +

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	103	38.6	135	25	32	42	50	99 +	99 +
18-34	117	32.4	119	17	27	31	38	45	59
35-49	159	31.3	270	13	17	30	54	99 +	99 +
50-69	219	27.8	406	14	16	25	34	92	99 +
70 +	0								
	597	31.5	280	15	17	30	45	72	99 +
	0								
0-17	0								
18-34	0								
35-49	27	18.9	141						
50-69	8	19.0							
70 +	0								
	35	18.9	109						
	633	30.8	278	14	17	30	45	72	99 +

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	64	40.4	907	8	11	35	60	97	97
18-34	27	19.1	11						
35-49	61	31.4	324	13	14	33	53	60	60
50-69	33	14.2	15						
70 +	0								
SUBTOTAL	185	29.6	519	11	13	19	47	60	66
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	10	18.0							
50-69	0								
70 +	0								
SUBTOTAL	10	18.0							
GRAND TOTAL	195	29.0	498	11	13	18	36	60	66

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	45	30.4	423						
18-34	30	19.3	32						
35-49	40	17.3	17						
50-69	77	19.0	15	13	15	21	22	24	24
70 +	0								
	192	21.4	138	14	14	19	22	27	49
0-17	0								
18-34	10	12.0							
35-49	10	12.0							
50-69	20	13.5	7						
70 +	0								
	40	12.8	4						
	232	19.9	125	12	14	17	22	27	49

Total U.S., July 1989 - June 1990

DRG 104: Cardiac Valve Procedures w/ Cardiac Cath

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	3066	22.3	196	9	14	19	25	37	46
70-74	2507	22.9	176	10	13	20	30	38	54
75-79	1907	22.4	132	10	15	20	27	41	48
80-84	621	20.1	69	11	14	18	24	30	34
85 +	205	30.2	183	12	18	33	42	50	51
SUBTOTAL	**8306**	**22.5**	**167**	**10**	**14**	**20**	**27**	**38**	**48**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	248	13.3	18	9	10	13	16	20	21
70-74	97	14.7	23	11	11	14	16	22	26
75-79	80	17.6	49	11	11	16	22	30	42
80-84	42	14.7	33						
85 +	16	11.0	4						
SUBTOTAL	**483**	**14.3**	**27**	**9**	**11**	**13**	**16**	**22**	**26**
GRAND TOTAL	**8789**	**22.1**	**163**	**10**	**13**	**19**	**27**	**37**	**46**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	614	16.1	213	7	9	11	18	39	45
18-34	158	20.8	54	15	16	20	23	28	42
35-49	756	20.3	152	8	11	16	26	40	42
50-69	2767	19.9	126	9	13	17	24	33	43
70 +	166	22.4	96	12	14	22	28	36	45
	4463	**19.5**	**141**	**9**	**12**	**16**	**24**	**34**	**42**
0-17	80	9.2	12	4	8	10	10	16	16
18-34	62	11.2	8	7	9	11	14	16	16
35-49	72	13.5	50	8	9	10	15	24	29
50-69	248	12.5	35	7	8	11	14	23	26
70 +	18	16.3	9						
	481	**12.1**	**31**	**7**	**8**	**10**	**14**	**23**	**24**
	4944	**18.8**	**135**	**8**	**11**	**15**	**23**	**33**	**41**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	199	21.4	182	8	13	19	26	60	60
18-34	79	26.7	434	10	15	18	27	78	78
35-49	216	27.3	452	10	13	22	30	70	95
50-69	336	22.1	133	11	17	20	26	35	49
70 +	0								
SUBTOTAL	**831**	**23.7**	**262**	**10**	**15**	**20**	**27**	**49**	**70**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	47	8.3	77						
18-34	6	4.0							
35-49	32	14.2	16						
50-69	26	12.1	6						
70 +	0								
SUBTOTAL	**112**	**10.6**	**47**	**1**	**6**	**10**	**15**	**21**	**24**
GRAND TOTAL	**942**	**22.2**	**254**	**9**	**12**	**20**	**26**	**48**	**70**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	279	19.0	99	8	12	14	27	33	41
18-34	50	17.7	160	6	8	17	19	41	41
35-49	167	19.6	146	7	10	18	25	29	51
50-69	574	18.0	130	8	12	16	20	28	36
70 +	142	15.0	37	8	9	14	20	26	26
	1212	**18.1**	**117**	**8**	**11**	**15**	**21**	**31**	**38**
0-17	8	9.0							
18-34	36	12.4	151						
35-49	16	15.8	30						
50-69	26	23.4	3						
70 +	14	10.9	1						
	100	**15.4**	**92**	**6**	**8**	**10**	**20**	**31**	**39**
	1311	**17.9**	**115**	**8**	**11**	**15**	**21**	**31**	**39**

Total U.S., July 1989 - June 1990

DRG 105: Cardiac Valve Procedures w/o Cardiac Cath

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	3607	15.1	99	8	9	12	17	27	34
70-74	2719	15.3	118	8	10	12	17	25	29
75-79	1985	16.4	121	9	10	13	19	29	39
80-84	764	15.7	87	8	11	13	20	28	37
85 +	126	16.9	70	8	9	17	25	30	31
SUBTOTAL	**9200**	**15.5**	**108**	**8**	**10**	**12**	**18**	**26**	**34**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	562	9.5	10	7	8	9	11	13	16
70-74	482	10.7	10	8	8	10	12	15	18
75-79	259	9.6	10	6	8	9	12	13	16
80-84	77	10.9	16	7	8	10	13	13	22
85 +	27	7.9	4						
SUBTOTAL	**1407**	**10.0**	**11**	**7**	**8**	**9**	**11**	**14**	**17**
GRAND TOTAL	**10607**	**14.8**	**99**	**8**	**9**	**12**	**16**	**25**	**32**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1848	10.4	82	5	6	8	11	18	26
18-34	616	11.5	50	6	7	9	12	20	23
35-49	1272	12.4	69	7	8	10	13	20	31
50-69	4050	12.3	45	8	8	10	14	18	23
70 +	160	15.7	69	10	11	13	16	29	38
	7947	**11.9**	**59**	**6**	**8**	**10**	**13**	**19**	**26**
0-17	871	7.3	11	5	6	7	8	10	11
18-34	213	7.9	2	6	7	7	9	10	10
35-49	463	8.2	2	7	7	8	9	9	10
50-69	823	9.6	16	7	8	9	10	12	14
70 +	0								
	2370	**8.3**	**11**	**6**	**7**	**8**	**9**	**11**	**12**
	10316	**11.0**	**50**	**6**	**8**	**9**	**12**	**17**	**22**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	580	13.4	129	6	7	9	16	26	42
18-34	210	22.0	445	8	10	15	23	50	59
35-49	192	15.1	109	9	10	12	14	23	36
50-69	349	14.7	114	7	9	11	14	28	41
70 +	16	30.0							
SUBTOTAL	**1346**	**15.5**	**181**	**6**	**8**	**11**	**17**	**30**	**50**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	248	7.9	8	5	6	7	9	10	11
18-34	42	7.5	4	5	5	8	8	11	11
35-49	83	10.2	12	4	9	10	14	15	15
50-69	40	20.6	232						
70 +	0								
SUBTOTAL	**414**	**9.5**	**43**	**5**	**6**	**9**	**10**	**14**	**15**
GRAND TOTAL	**1760**	**14.1**	**155**	**6**	**8**	**10**	**15**	**27**	**41**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	532	10.8	33	5	7	9	13	19	21
18-34	139	16.3	113	6	9	13	19	37	37
35-49	377	13.6	183	7	8	9	13	20	44
50-69	840	11.7	56	7	7	9	14	23	32
70 +	171	13.0	35	7	9	11	15	23	24
	2058	**12.2**	**77**	**6**	**7**	**9**	**14**	**22**	**32**
0-17	159	6.7	3	5	5	7	7	8	11
18-34	71	13.9	209	7	7	8	13	20	59
35-49	94	9.2	33	6	6	7	10	10	30
50-69	192	8.4	9	6	7	8	9	11	17
70 +	39	9.8	1						
	555	**8.9**	**41**	**5**	**6**	**8**	**9**	**11**	**17**
	2613	**11.5**	**72**	**6**	**7**	**9**	**13**	**20**	**28**

Total U.S., July 1989 - June 1990

DRG 106: Coronary Bypass w/ Cardiac Cath

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	16345	15.7	64	9	11	14	18	25	31
70-74	11820	16.8	74	9	11	15	20	27	33
75-79	7170	18.4	99	10	12	16	21	30	36
80-84	2059	18.5	65	11	13	16	22	28	34
85 +	316	18.7	94	10	12	17	22	30	36
SUBTOTAL	**37710**	**16.7**	**75**	**9**	**11**	**14**	**19**	**27**	**33**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2615	12.0	17	8	9	11	14	17	21
70-74	1596	12.8	23	8	9	12	15	19	22
75-79	941	12.6	21	8	9	12	16	18	23
80-84	240	14.5	22	9	12	14	16	18	27
85 +	54	17.9	5						
SUBTOTAL	**5447**	**12.5**	**20**	**8**	**9**	**12**	**15**	**18**	**21**
GRAND TOTAL	**43157**	**16.2**	**70**	**9**	**11**	**14**	**19**	**26**	**31**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	54	11.6	36	6	6	10	17	22	22
35-49	4850	12.1	33	7	9	11	14	17	23
50-69	20583	13.8	48	8	10	12	16	21	24
70 +	997	17.1	92	8	11	15	19	30	43
SUBTOTAL	**26484**	**13.6**	**48**	**8**	**10**	**12**	**16**	**21**	**24**
0-17	0								
18-34	28	7.8	2						
35-49	1660	10.1	10	7	8	10	12	14	16
50-69	5061	11.5	17	7	9	11	14	17	18
70 +	139	12.5	16	8	9	12	13	18	23
SUBTOTAL	**6888**	**11.2**	**16**	**7**	**8**	**10**	**14**	**16**	**18**
GRAND TOTAL	**33372**	**13.1**	**42**	**8**	**9**	**12**	**15**	**20**	**23**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	8	14.0							
35-49	295	16.1	68	8	11	15	18	27	36
50-69	997	17.4	87	9	11	16	20	28	37
70 +	64	17.9	21	10	16	18	22	24	24
SUBTOTAL	**1364**	**17.1**	**80**	**9**	**11**	**15**	**20**	**27**	**36**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	115	11.2	54	7	8	9	12	15	32
50-69	236	13.5	33	8	9	12	16	19	26
70 +	8	8.0							
SUBTOTAL	**359**	**12.7**	**40**	**8**	**9**	**11**	**15**	**19**	**26**
GRAND TOTAL	**1723**	**16.2**	**75**	**8**	**10**	**14**	**19**	**27**	**36**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	36	15.0	19						
35-49	964	12.2	61	7	8	10	14	19	23
50-69	3538	13.2	57	7	9	12	16	20	23
70 +	653	15.9	91	8	10	13	19	27	34
SUBTOTAL	**5192**	**13.4**	**63**	**7**	**9**	**12**	**15**	**20**	**24**
0-17	0								
18-34	16	17.5	4						
35-49	356	10.5	14	7	8	10	12	15	19
50-69	1023	11.2	39	7	8	10	13	15	20
70 +	95	12.5	14	9	9	12	17	18	18
SUBTOTAL	**1490**	**11.2**	**32**	**7**	**8**	**10**	**13**	**17**	**20**
GRAND TOTAL	**6681**	**12.9**	**57**	**7**	**9**	**11**	**15**	**20**	**23**

Total U.S., July 1989 - June 1990

DRG 107: Coronary Bypass w/o Cardiac Cath

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	14194	11.3	40	7	8	9	12	17	24
70-74	9050	12.2	46	8	8	10	14	20	25
75-79	5050	12.4	45	8	9	10	14	20	23
80-84	978	15.5	81	8	10	13	17	26	32
85 +	136	13.1	27	8	9	11	16	21	22
SUBTOTAL	**29408**	**11.9**	**45**	**7**	**8**	**10**	**13**	**19**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	3078	8.6	5	7	7	8	9	11	12
70-74	1595	9.4	12	7	7	9	10	12	16
75-79	925	10.0	9	7	8	9	11	15	16
80-84	157	11.7	12	8	10	10	14	18	20
85 +	15	14.5	22						
SUBTOTAL	**5771**	**9.1**	**8**	**7**	**7**	**8**	**10**	**12**	**15**
GRAND TOTAL	**35179**	**11.5**	**40**	**7**	**8**	**9**	**13**	**18**	**23**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	12.0							
18-34	118	8.4	1	7	8	8	9	10	11
35-49	4251	9.3	27	6	7	8	9	13	16
50-69	19479	9.9	23	7	8	9	10	14	18
70 +	736	11.5	35	7	8	9	12	20	25
SUBTOTAL	**24599**	**9.9**	**24**	**7**	**8**	**9**	**10**	**14**	**18**
0-17	0								
18-34	46	7.2							
35-49	1648	8.0	4	6	7	7	9	11	13
50-69	5083	8.2	4	6	7	8	9	11	12
70 +	123	9.1	4	7	8	9	10	13	14
SUBTOTAL	**6900**	**8.1**	**4**	**6**	**7**	**8**	**9**	**11**	**12**
GRAND TOTAL	**31499**	**9.5**	**20**	**6**	**7**	**8**	**10**	**13**	**17**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	6	23.0							
35-49	450	11.0	27	7	8	10	13	14	25
50-69	1115	12.0	36	7	8	10	14	20	27
70 +	48	8.0	3	6	7	8	8	11	11
SUBTOTAL	**1619**	**11.7**	**34**	**7**	**8**	**10**	**13**	**20**	**27**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	6	8.0							
18-34	0								
35-49	112	9.2	4	7	8	9	11	13	13
50-69	169	9.1	15	7	7	8	9	13	15
70 +	12	8.0							
SUBTOTAL	**299**	**9.1**	**10**	**7**	**7**	**8**	**9**	**13**	**13**
GRAND TOTAL	**1918**	**11.3**	**31**	**7**	**8**	**9**	**13**	**19**	**25**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	10.0							
18-34	28	6.5	1						
35-49	814	9.0	32	6	7	8	9	11	19
50-69	3309	9.7	22	6	7	8	10	14	16
70 +	394	12.1	107	7	8	10	12	21	29
SUBTOTAL	**4554**	**9.8**	**32**	**6**	**7**	**8**	**10**	**14**	**17**
0-17	0								
18-34	29	8.9	3						
35-49	272	8.5	21	6	7	8	9	10	11
50-69	965	8.9	12	6	7	8	9	15	16
70 +	93	10.5	28	7	8	8	11	16	27
SUBTOTAL	**1360**	**8.9**	**15**	**6**	**7**	**8**	**9**	**14**	**16**
GRAND TOTAL	**5913**	**9.6**	**28**	**6**	**7**	**8**	**10**	**14**	**17**

Total U.S., July 1989 - June 1990

DRG 108: Other Cardiothoracic Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2355	15.8	87	8	9	13	19	26	37
70-74	1570	16.9	98	8	10	14	20	30	39
75-79	725	20.8	216	9	12	16	23	37	53
80-84	151	15.9	39	8	11	17	20	25	29
85 +	28	15.0	8						
SUBTOTAL	4829	16.9	111	8	10	14	20	29	39
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	326	8.7	17	2	8	9	11	14	18
70-74	170	10.5	26	7	8	8	12	18	26
75-79	67	8.9	7	5	7	8	11	14	14
80-84	30	8.6	5						
85 +	0								
SUBTOTAL	593	9.2	18	5	7	8	11	14	18
GRAND TOTAL	5422	16.1	106	8	9	13	19	28	37

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8757	13.0	108	5	7	10	15	25	36
18-34	443	9.6	34	5	6	8	11	17	24
35-49	892	10.6	21	7	8	9	13	18	22
50-69	2799	13.1	48	8	9	11	16	20	23
70 +	54	11.2	22	6	8	9	15	20	20
SUBTOTAL	12944	12.8	87	6	8	10	15	23	33
0-17	5760	7.0	14	4	5	6	8	11	14
18-34	470	7.1	8	4	6	7	8	10	11
35-49	316	7.8	10	5	7	7	9	11	14
50-69	442	9.9	15	6	7	9	11	15	18
70 +	6	9.0							
SUBTOTAL	6993	7.2	14	4	5	7	8	11	14
GRAND TOTAL	19937	10.8	68	5	6	8	13	19	25

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	2742	15.0	145	6	7	11	19	32	38
18-34	127	11.2	55	2	7	10	14	14	33
35-49	117	15.1	218	6	6	9	13	47	54
50-69	215	12.4	35	8	9	11	13	19	21
70 +	8	19.0							
SUBTOTAL	3210	14.7	137	6	8	11	18	32	38
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1971	8.8	29	5	6	8	10	13	20
18-34	92	7.7	6	5	6	7	9	13	13
35-49	22	8.2	2						
50-69	30	13.5	54						
70 +	0								
SUBTOTAL	2115	8.8	28	5	6	8	10	13	20
GRAND TOTAL	5324	12.3	102	5	7	9	14	25	33

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	798	13.6	107	5	7	10	17	28	38
18-34	170	10.4	72	5	7	8	11	16	34
35-49	233	12.7	204	6	7	9	12	18	18
50-69	527	12.6	33	7	8	12	15	21	22
70 +	77	14.9	43	8	9	16	17	22	29
SUBTOTAL	3805	13.3	101	5	7	10	16	26	36
0-17	1398	6.8	9	4	5	6	8	10	11
18-34	123	8.4	131	1	2	5	6	15	42
35-49	120	8.2	6	4	6	8	10	11	13
50-69	113	8.1	16	3	6	8	9	12	18
70 +	0								
SUBTOTAL	1754	7.1	18	4	5	6	8	10	13
GRAND TOTAL	5559	11.3	83	5	6	8	13	21	30

Total U.S., July 1989 - June 1990

DRG 110: Major Cardiovascular Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	12580	13.8	83	7	9	11	16	24	31
70-74	9479	14.3	98	7	9	11	16	26	34
75-79	7116	15.6	94	8	10	13	18	27	34
80-84	3053	16.5	164	7	9	13	19	27	40
85+	1128	15.2	93	7	9	13	17	27	39
SUBTOTAL	33356	14.6	98	7	9	12	17	26	33
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
GRAND TOTAL	33356	14.6	98	7	9	12	17	26	33

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	4268	11.0	109	3	5	8	12	23	34
18-34	405	11.1	47	4	6	9	17	26	29
35-49	1554	10.8	40	6	7	9	12	18	23
50-69	11043	12.5	76	7	8	10	14	21	29
70+	763	16.8	135	7	9	14	19	36	49
	18033	12.1	84	5	7	9	13	22	31
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	18033	12.1	84	5	7	9	13	22	31

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	1795	13.3	169	4	6	9	16	28	56
18-34	267	9.3	26	3	6	9	11	15	20
35-49	384	12.2	73	7	7	9	14	25	32
50-69	834	16.4	184	6	8	11	23	32	47
70+	28	19.3	131						
SUBTOTAL	3309	13.7	154	5	7	10	17	28	45
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
GRAND TOTAL	3309	13.7	154	5	7	10	17	28	45

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1144	10.1	79	3	5	7	12	18	31
18-34	231	11.0	71	4	6	7	12	26	28
35-49	483	15.0	162	6	7	9	19	39	48
50-69	1813	14.5	144	7	8	11	17	27	34
70+	505	14.6	62	7	9	12	17	29	36
	4176	13.2	119	5	7	10	15	27	34
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	4176	13.2	119	5	7	10	15	27	34

Total U.S., July 1989 - June 1990

DRG 111: Major Cardiovascular Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2435	9.4	43	5	7	8	11	13	15
70-74	1630	8.9	12	6	7	9	10	12	14
75-79	1080	9.1	15	5	7	9	11	14	16
80-84	406	10.3	35	7	8	9	11	15	17
85+	105	9.2	10	5	8	9	10	11	18
SUBTOTAL	**5655**	**9.2**	**28**	**5**	**7**	**9**	**11**	**13**	**15**
GRAND TOTAL	**5655**	**9.2**	**28**	**5**	**7**	**9**	**11**	**13**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
0									
0-17	3912	5.4	8	2	4	5	6	8	11
18-34	282	6.6	13	1	4	7	8	12	14
35-49	851	7.7	9	4	6	7	9	12	13
50-69	4218	8.4	10	6	7	8	9	12	14
70+	158	8.1	5	6	7	8	9	10	11
9422	**7.0**	**11**	**3**	**5**	**7**	**8**	**11**	**13**	
9422	**7.0**	**11**	**3**	**5**	**7**	**8**	**11**	**13**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1426	6.0	12	3	4	5	7	9	13
18-34	75	6.2	6	1	5	7	7	9	10
35-49	71	11.4	28	7	8	10	12	21	22
50-69	260	6.5	11	2	3	7	8	12	13
70+	28	8.6	7						
SUBTOTAL	**1860**	**6.3**	**14**	**3**	**4**	**5**	**8**	**11**	**13**
GRAND TOTAL	**1860**	**6.3**	**14**	**3**	**4**	**5**	**8**	**11**	**13**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
0									
0-17	897	6.3	36	2	3	5	7	10	15
18-34	150	5.9	8	3	4	6	7	12	13
35-49	207	8.7	26	4	6	7	11	13	23
50-69	722	8.6	16	5	6	8	10	15	16
70+	117	7.6	8	4	6	8	9	11	14
2094	**7.4**	**26**	**3**	**4**	**7**	**9**	**13**	**15**	
2094	**7.4**	**26**	**3**	**4**	**7**	**9**	**13**	**15**	

DRG 112: Percutaneous Cardiovascular Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	21160	6.5	25	2	3	5	9	13	15
70-74	12457	7.7	44	2	3	6	10	15	19
75-79	8547	8.5	42	2	3	7	12	16	20
80-84	2861	9.4	55	2	4	8	13	19	24
85 +	960	8.6	36	2	5	8	11	16	19
SUBTOTAL	**45984**	**7.4**	**36**	**2**	**3**	**6**	**10**	**15**	**19**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	12923	4.6	14	1	2	3	6	9	11
70-74	7315	4.8	14	1	2	4	7	9	12
75-79	3806	5.0	15	1	2	4	7	10	13
80-84	1461	5.3	16	2	3	4	7	11	14
85 +	310	5.8	20	2	3	4	7	10	21
SUBTOTAL	**25815**	**4.8**	**14**	**1**	**2**	**4**	**6**	**9**	**12**
GRAND TOTAL	**71799**	**6.5**	**30**	**2**	**3**	**5**	**9**	**13**	**17**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	874	5.3	33	1	2	3	6	15	18
18-34	766	5.2	18	1	2	4	7	14	14
35-49	8946	5.1	16	2	2	4	7	10	11
50-69	27892	5.6	20	2	2	4	8	11	14
70 +	752	7.7	34	2	3	6	11	14	20
SUBTOTAL	**39230**	**5.5**	**20**	**1**	**2**	**4**	**7**	**11**	**14**
0-17	1998	2.4	5	1	1	2	2	5	8
18-34	1300	3.8	13	1	2	3	4	8	11
35-49	13485	4.4	10	1	2	3	6	9	10
50-69	28330	4.4	11	1	2	3	6	9	11
70 +	380	5.7	21	1	2	5	9	12	13
SUBTOTAL	**45493**	**4.3**	**11**	**1**	**2**	**3**	**6**	**9**	**10**
GRAND TOTAL	**84722**	**4.8**	**15**	**1**	**2**	**4**	**7**	**10**	**12**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	217	8.0	147	1	1	2	7	25	38
18-34	229	6.1	55	2	2	3	7	14	27
35-49	892	7.4	43	2	3	6	10	15	21
50-69	1835	8.2	60	2	3	6	10	17	22
70 +	228	8.6	28	3	6	7	13	13	19
SUBTOTAL	**3400**	**7.8**	**59**	**2**	**3**	**6**	**10**	**16**	**22**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	348	2.2	3	1	1	2	3	4	5
18-34	200	5.8	33	2	2	4	7	9	19
35-49	789	4.7	18	2	2	4	6	9	12
50-69	1039	5.9	23	1	2	4	8	12	15
70 +	64	5.3	9	1	4	5	7	11	11
SUBTOTAL	**2442**	**4.9**	**20**	**1**	**2**	**3**	**6**	**11**	**13**
GRAND TOTAL	**5842**	**6.6**	**45**	**2**	**2**	**5**	**9**	**14**	**19**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	233	4.2	15	1	2	2	7	11	13
18-34	168	11.3	135	2	3	7	14	29	41
35-49	2523	6.5	23	2	3	6	9	12	14
50-69	5672	5.4	24	1	2	4	7	10	13
70 +	668	6.1	33	1	2	4	9	13	15
SUBTOTAL	**9264**	**5.8**	**27**	**1**	**2**	**4**	**8**	**11**	**14**
0-17	420	3.0	11	< 1	1	2	3	8	13
18-34	302	3.7	7	1	2	3	5	7	10
35-49	3157	4.1	8	1	2	3	6	8	10
50-69	5143	4.2	12	1	2	3	6	8	10
70 +	446	4.1	9	1	2	3	6	8	10
SUBTOTAL	**9469**	**4.1**	**11**	**1**	**2**	**3**	**6**	**8**	**10**
GRAND TOTAL	**18733**	**5.0**	**20**	**1**	**2**	**4**	**7**	**10**	**12**

Total U.S., July 1989 - June 1990

DRG 113: Amputation for Circ System Disorders except Upper Limb & Toe

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	7603	20.3	226	6	10	16	27	41	54
70-74	4843	18.6	208	6	9	14	25	41	53
75-79	5284	18.6	230	7	9	13	23	38	56
80-84	4274	19.3	241	6	9	15	23	39	56
85 +	5822	15.6	162	5	8	12	18	29	44
SUBTOTAL	**27825**	**18.5**	**215**	**6**	**9**	**14**	**23**	**38**	**53**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	414	10.2	71	3	6	8	12	18	25
70-74	288	12.3	64	3	5	12	18	24	29
75-79	339	13.8	97	5	6	9	18	33	33
80-84	155	11.5	33	4	7	9	18	20	20
85 +	287	9.3	50	4	4	8	11	18	30
SUBTOTAL	**1483**	**11.4**	**70**	**3**	**6**	**9**	**15**	**24**	**33**
GRAND TOTAL	**29308**	**18.2**	**210**	**6**	**9**	**14**	**23**	**37**	**51**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	4.0							
18-34	68	6.1	32						
35-49	515	19.5	194	4	10	17	24	37	50
50-69	2851	19.9	248	5	9	15	29	44	56
70 +	387	19.2	219	6	9	14	23	46	49
	3828	**19.5**	**237**	**5**	**9**	**15**	**27**	**43**	**56**
0-17	0								
18-34	15	12.5	2						
35-49	70	9.6	15	4	8	10	12	16	16
50-69	262	8.7	33	4	5	6	11	19	19
70 +	0								
	348	**9.0**	**29**	**4**	**5**	**8**	**12**	**17**	**19**
	4176	**18.6**	**228**	**5**	**8**	**14**	**25**	**41**	**55**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	33	18.1	104						
35-49	286	23.7	225	9	12	19	33	47	60
50-69	1588	20.3	231	7	10	16	24	40	55
70 +	191	16.4	61	12	12	17	21	37	99 +
SUBTOTAL	**2098**	**20.4**	**216**	**7**	**10**	**17**	**26**	**40**	**55**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	8	2.0							
35-49	23	18.6	90						
50-69	87	11.6	69	2	5	12	15	26	29
70 +	0								
SUBTOTAL	**118**	**12.3**	**83**	**2**	**5**	**12**	**15**	**29**	**29**
GRAND TOTAL	**2217**	**20.0**	**212**	**7**	**10**	**16**	**26**	**39**	**55**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	47	44.0	1509						
35-49	318	18.4	218	8	8	12	24	40	58
50-69	830	22.0	264	7	11	16	28	47	61
70 +	243	19.9	164	6	12	17	28	51	52
	1439	**21.6**	**296**	**7**	**11**	**16**	**28**	**48**	**61**
0-17	0								
18-34	7	51.0							
35-49	12	7.0							
50-69	70	17.7	497						
70 +	6	11.0							
	95	**18.3**	**462**	**5**	**8**	**8**	**11**	**71**	**71**
	1534	**21.4**	**306**	**7**	**10**	**15**	**28**	**50**	**61**

Total U.S., July 1989 - June 1990

DRG 114: Upper Limb & Toe Amputation for Circ System Disorders

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	3063	12.8	134	3	5	9	18	25	33
70-74	1396	12.1	126	3	5	9	14	25	33
75-79	1417	11.6	87	3	6	10	15	21	25
80-84	878	14.9	142	4	7	12	21	33	35
85 +	584	11.1	121	3	3	8	17	21	31
SUBTOTAL	**7337**	**12.5**	**124**	**3**	**5**	**9**	**17**	**25**	**33**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	256	8.6	37	2	2	8	11	20	20
70-74	49	5.7	18	< 1	1	5	11	12	12
75-79	47	9.3	6	5	9	9	11	13	13
80-84	175	8.0	21	3	4	7	13	13	13
85 +	186	7.1	16	2	2	8	11	11	11
SUBTOTAL	**713**	**7.9**	**25**	**2**	**3**	**8**	**11**	**13**	**20**
GRAND TOTAL	**8050**	**12.1**	**117**	**3**	**5**	**9**	**16**	**25**	**33**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	77	9.2	8	4	9	10	11	12	13
35-49	681	10.2	87	3	4	8	12	22	29
50-69	1463	12.2	70	3	7	11	15	23	31
70 +	110	10.3	28	2	8	9	13	16	22
SUBTOTAL	**2331**	**11.4**	**72**	**3**	**5**	**10**	**14**	**22**	**29**
0-17	40	1.8	1						
18-34	23	3.0	2						
35-49	100	3.3	16	1	2	2	3	9	15
50-69	227	7.4	35	2	4	7	8	10	13
70 +	13	5.7	7						
SUBTOTAL	**404**	**5.5**	**29**	**1**	**2**	**3**	**8**	**10**	**13**
GRAND TOTAL	**2735**	**10.5**	**70**	**3**	**5**	**8**	**13**	**21**	**28**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	60	15.4	303	1	5	8	14	53	53
35-49	164	12.9	195	2	3	8	17	32	39
50-69	307	13.6	165	3	5	9	17	31	54
70 +	46	16.7	142						
SUBTOTAL	**577**	**13.9**	**186**	**2**	**5**	**9**	**17**	**32**	**53**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	30	2.8	1						
35-49	57	17.0	148						
50-69	44	7.8	20						
70 +	0								
SUBTOTAL	**131**	**10.6**	**105**	**2**	**3**	**12**	**15**	**15**	**15**
GRAND TOTAL	**708**	**13.3**	**173**	**2**	**4**	**10**	**16**	**32**	**49**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	186	7.6	168	2	2	3	6	6	58
35-49	323	15.6	207	5	9	12	20	24	44
50-69	563	13.0	133	4	5	8	17	39	39
70 +	53	7.9	12	3	4	10	11	12	12
SUBTOTAL	**1125**	**12.6**	**162**	**3**	**5**	**9**	**16**	**29**	**39**
0-17	16	1.0							
18-34	40	7.8	64						
35-49	23	7.1	18						
50-69	74	15.0	72						
70 +	0								
SUBTOTAL	**154**	**10.5**	**77**	**1**	**2**	**7**	**22**	**22**	**22**
GRAND TOTAL	**1279**	**12.4**	**152**	**2**	**5**	**8**	**17**	**24**	**39**

Total U.S., July 1989 - June 1990

DRG 115: Perm Cardiac Pacemaker Implant w/ AMI, Heart Failure or Shock

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	971	14.0	53	6	10	12	18	24	30
70-74	929	15.8	134	7	10	12	20	29	32
75-79	1079	13.5	93	5	6	11	17	28	35
80-84	1014	13.6	66	6	8	13	17	22	24
85 +	1233	15.2	61	6	9	15	20	26	29
SUBTOTAL	5227	14.4	81	6	9	12	18	25	31
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	66	8.7	19						
70-74	48	10.5	12						
75-79	133	6.2	6	5	5	6	6	9	14
80-84	86	15.3	26	9	12	14	18	23	23
85 +	52	15.9	89	8	8	15	20	37	37
SUBTOTAL	385	10.5	41	5	6	8	14	18	23
GRAND TOTAL	5611	14.2	79	6	8	12	18	24	31

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	14	13.0	86						
18-34	0								
35-49	32	6.7							
50-69	319	13.5	31	7	9	12	18	22	24
70 +	73	11.5	41	2	8	9	15	26	26
	437	12.6	35	6	8	10	17	23	24
0-17	0								
18-34	0								
35-49	0								
50-69	25	10.0	7						
70 +	16	12.0							
	40	10.8	5						
	477	12.5	33	6	8	11	15	21	24

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	66	14.9	22	9	13	14	17	25	25
70 +	0								
SUBTOTAL	66	14.9	22	9	13	14	17	25	25
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	66	14.9	22	9	13	14	17	25	25

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	20	10.9	46						
50-69	94	11.5	16	8	9	9	14	19	19
70 +	40	8.1	13						
	154	10.5	21	5	8	9	13	19	19
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	6	16.0							
	6	16.0							
	160	10.7	21	5	9	9	14	19	19

DRG 116: Perm Cardiac Pacemaker Implant w/o AMI, Heart Failure or Shock

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	5466	8.1	38	2	4	6	11	16	19
70-74	6605	8.1	51	2	4	6	10	15	19
75-79	7852	7.9	40	2	4	6	10	15	19
80-84	8202	8.1	42	3	4	7	10	15	19
85 +	7688	9.3	71	3	5	7	11	17	22
SUBTOTAL	**35813**	**8.3**	**49**	**3**	**4**	**7**	**11**	**16**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2503	4.7	13	2	2	4	6	9	12
70-74	3095	4.9	18	1	2	4	7	9	12
75-79	3552	5.0	15	2	3	4	7	10	12
80-84	3450	5.1	15	2	2	4	6	10	13
85 +	3374	5.7	24	2	3	5	7	11	13
SUBTOTAL	**15974**	**5.1**	**17**	**2**	**2**	**4**	**7**	**10**	**12**
GRAND TOTAL	**51788**	**7.3**	**42**	**2**	**3**	**6**	**9**	**14**	**18**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	373	8.2	79	3	3	5	8	26	29
18-34	155	8.6	45	2	3	7	9	22	23
35-49	416	5.6	14	2	3	5	8	9	13
50-69	2291	7.2	37	2	3	6	10	13	16
70 +	772	7.2	67	1	3	5	7	14	19
SUBTOTAL	**4007**	**7.2**	**45**	**2**	**3**	**5**	**9**	**13**	**18**
0-17	303	4.2	6	2	2	4	5	7	10
18-34	257	4.3	8	2	2	3	6	7	10
35-49	423	3.5	7	1	1	2	5	7	9
50-69	2008	4.5	9	1	2	4	6	9	10
70 +	338	4.4	11	1	2	4	6	6	13
SUBTOTAL	**3328**	**4.3**	**9**	**1**	**2**	**4**	**6**	**8**	**10**
GRAND TOTAL	**7336**	**5.9**	**31**	**2**	**3**	**4**	**7**	**11**	**14**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	140	7.4	30	3	4	6	9	17	21
18-34	53	3.1	1						
35-49	55	5.9	8	2	5	5	7	11	11
50-69	438	8.7	48	3	4	6	11	23	23
70 +	165	6.8	20	2	4	6	7	15	16
SUBTOTAL	**850**	**7.6**	**36**	**3**	**4**	**6**	**9**	**16**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	40	5.0	6						
18-34	16	3.0							
35-49	39	7.3	20						
50-69	115	6.5	20	2	4	5	7	16	18
70 +	91	10.6	17	5	6	14	14	14	15
SUBTOTAL	**302**	**7.5**	**21**	**3**	**4**	**6**	**10**	**14**	**15**
GRAND TOTAL	**1152**	**7.6**	**32**	**3**	**4**	**6**	**10**	**15**	**21**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	114	7.3	32	2	3	5	10	12	22
18-34	44	2.9	2						
35-49	103	6.0	12	1	4	6	6	11	15
50-69	526	5.7	12	3	3	5	8	11	12
70 +	565	7.8	84	1	3	5	9	16	20
SUBTOTAL	**1353**	**6.7**	**45**	**2**	**3**	**5**	**8**	**12**	**16**
0-17	74	4.5	6	2	3	4	5	10	10
18-34	38	8.3	28						
35-49	94	3.0	3	1	2	3	3	5	8
50-69	449	3.8	7	1	2	3	5	7	9
70 +	415	3.3	4	1	2	3	4	5	8
SUBTOTAL	**1070**	**3.7**	**7**	**1**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**2422**	**5.4**	**30**	**1**	**2**	**4**	**6**	**10**	**14**

Total U.S., July 1989 - June 1990

DRG 117: Cardiac Pacemaker Revision except Device Replacement

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	303	5.9	13	2	3	6	7	12	14
70-74	335	5.0	12	2	3	4	5	10	12
75-79	378	5.1	20	2	2	4	6	8	9
80-84	205	5.5	17	2	2	5	7	13	17
85 +	302	5.0	10	1	3	4	6	11	11
SUBTOTAL	**1523**	**5.3**	**15**	**2**	**3**	**4**	**6**	**10**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	238	3.0	3	1	2	3	3	5	7
70-74	361	2.8	5	1	1	2	4	5	6
75-79	257	4.1	8	1	2	3	5	9	11
80-84	379	3.3	4	1	2	3	4	7	7
85 +	246	5.7	56	2	2	3	6	10	33
SUBTOTAL	**1481**	**3.7**	**14**	**1**	**2**	**3**	**4**	**7**	**9**
GRAND TOTAL	**3004**	**4.5**	**15**	**1**	**2**	**3**	**6**	**8**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	142	3.9	11	1	2	3	5	6	16
18-34	33	2.6	1						
35-49	51	2.2	1						
50-69	272	7.2	19	2	3	8	10	12	12
70 +	13	11.4	39						
SUBTOTAL	**511**	**5.6**	**19**	**1**	**2**	**4**	**9**	**12**	**12**
0-17	66	2.5		1	2	3	3	3	3
18-34	24	2.4							
35-49	48	2.0	2	< 1	1	2	2	5	5
50-69	250	3.1	7	1	1	2	3	8	10
70 +	0								
SUBTOTAL	**387**	**2.8**	**5**	**1**	**1**	**2**	**3**	**7**	**8**
GRAND TOTAL	**898**	**4.4**	**15**	**1**	**2**	**3**	**6**	**10**	**12**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	30	7.3	16						
18-34	8	2.0							
35-49	0								
50-69	100	7.7	35	3	3	4	11	18	20
70 +	10	4.0							
SUBTOTAL	**148**	**7.1**	**29**	**3**	**3**	**4**	**10**	**17**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	16	1.5							
18-34	0								
35-49	18	2.7	4						
50-69	50	2.1							
70 +	8	4.0							
SUBTOTAL	**91**	**2.3**	**1**	**1**	**2**	**2**	**2**	**4**	**5**
GRAND TOTAL	**239**	**5.3**	**24**	**2**	**2**	**3**	**5**	**11**	**17**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	4.7	20						
18-34	6	5.0							
35-49	16	1.4							
50-69	38	4.3	17	1	1	1	9	11	11
70 +	47	8.6	81	1	1	5	18	22	22
SUBTOTAL	**137**	**5.5**	**42**	**1**	**1**	**2**	**7**	**18**	**22**
0-17	20	2.5							
18-34	10	4.0							
35-49	8	2.0							
50-69	12	3.5	7						
70 +	36	3.2	8						
SUBTOTAL	**86**	**3.1**	**5**	**1**	**2**	**3**	**4**	**6**	**9**
GRAND TOTAL	**223**	**4.6**	**29**	**1**	**1**	**3**	**5**	**12**	**18**

Total U.S., July 1989 - June 1990

DRG 118: Cardiac Pacemaker Device Replacement

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	439	4.7	29	1	1	3	6	11	14
70-74	748	4.4	15	1	2	3	5	10	11
75-79	632	4.0	15	1	1	3	5	11	12
80-84	902	5.2	23	1	2	3	7	15	15
85 +	1006	5.3	26	1	2	3	7	11	16
SUBTOTAL	**3726**	**4.8**	**22**	**1**	**2**	**3**	**6**	**11**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	473	2.3	10	< 1	1	1	3	5	5
70-74	465	2.1	2	1	1	2	3	4	5
75-79	695	2.2	8	1	1	2	2	3	6
80-84	501	2.1	3	1	1	2	2	3	7
85 +	736	2.0	5	1	1	1	2	3	5
SUBTOTAL	**2870**	**2.1**	**6**	**1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**6596**	**3.6**	**16**	**1**	**1**	**2**	**4**	**9**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	88	3.3	3	2	2	3	4	6	6
18-34	64	3.2	2	2	2	3	4	6	6
35-49	55	5.5	15	1	2	6	10	10	10
50-69	146	2.2	3	1	1	2	3	5	7
70 +	74	5.8	47	1	2	4	6	15	25
SUBTOTAL	**427**	**3.6**	**14**	**1**	**2**	**3**	**4**	**7**	**10**
0-17	157	2.9	3	1	2	3	3	6	7
18-34	84	1.9	1	< 1	< 1	2	2	4	5
35-49	44	1.7	1						
50-69	244	1.5	1	1	1	1	2	2	4
70 +	80	1.3		< 1	1	1	1	2	3
SUBTOTAL	**608**	**1.9**	**2**	**1**	**1**	**1**	**2**	**3**	**5**
	1035	**2.6**	**7**	**1**	**1**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	40	12.9	405						
18-34	28	3.2	13						
35-49	0								
50-69	19	17.9	79						
70 +	26	2.6	9						
SUBTOTAL	**113**	**9.0**	**196**	**1**	**1**	**4**	**9**	**30**	**54**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	38	2.0							
18-34	33	4.0	2						
35-49	6	8.0							
50-69	26	2.9	4						
70 +	0								
SUBTOTAL	**104**	**3.2**	**4**	**1**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**217**	**6.2**	**111**	**1**	**1**	**3**	**8**	**9**	**30**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	2.7							
18-34	29	1.5							
35-49	15	1.5							
50-69	36	4.4	34						
70 +	80	1.8	2	1	1	1	2	4	6
SUBTOTAL	**189**	**2.4**	**9**	**1**	**1**	**1**	**2**	**4**	**6**
0-17	12	7.5	7						
18-34	21	3.2	3						
35-49	31	1.6							
50-69	68	3.1	9	1	1	2	5	6	11
70 +	77	2.6	8	< 1	1	1	2	6	11
SUBTOTAL	**210**	**3.0**	**8**	**1**	**1**	**2**	**4**	**6**	**11**
	400	**2.7**	**8**	**1**	**1**	**2**	**3**	**6**	**10**

Total U.S., July 1989 - June 1990

DRG 119: Vein Ligation & Stripping

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	605	8.7	115	1	3	6	9	19	32
70-74	389	8.5	157	1	2	4	8	17	35
75-79	196	6.7	31	2	3	5	9	17	19
80-84	164	15.9	178	3	6	10	33	42	99 +
85 +	44	8.5	42	2	2	9	10	22	22
SUBTOTAL	**1398**	**9.2**	**126**	**1**	**3**	**5**	**11**	**21**	**42**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1178	2.8	7	1	1	2	3	5	8
70-74	360	5.8	88	1	1	3	6	8	34
75-79	367	4.1	17	1	1	2	5	11	13
80-84	83	3.8	8	1	1	3	6	8	9
85 +	57	11.4	107	2	3	6	21	28	28
SUBTOTAL	**2045**	**3.8**	**28**	**1**	**1**	**2**	**4**	**8**	**11**
GRAND TOTAL	**3443**	**6.0**	**75**	**1**	**2**	**3**	**7**	**16**	**22**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	38	8.1	27						
18-34	151	2.8	4	1	2	2	3	8	9
35-49	586	7.5	83	1	2	3	8	27	30
50-69	936	5.9	42	1	2	3	8	15	22
70 +	23	7.6	28						
SUBTOTAL	**1735**	**6.2**	**54**	**1**	**2**	**3**	**8**	**15**	**26**
0-17	125	1.7		1	1	2	2	2	3
18-34	3165	1.7	1	1	1	1	2	3	4
35-49	5539	1.9	3	1	1	1	2	3	4
50-69	3989	2.5	9	1	1	2	3	4	6
70 +	37	3.4	23						
SUBTOTAL	**12854**	**2.0**	**5**	**1**	**1**	**2**	**2**	**3**	**4**
GRAND TOTAL	**14589**	**2.5**	**12**	**1**	**1**	**2**	**2**	**4**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	23	4.6	6						
18-34	15	3.5	7						
35-49	51	5.5	9	2	2	8	3	8	8
50-69	86	14.2	145	2	7	15	16	44	99 +
70 +	0								
SUBTOTAL	**176**	**9.5**	**96**	**2**	**3**	**8**	**15**	**16**	**44**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	189	3.0	20	1	1	2	3	5	5
35-49	277	3.0	8	1	2	2	2	7	10
50-69	81	2.5	2	1	2	2	3	4	6
70 +	8	1.0							
SUBTOTAL	**555**	**2.9**	**11**	**1**	**2**	**2**	**2**	**6**	**10**
GRAND TOTAL	**730**	**4.5**	**39**	**1**	**2**	**2**	**6**	**10**	**16**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	32	6.2	24						
35-49	86	2.7	13	1	1	1	3	4	15
50-69	111	7.2	36	2	3	5	10	20	20
70 +	15	1.5							
SUBTOTAL	**245**	**5.1**	**29**	**1**	**1**	**3**	**8**	**13**	**20**
0-17	18	1.0							
18-34	577	2.1	5	1	1	1	2	3	9
35-49	968	2.4	10	1	1	1	2	3	10
50-69	722	2.4	8	1	1	1	2	4	7
70 +	15	1.0							
SUBTOTAL	**2300**	**2.3**	**8**	**1**	**1**	**1**	**2**	**4**	**9**
GRAND TOTAL	**2545**	**2.6**	**10**	**1**	**1**	**1**	**2**	**5**	**10**

Total U.S., July 1989 - June 1990

DRG 120: Other Circulatory System O.R. Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	10644	10.3	138	2	3	6	14	23	34
70-74	3648	13.9	193	2	4	10	18	31	40
75-79	3390	14.2	173	2	4	10	20	34	41
80-84	1902	15.6	199	3	5	11	22	40	47
85+	1626	15.9	171	3	7	13	20	42	47
SUBTOTAL	**21210**	**12.5**	**166**	**2**	**3**	**9**	**16**	**30**	**41**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	1154	9.0	116	1	2	6	12	20	29
70-74	582	9.4	63	1	3	8	14	18	22
75-79	268	11.1	59	2	5	9	16	23	25
80-84	492	13.5	144	1	4	10	16	34	34
85+	142	17.2	270	1	6	11	25	51	51
SUBTOTAL	**2639**	**10.6**	**117**	**1**	**3**	**8**	**14**	**23**	**34**
GRAND TOTAL	**23849**	**12.3**	**161**	**2**	**3**	**9**	**16**	**29**	**41**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	131	8.4	54	2	2	4	18	20	21
18-34	387	8.3	46	2	3	6	12	15	22
35-49	849	10.3	142	1	3	5	15	24	27
50-69	2474	12.6	100	3	5	10	18	26	34
70+	183	14.6	170	1	6	11	18	32	48
	4023	**11.6**	**103**	**2**	**4**	**9**	**16**	**24**	**31**
0-17	130	7.1	135	1	2	2	6	38	38
18-34	157	7.3	12	1	7	8	9	11	11
35-49	241	6.4	30	1	3	4	9	16	19
50-69	935	8.3	47	2	3	6	10	20	24
70+	83	4.4	25	<1	1	3	4	14	17
	1545	**7.6**	**48**	**1**	**3**	**6**	**10**	**16**	**23**
	5568	**10.5**	**95**	**2**	**4**	**8**	**15**	**24**	**29**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	34	23.6	545						
18-34	311	8.3	81	2	2	5	10	18	37
35-49	595	13.5	165	3	3	10	17	35	44
50-69	1143	14.5	192	2	5	10	22	35	38
70+	44	5.3	5	1	4	6	7	8	8
SUBTOTAL	**2126**	**13.2**	**177**	**2**	**4**	**9**	**18**	**33**	**41**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	18	4.4							
18-34	33	8.7	9						
35-49	85	8.6	51	1	2	6	14	17	24
50-69	185	10.1	86	3	3	7	10	30	33
70+	6	14.0							
SUBTOTAL	**326**	**9.3**	**65**	**3**	**4**	**7**	**12**	**20**	**31**
GRAND TOTAL	**2453**	**12.7**	**164**	**2**	**4**	**8**	**17**	**30**	**39**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	38	13.2	92						
18-34	150	13.4	160	2	4	10	24	34	34
35-49	275	13.4	139	2	4	7	22	32	32
50-69	591	13.6	130	2	5	9	19	27	42
70+	125	14.1	146	2	3	9	25	28	42
	1179	**13.6**	**136**	**2**	**4**	**9**	**22**	**30**	**36**
0-17	28	2.8	2						
18-34	53	9.9	37	1	6	7	13	22	22
35-49	106	9.5	136	2	3	4	9	32	41
50-69	109	8.5	50	1	3	7	14	21	24
70+	7	2.0							
	303	**8.4**	**77**	**1**	**3**	**4**	**13**	**22**	**24**
	1482	**12.5**	**128**	**2**	**4**	**9**	**19**	**28**	**34**

Total U.S., July 1989 - June 1990

DRG 121: Circulatory Disorders w/ AMI & C.V. Comp Disch Alive

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	21781	9.8	36	5	7	8	11	16	21
70-74	20395	10.4	36	5	7	9	12	17	20
75-79	24218	10.5	32	6	7	9	12	17	21
80-84	22300	10.8	39	5	7	9	13	18	23
85 +	18878	11.5	57	5	7	10	13	19	26
SUBTOTAL	**107573**	**10.6**	**40**	**5**	**7**	**9**	**12**	**17**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	673	7.5	6	5	6	7	9	11	12
70-74	471	7.0	9	2	5	7	9	12	13
75-79	477	7.9	10	5	7	7	9	11	16
80-84	481	8.2	9	5	6	8	10	13	13
85 +	172	7.7	4	5	7	7	8	11	12
SUBTOTAL	**2275**	**7.7**	**8**	**5**	**6**	**7**	**9**	**12**	**13**
GRAND TOTAL	**109847**	**10.5**	**39**	**5**	**7**	**9**	**12**	**17**	**22**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	7.0							
18-34	174	8.2	34	3	5	6	11	17	27
35-49	3690	8.2	31	4	6	8	10	12	14
50-69	15681	9.2	30	5	7	8	11	14	17
70 +	2428	9.8	35	5	7	8	11	17	21
SUBTOTAL	**21981**	**9.1**	**31**	**5**	**6**	**8**	**11**	**14**	**17**
0-17	0								
18-34	20	4.5	13						
35-49	189	6.4	11	1	4	7	9	11	11
50-69	776	7.4	8	4	6	8	9	10	12
70 +	76	2.6	7						
SUBTOTAL	**1061**	**6.8**	**10**	**1**	**5**	**7**	**9**	**10**	**12**
GRAND TOTAL	**23042**	**9.0**	**30**	**4**	**6**	**8**	**10**	**13**	**17**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	61	21.2	61						
35-49	466	9.4	15	4	7	10	12	15	17
50-69	2266	9.5	32	4	7	9	10	15	20
70 +	588	10.5	58	4	7	10	12	14	22
SUBTOTAL	**3382**	**9.9**	**37**	**4**	**7**	**9**	**11**	**16**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	24	4.3	3						
50-69	43	10.8	25						
70 +	6	21.0							
SUBTOTAL	**73**	**9.5**	**36**	**2**	**4**	**9**	**15**	**15**	**21**
GRAND TOTAL	**3455**	**9.9**	**37**	**4**	**7**	**9**	**12**	**16**	**21**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	79	8.6	12						
35-49	1441	8.2	22	3	5	8	10	12	15
50-69	4062	9.1	21	4	6	8	11	15	17
70 +	1921	9.5	30	5	6	8	12	16	19
SUBTOTAL	**7504**	**9.0**	**23**	**4**	**6**	**8**	**11**	**15**	**18**
0-17	0								
18-34	0								
35-49	92	3.6	7	1	1	4	7	7	7
50-69	162	6.2	4	5	6	6	7	8	11
70 +	15	7.5	2						
SUBTOTAL	**270**	**5.4**	**6**	**1**	**5**	**6**	**7**	**7**	**9**
GRAND TOTAL	**7774**	**8.9**	**23**	**4**	**6**	**8**	**11**	**15**	**17**

Total U.S., July 1989 - June 1990

DRG 122: Circulatory Disorders w/ AMI w/o C.V. Comp Disch Alive

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	12637	7.8	19	4	5	7	9	12	14
70-74	9042	8.1	22	3	6	8	10	13	15
75-79	7934	8.3	16	4	6	8	10	13	15
80-84	5830	9.0	49	4	6	8	10	14	18
85 +	3619	9.6	53	5	6	8	11	15	21
SUBTOTAL	39063	8.3	27	4	6	8	10	13	15
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	10360	7.1	9	3	5	7	9	11	12
70-74	7981	7.1	9	4	5	7	9	10	12
75-79	7248	7.5	9	4	6	7	9	11	13
80-84	4973	7.5	9	4	6	7	9	11	13
85 +	2984	7.8	15	4	6	7	9	12	14
SUBTOTAL	33547	7.3	9	4	5	7	9	11	12
GRAND TOTAL	72609	7.9	19	4	6	7	9	12	14

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	4.0							
18-34	214	7.1	10	2	6	7	9	12	12
35-49	3751	6.8	14	2	4	7	9	11	13
50-69	12138	7.4	11	4	5	7	9	11	12
70 +	703	8.2	11	4	6	8	10	13	14
	16813	7.3	12	3	5	7	9	11	13
0-17	14	3.5							
18-34	604	5.9	8	2	4	6	8	9	10
35-49	9677	6.4	7	3	5	7	8	9	11
50-69	21591	6.7	7	3	5	7	8	10	11
70 +	842	6.7	6	3	6	7	8	10	15
	32727	6.6	7	3	5	7	8	10	11
	49540	6.9	9	3	5	7	8	10	12

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	66	5.3	7	3	3	4	6	10	11
35-49	492	7.9	16	3	6	7	10	16	16
50-69	1996	7.6	24	3	5	7	9	13	17
70 +	222	8.3	4	6	7	9	9	11	12
SUBTOTAL	2776	7.7	21	3	5	7	9	13	16
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	48	5.1							
35-49	798	6.8	8	4	5	6	8	11	12
50-69	882	7.2	10	3	5	7	9	11	12
70 +	84	8.3	40	3	6	7	10	12	29
SUBTOTAL	1813	7.0	10	4	5	7	8	11	12
GRAND TOTAL	4588	7.4	17	4	5	7	9	12	15

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	106	6.6	12	1	5	7	7	12	14
35-49	1545	6.8	17	4	5	6	8	10	14
50-69	2994	7.1	12	3	5	7	9	11	13
70 +	581	8.5	25	4	6	8	10	12	18
	5226	7.1	15	3	5	7	8	11	14
0-17	0								
18-34	362	6.1	8	4	4	6	8	8	11
35-49	2665	6.3	10	2	4	6	8	9	10
50-69	5082	6.6	9	3	5	6	8	10	11
70 +	650	7.0	10	4	5	6	8	11	12
	8759	6.5	9	3	5	6	8	10	11
	13985	6.7	12	3	5	6	8	10	12

Total U.S., July 1989 - June 1990

DRG 124: Circulatory Disorders except AMI, w/ Card Cath & Complex Diag

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	26291	6.4	33	1	2	5	8	13	17
70-74	16777	6.5	29	1	2	6	9	13	17
75-79	10907	7.4	37	1	3	6	10	15	18
80-84	4591	7.8	52	2	3	6	10	16	23
85+	1143	8.6	35	2	4	8	11	15	20
SUBTOTAL	**59709**	**6.8**	**34**	**1**	**3**	**6**	**9**	**14**	**17**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	10511	3.9	8	1	2	3	6	8	9
70-74	6270	4.1	8	1	2	3	6	8	10
75-79	3576	4.3	9	1	2	4	6	8	10
80-84	1182	5.3	15	1	2	5	7	11	14
85+	298	5.0	6	2	4	5	7	9	9
SUBTOTAL	**21837**	**4.1**	**9**	**1**	**2**	**3**	**6**	**8**	**10**
GRAND TOTAL	**81546**	**6.0**	**29**	**1**	**2**	**5**	**8**	**12**	**16**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1255	5.7	98	1	2	2	6	13	17
18-34	739	6.8	37	1	2	7	8	11	17
35-49	6406	5.1	23	1	2	4	7	10	13
50-69	22341	5.3	23	1	2	4	7	11	14
70+	1302	6.1	22	1	2	5	9	13	14
	32043	**5.4**	**27**	**1**	**2**	**4**	**7**	**11**	**14**
0-17	99	3.8	20	<1	1	2	3	11	16
18-34	366	4.1	13	1	1	3	5	9	10
35-49	5114	3.7	10	1	2	3	5	7	9
50-69	15371	3.4	7	1	1	3	5	7	8
70+	456	4.3	15	1	2	3	5	8	12
	21406	**3.5**	**8**	**1**	**1**	**3**	**5**	**7**	**9**
	53450	**4.6**	**20**	**1**	**2**	**3**	**6**	**10**	**12**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	489	5.8	37	1	1	4	8	17	22
18-34	257	7.1	30	1	3	6	10	16	18
35-49	1206	8.6	72	2	4	7	9	18	28
50-69	2878	7.8	64	1	3	6	10	14	22
70+	208	15.7	168	5	6	10	22	41	48
SUBTOTAL	**5036**	**8.1**	**69**	**1**	**3**	**6**	**10**	**16**	**24**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	74	6.0	28	<1	1	5	9	18	18
18-34	54	6.6	65	1	3	3	8	28	28
35-49	706	4.6	16	1	2	4	6	11	12
50-69	1044	4.6	15	1	2	3	6	9	12
70+	34	5.1	3						
SUBTOTAL	**1911**	**4.7**	**17**	**1**	**2**	**4**	**6**	**9**	**12**
GRAND TOTAL	**6948**	**7.1**	**57**	**1**	**2**	**5**	**9**	**14**	**22**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	325	10.7	97	1	3	8	16	21	38
18-34	398	5.9	28	2	3	4	7	12	17
35-49	1742	5.4	17	1	2	5	7	11	15
50-69	4058	6.3	24	1	2	5	9	13	15
70+	661	6.3	50	1	2	4	7	12	18
	7184	**6.2**	**29**	**1**	**2**	**5**	**8**	**13**	**16**
0-17	55	4.9	15						
18-34	157	4.1	19	1	1	2	7	9	15
35-49	1221	4.1	9	1	2	4	5	8	11
50-69	2466	4.2	9	1	2	4	6	8	9
70+	251	4.4	17	1	1	3	7	8	14
	4150	**4.2**	**10**	**1**	**2**	**4**	**6**	**8**	**9**
	11334	**5.5**	**23**	**1**	**2**	**4**	**7**	**11**	**15**

Total U.S., July 1989 - June 1990

DRG 125: Circulatory Disorders except AMI, w/ Card Cath w/o Complex Diag

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	18334	3.5	13	1	1	2	5	8	10
70-74	10761	3.7	15	1	1	2	5	8	12
75-79	6153	3.9	15	1	1	2	5	9	12
80-84	1775	4.3	26	1	1	2	6	10	12
85 +	216	5.9	25	1	2	5	7	14	20
SUBTOTAL	**37237**	**3.7**	**15**	**1**	**1**	**2**	**5**	**8**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	19734	2.5	5	1	1	2	3	5	7
70-74	11755	2.6	6	1	1	2	3	6	8
75-79	5497	2.9	7	1	1	2	4	6	9
80-84	1683	3.3	7	1	1	2	5	7	9
85 +	264	3.9	11	1	1	2	7	8	12
SUBTOTAL	**38933**	**2.6**	**6**	**1**	**1**	**2**	**3**	**6**	**8**
GRAND TOTAL	**76170**	**3.1**	**10**	**1**	**1**	**2**	**4**	**7**	**9**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	4620	2.2	7	1	1	2	2	3	5
18-34	959	3.1	16	1	1	2	4	6	9
35-49	7889	3.1	9	1	1	2	4	7	8
50-69	23304	2.9	11	1	1	1	4	7	9
70 +	953	4.3	61	1	1	2	5	8	10
SUBTOTAL	**37725**	**2.9**	**11**	**1**	**1**	**2**	**4**	**7**	**8**
0-17	7948	1.5	2	< 1	1	1	2	2	3
18-34	2351	2.4	7	1	1	2	3	5	7
35-49	22348	2.4	4	1	1	2	3	6	7
50-69	48543	2.3	5	1	1	1	3	5	7
70 +	843	2.3	4	1	1	1	3	6	7
SUBTOTAL	**82032**	**2.3**	**4**	**1**	**1**	**1**	**3**	**5**	**7**
GRAND TOTAL	**119757**	**2.5**	**7**	**1**	**1**	**1**	**3**	**6**	**7**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	1962	2.3	31	1	1	1	2	4	5
18-34	208	3.9	25	1	1	2	3	14	17
35-49	985	3.9	20	1	1	3	5	8	13
50-69	2154	4.6	25	1	1	3	7	9	11
70 +	109	4.8	24	1	1	4	5	12	20
SUBTOTAL	**5418**	**3.6**	**27**	**1**	**1**	**2**	**4**	**8**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	3211	1.7	3	< 1	1	1	2	2	4
18-34	415	2.6	8	1	1	2	3	5	7
35-49	1872	3.1	11	1	1	2	4	6	8
50-69	2320	3.3	11	1	1	2	5	7	10
70 +	211	4.0	13	1	2	2	5	8	12
SUBTOTAL	**8029**	**2.6**	**9**	**1**	**1**	**2**	**3**	**6**	**8**
GRAND TOTAL	**13447**	**3.0**	**16**	**1**	**1**	**2**	**3**	**7**	**9**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1354	2.1	5	< 1	1	1	2	4	6
18-34	378	4.6	16	1	2	3	7	11	13
35-49	2129	3.6	15	1	1	2	5	9	10
50-69	3669	3.5	14	1	1	2	5	8	9
70 +	410	3.1	9	1	1	2	4	7	11
SUBTOTAL	**7940**	**3.4**	**13**	**1**	**1**	**2**	**5**	**8**	**9**
0-17	2001	1.9	8	< 1	1	1	2	2	4
18-34	662	3.0	9	1	1	2	4	7	7
35-49	5088	2.9	7	1	1	2	4	6	8
50-69	8363	2.7	8	1	1	1	4	6	8
70 +	504	2.7	7	< 1	1	1	3	6	7
SUBTOTAL	**16619**	**2.7**	**8**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**24560**	**2.9**	**9**	**1**	**1**	**2**	**4**	**7**	**9**

Total U.S., July 1989 - June 1990

DRG 126: Acute & Subacute Endocarditis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	907	26.1	352	7	14	21	32	45	63
70-74	512	25.3	163	11	13	26	32	43	46
75-79	489	20.6	147	4	12	18	33	36	39
80-84	373	28.3	171	10	15	32	41	43	45
85 +	425	25.1	255	9	12	20	38	45	51
SUBTOTAL	**2705**	**25.1**	**244**	**8**	**13**	**22**	**35**	**43**	**46**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	112	30.7	137	14	19	30	43	44	46
70-74	57	15.3	257	3	5	5	28	51	51
75-79	42	22.9	147						
80-84	24	25.3	54						
85 +	14	7.0							
SUBTOTAL	**250**	**24.0**	**203**	**5**	**9**	**28**	**31**	**44**	**46**
GRAND TOTAL	**2956**	**25.0**	**241**	**8**	**13**	**22**	**35**	**43**	**46**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	189	22.8	248	9	10	18	31	52	55
18-34	436	22.8	162	9	14	18	31	43	44
35-49	501	24.4	154	9	14	25	33	42	42
50-69	610	18.1	208	2	7	14	30	43	46
70 +	35	8.5	14						
	1772	**21.4**	**192**	**5**	**10**	**17**	**30**	**43**	**45**
0-17	38	17.4	269						
18-34	75	9.2	35	4	5	6	11	20	20
35-49	176	17.5	121	8	9	17	18	29	47
50-69	152	19.8	203	5	7	13	31	42	45
70 +	24	20.8	104						
	464	**17.0**	**157**	**5**	**7**	**14**	**24**	**41**	**45**
	2236	**20.5**	**188**	**5**	**9**	**16**	**30**	**43**	**45**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	55	19.2	93	12	13	14	31	38	38
18-34	480	25.5	261	6	10	26	33	47	57
35-49	458	24.4	158	7	14	26	30	44	45
50-69	173	33.8	486	11	17	23	59	68	68
70 +	0								
SUBTOTAL	**1166**	**26.0**	**258**	**8**	**14**	**23**	**33**	**46**	**68**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	36	15.9	283						
18-34	72	16.7	207	4	4	15	29	46	46
35-49	43	30.0							
50-69	0								
70 +	0								
SUBTOTAL	**151**	**20.4**	**201**	**2**	**5**	**29**	**30**	**42**	**45**
GRAND TOTAL	**1318**	**25.4**	**254**	**7**	**14**	**23**	**32**	**45**	**57**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	47	12.0	110						
18-34	488	19.7	253	3	5	16	29	43	48
35-49	492	24.4	190	6	11	27	31	46	49
50-69	194	22.8	157	7	14	23	29	43	51
70 +	45	15.8	149	5	6	11	17	40	40
	1267	**21.6**	**214**	**4**	**9**	**20**	**30**	**43**	**48**
0-17	26	25.7	356						
18-34	50	23.5	250	5	8	21	34	51	51
35-49	74	8.6	66	3	3	5	13	13	33
50-69	28	11.7	67						
70 +	6	14.0							
	184	**15.7**	**205**	**3**	**5**	**13**	**21**	**43**	**49**
	1451	**20.8**	**216**	**4**	**8**	**17**	**29**	**43**	**49**

Total U.S., July 1989 - June 1990

DRG 127: Heart Failure & Shock

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	92138	7.3	34	3	4	6	9	14	17
70-74	74439	7.6	38	3	4	6	9	14	18
75-79	85715	7.9	40	3	4	6	10	15	20
80-84	77986	8.1	41	3	4	6	10	15	20
85+	83960	8.7	49	3	4	7	11	16	21
SUBTOTAL	**414239**	**7.9**	**41**	**3**	**4**	**6**	**10**	**15**	**19**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	12126	5.0	10	2	3	4	7	9	10
70-74	11023	5.4	12	2	3	5	7	10	12
75-79	13269	5.6	15	2	3	5	7	9	12
80-84	13226	5.8	18	2	3	5	7	11	14
85+	15269	6.0	21	2	3	5	7	11	14
SUBTOTAL	**64914**	**5.6**	**16**	**2**	**3**	**5**	**7**	**10**	**13**
GRAND TOTAL	**479153**	**7.6**	**38**	**3**	**4**	**6**	**9**	**14**	**18**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	902	4.8	36	1	2	4	6	8	11
18-34	726	6.6	49	2	4	5	6	11	16
35-49	6018	6.4	29	2	3	5	8	11	16
50-69	36105	7.0	30	2	4	6	9	13	17
70+	6603	8.2	59	3	4	6	10	15	19
SUBTOTAL	**50355**	**7.1**	**34**	**2**	**4**	**5**	**9**	**13**	**17**
0-17	212	4.6	22	1	1	3	6	10	12
18-34	117	3.4	5	<1	1	4	4	9	9
35-49	1685	4.1	6	2	2	4	5	8	9
50-69	6900	4.6	10	2	3	4	6	8	10
70+	976	4.5	6	2	3	4	6	8	9
SUBTOTAL	**9890**	**4.5**	**9**	**2**	**2**	**4**	**6**	**8**	**10**
	60245	**6.6**	**31**	**2**	**3**	**5**	**8**	**12**	**16**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	845	6.8	41	2	3	5	8	16	21
18-34	1021	6.8	35	2	2	5	9	17	19
35-49	4587	6.0	19	2	3	5	8	11	14
50-69	13905	7.2	29	2	4	6	9	13	18
70+	3118	8.3	49	3	4	7	11	17	28
SUBTOTAL	**23475**	**7.1**	**31**	**2**	**4**	**6**	**9**	**14**	**18**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	111	3.2	9	1	1	3	3	4	12
18-34	235	3.9	7	1	2	4	4	8	9
35-49	893	4.7	7	2	3	4	6	9	9
50-69	2149	5.1	12	2	3	5	6	8	11
70+	729	4.5	6	2	3	4	6	10	99+
SUBTOTAL	**4116**	**4.8**	**10**	**2**	**3**	**4**	**6**	**8**	**11**
GRAND TOTAL	**27592**	**6.7**	**28**	**2**	**3**	**5**	**8**	**13**	**17**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	395	6.6	32	1	2	5	8	15	17
18-34	855	5.8	13	2	4	5	7	11	12
35-49	3881	6.4	35	2	3	5	7	11	17
50-69	12066	6.3	34	2	3	5	8	12	15
70+	5347	7.5	73	2	3	5	9	14	20
SUBTOTAL	**22544**	**6.6**	**43**	**2**	**3**	**5**	**8**	**12**	**17**
0-17	101	4.4	16	2	2	2	5	11	15
18-34	121	3.9	5	1	2	4	6	7	7
35-49	1003	6.0	52	1	3	4	6	9	16
50-69	3374	4.6	9	1	3	4	6	8	11
70+	1359	4.4	25	1	2	3	6	8	11
SUBTOTAL	**5958**	**4.8**	**20**	**1**	**2**	**4**	**6**	**8**	**11**
	28502	**6.2**	**39**	**2**	**3**	**5**	**7**	**11**	**15**

DRG 128: Deep Vein Thrombophlebitis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	3838	9.2	24	4	6	8	11	15	19
70-74	2747	9.3	27	4	6	8	11	15	20
75-79	2942	9.7	34	5	7	8	11	15	23
80-84	1740	9.7	44	5	6	8	11	16	18
85 +	1712	9.6	46	5	6	8	11	16	19
SUBTOTAL	**12979**	**9.5**	**33**	**5**	**6**	**8**	**11**	**15**	**19**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	3210	7.1	10	3	5	7	8	11	12
70-74	2493	7.3	11	4	5	7	9	11	13
75-79	1795	8.0	23	4	5	7	10	12	15
80-84	1096	7.3	12	4	5	7	9	10	14
85 +	1240	8.0	11	4	6	7	10	12	14
SUBTOTAL	**9834**	**7.4**	**13**	**4**	**5**	**7**	**9**	**11**	**14**
GRAND TOTAL	**22813**	**8.6**	**25**	**4**	**6**	**8**	**10**	**14**	**17**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	66	11.5	45	1	5	14	18	21	21
18-34	459	6.7	11	2	5	7	8	11	14
35-49	1415	7.9	14	4	5	7	10	13	15
50-69	3282	8.3	26	4	6	7	10	13	16
70 +	262	10.7	89	4	6	7	12	19	22
SUBTOTAL	**5484**	**8.2**	**25**	**4**	**5**	**7**	**10**	**13**	**16**
0-17	65	7.3	16	1	3	7	12	12	12
18-34	1451	6.7	8	4	5	6	8	11	12
35-49	3726	6.8	8	4	5	7	8	10	11
50-69	4893	6.9	8	4	5	7	8	11	12
70 +	117	7.9	6	5	7	8	9	10	14
SUBTOTAL	**10252**	**6.9**	**8**	**4**	**5**	**7**	**8**	**11**	**12**
GRAND TOTAL	**15736**	**7.4**	**15**	**4**	**5**	**7**	**9**	**11**	**13**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	8	6.0							
18-34	256	8.9	23	5	6	7	10	13	17
35-49	386	9.3	59	4	6	7	13	16	17
50-69	397	8.9	20	4	5	9	12	16	18
70 +	41	9.1	4						
SUBTOTAL	**1088**	**9.1**	**34**	**4**	**6**	**8**	**12**	**16**	**17**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	38	5.9	19						
18-34	263	6.9	6	3	5	8	9	9	11
35-49	432	6.1	12	2	3	5	8	11	11
50-69	367	5.2	6	2	3	6	6	9	10
70 +	31	13.0	1						
SUBTOTAL	**1132**	**6.2**	**10**	**2**	**4**	**6**	**8**	**11**	**12**
GRAND TOTAL	**2219**	**7.6**	**24**	**3**	**4**	**7**	**9**	**13**	**16**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	32	11.0	4						
18-34	232	7.5	17	1	5	7	10	13	14
35-49	386	7.5	15	3	4	7	10	14	15
50-69	629	9.4	37	5	6	8	12	15	21
70 +	163	7.9	21	3	4	7	10	16	17
SUBTOTAL	**1441**	**8.5**	**27**	**3**	**6**	**8**	**10**	**14**	**18**
0-17	44	11.1	7						
18-34	592	5.6	7	3	3	6	7	8	10
35-49	727	7.3	13	4	5	7	9	12	16
50-69	577	7.3	8	4	6	7	8	11	13
70 +	76	8.2	6	6	7	8	10	13	14
SUBTOTAL	**2017**	**6.9**	**11**	**3**	**5**	**7**	**8**	**12**	**14**
GRAND TOTAL	**3458**	**7.6**	**18**	**3**	**5**	**7**	**9**	**13**	**15**

Total U.S., July 1989 - June 1990

DRG 129: Cardiac Arrest, Unexplained

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	243	10.8	106	1	4	7	16	29	30
70-74	307	9.4	30	6	6	8	12	13	16
75-79	265	11.0	70	4	6	8	13	23	25
80-84	140	12.4	32	7	7	11	19	19	20
85 +	108	5.4	26	1	1	5	10	10	18
SUBTOTAL	**1063**	**10.1**	**61**	**3**	**6**	**8**	**12**	**19**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	17	5.0							
70-74	24	2.6	2						
75-79	35	4.4	5						
80-84	7	2.0							
85 +	57	4.3	2						
SUBTOTAL	**140**	**4.0**	**3**	**1**	**2**	**5**	**5**	**5**	**7**
GRAND TOTAL	**1203**	**9.4**	**58**	**2**	**5**	**7**	**12**	**19**	**25**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	20	14.4	23						
18-34	57	14.0	810						
35-49	15	10.4	2						
50-69	159	10.8	70	< 1	6	11	13	15	18
70 +	74	7.5	15						
	325	**10.8**	**185**	**1**	**4**	**9**	**13**	**17**	**20**
0-17	30	3.0	4						
18-34	0								
35-49	59	4.1	2						
50-69	45	2.4	2						
70 +	0								
	133	**3.3**	**3**	**< 1**	**2**	**4**	**4**	**7**	**7**
	458	**8.6**	**144**	**< 1**	**4**	**7**	**11**	**14**	**18**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	44	21.0	827	3	4	6	73	99 +	99 +
18-34	0								
35-49	0								
50-69	41	13.9	100						
70 +	0								
SUBTOTAL	**84**	**17.6**	**484**	**2**	**3**	**12**	**27**	**99 +**	**99 +**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	10	2.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**10**	**2.0**							
GRAND TOTAL	**94**	**15.9**	**456**	**2**	**3**	**6**	**27**	**73**	**99 +**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	37.0							
18-34	28	1.6							
35-49	56	7.2	5						
50-69	45	13.2	198						
70 +	7	4.0							
	146	**9.9**	**133**	**1**	**2**	**8**	**8**	**32**	**37**
0-17	0								
18-34	0								
35-49	0								
50-69	15	1.0							
70 +	0								
	15	**1.0**							
	160	**9.1**	**128**	**1**	**2**	**6**	**8**	**32**	**37**

Total U.S., July 1989 - June 1990

DRG 130: Peripheral Vascular Disorders w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	18010	7.5	33	2	4	7	9	14	18
70-74	12205	7.9	37	2	4	7	10	14	17
75-79	11994	8.1	47	2	4	7	10	14	19
80-84	9778	8.4	46	2	4	7	10	15	19
85 +	8326	9.4	65	3	5	8	11	17	23
SUBTOTAL	**60313**	**8.1**	**44**	**2**	**4**	**7**	**10**	**14**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**60313**	**8.1**	**44**	**2**	**4**	**7**	**10**	**14**	**19**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	229	14.1	477	3	4	7	10	43	88
18-34	1389	7.7	17	4	5	7	9	12	17
35-49	4820	8.3	26	3	5	8	10	14	18
50-69	11354	7.3	27	2	4	7	9	12	15
70 +	1050	6.7	18	1	4	6	8	12	16
	19343	**7.6**	**32**	**2**	**4**	**7**	**10**	**13**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	19343	**7.6**	**32**	**2**	**4**	**7**	**10**	**13**	**16**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	202	5.4	11	2	2	6	7	10	
18-34	968	8.3	27	3	5	7	9	16	20
35-49	1318	8.8	36	3	5	8	10	17	20
50-69	2081	8.0	77	1	3	6	10	2	51
70 +	154	8.4	37	2	4	7	14	15	16
SUBTOTAL	**4724**	**8.2**	**52**	**2**	**4**	**7**	**10**	**17**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4724**	**8.2**	**52**	**2**	**4**	**7**	**10**	**17**	**23**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	66	5.9	35	< 1	1	2	14	15	15
18-34	908	7.9	33	3	5	7	10	15	19
35-49	1696	7.2	32	2	4	6	9	13	15
50-69	2948	7.8	30	2	4	7	10	15	19
70 +	622	6.3	14	2	4	6	9	15	99 +
	6241	**7.5**	**30**	**2**	**4**	**7**	**9**	**14**	**19**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	6241	**7.5**	**30**	**2**	**4**	**7**	**9**	**14**	**19**

DRG 131: Peripheral Vascular Disorders w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	8827	5.8	21	1	2	6	8	10	11
70-74	5770	5.9	21	1	3	6	8	10	12
75-79	5444	5.9	12	1	3	6	8	10	11
80-84	4184	6.7	33	1	3	6	8	12	16
85 +	2873	6.9	16	2	4	7	9	11	14
SUBTOTAL	**27098**	**6.1**	**21**	**1**	**3**	**6**	**8**	**10**	**13**
GRAND TOTAL	**27098**	**6.1**	**21**	**1**	**3**	**6**	**8**	**10**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	560	4.3	15	1	1	3	7	14	99 +
18-34	3579	5.9	11	2	4	6	8	10	12
35-49	7535	5.8	11	2	4	6	8	9	11
50-69	11995	5.3	12	1	2	5	7	10	11
70 +	552	5.0	14	1	2	5	7	8	13
SUBTOTAL	**24221**	**5.5**	**12**	**1**	**3**	**5**	**7**	**10**	**11**
GRAND TOTAL	**24221**	**5.5**	**12**	**1**	**3**	**5**	**7**	**10**	**11**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	164	4.7	8	2	2	5	6	8	1
18-34	1153	6.9	21	2	3	6	9	11	15
35-49	891	6.0	19	1	3	5	9	12	16
50-69	989	5.5	26	1	2	4	7	12	13
70 +	185	4.2	5	1	3	4	5	9	9
SUBTOTAL	**3383**	**6.0**	**21**	**1**	**2**	**5**	**9**	**11**	**14**
GRAND TOTAL	**3383**	**6.0**	**21**	**1**	**2**	**5**	**9**	**11**	**14**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	135	2.9	5	< 1	1	2	5	7	7
18-34	1540	5.9	11	2	3	6	8	9	12
35-49	2204	6.0	18	1	3	6	8	11	14
50-69	2595	5.3	14	1	2	5	7	10	11
70 +	614	7.9	101	1	1	4	8	30	33
SUBTOTAL	**7087**	**5.8**	**23**	**1**	**2**	**5**	**7**	**10**	**13**
GRAND TOTAL	**7087**	**5.8**	**23**	**1**	**2**	**5**	**7**	**10**	**13**

DRG 132: Atherosclerosis w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2621	4.9	30	1	2	4	6	9	11
70-74	1735	4.6	17	1	2	4	6	9	11
75-79	2005	5.4	15	2	3	4	7	12	14
80-84	1847	6.1	13	2	4	6	8	11	13
85 +	1350	5.9	16	2	3	4	7	13	15
SUBTOTAL	**9558**	**5.3**	**19**	**2**	**2**	**4**	**7**	**11**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0							—	
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**9558**	**5.3**	**19**	**2**	**2**	**4**	**7**	**11**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	48	5.5	26						
18-34	20	4.2	7						
35-49	583	3.8	6	1	2	4	5	7	8
50-69	2927	4.1	12	1	2	3	5	8	11
70 +	217	3.7	7	2	2	3	5	6	8
	3796	**4.0**	**11**	**1**	**2**	**3**	**5**	**8**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3796	**4.0**	**11**	**1**	**2**	**3**	**5**	**8**	**11**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	8	1.0							
18-34	45	7.2	23	2	4	4	10	16	16
35-49	242	4.3	5	1	2	4	6	7	8
50-69	950	4.5	10	2	2	3	6	9	10
70 +	75	7.4	44	2	3	5	10	10	26
SUBTOTAL	**1320**	**4.7**	**12**	**2**	**2**	**3**	**6**	**9**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1320**	**4.7**	**12**	**2**	**2**	**3**	**6**	**9**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	27	3.2	3						
35-49	244	2.9	5	1	1	2	4	6	7
50-69	733	4.0	13	1	2	3	5	7	9
70 +	348	13.7	328	3	4	8	11	60	60
	1352	**6.3**	**111**	**1**	**2**	**4**	**6**	**10**	**20**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1352	**6.3**	**111**	**1**	**2**	**4**	**6**	**10**	**20**

Total U.S., July 1989 - June 1990

DRG 133: Atherosclerosis w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1376	4.0	13	1	2	3	5	7	10
70-74	1102	4.1	16	1	2	3	5	7	9
75-79	1000	4.7	18	2	2	4	6	8	11
80-84	659	4.7	7	2	3	4	6	8	10
85 +	715	5.8	15	2	3	4	9	12	14
SUBTOTAL	**4852**	**4.5**	**14**	**1**	**2**	**3**	**6**	**9**	**11**
GRAND TOTAL	**4852**	**4.5**	**14**	**1**	**2**	**3**	**6**	**9**	**11**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	68	4.9	7	1	4	5	7	9	9
18-34	219	2.8	1	1	2	3	3	4	5
35-49	1451	2.9	5	1	1	2	4	6	7
50-69	3625	3.7	7	1	2	3	5	8	9
70 +	166	2.8	3	1	1	3	4	5	7
5528	**3.4**	**6**	**1**	**2**	**3**	**5**	**7**	**8**	
5528	**3.4**	**6**	**1**	**2**	**3**	**5**	**7**	**8**	

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	25	5.1	12						
18-34	43	3.3	4	1	2	3	4	7	7
35-49	272	4.1	12	1	1	3	6	8	13
50-69	443	3.9	11	1	2	3	5	7	9
70 +	26	3.2	4						
SUBTOTAL	**809**	**4.0**	**11**	**1**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**809**	**4.0**	**11**	**1**	**2**	**3**	**5**	**7**	**9**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	6	5.0							
18-34	97	3.8	4	1	2	3	6	6	6
35-49	441	4.0	9	< 1	1	2	7	9	9
50-69	1148	4.1	17	1	2	3	6	8	10
70 +	169	4.0	7	2	2	4	4	7	10
1861	**4.0**	**14**	**1**	**2**	**3**	**6**	**8**	**9**	
1861	**4.0**	**14**	**1**	**2**	**3**	**6**	**8**	**9**	

DRG 134: Hypertension

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	6167	5.1	13	2	3	4	6	9	14
70-74	3250	6.2	30	2	3	4	8	12	18
75-79	3175	5.1	13	2	3	4	7	11	12
80-84	2499	5.0	11	2	3	4	7	10	11
85 +	1253	5.8	25	2	3	4	7	12	14
SUBTOTAL	**16344**	**5.4**	**17**	**2**	**3**	**4**	**7**	**11**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	3601	3.7	9	1	2	3	4	7	9
70-74	2556	3.9	19	1	2	3	5	7	8
75-79	2367	4.0	9	1	2	3	5	8	11
80-84	1736	4.0	9	1	2	3	5	7	9
85 +	1225	5.7	26	1	3	4	7	11	16
SUBTOTAL	**11485**	**4.1**	**13**	**1**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**27829**	**4.8**	**16**	**2**	**2**	**4**	**6**	**9**	**12**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	178	2.6	4	1	1	2	4	6	7
18-34	884	4.3	13	1	2	3	5	8	11
35-49	3128	4.3	16	2	2	4	5	8	9
50-69	4978	5.0	15	2	3	4	6	10	12
70 +	252	6.6	15	2	3	6	10	11	13
	9420	**4.7**	**15**	**2**	**2**	**4**	**6**	**9**	**11**
0-17	390	2.7	3	1	1	2	3	5	7
18-34	1249	3.2	3	1	2	3	4	6	7
35-49	5366	3.3	5	1	2	3	4	6	8
50-69	7213	3.4	5	1	2	3	4	6	7
70 +	96	3.7	6	1	2	3	6	7	8
	14313	**3.3**	**5**	**1**	**2**	**3**	**4**	**6**	**7**
	23734	**3.9**	**9**	**1**	**2**	**3**	**5**	**7**	**9**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	156	5.6	18	1	2	5	7	14	15
18-34	338	4.5	5	2	3	4	6	7	7
35-49	963	4.0	7	1	2	4	5	7	10
50-69	1646	4.5	11	2	2	3	6	8	12
70 +	195	5.0	12	2	3	5	9	99 +	99 +
SUBTOTAL	**3298**	**4.5**	**10**	**2**	**2**	**4**	**6**	**8**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	173	4.2	12	2	2	2	7	12	12
18-34	270	3.0	3	1	2	2	4	6	7
35-49	1038	3.7	5	1	2	3	5	7	8
50-69	1138	3.9	9	1	2	4	5	6	9
70 +	145	5.3	21	< 1	1	4	12	12	12
SUBTOTAL	**2763**	**3.8**	**8**	**1**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**6061**	**4.2**	**9**	**1**	**2**	**3**	**5**	**8**	**11**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	95	5.6	10	2	4	5	7	9	13
18-34	347	3.2	7	1	1	2	4	6	10
35-49	1487	4.5	19	1	2	4	6	7	11
50-69	1837	5.0	21	1	2	3	6	11	17
70 +	274	4.2	17	1	1	3	5	10	13
	4041	**4.6**	**19**	**1**	**2**	**3**	**6**	**9**	**13**
0-17	190	3.7	4	1	2	3	4	7	7
18-34	700	3.6	5	1	2	3	6	7	8
35-49	2422	3.3	11	1	1	2	4	6	8
50-69	2421	3.6	15	1	1	3	4	7	10
70 +	229	4.6	40	1	2	3	5	10	14
	5963	**3.5**	**13**	**1**	**1**	**3**	**4**	**7**	**9**
	10003	**4.0**	**16**	**1**	**2**	**3**	**5**	**7**	**11**

Total U.S., July 1989 - June 1990

DRG 135: Cardiac Congenital & Valvular Disorders Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	935	5.2	10	2	3	4	8	10	11
70-74	911	7.3	133	2	3	5	7	11	15
75-79	752	7.5	93	2	4	5	7	10	26
80-84	1144	5.5	17	2	3	4	7	9	12
85 +	786	7.4	111	2	3	5	7	10	16
SUBTOTAL	4529	6.5	69	2	3	5	7	11	14
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	4529	6.5	69	2	3	5	7	11	14

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	265	2.6	7	1	1	2	3	3	7
35-49	522	4.2	12	1	2	3	5	10	10
50-69	943	5.2	28	1	2	4	6	11	13
70 +	131	4.7	23	1	3	3	4	8	20
	1861	4.5	21	1	2	3	5	10	12
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1861	4.5	21	1	2	3	5	10	12

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	220	10.4	123	1	3	6	15	32	34
35-49	201	11.3	167	2	4	7	8	40	44
50-69	233	6.1	39	2	2	4	7	11	18
70 +	12	4.5							
SUBTOTAL	667	9.0	110	2	2	6	8	26	36
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	667	9.0	110	2	2	6	8	26	36

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	340	7.1	66	1	3	4	9	15	22
35-49	302	9.2	107	2	2	4	13	30	32
50-69	362	5.4	19	1	2	5	6	10	14
70 +	99	5.5	27	2	3	3	4	16	16
	1103	7.0	61	1	2	4	9	16	22
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1103	7.0	61	1	2	4	9	16	22

Total U.S., July 1989 - June 1990

DRG 136: Cardiac Congenital & Valvular Disorders Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	444	3.2	10	1	2	2	4	7	8
70-74	219	4.6	10	1	1	4	7	10	11
75-79	181	5.7	89	1	2	2	5	7	36
80-84	188	7.1	187	1	1	4	5	16	62
85 +	231	4.3	5	2	3	4	5	8	9
SUBTOTAL	1263	4.6	48	1	2	3	5	8	11
GRAND TOTAL	1263	4.6	48	1	2	3	5	8	11

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	0								
18-34	866	2.4	3	1	1	2	3	4	5
35-49	1350	3.2	14	1	2	3	4	6	7
50-69	1219	3.1	3	1	2	3	4	5	6
70 +	68	3.5	1						
	3503	3.0	7	1	2	3	4	5	6
	3503	3.0	7	1	2	3	4	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	226	4.0	25	1	2	3	5	5	9
35-49	146	4.4	10	1	2	3	8	9	10
50-69	86	4.0	7	2	2	3	5	8	10
70 +	22	11.6	239						
SUBTOTAL	480	4.5	29	1	2	3	5	8	10
GRAND TOTAL	480	4.5	29	1	2	3	5	8	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	0								
18-34	525	2.3	3	1	1	2	3	4	6
35-49	395	3.0	7	1	1	2	4	6	6
50-69	257	3.8	18	1	1	3	6	6	6
70 +	29	5.7	36						
	1206	3.0	9	1	1	2	4	6	7
	1206	3.0	9	1	1	2	4	6	7

DRG 137: Cardiac Congenital & Valvular Disorders Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	8	1.0							
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	8	1.0							
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	16	4.0							
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	16	4.0							
GRAND TOTAL	23	3.0	2						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1570	4.9	57	1	1	3	5	11	16
18-34	0								
35-49	0								
50-69	0								
70+	0								
	1570	4.9	57	1	1	3	5	11	16
0-17	2111	4.2	37	<1	1	2	5	10	15
18-34	0								
35-49	0								
50-69	0								
70+	0								
	2111	4.2	37	<1	1	2	5	10	15
	3681	4.5	46	<1	1	2	5	11	16

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	1070	7.7	160	1	2	3	10	20	25
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	1070	7.7	160	1	2	3	10	20	25
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	1284	3.5	19	<1	1	2	4	8	12
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	1284	3.5	19	<1	1	2	4	8	12
GRAND TOTAL	2354	5.4	88	<1	1	3	6	13	20

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	681	5.0	41	1	2	3	6	10	14
18-34	0								
35-49	0								
50-69	0								
70+	0								
	681	5.0	41	1	2	3	6	10	14
0-17	688	2.5	6	<1	1	1	3	6	9
18-34	0								
35-49	0								
50-69	0								
70+	0								
	688	2.5	6	<1	1	1	3	6	9
	1369	3.8	25	<1	1	3	5	8	11

Total U.S., July 1989 - June 1990

DRG 138: Cardiac Arrhythmia & Conduction Disorders w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	37933	5.2	20	2	2	4	6	10	12
70-74	34705	5.5	25	2	3	4	7	10	14
75-79	36685	5.8	28	2	3	5	7	11	14
80-84	28404	6.1	25	2	3	5	8	12	15
85+	24525	6.8	38	2	3	5	8	13	17
SUBTOTAL	**162252**	**5.8**	**27**	**2**	**3**	**5**	**7**	**11**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**162252**	**5.8**	**27**	**2**	**3**	**5**	**7**	**11**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	915	4.0	37	1	1	2	4	7	10
18-34	2699	3.0	6	1	1	3	4	5	7
35-49	7366	3.3	8	1	2	3	4	6	8
50-69	24802	4.3	12	1	2	3	6	9	11
70+	2911	6.2	58	2	3	4	7	12	16
	38692	**4.2**	**15**	**1**	**2**	**3**	**5**	**8**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	38692	4.2	15	1	2	3	5	8	11

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	705	5.0	19	1	2	3	6	11	14
18-34	734	4.0	10	1	2	3	5	7	8
35-49	1261	4.7	18	1	2	3	6	11	12
50-69	4153	5.6	31	2	3	5	7	10	13
70+	793	6.2	15	2	4	5	8	13	14
SUBTOTAL	**7646**	**5.3**	**24**	**2**	**3**	**4**	**6**	**10**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**7646**	**5.3**	**24**	**2**	**3**	**4**	**6**	**10**	**13**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	286	4.2	14	1	1	3	6	10	11
18-34	832	3.6	19	1	1	2	4	8	11
35-49	2322	4.3	19	1	2	3	5	9	10
50-69	5953	4.9	53	1	2	3	6	9	15
70+	1751	5.1	16	1	2	4	7	10	14
	11144	**4.7**	**37**	**1**	**2**	**3**	**6**	**9**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	11144	4.7	37	1	2	3	6	9	13

DRG 139: Cardiac Arrhythmia & Conduction Disorders w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	17049	3.4	7	1	2	3	4	7	8
70-74	16343	3.6	8	1	2	3	4	7	9
75-79	15174	4.0	12	1	2	3	5	7	10
80-84	10469	4.2	10	1	2	4	5	7	9
85 +	8293	4.7	21	2	2	4	6	8	12
SUBTOTAL	**67328**	**3.9**	**11**	**1**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**67328**	**3.9**	**11**	**1**	**2**	**3**	**5**	**7**	**9**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	2624	2.7	5	1	1	2	3	5	7
18-34	5300	2.3	4	1	1	2	3	4	6
35-49	12831	2.4	3	1	1	2	3	4	6
50-69	26876	3.0	6	1	1	2	4	6	7
70 +	1482	3.7	11	1	2	3	5	7	8
SUBTOTAL	**49113**	**2.8**	**5**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**49113**	**2.8**	**5**	**1**	**1**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	954	3.2	8	1	2	2	4	6	9
18-34	902	3.2	19	1	1	2	4	6	8
35-49	1157	3.0	3	1	2	3	4	5	5
50-69	1475	3.4	7	1	2	3	4	6	7
70 +	541	3.6	9	2	2	3	4	6	8
SUBTOTAL	**5029**	**3.2**	**8**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**5029**	**3.2**	**8**	**1**	**2**	**3**	**4**	**6**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	785	3.5	8	1	2	2	4	9	9
18-34	2013	2.3	3	< 1	1	2	3	5	7
35-49	3186	2.3	3	1	1	2	3	5	5
50-69	5365	2.7	5	1	1	2	3	5	7
70 +	1431	3.2	7	1	1	3	4	7	8
SUBTOTAL	**12781**	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**12781**	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**7**

Total U.S., July 1989 - June 1990

DRG 140: Angina Pectoris

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	56805	4.7	16	2	3	4	6	8	10
70-74	40058	4.8	12	2	3	4	6	8	10
75-79	40353	5.1	15	2	3	4	6	9	11
80-84	35504	5.4	17	2	3	4	6	10	13
85 +	26312	5.5	22	2	3	4	7	10	13
SUBTOTAL	**199032**	**5.0**	**16**	**2**	**3**	**4**	**6**	**9**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	39852	3.5	4	1	2	3	4	6	7
70-74	28028	3.8	5	2	2	3	5	6	8
75-79	24598	3.8	5	2	2	3	5	6	8
80-84	20463	4.1	7	2	2	3	5	7	9
85 +	13522	4.1	8	2	2	3	5	7	9
SUBTOTAL	**126463**	**3.8**	**5**	**2**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**325494**	**4.5**	**12**	**2**	**3**	**4**	**6**	**8**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	641	2.9	2	2	2	2	4	6	6
35-49	7542	3.6	4	1	2	3	5	6	8
50-69	27766	4.1	7	2	2	3	5	7	9
70 +	2603	4.3	10	2	2	3	5	7	10
	38552	**4.0**	**7**	**2**	**2**	**3**	**5**	**7**	**9**
0-17	0								
18-34	1595	2.6	3	1	1	2	3	5	6
35-49	18855	2.8	3	1	2	2	4	5	6
50-69	44324	3.1	3	1	2	3	4	6	7
70 +	2480	3.0	3	1	2	3	4	5	7
	67254	**3.0**	**3**	**1**	**2**	**3**	**4**	**5**	**7**
	105806	**3.4**	**5**	**1**	**2**	**3**	**4**	**6**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	8	2.0							
18-34	271	3.1	3	1	2	3	4	5	7
35-49	2670	3.9	6	1	2	3	5	7	8
50-69	8594	4.6	10	2	3	4	6	7	10
70 +	945	4.9	10	2	3	4	5	9	15
SUBTOTAL	**12488**	**4.4**	**9**	**2**	**3**	**4**	**5**	**7**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	371	3.4	5	1	2	3	6	6	7
35-49	3474	3.2	5	1	2	3	4	6	8
50-69	6348	3.6	5	1	2	3	4	6	7
70 +	623	3.4	4	1	2	3	4	5	8
SUBTOTAL	**10817**	**3.5**	**5**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**23305**	**4.0**	**8**	**2**	**2**	**3**	**5**	**7**	**9**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	501	3.9	9	1	2	3	5	9	11
35-49	2146	3.5	7	1	2	3	4	6	8
50-69	6407	4.2	10	1	2	3	5	8	11
70 +	1968	4.3	10	2	2	4	6	7	8
	11022	**4.0**	**9**	**1**	**2**	**3**	**5**	**7**	**10**
0-17	16	10.0							
18-34	629	2.5	3	1	2	2	3	5	6
35-49	5743	3.0	4	1	2	3	4	6	7
50-69	10611	3.2	5	1	2	3	4	6	8
70 +	2012	3.1	4	1	2	3	4	6	7
	19011	**3.1**	**5**	**1**	**2**	**3**	**4**	**6**	**7**
	30033	**3.4**	**7**	**1**	**2**	**3**	**4**	**7**	**8**

DRG 141: Syncope & Collapse w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	12417	4.7	18	2	2	4	5	9	12
70-74	12427	5.1	20	2	2	4	6	10	13
75-79	14989	5.3	17	2	3	4	6	10	12
80-84	15811	5.8	26	2	3	4	7	11	14
85 +	14726	6.8	59	2	3	5	8	12	19
SUBTOTAL	**70370**	**5.6**	**29**	**2**	**3**	**4**	**7**	**10**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**70370**	**5.6**	**29**	**2**	**3**	**4**	**7**	**10**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	670	2.6	5	1	1	2	3	4	7
18-34	2056	2.8	4	1	2	2	3	5	7
35-49	3506	3.2	6	1	2	3	4	6	8
50-69	9785	3.9	13	1	2	3	5	7	10
70 +	1434	4.6	28	1	2	3	5	9	11
SUBTOTAL	**17451**	**3.6**	**11**	**1**	**2**	**3**	**4**	**7**	**9**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**17451**	**3.6**	**11**	**1**	**2**	**3**	**4**	**7**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	161	3.0	6	1	1	2	4	8	8
18-34	646	2.7	4	1	1	2	3	5	7
35-49	908	3.8	5	1	2	3	5	7	9
50-69	1583	5.0	19	2	3	4	6	10	13
70 +	430	5.9	14	2	3	5	8	11	15
SUBTOTAL	**3727**	**4.3**	**13**	**1**	**2**	**3**	**5**	**9**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3727**	**4.3**	**13**	**1**	**2**	**3**	**5**	**9**	**11**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	185	2.7	24	1	1	1	2	3	23
18-34	790	2.3	3	1	1	2	3	4	6
35-49	1189	4.0	11	1	2	3	5	8	13
50-69	2238	3.8	6	1	2	3	5	7	8
70 +	1025	5.6	67	1	2	4	6	12	13
SUBTOTAL	**5427**	**3.9**	**20**	**1**	**2**	**3**	**5**	**7**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**5427**	**3.9**	**20**	**1**	**2**	**3**	**5**	**7**	**10**

Total U.S., July 1989 - June 1990

DRG 142: Syncope & Collapse w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2 PATIENTS W/OUT CCs AGE GROUP									
0-69	7703	3.5	7	1	2	3	5	6	8
70-74	6625	3.6	7	1	2	3	5	7	8
75-79	8221	3.7	8	1	2	3	5	7	9
80-84	6826	4.0	9	1	2	3	5	7	8
85 +	7022	4.6	30	1	2	3	5	8	9
SUBTOTAL	36397	3.9	12	1	2	3	5	7	9
GRAND TOTAL	36397	3.9	12	1	2	3	5	7	9

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	2394	2.0	1	1	1	2	3	4	4
18-34	3829	2.7	4	1	1	2	3	5	6
35-49	6648	2.5	3	1	1	2	3	4	6
50-69	11975	2.7	10	1	1	2	3	5	6
70 +	1146	2.8	4	1	1	2	4	6	6
	25992	2.6	6	1	1	2	3	5	6
	25992	2.6	6	1	1	2	3	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	609	2.4	3	1	1	2	3	5	6
18-34	583	2.7	3	1	2	3	3	4	5
35-49	435	3.5	8	1	2	3	5	7	8
50-69	701	3.4	5	1	2	3	4	6	8
70 +	305	3.4	2	2	2	3	4	6	7
SUBTOTAL	2633	3.0	4	1	2	3	4	5	7
GRAND TOTAL	2633	3.0	4	1	2	3	4	5	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	559	2.0	1	1	1	2	2	3	4
18-34	1253	2.4	2	1	1	2	3	5	5
35-49	1832	2.4	3	1	1	2	3	4	5
50-69	2092	2.9	7	1	1	2	4	5	7
70 +	967	4.5	85	1	1	2	4	8	11
	6703	2.8	16	1	1	2	3	5	7
	6703	2.8	16	1	1	2	3	5	7

Total U.S., July 1989 - June 1990

DRG 143: Chest Pain

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	22647	3.6	7	1	2	3	5	7	8
70-74	12219	3.8	6	1	2	3	5	7	8
75-79	11065	3.9	8	2	2	3	5	7	8
80-84	6984	4.2	12	2	2	3	5	8	9
85 +	5176	4.9	28	2	2	4	6	9	14
SUBTOTAL	**58092**	**3.9**	**9**	**1**	**2**	**3**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	20670	2.8	5	1	1	2	3	5	6
70-74	11841	2.7	2	1	2	2	3	5	6
75-79	8953	3.0	3	1	2	3	4	5	6
80-84	5240	3.0	4	1	2	2	4	5	7
85 +	3378	3.2	4	1	2	3	4	6	7
SUBTOTAL	**50082**	**2.8**	**4**	**1**	**2**	**2**	**4**	**5**	**6**
GRAND TOTAL	**108174**	**3.4**	**7**	**1**	**2**	**3**	**4**	**6**	**8**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	229	2.7	6	< 1	1	2	2	7	8
18-34	2638	2.5	3	1	1	2	3	4	5
35-49	13515	2.8	3	1	2	2	3	5	6
50-69	20295	3.0	4	1	2	3	4	5	6
70 +	966	2.7	3	1	2	2	3	4	7
	37643	**2.9**	**4**	**1**	**2**	**2**	**3**	**5**	**6**
0-17	553	2.1	2	1	1	2	2	4	5
18-34	9824	2.1	2	1	1	2	3	4	4
35-49	48963	2.2	2	1	1	2	3	4	5
50-69	50480	2.4	2	1	1	2	3	4	5
70 +	1128	2.1	1	1	1	2	3	3	4
	110947	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
	148590	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	71	2.5	2	1	1	2	4	5	5
18-34	947	2.7	4	1	1	2	3	5	7
35-49	3048	3.6	6	1	2	3	5	7	8
50-69	4802	3.9	12	1	2	3	5	7	9
70 +	257	4.1	13	2	2	3	6	7	13
SUBTOTAL	**9125**	**3.7**	**9**	**1**	**2**	**3**	**5**	**7**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	161	2.2	4	1	1	2	3	4	9
18-34	1400	2.4	2	1	1	2	3	4	5
35-49	4096	2.6	3	1	1	2	3	5	6
50-69	3794	2.8	3	1	2	2	3	5	6
70 +	272	3.3	2	1	2	4	4	5	5
SUBTOTAL	**9723**	**2.7**	**3**	**1**	**2**	**2**	**3**	**5**	**6**
GRAND TOTAL	**18848**	**3.2**	**6**	**1**	**2**	**3**	**4**	**6**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	23	2.7							
18-34	1712	2.1	2	1	1	2	2	4	5
35-49	4561	2.5	3	1	1	2	3	4	5
50-69	6318	3.1	6	1	2	2	4	5	8
70 +	775	3.7	18	1	2	3	4	7	10
	13389	**2.8**	**5**	**1**	**1**	**2**	**3**	**5**	**7**
0-17	63	2.0	4	< 1	< 1	1	2	4	8
18-34	3385	2.2	2	1	1	2	3	4	6
35-49	14614	2.2	2	1	1	2	3	4	5
50-69	11975	2.4	5	1	1	2	3	4	5
70 +	1208	2.4	2	1	1	2	3	4	6
	31246	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
	44635	2.4	4	1	1	2	3	4	6

DRG 144: Other Circulatory System Diagnoses w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	18007	7.0	47	2	3	5	9	14	19
70-74	9398	8.1	58	2	3	6	10	16	22
75-79	8459	7.6	50	2	4	6	9	14	20
80-84	5578	7.1	35	2	3	5	9	15	19
85+	3809	7.6	40	3	4	6	9	15	20
SUBTOTAL	45251	7.4	48	2	3	5	9	15	20
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
GRAND TOTAL	45251	7.4	48	2	3	5	9	15	20

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	2250	6.8	43	1	3	5	10	14	17
18-34	2215	5.4	24	1	2	4	7	12	16
35-49	4651	6.5	41	1	2	5	8	14	20
50-69	9864	6.7	33	2	3	5	8	14	19
70+	885	6.3	23	2	3	5	8	13	15
	19863	6.5	35	2	3	5	8	14	18
0-17	0								
18-34	0	–							
35-49	0								
50-69	0								
70+	0								
	0								
	19863	6.5	35	2	3	5	8	14	18

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	1889	8.7	73	2	4	6	11	17	25
18-34	1052	7.5	61	2	3	5	9	15	24
35-49	1484	6.0	18	2	3	5	8	14	15
50-69	2232	6.8	40	2	3	5	7	15	19
70+	168	5.1	22	2	2	3	7	9	16
SUBTOTAL	6824	7.2	48	2	3	5	8	15	20
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
GRAND TOTAL	6824	7.2	48	2	3	5	8	15	20

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	739	8.2	53	2	3	6	11	19	21
18-34	1172	4.9	25	1	2	3	6	10	13
35-49	1664	5.9	21	2	3	5	8	12	14
50-69	2653	6.0	24	1	2	5	8	11	15
70+	615	6.4	32	2	3	5	7	16	22
	6843	6.1	28	1	2	5	8	12	16
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	6843	6.1	28	1	2	5	8	12	16

Total U.S., July 1989 - June 1990

DRG 145: Other Circulatory System Diagnoses w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	2600	3.9	10	1	2	3	5	8	10
70-74	1344	3.9	8	1	2	3	5	8	9
75-79	1188	3.6	11	1	2	3	4	6	8
80-84	740	4.5	8	2	2	4	6	9	10
85 +	488	4.3	7	1	2	3	6	8	10
SUBTOTAL	**6360**	**3.9**	**9**	**1**	**2**	**3**	**5**	**8**	**9**
GRAND TOTAL	**6360**	**3.9**	**9**	**1**	**2**	**3**	**5**	**8**	**9**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	2025	3.8	19	1	1	2	4	9	14
18-34	2187	2.9	3	1	2	3	4	5	6
35-49	3958	3.2	5	1	2	3	4	6	7
50-69	4683	3.5	7	1	2	3	4	7	9
70 +	286	2.9	9	1	1	2	4	5	14
	13139	**3.4**	**8**	**1**	**2**	**3**	**4**	**7**	**8**
	13139	**3.4**	**8**	**1**	**2**	**3**	**4**	**7**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	791	4.7	13	1	2	4	6	9	13
18-34	366	4.3	10	1	2	4	6	8	10
35-49	297	3.9	11	1	2	3	5	8	10
50-69	400	3.9	7	1	2	3	6	8	11
70 +	74	5.0	12						
SUBTOTAL	**1928**	**4.4**	**11**	**1**	**2**	**4**	**6**	**8**	**11**
GRAND TOTAL	**1928**	**4.4**	**11**	**1**	**2**	**4**	**6**	**8**	**11**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	495	3.4	9	< 1	1	2	5	7	9
18-34	1106	3.1	6	1	1	3	4	6	9
35-49	952	3.5	10	1	1	3	4	7	10
50-69	1094	3.5	11	1	2	3	4	6	7
70 +	109	5.4	15	2	3	4	7	10	17
	3757	**3.4**	**9**	**1**	**2**	**3**	**4**	**7**	**9**
	3757	**3.4**	**9**	**1**	**2**	**3**	**4**	**7**	**9**

DRG 146: Rectal Resection w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1886	12.6	42	8	9	11	14	20	21
70-74	1982	12.4	36	8	9	11	14	19	22
75-79	1391	13.5	41	8	9	12	16	21	26
80-84	981	16.3	68	8	10	14	20	28	30
85+	475	15.3	49	8	10	13	20	25	29
SUBTOTAL	**6715**	**13.4**	**46**	**8**	**9**	**12**	**16**	**22**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**6715**	**13.4**	**46**	**8**	**9**	**12**	**16**	**22**	**26**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	206	14.3	76	6	7	9	22	26	26
18-34	103	12.9	64	5	8	9	21	24	30
35-49	556	11.8	30	8	8	10	13	18	29
50-69	2257	11.5	34	7	9	10	13	16	19
70+	91	12.8	28	9	9	11	13	19	27
	3212	**11.8**	**37**	**7**	**8**	**10**	**13**	**18**	**23**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	3212	**11.8**	**37**	**7**	**8**	**10**	**13**	**18**	**23**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	131	10.1	24	5	7	9	9	21	21
18-34	31	9.5	2						
35-49	92	10.1	8	7	9	9	9	15	15
50-69	154	16.4	29	10	13	15	20	29	29
70+	83	25.4	412						
SUBTOTAL	**490**	**14.6**	**118**	**8**	**9**	**12**	**16**	**21**	**32**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**490**	**14.6**	**118**	**8**	**9**	**12**	**16**	**21**	**32**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	37	12.5	42						
18-34	6	19.0							
35-49	178	10.4	21	7	9	9	10	12	28
50-69	408	12.5	25	8	9	11	14	22	22
70+	204	13.6	47	7	9	11	17	23	31
	833	**12.4**	**31**	**8**	**9**	**10**	**14**	**22**	**23**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	833	**12.4**	**31**	**8**	**9**	**10**	**14**	**22**	**23**

Total U.S., July 1989 - June 1990

DRG 147: Rectal Resection w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	512	8.7	10	6	7	9	10	12	14
70-74	478	10.3	41	2	7	10	12	19	27
75-79	461	11.5	19	7	8	11	15	18	18
80-84	245	10.9	35	3	8	9	15	18	21
85+	135	9.8	36	2	5	7	14	19	20
SUBTOTAL	**1831**	**10.2**	**27**	**3**	**8**	**10**	**12**	**18**	**19**
GRAND TOTAL	**1831**	**10.2**	**27**	**3**	**8**	**10**	**12**	**18**	**19**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
0-17	1100	7.8	7	5	6	7	9	11	14
18-34	70	7.3	3	5	6	6	9	9	10
35-49	554	7.7	8	3	6	8	10	10	11
50-69	1338	9.9	8	7	8	9	11	14	16
70+	66	9.0	14	2	7	9	10	14	14
SUBTOTAL	**3127**	**8.7**	**9**	**5**	**7**	**9**	**10**	**12**	**14**
GRAND TOTAL	**3127**	**8.7**	**9**	**5**	**7**	**9**	**10**	**12**	**14**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	388	7.9	7	5	6	8	9	11	14
18-34	12	6.0	4						
35-49	0								
50-69	44	11.6	22	7	7	10	15	21	21
70+	10	14.0							
SUBTOTAL	**454**	**8.4**	**10**	**5**	**6**	**8**	**10**	**14**	**15**
GRAND TOTAL	**454**	**8.4**	**10**	**5**	**6**	**8**	**10**	**14**	**15**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
0-17	283	6.6	4	3	5	7	8	9	9
18-34	37	6.8	2						
35-49	97	8.3	18	5	7	8	8	11	23
50-69	208	8.5	5	6	7	8	10	12	12
70+	23	9.5	4						
SUBTOTAL	**648**	**7.6**	**7**	**5**	**6**	**7**	**9**	**10**	**12**
GRAND TOTAL	**648**	**7.6**	**7**	**5**	**6**	**7**	**9**	**10**	**12**

Total U.S., July 1989 - June 1990

DRG 148: Major Small & Large Bowel Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	29789	15.0	107	7	9	12	17	27	35
70-74	28450	15.0	94	8	9	12	17	26	34
75-79	25554	15.7	103	8	9	13	19	28	35
80-84	19148	16.9	116	8	10	14	20	31	37
85 +	14469	18.5	150	9	11	15	23	32	41
SUBTOTAL	**117411**	**15.9**	**111**	**8**	**9**	**13**	**19**	**28**	**36**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**117411**	**15.9**	**111**	**8**	**9**	**13**	**19**	**28**	**36**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	2916	12.0	111	5	6	8	14	26	46
18-34	5268	13.7	95	6	8	10	16	27	34
35-49	12781	12.8	70	7	8	10	15	22	29
50-69	31925	13.6	78	7	8	11	16	23	32
70 +	2374	13.9	63	7	9	11	17	24	33
SUBTOTAL	**55264**	**13.3**	**79**	**7**	**8**	**11**	**16**	**24**	**31**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**55264**	**13.3**	**79**	**7**	**8**	**11**	**16**	**24**	**31**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	1608	14.7	210	5	7	10	20	50	99 +
18-34	1519	15.8	175	7	8	11	18	28	56
35-49	1482	15.1	99	7	9	12	19	27	34
50-69	2486	18.2	168	8	10	14	21	37	53
70 +	425	17.8	111	9	10	14	22	30	34
SUBTOTAL	**7520**	**16.3**	**164**	**7**	**9**	**12**	**20**	**34**	**54**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**7520**	**16.3**	**164**	**7**	**9**	**12**	**20**	**34**	**54**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1255	14.0	147	5	6	10	17	32	41
18-34	3340	14.8	75	5	7	9	14	24	29
35-49	3446	12.9	83	6	8	10	16	23	29
50-69	7209	13.5	76	7	8	11	16	23	29
70 +	1624	14.0	80	7	8	11	16	26	37
SUBTOTAL	**16874**	**13.1**	**83**	**6**	**8**	**10**	**16**	**24**	**31**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**16874**	**13.1**	**83**	**6**	**8**	**10**	**16**	**24**	**31**

Total U.S., July 1989 - June 1990

DRG 149: Major Small & Large Bowel Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	5866	9.3	19	6	7	8	10	13	16
70-74	4967	9.4	16	6	7	9	10	14	15
75-79	4008	10.1	35	7	8	9	11	14	16
80-84	2485	10.3	13	7	8	10	12	14	16
85 +	1700	11.9	66	7	8	10	13	18	20
SUBTOTAL	**19024**	**9.8**	**25**	**6**	**8**	**9**	**11**	**14**	**17**
GRAND TOTAL	**19024**	**9.8**	**25**	**6**	**8**	**9**	**11**	**14**	**17**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	4422	6.7	28	3	4	6	8	11	13
18-34	4689	7.9	30	2	5	7	9	14	18
35-49	7268	8.3	15	5	6	8	10	12	14
50-69	13708	8.8	11	6	7	8	10	12	14
70 +	523	8.7	16	5	7	8	10	11	13
	30609	**8.2**	**18**	**4**	**6**	**8**	**10**	**12**	**15**
	30609	**8.2**	**18**	**4**	**6**	**8**	**10**	**12**	**15**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1776	7.3	39	3	4	6	8	13	18
18-34	1023	7.3	40	2	4	7	9	11	13
35-49	726	8.9	21	5	7	8	10	14	17
50-69	615	11.2	42	6	8	9	12	19	31
70 +	30	16.1	21						
SUBTOTAL	**4171**	**8.2**	**39**	**3**	**5**	**7**	**10**	**14**	**18**
GRAND TOTAL	**4171**	**8.2**	**39**	**3**	**5**	**7**	**10**	**14**	**18**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	1377	6.7	20	3	4	6	8	11	13
18-34	2318	7.9	23	4	5	7	9	13	17
35-49	1920	9.2	29	5	6	8	11	15	18
50-69	2090	9.7	24	6	7	9	10	14	17
70 +	316	9.6	23	5	6	8	11	17	22
	8021	**8.5**	**25**	**4**	**6**	**8**	**10**	**14**	**17**
	8021	**8.5**	**25**	**4**	**6**	**8**	**10**	**14**	**17**

Total U.S., July 1989 - June 1990

DRG 150: Peritoneal Adhesiolysis w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	5660	13.6	93	6	8	11	17	25	32
70-74	3924	12.5	59	6	8	10	15	22	27
75-79	3589	14.4	80	6	9	12	18	26	32
80-84	2832	14.5	89	7	9	12	18	24	34
85+	2418	16.4	106	7	10	14	19	27	38
SUBTOTAL	**18422**	**14.0**	**86**	**6**	**8**	**12**	**17**	**25**	**32**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**18422**	**14.0**	**86**	**6**	**8**	**12**	**17**	**25**	**32**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1040	11.8	69	4	6	9	14	24	29
18-34	1608	9.4	54	4	5	7	12	17	24
35-49	3442	10.8	63	5	6	9	13	18	23
50-69	4593	12.1	58	5	8	10	15	21	26
70+	250	12.3	34	6	9	10	15	21	24
	10934	**11.3**	**61**	**4**	**6**	**9**	**14**	**20**	**25**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	10934	**11.3**	**61**	**4**	**6**	**9**	**14**	**20**	**25**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	425	15.5	97	6	8	13	22	33	35
18-34	700	9.8	47	4	5	8	11	20	25
35-49	533	10.7	84	2	6	9	12	17	33
50-69	752	11.8	61	5	7	10	13	21	28
70+	36	11.6	6						
SUBTOTAL	**2446**	**11.6**	**71**	**4**	**6**	**9**	**14**	**23**	**32**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2446**	**11.6**	**71**	**4**	**6**	**9**	**14**	**23**	**32**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	294	12.1	103	5	7	10	12	22	37
18-34	621	12.7	81	6	8	10	14	23	35
35-49	822	10.7	33	5	6	10	14	19	21
50-69	1069	12.0	41	5	8	10	14	22	26
70+	197	13.9	34	8	11	15	15	21	29
	3003	**11.9**	**54**	**5**	**7**	**10**	**15**	**21**	**25**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	3003	**11.9**	**54**	**5**	**7**	**10**	**15**	**21**	**25**

DRG 151: Peritoneal Adhesiolysis w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2027	7.6	18	3	5	7	9	12	15
70-74	1121	8.1	17	3	5	8	9	14	17
75-79	854	9.0	13	5	7	9	11	13	15
80-84	527	9.4	27	5	7	8	11	16	18
85 +	319	11.1	27	4	9	11	14	21	21
SUBTOTAL	**4848**	**8.4**	**19**	**4**	**6**	**8**	**10**	**14**	**16**
GRAND TOTAL	**4848**	**8.4**	**19**	**4**	**6**	**8**	**10**	**14**	**16**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	1217	7.1	33	3	4	6	8	11	13
18-34	3734	5.6	14	2	3	5	7	10	14
35-49	5313	6.3	18	2	4	5	8	11	15
50-69	4977	7.1	15	3	4	7	9	11	14
70 +	92	7.8	14	1	6	8	9	14	14
15333	**6.4**	**18**	**2**	**4**	**6**	**8**	**11**	**14**	
15333	**6.4**	**18**	**2**	**4**	**6**	**8**	**11**	**14**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	338	9.0	34	4	5	7	12	17	23
18-34	897	5.8	17	2	3	5	7	10	15
35-49	619	6.4	10	3	4	5	9	11	13
50-69	349	6.3	10	2	4	6	9	11	11
70 +	54	9.4	12						
SUBTOTAL	**2257**	**6.6**	**18**	**2**	**4**	**6**	**9**	**12**	**15**
GRAND TOTAL	**2257**	**6.6**	**18**	**2**	**4**	**6**	**9**	**12**	**15**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	354	7.4	18	4	5	7	10	11	18
18-34	1230	6.2	17	3	3	5	8	11	14
35-49	939	8.7	73	2	5	7	9	15	22
50-69	953	8.6	17	4	6	8	11	14	17
70 +	83	9.8	32	7	7	8	11	13	25
3559	**7.7**	**33**	**3**	**4**	**7**	**10**	**13**	**17**	
3559	**7.7**	**33**	**3**	**4**	**7**	**10**	**13**	**17**	

Total U.S., July 1989 - June 1990

DRG 152: Minor Small & Large Bowel Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1201	9.3	34	4	6	8	12	15	23
70-74	1273	9.9	51	3	6	8	11	19	30
75-79	1105	10.8	47	4	7	9	13	21	23
80-84	652	10.1	65	4	5	7	14	21	25
85 +	637	13.8	109	4	7	12	16	24	36
SUBTOTAL	**4868**	**10.5**	**57**	**4**	**6**	**8**	**13**	**20**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4868**	**10.5**	**57**	**4**	**6**	**8**	**13**	**20**	**25**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	391	9.0	31	5	6	7	11	16	25
18-34	426	8.3	29	4	6	7	9	13	13
35-49	495	8.6	58	2	4	7	11	17	21
50-69	1261	9.3	59	3	6	8	10	15	17
70 +	127	7.1	10	4	4	8	9	10	15
	2700	**8.9**	**48**	**3**	**6**	**8**	**10**	**15**	**19**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2700	**8.9**	**48**	**3**	**6**	**8**	**10**	**15**	**19**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	202	13.8	205	2	6	7	15	36	55
18-34	127	9.4	45	2	5	8	15	99 +	99 +
35-49	121	10.0	22	4	7	9	13	18	20
50-69	60	23.4	372	9	10	14	28	68	68
70 +	34	8.8	1						
SUBTOTAL	**544**	**12.7**	**150**	**4**	**6**	**9**	**15**	**29**	**55**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**544**	**12.7**	**150**	**4**	**6**	**9**	**15**	**29**	**55**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	83	6.7	9	3	4	7	8	9	14
18-34	171	6.7	23	2	4	6	7	13	13
35-49	343	12.3	123	3	6	10	15	20	27
50-69	311	8.2	9	4	7	8	10	11	14
70 +	24	8.8	41						
	932	**9.3**	**60**	**3**	**5**	**8**	**11**	**15**	**20**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	932	**9.3**	**60**	**3**	**5**	**8**	**11**	**15**	**20**

Total U.S., July 1989 - June 1990

DRG 153: Minor Small & Large Bowel Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	743	6.7	12	2	5	7	8	10	12
70-74	635	7.9	12	4	6	8	9	12	14
75-79	352	7.1	7	3	6	7	9	10	11
80-84	289	6.5	7	2	4	7	8	10	10
85 +	188	8.1	11	3	6	9	11	11	11
SUBTOTAL	**2206**	**7.2**	**11**	**3**	**5**	**7**	**9**	**11**	**12**
GRAND TOTAL	**2206**	**7.2**	**11**	**3**	**5**	**7**	**9**	**11**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1606	6.1	9	2	4	6	7	9	11
18-34	1076	5.9	7	2	4	6	7	9	10
35-49	1326	5.9	8	2	4	6	8	10	10
50-69	1822	7.0	11	3	5	7	9	10	12
70 +	22	8.0	1						
	5852	**6.3**	**9**	**2**	**5**	**6**	**8**	**10**	**11**
	5852	**6.3**	**9**	**2**	**5**	**6**	**8**	**10**	**11**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	648	6.7	14	3	5	6	8	10	11
18-34	328	7.4	7	5	6	7	9	10	11
35-49	241	5.0	10	1	3	5	7	8	10
50-69	128	11.1	184	6	7	8	9	14	17
70 +	0								
SUBTOTAL	**1345**	**7.0**	**30**	**3**	**5**	**7**	**8**	**10**	**12**
GRAND TOTAL	**1345**	**7.0**	**30**	**3**	**5**	**7**	**8**	**10**	**12**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	331	6.5	34	3	5	6	7	9	9
18-34	748	7.1	39	4	5	6	8	10	12
35-49	401	6.4	13	2	3	6	8	11	13
50-69	338	6.1	6	3	4	6	7	9	11
70 +	36	7.9	6						
	1855	**6.7**	**26**	**3**	**4**	**6**	**8**	**10**	**12**
	1855	**6.7**	**26**	**3**	**4**	**6**	**8**	**10**	**12**

DRG 154: Stomach, Esophageal & Duodenal Procedures Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	10909	15.7	150	6	8	12	19	32	45
70-74	8270	17.0	163	6	9	13	20	34	44
75-79	7953	16.6	136	6	9	14	21	31	44
80-84	5014	17.6	180	6	9	13	22	36	49
85+	3806	19.1	215	7	10	14	24	38	45
SUBTOTAL	**35953**	**16.8**	**162**	**6**	**9**	**13**	**21**	**34**	**45**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**35953**	**16.8**	**162**	**6**	**9**	**13**	**21**	**34**	**45**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1774	10.1	42	4	6	8	11	21	23
35-49	5715	13.0	114	5	7	9	15	25	36
50-69	11204	13.8	112	5	7	11	16	25	35
70+	773	13.5	120	4	7	10	16	26	36
	19465	**13.2**	**108**	**5**	**7**	**10**	**15**	**25**	**34**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	19465	**13.2**	**108**	**5**	**7**	**10**	**15**	**25**	**34**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	894	12.6	105	5	7	10	14	23	31
35-49	1369	17.6	310	4	7	10	25	39	62
50-69	1584	15.4	103	6	8	13	21	30	39
70+	131	20.4	98	8	16	20	21	25	46
SUBTOTAL	**3978**	**15.7**	**179**	**5**	**7**	**12**	**20**	**33**	**45**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3978**	**15.7**	**179**	**5**	**7**	**12**	**20**	**33**	**45**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1273	10.8	55	5	6	9	14	19	28
35-49	1916	10.7	56	4	6	9	13	18	26
50-69	2947	14.9	122	5	8	12	19	30	38
70+	580	15.3	114	6	8	11	19	33	41
	6717	**13.0**	**94**	**5**	**7**	**10**	**16**	**26**	**34**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	6717	**13.0**	**94**	**5**	**7**	**10**	**16**	**26**	**34**

DRG 155: Stomach, Esophageal & Duodenal Procedures Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	2204	7.8	19	3	5	7	9	13	16
70-74	979	7.1	20	2	4	7	9	11	13
75-79	978	8.7	19	3	6	9	11	13	16
80-84	451	8.4	37	3	5	8	11	13	16
85 +	395	10.2	23	5	6	10	13	17	17
SUBTOTAL	**5007**	**8.1**	**22**	**3**	**5**	**7**	**10**	**13**	**16**
GRAND TOTAL	**5007**	**8.1**	**22**	**3**	**5**	**7**	**10**	**13**	**16**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	1551	6.6	22	4	5	6	8	9	10
35-49	4107	6.8	17	3	5	6	8	11	14
50-69	4179	7.9	18	4	5	7	9	13	16
70 +	79	5.9	13	2	3	3	8	11	14
9916	**7.2**	**18**	**4**	**5**	**7**	**8**	**11**	**14**
9916	**7.2**	**18**	**4**	**5**	**7**	**8**	**11**	**14**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	442	9.1	25	5	6	8	11	13	18
35-49	349	8.4	31	3	5	7	9	16	21
50-69	345	9.4	37	2	5	8	11	18	23
70 +	14	9.0	1						
SUBTOTAL	**1150**	**9.0**	**30**	**4**	**5**	**8**	**11**	**16**	**21**
GRAND TOTAL	**1150**	**9.0**	**30**	**4**	**5**	**8**	**11**	**16**	**21**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	1063	7.7	18	4	5	7	9	13	14
35-49	1508	7.1	12	3	5	7	9	11	14
50-69	953	8.1	60	3	5	7	9	12	15
70 +	197	9.3	35	3	5	9	10	13	21
3720	**7.6**	**28**	**3**	**5**	**7**	**9**	**13**	**14**
3720	**7.6**	**28**	**3**	**5**	**7**	**9**	**13**	**14**

Total U.S., July 1989 - June 1990

DRG 156: Stomach, Esophageal & Duodenal Procedures Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	41	10.7	81						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**41**	**10.7**	**81**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**41**	**10.7**	**81**						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	4508	10.4	142	2	3	6	12	29	37
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**4508**	**10.4**	**142**	**2**	**3**	**6**	**12**	**29**	**37**
0-17	10039	3.9	10	2	2	3	4	7	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**10039**	**3.9**	**10**	**2**	**2**	**3**	**4**	**7**	**10**
GRAND TOTAL	**14546**	**5.9**	**60**	**2**	**2**	**3**	**6**	**12**	**21**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	2702	12.9	220	3	5	8	16	43	77
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**2702**	**12.9**	**220**	**3**	**5**	**8**	**16**	**43**	**77**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	4257	5.1	23	2	3	4	6	10	13
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**4257**	**5.1**	**23**	**2**	**3**	**4**	**6**	**10**	**13**
GRAND TOTAL	**6959**	**8.1**	**114**	**2**	**3**	**5**	**9**	**18**	**36**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1517	9.0	113	2	3	5	12	22	30
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1517**	**9.0**	**113**	**2**	**3**	**5**	**12**	**22**	**30**
0-17	3021	3.8	8	2	2	3	4	7	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**3021**	**3.8**	**8**	**2**	**2**	**3**	**4**	**7**	**8**
GRAND TOTAL	**4538**	**5.5**	**49**	**2**	**2**	**3**	**5**	**12**	**19**

Total U.S., July 1989 - June 1990

DRG 157: Anal & Stomal Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4823	5.4	19	1	3	4	7	10	13
70-74	2881	5.9	34	2	2	4	8	12	15
75-79	2391	7.7	82	2	3	5	9	15	24
80-84	1686	6.2	18	2	4	5	7	11	14
85+	1530	9.4	70	3	4	7	11	18	27
SUBTOTAL	13311	6.5	41	2	3	5	8	12	17
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
GRAND TOTAL	13311	6.5	41	2	3	5	8	12	17

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	513	7.6	178	1	3	5	6	17	18
18-34	2089	4.0	16	1	2	3	5	8	10
35-49	4943	3.9	12	1	2	3	5	7	11
50-69	5213	4.7	19	1	2	3	6	10	13
70+	1194	5.8	29	1	2	4	6	14	16
	12952	4.4	23	1	2	3	5	9	12
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	12952	4.4	23	1	2	3	5	9	12

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	248	10.0	155	2	3	6	8	27	49
18-34	366	4.5	19	2	2	4	4	7	10
35-49	461	5.9	33	1	2	3	8	19	19
50-69	498	8.1	114	2	3	5	9	18	24
70+	17	23.1	13						
SUBTOTAL	1590	7.1	80	2	3	4	8	19	24
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
GRAND TOTAL	1590	7.1	80	2	3	4	8	19	24

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	151	8.8	76	2	3	8	13	34	99+
18-34	639	4.6	10	1	2	4	8	8	10
35-49	999	4.9	36	1	2	3	6	8	11
50-69	886	6.9	62	2	2	4	9	14	33
70+	116	8.9	67	1	2	6	15	26	26
	2792	5.8	44	1	2	4	7	12	19
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	2792	5.8	44	1	2	4	7	12	19

DRG 158: Anal & Stomal Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	5274	2.9	6	1	1	2	4	5	7
70-74	3176	2.7	4	1	1	2	3	5	6
75-79	2110	3.1	6	1	1	2	4	7	8
80-84	959	3.1	5	1	1	2	4	7	8
85+	713	4.1	13	1	2	3	6	9	10
SUBTOTAL	**12231**	**3.0**	**6**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**12231**	**3.0**	**6**	**1**	**1**	**2**	**4**	**6**	**7**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	2383	3.2	8	1	1	2	4	6	9
18-34	13186	2.2	3	1	1	2	3	4	6
35-49	21824	2.3	3	1	1	2	3	4	5
50-69	15614	2.5	4	1	1	2	3	5	6
70+	176	3.3	6	1	2	3	3	6	11
	53183	**2.4**	**3**	**1**	**1**	**2**	**3**	**4**	**6**
	53183	**2.4**	**3**	**1**	**1**	**2**	**3**	**4**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	872	4.6	16	1	2	4	6	10	13
18-34	1740	2.8	6	1	1	2	3	5	8
35-49	968	2.8	6	1	1	2	4	5	6
50-69	552	3.8	7	1	2	3	5	8	8
70+	0								
SUBTOTAL	**4132**	**3.3**	**9**	**1**	**2**	**3**	**4**	**6**	**9**
GRAND TOTAL	**4132**	**3.3**	**9**	**1**	**2**	**3**	**4**	**6**	**9**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	541	2.9	11	1	1	2	3	4	6
18-34	3127	2.8	6	1	1	2	3	6	8
35-49	3351	2.4	3	1	1	2	3	5	6
50-69	1817	2.6	5	1	1	2	3	5	7
70+	143	2.1	2	1	1	2	3	4	6
	8979	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**7**
	8979	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 159: Hernia Procedures except Inguinal & Femoral Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	5283	5.7	19	2	3	5	7	11	16
70-74	3601	6.1	21	2	3	5	8	11	15
75-79	2762	6.4	23	2	3	5	8	13	15
80-84	1681	7.8	35	2	4	6	9	17	21
85 +	893	8.0	36	3	4	6	12	14	21
SUBTOTAL	**14219**	**6.3**	**24**	**2**	**3**	**5**	**8**	**12**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**14219**	**6.3**	**24**	**2**	**3**	**5**	**8**	**12**	**16**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	464	4.2	7	1	2	3	7	9	9
35-49	1890	5.1	10	2	3	5	6	9	11
50-69	4334	5.4	12	2	3	5	7	10	12
70 +	167	5.1	9	2	3	5	7	10	10
SUBTOTAL	**6855**	**5.2**	**11**	**2**	**3**	**5**	**7**	**9**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**6855**	**5.2**	**11**	**2**	**3**	**5**	**7**	**9**	**11**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0 17 (YRS.)	0								
18-34	212	4.1	6	2	2	4	6	7	8
35-49	656	6.8	53	2	3	5	9	11	13
50-69	857	6.0	17	1	3	6	9	10	12
70 +	58	3.3							
SUBTOTAL	**1783**	**6.0**	**29**	**1**	**3**	**5**	**9**	**10**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1783**	**6.0**	**29**	**1**	**3**	**5**	**9**	**10**	**12**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	255	3.8	6	1	2	4	6	6	9
35-49	478	5.5	16	2	2	5	7	12	13
50-69	1053	5.8	22	1	3	5	8	11	14
70 +	116	6.6	12	4	5	5	8	9	18
SUBTOTAL	**1902**	**5.5**	**18**	**1**	**2**	**5**	**7**	**11**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1902**	**5.5**	**18**	**1**	**2**	**5**	**7**	**11**	**14**

Total U.S., July 1989 - June 1990

DRG 160: Hernia Procedures except Inguinal & Femoral Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	5877	3.4	4	1	2	3	4	6	7
70-74	3084	3.6	8	1	2	3	4	6	7
75-79	2443	3.7	6	1	2	3	5	7	8
80-84	1123	4.7	14	1	2	4	6	8	12
85 +	292	4.0	7	1	1	4	6	8	9
SUBTOTAL	**12818**	**3.6**	**7**	**1**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**12818**	**3.6**	**7**	**1**	**2**	**3**	**5**	**7**	**8**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	2514	2.4	2	1	1	2	3	4	5
35-49	8879	2.8	3	1	1	2	4	5	6
50-69	10707	3.2	5	1	2	3	4	6	7
70 +	195	3.4	5	1	2	3	5	6	6
22295	**2.9**	**4**	**1**	**1**	**3**	**4**	**5**	**7**	
22295	**2.9**	**4**	**1**	**1**	**3**	**4**	**5**	**7**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	843	2.7	3	1	2	2	3	5	7
35-49	1400	3.8	4	1	2	3	5	6	8
50-69	918	3.8	8	1	2	4	5	7	8
70 +	53	2.3	1	1	2	2	2	4	4
SUBTOTAL	**3214**	**3.5**	**5**	**1**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**3214**	**3.5**	**5**	**1**	**2**	**3**	**4**	**6**	**8**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	1121	2.2	2	1	1	2	3	4	5
35-49	2391	3.1	4	1	2	3	4	5	6
50-69	1932	3.1	6	1	1	3	4	6	8
70 +	228	2.3	1	1	1	2	3	4	4
5673	**2.9**	**4**	**1**	**1**	**2**	**4**	**5**	**7**	
5673	**2.9**	**4**	**1**	**1**	**2**	**4**	**5**	**7**	

Total U.S., July 1989 - June 1990

DRG 161: Inguinal & Femoral Hernia Procedures Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	6170	3.8	14	1	2	3	5	8	11
70-74	5784	3.8	18	1	2	3	4	7	9
75-79	5683	4.7	36	1	2	3	6	10	14
80-84	4432	4.7	17	1	2	4	6	11	14
85 +	3472	6.1	41	1	2	4	8	13	17
SUBTOTAL	**25541**	**4.5**	**25**	**1**	**2**	**3**	**5**	**9**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	25541	4.5	25	1	2	3	5	9	13

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	596	2.2	5	1	1	2	2	4	5
35-49	1627	3.2	7	1	1	2	4	7	9
50-69	4787	3.6	12	1	1	2	4	9	11
70 +	498	5.3	29	1	2	3	6	12	14
SUBTOTAL	**7508**	**3.5**	**12**	**1**	**1**	**2**	**4**	**8**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
7508	3.5	12	1	1	2	4	8	11	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	96	2.9	4	1	2	2	4	7	8
35-49	89	3.0	13	1	1	2	3	10	13
50-69	378	9.0	183	2	2	4	8	46	46
70 +	122	7.7	14	2	6	8	8	12	15
SUBTOTAL	**686**	**7.1**	**112**	**2**	**2**	**3**	**8**	**12**	**46**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	686	7.1	112	2	2	3	8	12	46

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	345	2.2	3	1	1	2	3	4	5
35-49	451	3.0	7	1	1	2	4	6	7
50-69	993	2.8	6	1	1	2	3	7	9
70 +	479	5.7	235	1	1	1	5	11	14
SUBTOTAL	**2268**	**3.4**	**56**	**1**	**1**	**2**	**3**	**6**	**9**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2268	3.4	56	1	1	2	3	6	9	

Total U.S., July 1989 - June 1990

DRG 162: Inguinal & Femoral Hernia Procedures Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	7972	2.0	2	1	1	1	2	4	5
70-74	7026	2.0	2	1	1	2	3	4	5
75-79	6155	2.3	4	1	1	2	3	4	5
80-84	4058	2.7	4	1	1	2	4	5	7
85 +	2344	3.0	6	1	2	2	4	6	7
SUBTOTAL	**27554**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**27554**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	0								
18-34	7083	1.5	1	1	1	1	2	3	3
35-49	12293	1.7	2	1	1	1	2	3	4
50-69	19022	1.8	2	1	1	1	2	3	4
70 +	709	2.2	2	1	1	2	3	5	5
SUBTOTAL	**39107**	**1.7**	**2**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**39107**	**1.7**	**2**	**1**	**1**	**1**	**2**	**3**	**4**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	501	2.1	2	1	1	2	2	5	5
35-49	392	1.9	2	1	1	1	2	4	5
50-69	589	2.1	10	1	1	1	2	4	7
70 +	67	3.0	5	1	1	2	3	7	8
SUBTOTAL	**1548**	**2.1**	**5**	**1**	**1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**1548**	**2.1**	**5**	**1**	**1**	**1**	**2**	**4**	**6**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	0								
18-34	2361	1.5	1	1	1	1	2	2	3
35-49	2513	1.8	3	1	1	1	2	3	5
50-69	3369	1.6	1	1	1	1	2	3	3
70 +	701	1.6	1	1	1	1	2	2	3
SUBTOTAL	**8943**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**8943**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**4**

DRG 163: Hernia Procedures Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	48	7.2	17	3	4	5	10	14	14
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	48	7.2	17	3	4	5	10	14	14
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	56	3.3	12	1	1	1	3	11	11
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	56	3.3	12	1	1	1	3	11	11
GRAND TOTAL	104	5.1	18	1	1	4	7	11	14

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1723	3.5	44	1	1	2	3	7	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1723	3.5	44	1	1	2	3	7	9
0-17	18539	1.3	2	< 1	1	1	1	2	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	18539	1.3	2	< 1	1	1	1	2	3
	20263	1.5	6	< 1	1	1	1	2	4

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	1050	3.5	32	1	1	2	3	7	14
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1050	3.5	32	1	1	2	3	7	14
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	9689	1.5	2	1	1	1	2	3	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	9689	1.5	2	1	1	1	2	3	4
GRAND TOTAL	10740	1.7	5	1	1	1	2	3	5

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	385	5.5	212	1	1	2	3	10	12
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	385	5.5	212	1	1	2	3	10	12
0-17	5656	1.4	2	< 1	1	1	1	2	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	5656	1.4	2	< 1	1	1	1	2	3
	6041	1.7	16	< 1	1	1	1	2	3

Total U.S., July 1989 - June 1990

DRG 164: Appendectomy w/ Complicated Principal Diag w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1788	9.7	26	5	7	8	11	15	20
70-74	1004	10.4	36	5	7	9	13	19	26
75-79	851	11.8	51	6	8	10	14	18	34
80-84	422	13.5	51	7	8	12	18	19	24
85+	330	15.5	71	8	11	13	19	21	28
SUBTOTAL	**4396**	**11.1**	**42**	**5**	**7**	**9**	**13**	**19**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4396**	**11.1**	**42**	**5**	**7**	**9**	**13**	**19**	**23**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	2848	9.7	24	5	7	8	12	17	19
18-34	2083	8.8	39	4	6	8	10	14	22
35-49	2157	8.9	21	4	6	8	11	14	17
50-69	2281	9.7	29	5	7	9	11	15	19
70+	25	12.3	20						
	9394	**9.3**	**28**	**4**	**6**	**8**	**11**	**15**	**19**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	9394	**9.3**	**28**	**4**	**6**	**8**	**11**	**15**	**19**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	809	10.0	25	5	7	9	11	15	22
18-34	632	9.0	16	5	6	8	11	15	17
35-49	168	9.0	17	5	6	8	10	16	19
50-69	135	9.0	8	5	7	9	10	12	13
70+	32	11.8	13						
SUBTOTAL	**1776**	**9.5**	**20**	**5**	**6**	**9**	**11**	**15**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1776**	**9.5**	**20**	**5**	**6**	**9**	**11**	**15**	**19**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1010	9.6	21	5	7	8	11	16	19
18-34	1131	8.6	25	5	6	8	9	14	17
35-49	678	8.9	20	5	6	8	10	14	19
50-69	689	10.5	23	6	7	9	13	17	20
70+	73	10.0	12	4	8	11	12	14	15
	3581	**9.3**	**23**	**5**	**6**	**8**	**11**	**16**	**19**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	3581	**9.3**	**23**	**5**	**6**	**8**	**11**	**16**	**19**

Total U.S., July 1989 - June 1990

DRG 165: Appendectomy w/ Complicated Principal Diag w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1269	7.3	9	4	6	7	9	11	12
70-74	533	7.5	9	4	6	7	9	12	12
75-79	366	7.5	6	4	6	7	8	10	12
80-84	79	6.4	2	4	5	7	7	8	8
85 +	56	9.5	3	7	8	9	10	13	13
SUBTOTAL	2303	7.4	8	4	6	7	9	10	12
GRAND TOTAL	2303	7.4	8	4	6	7	9	10	12

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	10032	6.2	7	3	4	6	8	10	11
18-34	7025	5.5	7	3	4	5	7	9	10
35-49	5430	6.2	7	3	4	6	8	9	11
50-69	3172	7.0	7	4	5	7	8	10	12
70 +	16	9.0	4						
	25675	6.1	7	3	4	6	8	9	11
	25675	6.1	7	3	4	6	8	9	11

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50 69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	3025	6.6	8	3	4	6	8	10	11
18-34	1260	6.0	5	3	4	6	8	9	10
35-49	345	8.4	21	4	6	7	9	19	19
50-69	131	10.0	10	6	6	11	13	13	14
70 +	12	5.5							
SUBTOTAL	4773	6.6	9	3	4	6	8	10	11
GRAND TOTAL	4773	6.6	9	3	4	6	8	10	11

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	4061	6.6	10	3	5	6	8	10	11
18-34	4537	5.9	7	3	4	6	7	9	10
35-49	1874	6.4	9	3	4	6	8	10	11
50-69	938	6.6	11	3	4	6	8	9	15
70 +	77	8.0	17	4	5	8	8	15	18
	11487	6.3	9	3	4	6	8	10	11
	11487	6.3	9	3	4	6	8	10	11

DRG 166: Appendectomy w/o Complicated Principal Diag w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1277	6.4	12	4	4	6	7	12	14
70-74	611	7.0	40	3	4	7	8	9	9
75-79	416	10.0	31	4	7	8	12	22	22
80-84	177	9.2	28	3	5	8	15	15	19
85 +	168	9.3	23	5	5	8	10	18	18
SUBTOTAL	**2649**	**7.5**	**25**	**4**	**4**	**6**	**8**	**14**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2649**	**7.5**	**25**	**4**	**4**	**6**	**8**	**14**	**17**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	3158	4.5	12	2	3	4	5	7	10
18-34	4143	4.8	8	2	3	4	5	8	10
35-49	2317	5.4	10	2	3	5	7	10	11
50-69	1454	6.2	12	3	4	5	7	11	13
70 +	46	4.2	1	3	3	5	5	5	5
	11120	**5.0**	**11**	**2**	**3**	**4**	**6**	**9**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	11120	**5.0**	**11**	**2**	**3**	**4**	**6**	**9**	**11**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	974	6.1	75	2	3	4	7	9	12
18-34	929	4.7	4	3	3	4	5	8	9
35-49	221	6.6	43	4	4	5	6	10	13
50-69	156	8.6	83	4	4	6	8	12	42
70 +	22	5.1	3						
SUBTOTAL	**2302**	**5.7**	**44**	**3**	**3**	**4**	**6**	**9**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2302**	**5.7**	**44**	**3**	**3**	**4**	**6**	**9**	**11**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1059	4.7	9	2	3	4	6	7	11
18-34	2240	4.8	8	2	3	4	6	8	9
35-49	759	5.2	6	3	3	5	6	9	10
50-69	234	6.2	19	3	3	5	7	14	17
70 +	32	8.9	10						
	4324	**4.9**	**9**	**2**	**3**	**4**	**6**	**9**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4324	**4.9**	**9**	**2**	**3**	**4**	**6**	**9**	**10**

DRG 167: Appendectomy w/o Complicated Principal Diag w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	1435	4.2	6	2	3	4	5	7	11
70-74	550	3.9	3	2	3	4	4	6	7
75-79	288	4.9	4	3	3	5	6	8	8
80-84	160	6..	3	5	5	6	7	9	9
85 +	53	6.9	7						
SUBTOTAL	**2485**	**4.4**	**5**	**2**	**3**	**4**	**5**	**7**	**9**
GRAND TOTAL	**2485**	**4.4**	**5**	**2**	**3**	**4**	**5**	**7**	**9**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	41328	2.9	2	2	2	3	3	4	5
18-34	41159	3.1	2	2	2	3	4	5	5
35-49	14817	3.4	2	2	2	3	4	5	6
50-69	5221	3.8	3	2	3	3	5	6	7
70 +	138	3.3	4	1	3	3	3	5	9
	102663	**3.1**	**2**	**2**	**2**	**3**	**4**	**5**	**6**
	102663	**3.1**	**2**	**2**	**2**	**3**	**4**	**5**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	6963	3.1	2	2	2	3	4	5	6
18-34	4946	3.4	2	2	3	3	4	5	6
35-49	683	3.5	2	2	3	3	4	5	6
50-69	163	3.8	1	3	3	4	4	5	6
70 +	10	12.0							
SUBTOTAL	**12766**	**3.3**	**2**	**2**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**12766**	**3.3**	**2**	**2**	**2**	**3**	**4**	**5**	**6**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	11882	2.9	2	2	2	3	3	4	5
18-34	21105	3.1	2	2	2	3	4	5	6
35-49	4561	3.4	3	2	2	3	4	5	6
50-69	884	3.7	2	2	3	4	5	6	6
70 +	76	4.0	1	4	4	4	4	4	6
	38507	**3.1**	**2**	**2**	**2**	**3**	**4**	**5**	**6**
	38507	**3.1**	**2**	**2**	**2**	**3**	**4**	**5**	**6**

Total U.S., July 1989 - June 1990

DRG 168: Mouth Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	735	4.8	48	1	1	3	5	11	16
70-74	484	4.8	39	1	2	3	5	9	12
75-79	250	5.3	23	1	2	3	7	13	17
80-84	216	4.4	28	1	2	3	4	12	20
85 +	187	5.4	29	1	2	4	5	14	14
SUBTOTAL	**1872**	**4.9**	**38**	**1**	**2**	**3**	**5**	**10**	**17**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1872**	**4.9**	**38**	**1**	**2**	**3**	**5**	**10**	**17**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	292	2.7	4	1	1	2	3	5	7
18-34	492	3.9	5	1	2	4	5	7	9
35-49	271	6.5	50	2	3	5	7	9	23
50-69	539	4.8	26	1	2	3	6	12	17
70 +	62	5.4	44	1	1	4	7	22	22
	1657	**4.4**	**22**	**1**	**2**	**3**	**5**	**9**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1657	**4.4**	**22**	**1**	**2**	**3**	**5**	**9**	**14**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	115	3.9	3	2	2	4	5	6	8
18-34	303	7.3	43	1	3	5	11	21	21
35-49	152	6.2	58	1	2	2	7	16	30
50-69	162	4.5	24	1	2	2	4	14	15
70 +	15	1.0							
SUBTOTAL	**748**	**5.8**	**37**	**1**	**2**	**4**	**7**	**15**	**21**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**748**	**5.8**	**37**	**1**	**2**	**4**	**7**	**15**	**21**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	135	5.1	35	< 1	1	3	5	15	23
18-34	496	4.5	28	1	2	3	5	7	11
35-49	144	4.8	11	2	2	4	7	9	14
50-69	191	5.2	22	1	2	4	8	10	19
70 +	19	2.0	1						
	985	**4.7**	**25**	**1**	**2**	**3**	**5**	**9**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	985	**4.7**	**25**	**1**	**2**	**3**	**5**	**9**	**14**

Total U.S., July 1989 - June 1990

DRG 169: Mouth Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	619	2.4	4	1	1	1	3	6	7
70-74	420	4.1	12	1	1	3	7	10	10
75-79	369	2.7	6	< 1	1	2	4	5	6
80-84	250	3.6	17	1	1	2	3	14	14
85 +	90	4.0	4	1	2	4	5	8	8
SUBTOTAL	**1748**	**3.1**	**9**	**1**	**1**	**2**	**4**	**7**	**10**
GRAND TOTAL	**1748**	**3.1**	**9**	**1**	**1**	**2**	**4**	**7**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	2335	2.0	2	< 1	1	1	2	4	5
18-34	973	2.5	4	1	1	2	3	5	6
35-49	1110	2.3	5	< 1	1	1	3	5	7
50-69	1556	2.6	4	1	1	2	3	6	7
70 +	97	2.0	5	1	1	1	2	2	9
SUBTOTAL	**6069**	**2.3**	**4**	**< 1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**6069**	**2.3**	**4**	**< 1**	**1**	**2**	**3**	**4**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	703	2.2	3	1	1	2	3	4	6
18-34	241	3.6	9	1	1	3	5	7	11
35-49	129	3.1	7	1	1	2	4	6	6
50-69	109	3.6	6	1	2	3	6	7	8
70 +	8	2.0							
SUBTOTAL	**1189**	**2.7**	**6**	**1**	**1**	**2**	**3**	**6**	**7**
GRAND TOTAL	**1189**	**2.7**	**6**	**1**	**1**	**2**	**3**	**6**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	642	1.9	2	< 1	1	1	2	4	5
18-34	732	4.6	11	1	2	4	6	9	10
35-49	283	3.7	13	< 1	1	2	5	8	13
50-69	228	1.7	2	< 1	1	1	2	3	5
70 +	58	1.6	1	1	1	1	2	3	3
SUBTOTAL	**1943**	**3.2**	**9**	**1**	**1**	**2**	**4**	**7**	**9**
GRAND TOTAL	**1943**	**3.2**	**9**	**1**	**1**	**2**	**4**	**7**	**9**

Total U.S., July 1989 - June 1990

DRG 170: Other Digestive System O.R. Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	3407	14.7	159	4	6	12	19	29	44
70-74	2103	15.1	163	5	8	10	19	33	43
75-79	1861	14.5	107	5	7	12	21	28	34
80-84	1151	18.5	203	7	10	14	21	34	53
85 +	868	18.9	176	6	8	15	25	40	43
SUBTOTAL	**9391**	**15.6**	**159**	**5**	**8**	**12**	**21**	**31**	**43**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**9391**	**15.6**	**159**	**5**	**8**	**12**	**21**	**31**	**43**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	687	9.8	91	3	5	7	11	23	48
18-34	1276	8.4	62	2	3	6	11	19	23
35-49	1467	11.4	113	3	5	8	14	23	37
50-69	2332	12.8	104	4	6	10	17	25	34
70 +	90	15.2	25	9	12	15	16	22	27
	5853	**11.2**	**98**	**3**	**5**	**9**	**15**	**23**	**31**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	5853	**11.2**	**98**	**3**	**5**	**9**	**15**	**23**	**31**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	204	10.1	107	3	5	7	12	32	47
18-34	536	9.7	76	3	5	7	10	22	34
35-49	405	13.6	186	4	5	8	17	35	55
50-69	336	14.6	104	5	8	12	18	27	44
70 +	17	23.6	31						
SUBTOTAL	**1497**	**12.1**	**122**	**3**	**5**	**8**	**17**	**28**	**42**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1497**	**12.1**	**122**	**3**	**5**	**8**	**17**	**28**	**42**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	164	9.4	66	4	5	6	10	25	31
18-34	602	8.2	28	3	4	7	10	17	20
35-49	459	13.0	197	3	5	9	17	26	32
50-69	648	14.6	137	6	7	11	18	28	51
70 +	71	11.4	57	4	4	10	16	23	23
	1945	**11.7**	**116**	**4**	**5**	**8**	**15**	**23**	**30**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1945	**11.7**	**116**	**4**	**5**	**8**	**15**	**23**	**30**

DRG 171: Other Digestive System O.R. Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	669	6.6	75	2	2	5	7	12	16
70-74	218	6.3	19	1	3	6	8	12	16
75-79	312	9.1	31	2	6	7	11	20	20
80-84	150	9.1	25	3	5	7	16	16	16
85+	120	4.8	12	1	2	5	8	11	12
SUBTOTAL	**1469**	**7.2**	**49**	**2**	**3**	**6**	**9**	**16**	**18**
GRAND TOTAL	**1469**	**7.2**	**49**	**2**	**3**	**6**	**9**	**16**	**18**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
0									
0-17	1769	4.6	14	1	2	4	6	9	11
18-34	3506	4.0	6	1	2	4	5	7	9
35-49	1946	4.9	18	1	2	4	6	9	12
50-69	1348	6.3	30	1	3	5	8	12	21
70+	16	5.2	1						
	8585	4.7	15	1	2	4	6	9	11
	8585	4.7	15	1	2	4	6	9	11

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	388	4.3	7	1	2	3	6	8	9
18-34	690	4.9	17	1	3	4	7	10	13
35-49	172	6.7	21	3	3	5	10	12	16
50-69	43	5.3	18	2	2	3	11	12	12
70+	0	3.0							
SUBTOTAL	**1299**	**5.0**	**15**	**1**	**3**	**4**	**7**	**10**	**12**
GRAND TOTAL	**1299**	**5.0**	**15**	**1**	**3**	**4**	**7**	**10**	**12**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
0									
0-17	470	4.6	8	2	2	4	7	9	10
18-34	1480	4.3	8	1	2	4	5	8	10
35-49	598	5.4	14	1	3	5	7	12	13
50-69	359	4.7	5	1	4	4	7	8	9
70+	12	11.5	2						
	2919	4.7	9	1	2	4	6	8	11
	2919	4.7	9	1	2	4	6	8	11

Total U.S., July 1989 - June 1990

DRG 172: Digestive Malignancy w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4769	9.3	79	2	4	7	11	19	27
70-74	4629	9.7	93	2	4	7	12	19	27
75-79	4069	8.8	56	2	4	7	11	19	25
80-84	3521	9.0	41	3	4	7	12	18	24
85 +	3484	9.4	86	3	4	7	11	19	28
SUBTOTAL	**20473**	**9.3**	**72**	**2**	**4**	**7**	**11**	**19**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**20473**	**9.3**	**72**	**2**	**4**	**7**	**11**	**19**	**26**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	355	5.9	59	< 1	2	4	8	11	16
18-34	251	8.1	192	1	2	5	8	24	25
35-49	1314	8.4	63	2	3	6	10	18	28
50-69	5399	8.4	73	2	3	6	11	16	23
70 +	368	10.0	94	3	4	7	12	23	26
	7687	**8.4**	**76**	**2**	**3**	**6**	**10**	**16**	**24**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	7687	**8.4**	**76**	**2**	**3**	**6**	**10**	**16**	**24**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	45	10.1	75	< 1	1	11	16	23	23
18-34	160	9.8	43	3	6	8	11	17	23
35-49	674	10.1	108	2	2	6	15	23	30
50-69	1337	10.3	93	2	4	7	14	21	28
70 +	120	13.1	43	5	9	13	13	22	32
SUBTOTAL	**2336**	**10.3**	**91**	**2**	**4**	**7**	**15**	**21**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2336**	**10.3**	**91**	**2**	**4**	**7**	**15**	**21**	**28**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	39	19.0	684						
18-34	108	7.6	23	1	4	8	9	16	18
35-49	451	10.3	130	2	3	7	12	20	31
50-69	1540	9.8	117	2	4	6	12	20	28
70 +	420	6.9	42	2	3	5	8	16	26
	2559	**9.5**	**114**	**2**	**3**	**6**	**12**	**20**	**27**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2559	**9.5**	**114**	**2**	**3**	**6**	**12**	**20**	**27**

DRG 173: Digestive Malignancy w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	884	3.9	15	< 1	1	3	5	8	10
70-74	576	5.2	28	< 1	1	2	10	14	16
75-79	645	4.3	26	< 1	1	2	5	11	15
80-84	473	5.9	55	< 1	1	2	8	17	25
85 +	640	5.8	22	1	2	4	10	12	14
SUBTOTAL	**3218**	**4.9**	**27**	**< 1**	**1**	**3**	**7**	**12**	**15**
GRAND TOTAL	**3218**	**4.9**	**27**	**< 1**	**1**	**3**	**7**	**12**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	153	2.9	5	< 1	1	1	5	6	7
18-34	65	8.2	108						
35-49	514	3.7	9	1	2	2	5	9	11
50-69	1422	3.8	9	< 1	1	3	5	8	10
70 +	109	6.3	36	< 1	1	4	8	16	18
2263	**3.9**	**14**	**1**	**1**	**3**	**5**	**9**	**10**	
2263	**3.9**	**14**	**1**	**1**	**3**	**5**	**9**	**10**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	33	2.9	5						
18-34	51	6.5	10	2	5	6	7	13	13
35-49	223	4.9	21	1	2	4	6	9	16
50-69	481	5.6	25	1	2	5	7	12	16
70 +	41	6.0	16	1	2	5	10	11	11
SUBTOTAL	**828**	**5.4**	**22**	**1**	**2**	**5**	**7**	**11**	**16**
GRAND TOTAL	**828**	**5.4**	**22**	**1**	**2**	**5**	**7**	**11**	**16**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	24	2.4	1						
18-34	76	6.4	58	1	2	4	8	10	30
35-49	92	5.6	7	2	4	6	7	10	11
50-69	477	5.3	45	1	2	3	6	11	16
70 +	81	8.8	34	2	5	7	11	16	23
750	**5.7**	**40**	**1**	**2**	**4**	**7**	**13**	**20**	
750	**5.7**	**40**	**1**	**2**	**4**	**7**	**13**	**20**	

DRG 174: G.I. Hemorrhage w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	31061	6.2	22	2	3	5	8	11	14
70-74	25636	6.5	30	3	3	5	8	11	15
75-79	27939	6.8	30	3	4	5	8	12	16
80-84	24846	6.9	29	3	4	6	8	12	16
85+	26720	8.0	57	3	4	6	9	15	19
SUBTOTAL	**136202**	**6.8**	**34**	**3**	**4**	**5**	**8**	**12**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**136202**	**6.8**	**34**	**3**	**4**	**5**	**8**	**12**	**17**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1268	3.4	9	1	2	3	4	5	7
18-34	4439	4.3	10	2	3	4	5	7	8
35-49	10971	4.5	11	2	3	4	5	8	10
50-69	23432	5.2	18	2	3	4	6	9	11
70+	2176	6.0	16	3	4	5	7	10	14
	42287	**4.9**	**16**	**2**	**3**	**4**	**6**	**8**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	42287	**4.9**	**16**	**2**	**3**	**4**	**6**	**8**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	741	4.6	17	1	2	3	7	9	11
18-34	2202	5.1	30	2	3	4	5	10	13
35-49	2790	5.7	18	2	3	5	7	10	14
50-69	3973	7.4	49	2	4	6	8	14	18
70+	604	5.4	14	2	4	4	6	8	12
SUBTOTAL	**10310**	**6.1**	**34**	**2**	**3**	**5**	**7**	**12**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**10310**	**6.1**	**34**	**2**	**3**	**5**	**7**	**12**	**15**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	466	3.5	8	2	2	3	4	5	8
18-34	3292	3.4	5	1	2	3	4	6	7
35-49	6484	4.6	11	2	3	4	5	8	10
50-69	6905	5.5	30	2	3	4	6	9	14
70+	2066	6.0	17	2	3	5	8	11	14
	19214	**4.8**	**18**	**2**	**3**	**4**	**6**	**9**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	19214	**4.8**	**18**	**2**	**3**	**4**	**6**	**9**	**11**

Total U.S., July 1989 - June 1990

DRG 175: G.I. Hemorrhage w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	6045	3.7	4	2	2	3	5	6	7
70-74	4791	4.2	7	2	3	4	5	7	9
75-79	4581	4.4	8	2	3	4	5	7	9
80-84	4053	4.7	9	2	3	4	6	9	11
85 +	3594	5.1	25	2	2	4	6	9	11
SUBTOTAL	**23065**	**4.3**	**10**	**2**	**3**	**4**	**5**	**8**	**9**
GRAND TOTAL	**23065**	**4.3**	**10**	**2**	**3**	**4**	**5**	**8**	**9**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	2242	2.6	18	1	1	2	3	5	6
18-34	5355	2.9	3	1	2	2	4	5	7
35-49	6969	3.5	4	1	2	3	4	6	7
50-69	11119	3.8	4	2	2	3	5	6	8
70 +	502	3.4	4	1	2	3	4	5	8
SUBTOTAL	**26186**	**3.4**	**5**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**26186**	**3.4**	**5**	**1**	**2**	**3**	**4**	**6**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	826	2.6	2	1	1	2	3	4	6
18-34	845	3.5	7	1	2	2	4	7	12
35-49	628	3.6	6	1	2	3	4	7	8
50-69	860	5.1	17	1	3	4	6	10	13
70 +	227	3.3	4	1	2	3	4	5	7
SUBTOTAL	**3386**	**3.7**	**9**	**1**	**2**	**3**	**4**	**7**	**10**
GRAND TOTAL	**3386**	**3.7**	**9**	**1**	**2**	**3**	**4**	**7**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	739	2.4	2	1	1	2	3	4	5
18-34	3000	3.0	4	1	2	2	4	6	7
35-49	3079	3.3	4	1	2	3	4	5	8
50-69	2699	3.4	4	1	2	3	4	6	7
70 +	510	5.0	89	2	2	3	5	7	8
SUBTOTAL	**10026**	**3.3**	**8**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**10026**	**3.3**	**8**	**1**	**2**	**3**	**4**	**6**	**7**

Total U.S., July 1989 - June 1990

DRG 176: Complicated Peptic Ulcer

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2306	8.0	65	3	4	6	8	14	20
70-74	1513	7.4	26	3	4	6	8	14	20
75-79	1801	7.8	41	3	4	6	10	14	20
80-84	1251	8.5	70	2	4	6	10	18	26
85 +	1522	8.0	40	2	5	7	10	14	23
SUBTOTAL	**8393**	**7.9**	**49**	**3**	**4**	**6**	**9**	**14**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1097	4.7	12	1	2	4	7	9	10
70-74	531	6.0	14	2	3	5	8	11	14
75-79	765	4.4	5	2	3	4	6	7	8
80-84	433	7.0	64	2	4	6	8	11	17
85 +	487	6.7	53	1	2	5	7	15	28
SUBTOTAL	**3313**	**5.4**	**25**	**1**	**3**	**4**	**7**	**10**	**13**
GRAND TOTAL	**11705**	**7.2**	**43**	**2**	**4**	**6**	**8**	**13**	**19**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	143	6.0	27	3	3	3	8	8	23
18-34	411	5.2	13	2	3	4	8	10	11
35-49	983	6.4	36	3	3	4	6	13	19
50-69	1729	5.9	16	2	3	5	7	11	13
70 +	77	8.0	19	4	5	6	8	12	20
	3343	**6.0**	**22**	**2**	**3**	**5**	**7**	**11**	**15**
0-17	206	4.4	7	1	2	4	7	7	8
18-34	580	3.5	6	1	2	3	4	7	11
35-49	1129	4.0	7	1	2	3	5	7	10
50-69	1170	4.2	6	2	2	4	6	8	9
70 +	36	7.5	11						
	3121	**4.1**	**7**	**1**	**2**	**3**	**5**	**7**	**10**
	6464	**5.1**	**16**	**2**	**3**	**4**	**6**	**10**	**12**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	31	4.9	3						
18-34	134	9.7	76	3	3	6	11	29	29
35-49	196	8.6	37	2	3	7	12	16	21
50-69	311	8.2	36	3	5	7	8	17	22
70 +	8	39.0							
SUBTOTAL	**681**	**8.8**	**54**	**3**	**4**	**7**	**10**	**17**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	155	3.8	13	1	1	2	6	13	99 +
18-34	171	5.1	13	1	2	5	5	10	13
35-49	136	5.5	12	1	3	5	8	11	13
50-69	243	6.5	4	5	5	6	7	10	10
70 +	0								
SUBTOTAL	**704**	**5.4**	**11**	**1**	**3**	**5**	**7**	**10**	**13**
GRAND TOTAL	**1386**	**7.1**	**35**	**2**	**3**	**6**	**8**	**13**	**21**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	20	4.5							
18-34	98	7.5	55	1	3	5	7	20	28
35-49	421	6.0	11	2	3	6	8	10	11
50-69	296	7.1	16	3	4	7	10	10	19
70 +	156	7.9	64	3	6	7	7	8	14
	992	**6.7**	**25**	**3**	**4**	**6**	**8**	**10**	**17**
0-17	26	3.6	3						
18-34	205	4.6	14	1	2	4	5	8	16
35-49	304	5.2	22	1	2	4	6	12	16
50-69	160	3.7	10	2	2	3	4	7	14
70 +	34	3.6	9						
	730	**4.6**	**16**	**1**	**2**	**3**	**5**	**9**	**16**
	1722	**5.8**	**23**	**2**	**3**	**5**	**7**	**10**	**16**

Total U.S., July 1989 - June 1990

DRG 177: Uncomplicated Peptic Ulcer w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4879	5.3	15	2	3	4	6	9	12
70-74	3138	5.8	14	2	4	5	7	10	11
75-79	3300	6.1	13	2	4	5	8	10	14
80-84	2012	6.3	20	2	3	5	8	11	15
85 +	1715	6.9	22	2	4	6	8	12	15
SUBTOTAL	**15044**	**5.9**	**16**	**2**	**3**	**5**	**7**	**10**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**15044**	**5.9**	**16**	**2**	**3**	**5**	**7**	**10**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	120	5.8	75	1	2	3	4	16	32
18-34	1415	4.0	6	1	3	4	5	7	8
35-49	2581	4.6	11	2	3	4	6	8	11
50-69	4064	4.6	8	2	3	4	6	8	9
70 +	188	6.0	12	2	3	6	9	11	11
	8369	**4.6**	**10**	**2**	**3**	**4**	**6**	**8**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	8369	**4.6**	**10**	**2**	**3**	**4**	**6**	**8**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	34	3.7	3						
18-34	552	6.3	69	1	3	4	6	16	16
35-49	820	5.8	16	2	3	5	8	11	15
50-69	815	5.0	6	2	3	5	6	9	11
70 +	85	6.8	11	3	4	10	10	10	10
SUBTOTAL	**2305**	**5.6**	**25**	**2**	**3**	**4**	**7**	**10**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2305**	**5.6**	**25**	**2**	**3**	**4**	**7**	**10**	**14**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	76	5.4	3						
18-34	459	3.1	4	1	2	3	4	5	7
35-49	713	3.7	5	2	2	3	4	6	7
50-69	675	4.7	8	2	3	4	6	8	12
70 +	163	4.3	4	2	3	4	6	7	8
	2086	**4.0**	**6**	**2**	**2**	**3**	**5**	**7**	**8**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2086	**4.0**	**6**	**2**	**2**	**3**	**5**	**7**	**8**

Total U.S., July 1989 - June 1990

DRG 178: Uncomplicated Peptic Ulcer w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2449	3.9	9	1	2	3	5	6	9
70-74	1469	4.3	8	1	3	4	5	7	11
75-79	1445	3.9	7	1	2	3	5	7	8
80-84	962	5.1	10	2	3	4	6	10	13
85 +	536	5.0	17	2	3	4	7	9	11
SUBTOTAL	6861	4.2	9	1	2	3	5	8	11
GRAND TOTAL	6861	4.2	9	1	2	3	5	8	11

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	513	3.0	5	1	2	2	4	5	8
18-34	2994	3.6	4	2	2	3	4	6	8
35-49	6141	3.5	4	1	2	3	5	6	7
50-69	5508	3.4	4	1	2	3	4	6	8
70 +	67	2.9	1	2	2	3	3	5	5
	15224	3.5	4	1	2	3	4	6	7
	15224	3.5	4	1	2	3	4	6	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	135	2.0	5	1	1	1	2	3	10
18-34	596	3.2	4	1	2	2	4	5	7
35-49	666	4.4	7	2	2	3	7	8	10
50-69	562	6.7	23	3	4	5	7	13	20
70 +	51	4.8	9	2	2	3	9	9	9
SUBTOTAL	2010	4.5	13	1	2	3	6	9	10
GRAND TOTAL	2010	4.5	13	1	2	3	6	9	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	95	2.5	5	1	1	2	3	8	8
18-34	1152	2.7	3	1	1	2	3	5	6
35-49	1618	3.4	6	1	2	3	5	6	7
50-69	1106	2.9	3	1	2	2	3	5	7
70 +	137	3.3	2	1	2	3	4	5	6
	4108	3.1	4	1	2	3	4	5	7
	4108	3.1	4	1	2	3	4	5	7

Total U.S., July 1989 - June 1990

DRG 179: Inflammatory Bowel Disease

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2106	9.3	65	3	5	7	10	19	24
70-74	1248	9.6	68	3	5	6	12	21	28
75-79	1217	9.8	67	4	5	7	11	17	28
80-84	829	12.4	166	5	6	9	15	21	30
85 +	610	10.9	78	4	5	9	14	22	36
SUBTOTAL	**6009**	**10.0**	**82**	**4**	**5**	**7**	**11**	**21**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1168	6.6	21	3	4	5	8	12	16
70-74	294	6.1	8	4	5	5	8	10	11
75-79	282	6.2	18	3	4	5	7	13	14
80-84	111	6.9	7	4	5	7	9	11	12
85 +	55	10.1	42	2	4	11	16	19	19
SUBTOTAL	**1911**	**6.6**	**19**	**3**	**4**	**5**	**8**	**12**	**16**
GRAND TOTAL	**7919**	**9.2**	**69**	**3**	**5**	**7**	**11**	**19**	**26**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1316	9.3	90	2	3	7	11	21	26
18-34	4077	7.5	34	3	4	6	9	14	19
35-49	3081	8.2	46	3	4	6	10	17	23
50-69	2141	9.6	68	3	5	7	11	18	23
70 +	54	5.2	2	3	4	6	6	7	7
SUBTOTAL	**10669**	**8.3**	**52**	**3**	**4**	**6**	**10**	**16**	**21**
0-17	1628	6.5	46	1	3	4	8	14	18
18-34	4635	6.0	19	2	3	5	7	11	14
35-49	3125	5.5	18	2	3	5	7	9	12
50-69	1526	6.1	21	1	3	5	8	12	15
70 +	13	10.7	7						
SUBTOTAL	**10927**	**6.0**	**23**	**2**	**3**	**5**	**7**	**11**	**14**
GRAND TOTAL	**21596**	**7.1**	**39**	**2**	**3**	**6**	**8**	**14**	**19**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	288	10.0	66	3	4	7	16	25	36
18-34	967	9.5	52	3	4	8	12	19	23
35-49	377	7.8	32	2	4	6	10	16	19
50-69	233	10.9	77	1	4	8	15	25	30
70 +	62	6.8	2						
SUBTOTAL	**1926**	**9.3**	**52**	**3**	**4**	**7**	**12**	**20**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	207	6.1	54	2	2	5	7	10	11
18-34	690	6.5	29	2	4	5	7	11	16
35-49	190	7.8	120	3	3	5	8	11	14
50-69	87	4.1	6	< 1	2	4	7	7	7
70 +	6	7.0							
SUBTOTAL	**1180**	**6.5**	**47**	**2**	**3**	**5**	**7**	**11**	**14**
GRAND TOTAL	**3107**	**8.2**	**52**	**2**	**4**	**6**	**10**	**17**	**23**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	356	11.9	104	2	5	10	13	32	36
18-34	1353	7.6	52	2	4	6	8	15	20
35-49	660	7.3	28	3	3	6	9	15	17
50-69	415	7.5	24	3	4	5	8	17	18
70 +	32	15.2	26						
SUBTOTAL	**2817**	**8.1**	**51**	**2**	**4**	**6**	**10**	**16**	**20**
0-17	338	5.7	15	2	2	5	7	10	10
18-34	1311	6.2	19	2	4	5	7	12	17
35-49	598	5.4	12	2	3	4	7	10	14
50-69	165	6.6	19	2	4	6	8	9	15
70 +	7	10.0							
SUBTOTAL	**2419**	**6.0**	**17**	**2**	**4**	**5**	**7**	**12**	**14**
GRAND TOTAL	**5236**	**7.1**	**37**	**2**	**4**	**5**	**8**	**14**	**18**

Total U.S., July 1989 - June 1990

DRG 180: G.I. Obstruction w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	13194	6.8	39	2	4	6	8	12	16
70-74	10374	6.8	24	2	4	5	9	13	16
75-79	10397	7.7	63	2	4	6	9	14	17
80-84	10456	7.5	47	3	4	5	9	14	20
85 +	11169	7.7	33	3	4	6	10	14	17
SUBTOTAL	**55590**	**7.3**	**41**	**2**	**4**	**6**	**9**	**13**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**55590**	**7.3**	**41**	**2**	**4**	**6**	**9**	**13**	**17**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1197	3.8	15	1	2	3	4	7	15
18-34	1545	5.6	25	1	3	4	7	11	13
35-49	3992	5.5	18	2	3	4	7	10	14
50-69	7824	6.5	32	2	3	5	8	13	18
70 +	850	7.7	35	2	4	6	11	14	24
	15408	**6.0**	**27**	**2**	**3**	**5**	**7**	**12**	**17**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	15408	**6.0**	**27**	**2**	**3**	**5**	**7**	**12**	**17**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	762	4.6	11	1	2	4	6	8	9
18-34	780	6.6	36	2	3	5	8	12	16
35-49	1229	8.1	46	2	4	6	9	18	20
50-69	1757	7.2	30	3	4	6	8	14	17
70 +	293	8.1	28	3	4	6	10	16	20
SUBTOTAL	**4820**	**7.0**	**33**	**2**	**4**	**5**	**8**	**14**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4820**	**7.0**	**33**	**2**	**4**	**5**	**8**	**14**	**19**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	342	5.5	54	1	2	3	5	10	32
18-34	535	5.7	18	1	3	4	8	12	13
35-49	910	5.8	23	2	2	5	6	15	16
50-69	1370	6.0	27	2	3	5	8	12	17
70 +	588	5.6	13	2	3	5	8	11	14
	3745	**5.8**	**25**	**1**	**3**	**4**	**7**	**12**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3745	**5.8**	**25**	**1**	**3**	**4**	**7**	**12**	**16**

Total U.S., July 1989 - June 1990

DRG 181: G.I. Obstruction w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	7255	4.6	10	2	3	4	6	8	10
70-74	4787	4.3	8	2	3	4	6	7	9
75-79	4709	4.6	9	2	2	4	6	9	10
80-84	3899	5.0	10	2	3	4	7	9	11
85 +	3298	5.1	20	2	3	4	6	9	12
SUBTOTAL	**23947**	**4.7**	**11**	**2**	**3**	**4**	**6**	**8**	**10**
GRAND TOTAL	**23947**	**4.7**	**11**	**2**	**3**	**4**	**6**	**8**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	4009	2.2	5	1	1	2	3	4	5
18-34	3577	3.6	7	1	2	3	5	7	8
35-49	7579	3.9	7	1	2	3	5	7	9
50-69	8957	4.1	7	2	2	4	5	8	9
70 +	464	4.2	4	2	3	4	6	7	7
	24585	**3.7**	**7**	**1**	**2**	**3**	**5**	**7**	**8**
	24585	**3.7**	**7**	**1**	**2**	**3**	**5**	**7**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1352	3.1	8	1	1	2	4	6	7
18-34	720	4.6	13	1	2	4	6	8	15
35-49	910	3.8	6	1	2	3	5	8	8
50-69	930	4.2	5	2	3	4	5	8	9
70 +	123	5.3	7	1	4	6	7	7	9
SUBTOTAL	**4035**	**3.8**	**8**	**1**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**4035**	**3.8**	**8**	**1**	**2**	**3**	**5**	**7**	**9**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1175	2.8	18	1	1	2	3	5	7
18-34	1773	3.7	8	1	2	3	5	7	8
35-49	1692	3.6	5	1	2	3	5	6	8
50-69	2036	4.0	7	1	2	3	5	8	9
70 +	437	3.9	7	2	2	3	5	8	10
	7113	**3.6**	**9**	**1**	**2**	**3**	**5**	**7**	**8**
	7113	**3.6**	**9**	**1**	**2**	**3**	**5**	**7**	**8**

Total U.S., July 1989 - June 1990

DRG 182: Esophagitis, Gastroent & Misc Digest Disorders Age >17 w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	72499	5.5	19	2	3	4	7	10	13
70-74	49389	5.8	25	2	3	5	7	11	14
75-79	49220	6.2	30	2	3	5	8	11	15
80-84	39875	6.6	36	2	3	5	8	12	17
85 +	37559	7.2	39	2	4	5	8	13	18
SUBTOTAL	**248543**	**6.1**	**28**	**2**	**3**	**5**	**7**	**11**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**248543**	**6.1**	**28**	**2**	**3**	**5**	**7**	**11**	**15**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	36204	3.4	10	1	2	3	4	6	8
35-49	43390	4.1	14	1	2	3	5	7	10
50-69	53726	4.8	15	2	2	4	6	9	11
70 +	3923	6.0	44	2	3	4	6	13	17
	137244	**4.3**	**14**	**1**	**2**	**3**	**5**	**8**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	137244	**4.3**	**14**	**1**	**2**	**3**	**5**	**8**	**10**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	9993	4.2	13	1	2	3	5	8	10
35-49	8164	4.8	17	2	2	4	6	9	12
50-69	9659	5.5	24	2	3	4	7	10	14
70 +	989	6.8	27	2	4	6	9	22	99 +
SUBTOTAL	**28805**	**4.9**	**19**	**2**	**2**	**4**	**6**	**9**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**28805**	**4.9**	**19**	**2**	**2**	**4**	**6**	**9**	**12**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	13111	3.3	10	1	2	3	4	6	8
35-49	11012	4.0	12	1	2	3	5	8	9
50-69	11107	4.9	28	1	2	4	6	8	13
70 +	2456	5.7	24	2	3	4	7	12	16
	37686	**4.1**	**17**	**1**	**2**	**3**	**5**	**8**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	37686	**4.1**	**17**	**1**	**2**	**3**	**5**	**8**	**10**

Total U.S., July 1989 - June 1990

DRG 183: Esophagitis, Gastroent & Misc Digest Disorders Age >17 w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	28267	3.7	7	1	2	3	5	7	8
70-74	17714	4.0	9	1	2	3	5	7	9
75-79	15177	4.1	9	1	2	3	5	8	10
80-84	10928	4.3	12	1	2	3	6	8	10
85 +	8774	4.5	10	1	2	4	6	9	11
SUBTOTAL	**80859**	**4.0**	**9**	**1**	**2**	**3**	**5**	**8**	**9**
GRAND TOTAL	**80859**	**4.0**	**9**	**1**	**2**	**3**	**5**	**8**	**9**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	67397	2.6	5	1	1	2	3	5	6
35-49	65800	3.2	5	1	2	3	4	6	7
50-69	58138	3.6	7	1	2	3	5	7	8
70 +	1409	3.5	5	1	2	3	4	7	9
	192744	**3.1**	**6**	**1**	**2**	**3**	**4**	**6**	**7**
	192744	**3.1**	**6**	**1**	**2**	**3**	**4**	**6**	**7**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	12839	3.0	5	1	1	2	4	6	7
35-49	6119	3.8	8	1	2	3	5	7	9
50-69	4221	4.2	8	1	2	3	5	8	10
70 +	508	4.9	23	1	2	3	6	12	13
SUBTOTAL	**23687**	**3.4**	**7**	**1**	**2**	**3**	**4**	**7**	**8**
GRAND TOTAL	**23687**	**3.4**	**7**	**1**	**2**	**3**	**4**	**7**	**8**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	23979	2.5	4	1	1	2	3	5	6
35-49	14073	3.0	5	1	1	2	4	6	7
50-69	10590	3.4	7	1	2	3	4	7	8
70 +	1228	3.4	20	1	1	2	4	7	8
	49870	**2.8**	**5**	**1**	**1**	**2**	**4**	**5**	**7**
	49870	**2.8**	**5**	**1**	**1**	**2**	**4**	**5**	**7**

Total U.S., July 1989 - June 1990

DRG 184: Esophagitis, Gastroent & Misc Digest Disorders Age 0-17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	431	4.0	21	1	2	3	4	6	12
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	431	4.0	21	1	2	3	4	6	12
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	69	2.4	1	1	2	2	3	4	5
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	69	2.4	1	1	2	2	3	4	5
GRAND TOTAL	500	3.7	19	1	2	3	4	6	12

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	72167	2.9	10	1	2	2	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	72167	2.9	10	1	2	2	3	5	6
	80325	2.5	5	1	1	2	3	4	6
	152492	2.6	7	1	1	2	3	5	6

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	34666	3.7	22	1	2	3	4	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	34666	3.7	22	1	2	3	4	6	8
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	38094	2.9	6	1	2	2	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	38094	2.9	6	1	2	2	3	5	6
GRAND TOTAL	72760	3.3	14	1	2	3	4	5	7

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	18713	3.2	18	1	2	2	4	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	18713	3.2	18	1	2	2	4	6	8
0-17	23455	2.7	7	1	1	2	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	23455	2.7	7	1	1	2	3	5	6
	42168	2.9	12	1	1	2	3	5	7

Total U.S., July 1989 - June 1990

DRG 185: Dental & Oral Dis except Extractions & Restorations, Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1074	5.4	22	1	2	4	7	12	14
70-74	704	10.4	70	2	3	7	17	23	24
75-79	450	7.5	44	2	4	6	8	17	25
80-84	413	8.0	24	3	4	6	9	16	20
85 +	232	7.9	39	2	3	6	10	17	22
SUBTOTAL	2873	7.6	42	2	3	6	9	17	22
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	333	3.2	10	1	1	2	3	5	13
70-74	275	4.2	18	1	2	3	4	7	16
75-79	206	6.4	19	1	3	7	8	8	18
80-84	134	3.3	3	1	2	3	4	6	6
85 +	58	4.2	14	<1	1	3	7	12	12
SUBTOTAL	1006	4.2	15	1	2	3	6	8	13
GRAND TOTAL	3879	6.7	37	2	3	5	8	16	21

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1309	3.9	13	1	2	3	4	8	12
35-49	944	4.6	16	1	2	4	6	9	12
50-69	1170	6.4	20	2	3	6	8	13	15
70 +	85	5.3	15	<1	3	5	6	8	16
	3508	5.0	17	1	2	4	6	10	13
0-17	0								
18-34	2973	2.6	3	1	1	2	3	5	5
35-49	1012	3.1	8	1	1	2	4	6	10
50-69	1005	4.2	24	1	1	3	6	9	11
70 +	64	3.5	8	1	1	2	6	8	8
	5053	3.0	8	1	1	2	4	6	7
	8561	3.8	13	1	1	3	5	8	11

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	481	3.4	6	1	2	3	4	6	7
35-49	155	5.2	10	2	3	4	6	10	11
50-69	96	8.5	60	1	3	6	10	21	28
70 +	23	8.0							
SUBTOTAL	755	4.6	16	1	2	3	6	9	12
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	956	2.8	5	1	1	2	4	5	7
35-49	204	3.6	12	1	2	3	4	5	10
50-69	104	3.8	11	<1	2	3	4	10	14
70 +	0								
SUBTOTAL	1263	3.0	7	1	1	2	4	5	7
GRAND TOTAL	2018	3.6	11	1	2	3	4	7	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1358	3.3	20	1	1	2	4	6	7
35-49	660	3.6	16	1	2	2	4	6	8
50-69	189	3.6	8	1	2	2	5	9	9
70 +	26	4.0	6						
	2232	3.4	18	1	1	2	4	7	8
0-17	0								
18-34	2575	2.6	4	1	1	2	3	4	6
35-49	889	2.9	6	1	1	2	4	5	7
50-69	149	3.7	11	1	1	3	5	9	11
70 +	68	3.8	2						
	3680	2.7	5	1	1	2	3	5	6
	5912	3.0	10	1	1	2	4	5	7

Total U.S., July 1989 - June 1990

DRG 186: Dental & Oral Dis except Extractions & Restorations, Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	8	2.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	8	2.0							
GRAND TOTAL	8	2.0							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	3091	3.5	7	1	2	3	4	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	3091	3.5	7	1	2	3	4	6	8
0-17	3695	2.2	3	< 1	1	2	3	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	3695	2.2	3	< 1	1	2	3	4	5
	6786	2.8	5	1	1	2	4	5	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	1843	3.6	11	1	2	3	4	6	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1843	3.6	11	1	2	3	4	6	9
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	2009	2.7	3	1	1	2	4	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	2009	2.7	3	1	1	2	4	5	6
GRAND TOTAL	3852	3.1	7	1	2	3	4	5	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	827	3.9	14	1	2	3	5	8	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	827	3.9	14	1	2	3	5	8	8
0-17	1645	2.8	7	< 1	1	2	3	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1645	2.8	7	< 1	1	2	3	5	7
	2472	3.2	9	1	1	2	4	6	8

DRG 187: Dental Extractions & Restorations

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	651	2.9	8	1	1	2	3	6	9
70-74	114	6.1	18	2	3	5	8	12	17
75-79	238	3.2	5	1	1	3	6	6	6
80-84	149	4.1	10	1	1	2	7	8	9
85 +	141	3.6	15	1	2	2	3	14	14
SUBTOTAL	1293	3.4	10	1	1	2	5	8	10
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	389	1.6	1	< 1	< 1	1	2	3	3
70-74	82	2.6	3	1	1	2	3	6	6
75-79	25	1.0							
80-84	18	1.6							
85 +	113	1.4	1	1	1	1	1	2	4
SUBTOTAL	628	1.7	1	< 1	1	1	2	3	4
GRAND TOTAL	1921	2.9	8	1	1	2	3	6	8

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	693	1.9	3	< 1	1	1	2	3	5
18-34	532	2.2	4	1	1	2	2	5	5
35-49	206	2.6	1	1	2	3	4	4	5
50-69	139	3.4	11	1	1	2	4	11	12
70 +	6	4.0							
	1577	2.2	4	1	1	2	2	5	5
0-17	2904	1.2	1	< 1	< 1	< 1	1	1	2
18-34	1376	1.3	1	< 1	< 1	< 1	1	2	3
35-49	218	2.4	3	1	1	2	3	5	5
50-69	179	2.8	9	< 1	< 1	1	4	9	9
70 +	14	5.7	4						
	4692	1.3	1	< 1	< 1	< 1	1	2	4
	6269	1.6	2	< 1	< 1	1	1	3	4

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	515	2.3	4	< 1	1	2	2	5	8
18-34	294	2.2	3	< 1	1	1	3	5	6
35-49	120	4.5	16	2	2	4	4	9	17
50-69	48	2.9	3	< 1	2	2	5	6	6
70 +	0								
SUBTOTAL	977	2.6	6	< 1	1	2	3	5	8
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	3580	1.1		< 1	< 1	< 1	< 1	1	2
18-34	426	2.4	5	< 1	1	2	3	4	7
35-49	121	3.0	7	1	2	3	3	3	13
50-69	54	3.3	6	1	1	3	4	9	9
70 +	0								
SUBTOTAL	4182	1.3	1	< 1	< 1	< 1	1	2	3
GRAND TOTAL	5159	1.5	2	< 1	< 1	< 1	1	3	4

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	208	3.0	10	< 1	1	2	3	7	9
18-34	308	3.4	5	1	2	3	5	7	7
35-49	100	6.2	59	< 1	1	4	7	19	30
50-69	24	4.5	3						
70 +	10	2.0							
	650	3.7	16	< 1	1	2	5	7	7
0-17	844	1.4	1	< 1	< 1	< 1	1	2	4
18-34	688	3.0	10	1	1	2	3	6	8
35-49	186	2.7	3	1	1	3	3	5	6
50-69	80	1.7	1						
70 +	6	1.0							
	1803	2.2	5	< 1	< 1	1	3	5	6
	2453	2.6	9	< 1	< 1	1	3	6	7

Total U.S., July 1989 - June 1990

DRG 188: Other Digestive System Diagnoses Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	11551	6.7	42	2	3	5	8	13	17
70-74	7559	7.2	58	2	3	5	9	14	18
75-79	7451	7.5	56	2	3	6	9	15	21
80-84	6501	7.8	56	2	3	6	10	16	22
85 +	6194	7.9	38	2	4	6	10	16	20
SUBTOTAL	**39256**	**7.3**	**50**	**2**	**3**	**5**	**9**	**15**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**39256**	**7.3**	**50**	**2**	**3**	**5**	**9**	**15**	**20**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2400	5.0	32	1	2	3	6	10	15
35-49	4465	5.0	22	1	2	4	7	10	13
50-69	7170	6.2	30	2	3	5	8	12	17
70 +	635	6.4	61	2	3	4	7	10	24
	14671	**5.7**	**29**	**1**	**2**	**4**	**7**	**11**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	14671	**5.7**	**29**	**1**	**2**	**4**	**7**	**11**	**16**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	875	6.0	29	1	3	5	7	13	16
35-49	1003	6.1	22	2	2	5	8	13	15
50-69	1030	7.4	94	1	2	5	10	13	18
70 +	125	8.4	17	2	6	9	10	15	18
SUBTOTAL	**3033**	**6.6**	**49**	**2**	**3**	**5**	**8**	**13**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3033**	**6.6**	**49**	**2**	**3**	**5**	**8**	**13**	**16**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	962	5.1	80	1	2	3	5	10	12
35-49	1343	5.6	19	2	2	4	8	10	14
50-69	1635	6.6	40	1	3	5	8	12	17
70 +	432	7.3	58	1	3	5	8	16	27
	4373	**6.0**	**44**	**1**	**2**	**4**	**8**	**11**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4373	**6.0**	**44**	**1**	**2**	**4**	**8**	**11**	**15**

DRG 189: Other Digestive System Diagnoses Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	3769	3.3	10	< 1	< 1	2	5	8	9
70-74	2742	3.6	21	< 1	< 1	2	4	8	13
75-79	2492	3.0	7	< 1	1	2	4	7	8
80-84	1651	3.8	12	< 1	1	3	5	9	10
85 +	1617	4.3	14	< 1	1	3	6	8	11
SUBTOTAL	**12271**	**3.5**	**13**	**< 1**	**1**	**2**	**5**	**8**	**10**
GRAND TOTAL	**12271**	**3.5**	**13**	**< 1**	**1**	**2**	**5**	**8**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	5690	2.6	4	1	1	2	3	5	6
35-49	6317	2.9	6	< 1	1	2	4	6	7
50-69	6034	3.0	12	< 1	< 1	2	4	7	9
70 +	187	2.8	4	< 1	1	2	4	5	5
18427	**2.8**	**7**	**< 1**	**1**	**2**	**4**	**6**	**8**	
18427	**2.8**	**7**	**< 1**	**1**	**2**	**4**	**6**	**8**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	1104	4.2	21	1	2	3	5	7	12
35-49	964	3.2	5	1	1	2	4	7	8
50-69	619	6.0	21	1	3	5	8	12	14
70 +	106	3.4	5	1	2	3	4	8	8
SUBTOTAL	**2792**	**4.2**	**16**	**1**	**2**	**3**	**5**	**8**	**12**
GRAND TOTAL	**2792**	**4.2**	**16**	**1**	**2**	**3**	**5**	**8**	**12**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	2979	2.7	7	1	1	2	3	5	9
35-49	1756	3.3	10	1	1	2	4	7	13
50-69	1300	3.0	5	< 1	1	2	4	6	8
70 +	178	3.6	14	1	1	3	4	10	13
6212	**2.9**	**8**	**1**	**1**	**2**	**4**	**6**	**9**	
6212	**2.9**	**8**	**1**	**1**	**2**	**4**	**6**	**9**	

Total U.S., July 1989 - June 1990

DRG 190: Other Digestive System Diagnoses Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	304	7.0	33	2	4	6	10	12	16
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	304	7.0	33	2	4	6	10	12	16
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	304	7.0	33	2	4	6	10	12	16

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	3258	5.0	59	1	1	2	5	10	20
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	3258	5.0	59	1	1	2	5	10	20
0-17	13257	2.0	5	< 1	1	1	2	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	13257	2.0	5	< 1	1	1	2	4	5
	16515	2.6	17	< 1	1	1	3	5	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	1689	5.6	84	1	2	3	6	11	19
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1689	5.6	84	1	2	3	6	11	19
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	4962	2.1	7	< 1	1	1	2	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	4962	2.1	7	< 1	1	1	2	4	6
GRAND TOTAL	6651	3.0	28	< 1	1	2	3	6	9

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	871	4.7	24	1	1	3	6	12	17
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	871	4.7	24	1	1	3	6	12	17
0-17	4162	1.9	4	< 1	1	1	2	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	4162	1.9	4	< 1	1	1	2	4	6
	5033	2.4	9	< 1	1	1	2	5	9

DRG 191: Pancreas, Liver & Shunt Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	4141	17.4	145	6	9	14	23	32	40
70-74	2470	21.1	253	8	10	17	26	42	61
75-79	2314	18.0	175	8	10	14	21	31	46
80-84	1037	20.0	299	5	9	14	21	53	57
85 +	813	19.9	216	9	11	15	23	38	59
SUBTOTAL	**10775**	**18.8**	**198**	**7**	**10**	**15**	**23**	**36**	**52**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**10775**	**18.8**	**198**	**7**	**10**	**15**	**23**	**36**	**52**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	210	19.1	347	5	8	12	20	46	71
18-34	1245	15.9	217	5	7	10	19	40	53
35-49	1947	14.6	154	6	7	11	18	31	41
50-69	3971	18.5	203	6	9	13	25	38	52
70 +	238	16.7	90	8	11	16	18	27	45
	7611	**17.0**	**196**	**6**	**8**	**12**	**21**	**35**	**50**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	7611	**17.0**	**196**	**6**	**8**	**12**	**21**	**35**	**50**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	146	17.9	357	8	9	11	14	57	79
18-34	577	19.5	387	5	7	10	24	57	70
35-49	480	19.8	216	6	10	14	26	37	45
50-69	303	24.1	337	7	11	22	35	52	98
70 +	40	35.1	911						
SUBTOTAL	**1546**	**20.8**	**343**	**6**	**8**	**14**	**26**	**52**	**66**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1546**	**20.8**	**343**	**6**	**8**	**14**	**26**	**52**	**66**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	104	13.2	48	4	7	14	17	19	28
18-34	952	17.2	263	4	7	11	25	42	52
35-49	828	17.3	136	6	9	14	24	35	42
50-69	883	20.0	248	6	9	16	27	41	53
70 +	168	12.3	56	5	8	10	13	23	30
	2935	**17.6**	**207**	**5**	**8**	**13**	**24**	**40**	**48**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2935	**17.6**	**207**	**5**	**8**	**13**	**24**	**40**	**48**

DRG 192: Pancreas, Liver & Shunt Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	359	11.4	30	6	7	10	12	19	24
70-74	449	11.3	55	5	6	9	14	20	31
75-79	293	8.5	33	1	5	8	12	15	24
80-84	189	8.0	16	5	5	8	11	12	17
85 +	54	8.7	20	3	5	8	14	15	15
SUBTOTAL	**1345**	**10.2**	**39**	**4**	**6**	**9**	**12**	**20**	**24**
GRAND TOTAL	**1345**	**10.2**	**39**	**4**	**6**	**9**	**12**	**20**	**24**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	185	8.6	17	4	6	8	11	16	16
18-34	549	8.5	39	3	5	7	10	12	17
35-49	1148	8.5	30	4	5	7	10	15	19
50-69	1105	8.9	30	3	5	8	11	15	17
70 +	23	17.0	150						
3010	**8.7**	**32**	**4**	**5**	**8**	**11**	**15**	**17**	
3010	**8.7**	**32**	**4**	**5**	**8**	**11**	**15**	**17**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	104	12.9	90	4	6	10	18	25	35
18-34	108	11.9	221	4	5	5	13	15	62
35-49	108	11.4	16	7	7	11	14	18	18
50-69	60	12.8	115	5	7	9	11	34	39
70 +	10	9.0							
SUBTOTAL	**390**	**12.1**	**107**	**4**	**5**	**9**	**14**	**24**	**35**
GRAND TOTAL	**390**	**12.1**	**107**	**4**	**5**	**9**	**14**	**24**	**35**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	128	10.5	46	4	5	7	14	23	26
18-34	415	7.5	14	4	5	7	9	12	14
35-49	282	9.6	53	4	5	8	11	15	32
50-69	198	11.5	41	5	6	10	14	22	26
70 +	20	12.1	122						
1043	**9.3**	**38**	**4**	**5**	**8**	**11**	**15**	**25**	
1043	**9.3**	**38**	**4**	**5**	**8**	**11**	**15**	**25**	

Total U.S., July 1989 - June 1990

DRG 193: Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2752	14.9	75	7	10	12	18	25	32
70-74	2549	15.6	98	7	9	13	19	27	40
75-79	2575	16.2	106	7	10	14	19	28	36
80-84	2149	18.0	163	9	11	15	21	30	50
85 +	1536	16.7	81	9	10	14	20	28	35
SUBTOTAL	**11562**	**16.2**	**105**	**8**	**10**	**14**	**19**	**27**	**37**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**11562**	**16.2**	**105**	**8**	**10**	**14**	**19**	**27**	**37**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	210	13.7	86	4	7	12	17	24	35
18-34	369	8.0	54	3	5	6	8	17	36
35-49	873	12.2	152	5	6	9	14	21	29
50-69	2247	14.3	99	6	8	11	18	26	30
70 +	242	16.2	222	6	9	11	16	29	66
	3941	**13.3**	**117**	**5**	**7**	**10**	**16**	**25**	**33**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3941	**13.3**	**117**	**5**	**7**	**10**	**16**	**25**	**33**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	67	22.0	126	8	17	21	23	27	52
18-34	308	8.5	24	5	5	7	10	14	25
35-49	184	15.5	117	6	7	13	22	23	51
50-69	325	18.6	259	4	8	14	17	50	50
70 +	115	16.0	193	11	11	11	16	19	62
SUBTOTAL	**999**	**14.8**	**164**	**5**	**7**	**11**	**16**	**27**	**50**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**999**	**14.8**	**164**	**5**	**7**	**11**	**16**	**27**	**50**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	65	18.2	94	9	9	18	30	33	33
18-34	204	11.4	21	6	8	11	15	16	18
35-49	284	14.6	113	6	6	14	19	25	30
50-69	535	16.4	101	5	9	14	20	36	38
70 +	162	16.0	150	7	10	13	16	27	43
	1250	**15.2**	**100**	**6**	**8**	**14**	**19**	**30**	**37**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1250	**15.2**	**100**	**6**	**8**	**14**	**19**	**30**	**37**

Total U.S., July 1989 - June 1990

DRG 194: Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	436	10.1	57	3	5	9	12	17	27
70-74	418	9.9	47	5	5	8	12	19	29
75-79	373	10.1	52	2	6	8	13	22	24
80-84	249	8.9	20	6	6	8	11	14	21
85 +	247	11.2	33	4	9	10	14	18	18
SUBTOTAL	**1723**	**10.1**	**45**	**3**	**6**	**9**	**12**	**18**	**24**
GRAND TOTAL	**1723**	**10.1**	**45**	**3**	**6**	**9**	**12**	**18**	**24**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	299	10.4	27	5	7	9	12	16	25
18-34	328	7.4	18	3	4	6	10	14	14
35-49	475	6.4	12	3	4	6	8	10	13
50-69	847	9.3	55	3	4	8	11	17	24
70 +	30	12.1	21						
1980	**8.5**	**36**	**3**	**5**	**7**	**11**	**15**	**19**	
1980	**8.5**	**36**	**3**	**5**	**7**	**11**	**15**	**19**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	107	13.5	36	7	7	11	17	22	23
18-34	200	7.3	19	4	5	5	10	10	18
35-49	34	18.2	90						
50-69	71	11.4	37	3	9	10	14	15	27
70 +	14	9.3	2						
SUBTOTAL	**427**	**10.5**	**43**	**4**	**5**	**9**	**14**	**22**	**23**
GRAND TOTAL	**427**	**10.5**	**43**	**4**	**5**	**9**	**14**	**22**	**23**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	75	12.8	3	11	12	12	13	16	16
18-34	159	9.5	78	2	4	6	11	26	29
35-49	87	10.6	88	4	7	7	15	18	41
50-69	224	10.8	52	3	7	9	11	16	33
70 +	57	7.6	42	1	2	4	11	21	22
601	**10.4**	**58**	**3**	**6**	**9**	**12**	**18**	**29**	
601	**10.4**	**58**	**3**	**6**	**9**	**12**	**18**	**29**	

DRG 195: Total Cholecystectomy w/ C.D.E. w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4746	10.5	30	5	7	9	13	17	19
70-74	4240	10.4	32	5	7	9	12	16	21
75-79	3754	11.2	35	6	8	10	13	17	20
80-84	3133	14.3	79	7	9	11	16	25	37
85+	2255	15.5	103	8	10	13	18	26	30
SUBTOTAL	**18128**	**11.9**	**53**	**6**	**8**	**10**	**14**	**19**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**18128**	**11.9**	**53**	**6**	**8**	**10**	**14**	**19**	**25**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	71	7.7	5	5	7	8	8	11	11
18-34	3897	6.8	8	4	5	6	8	10	11
35-49	3656	8.0	16	4	5	7	9	13	15
50-69	5634	8.7	21	4	6	8	10	15	18
70+	331	12.0	51	5	8	11	14	21	32
SUBTOTAL	**13589**	**8.1**	**18**	**4**	**5**	**7**	**9**	**13**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**13589**	**8.1**	**18**	**4**	**5**	**7**	**9**	**13**	**16**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	103	7.7	6	5	5	8	10	11	12
18-34	1648	7.5	12	4	5	7	9	12	13
35-49	601	7.5	9	4	5	6	10	12	12
50-69	450	11.2	23	6	8	9	14	18	19
70+	106	17.6	85	10	11	15	23	24	47
SUBTOTAL	**2908**	**8.4**	**20**	**4**	**6**	**7**	**10**	**14**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2908**	**8.4**	**20**	**4**	**6**	**7**	**10**	**14**	**18**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	29	7.6	3						
18-34	1176	7.0	9	4	5	6	8	11	13
35-49	931	8.5	28	4	5	7	10	15	18
50-69	1195	8.9	25	4	6	8	10	16	22
70+	256	11.1	56	6	7	9	12	18	36
SUBTOTAL	**3587**	**8.3**	**24**	**4**	**5**	**7**	**10**	**13**	**18**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3587**	**8.3**	**24**	**4**	**5**	**7**	**10**	**13**	**18**

Total U.S., July 1989 - June 1990

DRG 196: Total Cholecystectomy w/ C.D.E. w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1025	7.9	27	4	5	7	9	11	17
70-74	516	8.2	12	4	6	8	10	14	16
75-79	495	9.5	18	5	6	8	13	16	16
80-84	280	8.6	7	5	7	8	11	12	13
85 +	97	7.5	3	5	7	8	9	9	10
SUBTOTAL	**2413**	**8.4**	**19**	**4**	**5**	**7**	**10**	**14**	**16**
GRAND TOTAL	**2413**	**8.4**	**19**	**4**	**5**	**7**	**10**	**14**	**16**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	34	5.6	1						
18-34	1876	5.8	5	3	4	5	7	9	9
35-49	1886	6.3	6	3	4	6	8	10	11
50-69	2223	6.3	7	4	5	6	7	10	11
70 +	72	6.6	6	3	4	7	9	9	11
6091	**6.2**	**6**		**3**	**4**	**6**	**7**	**9**	**11**
6091	**6.2**	**6**		**3**	**4**	**6**	**7**	**9**	**11**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	58	8.4	6	5	7	8	12	12	12
18-34	854	6.5	8	3	4	6	8	10	11
35-49	201	7.1	8	4	5	7	9	11	13
50-69	203	8.8	11	5	6	9	10	15	16
70 +	8	14.0							
SUBTOTAL	**1324**	**7.1**	**10**	**4**	**5**	**7**	**9**	**11**	**13**
GRAND TOTAL	**1324**	**7.1**	**10**	**4**	**5**	**7**	**9**	**11**	**13**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	56	6.6	3	3	6	7	7	9	9
18-34	938	6.9	15	3	4	6	10	11	13
35-49	655	6.6	11	3	4	6	8	12	14
50-69	451	7.3	16	4	5	6	8	12	14
70 +	87	8.4	12	4	6	7	12	13	15
2187	**6.9**	**14**		**3**	**4**	**6**	**8**	**12**	**13**
2187	**6.9**	**14**		**3**	**4**	**6**	**8**	**12**	**13**

Total U.S., July 1989 - June 1990

DRG 197: Total Cholecystectomy w/o C.D.E. w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	21936	8.2	29	4	5	7	10	14	18
70-74	15310	8.9	34	4	5	8	10	15	19
75-79	11470	10.0	37	5	6	8	12	17	21
80-84	6876	12.1	69	5	7	10	15	22	27
85 +	3868	12.3	58	6	7	10	15	23	26
SUBTOTAL	**59460**	**9.4**	**40**	**4**	**6**	**8**	**11**	**17**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**59460**	**9.4**	**40**	**4**	**6**	**8**	**11**	**17**	**21**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	208	6.7	6	4	5	6	7	11	12
18-34	8669	6.0	13	3	4	5	7	10	12
35-49	15993	6.6	18	3	4	5	8	11	14
50-69	24325	7.3	19	3	4	6	9	12	15
70 +	790	8.3	25	4	5	7	11	16	17
	49985	**6.8**	**18**	**3**	**4**	**6**	**8**	**11**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	49985	**6.8**	**18**	**3**	**4**	**6**	**8**	**11**	**14**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	168	7.9	24	4	5	7	8	17	21
18-34	3665	6.7	17	3	4	6	8	11	12
35-49	2112	7.8	24	4	5	7	9	12	17
50-69	2430	8.3	21	4	5	7	10	15	17
70 +	201	11.3	29	6	8	11	13	15	23
SUBTOTAL	**8575**	**7.6**	**21**	**3**	**5**	**6**	**9**	**12**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**8575**	**7.6**	**21**	**3**	**5**	**6**	**9**	**12**	**16**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	82	6.0	8	4	5	5	7	8	15
18-34	3592	6.3	13	3	4	5	8	11	14
35-49	4510	6.8	41	3	4	5	8	11	16
50-69	4429	7.9	35	3	4	6	9	14	18
70 +	603	10.0	59	4	5	8	11	20	28
	13216	**7.2**	**33**	**3**	**4**	**6**	**8**	**13**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	13216	**7.2**	**33**	**3**	**4**	**6**	**8**	**13**	**16**

Total U.S., July 1989 - June 1990

DRG 198: Total Cholecystectomy w/o C.D.E. w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	17961	5.3	9	3	4	5	6	8	10
70-74	9901	5.4	8	3	4	5	6	9	11
75-79	5373	5.9	6	3	4	5	7	9	10
80-84	2570	6.7	12	4	5	6	7	11	14
85+	875	7.0	10	4	5	6	8	12	13
SUBTOTAL	36679	5.6	9	3	4	5	7	9	11
GRAND TOTAL	36679	5.6	9	3	4	5	7	9	11

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	1395	4.3	3	2	3	4	5	6	7
18-34	47287	4.0	3	2	3	4	5	6	7
35-49	61038	4.2	4	2	3	4	5	6	8
50-69	50734	4.6	4	3	3	4	6	7	9
70+	631	5.3	7	3	4	4	7	8	10
	161086	4.3	4	2	3	4	5	7	8
	161086	4.3	4	2	3	4	5	7	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	465	4.7	4	3	3	4	6	8	9
18-34	14246	4.4	4	3	3	4	5	7	8
35-49	5080	4.7	5	3	3	4	6	8	9
50-69	2383	5.7	8	3	4	5	7	10	11
70+	169	11.9	173	4	6	8	10	17	52
SUBTOTAL	22343	4.7	7	3	3	4	5	7	9
GRAND TOTAL	22343	4.7	7	3	3	4	5	7	9

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	375	4.5	7	1	3	4	6	7	9
18-34	14425	4.1	4	2	3	4	5	7	8
35-49	11498	4.2	5	2	3	4	5	7	8
50-69	8614	4.7	6	3	3	4	5	8	10
70+	596	5.2	9	3	3	4	5	9	11
	35509	4.3	5	2	3	4	5	7	8
	35509	4.3	5	2	3	4	5	7	8

DRG 199: Hepatobiliary Diagnostic Procedure for Malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	557	15.5	140	4	8	12	20	29	38
70-74	432	12.1	58	6	7	10	14	20	23
75-79	524	14.0	86	5	8	9	19	32	35
80-84	214	17.1	104	7	9	11	31	31	31
85 +	183	19.1	132	8	10	14	25	39	39
SUBTOTAL	**1909**	**14.8**	**106**	**6**	**8**	**11**	**19**	**31**	**35**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	145	11.0	47	4	6	10	14	24	24
70-74	125	8.5	39	2	5	8	10	23	23
75-79	25	5.8	2						
80-84	57	8.6	59	< 1	2	7	12	22	22
85 +	7	2.0							
SUBTOTAL	**359**	**9.2**	**45**	**2**	**4**	**8**	**12**	**22**	**23**
GRAND TOTAL	**2269**	**14.0**	**100**	**5**	**7**	**10**	**18**	**29**	**35**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	43	14.9	107						
18-34	38	10.8	42						
35-49	314	10.7	47	5	7	8	13	20	28
50-69	792	12.0	56	5	7	10	16	22	26
70 +	6	16.0							
	1192	**11.8**	**55**	**5**	**7**	**9**	**15**	**23**	**27**
0-17	70	7.3	30	1	1	5	14	14	14
18-34	0								
35-49	73	8.4	92	1	2	4	9	26	26
50-69	201	9.2	43	3	5	7	11	14	24
70 +	0								
	344	**8.7**	**51**	**1**	**3**	**7**	**11**	**14**	**26**
	1536	**11.1**	**56**	**3**	**6**	**8**	**14**	**23**	**26**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	28	25.8	615						
18-34	24	13.4	81						
35-49	49	8.9	12						
50-69	137	35.7	1142	4	9	20	84	84	84
70 +	8	8.0							
SUBTOTAL	**246**	**26.2**	**850**	**5**	**6**	**11**	**30**	**84**	**84**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	8	5.0							
50-69	6	15.0							
70 +	0								
SUBTOTAL	**14**	**9.3**	**26**						
GRAND TOTAL	**260**	**25.2**	**819**	**5**	**6**	**10**	**30**	**84**	**84**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	14	12.0	22						
18-34	0								
35-49	37	13.3	15						
50-69	157	12.7	54	5	7	10	18	22	23
70 +	22	14.3	129						
	229	**12.9**	**52**	**6**	**7**	**10**	**18**	**22**	**32**
0-17	16	4.7	12						
18-34	0								
35-49	8	9.0							
50-69	115	13.6	104	3	5	8	26	26	26
70 +	16	1.0							
	154	**11.2**	**98**	**< 1**	**3**	**6**	**26**	**26**	**26**
	384	**12.2**	**71**	**3**	**6**	**9**	**18**	**26**	**26**

Total U.S., July 1989 - June 1990

DRG 200: Hepatobiliary Diagnostic Procedure for Non-malignancy

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	384	12.5	63	4	7	10	21	25	26
70-74	285	14.7	132	3	6	12	16	35	47
75-79	174	15.1	262	4	6	10	18	25	62
80-84	98	14.3	73	5	9	13	20	22	36
85 +	43	16.6	212						
SUBTOTAL	**985**	**14.0**	**127**	**4**	**6**	**11**	**19**	**26**	**36**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	40	3.9	10						
70-74	54	7.0	28	1	2	4	11	15	15
75-79	38	6.0	8						
80-84	43	4.0							
85 +	16	8.0							
SUBTOTAL	**191**	**5.5**	**14**	**2**	**2**	**4**	**8**	**11**	**14**
GRAND TOTAL	**1176**	**12.6**	**118**	**3**	**6**	**10**	**16**	**25**	**35**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	3.8	5						
18-34	179	12.7	165	5	6	7	14	21	40
35-49	372	18.9	237	5	8	16	24	50	50
50-69	395	12.1	52	5	6	10	18	24	30
70 +	15	8.2	17						
SUBTOTAL	**990**	**14.5**	**154**	**4**	**6**	**10**	**18**	**31**	**50**
0-17	95	3.5	3	1	2	3	4	7	7
18-34	289	5.5	9	1	4	5	8	10	11
35-49	248	5.3	13	1	3	4	7	11	13
50-69	238	5.7	40	1	2	4	6	18	23
70 +	16	7.0							
SUBTOTAL	**886**	**5.3**	**18**	**1**	**2**	**4**	**7**	**10**	**13**
	1876	**10.1**	**111**	**2**	**4**	**6**	**13**	**21**	**31**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	41	17.6	236						
18-34	98	13.2	71	5	5	11	21	28	28
35-49	78	15.5	162	4	6	10	21	34	42
50-69	94	16.4	175	2	6	14	19	43	43
70 +	50	9.7	54						
SUBTOTAL	**361**	**14.6**	**139**	**5**	**6**	**10**	**19**	**34**	**43**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	50	3.5	3	1	1	4	5	6	6
18-34	73	7.2	6	5	6	6	7	13	13
35-49	60	7.7	38	1	2	5	16	16	16
50-69	13	12.3	155						
70 +	0								
SUBTOTAL	**196**	**6.8**	**29**	**1**	**4**	**6**	**7**	**16**	**16**
GRAND TOTAL	**557**	**11.8**	**114**	**3**	**5**	**7**	**16**	**28**	**42**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	20	7.6	23						
18-34	135	13.4	192	3	5	8	15	49	49
35-49	125	8.9	45	1	4	7	14	20	22
50-69	85	11.4	45	4	7	11	17	19	25
70 +	15	9.2	10						
SUBTOTAL	**381**	**11.0**	**98**	**3**	**5**	**7**	**15**	**20**	**25**
0-17	41	3.0	1						
18-34	230	5.3	7	3	3	5	6	7	9
35-49	78	5.9	37	1	3	5	6	21	21
50-69	6	2.0							
70 +	6	23.0							
SUBTOTAL	**362**	**5.4**	**18**	**2**	**3**	**5**	**6**	**8**	**17**
	743	**8.3**	**67**	**2**	**4**	**6**	**9**	**19**	**22**

Total U.S., July 1989 - June 1990

DRG 201: Other Hepatobiliary or Pancreas O.R. Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1702	8.6	51	1	3	7	11	19	23
70-74	788	9.8	87	2	4	9	13	17	21
75-79	580	10.9	57	5	6	8	13	27	31
80-84	323	17.3	265	4	6	11	26	39	43
85 +	160	19.6	208	8	9	14	31	40	59
SUBTOTAL	**3553**	**10.5**	**96**	**2**	**4**	**8**	**13**	**21**	**30**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	149	1.6	3	1	1	1	2	2	9
70-74	16	3.0	4						
75-79	18	8.3	9						
80-84	0								
85 +	10	8.0							
SUBTOTAL	**193**	**2.7**	**9**	**1**	**1**	**1**	**2**	**8**	**10**
GRAND TOTAL	**3746**	**10.1**	**95**	**2**	**4**	**8**	**13**	**21**	**28**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	176	5.3	29	1	1	4	9	11	11
18-34	183	7.6	70	2	2	5	8	15	25
35-49	937	7.7	34	2	4	6	10	18	20
50-69	1992	10.1	98	3	4	7	13	21	29
70 +	95	5.9	13	4	4	4	7	14	15
	3383	**8.9**	**75**	**2**	**4**	**6**	**11**	**18**	**26**
0-17	61	2.1	3						
18-34	15	11.1	32						
35-49	92	3.7	9	< 1	< 1	< 1	6	9	9
50-69	131	4.1	16	< 1	1	1	7	10	12
70 +	0								
	299	**3.9**	**15**	**< 1**	**1**	**1**	**6**	**10**	**11**
	3682	**8.5**	**72**	**2**	**4**	**6**	**10**	**17**	**25**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	118	3.9	9	1	2	3	6	10	11
18-34	159	8.4	62	2	3	4	14	20	26
35-49	587	8.7	51	3	4	6	11	17	26
50-69	545	9.1	70	1	4	7	13	21	23
70 +	10	7.0							
SUBTOTAL	**1419**	**8.4**	**57**	**2**	**3**	**6**	**12**	**17**	**24**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	43	1.2							
18-34	67	1.0							
35-49	25	4.2	1						
50-69	15	6.5	38						
70 +	0								
SUBTOTAL	**150**	**2.1**	**7**	**1**	**1**	**1**	**2**	**5**	**5**
GRAND TOTAL	**1569**	**7.8**	**56**	**1**	**3**	**5**	**11**	**15**	**23**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	28	7.2	72						
18-34	266	7.4	33	1	3	7	8	16	17
35-49	693	6.9	35	1	3	5	9	15	22
50-69	710	7.2	26	3	4	6	9	14	23
70 +	37	4.0	3						
	1734	**7.0**	**31**	**2**	**3**	**5**	**9**	**15**	**22**
0-17	10	2.0							
18-34	0								
35-49	60	1.6	1						
50-69	0								
70 +	8	4.0							
	77	**1.9**	**1**						
	1812	**6.8**	**31**	**1**	**3**	**5**	**8**	**15**	**22**

Total U.S., July 1989 - June 1990

DRG 202: Cirrhosis & Alcoholic Hepatitis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	5482	9.0	58	3	5	7	11	17	22
70-74	2519	9.8	59	3	4	8	12	20	24
75-79	1436	9.5	41	3	5	8	13	18	21
80-84	934	10.1	54	4	5	8	13	16	28
85 +	334	9.5	30	4	6	9	13	22	27
SUBTOTAL	**10706**	**9.4**	**55**	**3**	**5**	**8**	**12**	**17**	**23**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	361	4.3	22	1	1	2	6	9	14
70-74	123	3.2	13	1	1	2	2	10	14
75-79	69	8.5	27	2	5	9	13	18	18
80-84	74	10.3	48						
85 +	24	4.5	15						
SUBTOTAL	**652**	**5.2**	**29**	**1**	**1**	**3**	**8**	**16**	**16**
GRAND TOTAL	**11358**	**9.1**	**54**	**3**	**4**	**8**	**12**	**17**	**22**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	82	5.5	36	1	2	3	5	19	19
18-34	547	5.8	12	2	3	5	8	10	12
35-49	3588	8.1	41	2	4	6	10	18	20
50-69	4746	8.8	50	2	4	7	11	17	24
70 +	259	7.1	32	3	3	5	7	16	21
SUBTOTAL	**9223**	**8.3**	**44**	**2**	**4**	**6**	**10**	**17**	**22**
0-17	46	1.7	1	1	1	1	3	3	3
18-34	148	4.2	3	1	2	5	6	6	6
35-49	555	3.5	8	1	1	2	6	7	8
50-69	571	4.4	16	1	1	4	7	8	9
70 +	8	1.0							
SUBTOTAL	**1327**	**3.9**	**11**	**1**	**1**	**3**	**6**	**8**	**8**
GRAND TOTAL	**10550**	**7.7**	**42**	**2**	**3**	**6**	**10**	**17**	**21**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	20	1.5							
18-34	787	6.8	49	2	3	5	8	13	18
35-49	2827	8.8	68	2	4	6	10	17	22
50-69	1935	8.3	31	2	4	7	11	16	19
70 +	28	8.9	19						
SUBTOTAL	**5597**	**8.3**	**52**	**2**	**4**	**6**	**10**	**16**	**21**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	31	4.9	6						
18-34	27	1.8	2						
35-49	120	3.9	16	1	1	2	6	10	14
50-69	13	4.1	4						
70 +	0								
SUBTOTAL	**191**	**3.8**	**12**	**1**	**1**	**2**	**6**	**8**	**13**
GRAND TOTAL	**5788**	**8.2**	**52**	**2**	**4**	**6**	**10**	**16**	**20**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	22	1.7							
18-34	1645	7.7	91	2	3	5	9	15	21
35-49	4047	7.4	61	2	3	5	9	15	21
50-69	2690	8.0	40	2	3	6	12	16	19
70 +	182	6.6	21	1	2	7	9	11	17
SUBTOTAL	**8586**	**7.6**	**59**	**2**	**3**	**5**	**9**	**16**	**21**
0-17	49	5.8	33						
18-34	154	8.9	106	1	2	3	25	25	25
35-49	276	4.4	11	1	2	3	6	8	13
50-69	195	2.9	9	< 1	1	1	4	5	6
70 +	13	2.6	2						
SUBTOTAL	**688**	**5.0**	**38**	**1**	**1**	**3**	**5**	**14**	**25**
GRAND TOTAL	**9273**	**7.4**	**58**	**2**	**3**	**5**	**9**	**15**	**21**

Total U.S., July 1989 - June 1990

DRG 203: Malignancy of Hepatobiliary System or Pancreas

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4223	9.1	68	2	4	7	12	18	23
70-74	3363	9.5	64	3	4	8	12	18	22
75-79	3134	9.2	56	2	4	8	12	18	23
80-84	1903	10.2	65	3	5	8	12	23	26
85 +	1774	9.6	76	3	5	8	11	18	22
SUBTOTAL	**14397**	**9.4**	**65**	**2**	**4**	**8**	**12**	**18**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1101	4.8	21	1	2	4	5	10	14
70-74	959	5.9	24	1	2	5	8	12	14
75-79	760	5.4	16	1	2	4	8	11	11
80-84	627	5.6	25	1	2	4	7	12	15
85 +	395	7.2	47	2	3	6	9	13	19
SUBTOTAL	**3842**	**5.6**	**25**	**1**	**2**	**4**	**7**	**11**	**14**
GRAND TOTAL	18238	**8.6**	**59**	**2**	**4**	**7**	**11**	**17**	**23**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	107	5.4	10	1	2	7	8	8	10
18-34	257	6.2	27	1	2	5	8	12	17
35-49	1529	6.4	35	1	2	5	8	15	18
50-69	4557	9.0	82	2	3	6	12	19	25
70 +	295	6.6	18	2	4	6	8	12	16
	6745	**8.2**	**67**	**2**	**3**	**6**	**11**	**17**	**23**
0-17	164	2.8	4	1	1	2	4	6	8
18-34	115	2.4	3	1	1	2	2	6	7
35-49	664	3.3	11	1	2	2	4	7	11
50-69	2008	4.1	11	1	2	3	6	9	12
70 +	45	6.7	13						
	2995	**3.9**	**11**	**1**	**2**	**3**	**5**	**8**	**11**
	9740	**6.8**	**53**	**1**	**2**	**5**	**9**	**15**	**20**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	135	8.3	36	1	2	9	14	14	20
18-34	90	6.9	66	2	3	4	8	29	29
35-49	282	9.4	55	3	4	6	14	21	24
50-69	718	8.2	61	2	3	5	10	16	26
70 +	102	11.4	53	3	3	12	16	23	25
SUBTOTAL	**1327**	**8.6**	**58**	**2**	**3**	**6**	**12**	**20**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	125	2.1	1	1	1	2	3	3	4
18-34	12	6.5	13						
35-49	46	6.0	14	1	4	5	10	11	11
50-69	214	6.8	11	2	4	7	10	10	14
70 +	68	10.0	11						
SUBTOTAL	**465**	**5.9**	**15**	**1**	**2**	**5**	**10**	**11**	**11**
GRAND TOTAL	**1793**	**7.9**	**48**	**2**	**3**	**6**	**11**	**16**	**23**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	86	6.4	54	1	2	4	5	26	26
18-34	28	9.8	10						
35-49	290	7.0	61	1	3	5	8	13	36
50-69	1202	7.8	34	2	3	6	10	17	20
70 +	220	7.0	26	1	3	7	10	15	15
	1827	**7.6**	**38**	**2**	**3**	**6**	**10**	**16**	**20**
0-17	81	3.2	2	2	2	3	4	6	6
18-34	34	6.6	31						
35-49	117	4.8	18	1	2	4	7	7	17
50-69	355	6.2	27	1	2	5	11	13	15
70 +	63	2.7	4	1	1	2	4	5	8
	650	**5.3**	**22**	**1**	**2**	**4**	**7**	**13**	**15**
	2477	**7.0**	**35**	**1**	**3**	**5**	**10**	**15**	**19**

Total U.S., July 1989 - June 1990

DRG 204: Disorders of Pancreas except Malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	10740	8.3	47	3	4	6	9	16	20
70-74	3509	8.3	40	3	4	7	10	15	19
75-79	3776	8.5	49	3	5	6	10	16	25
80-84	2933	8.8	62	4	5	7	10	15	17
85+	2681	8.4	39	3	5	7	10	15	19
SUBTOTAL	**23639**	**8.4**	**47**	**3**	**4**	**7**	**10**	**15**	**20**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	3544	5.9	16	2	3	5	7	10	14
70-74	1973	5.9	15	2	3	5	7	11	13
75-79	1609	5.4	21	2	3	5	7	9	9
80-84	941	7.0	21	3	4	5	8	15	17
85+	796	6.9	13	3	5	6	8	10	13
SUBTOTAL	**8863**	**6.0**	**17**	**2**	**3**	**5**	**7**	**10**	**14**
GRAND TOTAL	**32502**	**7.7**	**40**	**3**	**4**	**6**	**9**	**14**	**19**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	244	5.9	53	2	3	4	5	12	14
18-34	4546	6.7	30	2	3	5	8	13	18
35-49	9256	7.2	35	3	4	6	9	13	19
50-69	7706	7.8	45	3	4	6	9	14	20
70+	232	8.1	22	3	4	7	13	15	16
	21984	**7.3**	**38**	**3**	**4**	**6**	**9**	**13**	**18**
	330	5.9	12	2	3	5	8	11	15
	4682	4.8	11	1	3	4	6	9	12
	7280	5.5	18	2	3	4	7	9	13
	5697	5.5	13	2	3	5	7	10	12
	226	5.8	13	3	3	4	8	8	14
	18214	**5.4**	**15**	**2**	**3**	**4**	**7**	**9**	**12**
	40198	**6.4**	**28**	**2**	**3**	**5**	**8**	**12**	**16**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	110	6.5	32	3	3	3	9	18	19
18-34	3340	7.3	38	2	3	6	9	15	18
35-49	5291	7.9	56	3	4	6	9	14	22
50-69	1835	8.3	47	2	4	6	10	16	20
70+	107	9.2	29	4	6	9	9	14	25
SUBTOTAL	**10682**	**7.8**	**48**	**2**	**4**	**6**	**9**	**15**	**20**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	63	4.8	3	3	4	5	7	7	7
18-34	1560	5.4	19	2	3	5	7	9	10
35-49	1862	6.2	13	3	4	6	7	9	14
50-69	656	5.9	8	2	4	6	7	11	11
70+	100	8.3	22	6	6	6	8	18	18
SUBTOTAL	**4241**	**5.9**	**15**	**2**	**4**	**6**	**7**	**9**	**11**
GRAND TOTAL	**14923**	**7.2**	**40**	**2**	**4**	**6**	**8**	**13**	**18**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	36	7.4	21						
18-34	5917	6.7	50	2	3	5	8	12	19
35-49	7178	8.0	60	2	4	6	9	16	24
50-69	3017	7.8	45	3	4	6	8	15	20
70+	296	7.5	61	4	4	5	9	15	18
	16445	**7.5**	**54**	**2**	**4**	**5**	**8**	**15**	**20**
0-17	96	4.9	2	3	4	5	6	7	7
18-34	2962	4.7	15	2	3	4	6	8	10
35-49	2443	5.2	18	2	3	4	6	9	11
50-69	1340	5.5	18	2	3	4	7	11	14
70+	112	2.9	2	1	2	3	4	5	5
	6953	**5.0**	**16**	**2**	**3**	**4**	**6**	**9**	**11**
	23398	**6.7**	**44**	**2**	**3**	**5**	**8**	**12**	**18**

DRG 205: Disorders of Liver except Malig, Cirr, Alc Hepa w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	6655	9.2	72	3	4	7	12	19	26
70-74	3165	9.6	79	3	4	7	11	22	29
75-79	2437	12.6	153	3	5	9	15	26	38
80-84	1155	11.9	97	4	5	9	14	24	36
85 +	791	10.4	50	3	6	8	14	22	24
SUBTOTAL	14203	10.1	90	3	4	7	13	22	28
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	14203	10.1	90	3	4	7	13	22	28

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1389	5.0	30	1	2	4	6	11	14
18-34	2111	5.7	29	1	2	4	7	11	16
35-49	3004	7.0	43	1	3	5	8	14	23
50-69	4617	7.6	38	2	4	6	10	15	18
70 +	295	7.5	26	1	4	7	12	16	18
	11415	6.8	38	1	3	5	8	13	18
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	11415	6.8	38	1	3	5	8	13	18

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	792	6.4	44	1	2	4	9	14	17
18-34	1230	5.7	23	2	3	4	7	11	16
35-49	1405	7.5	35	2	3	6	9	16	21
50-69	1421	8.2	102	2	4	5	9	17	23
70 +	173	9.1	37	3	3	10	10	21	22
SUBTOTAL	5081	7.1	53	2	3	5	9	15	20
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	5081	7.1	53	2	3	5	9	15	20

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	400	5.5	58	1	2	3	7	12	16
18-34	1673	5.4	27	1	3	4	7	11	15
35-49	1829	8.2	98	2	3	6	9	18	22
50-69	1401	8.2	86	2	3	5	9	17	25
70 +	168	8.1	33	2	3	7	10	17	21
	5471	7.2	70	1	3	5	8	15	21
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	5471	7.2	70	1	3	5	8	15	21

Total U.S., July 1989 - June 1990

DRG 206: Disorders of Liver except Malig, Cirr, Alc Hepa w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1200	4.3	15	1	1	4	5	9	14
70-74	302	5.4	19	1	2	4	8	11	15
75-79	433	5.0	29	1	2	3	6	9	14
80-84	178	5.6	23	1	3	5	7	11	11
85 +	104	8.1	32	1	4	8	10	15	24
SUBTOTAL	2217	4.9	20	1	2	4	6	11	14
GRAND TOTAL	2217	4.9	20	1	2	4	6	11	14

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	2656	3.8	47	1	1	2	4	7	9
18-34	3118	3.4	8	1	1	3	5	7	9
35-49	3545	3.2	9	1	1	2	4	7	9
50-69	2481	3.7	17	1	1	2	5	8	11
70 +	46	6.8	15						
	11846	3.5	19	1	1	2	5	7	9
	11846	3.5	19	1	1	2	5	7	9

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1105	4.0	23	1	2	3	5	8	9
18-34	800	6.3	26	2	3	5	8	13	17
35-49	417	5.2	11	1	3	5	7	10	11
50-69	311	5.4	16	1	2	4	10	11	11
70 +	12	11.5	79						
SUBTOTAL	2646	5.1	22	1	2	4	7	11	12
GRAND TOTAL	2646	5.1	22	1	2	4	7	11	12

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	908	3.1	8	1	2	3	4	6	8
18-34	2026	4.1	8	1	2	4	5	7	10
35-49	1073	5.2	16	1	2	4	8	11	12
50-69	580	4.7	13	1	2	4	6	10	12
70 +	72	6.0	20	1	3	4	7	16	16
	4658	4.3	11	1	2	3	5	9	11
	4658	4.3	11	1	2	3	5	9	11

DRG 207: Disorders of the Biliary Tract w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	7906	6.1	21	2	3	5	8	12	14
70-74	6441	6.9	32	2	3	5	8	14	17
75-79	5874	7.2	38	2	4	6	9	14	18
80-84	5303	7.7	30	3	4	7	10	14	17
85 +	7032	8.5	49	3	4	7	10	15	22
SUBTOTAL	**32556**	**7.2**	**34**	**2**	**4**	**6**	**9**	**14**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**32556**	**7.2**	**34**	**2**	**4**	**6**	**9**	**14**	**17**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	340	6.6	38	1	2	5	10	14	32
18-34	1980	4.5	16	1	2	3	6	9	12
35-49	3279	5.0	15	1	3	4	6	10	12
50-69	5564	5.6	17	2	3	5	7	11	13
70 +	490	5.6	13	2	3	5	8	10	12
	11653	**5.3**	**17**	**1**	**3**	**4**	**7**	**10**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	11653	**5.3**	**17**	**1**	**3**	**4**	**7**	**10**	**13**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	358	10.3	67	2	4	10	14	22	29
18-34	1012	4.3	30	1	2	3	5	7	10
35-49	891	6.6	37	2	3	6	8	12	14
50-69	893	7.8	76	2	3	5	10	15	18
70 +	192	7.9	28	2	4	7	9	14	22
SUBTOTAL	**3346**	**6.7**	**51**	**2**	**3**	**5**	**8**	**12**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3346**	**6.7**	**51**	**2**	**3**	**5**	**8**	**12**	**17**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	64	19.6	260	1	2	20	33	53	53
18-34	865	5.4	12	1	3	5	7	10	11
35-49	879	5.0	12	2	2	4	7	11	12
50-69	1617	6.3	32	1	3	5	8	12	15
70 +	481	5.5	7	3	3	5	7	8	10
	3905	**5.9**	**27**	**2**	**3**	**5**	**8**	**11**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3905	**5.9**	**27**	**2**	**3**	**5**	**8**	**11**	**15**

Total U.S., July 1989 - June 1990

DRG 208: Disorders of the Biliary Tract w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	4191	3.5	6	1	2	3	5	6	8
70-74	2330	3.7	7	1	2	3	5	7	8
75-79	2105	4.8	16	1	2	4	6	9	11
80-84	2140	4.4	10	1	2	4	6	9	10
85 +	1776	4.9	10	2	3	4	7	9	11
SUBTOTAL	**13292**	**4.1**	**9**	**1**	**2**	3	**5**	**8**	**10**
GRAND TOTAL	**13292**	**4.1**	**9**	**1**	**2**	3	**5**	**8**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	726	4.7	18	1	1	3	7	12	14
18-34	5214	2.6	5	1	1	2	3	5	6
35-49	7401	2.9	6	1	1	2	4	6	7
50-69	9098	3.1	5	1	1	3	4	6	7
70 +	208	3.0	2	1	2	3	4	4	6
22648	**2.9**	**6**	**1**	**1**	**2**	**4**	**6**	**7**
22648	**2.9**	**6**	**1**	**1**	**2**	**4**	**6**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	429	5.5	20	1	2	4	8	14	16
18-34	2257	2.8	3	1	1	3	4	5	6
35-49	843	3.9	8	1	2	3	6	7	8
50-69	572	3.9	13	1	2	3	4	9	9
70 +	106	6.1	29	1	3	4	10	10	24
SUBTOTAL	**4207**	**3.5**	**9**	**1**	**2**	3	4	**7**	**9**
GRAND TOTAL	**4207**	**3.5**	**9**	**1**	**2**	3	4	**7**	**9**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	221	3.9	14	1	2	2	5	12	13
18-34	2606	2.7	4	1	1	2	3	6	7
35-49	1866	3.0	7	1	1	2	4	6	8
50-69	2274	3.2	6	1	1	2	4	7	8
70 +	175	3.3	6	1	1	2	6	7	8
7141	**3.0**	**6**	**1**	**1**	**2**	**4**	**6**	**8**
7141	**3.0**	**6**	**1**	**1**	**2**	**4**	**6**	**8**

DRG 209: Major Joint & Limb Reattachment Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	28808	11.6	45	7	8	10	13	18	22
70-74	29523	11.5	37	7	8	10	13	17	22
75-79	30267	12.7	61	7	9	11	14	20	24
80-84	23142	13.6	69	7	9	12	15	21	28
85 +	19732	14.3	77	7	9	12	16	24	31
SUBTOTAL	**131473**	**12.6**	**57**	**7**	**8**	**11**	**14**	**19**	**26**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	29580	9.0	12	5	7	9	10	13	15
70-74	26342	9.4	16	6	7	9	11	13	15
75-79	23829	9.9	15	6	8	9	11	14	16
80-84	14967	10.2	15	6	8	9	12	15	18
85 +	9223	10.7	20	6	8	10	12	15	19
SUBTOTAL	**103942**	**9.6**	**15**	**6**	**7**	**9**	**11**	**14**	**16**
GRAND TOTAL	**235414**	**11.3**	**41**	**6**	**8**	**10**	**13**	**17**	**21**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	69	8.9	4	7	8	8	10	13	13
18-34	599	9.0	12	5	7	8	10	13	17
35-49	2582	9.9	22	6	7	9	12	15	20
50-69	18501	10.3	32	6	7	9	12	15	18
70 +	2959	11.7	58	7	8	10	13	17	23
SUBTOTAL	**24710**	**10.4**	**34**	**6**	**7**	**9**	**12**	**15**	**19**
0-17	316	5.6	16	1	2	5	8	12	14
18-34	1741	6.5	10	3	4	6	8	11	12
35-49	5488	7.4	9	4	6	7	9	11	13
50-69	31313	8.5	10	5	7	8	10	12	14
70 +	2244	9.1	10	6	7	9	11	12	14
SUBTOTAL	**41103**	**8.3**	**10**	**5**	**6**	**8**	**10**	**12**	**14**
GRAND TOTAL	**65813**	**9.1**	**20**	**5**	**7**	**8**	**10**	**13**	**15**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	63	10.9	37	5	7	8	16	22	22
18-34	236	10.2	58	5	6	8	10	15	19
35-49	340	11.2	44	6	8	10	12	17	26
50-69	1560	11.5	55	7	8	11	13	16	19
70 +	424	14.7	51	10	11	13	15	22	22
SUBTOTAL	**2623**	**11.8**	**54**	**7**	**8**	**11**	**13**	**17**	**22**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	92	5.9	4	4	5	6	7	8	9
18-34	525	8.6	17	4	6	7	10	15	15
35-49	560	9.3	16	6	7	9	10	13	14
50-69	1339	10.3	32	6	7	9	11	16	16
70 +	198	11.6	58	7	7	9	13	21	21
SUBTOTAL	**2714**	**9.7**	**28**	**5**	**7**	**9**	**11**	**15**	**17**
GRAND TOTAL	**5337**	**10.8**	**42**	**6**	**7**	**9**	**12**	**16**	**21**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	155	7.7	18	5	6	7	7	12	21
35-49	323	8.6	23	4	6	8	10	13	15
50-69	2336	10.9	41	6	8	9	13	16	21
70 +	1839	10.7	35	6	7	9	13	18	20
SUBTOTAL	**4652**	**10.6**	**37**	**6**	**7**	**9**	**12**	**17**	**20**
0-17	32	2.6	2						
18-34	377	7.8	17	4	6	7	9	14	16
35-49	917	7.4	7	5	6	7	9	11	12
50-69	3404	8.0	9	5	6	7	9	11	14
70 +	1779	8.3	11	5	6	8	10	12	14
SUBTOTAL	**6510**	**8.0**	**10**	**5**	**6**	**7**	**9**	**12**	**14**
GRAND TOTAL	**11162**	**9.1**	**23**	**5**	**7**	**8**	**10**	**14**	**17**

Total U.S., July 1989 - June 1990

DRG 210: Hip & Femur Procedures except Major Joint Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	9650	13.9	104	6	8	11	16	25	35
70-74	10371	13.4	72	6	9	11	15	22	28
75-79	16833	13.8	72	7	9	11	16	24	30
80-84	20339	13.8	69	7	9	12	16	24	30
85 +	33099	13.9	78	7	9	12	16	24	31
SUBTOTAL	**90292**	**13.8**	**77**	**7**	**9**	**12**	**16**	**24**	**30**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**90292**	**13.8**	**77**	**7**	**9**	**12**	**16**	**24**	**30**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2504	11.0	47	5	6	10	13	20	26
35-49	2230	12.3	72	5	7	10	15	22	29
50-69	5500	13.1	99	6	8	10	15	23	30
70 +	2122	14.6	96	7	9	12	17	25	31
	12355	**12.8**	**84**	**5**	**8**	**10**	**15**	**22**	**30**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	12355	12.8	84	5	8	10	15	22	30

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	783	12.5	90	4	6	9	15	24	29
35-49	459	12.1	122	4	5	9	13	24	48
50-69	1229	16.2	96	7	9	13	21	32	34
70 +	536	15.9	185	8	9	11	22	29	31
SUBTOTAL	**3007**	**14.6**	**118**	**5**	**8**	**11**	**17**	**29**	**34**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3007**	**14.6**	**118**	**5**	**8**	**11**	**17**	**29**	**34**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1612	11.3	39	4	7	11	14	17	22
35-49	912	13.4	55	7	9	11	17	24	31
50-69	1598	12.6	74	6	7	10	15	23	30
70 +	1457	13.7	108	6	8	10	15	23	42
	5580	**12.6**	**71**	**6**	**7**	**11**	**15**	**22**	**30**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	5580	12.6	71	6	7	11	15	22	30

DRG 211: Hip & Femur Procedures except Major Joint Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	3574	9.4	42	4	6	8	11	15	18
70-74	3690	10.4	56	5	7	9	12	16	18
75-79	5292	10.8	33	6	7	9	13	17	21
80-84	6373	11.2	40	5	7	10	14	18	22
85+	10497	11.2	31	6	8	10	13	17	21
SUBTOTAL	**29425**	**10.8**	**38**	**5**	**7**	**10**	**13**	**17**	**21**
GRAND TOTAL	**29425**	**10.8**	**38**	**5**	**7**	**10**	**13**	**17**	**21**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
0-17	0								
18-34	4486	7.6	34	2	4	6	10	13	18
35-49	3464	7.8	43	3	4	6	9	14	20
50-69	5207	8.5	38	4	5	7	10	14	17
70+	862	11.3	37	5	6	10	15	18	24
SUBTOTAL	**14019**	**8.2**	**39**	**3**	**5**	**7**	**10**	**14**	**18**
GRAND TOTAL	**14019**	**8.2**	**39**	**3**	**5**	**7**	**10**	**14**	**18**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	1035	8.9	28	4	5	8	11	15	20
35-49	358	9.0	112	3	4	6	9	17	20
50-69	493	11.4	110	5	7	9	12	20	25
70+	213	12.5	127	5	7	9	13	23	28
SUBTOTAL	**2099**	**9.9**	**73**	**4**	**6**	**8**	**11**	**17**	**21**
GRAND TOTAL	**2099**	**9.9**	**73**	**4**	**6**	**8**	**11**	**17**	**21**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
0-17	0								
18-34	2890	9.0	43	3	5	8	12	16	18
35-49	1313	8.0	21	3	5	7	10	13	18
50-69	1103	8.5	16	4	6	8	10	14	15
70+	819	11.5	104	4	6	8	14	22	32
SUBTOTAL	**6126**	**9.0**	**43**	**4**	**5**	**8**	**11**	**15**	**19**
GRAND TOTAL	**6126**	**9.0**	**43**	**4**	**5**	**8**	**11**	**15**	**19**

Total U.S., July 1989 - June 1990

DRG 212: Hip & Femur Procedures except Major Joint Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	163	12.0	28	6	8	13	13	18	24
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	163	12.0	28	6	8	13	13	18	24
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	39	5.8	10						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	39	5.8	10						
GRAND TOTAL	202	10.8	30	5	6	11	13	17	24

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	3622	8.2	75	2	3	6	9	17	23
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	3622	8.2	75	2	3	6	9	17	23
0-17	14350	5.8	42	1	2	4	7	13	20
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	14350	5.8	42	1	2	4	7	13	20
	17971	6.3	50	1	2	4	7	14	20

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	1979	7.2	57	2	3	5	9	15	23
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1979	7.2	57	2	3	5	9	15	23
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	4634	6.0	37	1	2	4	7	15	19
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	4634	6.0	37	1	2	4	7	15	19
GRAND TOTAL	6614	6.3	44	1	2	4	8	15	21

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	946	8.4	96	2	3	6	9	15	26
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	946	8.4	96	2	3	6	9	15	26
0-17	4294	6.1	36	1	3	4	7	13	21
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	4294	6.1	36	1	3	4	7	13	21
	5239	6.5	48	2	3	4	7	14	21

Total U.S., July 1989 - June 1990

DRG 213: Amputation for Musculoskeletal System & Conn Tissue Disorders

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1375	13.5	134	3	7	10	17	29	35
70-74	663	11.4	81	4	5	8	13	27	35
75-79	813	14.5	116	4	6	13	18	28	31
80-84	332	17.1	119	6	7	13	24	37	37
85 +	388	11.9	68	5	5	8	15	24	29
SUBTOTAL	**3571**	**13.5**	**114**	**4**	**6**	**11**	**17**	**28**	**35**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	333	6.3	19	2	3	4	10	12	12
70-74	241	5.5	19	2	2	5	7	10	16
75-79	207	6.5	18	2	5	5	7	13	13
80-84	135	8.0	25	3	5	6	12	16	21
85 +	103	9.0	31	1	6	8	13	18	18
SUBTOTAL	**1019**	**6.7**	**22**	**2**	**3**	**5**	**9**	**13**	**16**
GRAND TOTAL	**4590**	**12.0**	**101**	**3**	**5**	**9**	**15**	**25**	**31**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	104	7.7	23	1	5	7	11	12	18
18-34	102	11.6	109	2	5	7	13	33	34
35-49	292	14.0	94	3	7	9	18	29	39
50-69	608	14.8	133	3	7	12	21	28	40
70 +	27	14.6	62						
SUBTOTAL	**1134**	**13.6**	**113**	**3**	**6**	**10**	**19**	**26**	**37**
0-17	335	5.1	25	1	2	3	6	13	17
18-34	218	4.9	19	1	2	4	5	14	16
35-49	280	4.7	9	2	2	5	5	9	12
50-69	229	7.3	40	2	3	5	8	17	20
70 +	25	34.8	1163						
SUBTOTAL	**1087**	**6.1**	**68**	**1**	**2**	**4**	**6**	**13**	**17**
GRAND TOTAL	**2221**	**9.9**	**105**	**2**	**3**	**6**	**13**	**22**	**28**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	41	10.9	78						
18-34	89	10.6	70	2	5	10	12	16	37
35-49	130	12.5	108	3	5	11	17	32	41
50-69	323	17.4	141	5	10	18	22	29	41
70 +	33	10.8	14						
SUBTOTAL	**617**	**14.6**	**121**	**3**	**6**	**11**	**20**	**28**	**41**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	158	4.1	17	1	2	3	5	6	15
18-34	85	5.2	11	1	3	5	10	10	10
35-49	60	6.9	18	4	4	5	10	14	17
50-69	21	4.6							
70 +	8	2.0							
SUBTOTAL	**333**	**4.9**	**15**	**1**	**3**	**4**	**5**	**10**	**11**
GRAND TOTAL	**950**	**11.2**	**105**	**2**	**4**	**7**	**16**	**23**	**29**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	20	10.5							
18-34	62	17.2	319	5	7	9	20	30	68
35-49	94	15.5	109	4	8	12	23	29	39
50-69	227	16.2	82	9	9	13	23	23	41
70 +	29	43.3	1022						
SUBTOTAL	**432**	**17.7**	**226**	**7**	**9**	**12**	**23**	**39**	**65**
0-17	81	4.2	13	1	1	4	4	13	13
18-34	182	6.1	28	3	4	4	7	10	25
35-49	124	5.3	14	1	2	4	8	11	12
50-69	106	9.4	41	3	6	10	10	13	32
70 +	0								
SUBTOTAL	**493**	**6.3**	**28**	**1**	**3**	**4**	**9**	**12**	**13**
GRAND TOTAL	**925**	**11.7**	**153**	**3**	**4**	**9**	**13**	**23**	**32**

Total U.S., July 1989 - June 1990

DRG 214: Back & Neck Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	12256	9.7	57	4	5	8	11	18	24
70-74	8923	11.0	71	4	6	9	13	21	27
75-79	5827	11.4	70	5	7	9	14	21	27
80-84	2953	13.9	135	6	8	10	16	26	32
85 +	997	15.4	140	6	8	12	19	30	56
SUBTOTAL	**30956**	**11.0**	**75**	**4**	**6**	**9**	**13**	**21**	**27**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**30956**	**11.0**	**75**	**4**	**6**	**9**	**13**	**21**	**27**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	3064	11.4	78	6	7	9	12	19	24
18-34	3646	9.2	66	4	5	7	11	16	22
35-49	9715	7.7	41	2	4	6	10	15	21
50-69	11739	8.2	44	3	4	6	9	15	21
70 +	831	13.2	202	5	6	9	13	29	30
	28996	**8.6**	**56**	**3**	**4**	**7**	**10**	**16**	**22**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	28996	**8.6**	**56**	**3**	**4**	**7**	**10**	**16**	**22**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	1094	14.5	161	6	8	10	15	25	35
18-34	891	11.9	78	4	6	9	16	22	31
35-49	977	11.0	96	4	5	7	13	25	32
50-69	758	10.3	92	4	5	8	11	21	23
70 +	18	9.0							
SUBTOTAL	**3739**	**12.1**	**112**	**4**	**6**	**9**	**14**	**25**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3739**	**12.1**	**112**	**4**	**6**	**9**	**14**	**25**	**31**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	630	11.9	59	6	8	9	12	19	30
18-34	1114	12.8	109	4	6	11	15	24	36
35-49	1759	9.6	59	3	4	8	12	18	23
50-69	1849	9.8	69	3	5	7	13	20	26
70 +	314	9.2	21	5	6	8	11	16	18
	5666	**10.5**	**72**	**3**	**5**	**8**	**13**	**20**	**26**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	5666	**10.5**	**72**	**3**	**5**	**8**	**13**	**20**	**26**

DRG 215: Back & Neck Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	15228	6.3	16	3	4	5	8	11	14
70-74	8241	6.8	18	3	4	6	8	11	14
75-79	5813	7.3	18	3	5	7	8	12	15
80-84	1784	8.0	19	4	5	7	9	13	17
85 +	529	8.5	30	3	5	7	10	16	21
SUBTOTAL	31596	6.8	18	3	4	6	8	11	14
GRAND TOTAL	31596	6.8	18	3	4	6	8	11	14

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	5438	7.3	13	3	5	7	9	10	12
18-34	29546	4.6	11	2	3	4	5	8	10
35-49	64288	4.5	9	2	3	4	5	8	10
50-69	42000	5.2	12	2	3	4	6	9	11
70 +	583	6.3	11	3	4	6	7	9	11
	141855	4.9	11	2	3	4	6	8	10
	141855	4.9	11	2	3	4	6	8	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1210	8.2	14	5	6	8	10	12	15
18-34	2767	4.9	15	2	3	4	5	8	12
35-49	2737	5.7	19	2	3	5	7	10	13
50-69	1277	7.0	33	3	4	6	8	11	15
70 +	39	6.2	16						
SUBTOTAL	8030	6.0	20	2	3	5	7	10	13
GRAND TOTAL	8030	6.0	20	2	3	5	7	10	13

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1045	7.3	11	4	6	7	8	10	14
18-34	6008	5.1	23	2	3	4	6	9	12
35-49	9887	4.6	10	2	3	4	6	8	10
50-69	5172	5.1	14	2	3	4	6	8	11
70 +	333	6.2	8	3	4	6	8	9	10
	22445	5.0	15	2	3	4	6	9	11
	22445	5.0	15	2	3	4	6	9	11

DRG 216: Biopsies of Musculoskeletal System & Connective Tissue

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	997	17.6	304	3	5	13	24	45	64
70-74	695	15.8	189	5	7	13	22	34	51
75-79	855	16.5	196	4	7	14	21	42	50
80-84	438	15.5	157	3	6	13	23	32	47
85 +	325	15.0	90	3	8	16	20	27	30
SUBTOTAL	**3309**	**16.4**	**212**	**3**	**6**	**13**	**21**	**36**	**52**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	744	6.3	36	1	2	4	8	15	22
70-74	239	7.6	104	1	3	4	9	14	20
75-79	481	7.4	33	2	2	6	13	15	16
80-84	207	9.1	60	1	2	7	16	21	22
85 +	213	13.4	69	5	5	11	21	23	25
SUBTOTAL	**1883**	**7.9**	**55**	**1**	**2**	**5**	**12**	**17**	**22**
GRAND TOTAL	**5192**	**13.3**	**172**	**2**	**4**	**10**	**18**	**28**	**43**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	259	8.1	73	2	3	7	11	15	46
18-34	198	9.7	110	1	2	7	14	25	35
35-49	253	11.8	157	2	3	6	17	25	50
50-69	777	15.6	224	2	6	11	21	45	62
70 +	134	14.8	64	5	7	15	24	24	24
SUBTOTAL	**1621**	**13.0**	**171**	**2**	**4**	**9**	**17**	**31**	**49**
0-17	1696	6.2	81	1	1	3	8	15	22
18-34	703	4.4	17	1	1	3	6	11	15
35-49	871	4.4	15	1	2	3	5	12	14
50-69	1046	4.7	20	1	2	3	7	9	15
70 +	15	10.5							
SUBTOTAL	**4331**	**5.2**	**43**	**1**	**2**	**3**	**6**	**12**	**16**
GRAND TOTAL	**5952**	**7.3**	**90**	**1**	**2**	**4**	**9**	**17**	**25**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	92	15.9	406	2	2	9	22	22	78
18-34	105	9.8	19	3	8	10	11	15	20
35-49	48	20.8	104	3	14	21	27	37	37
50-69	53	15.8	146	4	4	16	20	40	40
70 +	0								
SUBTOTAL	**298**	**14.5**	**188**	**2**	**8**	**10**	**20**	**27**	**40**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	341	9.2	103	1	2	4	16	30	33
18-34	121	4.1	13	1	1	3	7	7	13
35-49	56	2.5	1	1	2	3	3	4	4
50-69	67	12.7	112	3	3	11	27	27	27
70 +	0								
SUBTOTAL	**586**	**7.9**	**85**	**1**	**2**	**3**	**11**	**27**	**31**
GRAND TOTAL	**884**	**10.1**	**129**	**1**	**2**	**5**	**15**	**27**	**31**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	150	21.9	546	2	3	8	34	73	73
18-34	47	19.6	556	2	4	11	13	64	64
35-49	106	5.3	56	1	1	1	6	14	30
50-69	100	10.5	65	1	4	9	17	23	23
70 +	53	19.5	532	3	4	7	25	65	65
SUBTOTAL	**457**	**15.0**	**370**	**1**	**2**	**7**	**20**	**47**	**65**
0-17	440	4.3	20	1	1	2	6	12	14
18-34	202	4.0	24	1	1	2	3	13	18
35-49	131	8.0	64	1	3	7	9	11	39
50-69	63	6.3	20	2	2	5	7	16	16
70 +	8	4.0							
SUBTOTAL	**842**	**4.9**	**30**	**1**	**1**	**3**	**7**	**11**	**16**
GRAND TOTAL	**1299**	**8.5**	**172**	**1**	**1**	**4**	**9**	**20**	**34**

Total U.S., July 1989 - June 1990

DRG 217: Wnd Debrid & Skn Grft except Hand,for Muscskelet & Conn Tiss Dis

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3911	23.2	306	6	10	18	32	49	66
70-74	1707	25.2	389	5	11	20	36	58	67
75-79	1315	23.4	365	6	9	17	33	49	69
80-84	1269	30.0	441	10	15	23	44	63	76
85 +	1130	25.2	378	6	10	21	40	74	99 +
SUBTOTAL	**9333**	**24.8**	**362**	**6**	**11**	**19**	**36**	**57**	**74**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1371	12.0	120	2	4	9	17	30	38
70-74	764	13.3	218	2	3	7	16	29	53
75-79	547	9.5	101	1	3	5	12	31	31
80-84	313	13.9	257	3	5	7	14	46	50
85 +	243	14.7	126	3	6	10	29	29	29
SUBTOTAL	**3237**	**12.3**	**156**	**2**	**4**	**8**	**16**	**31**	**42**
GRAND TOTAL	**12570**	**21.5**	**338**	**4**	**8**	**16**	**30**	**51**	**66**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1106	17.8	233	2	7	16	22	34	48
18-34	2047	17.1	214	3	6	13	21	40	44
35-49	1534	15.9	196	3	6	12	22	33	53
50-69	2458	22.4	425	4	7	15	30	51	74
70 +	190	21.6	309	4	8	14	34	40	71
	7335	**18.9**	**294**	**3**	**7**	**14**	**24**	**43**	**53**
0-17	3188	6.9	61	1	2	4	10	16	25
18-34	4195	6.6	58	1	2	4	8	16	20
35-49	2828	6.8	50	1	2	5	8	16	21
50-69	1864	7.5	65	1	2	5	9	20	23
70 +	42	10.2	69						
	12117	**6.9**	**58**	**1**	**2**	**4**	**8**	**16**	**22**
	19452	**11.4**	**181**	**1**	**3**	**7**	**15**	**27**	**39**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	325	18.4	163	2	9	21	28	53	99 +
18-34	877	23.6	432	3	7	18	32	57	77
35-49	516	24.2	327	6	11	21	38	57	83
50-69	551	29.5	539	8	13	23	46	82	99 +
70 +	13	23.3	13						
SUBTOTAL	**2282**	**24.4**	**405**	**5**	**10**	**19**	**38**	**64**	**87**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1021	7.7	68	1	2	4	10	19	25
18-34	1105	10.0	110	2	3	6	11	26	32
35-49	476	17.7	449	3	4	11	20	46	76
50-69	148	15.6	292	3	8	10	15	19	63
70 +	14	3.9	1						
SUBTOTAL	**2765**	**10.7**	**175**	**1**	**3**	**6**	**15**	**25**	**34**
GRAND TOTAL	**5047**	**16.9**	**325**	**2**	**4**	**11**	**24**	**46**	**66**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	393	17.2	224	3	6	13	29	49	55
18-34	1499	18.0	313	3	6	11	24	40	64
35-49	1058	21.1	296	4	7	17	33	42	60
50-69	630	22.4	377	7	8	18	29	74	98
70 +	85	14.6	31	13	13	15	27	99 +	99 +
	3665	**19.5**	**307**	**3**	**7**	**15**	**27**	**45**	**67**
0-17	1085	7.4	80	1	2	5	9	14	28
18-34	3693	7.7	83	1	2	5	9	18	25
35-49	1438	8.9	82	1	3	6	12	20	21
50-69	525	8.5	77	1	2	5	11	22	32
70 +	23	4.7	9						
	6763	**8.0**	**82**	**1**	**2**	**5**	**10**	**18**	**25**
	10429	**12.0**	**191**	**1**	**3**	**7**	**16**	**30**	**42**

DRG 218: Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	5850	9.0	85	3	4	7	11	16	21
70-74	3563	9.7	74	3	4	8	12	18	26
75-79	2689	9.8	61	3	5	8	11	17	24
80-84	1934	10.4	51	4	6	9	13	20	26
85+	1779	13.7	178	4	6	9	15	31	46
SUBTOTAL	**15815**	**10.0**	**87**	**3**	**5**	**7**	**12**	**19**	**27**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**15815**	**10.0**	**87**	**3**	**5**	**7**	**12**	**19**	**27**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	3160	7.3	48	3	4	5	9	13	16
35-49	3713	7.8	70	2	4	6	9	14	19
50-69	5328	8.0	37	3	4	6	10	14	20
70+	500	12.7	106	5	7	10	15	22	27
	12701	**7.9**	**53**	**3**	**4**	**6**	**10**	**14**	**19**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	12701	**7.9**	**53**	**3**	**4**	**6**	**10**	**14**	**19**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	1116	8.0	71	3	4	7	8	12	19
35-49	763	10.2	85	4	5	8	12	19	26
50-69	819	9.4	113	3	4	6	12	22	39
70+	36	6.1	1						
SUBTOTAL	**2733**	**9.0**	**88**	**3**	**5**	**7**	**10**	**16**	**25**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2733**	**9.0**	**88**	**3**	**5**	**7**	**10**	**16**	**25**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2210	8.9	107	3	4	6	10	16	18
35-49	1466	8.6	59	3	4	7	10	18	25
50-69	1390	9.1	51	3	5	7	11	16	22
70+	390	9.8	61	3	5	8	11	17	25
	5456	**9.0**	**77**	**3**	**4**	**7**	**11**	**16**	**22**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	5456	**9.0**	**77**	**3**	**4**	**7**	**11**	**16**	**22**

DRG 219: Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	8422	4.9	11	2	3	4	6	8	10
70-74	4354	5.4	23	2	3	5	6	10	11
75-79	3059	6.2	19	2	4	5	7	11	13
80-84	1451	6.2	24	2	3	5	8	10	16
85 +	1049	8.9	84	2	3	7	10	16	32
SUBTOTAL	18335	5.6	21	2	3	5	7	10	12
GRAND TOTAL	18335	5.6	21	2	3	5	7	10	12

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	0								
18-34	24031	3.6	10	1	2	3	4	6	8
35-49	22070	3.9	8	2	2	3	5	7	9
50-69	20290	4.5	12	2	3	4	5	8	10
70 +	526	7.7	71	2	3	5	8	17	26
SUBTOTAL	66918	4.0	11	1	2	3	5	7	9
	66918	4.0	11	1	2	3	5	7	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	4279	5.2	34	2	2	4	6	9	13
35-49	2199	5.7	27	2	3	4	6	10	14
50-69	1047	6.0	32	2	4	5	6	10	12
70 +	142	9.0	112	2	4	4	8	35	35
SUBTOTAL	7667	5.5	34	2	3	4	6	10	14
GRAND TOTAL	7667	5.5	34	2	3	4	6	10	14

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	0								
18-34	14298	4.2	14	1	2	3	5	8	10
35-49	7833	4.5	14	2	2	4	5	8	10
50-69	4062	4.6	11	2	3	4	6	9	10
70 +	343	5.7	13	2	3	5	7	9	14
SUBTOTAL	26536	4.4	13	1	2	3	5	8	10
	26536	4.4	13	1	2	3	5	8	10

DRG 220: Lower Extrem & Humer Proc except Hip, Foot, Femur Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	14	5.2	4						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	14	5.2	4						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	10	7.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	10	7.0							
GRAND TOTAL	24	6.0	3						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1757	5.3	21	2	3	4	6	11	14
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1757	5.3	21	2	3	4	6	11	14
0-17	23191	3.0	13	1	1	2	3	5	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	23191	3.0	13	1	1	2	3	5	8
	24948	3.2	14	1	1	2	4	6	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	575	7.0	69	2	2	4	7	19	26
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	575	7.0	69	2	2	4	7	19	26
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	4847	3.4	10	1	1	2	4	7	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	4847	3.4	10	1	1	2	4	7	9
GRAND TOTAL	5422	3.8	17	1	2	3	5	8	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	440	7.5	70	1	3	5	10	12	17
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	440	7.5	70	1	3	5	10	12	17
0-17	6769	2.8	10	1	1	2	3	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	6769	2.8	10	1	1	2	3	5	7
	7208	3.1	15	1	1	2	3	6	8

DRG 221: Knee Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1290	8.2	73	2	4	6	9	15	31
70-74	996	10.3	101	2	4	7	13	25	31
75-79	643	10.4	85	2	4	7	12	19	35
80-84	555	12.6	140	4	6	10	14	28	35
85 +	141	7.6	26	1	2	9	12	14	16
SUBTOTAL	**3624**	**9.8**	**93**	**2**	**4**	**7**	**12**	**20**	**32**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3624**	**9.8**	**93**	**2**	**4**	**7**	**12**	**20**	**32**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	615	4.9	47	1	2	3	6	9	14
18-34	2205	4.5	17	2	3	4	5	8	12
35-49	889	5.2	41	2	2	3	5	10	15
50-69	1388	9.1	116	1	3	6	10	23	30
70 +	108	13.4	144	5	5	5	21	30	43
	5204	**6.1**	**58**	**2**	**2**	**4**	**6**	**13**	**21**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	5204	**6.1**	**58**	**2**	**2**	**4**	**6**	**13**	**21**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	117	5.2	8	2	2	5	7	10	10
18-34	180	5.3	25	1	2	3	7	15	15
35-49	147	10.5	140	2	3	5	12	32	46
50-69	197	11.8	60	5	7	8	14	19	29
70 +	8	9.0							
SUBTOTAL	**649**	**8.5**	**67**	**2**	**3**	**6**	**12**	**15**	**29**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**649**	**8.5**	**67**	**2**	**3**	**6**	**12**	**15**	**29**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	76	10.5	55	3	4	8	12	24	24
18-34	475	5.4	12	2	3	4	8	11	12
35-49	227	5.2	23	1	1	3	8	12	14
50-69	218	7.1	65	1	3	5	8	20	45
70 +	61	21.9	343	4	11	11	28	60	60
	1057	**7.1**	**63**	**1**	**3**	**5**	**10**	**13**	**21**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1057	**7.1**	**63**	**1**	**3**	**5**	**10**	**13**	**21**

Total U.S., July 1989 - June 1990

DRG 222: Knee Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	2871	4.5	19	1	1	3	6	9	15
70-74	1527	4.8	28	<1	2	3	6	9	12
75-79	1477	5.5	30	1	1	3	8	13	15
80-84	657	5.8	24	1	2	4	8	10	15
85+	161	9.2	97	1	4	5	10	30	32
SUBTOTAL	**6694**	**5.0**	**26**	**1**	**1**	**3**	**7**	**10**	**15**
GRAND TOTAL	**6694**	**5.0**	**26**	**1**	**1**	**3**	**7**	**10**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
0									
0-17	14073	2.9	5	1	2	3	3	4	5
18-34	38459	2.8	3	1	2	3	3	4	5
35-49	14871	2.8	3	<1	2	3	4	5	6
50-69	6660	3.4	11	<1	1	2	4	7	10
70+	160	3.4	33	<1	1	1	3	6	25
74222	**2.9**	**4**	**1**	**2**	**3**	**3**	**4**	**6**	
74222	**2.9**	**4**	1	**2**	**3**	**3**	**4**	**6**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	933	4.7	19	1	2	3	6	12	13
18-34	1453	3.3	6	1	2	3	4	6	8
35-49	377	4.4	18	1	1	3	6	11	13
50-69	235	7.1	46	1	2	5	8	21	21
70+	12	4.5	2						
SUBTOTAL	**3011**	**4.2**	**16**	**1**	**2**	**3**	**5**	**8**	**13**
GRAND TOTAL	**3011**	**4.2**	**16**	**1**	**2**	**3**	**5**	**8**	**13**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
0									
0-17	2246	2.8	8	1	2	2	3	5	6
18-34	7456	2.7	4	1	2	2	3	4	6
35-49	2377	3.2	9	1	2	3	4	5	8
50-69	831	2.9	7	<1	1	2	4	7	8
70+	74	3.9	4	2	2	4	5	7	7
12984	**2.8**	**6**	**1**	**2**	**2**	**3**	**5**	**6**	
12984	**2.8**	**6**	**1**	**2**	**2**	**3**	**5**	**6**	

DRG 223: Major Shoulder/Elbow Proc, or Other Upper Extremity Proc w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	2510	4.2	13	2	2	3	5	7	10
70-74	1633	4.6	12	2	2	3	5	9	12
75-79	1097	5.7	51	1	3	4	8	8	12
80-84	805	7.9	40	2	3	6	12	15	27
85+	493	9.5	111	2	3	5	13	18	36
SUBTOTAL	6538	5.4	33	2	2	4	6	10	14
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	2953	2.9	3	1	2	2	3	5	7
70-74	2003	3.0	5	1	2	3	4	5	6
75-79	943	3.5	5	1	2	3	4	6	7
80-84	306	3.6	3	2	2	4	4	6	7
85+	43	7.0							
SUBTOTAL	6250	3.1	4	1	2	3	4	5	7
GRAND TOTAL	12787	4.3	20	1	2	3	5	8	11

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	498	5.8	43	1	3	4	7	9	19
18-34	1205	4.2	22	1	2	3	5	7	12
35-49	1172	4.5	33	1	2	3	5	8	12
50-69	2343	4.2	14	2	2	3	5	7	9
70+	87	5.8	9	4	4	5	8	11	11
	5305	4.4	23	1	2	3	5	7	11
0-17	493	3.4	36	1	1	2	2	7	15
18-34	2823	1.9	1	1	1	2	2	3	4
35-49	4919	1.9	1	1	1	2	2	3	4
50-69	8238	2.5	2	1	2	2	3	4	4
70+	145	2.6	5	1	1	2	3	7	9
	16617	2.3	3	1	1	2	3	4	4
	21922	2.8	9	1	1	2	3	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	88	3.1	6	1	1	3	4	6	10
18-34	109	6.0	10	2	2	6	8	9	12
35-49	135	4.0	4	1	2	4	5	7	7
50-69	206	6.5	24	2	3	6	11	13	13
70+	12	9.0	1						
SUBTOTAL	550	5.3	15	1	2	5	7	11	12
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	121	5.1	13	1	2	4	8	11	11
18-34	183	2.5	2	1	2	2	3	5	6
35-49	171	2.1	2	1	1	2	3	4	4
50-69	122	4.1	6	2	2	3	7	7	7
70+	0								
SUBTOTAL	596	3.3	6	1	2	2	4	7	8
GRAND TOTAL	1146	4.2	12	1	2	3	6	9	11

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	111	3.7	1	2	3	4	4	5	6
18-34	604	4.8	37	2	2	3	5	8	11
35-49	391	5.6	39	1	2	3	6	16	23
50-69	370	3.4	4	2	2	3	5	5	7
70+	62	2.5	1	1	2	2	3	4	4
	1537	4.5	26	2	2	3	5	8	13
0-17	128	4.7	33	1	1	2	7	14	21
18-34	813	1.8	1	1	1	1	2	3	4
35-49	796	1.9	1	1	1	2	2	3	3
50-69	969	2.0	1	1	1	2	2	3	3
70+	51	2.0	1	1	1	2	3	4	4
	2758	2.0	3	1	1	2	2	3	4
	4295	2.9	13	1	1	2	3	5	7

DRG 22[illegible]. Shoulder, Elbow or Forearm Proc,exc Major Joint Proc, w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	3170	2.6	3	1	2	2	3	4	5
70-74	2375	2.9	3	1	2	3	4	5	5
75-79	1312	3.2	18	1	2	3	4	5	6
80-84	698	4.4	38	1	2	3	5	8	9
85 +	493	3.9	13	1	2	3	4	11	13
SUBTOTAL	8047	3.0	9	1	2	2	4	5	7
GRAND TOTAL	8047	3.0	9	1	2	2	4	5	7

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	7813	2.1	2	1	1	2	3	4	4
18-34	11768	2.1	2	1	1	2	2	3	4
35-49	8259	2.3	3	1	1	2	3	4	5
50-69	7741	2.3	2	1	1	2	3	4	4
70 +	238	4.6	23	1	2	3	4	9	21
	35819	2.2	2	1	1	2	3	4	5
	35819	2.2	2	1	1	2	3	4	5

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	842	2.3	2	1	1	2	3	4	5
18-34	1359	3.1	6	1	2	2	4	6	8
35-49	657	2.9	3	1	2	2	4	5	7
50-69	268	3.2	3	1	2	3	4	6	6
70 +	14	4.4	17						
SUBTOTAL	3139	2.8	5	1	2	2	4	5	7
GRAND TOTAL	3139	2.8	5	1	2	2	4	5	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1939	2.3	6	1	1	2	3	4	5
18-34	5166	2.9	4	1	1	2	3	5	8
35-49	1999	2.7	4	1	1	2	3	5	6
50-69	1293	2.4	2	1	2	2	3	4	4
70 +	175	2.9	3	1	2	2	4	4	8
	10573	2.7	4	1	1	2	3	5	7
	10573	2.7	4	1	1	2	3	5	7

DRG 225: Foot Procedures

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1490	6.8	36	2	3	5	8	15	19
70-74	530	7.7	86	1	3	5	10	16	22
75-79	673	8.9	39	2	3	9	15	18	21
80-84	391	6.2	28	2	2	5	8	16	19
85 +	254	8.4	41	3	5	6	11	20	20
SUBTOTAL	**3339**	**7.4**	**45**	**2**	**3**	**5**	**10**	**17**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	3364	3.2	8	1	2	2	4	6	9
70-74	2274	3.3	14	< 1	1	2	4	6	8
75-79	1014	2.9	7	1	1	2	3	5	10
80-84	575	3.0	5	1	1	2	4	6	8
85 +	178	4.6	21	< 1	1	3	5	13	16
SUBTOTAL	**7405**	**3.2**	**10**	**1**	**1**	**2**	**4**	**6**	**9**
GRAND TOTAL	**10744**	**4.5**	**24**	**1**	**2**	**3**	**5**	**10**	**15**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	811	4.5	34	1	2	3	4	9	21
18-34	560	5.2	16	2	2	4	6	12	16
35-49	906	5.7	24	1	2	5	8	11	12
50-69	1426	7.2	62	1	2	5	10	13	20
70 +	64	7.4	17	1	4	6	11	13	13
	3768	**6.0**	**40**	**1**	**2**	**4**	**8**	**12**	**17**
	7590	2.3	4	1	1	2	3	4	7
	5793	2.3	4	< 1	1	2	3	4	6
	7741	2.4	5	< 1	1	2	3	4	5
	9038	2.3	4	1	1	2	3	4	5
	115	3.4	6	1	2	2	5	6	10
	30277	**2.3**	**4**	**1**	**1**	**2**	**3**	**4**	**6**
	34045	**2.7**	**9**	**1**	**1**	**2**	**3**	**5**	**8**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	358	4.4	36	1	2	3	3	6	21
18-34	204	11.1	292	3	4	5	6	24	55
35-49	72	15.0	126	3	5	9	27	28	28
50-69	123	9.1	42	3	5	7	10	16	27
70 +	0								
SUBTOTAL	**756**	**8.0**	**128**	**2**	**3**	**4**	**7**	**24**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	2350	3.8	87	1	1	2	3	6	8
18-34	714	3.8	8	1	2	3	5	8	9
35-49	363	3.3	10	< 1	1	2	5	7	12
50-69	157	4.5	17	1	2	3	4	11	15
70 +	10	12.0							
SUBTOTAL	**3594**	**3.8**	**60**	**1**	**1**	**2**	**4**	**7**	**9**
GRAND TOTAL	**4350**	**4.5**	**75**	**1**	**1**	**2**	**4**	**8**	**12**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	244	3.8	8	1	2	3	4	8	10
18-34	256	7.3	44	2	3	4	9	15	18
35-49	253	5.9	22	1	2	4	10	11	14
50-69	272	8.9	76	1	4	7	9	18	28
70 +	20	11.9	27						
	1046	**6.6**	**42**	**1**	**2**	**5**	**8**	**15**	**18**
	1856	2.1	3	1	1	2	3	4	4
	1941	3.5	12	1	1	2	4	8	10
	1424	3.1	13	1	1	2	3	6	13
	1073	2.4	5	1	1	2	3	4	6
	148	2.5	3	1	2	2	3	3	9
	6443	**2.8**	**9**	**1**	**1**	**2**	**3**	**6**	**9**
	7489	**3.3**	**15**	**1**	**1**	**2**	**4**	**7**	**11**

Total U.S., July 1989 - June 1990

DRG 226: Soft Tissue Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2459	8.6	117	2	3	5	10	19	29
70-74	1131	9.0	125	2	3	6	10	17	37
75-79	978	9.8	132	2	3	6	11	16	39
80-84	597	9.1	73	2	4	6	12	18	29
85 +	238	13.2	80	3	8	12	17	24	25
SUBTOTAL	**5403**	**9.2**	**116**	**2**	**3**	**6**	**11**	**18**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	5403	9.2	116	2	3	6	11	18	30

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	2659	3.9	25	1	2	3	4	7	12
18-34	973	5.0	31	1	2	3	5	11	14
35-49	1004	7.6	115	1	2	4	9	16	23
50-69	1584	8.7	119	2	2	5	9	25	28
70 +	194	6.4	25	1	4	4	8	16	17
	6414	**5.9**	**67**	**1**	**2**	**3**	**6**	**12**	**22**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	6414	5.9	67	1	2	3	6	12	22

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	1357	3.7	23	1	2	2	4	6	11
18-34	544	5.6	30	1	2	4	7	13	13
35-49	211	9.5	76	3	6	7	9	20	24
50-69	158	8.0	68	2	2	4	10	28	29
70 +	12	11.0	17						
SUBTOTAL	**2283**	**5.0**	**36**	**1**	**2**	**3**	**5**	**12**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	2283	5.0	36	1	2	3	5	12	17

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	531	6.4	99	1	2	3	6	12	37
18-34	748	6.4	40	1	2	5	8	13	13
35-49	358	5.4	16	2	3	4	7	11	12
50-69	293	6.1	46	1	2	3	9	12	20
70 +	41	4.2	17						
	1970	**6.1**	**52**	**1**	**2**	**4**	**8**	**12**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1970	6.1	52	1	2	4	8	12	16

DRG 227: Soft Tissue Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	3164	3.4	11	1	2	3	4	5	8
70-74	1818	3.2	5	1	2	2	5	6	8
75-79	1332	4.4	75	1	2	3	4	6	8
80-84	748	3.5	9	1	2	3	4	7	11
85 +	200	4.8	22	1	3	4	5	8	16
SUBTOTAL	**7262**	**3.6**	**22**	**1**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**7262**	**3.6**	**22**	**1**	**2**	**3**	**4**	**6**	**8**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	9547	2.3	5	1	1	2	3	4	6
18-34	7319	2.3	4	1	1	2	3	4	5
35-49	9827	2.3	4	1	1	2	3	4	5
50-69	9562	2.7	5	1	1	2	3	5	7
70 +	102	3.6	6	1	2	3	5	7	9
	36357	**2.4**	**5**	**1**	**1**	**2**	**3**	**4**	**6**
	36357	**2.4**	**5**	**1**	**1**	**2**	**3**	**4**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	3970	2.5	7	1	1	2	3	4	5
18-34	1143	3.6	12	1	2	3	4	7	10
35-49	569	5.4	35	1	2	4	8	10	15
50-69	221	4.4	23	1	1	3	5	12	18
70 +	51	4.7	1						
SUBTOTAL	**5954**	**3.1**	**12**	**1**	**1**	**2**	**3**	**5**	**8**
GRAND TOTAL	**5954**	**3.1**	**12**	**1**	**1**	**2**	**3**	**5**	**8**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	2400	2.4	5	1	1	2	3	4	6
18-34	3392	3.0	7	1	1	2	4	6	7
35-49	2115	2.9	8	1	1	2	3	6	8
50-69	1146	2.7	8	1	1	2	3	5	7
70 +	159	2.1	3	1	1	2	3	3	8
	9212	**2.8**	**7**	**1**	**1**	**2**	**3**	**6**	**7**
	9212	**2.8**	**7**	**1**	**1**	**2**	**3**	**6**	**7**

Total U.S., July 1989 - June 1990

DRG 228: Major Thumb or Joint Proc,or Oth Hand or Wrist Proc w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1142	2.8	6	1	2	2	3	5	5
70-74	445	4.3	16	1	1	3	6	9	12
75-79	480	5.9	39	1	2	4	6	20	20
80-84	178	7.3	128	1	1	3	8	16	49
85 +	101	10.7	82	2	5	12	12	23	35
SUBTOTAL	**2346**	**4.4**	**31**	**1**	**2**	**3**	**5**	**9**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1614	2.6	4	1	1	2	3	4	6
70-74	688	2.4	5	1	1	2	3	4	8
75-79	373	3.3	7	1	2	3	3	8	11
80-84	102	2.3	1	1	1	2	3	4	5
85 +	24	5.4	29						
SUBTOTAL	**2801**	**2.6**	**5**	**1**	**1**	**2**	**3**	**4**	**7**
GRAND TOTAL	**5147**	**3.5**	**17**	**1**	**1**	**2**	**4**	**6**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	291	5.5	31	1	1	5	8	11	14
18-34	437	3.9	9	1	2	3	5	8	9
35-49	656	5.4	35	1	2	3	5	14	17
50-69	743	4.3	28	1	1	2	5	11	14
70 +	29	5.0	8						
SUBTOTAL	**2157**	**4.7**	**27**	**1**	**2**	**3**	**5**	**11**	**17**
0-17	525	2.0	10	< 1	1	1	2	3	5
18-34	942	2.3	8	< 1	1	1	2	4	7
35-49	844	1.9	2	1	1	2	2	3	4
50-69	2066	1.9	2	1	1	2	2	4	4
70 +	51	1.7	1	1	1	2	2	3	3
SUBTOTAL	**4427**	**2.0**	**4**	**1**	**1**	**1**	**2**	**3**	**5**
GRAND TOTAL	**6584**	**2.9**	**13**	**1**	**1**	**2**	**3**	**6**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	170	3.9	17	1	1	2	5	7	14
18-34	239	2.6	6	< 1	1	2	3	4	6
35-49	68	7.3	31	1	2	8	12	14	18
50-69	138	5.8	18	2	3	6	6	8	19
70 +	7	3.0							
SUBTOTAL	**623**	**4.2**	**17**	**1**	**2**	**2**	**6**	**8**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	277	1.3		< 1	1	1	2	2	2
18-34	83	1.7	1	< 1	< 1	1	3	3	3
35-49	93	3.4	9	< 1	1	2	7	9	9
50-69	48	2.4	5	1	1	1	4	7	7
70 +	0								
SUBTOTAL	**501**	**1.9**	**3**	**< 1**	**1**	**1**	**2**	**3**	**7**
GRAND TOTAL	**1124**	**3.1**	**12**	**< 1**	**1**	**2**	**4**	**7**	**9**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	108	3.0	12	< 1	1	1	4	11	11
18-34	516	4.4	16	1	2	3	6	9	15
35-49	220	5.5	29	1	1	2	9	14	17
50-69	178	4.5	18	1	1	2	9	10	14
70 +	8	1.0							
SUBTOTAL	**1031**	**4.5**	**19**	**1**	**1**	**2**	**6**	**11**	**15**
0-17	127	1.3		< 1	1	1	2	2	3
18-34	339	2.5	3	1	1	2	4	6	6
35-49	200	2.0	4	1	1	1	2	5	7
50-69	237	2.1	5	1	1	2	2	3	3
70 +	28	2.6	5						
SUBTOTAL	**931**	**2.1**	**3**	**1**	**1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**1961**	**3.4**	**13**	**1**	**1**	**2**	**4**	**9**	**11**

Total U.S., July 1989 - June 1990

DRG 229: Hand or Wrist Proc, except Major Joint Proc, w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1817	1.9	3	<1	1	1	2	3	4
70-74	911	1.8	2	<1	<1	1	2	3	5
75-79	651	2.0	5	<1	1	1	2	4	6
80-84	175	3.0	10	<1	1	1	4	9	12
85+	103	4.9	9	1	2	3	8	8	8
SUBTOTAL	3657	2.0	4	<1	1	1	2	4	6
GRAND TOTAL	3657	2.0	4	<1	1	1	2	4	6

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	4993	1.6	2	<1	1	1	2	2	4
18-34	5407	2.0	3	<1	1	1	2	4	5
35-49	4009	2.0	4	<1	1	1	3	4	5
50-69	3565	2.0	5	<1	1	1	2	3	6
70+	87	1.8	1	<1	1	2	3	3	3
	18061	1.9	5	<1	1	1	2	3	5
	18061	1.9	5	<1	1	1	2	3	5

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1539	1.7	1	<1	1	1	2	3	4
18-34	1297	2.3	3	1	1	2	3	4	5
35-49	460	2.4	3	1	1	2	3	4	6
50-69	202	2.5	5	1	1	2	3	5	9
70+	14	4.1	1						
SUBTOTAL	3513	2.1	2	<1	1	2	3	3	5
GRAND TOTAL	3513	2.1	2	<1	1	2	3	3	5

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	1822	1.9	2	<1	1	1	2	4	5
18-34	4630	2.4	4	<1	1	2	3	5	6
35-49	1550	2.5	6	1	1	2	3	5	7
50-69	612	2.3	6	<1	1	1	3	5	6
70+	24	4.2	11						
	8639	2.3	4	<1	1	2	3	5	6
	8639	2.3	4	<1	1	2	3	5	6

Total U.S., July 1989 - June 1990

DRG 230: Local Excision & Removal of Int Fix Devices of Hip & Femur

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	267	7.9	81	1	3	5	8	17	30
70-74	217	14.9	180	2	4	9	19	36	45
75-79	187	8.4	60	2	3	4	12	22	24
80-84	167	5.1	12	1	2	5	6	8	11
85 +	353	10.3	163	3	5	7	8	19	25
SUBTOTAL	**1193**	**9.6**	**119**	**2**	**3**	**6**	**11**	**24**	**35**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	555	3.2	10	1	1	2	4	5	6
70-74	261	3.3	8	1	2	3	4	5	13
75-79	456	3.3	4	1	1	3	5	5	6
80-84	399	2.8	10	1	1	2	3	5	9
85 +	350	3.6	5	1	2	3	4	8	8
SUBTOTAL	**2020**	**3.2**	**8**	**1**	**1**	**3**	**4**	**6**	**8**
GRAND TOTAL	**3213**	**5.6**	**58**	**1**	**2**	**3**	**6**	**12**	**19**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	716	2.7	20	< 1	1	1	2	5	10
18-34	171	5.4	51	1	1	2	5	18	19
35-49	191	6.4	71	1	2	3	8	8	33
50-69	217	2.5	2	1	2	2	3	5	7
70 +	16	5.9	10						
SUBTOTAL	**1309**	**3.6**	**30**	**1**	**1**	**2**	**3**	**8**	**14**
0-17	4645	2.3	13	1	1	1	2	3	6
18-34	2935	2.0	3	1	1	1	2	3	5
35-49	1144	2.5	28	1	1	2	3	4	5
50-69	670	2.5	6	1	1	2	3	4	6
70 +	81	2.9	2	1	2	3	3	5	6
SUBTOTAL	**9475**	**2.2**	**11**	**1**	**1**	**1**	**2**	**4**	**6**
	10784	**2.4**	**14**	**1**	**1**	**1**	**2**	**4**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	225	3.4	7	1	1	3	4	7	10
18-34	112	5.4	23	1	2	4	11	12	16
35-49	12	4.5							
50-69	87	16.0	208	4	5	11	24	43	44
70 +	0								
SUBTOTAL	**437**	**6.4**	**74**	**1**	**2**	**4**	**7**	**13**	**24**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	1236	3.3	33	1	1	2	3	6	10
18-34	564	3.0	12	1	1	2	4	6	8
35-49	132	3.1	4	1	1	2	5	7	7
50-69	65	4.4	17	1	1	2	7	13	13
70 +	0								
SUBTOTAL	**1996**	**3.2**	**25**	**1**	**1**	**2**	**3**	**6**	**9**
GRAND TOTAL	**2433**	**3.8**	**35**	**1**	**1**	**2**	**4**	**7**	**13**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	145	4.9	75	1	1	1	3	15	34
18-34	56	4.5	11	1	2	4	6	12	13
35-49	45	5.4	58						
50-69	89	3.7	9	1	2	2	7	8	11
70 +	16	15.0							
SUBTOTAL	**351**	**5.0**	**47**	**1**	**1**	**2**	**6**	**15**	**21**
0-17	1070	4.1	114	1	1	2	2	6	17
18-34	920	3.0	40	1	1	1	2	5	8
35-49	216	1.8	2	1	1	1	2	3	6
50-69	130	1.9	2	1	1	1	2	4	6
70 +	29	4.2	13						
SUBTOTAL	**2365**	**3.4**	**68**	**1**	**1**	**1**	**2**	**5**	**10**
	2716	**3.6**	**66**	**1**	**1**	**2**	**3**	**6**	**13**

DRG 231: Local Excision & Removal of Int Fix Devices except Hip & Femur

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1297	8.6	125	1	3	5	10	18	31
70-74	759	8.5	122	1	2	4	11	21	25
75-79	649	7.2	22	2	4	6	9	14	15
80-84	322	13.1	131	3	6	8	18	27	48
85 +	172	13.0	110	3	6	11	18	33	33
SUBTOTAL	**3199**	**9.0**	**106**	**2**	**3**	**6**	**11**	**20**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	3272	4.0	24	1	1	2	4	9	12
70-74	1685	3.7	29	1	1	2	4	6	12
75-79	959	3.4	11	1	1	2	4	6	8
80-84	561	4.5	22	< 1	1	3	6	9	14
85 +	222	2.6	7	1	1	1	3	8	8
SUBTOTAL	**6699**	**3.8**	**23**	**1**	**1**	**2**	**4**	**8**	**12**
GRAND TOTAL	**9898**	**5.5**	**56**	**1**	**2**	**3**	**6**	**12**	**20**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	871	6.3	59	1	1	4	9	14	19
18-34	897	3.4	17	1	1	2	4	7	11
35-49	1093	7.5	81	1	2	4	8	24	30
50-69	1417	6.3	41	1	2	4	9	14	20
70 +	62	10.3	64	2	2	9	13	27	27
SUBTOTAL	**4340**	**6.1**	**52**	**1**	**2**	**3**	**7**	**14**	**23**
0-17	7479	3.0	23	< 1	1	1	3	6	10
18-34	10274	2.3	6	< 1	1	2	3	4	6
35-49	7540	2.3	5	1	1	2	3	4	6
50-69	6556	2.8	12	1	1	2	3	5	7
70 +	146	3.9	15	1	1	3	3	14	14
SUBTOTAL	**31995**	**2.6**	**11**	**< 1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**36335**	**3.0**	**17**	**1**	**1**	**2**	**3**	**6**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	363	11.1	230	1	2	5	14	25	45
18-34	309	5.7	34	1	2	3	7	15	23
35-49	153	10.3	114	1	3	8	12	23	41
50-69	147	14.6	175	2	4	8	21	43	44
70 +	0								
SUBTOTAL	**972**	**9.8**	**150**	**1**	**2**	**5**	**13**	**25**	**43**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1682	5.3	54	< 1	1	2	5	17	23
18-34	1537	3.7	22	1	1	2	4	7	12
35-49	583	7.4	95	1	2	3	7	20	36
50-69	326	3.9	21	1	1	2	4	12	17
70 +	7	6.0							
SUBTOTAL	**4136**	**4.9**	**47**	**1**	**1**	**2**	**5**	**13**	**20**
GRAND TOTAL	**5108**	**5.8**	**70**	**1**	**1**	**3**	**6**	**17**	**23**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	179	9.3	262	1	2	4	6	16	60
18-34	372	4.9	19	1	1	3	6	13	15
35-49	375	6.3	34	1	2	4	9	12	23
50-69	221	6.3	45	1	2	4	8	18	23
70 +	67	7.4	43	1	4	7	11	21	21
SUBTOTAL	**1214**	**6.4**	**67**	**1**	**2**	**4**	**8**	**13**	**18**
0-17	1660	3.8	35	< 1	1	1	3	9	15
18-34	3225	2.9	9	1	1	2	3	6	8
35-49	1678	3.4	22	1	1	2	3	7	10
50-69	965	3.0	6	1	1	2	3	7	9
70 +	56	2.1	2	1	1	2	2	5	5
SUBTOTAL	**7584**	**3.2**	**17**	**1**	**1**	**2**	**3**	**7**	**10**
GRAND TOTAL	**8738**	**3.7**	**26**	**1**	**1**	**2**	**4**	**8**	**12**

DRG 232: Arthroscopy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	87	10.1	100	<1	1	6	14	29	29
70-74	26	28.1	305						
75-79	34	10.5	107						
80-84	79	24.3	165	9	20	24	24	46	57
85+	43	21.0							
SUBTOTAL	**269**	**17.8**	**172**	**1**	**6**	**21**	**24**	**29**	**42**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	165	3.2	6	1	2	3	4	5	8
70-74	145	2.6	1	<1	2	3	3	4	5
75-79	60	1.1							
80-84	25	1.0							
85+	20	8.1	52						
SUBTOTAL	**414**	**2.8**	**7**	**1**	**1**	**2**	**3**	**5**	**8**
GRAND TOTAL	**683**	**8.7**	**126**	**1**	**1**	**3**	**14**	**24**	**29**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	25	10.3	32						
18-34	56	5.4	28	<1	2	2	10	15	15
35-49	53	9.0	203	<1	1	3	9	43	43
50-69	75	7.6	17	2	3	10	11	12	13
70+	0								
SUBTOTAL	**209**	**7.7**	**71**	**1**	**2**	**5**	**11**	**14**	**15**
0-17	1121	2.5	32	<1	<1	1	2	4	6
18-34	2091	1.7	2	<1	1	1	2	3	4
35-49	976	2.6	10	<1	1	1	3	5	7
50-69	765	2.9	8	1	1	2	3	8	11
70+	6	3.0							
SUBTOTAL	**4960**	**2.2**	**11**	**<1**	**1**	**1**	**2**	**4**	**7**
GRAND TOTAL	**5169**	**2.4**	**15**	**<1**	**1**	**1**	**2**	**4**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	10	23.0							
18-34	15	16.2	27						
35-49	8	2.0							
50-69	10	28.0							
70+	0								
SUBTOTAL	**42**	**18.1**	**88**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	97	5.5	53	<1	<1	3	5	16	27
18-34	150	5.2	22	<1	1	3	11	11	12
35-49	28	2.3	1						
50-69	14	3.1	7						
70+	0								
SUBTOTAL	**290**	**5.0**	**30**	**<1**	**1**	**3**	**8**	**11**	**16**
GRAND TOTAL	**332**	**6.6**	**56**	**<1**	**1**	**3**	**11**	**21**	**26**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	24	5.6	12						
35-49	30	11.0	99						
50-69	0								
70+	10	21.0							
SUBTOTAL	**64**	**10.6**	**77**	**1**	**1**	**8**	**21**	**23**	**23**
0-17	181	4.7	45	<1	<1	1	4	16	22
18-34	543	2.6	9	<1	1	1	3	5	8
35-49	181	2.9	17	<1	1	1	2	8	15
50-69	122	1.7	1	1	1	2	2	3	3
70+	12	2.0	1						
SUBTOTAL	**1040**	**2.9**	**16**	**<1**	**1**	**1**	**3**	**7**	**14**
GRAND TOTAL	**1104**	**3.4**	**23**	**<1**	**1**	**1**	**3**	**8**	**15**

Total U.S., July 1989 - June 1990

DRG 233: Other Musculoskelet Sys & Conn Tiss O.R. Proc w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1715	10.8	137	3	4	8	14	18	27
70-74	1195	10.5	79	3	6	8	14	19	27
75-79	1128	12.2	77	4	6	10	15	22	34
80-84	697	13.5	99	3	6	11	18	28	37
85 +	396	12.1	89	4	7	10	14	17	38
SUBTOTAL	**5131**	**11.5**	**102**	**3**	**5**	**9**	**15**	**21**	**34**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**5131**	**11.5**	**102**	**3**	**5**	**9**	**15**	**21**	**34**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	897	7.2	32	2	4	6	9	14	20
18-34	1073	8.8	79	2	3	5	11	24	26
35-49	1034	11.3	82	3	5	9	15	25	33
50-69	1443	11.6	122	2	4	9	15	25	36
70 +	128	10.8	76	3	3	8	14	30	30
	4574	**10.0**	**87**	**2**	**4**	**7**	**13**	**23**	**30**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4574	**10.0**	**87**	**2**	**4**	**7**	**13**	**23**	**30**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	452	9.2	71	2	5	7	11	23	33
18-34	218	10.0	91	3	3	6	10	29	30
35-49	93	14.5	96	5	7	13	16	35	37
50-69	256	11.9	43	6	6	10	14	24	26
70 +	6	3.0							
SUBTOTAL	**1024**	**10.5**	**73**	**3**	**5**	**7**	**13**	**23**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1024**	**10.5**	**73**	**3**	**5**	**7**	**13**	**23**	**29**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	276	10.0	250	3	4	6	10	15	34
18-34	522	8.9	62	2	4	7	11	16	30
35-49	347	9.3	38	3	5	7	13	20	22
50-69	322	11.9	86	5	7	9	14	22	25
70 +	39	7.0	28						
	1505	**9.8**	**96**	**3**	**5**	**7**	**12**	**20**	**23**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1505	**9.8**	**96**	**3**	**5**	**7**	**12**	**20**	**23**

Total U.S., July 1989 - June 1990

DRG 234: Other Musculoskelet Sys & Conn Tiss O.R. Proc w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	1099	5.8	47	1	2	5	8	11	13
70-74	1089	6.4	24	1	3	5	9	13	16
75-79	828	6.4	25	1	3	5	10	14	16
80-84	428	7.4	24	1	4	6	11	15	16
85 +	385	8.6	14	3	6	8	12	13	14
SUBTOTAL	**3830**	**6.5**	**30**	**1**	**2**	**6**	**10**	**13**	**15**
GRAND TOTAL	**3830**	**6.5**	**30**	**1**	**2**	**6**	**10**	**13**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	6242	3.6	6	1	2	3	5	6	7
18-34	4043	3.6	20	1	1	2	4	7	11
35-49	3995	4.0	28	1	1	3	5	8	12
50-69	3757	4.8	26	1	2	3	6	10	12
70 +	120	8.0	25	2	3	6	14	15	15
SUBTOTAL	**18157**	**4.0**	**18**	**1**	**2**	**3**	**5**	**8**	**11**
GRAND TOTAL	**18157**	**4.0**	**18**	**1**	**2**	**3**	**5**	**8**	**11**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	1802	4.8	16	1	3	4	6	8	11
18-34	870	4.8	18	1	2	4	5	12	15
35-49	450	4.1	14	1	2	3	6	8	12
50-69	80	8.9	72	2	2	5	15	27	27
70 +	72	10.0	254						
SUBTOTAL	**3275**	**5.0**	**24**	**1**	**2**	**4**	**6**	**8**	**15**
GRAND TOTAL	**3275**	**5.0**	**24**	**1**	**2**	**4**	**6**	**8**	**15**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	1601	3.7	9	1	2	3	5	7	8
18-34	2144	4.3	21	1	2	3	5	9	16
35-49	818	4.7	27	1	2	3	5	10	15
50-69	597	4.5	16	1	2	3	6	9	13
70 +	93	4.2	16	1	1	2	8	11	11
SUBTOTAL	**5252**	**4.2**	**18**	**1**	**2**	**3**	**5**	**8**	**13**
GRAND TOTAL	**5252**	**4.2**	**18**	**1**	**2**	**3**	**5**	**8**	**13**

DRG 235: Fractures of Femur

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	730	12.2	202	2	5	8	12	27	37
70-74	517	17.2	241	4	5	12	21	46	46
75-79	503	16.3	287	2	4	10	20	43	49
80-84	590	16.7	255	4	6	10	20	47	55
85 +	1230	15.6	365	3	5	8	17	48	62
SUBTOTAL	**3570**	**15.4**	**287**	**3**	**5**	**9**	**18**	**41**	**55**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	309	12.5	310	2	3	7	12	27	62
70-74	364	12.7	125	3	6	7	20	25	31
75-79	491	8.9	84	2	3	6	11	21	37
80-84	358	8.6	36	3	3	7	11	19	22
85 +	661	7.0	65	2	3	5	6	13	26
SUBTOTAL	**2185**	**9.4**	**114**	**2**	**3**	**6**	**11**	**22**	**27**
GRAND TOTAL	**5754**	**13.1**	**230**	**2**	**5**	**8**	**15**	**30**	**49**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	675	14.6	260	1	2	8	24	37	49
18-34	8	3.0							
35-49	106	5.1	15	3	4	4	5	7	20
50-69	273	20.3	426	3	6	13	17	51	51
70 +	42	11.6	45						
SUBTOTAL	**1103**	**14.9**	**285**	**2**	**3**	**9**	**18**	**47**	**51**
0-17	7729	11.6	127	1	2	6	21	27	33
18-34	202	8.0	323	1	1	2	6	12	46
35-49	208	12.3	245	< 1	1	2	37	37	37
50-69	179	6.6	19	2	4	5	8	12	15
70 +	71	9.7	117	2	3	8	10	35	35
SUBTOTAL	**8388**	**11.5**	**133**	**1**	**2**	**6**	**20**	**27**	**34**
	9492	**11.9**	**152**	**1**	**2**	**6**	**20**	**28**	**35**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	338	12.4	87	1	4	10	22	26	29
18-34	61	38.8	1215	6	11	18	80	87	87
35-49	84	17.5	271	8	9	9	16	52	52
50-69	58	15.5	194	5	6	10	19	47	47
70 +	15	11.3	17						
SUBTOTAL	**555**	**16.4**	**311**	**3**	**6**	**10**	**21**	**29**	**52**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	2979	10.9	114	1	2	5	18	26	31
18-34	73	10.2	270	2	2	2	4	50	50
35-49	57	19.2	685	4	5	5	8	71	75
50-69	49	29.6	1357	< 1	4	7	56	92	92
70 +	8	4.0							
SUBTOTAL	**3165**	**11.3**	**152**	**1**	**2**	**5**	**18**	**27**	**31**
GRAND TOTAL	**3720**	**12.1**	**179**	**1**	**2**	**7**	**19**	**27**	**32**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	230	15.5	75	3	7	17	22	24	26
18-34	49	3.4	4	1	2	2	5	7	7
35-49	40	6.5	22						
50-69	74	14.0	224						
70 +	76	19.7	376	6	8	9	33	61	65
SUBTOTAL	**469**	**13.9**	**157**	**3**	**6**	**9**	**21**	**26**	**44**
0-17	3331	9.5	87	1	2	4	17	24	27
18-34	324	8.3	120	1	1	4	9	29	38
35-49	63	12.2	540	3	4	5	7	30	82
50-69	78	6.0	21	< 1	1	5	12	12	12
70 +	48	11.0	168	< 1	3	7	12	41	41
SUBTOTAL	**3844**	**9.4**	**97**	**1**	**2**	**4**	**16**	**24**	**28**
	4313	**9.9**	**105**	**1**	**2**	**5**	**17**	**24**	**28**

Total U.S., July 1989 - June 1990

DRG 236: Fractures of Hip & Pelvis

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2171	11.7	100	3	6	9	14	22	32
70-74	2687	10.7	91	4	6	8	12	20	29
75-79	3566	11.0	118	3	5	8	14	20	27
80-84	5068	12.1	105	4	6	9	15	23	31
85 +	8749	11.7	104	3	5	9	14	23	32
SUBTOTAL	**22242**	**11.6**	**105**	**4**	**6**	**9**	**14**	**22**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1413	7.4	42	2	3	6	10	13	19
70-74	1857	6.7	19	2	4	6	9	11	16
75-79	2531	7.0	38	2	3	6	9	12	17
80-84	2584	8.7	70	2	4	7	10	15	21
85 +	4617	8.0	54	2	4	6	10	15	21
SUBTOTAL	**13002**	**7.7**	**48**	**2**	**4**	**6**	**9**	**14**	**20**
GRAND TOTAL	**35244**	**10.1**	**88**	**3**	**5**	**8**	**12**	**20**	**28**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	554	10.8	178	1	2	4	10	33	43
18-34	1228	9.5	137	2	3	6	11	20	29
35-49	773	12.4	177	4	6	8	13	31	47
50-69	1223	13.0	188	4	6	9	14	25	42
70 +	561	11.5	60	3	6	8	15	21	29
	4340	**11.4**	**155**	**3**	**5**	**7**	**13**	**25**	**41**
0-17	1729	6.4	53	1	2	3	7	19	24
18-34	1591	6.1	52	1	3	5	6	10	14
35-49	1128	6.7	45	2	3	5	8	12	20
50-69	1602	7.7	36	2	4	6	10	14	19
70 +	529	8.1	52	3	3	5	11	16	18
	6579	**6.8**	**48**	**1**	**3**	**5**	**8**	**14**	**21**
	10919	**8.6**	**96**	**2**	**3**	**6**	**10**	**19**	**26**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	149	26.0	249	1	7	36	41	41	41
18-34	266	8.7	50	2	5	7	11	16	17
35-49	137	14.7	168	2	3	10	27	33	33
50-69	279	13.9	117	3	6	10	18	33	34
70 +	148	9.6	97	4	6	7	12	99 +	99 +
SUBTOTAL	**978**	**13.8**	**155**	**2**	**6**	**9**	**18**	**36**	**44**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	445	8.2	82	1	2	5	12	22	30
18-34	304	7.1	62	2	3	5	7	12	21
35-49	73	5.2	20						
50-69	106	10.4	77	2	4	7	16	19	30
70 +	116	6.0	11	2	5	5	7	10	14
SUBTOTAL	**1044**	**7.6**	**65**	**1**	**3**	**5**	**8**	**19**	**25**
GRAND TOTAL	**2022**	**10.6**	**118**	**2**	**3**	**6**	**14**	**31**	**41**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	233	4.5	8	1	3	4	5	9	10
18-34	867	8.4	67	2	4	6	10	17	20
35-49	313	9.5	82	3	4	7	10	19	33
50-69	297	16.1	461	2	2	7	18	43	84
70 +	528	11.6	164	3	5	7	15	28	35
	2239	**9.9**	**148**	**2**	**4**	**6**	**11**	**20**	**34**
0-17	719	4.6	31	1	2	3	5	12	20
18-34	1316	5.1	37	1	2	4	6	10	13
35-49	520	6.2	42	2	3	4	7	13	16
50-69	452	8.7	68	1	3	6	13	20	23
70 +	529	10.6	133	1	3	7	15	23	27
	3536	**6.5**	**59**	**1**	**2**	**4**	**7**	**15**	**22**
	5774	**7.8**	**96**	**1**	**3**	**5**	**9**	**17**	**24**

DRG 237: Sprains, Strains, & Dislocations of Hip, Pelvis & Thigh

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	122	7.3	47	2	3	4	7	20	23
70-74	124	5.9	7	2	5	6	6	9	12
75-79	139	4.5	6	2	3	4	7	8	9
80-84	178	4.2	8	1	2	4	8	10	99+
85+	239	7.3	36	2	4	6	8	16	16
SUBTOTAL	**802**	**5.9**	**23**	**2**	**3**	**5**	**7**	**12**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	120	3.7	3	1	3	4	5	6	7
70-74	157	5.8	10	2	3	6	7	10	11
75-79	239	6.7	40	2	4	4	10	11	11
80-84	232	8.1	22	2	5	8	10	16	16
85+	228	4.6	15	1	2	4	6	11	16
SUBTOTAL	**977**	**6.0**	**23**	**2**	**3**	**5**	**8**	**11**	**16**
GRAND TOTAL	**1779**	**6.0**	**23**	**2**	**3**	**5**	**8**	**11**	**16**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	41	4.3	6						
18-34	164	5.0	9	3	3	4	5	12	12
35-49	62	5.2	18	1	3	4	4	15	15
50-69	104	13.0	62	3	3	19	20	20	20
70+	8	17.0							
SUBTOTAL	**380**	**7.4**	**39**	**2**	**3**	**4**	**11**	**20**	**20**
0-17	780	3.3	10	1	2	2	4	6	9
18-34	502	4.2	9	1	2	4	5	8	11
35-49	335	5.5	40	1	1	4	7	10	13
50-69	159	4.1	10	1	2	3	5	8	11
70+	31	2.3	1						
SUBTOTAL	**1806**	**4.0**	**16**	**1**	**2**	**3**	**5**	**7**	**11**
GRAND TOTAL	**2186**	**4.6**	**21**	**1**	**2**	**3**	**5**	**10**	**15**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	18	7.0							
18-34	32	5.1	1						
35-49	8	5.0							
50-69	0								
70+	0								
SUBTOTAL	**58**	**5.7**	**2**	**4**	**5**	**6**	**7**	**7**	**7**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	121	3.4	9	1	1	3	4	4	12
18-34	43	2.8	3	1	1	4	4	5	5
35-49	36	3.7	19						
50-69	0								
70+	0								
SUBTOTAL	**200**	**3.3**	**9**	**1**	**1**	**2**	**4**	**5**	**12**
GRAND TOTAL	**258**	**3.8**	**8**	**1**	**2**	**4**	**5**	**7**	**12**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	1.0							
18-34	108	6.8	18	2	5	6	6	12	17
35-49	94	8.4	12	2	7	8	9	15	15
50-69	14	5.9	13						
70+	0								
SUBTOTAL	**223**	**7.2**	**17**	**2**	**6**	**7**	**9**	**15**	**15**
0-17	161	2.5	6	1	1	1	3	7	8
18-34	299	5.5	26	<1	2	3	6	16	16
35-49	82	4.9	24	1	2	3	7	12	18
50-69	75	3.7	3						
70+	7	3.0							
SUBTOTAL	**624**	**4.4**	**19**	**1**	**1**	**3**	**5**	**12**	**16**
GRAND TOTAL	**847**	**5.2**	**20**	**1**	**2**	**3**	**7**	**13**	**16**

Total U.S., July 1989 - June 1990

DRG 238: Osteomyelitis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1650	15.6	195	4	5	11	21	35	52
70-74	976	12.5	71	4	7	10	16	29	31
75-79	835	16.9	191	5	7	12	20	43	52
80-84	427	16.4	181	6	7	11	22	37	42
85 +	554	17.2	117	7	11	15	22	39	55
SUBTOTAL	**4443**	**15.4**	**159**	**4**	**7**	**12**	**20**	**35**	**47**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	239	10.4	54	2	6	9	14	19	20
70-74	185	13.2	138	1	5	10	18	33	41
75-79	322	13.1	69	3	7	12	19	21	24
80-84	222	8.6	45	4	5	5	13	17	17
85 +	206	11.8	81	3	6	7	15	28	28
SUBTOTAL	**1174**	**11.5**	**77**	**3**	**5**	**9**	**17**	**22**	**28**
GRAND TOTAL	**5617**	**14.6**	**144**	**4**	**6**	**11**	**19**	**31**	**43**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	418	11.7	58	4	6	9	16	22	27
18-34	260	13.3	116	3	8	10	15	28	42
35-49	644	13.2	134	4	5	9	16	34	41
50-69	955	14.9	148	4	7	10	19	32	45
70 +	30	14.9	288						
SUBTOTAL	**2307**	**13.6**	**127**	**4**	**6**	**10**	**17**	**31**	**42**
0-17	1525	8.7	33	2	5	7	12	17	20
18-34	278	7.1	49	3	4	5	7	13	19
35-49	495	10.3	70	3	4	8	15	17	20
50-69	573	13.1	59	4	7	13	18	22	22
70 +	6	6.0							
SUBTOTAL	**2878**	**9.7**	**49**	**2**	**5**	**8**	**13**	**18**	**22**
GRAND TOTAL	**5185**	**11.4**	**88**	**3**	**5**	**9**	**15**	**22**	**32**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	338	17.3	83	5	10	15	26	28	33
18-34	382	14.5	99	5	7	11	21	31	33
35-49	375	15.1	157	3	6	11	19	32	38
50-69	168	14.1	142	2	6	9	22	31	42
70 +	0								
SUBTOTAL	**1264**	**15.4**	**119**	**4**	**7**	**12**	**24**	**30**	**36**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	693	13.3	98	3	6	9	20	30	32
18-34	154	21.3	236	4	7	19	41	41	41
35-49	166	12.6	95	3	7	12	14	28	36
50-69	113	13.5	219	2	2	7	20	45	45
70 +	6	9.0							
SUBTOTAL	**1132**	**14.3**	**135**	**3**	**6**	**9**	**21**	**32**	**41**
GRAND TOTAL	**2396**	**14.9**	**127**	**3**	**7**	**11**	**22**	**32**	**39**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	226	13.4	62	4	8	11	17	21	30
18-34	106	16.3	133	5	5	16	21	37	39
35-49	254	14.9	166	4	6	11	18	35	38
50-69	442	15.9	132	5	6	13	21	33	40
70 +	46	7.1	25						
SUBTOTAL	**1073**	**14.8**	**124**	**5**	**6**	**12**	**18**	**30**	**38**
0-17	456	8.8	54	1	4	7	10	17	24
18-34	264	10.7	92	1	2	7	16	25	29
35-49	221	8.3	34	2	6	8	9	13	26
50-69	166	10.6	41	1	6	12	15	20	21
70 +	8	27.0							
SUBTOTAL	**1114**	**9.6**	**59**	**2**	**4**	**8**	**13**	**20**	**26**
GRAND TOTAL	**2188**	**12.1**	**98**	**2**	**6**	**9**	**16**	**26**	**33**

Total U.S., July 1989 - June 1990

DRG 239: Pathological Fractures & Musculoskeletal & Conn Tiss Malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	7866	11.5	118	3	5	8	14	24	33
70-74	7517	10.9	88	3	5	8	13	24	32
75-79	8184	10.1	74	3	5	7	13	21	27
80-84	6535	11.6	126	4	5	8	14	23	30
85 +	5855	10.8	85	3	5	8	13	22	28
SUBTOTAL	**35956**	**10.9**	**98**	**3**	**5**	**8**	**13**	**22**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2868	7.4	29	2	3	7	10	15	17
70-74	2948	7.4	28	2	4	7	9	14	15
75-79	3950	8.2	48	3	4	7	10	15	17
80-84	3257	8.4	62	3	4	7	10	17	22
85 +	3403	8.2	43	3	4	7	10	15	20
SUBTOTAL	**16426**	**8.0**	**43**	**2**	**4**	**7**	**10**	**15**	**19**
GRAND TOTAL	**52381**	**10.0**	**83**	**3**	**5**	**7**	**12**	**20**	**27**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1561	6.0	48	1	2	4	7	13	19
18-34	795	6.4	43	1	2	4	7	13	21
35-49	1659	9.5	85	2	3	6	13	23	32
50-69	6773	9.4	64	3	4	7	12	19	23
70 +	806	11.4	78	1	6	10	15	21	25
	11592	**8.9**	**66**	**2**	**3**	**6**	**12**	**19**	**24**
0-17	2222	4.6	47	1	2	4	5	6	11
18-34	491	4.2	19	1	1	3	5	8	11
35-49	996	7.1	39	1	4	5	9	15	22
50-69	2500	6.9	39	2	3	5	9	14	18
70 +	270	6.7	14	1	4	7	10	11	12
	6479	**5.9**	**41**	**1**	**2**	**4**	**7**	**12**	**18**
	18072	**7.8**	**59**	**2**	**3**	**5**	**10**	**17**	**22**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	500	8.4	93	2	4	5	10	16	26
18-34	267	6.9	52	2	4	5	7	15	20
35-49	509	10.5	83	3	5	8	15	21	27
50-69	1114	10.9	75	3	5	9	13	22	28
70 +	72	9.8	109	< 1	4	6	7	33	33
SUBTOTAL	**2462**	**9.9**	**81**	**3**	**4**	**7**	**12**	**21**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	528	3.7	11	1	2	3	5	7	10
18-34	253	4.6	10	2	2	4	6	9	9
35-49	102	4.5	10	< 1	1	4	8	9	9
50-69	339	5.7	19	1	3	4	8	10	13
70 +	26	10.3	64						
SUBTOTAL	**1248**	**4.6**	**15**	**1**	**2**	**3**	**6**	**9**	**11**
GRAND TOTAL	**3709**	**8.1**	**65**	**2**	**3**	**6**	**10**	**18**	**23**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	377	5.9	26	1	3	4	7	13	18
18-34	364	7.7	95	1	2	5	9	17	33
35-49	377	13.7	226	3	5	8	16	30	49
50-69	1139	10.1	65	3	4	8	13	23	27
70 +	581	10.2	107	1	4	6	14	22	31
	2838	**9.7**	**98**	**2**	**4**	**6**	**13**	**22**	**30**
0-17	784	5.4	50	2	2	3	5	8	31
18-34	163	6.3	72	1	4	5	6	7	7
35-49	288	6.3	84	1	1	3	7	15	37
50-69	589	6.6	30	1	2	6	8	15	16
70 +	208	6.7	49	1	3	4	7	21	25
	2032	**6.1**	**51**	**1**	**2**	**4**	**6**	**14**	**25**
	4871	**8.2**	**82**	**1**	**3**	**5**	**10**	**19**	**27**

Total U.S., July 1989 - June 1990

DRG 240: Connective Tissue Disorders w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	4306	9.2	60	3	4	7	12	19	27
70-74	2193	8.9	80	3	4	6	12	19	21
75-79	1951	9.9	88	3	4	8	12	18	27
80-84	1094	9.9	48	3	5	8	12	20	22
85 +	693	9.6	73	3	4	6	14	20	30
SUBTOTAL	10237	9.4	69	3	4	7	12	19	26
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	10237	9.4	69	3	4	7	12	19	26

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1552	6.0	26	2	3	5	8	11	16
18-34	2040	6.6	46	2	2	4	8	14	20
35-49	1976	7.4	54	1	3	6	9	15	24
50-69	2192	8.8	63	2	4	7	10	19	26
70 +	83	8.0	10	3	8	8	11	11	12
	7843	7.3	49	2	3	5	9	15	22
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	7843	7.3	49	2	3	5	9	15	22

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	609	8.6	96	1	4	6	9	23	26
18-34	1370	7.0	33	2	3	5	10	15	19
35-49	616	9.7	96	2	3	6	12	25	30
50-69	608	9.6	58	3	6	8	12	27	99 +
70 +	18	17.6	95						
SUBTOTAL	3221	8.4	64	2	3	6	10	19	27
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	3221	8.4	64	2	3	6	10	19	27

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	401	5.3	22	< 1	2	4	6	11	16
18-34	895	7.4	46	2	3	5	10	13	20
35-49	731	7.7	65	2	3	5	9	15	20
50-69	341	11.5	122	2	3	9	17	22	25
70 +	55	8.1	134	2	2	3	5	38	38
	2423	7.7	63	2	3	5	10	16	22
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2423	7.7	63	2	3	5	10	16	22

DRG 241: Connective Tissue Disorders w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1935	5.7	17	2	3	5	7	11	13
70-74	744	5.1	9	2	3	5	7	9	12
75-79	987	6.8	18	3	4	6	8	13	16
80-84	457	7.3	45	2	3	7	8	11	13
85 +	243	5.3	11	2	3	5	6	11	12
SUBTOTAL	**4366**	**6.0**	**19**	**2**	**3**	**5**	**8**	**11**	**13**
GRAND TOTAL	**4366**	**6.0**	**19**	**2**	**3**	**5**	**8**	**11**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	5411	4.0	18	1	2	3	5	8	11
18-34	1706	4.5	19	1	2	3	5	10	14
35-49	2088	4.4	14	1	2	4	5	8	11
50-69	1810	5.6	28	1	2	4	7	11	18
70 +	40	6.7	21						
SUBTOTAL	**11054**	**4.4**	**19**	**1**	**2**	**3**	**5**	**9**	**11**
	11054	**4.4**	**19**	**1**	**2**	**3**	**5**	**9**	**11**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1440	4.9	23	1	2	4	6	11	15
18-34	1143	4.7	20	1	2	3	7	8	13
35-49	577	4.8	14	2	2	4	6	8	13
50-69	306	4.6	11	1	2	3	7	9	12
70 +	0								
SUBTOTAL	**3466**	**4.8**	**19**	**1**	**2**	**3**	**6**	**9**	**13**
GRAND TOTAL	**3466**	**4.8**	**19**	**1**	**2**	**3**	**6**	**9**	**13**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	1610	4.0	9	1	2	4	5	7	9
18-34	1014	4.1	29	1	1	2	5	9	14
35-49	1069	3.3	14	1	1	1	4	8	12
50-69	337	3.6	8	1	2	2	5	8	9
70 +	17	3.4	4						
SUBTOTAL	**4047**	**3.8**	**15**	**1**	**1**	**3**	**5**	**8**	**10**
	4047	**3.8**	**15**	**1**	**1**	**3**	**5**	**8**	**10**

Total U.S., July 1989 - June 1990

DRG 242: Septic Arthritis

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	416	11.9	84	4	6	10	13	21	33
70-74	310	10.6	53	3	5	9	14	28	28
75-79	269	16.5	170	4	6	13	21	42	42
80-84	199	11.6	157	5	5	6	12	36	48
85 +	250	12.8	90	4	7	10	17	20	32
SUBTOTAL	**1444**	**12.6**	**108**	**4**	**6**	**9**	**15**	**29**	**42**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	309	7.5	30	2	4	6	10	15	23
70-74	146	7.0	10	3	4	7	8	10	15
75-79	188	6.3	25	3	4	5	7	9	17
80-84	201	10.0	45	2	4	9	13	24	24
85 +	87	11.7	83	4	6	10	17	20	35
SUBTOTAL	**931**	**8.1**	**37**	**2**	**4**	**7**	**10**	**15**	**23**
GRAND TOTAL	**2374**	**10.8**	**85**	**3**	**5**	**8**	**13**	**21**	**32**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	298	12.4	88	3	7	10	17	21	43
18-34	220	5.4	3	3	4	6	7	8	8
35-49	226	9.4	75	2	4	6	15	16	26
50-69	283	14.0	273	4	5	8	14	42	65
70 +	6	4.0							
SUBTOTAL	**1033**	**10.6**	**127**	**3**	**5**	**7**	**13**	**21**	**42**
0-17	1311	6.6	21	2	3	6	9	12	16
18-34	667	5.8	16	2	4	5	6	12	13
35-49	370	7.1	17	2	3	6	11	14	15
50-69	258	7.5	50	1	3	6	12	13	30
70 +	8	4.0							
SUBTOTAL	**2615**	**6.5**	**22**	**2**	**3**	**5**	**9**	**12**	**15**
GRAND TOTAL	**3648**	**7.7**	**55**	**2**	**4**	**6**	**9**	**15**	**20**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	154	15.9	57	9	11	15	20	22	37
18-34	188	6.9	36	4	4	4	7	17	17
35-49	262	14.7	184	3	7	10	20	38	44
50-69	31	16.0	27						
70 +	10	3.0							
SUBTOTAL	**646**	**12.6**	**116**	**3**	**4**	**10**	**17**	**23**	**37**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	556	11.0	59	3	4	10	15	26	28
18-34	143	4.8	3	2	3	6	6	7	7
35-49	34	8.2	21						
50-69	48	11.9	55	1	7	12	15	26	26
70 +	0								
SUBTOTAL	**780**	**9.8**	**52**	**3**	**4**	**7**	**14**	**21**	**28**
GRAND TOTAL	**1426**	**11.0**	**83**	**3**	**4**	**8**	**15**	**22**	**28**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	89	10.8	20	6	7	10	16	19	19
18-34	295	7.3	24	2	5	6	9	14	20
35-49	67	14.0	118	3	8	10	11	34	34
50-69	79	10.5	38	4	4	9	18	19	20
70 +	38	16.3	117						
SUBTOTAL	**567**	**9.7**	**50**	**3**	**5**	**7**	**11**	**20**	**28**
0-17	460	7.4	31	2	3	6	10	17	21
18-34	621	5.3	11	2	2	5	8	9	12
35-49	322	6.7	15	2	4	6	9	11	14
50-69	83	6.1	13	2	3	5	9	10	14
70 +	0								
SUBTOTAL	**1485**	**6.3**	**19**	**2**	**3**	**5**	**9**	**11**	**14**
GRAND TOTAL	**2053**	**7.3**	**30**	**2**	**3**	**6**	**9**	**14**	**19**

Total U.S., July 1989 - June 1990

DRG 243: Medical Back Problems

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	12852	7.2	35	2	3	6	9	14	18
70-74	9857	7.4	36	2	4	6	10	14	17
75-79	10222	7.6	37	2	4	6	10	14	18
80-84	9811	8.9	59	3	4	7	11	17	23
85 +	9277	8.8	60	3	5	7	11	16	21
SUBTOTAL	**52019**	**7.9**	**45**	**2**	**4**	**6**	**10**	**15**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	20128	4.5	15	1	2	4	6	9	12
70-74	11242	5.0	16	1	2	4	7	10	13
75-79	10588	5.0	20	1	2	4	7	10	14
80-84	7492	5.5	14	1	3	5	7	10	13
85 +	5681	6.4	24	2	4	6	8	11	15
SUBTOTAL	**55131**	**5.0**	**17**	**1**	**2**	**4**	**7**	**10**	**13**
GRAND TOTAL	**107149**	**6.4**	**33**	**1**	**3**	**5**	**8**	**13**	**16**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1120	4.3	22	1	1	3	5	10	11
18-34	4436	4.9	18	1	2	4	6	9	13
35-49	7588	5.6	21	1	2	5	7	11	14
50-69	11056	6.3	30	2	3	5	8	12	15
70 +	1157	7.4	21	2	4	7	10	12	16
SUBTOTAL	**25357**	**5.8**	**25**	**1**	**3**	**5**	**7**	**11**	**14**
0-17	4885	2.8	12	< 1	1	2	3	6	8
18-34	28295	3.5	9	1	1	3	5	7	9
35-49	50165	3.9	14	1	1	3	5	8	10
50-69	37722	3.9	13	1	1	3	5	8	10
70 +	1351	5.2	14	1	2	5	7	10	11
SUBTOTAL	**122418**	**3.8**	**12**	**1**	**1**	**3**	**5**	**8**	**10**
GRAND TOTAL	**147776**	**4.1**	**15**	**1**	**1**	**3**	**5**	**8**	**11**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	279	4.6	30	1	1	3	6	10	15
18-34	1010	6.4	36	2	3	4	8	12	20
35-49	1121	5.9	18	2	3	5	8	11	12
50-69	1386	6.5	23	2	3	6	9	12	17
70 +	130	9.1	78	2	3	4	14	24	24
SUBTOTAL	**3927**	**6.3**	**28**	**2**	**3**	**5**	**8**	**12**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	943	2.9	19	< 1	1	2	3	6	9
18-34	3561	4.1	11	1	2	4	5	8	10
35-49	3932	4.8	22	1	2	4	7	9	10
50-69	1732	4.2	11	1	1	3	6	8	11
70 +	116	6.6	16	1	3	7	10	10	12
SUBTOTAL	**10285**	**4.3**	**16**	**1**	**2**	**3**	**6**	**8**	**10**
GRAND TOTAL	**14212**	**4.8**	**20**	**1**	**2**	**4**	**6**	**10**	**12**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	249	3.8	9	1	2	3	6	9	9
18-34	2553	4.5	17	1	2	3	6	9	12
35-49	1971	6.0	35	1	2	4	8	11	15
50-69	1913	6.1	21	1	3	5	8	12	15
70 +	739	6.7	36	3	3	5	8	10	12
SUBTOTAL	**7426**	**5.5**	**25**	**1**	**2**	**4**	**7**	**11**	**13**
0-17	1760	2.7	9	< 1	1	2	3	5	8
18-34	9391	3.7	10	1	1	3	5	7	10
35-49	9374	4.0	14	1	1	3	5	8	10
50-69	5058	3.7	10	1	1	3	5	8	10
70 +	689	6.3	69	1	2	4	8	11	20
SUBTOTAL	**26271**	**3.8**	**13**	**1**	**1**	**3**	**5**	**8**	**10**
GRAND TOTAL	**33697**	**4.2**	**16**	**1**	**1**	**3**	**6**	**9**	**11**

Total U.S., July 1989 - June 1990

DRG 244: Bone Diseases & Specific Arthropathies w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	2595	6.5	42	2	2	5	9	12	17
70-74	2141	7.5	83	2	3	5	9	13	16
75-79	2724	8.0	58	2	3	6	11	16	30
80-84	2547	10.1	219	2	3	6	10	16	48
85 +	2137	8.7	98	2	3	6	9	20	32
SUBTOTAL	**12144**	**8.1**	**101**	**2**	**3**	**5**	**9**	**15**	**25**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**12144**	**8.1**	**101**	**2**	**3**	**5**	**9**	**15**	**25**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	237	5.3	11	2	3	5	8	9	10
18-34	90	4.8	8	2	3	4	6	10	10
35-49	424	5.4	16	< 1	2	4	9	11	12
50-69	1125	5.2	17	1	2	4	7	12	13
70 +	275	3.8	15	1	1	2	5	8	9
SUBTOTAL	**2152**	**5.1**	**16**	**1**	**2**	**4**	**7**	**11**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2152**	**5.1**	**16**	**1**	**2**	**4**	**7**	**11**	**13**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	294	3.5	25	1	1	2	4	6	11
18-34	120	3.5	12	1	1	2	4	9	12
35-49	104	3.5	5	2	2	2	4	7	10
50-69	257	5.1	12	2	2	4	8	8	12
70 +	59	6.0	9	2	4	6	8	11	11
SUBTOTAL	**835**	**4.2**	**16**	**1**	**2**	**3**	**5**	**8**	**11**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**835**	**4.2**	**16**	**1**	**2**	**3**	**5**	**8**	**11**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	67	14.2	174	1	1	7	29	31	31
18-34	78	6.5	57	2	3	3	5	14	29
35-49	71	4.8	10	2	2	4	6	10	11
50-69	313	5.3	12	1	2	5	8	9	13
70 +	259	14.2	251	1	3	8	16	45	45
SUBTOTAL	**790**	**9.1**	**127**	**1**	**2**	**5**	**10**	**29**	**45**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**790**	**9.1**	**127**	**1**	**2**	**5**	**10**	**29**	**45**

DRG 245: Bone Diseases & Specific Arthropathies w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1717	4.2	8	1	2	3	6	8	10
70-74	1238	4.8	16	1	2	3	7	9	12
75-79	1446	4.4	11	1	2	4	6	10	11
80-84	1437	5.1	15	1	2	4	7	10	12
85 +	1254	6.8	108	2	3	4	7	14	18
SUBTOTAL	**7091**	**5.0**	**30**	**1**	**2**	**4**	**6**	**10**	**12**
GRAND TOTAL	**7091**	**5.0**	**30**	**1**	**2**	**4**	**6**	**10**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	1505	3.8	12	< 1	1	3	5	8	10
18-34	582	3.0	6	< 1	2	2	3	6	9
35-49	888	3.7	8	1	2	3	4	7	9
50-69	1988	4.2	37	1	2	3	5	9	10
70 +	180	4.9	18	1	2	4	5	11	12
SUBTOTAL	**5142**	**3.9**	**21**	**1**	**2**	**3**	**5**	**8**	**10**
	5142	**3.9**	**21**	**1**	**2**	**3**	**5**	**8**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	569	5.2	21	1	2	4	7	12	13
18-34	90	4.4	1	3	3	5	5	5	5
35-49	137	2.5	3	1	1	2	3	5	6
50-69	276	4.7	31	2	2	3	5	6	8
70 +	56	4.8	5	2	4	4	6	9	9
SUBTOTAL	**1127**	**4.7**	**19**	**1**	**2**	**3**	**5**	**8**	**13**
GRAND TOTAL	**1127**	**4.7**	**19**	**1**	**2**	**3**	**5**	**8**	**13**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	532	3.9	10	1	1	3	6	8	11
18-34	288	4.3	11	1	2	3	6	10	10
35-49	311	3.1	5	1	1	2	4	7	8
50-69	395	5.4	21	1	2	4	8	12	18
70 +	315	8.0	61	1	3	5	10	20	26
SUBTOTAL	**1841**	**4.8**	**23**	**1**	**2**	**3**	**6**	**10**	**14**
	1841	**4.8**	**23**	**1**	**2**	**3**	**6**	**10**	**14**

Total U.S., July 1989 - June 1990

DRG 246: Non-specific Arthropathies

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	225	7.3	16	2	4	6	12	12	12
70-74	169	6.4	15	1	4	6	8	12	13
75-79	248	5.4	12	2	3	4	7	9	15
80-84	149	6.3	23	3	3	4	9	14	19
85 +	181	6.3	14	3	5	5	7	7	20
SUBTOTAL	**971**	**6.3**	**16**	**2**	**3**	**5**	**8**	**12**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	152	6.6	25	2	2	4	11	14	14
70-74	64	4.8	6	1	4	5	6	10	10
75-79	143	4.3	6	2	3	3	5	9	12
80-84	66	3.0	2	1	2	3	4	5	5
85 +	138	4.3	27	1	2	2	3	14	20
SUBTOTAL	**563**	**4.8**	**17**	**1**	**2**	**3**	**5**	**12**	**14**
GRAND TOTAL	**1534**	**5.8**	**17**	**2**	**3**	**4**	**7**	**12**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	94	4.0	14	2	2	2	4	12	12
18-34	47	6.5	17	2	4	5	10	14	14
35-49	190	6.7	10	4	4	7	10	11	11
50-69	161	6.1	14	3	3	6	8	10	10
70 +	13	1.0							
SUBTOTAL	**505**	**5.8**	**14**	**2**	**3**	**4**	**9**	**11**	**12**
0-17	416	4.2	12	2	2	3	5	9	14
18-34	317	4.5	12	2	2	3	5	13	14
35-49	158	4.5	13	2	3	3	4	9	16
50-69	434	4.8	12	1	2	3	7	10	12
70 +	0								
SUBTOTAL	**1325**	**4.5**	**12**	**2**	**2**	**3**	**5**	**10**	**14**
GRAND TOTAL	**1830**	**4.9**	**13**	**2**	**2**	**3**	**7**	**10**	**13**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	6	2.0							
18-34	34	4.1	3						
35-49	15	3.1	1						
50-69	64	5.2	10						
70 +	0								
SUBTOTAL	**119**	**4.4**	**7**	**2**	**3**	**4**	**4**	**6**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	160	4.9	15	1	3	3	6	10	11
18-34	64	4.5	21	1	1	2	5	12	15
35-49	52	5.6	39	< 1	2	3	5	22	22
50-69	44	3.6	11						
70 +	0								
SUBTOTAL	**320**	**4.8**	**20**	**1**	**2**	**3**	**6**	**11**	**15**
GRAND TOTAL	**439**	**4.7**	**16**	**1**	**2**	**4**	**6**	**10**	**14**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	55	6.7	10	1	4	6	10	10	10
35-49	27	4.6	5						
50-69	25	5.2	1						
70 +	38	8.7	32						
SUBTOTAL	**144**	**6.6**	**15**	**2**	**4**	**5**	**9**	**15**	**15**
0-17	91	5.2	12	1	2	4	10	10	10
18-34	196	4.4	7	2	2	4	5	7	8
35-49	130	5.1	8	2	2	6	7	7	12
50-69	99	3.9	6	1	2	4	5	9	9
70 +	6	11.0							
SUBTOTAL	**523**	**4.7**	**9**	**2**	**2**	**4**	**7**	**9**	**10**
GRAND TOTAL	**667**	**5.1**	**11**	**2**	**2**	**5**	**7**	**10**	**11**

DRG 247: Signs & Symptoms of Musculoskeletal System & Conn Tissue

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1682	5.3	22	2	2	4	7	10	12
70-74	846	6.1	22	2	2	5	8	12	15
75-79	894	6.5	65	2	2	4	8	15	15
80-84	693	6.1	23	1	3	5	8	11	17
85 +	824	6.0	22	1	3	5	7	12	15
SUBTOTAL	**4938**	**5.9**	**30**	**2**	**2**	**5**	**8**	**12**	**15**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	2217	3.3	11	1	1	2	4	6	10
70-74	1037	3.4	7	1	1	3	5	6	8
75-79	747	3.2	7	1	2	2	4	7	10
80-84	685	4.7	9	2	2	4	6	8	10
85 +	670	4.2	14	1	2	3	5	9	10
SUBTOTAL	**5355**	**3.6**	**10**	**1**	**2**	**3**	**5**	**7**	**10**
GRAND TOTAL	**10293**	**4.7**	**21**	**1**	**2**	**3**	**6**	**10**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	366	5.0	82	1	2	3	4	7	10
18-34	375	4.3	12	2	2	3	6	10	13
35-49	979	3.9	9	1	2	3	5	7	9
50-69	1433	3.6	5	1	2	3	5	7	8
70 +	105	7.2	19	3	4	6	10	13	17
SUBTOTAL	**3257**	**4.1**	**17**	**1**	**2**	**3**	**5**	**7**	**10**
0-17	1709	3.2	16	1	1	2	4	5	7
18-34	2311	2.7	5	1	1	2	3	5	8
35-49	3613	3.0	7	1	1	2	4	6	7
50-69	3417	2.9	5	1	1	2	4	6	8
70 +	46	3.0	8	< 1	1	2	3	8	8
SUBTOTAL	**11097**	**2.9**	**8**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**14354**	**3.2**	**10**	**1**	**1**	**2**	**4**	**6**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	143	4.6	18	1	2	5	5	6	21
18-34	206	5.3	34	1	2	3	6	20	20
35-49	385	6.2	25	1	3	5	8	13	18
50-69	455	5.5	50	1	2	4	5	8	19
70 +	28	5.4	31						
SUBTOTAL	**1217**	**5.6**	**35**	**1**	**2**	**4**	**5**	**13**	**19**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	402	2.6	4	1	1	2	3	5	6
18-34	500	3.2	8	1	1	3	4	6	7
35-49	391	3.1	5	1	1	3	4	5	6
50-69	301	3.3	5	1	2	3	5	6	9
70 +	87	3.9	3	1	2	5	5	5	6
SUBTOTAL	**1681**	**3.1**	**6**	**1**	**1**	**3**	**4**	**5**	**7**
GRAND TOTAL	**2898**	**4.1**	**20**	**1**	**2**	**3**	**5**	**7**	**13**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	58	4.4	10	1	2	3	8	10	10
18-34	289	4.0	10	1	2	3	6	8	12
35-49	336	6.5	53	1	2	4	6	23	23
50-69	355	3.1	6	1	1	2	4	8	9
70 +	68	7.7	55	2	3	4	11	24	24
SUBTOTAL	**1107**	**4.7**	**27**	**1**	**2**	**3**	**5**	**10**	**23**
0-17	477	2.3	4	< 1	1	2	3	4	5
18-34	913	2.7	5	< 1	1	2	4	6	9
35-49	936	2.9	6	1	1	2	3	7	7
50-69	943	2.5	5	< 1	1	2	3	5	5
70 +	168	2.1	2	1	1	2	3	4	5
SUBTOTAL	**3437**	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**4544**	**3.1**	**11**	**1**	**1**	**2**	**4**	**6**	**9**

Total U.S., July 1989 - June 1990

DRG 248: Tendonitis, Myositis & Bursitis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	989	6.2	24	2	3	5	8	14	17
70-74	542	6.9	75	1	2	5	8	12	17
75-79	732	8.3	41	3	4	6	12	18	22
80-84	519	7.1	19	3	4	6	8	11	16
85 +	448	7.1	19	4	4	6	8	12	17
SUBTOTAL	**3230**	**7.1**	**35**	**2**	**4**	**5**	**8**	**14**	**18**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	833	4.1	10	1	2	3	5	9	10
70-74	678	4.0	12	1	1	3	5	9	9
75-79	587	3.9	20	1	2	3	4	6	7
80-84	560	6.6	24	1	3	6	8	15	15
85 +	369	5.0	10	2	3	5	7	9	11
SUBTOTAL	**3027**	**4.6**	**16**	**1**	**2**	**4**	**6**	**9**	**12**
GRAND TOTAL	**6257**	**5.9**	**27**	**1**	**3**	**5**	**7**	**12**	**16**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	273	3.5	10	1	2	2	4	9	10
18-34	575	4.8	12	2	3	4	6	10	10
35-49	1002	4.5	21	1	2	3	6	9	12
50-69	1281	4.9	13	1	3	4	6	10	11
70 +	61	6.1	8	3	3	6	8	10	12
	3192	**4.7**	**15**	**1**	**2**	**4**	**6**	**9**	**11**
0-17	2314	3.1	7	1	2	2	4	6	7
18-34	1353	3.6	5	1	2	3	5	7	8
35-49	2447	3.2	4	1	2	3	4	6	7
50-69	2688	3.0	8	1	1	2	4	6	9
70 +	98	6.2	11	1	3	8	8	9	11
	8899	**3.2**	**7**	**1**	**2**	**3**	**4**	**6**	**8**
	12091	**3.6**	**9**	**1**	**2**	**3**	**5**	**7**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	83	6.4	14	2	3	7	10	11	11
18-34	97	8.6	42	3	4	5	11	20	23
35-49	190	6.5	26	3	3	4	9	15	19
50-69	195	8.5	81	3	3	5	12	15	36
70 +	10	5.0							
SUBTOTAL	**576**	**7.5**	**46**	**3**	**3**	**5**	**10**	**15**	**20**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	623	3.9	7	1	2	3	5	6	11
18-34	278	4.3	9	1	2	4	6	9	11
35-49	144	5.4	20	1	2	4	6	13	13
50-69	77	4.3	3	< 1	3	4	6	7	7
70 +	6	2.0							
SUBTOTAL	**1128**	**4.2**	**9**	**1**	**2**	**4**	**6**	**9**	**11**
GRAND TOTAL	**1703**	**5.3**	**24**	**1**	**2**	**4**	**6**	**11**	**13**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	202	6.9	53	1	3	4	8	16	16
18-34	280	4.5	7	2	2	4	6	9	10
35-49	323	5.2	13	2	2	5	7	10	14
50-69	227	9.8	100	1	2	7	10	28	28
70 +	39	10.8	22						
	1070	**6.5**	**42**	**2**	**2**	**4**	**8**	**15**	**28**
0-17	671	3.1	5	1	2	3	4	6	8
18-34	640	3.8	5	1	2	3	5	6	8
35-49	509	3.7	6	1	2	3	6	7	8
50-69	438	2.3	2	1	1	2	3	4	6
70 +	40	3.5	12	< 1	1	2	4	11	11
	2298	**3.3**	**5**	**1**	**2**	**3**	**4**	**7**	**8**
	3368	**4.3**	**19**	**1**	**2**	**3**	**5**	**9**	**11**

DRG 249: Aftercare, Musculoskeletal System & Connective Tissue

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	710	7.1	36	1	3	5	9	15	21
70-74	565	8.7	74	1	3	7	10	19	22
75-79	597	7.3	61	2	3	4	10	16	22
80-84	684	8.3	20	3	5	7	11	15	16
85 +	584	10.0	76	2	4	8	12	20	26
SUBTOTAL	**3140**	**8.2**	**53**	**2**	**3**	**7**	**10**	**17**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1590	5.3	66	1	2	3	5	10	18
70-74	1115	6.3	39	1	2	4	8	15	19
75-79	864	4.0	13	1	1	2	6	8	12
80-84	729	4.5	15	1	1	4	7	8	10
85 +	599	5.8	80	1	2	4	7	10	14
SUBTOTAL	**4897**	**5.3**	**45**	**1**	**2**	**3**	**6**	**10**	**16**
GRAND TOTAL	**8037**	**6.4**	**50**	**1**	**2**	**4**	**8**	**14**	**20**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	371	3.8	49	< 1	< 1	1	3	6	12
18-34	92	6.3	79	1	1	2	11	11	33
35-49	40	1.4							
50-69	320	5.3	33	1	1	4	6	11	14
70 +	55	4.8	7	< 1	1	6	7	8	8
SUBTOTAL	**877**	**4.5**	**42**	**< 1**	**1**	**2**	**5**	**10**	**14**
0-17	1623	2.3	14	< 1	< 1	1	2	4	7
18-34	376	3.2	18	< 1	< 1	2	4	6	7
35-49	445	4.2	33	1	1	2	5	10	13
50-69	1251	5.2	31	1	1	4	7	11	19
70 +	49	5.0	13	2	2	3	9	12	12
SUBTOTAL	**3744**	**3.6**	**24**	**< 1**	**1**	**2**	**4**	**8**	**12**
GRAND TOTAL	**4621**	**3.8**	**27**	**< 1**	**1**	**2**	**5**	**9**	**12**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	333	7.4	208	< 1	1	3	6	12	21
18-34	32	6.4	11						
35-49	98	6.8	29	1	3	7	10	10	21
50-69	72	8.5	14	2	6	10	10	13	14
70 +	8	1.0							
SUBTOTAL	**542**	**7.3**	**136**	**1**	**1**	**5**	**10**	**12**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	653	3.4	12	< 1	1	2	4	7	8
18-34	206	5.2	44	< 1	1	3	5	21	23
35-49	143	5.2	22	1	1	3	12	12	12
50-69	71	4.3	28	1	1	2	5	18	18
70 +	7	5.0							
SUBTOTAL	**1080**	**4.0**	**21**	**< 1**	**1**	**3**	**5**	**10**	**17**
GRAND TOTAL	**1622**	**5.1**	**62**	**< 1**	**1**	**3**	**6**	**11**	**17**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	97	6.5	72	< 1	1	4	4	24	26
18-34	36	9.7	28						
35-49	47	5.6	15	3	3	4	7	15	15
50-69	37	10.3	53						
70 +	259	18.0	245	3	7	13	30	50	99 +
SUBTOTAL	**476**	**13.2**	**184**	**1**	**4**	**8**	**19**	**30**	**50**
0-17	444	1.9	4	< 1	< 1	< 1	2	5	6
18-34	356	3.4	28	< 1	1	2	3	8	12
35-49	207	5.6	21	2	2	4	8	15	15
50-69	163	2.0	2	< 1	1	1	3	3	4
70 +	157	6.6	40	1	2	4	13	16	20
SUBTOTAL	**1326**	**3.4**	**20**	**< 1**	**< 1**	**2**	**4**	**9**	**15**
GRAND TOTAL	**1802**	**6.0**	**82**	**< 1**	**1**	**2**	**7**	**16**	**30**

Total U.S., July 1989 - June 1990

DRG 250: Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	742	4.8	9	1	3	4	7	10	11
70-74	600	5.2	9	1	3	5	7	9	11
75-79	728	7.7	160	1	2	4	7	15	33
80-84	729	5.7	35	1	3	5	7	8	17
85 +	786	7.1	100	1	2	5	7	13	23
SUBTOTAL	3585	6.1	66	1	2	5	7	11	15
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	3585	6.1	66	1	2	5	7	11	15

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	873	4.8	64	1	1	2	5	7	21
35-49	520	4.1	9	1	2	3	6	8	9
50-69	822	4.0	11	1	2	3	6	7	9
70 +	109	5.9	17	2	3	4	7	13	17
	2323	4.4	31	1	2	3	5	8	10
0-17	0								
18-34	0								
35-49	0								
50-69	0		—						
70 +	0								
	0								
	2323	4.4	31	1	2	3	5	8	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs	—								
AGE GROUP									
0-17 (YRS.)	0								
18-34	204	6.9	23	2	3	6	12	12	14
35-49	132	3.4	8	1	1	2	3	9	10
50-69	103	4.6	13	2	2	4	6	10	13
70 +	6	7.0							
SUBTOTAL	446	5.3	18	1	2	3	8	12	12
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	446	5.3	18	1	2	3	8	12	12

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	397	2.7	6	1	1	2	4	5	9
35-49	316	3.9	10	1	2	3	5	9	9
50-69	111	3.3	7	< 1	1	2	5	6	10
70 +	92	6.3	33	1	4	4	9	21	21
	917	3.5	11	1	1	3	4	9	10
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	917	3.5	11	1	1	3	4	9	10

DRG 251: Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	962	2.8	5	1	1	2	3	5	7
70-74	641	3.2	10	1	1	2	4	8	13
75-79	724	3.2	7	1	1	2	4	6	9
80-84	634	3.1	6	1	1	2	4	5	9
85+	778	4.3	20	1	2	4	5	7	9
SUBTOTAL	3739	3.3	10	1	1	2	4	6	9
GRAND TOTAL	3739	3.3	10	1	1	2	4	6	9

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	0								
18-34	2480	2.2	3	<1	1	2	3	4	6
35-49	2313	2.6	4	1	1	2	3	5	7
50-69	2003	2.1	2	1	1	2	3	4	4
70+	136	7.7	359	1	1	3	4	8	82
	6932	2.4	10	1	1	2	3	4	6
	6932	2.4	10	1	1	2	3	4	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	742	2.4	2	1	1	2	3	4	5
35-49	357	3.0	12	1	1	2	4	6	10
50-69	145	3.9	20	1	2	2	4	14	14
70+	67	3.2	1						
SUBTOTAL	1312	2.8	7	1	1	2	3	4	6
GRAND TOTAL	1312	2.8	7	1	1	2	3	4	6

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	0								
18-34	2831	2.5	3	1	1	2	3	4	5
35-49	1104	2.4	3	1	1	2	3	4	6
50-69	580	2.1	4	<1	1	1	2	4	6
70+	90	5.4	82	1	1	4	4	6	36
	4604	2.5	5	1	1	2	3	4	6
	4604	2.5	5	1	1	2	3	4	6

Total U.S., July 1989 - June 1990

DRG 252: Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	386	2.5	6	1	1	2	2	5	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	386	2.5	6	1	1	2	2	5	10
0-17	11500	1.4	2	< 1	1	1	1	2	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	11500	1.4	2	< 1	1	1	1	2	3
	11886	1.4	3	< 1	1	1	1	2	3

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	110	2.2	2	1	1	2	3	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	110	2.2	2	1	1	2	3	4	5
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	2334	1.6	1	1	1	1	2	3	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	2334	1.6	1	1	1	1	2	3	3
GRAND TOTAL	2444	1.6	1	1	1	1	2	3	4

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	134	4.5	20	< 1	1	2	7	10	17
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	134	4.5	20	< 1	1	2	7	10	17
0-17	4095	1.5	2	< 1	1	1	2	3	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	4095	1.5	2	< 1	1	1	2	3	3
	4230	1.6	3	< 1	1	1	2	3	4

DRG 253: Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age >17 w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	3544	7.3	73	1	2	5	10	15	18
70-74	2882	7.1	67	2	3	5	9	13	15
75-79	2867	8.8	88	2	3	7	10	19	24
80-84	2981	8.4	62	3	4	6	9	20	26
85+	3908	8.9	69	2	4	6	11	20	27
SUBTOTAL	**16182**	**8.1**	**72**	**2**	**3**	**6**	**10**	**16**	**23**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**16182**	**8.1**	**72**	**2**	**3**	**6**	**10**	**16**	**23**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1921	4.3	21	1	2	3	5	9	12
35-49	1687	5.6	48	1	2	4	6	9	14
50-69	2263	5.4	24	1	2	4	7	10	12
70+	452	11.0	85	3	5	8	15	24	43
	6322	**5.5**	**37**	**1**	**2**	**4**	**7**	**11**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	6322	**5.5**	**37**	**1**	**2**	**4**	**7**	**11**	**14**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	528	4.0	14	1	1	3	5	7	14
35-49	333	7.4	34	2	3	5	12	16	18
50-69	512	6.3	34	2	3	4	8	12	17
70+	120	8.5	309	1	1	4	4	13	65
SUBTOTAL	**1493**	**5.9**	**51**	**1**	**2**	**4**	**7**	**14**	**16**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1493**	**5.9**	**51**	**1**	**2**	**4**	**7**	**14**	**16**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1888	4.5	40	1	2	3	5	7	10
35-49	1357	4.9	23	1	2	3	7	9	10
50-69	891	6.7	45	1	3	5	9	11	15
70+	379	13.0	217	2	4	9	17	27	54
	4515	**5.8**	**56**	**1**	**2**	**4**	**7**	**10**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	4515	**5.8**	**56**	**1**	**2**	**4**	**7**	**10**	**15**

DRG 254: Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	3673	4.0	12	1	2	3	5	8	10
70-74	2746	4.7	16	1	2	4	6	9	12
75-79	2462	5.7	71	1	2	4	6	11	15
80-84	2354	5.8	39	1	2	4	6	12	19
85+	2982	5.0	18	1	2	4	7	10	13
SUBTOTAL	**14217**	**4.9**	**29**	**1**	**2**	**4**	**6**	**10**	**13**
GRAND TOTAL	**14217**	**4.9**	**29**	**1**	**2**	**4**	**6**	**10**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
0									
0-17	0								
18-34	7116	2.7	5	1	1	2	3	5	6
35-49	5745	3.4	26	1	1	2	4	6	8
50-69	5157	3.3	7	1	1	3	4	6	9
70+	555	6.2	125	1	2	4	6	10	13
18574	**3.2**	**16**	**1**	**1**	**2**	**4**	**6**	**8**
18574	**3.2**	**16**	**1**	**1**	**2**	**4**	**6**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	1346	4.0	36	1	1	3	4	7	9
35-49	930	4.4	38	1	1	3	5	9	11
50-69	446	4.0	16	1	1	3	5	9	15
70+	64	7.5	17	1	7	8	12	12	12
SUBTOTAL	**2786**	**4.2**	**33**	**1**	**1**	**3**	**5**	**9**	**11**
GRAND TOTAL	**2786**	**4.2**	**33**	**1**	**1**	**3**	**5**	**9**	**11**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
0									
0-17	0								
18-34	6331	2.8	5	1	1	2	4	5	6
35-49	3177	3.1	6	1	1	2	4	7	8
50-69	1690	3.3	17	1	1	2	4	8	10
70+	306	5.8	42	1	1	3	7	20	21
11504	**3.0**	**8**	**1**	**1**	**2**	**4**	**6**	**8**
11504	**3.0**	**8**	**1**	**1**	**2**	**4**	**6**	**8**

DRG 255: Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	10	1.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	10	1.0							
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	58	1.1							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	58	1.1							
GRAND TOTAL	68	1.1							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1375	3.3	16	1	1	2	4	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1375	3.3	16	1	1	2	4	6	8
0-17	14204	2.2	6	1	1	2	2	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	14204	2.2	6	1	1	2	2	4	5
	15578	2.3	7	1	1	2	2	4	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	464	5.8	34	1	2	3	7	16	20
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	464	5.8	34	1	2	3	7	16	20
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	3653	2.3	5	1	1	2	3	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	3653	2.3	5	1	1	2	3	4	6
GRAND TOTAL	4117	2.7	10	1	1	2	3	5	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	548	6.3	94	1	2	4	7	13	16
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	548	6.3	94	1	2	4	7	13	16
0-17	6278	2.2	6	1	1	1	2	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	6278	2.2	6	1	1	1	2	4	5
	6826	2.5	14	1	1	2	3	5	7

Total U.S., July 1989 - June 1990

DRG 256: Other Musculoskeletal System & Connective Tissue Diagnoses

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1855	5.2	24	2	2	4	6	10	13
70-74	971	6.1	23	2	3	4	8	15	18
75-79	1016	5.8	13	2	4	5	8	10	11
80-84	759	7.5	60	1	3	6	9	14	18
85 +	524	7.5	39	2	3	5	10	18	22
SUBTOTAL	**5125**	**6.1**	**29**	**2**	**3**	**5**	**8**	**11**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1837	4.4	13	1	2	3	6	9	10
70-74	783	3.3	5	1	2	3	4	6	8
75-79	6[illegible]	3.8	10	1	2	3	4	10	11
80-84	512	4.7	26	2	2	3	5	8	14
85 +	312	5.6	29	1	2	4	6	13	23
SUBTOTAL	**4133**	**4.2**	**14**	**1**	**2**	**3**	**5**	**9**	**11**
GRAND TOTAL	**9258**	**5.3**	**23**	**1**	**2**	**4**	**7**	**10**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	524	3.3	10	< 1	1	2	5	9	9
18-34	447	2.9	4	1	2	2	4	7	8
35-49	1147	3.9	20	1	2	2	4	9	11
50-69	1179	4.3	13	1	2	3	6	8	11
70 +	68	2.9	2	< 1	1	3	4	5	5
	3365	**3.8**	**14**	**1**	**2**	**2**	**5**	**8**	**10**
0-17	4043	2.8	18	< 1	1	1	3	5	11
18-34	1969	2.4	4	1	1	2	3	5	6
35-49	3126	2.6	2	1	1	2	3	4	5
50-69	2617	3.1	6	1	1	2	4	6	8
70 +	50	3.1	3	1	2	3	5	6	6
	11805	**2.7**	**9**	**< 1**	**1**	**2**	**3**	**5**	**7**
	15170	**3.0**	**10**	**1**	**1**	**2**	**3**	**6**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	333	4.6	34	1	1	3	5	10	16
18-34	293	4.4	26	1	1	2	4	10	13
35-49	401	4.0	13	1	2	3	5	7	12
50-69	498	3.8	6	1	1	4	5	7	8
70 +	16	9.0	43						
SUBTOTAL	**1542**	**4.2**	**18**	**1**	**1**	**3**	**5**	**9**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1918	2.9	22	< 1	1	1	3	8	12
18-34	622	2.9	5	1	1	2	4	6	8
35-49	336	2.7	5	1	1	2	3	5	7
50-69	264	3.6	13	1	2	2	4	8	14
70 +	32	3.0	2						
SUBTOTAL	**3170**	**3.0**	**16**	**< 1**	**1**	**2**	**3**	**7**	**10**
GRAND TOTAL	**4712**	**3.4**	**17**	**< 1**	**1**	**2**	**4**	**8**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	210	5.3	39	< 1	1	2	7	19	22
18-34	586	3.6	23	< 1	1	3	3	7	9
35-49	450	4.5	20	1	1	3	7	10	10
50-69	416	5.0	17	1	2	3	8	11	16
70 +	38	3.6	5						
	1700	**4.4**	**23**	**1**	**2**	**3**	**5**	**10**	**12**
0-17	1380	2.9	17	< 1	1	1	3	8	12
18-34	1320	2.6	8	< 1	1	2	3	6	7
35-49	1082	3.2	32	1	1	2	3	5	7
50-69	712	2.6	6	1	1	2	3	5	7
70 +	113	4.8	20	1	1	3	6	12	15
	4607	**2.9**	**16**	**< 1**	**1**	**2**	**3**	**6**	**8**
	6307	**3.3**	**19**	**< 1**	**1**	**2**	**3**	**7**	**10**

Total U.S., July 1989 - June 1990

DRG 257: Total Mastectomy for Malignancy w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	7886	5.2	19	2	3	4	6	9	11
70-74	6836	5.3	26	2	3	4	6	8	11
75-79	5358	4.9	9	2	3	4	6	8	9
80-84	3897	5.7	19	3	4	5	6	9	13
85+	2939	6.1	16	3	4	5	7	10	15
SUBTOTAL	**26917**	**5.4**	**18**	**2**	**3**	**4**	**6**	**9**	**11**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**26917**	**5.4**	**18**	**2**	**3**	**4**	**6**	**9**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	773	4.2	3	2	3	4	5	7	7
35-49	5942	4.1	6	2	3	4	5	7	7
50-69	10247	4.3	6	2	3	4	5	7	8
70+	513	4.3	7	2	3	4	5	8	8
SUBTOTAL	**17475**	**4.2**	**6**	**2**	**3**	**4**	**5**	**7**	**8**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**17475**	**4.2**	**6**	**2**	**3**	**4**	**5**	**7**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	93	5.0	17	2	3	4	5	16	16
35-49	435	4.9	7	3	4	4	6	9	10
50-69	638	6.0	20	3	4	5	6	10	14
70+	113	18.3	1030	5	5	5	8	98	98
SUBTOTAL	**1279**	**6.6**	**118**	**3**	**4**	**4**	**6**	**9**	**14**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1279**	**6.6**	**118**	**3**	**4**	**4**	**6**	**9**	**14**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	216	3.7	5	2	3	3	3	7	9
35-49	1330	4.2	7	2	3	3	5	7	10
50-69	2279	5.0	13	2	3	4	6	10	11
70+	301	4.9	13	2	3	4	5	8	18
SUBTOTAL	**4126**	**4.7**	**11**	**2**	**3**	**4**	**6**	**8**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4126**	**4.7**	**11**	**2**	**3**	**4**	**6**	**8**	**11**

DRG 258: Total Mastectomy for Malignancy w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	8446	3.8	3	2	3	3	5	6	7
70-74	6961	3.9	4	2	3	4	5	6	7
75-79	5774	4.1	4	2	3	4	5	6	8
80-84	3091	4.5	10	2	3	4	5	7	9
85 +	1349	4.1	6	2	3	4	5	7	9
SUBTOTAL	**25621**	**4.0**	**4**	**2**	**3**	**4**	**5**	**6**	**7**
GRAND TOTAL	**25621**	**4.0**	**4**	**2**	**3**	**4**	**5**	**6**	**7**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	8	2.0							
18-34	1244	3.5	2	2	2	3	4	6	7
35-49	10472	3.6	3	2	2	3	4	6	7
50-69	17749	3.5	2	2	2	3	4	5	6
70 +	421	3.1	4	1	2	3	4	5	7
29894	**3.5**	**3**	**2**	**2**	**3**	**4**	**6**	**6**
29894	**3.5**	**3**	**2**	**2**	**3**	**4**	**6**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	198	5.4	7	3	4	5	5	9	11
35-49	701	4.5	3	3	3	4	5	6	7
50-69	819	4.2	5	2	3	4	5	8	9
70 +	39	6.1	17						
SUBTOTAL	**1757**	**4.5**	**5**	**2**	**3**	**4**	**5**	**7**	**9**
GRAND TOTAL	**1757**	**4.5**	**5**	**2**	**3**	**4**	**5**	**7**	**9**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	348	3.3	2	2	2	3	4	5	6
35-49	1839	3.4	4	2	2	3	4	5	6
50-69	3330	3.4	4	2	2	3	4	5	7
70 +	577	2.9	1	2	2	3	3	4	5
6094	**3.4**	**3**	**2**	**2**	**3**	**4**	**5**	**6**
6094	**3.4**	**3**	**2**	**2**	**3**	**4**	**5**	**6**

DRG 259: Subtotal Mastectomy for Malignancy w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	936	4.5	25	1	2	3	5	8	10
70-74	821	5.9	60	1	2	3	7	12	29
75-79	721	6.0	48	2	2	3	5	16	24
80-84	534	5.5	30	2	2	4	7	8	9
85 +	324	7.7	26	1	4	7	11	16	17
SUBTOTAL	**3337**	**5.6**	**40**	**1**	**2**	**3**	**7**	**11**	**18**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3337**	**5.6**	**40**	**1**	**2**	**3**	**7**	**11**	**18**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	90	2.1	1	1	1	2	3	4	4
35-49	1118	3.4	5	1	2	3	4	6	9
50-69	1590	4.4	21	1	2	3	5	8	10
70 +	131	5.5	32	3	3	3	5	12	26
SUBTOTAL	**2929**	**4.0**	**15**	**1**	**2**	**3**	**5**	**8**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2929**	**4.0**	**15**	**1**	**2**	**3**	**5**	**8**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	33	9.9	68						
35-49	107	2.9	4	1	2	2	4	4	10
50-69	107	10.1	99	2	3	5	14	26	33
70 +	6	12.0							
SUBTOTAL	**253**	**7.1**	**65**	**2**	**2**	**3**	**10**	**17**	**26**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**253**	**7.1**	**65**	**2**	**2**	**3**	**10**	**17**	**26**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	30	2.2	1						
35-49	269	2.9	9	1	1	2	3	4	8
50-69	420	4.2	24	1	2	3	4	9	18
70 +	61	5.1	22	2	2	3	13	13	13
SUBTOTAL	**780**	**3.8**	**18**	**1**	**2**	**3**	**3**	**8**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**780**	**3.8**	**18**	**1**	**2**	**3**	**3**	**8**	**14**

Total U.S., July 1989 - June 1990

DRG 260: Subtotal Mastectomy for Malignancy w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	1709	2.8	11	1	1	2	3	5	6
70-74	1151	2.5	2	< 1	1	2	3	5	5
75-79	810	2.4	2	1	1	2	3	4	5
80-84	307	2.2	2	< 1	1	2	3	3	7
85 +	391	2.4	2	< 1	1	3	3	5	5
SUBTOTAL	**4419**	**2.6**	**6**	**< 1**	**1**	**2**	**3**	**5**	**5**
GRAND TOTAL	**4419**	**2.6**	**6**	**< 1**	**1**	**2**	**3**	**5**	**5**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	10	1.0							
18-34	376	2.4	2	1	1	2	3	5	6
35-49	3155	2.5	11	1	1	2	3	4	5
50-69	4075	2.3	2	< 1	1	2	3	4	4
70 +	59	1.6	1	< 1	1	1	2	3	4
7675	**2.4**	**5**	**< 1**	**1**	**2**	**3**	**4**	**4**
7675	**2.4**	**5**	**< 1**	**1**	**2**	**3**	**4**	**4**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	10	1.0							
35-49	146	2.5	2	1	1	2	4	4	5
50-69	112	2.8	1	2	2	3	4	4	6
70 +	52	3.8	1						
SUBTOTAL	**319**	**2.8**	**2**	**1**	**2**	**2**	**4**	**4**	**5**
GRAND TOTAL	**319**	**2.8**	**2**	**1**	**2**	**2**	**4**	**4**	**5**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	107	1.9	2	1	1	2	3	3	5
35-49	634	2.3	2	< 1	1	2	3	4	5
50-69	771	2.3	2	< 1	1	2	3	4	5
70 +	84	1.8	1	1	1	1	3	3	3
1595	**2.2**	**2**	**< 1**	**1**	**2**	**3**	**4**	**5**
1595	**2.2**	**2**	**< 1**	**1**	**2**	**3**	**4**	**5**

Total U.S., July 1989 - June 1990

DRG 261: Breast Proc for Non-malignancy except Biopsy & Local Excision

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	429	4.1	13	1	2	3	5	8	11
70-74	303	3.1	7	1	2	2	3	8	12
75-79	53	3.0	3	<1	1	3	4	6	6
80-84	30	1.4	1						
85 +	13	4.9	4						
SUBTOTAL	**828**	**3.6**	**10**	**1**	**2**	**3**	**4**	**8**	**8**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	1302	2.3	2	1	1	2	3	4	5
70-74	503	2.2	2	1	1	2	3	5	5
75-79	233	2.3	2	1	1	2	3	4	6
80-84	113	3.3	4	1	1	3	5	7	7
85 +	54	2.5	1						
SUBTOTAL	**2204**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**3032**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	112	1.8	1	1	1	2	2	3	3
18-34	564	2.4	2	1	2	2	3	4	4
35-49	781	3.1	6	1	2	3	3	6	7
50-69	458	3.3	15	1	2	2	4	5	8
70 +	6	2.0							
SUBTOTAL	**1921**	**2.9**	**7**	**1**	**2**	**2**	**3**	**5**	**7**
0-17	1948	1.7	1	1	1	2	2	3	3
18-34	7372	2.0	1	1	1	2	2	3	4
35-49	8200	2.3	3	1	1	2	3	4	5
50-69	4750	2.1	2	1	1	2	3	4	4
70 +	50	2.7	1						
SUBTOTAL	**22319**	**2.1**	**2**	**1**	**1**	**2**	**3**	**3**	**4**
	24240	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**4**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	7	3.0							
18-34	51	2.5	1	1	2	2	3	4	4
35-49	57	3.3	8	1	1	2	5	10	10
50-69	8	2.0							
70 +	0								
SUBTOTAL	**122**	**2.9**	**4**	**1**	**2**	**2**	**3**	**5**	**10**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	176	1.5	1	1	1	1	2	3	3
18-34	811	2.5	2	1	2	2	3	4	6
35-49	279	3.0	2	1	2	3	4	5	6
50-69	140	2.0	1	1	1	2	2	4	5
70 +	0								
SUBTOTAL	**1405**	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**1528**	**2.5**	**2**	**1**	**1**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	2.0							
18-34	96	2.3	1	1	2	2	3	4	4
35-49	132	2.4	1	<1	2	2	3	4	4
50-69	56	2.7	1	2	2	2	3	5	5
70 +	8	2.0							
SUBTOTAL	**299**	**2.4**	**1**	**1**	**2**	**2**	**3**	**4**	**4**
0-17	199	1.5	1	1	1	1	2	2	3
18-34	1357	1.7	1	1	1	1	2	3	3
35-49	1088	1.7	1	1	1	1	2	3	3
50-69	766	2.0	2	1	1	1	2	4	6
70 +	63	1.8	1	<1	1	1	2	4	4
SUBTOTAL	**3472**	**1.8**	**1**	**1**	**1**	**1**	**2**	**3**	**4**
	3771	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**4**

Total U.S., July 1989 - June 1990

DRG 262: Breast Biopsy & Local Excision for Non-malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	240	3.2	14	1	1	1	3	10	14
70-74	93	4.1	5	2	2	4	5	9	9
75-79	111	5.8	69	1	1	2	4	23	26
80-84	65	2.5	4						
85 +	0								
SUBTOTAL	**509**	**3.8**	**25**	**1**	**1**	**2**	**4**	**9**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	811	1.7	3	< 1	< 1	< 1	2	2	8
70-74	511	1.4	1	< 1	< 1	1	1	2	3
75-79	308	1.1		< 1	< 1	< 1	1	1	2
80-84	254	1.4		< 1	< 1	< 1	2	3	3
85 +	67	1.2		< 1	< 1	< 1	1	3	3
SUBTOTAL	**1951**	**1.5**	**2**	**< 1**	**< 1**	**< 1**	**1**	**2**	**3**
GRAND TOTAL	**2460**	**2.0**	**7**	**< 1**	**< 1**	**1**	**2**	**3**	**7**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	1.0							
18-34	72	3.9	10	1	2	2	7	10	10
35-49	155	2.7	7	< 1	< 1	2	4	4	10
50-69	322	3.2	9	1	1	2	4	9	10
70 +	0								
SUBTOTAL	**558**	**3.1**	**8**	**< 1**	**1**	**2**	**4**	**8**	**10**
0-17	157	1.1		< 1	< 1	1	1	2	2
18-34	840	1.3	1	< 1	< 1	< 1	1	2	3
35-49	2823	1.4	2	< 1	< 1	< 1	1	2	4
50-69	2488	1.2	1	< 1	< 1	< 1	1	2	3
70 +	33	1.9	1						
SUBTOTAL	**6340**	**1.3**	**1**	**< 1**	**< 1**	**< 1**	**1**	**2**	**3**
GRAND TOTAL	**6898**	**1.5**	**2**	**< 1**	**< 1**	**< 1**	**1**	**2**	**4**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	8	1.0							
35-49	34	3.4	7						
50-69	85	4.7	2						
70 +	0								
SUBTOTAL	**126**	**4.1**	**4**	**2**	**2**	**5**	**5**	**7**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	24	1.0							
18-34	146	1.8	1	< 1	< 1	1	2	4	4
35-49	106	2.1	3	< 1	1	1	3	4	8
50-69	65	1.4		< 1	< 1	1	2	2	2
70 +	0								
SUBTOTAL	**341**	**1.8**	**2**	**< 1**	**< 1**	**1**	**2**	**4**	**4**
GRAND TOTAL	**468**	**2.4**	**4**	**< 1**	**< 1**	**2**	**4**	**5**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	30	4.3	10						
35-49	56	3.5	3						
50-69	99	1.6	3	1	1	1	1	3	8
70 +	0								
SUBTOTAL	**184**	**2.6**	**5**	**1**	**1**	**1**	**3**	**6**	**8**
0-17	16	2.1	2						
18-34	236	1.9	4	< 1	< 1	< 1	1	4	7
35-49	588	1.2		< 1	< 1	< 1	1	1	3
50-69	686	1.7	2	< 1	< 1	1	1	4	5
70 +	70	1.2							
SUBTOTAL	**1597**	**1.5**	**2**	**< 1**	**< 1**	**1**	**1**	**3**	**4**
GRAND TOTAL	**1781**	**1.6**	**2**	**< 1**	**< 1**	**1**	**1**	**3**	**4**

Total U.S., July 1989 - June 1990

DRG 263: Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	7209	22.7	353	6	9	18	31	55	77
70-74	3269	20.1	313	6	8	15	24	47	67
75-79	3107	20.3	292	5	8	15	29	51	76
80-84	3219	20.7	287	6	9	16	28	57	88
85 +	3843	17.5	167	5	8	14	24	35	45
SUBTOTAL	**20647**	**20.6**	**296**	**6**	**9**	**16**	**28**	**50**	**73**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**20647**	**20.6**	**296**	**6**	**9**	**16**	**28**	**50**	**73**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	394	15.1	307	2	4	10	22	32	58
18-34	774	19.1	271	4	7	14	28	39	53
35-49	1642	15.2	196	4	7	10	19	33	48
50-69	2488	18.2	223	5	8	15	23	43	63
70 +	224	14.3	110	2	6	13	20	34	34
SUBTOTAL	**5522**	**17.0**	**226**	**4**	**7**	**13**	**22**	**38**	**56**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
	5522	**17.0**	**226**	**4**	**7**	**13**	**22**	**38**	**56**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	174	19.7	278	5	8	17	24	37	42
18-34	1164	23.0	409	5	9	17	32	65	88
35-49	830	19.8	222	7	12	15	28	41	90
50-69	1091	23.9	270	7	14	20	34	45	62
70 +	43	24.9	857	3	7	15	23	89	89
SUBTOTAL	**3303**	**22.3**	**317**	**6**	**10**	**18**	**32**	**54**	**88**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3303**	**22.3**	**317**	**6**	**10**	**18**	**32**	**54**	**88**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	60	7.9	15	3	4	11	13	99 +	99 +
18-34	623	12.0	101	4	6	9	16	21	26
35-49	562	16.0	217	4	7	11	20	35	46
50-69	859	13.7	99	4	8	11	17	30	35
70 +	137	22.7	564	3	6	14	29	75	82
SUBTOTAL	**2241**	**14.2**	**162**	**4**	**7**	**11**	**17**	**30**	**40**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
	2241	**14.2**	**162**	**4**	**7**	**11**	**17**	**30**	**40**

Total U.S., July 1989 - June 1990

DRG 264: Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1584	13.8	109	3	7	10	20	32	36
70-74	578	11.3	72	3	6	9	15	22	27
75-79	744	9.8	74	1	4	8	12	19	28
80-84	537	12.0	80	3	6	9	20	26	27
85 +	608	11.7	99	2	5	9	13	27	40
SUBTOTAL	**4051**	**12.2**	**94**	**3**	**6**	**9**	**15**	**27**	**35**
GRAND TOTAL	**4051**	**12.2**	**94**	**3**	**6**	**9**	**15**	**27**	**35**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	417	6.9	29	2	2	7	9	14	16
18-34	876	9.3	78	2	4	8	10	19	25
35-49	907	9.9	80	2	4	7	13	22	27
50-69	1125	12.2	94	2	5	10	17	29	31
70 +	54	9.7	32	5	7	8	10	23	23
SUBTOTAL	**3378**	**10.1**	**80**	**2**	**4**	**7**	**12**	**21**	**29**
GRAND TOTAL	**3378**	**10.1**	**80**	**2**	**4**	**7**	**12**	**21**	**29**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	209	10.2	93	3	3	5	14	17	35
18-34	449	11.5	157	2	4	7	13	21	38
35-49	236	12.1	135	4	4	7	15	24	40
50-69	211	15.5	265	3	5	13	22	22	26
70 +	22	14.7	392						
SUBTOTAL	**1127**	**12.2**	**167**	**3**	**4**	**8**	**15**	**22**	**40**
GRAND TOTAL	**1127**	**12.2**	**167**	**3**	**4**	**8**	**15**	**22**	**40**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	221	8.3	43	1	3	6	11	19	23
18-34	782	8.1	82	2	4	6	9	14	23
35-49	478	8.0	35	2	3	6	11	15	21
50-69	269	10.1	52	3	5	10	12	20	20
70 +	35	6.5	28						
SUBTOTAL	**1785**	**8.4**	**60**	**2**	**4**	**6**	**11**	**17**	**21**
GRAND TOTAL	**1785**	**8.4**	**60**	**2**	**4**	**6**	**11**	**17**	**21**

DRG 265: Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1318	11.2	206	2	4	6	12	24	39
70-74	1003	7.9	71	1	3	5	9	19	26
75-79	649	9.6	80	1	3	6	13	22	27
80-84	780	11.4	179	2	4	7	10	34	35
85 +	800	9.3	107	2	3	7	12	15	31
SUBTOTAL	4549	9.9	138	2	3	7	12	20	33
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	4549	9.9	138	2	3	7	12	20	33

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	651	6.3	66	1	2	2	8	22	23
18-34	932	7.4	111	1	2	4	6	17	37
35-49	1185	7.0	41	2	3	5	9	15	21
50-69	1369	7.7	45	2	3	6	10	14	21
70 +	183	10.8	121	1	2	5	18	26	26
	4320	7.4	65	1	2	5	9	16	23
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4320	7.4	65	1	2	5	9	16	23

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	243	8.6	128	1	3	5	9	18	21
18-34	418	9.6	111	2	3	5	12	22	37
35-49	176	13.5	144	2	7	11	14	23	48
50-69	208	12.7	93	2	5	11	18	24	33
70 +	6	7.0							
SUBTOTAL	1052	10.6	119	2	3	7	15	23	34
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	1052	10.6	119	2	3	7	15	23	34

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	173	8.6	104	2	4	5	9	15	39
18-34	758	5.9	56	1	2	3	7	11	26
35-49	441	7.9	82	1	2	5	9	18	28
50-69	328	12.0	144	3	3	5	19	29	42
70 +	33	8.0	36						
	1733	7.9	89	1	2	4	9	22	29
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1733	7.9	89	1	2	4	9	22	29

Total U.S., July 1989 - June 1990

DRG 266: Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1542	4.1	27	1	1	3	4	7	14
70-74	851	4.0	10	1	2	3	5	8	10
75-79	941	3.2	9	1	1	2	4	7	10
80-84	585	3.2	6	1	1	2	5	6	8
85 +	741	3.6	13	1	1	2	6	8	10
SUBTOTAL	**4661**	**3.7**	**15**	**1**	**1**	**2**	**5**	**8**	**10**
GRAND TOTAL	**4661**	**3.7**	**15**	**1**	**1**	**2**	**5**	**8**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	4710	3.3	16	1	1	2	4	7	12
18-34	4039	3.7	14	1	1	2	4	8	13
35-49	3821	3.9	13	1	1	3	5	7	9
50-69	3207	3.6	10	1	1	3	5	8	9
70 +	141	5.8	55	2	2	2	7	26	26
SUBTOTAL	**15917**	**3.6**	**14**	**1**	**1**	**2**	**5**	**8**	**10**
GRAND TOTAL	**15917**	**3.6**	**14**	**1**	**1**	**2**	**5**	**8**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1545	5.2	73	1	1	3	7	13	17
18-34	827	5.0	33	1	1	3	6	13	19
35-49	354	5.6	21	1	2	4	9	11	13
50-69	151	6.0	142	< 1	1	1	6	12	12
70 +	0								
SUBTOTAL	**2877**	**5.2**	**40**	**1**	**1**	**3**	**7**	**12**	**16**
GRAND TOTAL	**2877**	**5.2**	**40**	**1**	**1**	**3**	**7**	**12**	**16**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	1433	3.8	15	1	1	2	5	9	10
18-34	2212	4.6	16	1	2	4	6	10	12
35-49	917	4.7	28	1	2	3	6	9	12
50-69	575	5.5	36	1	2	3	7	14	15
70 +	68	3.6	5	1	1	3	6	7	7
SUBTOTAL	**5204**	**4.5**	**20**	**1**	**2**	**3**	**6**	**10**	**12**
GRAND TOTAL	**5204**	**4.5**	**20**	**1**	**2**	**3**	**6**	**10**	**12**

Total U.S., July 1989 - June 1990

DRG 267: Perianal & Pilonidal Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	36	3.0							
70-74	36	5.9	1						
75-79	8	7.0							
80-84	0								
85 +	0								
SUBTOTAL	82	4.6	3	2	3	5	7	7	7
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	157	1.9	1	1	1	2	2	3	3
70-74	40	1.0							
75-79	18	2.8	4						
80-84	10	2.0							
85 +	27	3.2	1						
SUBTOTAL	252	2.0	1	1	1	2	2	4	5
GRAND TOTAL	334	2.6	3	1	1	2	4	5	7

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	2.0							
18-34	227	1.8	1	1	1	2	2	3	3
35-49	139	3.3	7	1	2	2	3	10	10
50-69	55	3.8	6						
70 +	0								
	428	2.5	4	1	1	2	3	3	10
	1097	1.7	1	< 1	1	1	2	3	4
	4422	1.8	2	1	1	1	2	3	4
	1321	1.8	1	1	1	2	2	3	3
	284	2.6	3	1	1	2	3	6	7
	60	2.3	16						
	7183	1.8	2	1	1	1	2	3	4
	7611	1.8	2	1	1	1	2	3	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	7	1.0							
18-34	56	3.9	5	1	2	5	6	7	7
35-49	18	18.8	75						
50-69	0								
70 +	0								
SUBTOTAL	81	6.9	61	1	2	5	7	26	26
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	187	1.6	1	< 1	1	2	2	2	3
18-34	407	2.6	6	1	1	2	3	8	8
35-49	21	2.6							
50-69	16	9.5	73						
70 +	0								
SUBTOTAL	631	2.5	7	1	1	2	2	8	8
GRAND TOTAL	712	3.0	15	1	1	2	3	8	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	51	1.9							
18-34	79	2.5	7	1	1	1	3	9	9
35-49	0								
50-69	16	8.0							
70 +	0								
	146	2.9	7	1	1	2	3	8	9
	198	1.4		1	1	1	2	3	3
	1266	1.8	2	1	1	1	2	3	4
	162	2.7	17	1	1	1	2	5	18
	26	1.0							
	0								
	1652	1.8	3	1	1	1	2	3	4
	1798	1.9	3	1	1	1	2	3	5

DRG 268: Skin, Subcutaneous Tissue & Breast Plastic Procedures

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	153	6.7	406	1	1	1	3	5	82
70-74	141	4.8	6	2	3	4	7	10	99 +
75-79	140	5.9	32	1	1	6	6	18	18
80-84	33	6.8	24						
85 +	191	8.5	30	2	2	8	13	13	13
SUBTOTAL	**657**	**6.7**	**113**	**1**	**2**	**3**	**8**	**13**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	344	1.7	1	< 1	1	1	2	3	4
70-74	192	2.9	8	1	1	2	4	6	12
75-79	204	2.0	2	< 1	< 1	1	3	3	5
80-84	115	2.1	2	1	1	2	2	3	6
85 +	179	1.3		< 1	1	1	1	2	2
SUBTOTAL	**1034**	**1.9**	**3**	**< 1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**1691**	**3.8**	**51**	**1**	**1**	**2**	**4**	**8**	**13**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	136	1.9	3	1	1	1	2	3	7
18-34	423	2.6	3	1	1	2	3	5	6
35-49	222	4.6	23	1	2	3	5	9	20
50-69	136	4.3	15	1	1	3	6	13	13
70 +	28	3.4	8						
SUBTOTAL	**945**	**3.2**	**10**	**1**	**1**	**2**	**4**	**7**	**9**
0-17	979	1.9	7	< 1	1	1	2	4	5
18-34	693	2.2	3	< 1	1	2	2	5	5
35-49	787	2.2	2	< 1	1	2	3	4	5
50-69	937	2.0	4	1	1	1	2	3	6
70 +	87	1.0							
SUBTOTAL	**3483**	**2.1**	**4**	**< 1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**4427**	**2.3**	**6**	**1**	**1**	**1**	**3**	**5**	**6**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	10	7.0							
18-34	53	3.3	26	< 1	1	1	3	17	17
35-49	10	1.0							
50-69	39	10.3	80						
70 +	10	5.0							
SUBTOTAL	**122**	**5.8**	**47**	**1**	**1**	**2**	**7**	**20**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	348	2.9	19	1	1	1	2	7	9
18-34	110	2.6	2	1	2	2	3	5	6
35-49	71	2.6	1	1	2	3	3	4	4
50-69	34	2.4	1						
70 +	0								
SUBTOTAL	**563**	**2.8**	**12**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**685**	**3.3**	**20**	**1**	**1**	**2**	**3**	**7**	**18**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	95	1.6	1	1	1	1	2	3	4
18-34	311	2.6	14	< 1	1	2	3	4	4
35-49	131	2.8	8	1	1	1	6	7	8
50-69	99	2.8	4	1	2	2	3	4	9
70 +	7	7.0							
SUBTOTAL	**642**	**2.6**	**9**	**< 1**	**1**	**2**	**3**	**4**	**7**
0-17	144	1.9	2	< 1	1	1	2	4	5
18-34	448	2.0	1	1	1	2	3	3	4
35-49	465	1.8	2	1	1	2	2	3	4
50-69	831	1.4	1	1	1	1	2	2	3
70 +	137	1.4	2	1	1	1	1	2	2
SUBTOTAL	**2025**	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**2667**	**1.9**	**3**	**1**	**1**	**1**	**2**	**3**	**4**

DRG 269: Other Skin, Subcut Tiss & Breast Proc w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3475	10.7	94	2	4	8	14	24	29
70-74	1687	10.7	73	2	5	9	14	20	25
75-79	1340	10.3	82	2	4	8	14	22	27
80-84	1469	11.6	114	2	5	8	14	26	29
85 +	894	12.8	203	3	3	7	15	35	44
SUBTOTAL	**8865**	**11.0**	**103**	**2**	**4**	**8**	**14**	**24**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	8865	11.0	103	2	4	8	14	24	29

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	918	5.8	47	1	2	5	7	12	14
18-34	1178	7.0	47	1	3	5	8	13	19
35-49	1632	7.2	60	1	2	5	9	15	22
50-69	2750	8.3	82	2	3	5	10	19	24
70 +	135	12.5	55	3	7	11	17	22	22
	6613	**7.5**	**66**	**1**	**3**	**5**	**9**	**17**	**22**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	6613	**7.5**	**66**	**1**	**3**	**5**	**9**	**17**	**22**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	386	8.2	78	2	3	4	10	18	31
18-34	724	5.8	22	1	3	5	7	10	15
35-49	638	9.9	60	3	4	7	14	25	26
50-69	530	13.5	221	2	3	10	18	26	60
70 +	61	10.6	66	3	4	8	24	24	24
SUBTOTAL	**2340**	**9.2**	**96**	**2**	**3**	**6**	**12**	**20**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	2340	9.2	96	2	3	6	12	20	26

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	275	4.3	32	1	2	3	5	6	14
18-34	1602	6.4	53	2	3	4	7	12	15
35-49	1144	6.6	24	2	3	5	8	15	15
50-69	598	9.4	96	2	3	7	14	21	29
70 +	64	8.1	40	2	4	5	11	23	23
	3684	**6.8**	**51**	**2**	**3**	**5**	**8**	**15**	**19**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3684	6.8	51	2	3	5	8	15	19

Total U.S., July 1989 - June 1990

DRG 270: Other Skin, Subcut Tiss & Breast Proc w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2568	4.0	20	< 1	1	3	5	10	13
70-74	1506	3.0	8	< 1	1	2	4	7	8
75-79	904	3.7	16	< 1	1	2	4	8	15
80-84	555	4.7	16	< 1	2	4	7	10	11
85 +	451	6.8	38	< 1	1	5	11	15	16
SUBTOTAL	5985	4.0	18	< 1	1	3	5	9	13
GRAND TOTAL	5985	4.0	18	< 1	1	3	5	9	13

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0	—							
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	4873	2.5	6	< 1	1	1	3	5	7
18-34	4492	2.7	8	< 1	1	2	3	5	7
35-49	5341	2.7	6	< 1	1	2	3	6	9
50-69	4983	2.8	8	< 1	1	2	3	5	8
70 +	180	3.5	6	< 1	1	3	6	7	7
	19869	2.7	7	< 1	1	2	3	6	8
	19869	2.7	7	< 1	1	2	3	6	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1775	3.4	9	1	1	2	4	9	11
18-34	1330	3.5	11	1	1	3	4	7	9
35-49	548	4.5	15	1	2	3	6	9	11
50-69	384	4.7	21	1	1	3	6	10	14
70 +	16	5.0	1						
SUBTOTAL	4053	3.7	12	1	1	3	5	9	11
GRAND TOTAL	4053	3.7	12	1	1	3	5	9	11

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	2066	3.3	8	1	1	2	5	8	10
18-34	3563	4.1	12	1	2	3	5	8	10
35-49	1383	3.5	17	1	1	2	5	7	9
50-69	1094	3.2	9	1	1	2	4	7	8
70 +	152	2.4	2	< 1	1	2	3	5	5
	8257	3.7	12	1	1	3	5	8	10
	8257	3.7	12	1	1	3	5	8	10

DRG 271: Skin Ulcers

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3172	10.0	82	4	5	8	13	18	27
70-74	1811	16.1	417	3	6	10	14	38	83
75-79	2820	13.4	173	4	6	10	15	23	41
80-84	2299	12.7	161	4	6	9	15	25	37
85 +	3015	15.5	269	4	7	10	18	35	67
SUBTOTAL	**13117**	**13.3**	**209**	**4**	**6**	**9**	**14**	**26**	**44**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	480	9.0	41	2	4	8	12	18	26
70-74	320	8.9	48	3	5	7	9	21	25
75-79	576	8.7	51	2	5	7	10	27	99 +
80-84	442	15.3	301	4	6	9	14	39	64
85 +	636	8.1	51	1	3	7	11	14	27
SUBTOTAL	**2455**	**9.8**	**100**	**2**	**5**	**8**	**12**	**20**	**33**
GRAND TOTAL	**15572**	**12.8**	**194**	**4**	**6**	**9**	**14**	**25**	**41**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	185	6.6	32	2	3	4	9	15	15
18-34	273	8.5	56	3	4	6	8	19	33
35-49	500	8.5	20	3	5	7	12	14	16
50-69	1189	8.8	43	3	5	7	10	17	24
70 +	179	8.9	62	3	5	6	11	18	34
SUBTOTAL	**2325**	**8.5**	**40**	**3**	**4**	**7**	**10**	**17**	**22**
0-17	64	3.6	5	1	2	4	5	8	8
18-34	102	6.9	23	2	3	6	8	15	16
35-49	113	12.2	176	1	5	7	9	32	43
50-69	281	10.4	51	2	4	8	17	21	23
70 +	97	6.7	8	5	5	5	8	12	12
SUBTOTAL	**657**	**9.0**	**64**	**2**	**4**	**6**	**13**	**20**	**24**
GRAND TOTAL	**2983**	**8.6**	**45**	**3**	**4**	**7**	**10**	**17**	**22**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	220	15.4	215	4	5	9	35	49	99 +
18-34	470	14.8	180	4	5	8	28	41	41
35-49	303	9.8	66	2	4	7	14	21	24
50-69	620	10.7	73	3	6	7	15	21	25
70 +	193	23.1	662	< 1	2	11	43	67	67
SUBTOTAL	**1805**	**13.5**	**195**	**3**	**5**	**8**	**17**	**37**	**45**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	100	7.5	101	2	3	5	7	22	37
18-34	161	9.6	62	1	3	7	14	22	24
35-49	189	8.9	63	1	4	5	12	24	27
50-69	115	13.5	38	5	9	16	17	22	22
70 +	12	18.5	229						
SUBTOTAL	**577**	**10.0**	**73**	**1**	**4**	**7**	**16**	**22**	**27**
GRAND TOTAL	**2382**	**12.6**	**168**	**2**	**5**	**7**	**16**	**34**	**41**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	75	5.2	5						
18-34	141	7.3	31	2	4	7	9	21	21
35-49	319	8.4	45	3	4	6	10	14	21
50-69	336	8.2	31	2	3	7	11	16	16
70 +	88	25.2	786	5	8	17	28	80	90
SUBTOTAL	**960**	**9.4**	**129**	**3**	**4**	**7**	**10**	**16**	**24**
0-17	47	9.8	141						
18-34	119	8.7	55	2	3	6	10	20	28
35-49	131	10.6	57	1	3	8	20	20	20
50-69	168	8.8	67	1	4	6	12	15	20
70 +	75	8.6	47	1	4	7	11	21	22
SUBTOTAL	**539**	**9.3**	**66**	**1**	**4**	**6**	**13**	**20**	**22**
GRAND TOTAL	**1499**	**9.4**	**106**	**2**	**4**	**7**	**11**	**20**	**24**

Total U.S., July 1989 - June 1990

DRG 272: Major Skin Disorders w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	2148	11.3	129	2	4	8	15	23	28
70-74	1509	9.8	59	3	5	7	13	21	25
75-79	1270	10.7	78	3	6	7	14	21	33
80-84	1100	10.6	77	2	4	8	16	26	33
85 +	1172	13.4	189	4	5	9	17	23	50
SUBTOTAL	**7199**	**11.1**	**109**	**3**	**5**	**8**	**14**	**22**	**28**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**7199**	**11.1**	**109**	**3**	**5**	**8**	**14**	**22**	**28**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	645	5.6	14	1	3	5	7	10	14
18-34	664	7.2	23	2	3	7	9	14	16
35-49	887	9.7	51	3	5	8	15	21	23
50-69	1726	9.8	48	3	5	7	13	20	23
70 +	48	7.0	36	1	3	5	8	20	20
	3971	**8.6**	**41**	**2**	**4**	**7**	**11**	**19**	**22**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3971	**8.6**	**41**	**2**	**4**	**7**	**11**	**19**	**22**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	289	5.1	10	2	2	4	8	10	11
18-34	382	9.0	50	2	3	8	11	18	24
35-49	336	13.0	52	4	6	14	19	23	25
50-69	424	8.2	28	3	4	7	12	18	19
70 +	75	16.6	38						
SUBTOTAL	**1506**	**9.3**	**45**	**2**	**4**	**8**	**14**	**19**	**23**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1506**	**9.3**	**45**	**2**	**4**	**8**	**14**	**19**	**23**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	204	6.9	136	2	3	3	6	11	21
18-34	235	7.6	50	2	3	6	8	17	17
35-49	139	6.0	22	2	3	4	7	15	17
50-69	146	5.8	16	2	2	4	9	13	13
70 +	74	8.1	7						
	798	**6.8**	**57**	**2**	**3**	**5**	**8**	**12**	**17**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	798	**6.8**	**57**	**2**	**3**	**5**	**8**	**12**	**17**

DRG 273: Major Skin Disorders w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1161	11.0	69	2	3	10	17	24	24
70-74	606	6.6	35	2	3	4	9	14	23
75-79	580	7.4	17	3	4	7	9	13	16
80-84	256	8.7	71	4	4	6	12	15	18
85 +	422	6.2	21	2	3	5	7	10	17
SUBTOTAL	3025	8.5	50	2	3	6	12	20	23
GRAND TOTAL	3025	8.5	50	2	3	6	12	20	23

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1729	5.2	30	1	2	3	6	12	19
18-34	1084	8.9	48	2	3	6	14	19	22
35-49	1189	11.6	66	3	5	11	17	22	23
50-69	1581	9.1	55	2	3	5	16	20	22
70 +	19	5.1	5						
	5603	8.4	54	2	3	5	14	20	22
	5603	8.4	54	2	3	5	14	20	22

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	458	5.6	23	2	2	4	7	11	13
18-34	432	9.9	51	1	5	9	14	21	24
35-49	274	10.1	36	3	5	8	16	19	20
50-69	219	9.8	60	3	5	8	14	17	22
70 +	29	8.1	13						
SUBTOTAL	1413	8.5	44	2	4	7	11	17	21
GRAND TOTAL	1413	8.5	44	2	4	7	11	17	21

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	500	3.6	8	1	2	3	5	7	10
18-34	424	4.2	13	1	2	3	6	8	9
35-49	249	7.5	43	2	2	5	10	19	21
50-69	177	5.4	16	2	3	5	6	8	13
70 +	30	4.7	18						
	1380	4.7	19	1	2	3	6	9	13
	1380	4.7	19	1	2	3	6	9	13

DRG 274: Malignant Breast Disorders w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	783	7.8	69	1	4	5	9	19	22
70-74	402	11.4	168	2	4	6	17	23	29
75-79	489	10.1	74	3	4	9	12	17	25
80-84	292	10.7	118	3	4	6	14	21	31
85 +	260	5.3	17	2	2	4	6	11	17
SUBTOTAL	**2226**	**9.0**	**92**	**2**	**4**	**6**	**11**	**20**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2226**	**9.0**	**92**	**2**	**4**	**6**	**11**	**20**	**25**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	59	7.5	80	1	1	2	14	25	25
35-49	749	7.6	23	2	4	6	10	15	15
50-69	1009	9.0	85	2	4	7	11	20	24
70 +	39	5.5	11						
SUBTOTAL	**1855**	**8.3**	**59**	**2**	**4**	**6**	**10**	**15**	**20**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1855**	**8.3**	**59**	**2**	**4**	**6**	**10**	**15**	**20**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	121	9.9	41	3	4	14	14	17	21
35-49	302	6.4	14	3	4	6	7	11	13
50-69	335	8.4	39	2	5	7	10	19	22
70 +	14	2.5							
SUBTOTAL	**771**	**7.7**	**31**	**2**	**4**	**6**	**10**	**14**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**771**	**7.7**	**31**	**2**	**4**	**6**	**10**	**14**	**20**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	13	9.1	46						
18-34	36	4.1	2						
35-49	200	7.6	44	1	3	5	14	17	19
50-69	390	9.2	132	1	2	3	11	30	37
70 +	38	3.5	8						
SUBTOTAL	**676**	**8.1**	**93**	**1**	**2**	**4**	**9**	**25**	**30**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**676**	**8.1**	**93**	**1**	**2**	**4**	**9**	**25**	**30**

DRG 275: Malignant Breast Disorders w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	122	6.7	115	< 1	1	2	7	34	34
70-74	122	3.8	5	1	3	4	4	5	10
75-79	131	2.7	5	< 1	1	2	4	5	8
80-84	38	2.3	3						
85 +	120	5.5	12	1	5	5	5	6	16
SUBTOTAL	**534**	**4.5**	**34**	**< 1**	**1**	**4**	**5**	**7**	**10**
GRAND TOTAL	**534**	**4.5**	**34**	**< 1**	**1**	**4**	**5**	**7**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	17	5.2	2						
35-49	237	3.6	36	< 1	1	2	3	6	19
50-69	377	5.2	33	1	3	3	7	8	12
70 +	0								
631	**4.6**	**34**	**< 1**	**2**	**3**	**5**	**8**	**12**	
631	**4.6**	**34**	**< 1**	**2**	**3**	**5**	**8**	**12**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	56	10.4	37						
35-49	111	5.3	41	< 1	2	2	7	9	24
50-69	146	2.7	7	1	1	2	3	7	9
70 +	0								
SUBTOTAL	**312**	**5.0**	**32**	**1**	**1**	**2**	**8**	**9**	**23**
GRAND TOTAL	**312**	**5.0**	**32**	**1**	**1**	**2**	**8**	**9**	**23**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	12	2.5	2						
18-34	0								
35-49	47	2.4	4	< 1	1	2	3	7	7
50-69	173	5.5	12	1	3	5	8	11	11
70 +	28	3.3	2						
261	**4.6**	**11**	**< 1**	**2**	**4**	**5**	**10**	**11**	
261	**4.6**	**11**	**< 1**	**2**	**4**	**5**	**10**	**11**	

Total U.S., July 1989 - June 1990

DRG 276: Non-maligant Breast Disorders

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	282	5.8	12	2	3	5	7	11	11
70-74	67	5.1	3						
75-79	88	5.6	7	2	5	5	5	9	12
80-84	42	3.3	5						
85 +	76	6.4	8	4	4	4	0	10	10
SUBTOTAL	**555**	**5.6**	**9**	**2**	**4**	**5**	**7**	**10**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	198	4.0	9	< 1	1	4	5	7	9
70-74	78	3.5	20	< 1	< 1	1	3	14	14
75-79	30	1.7	1						
80-84	37	3.3	5						
85 +	17	5.4							
SUBTOTAL	**361**	**3.7**	**11**	**< 1**	**1**	**3**	**5**	**7**	**11**
GRAND TOTAL	**916**	**4.8**	**11**	**1**	**2**	**4**	**6**	**10**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	75	3.6	9	1	1	3	6	9	9
18-34	112	4.3	7	1	3	4	4	9	11
35-49	171	5.9	5	3	4	5	9	9	9
50-69	153	4.6	8	< 1	2	5	8	9	54
70 +	0								
SUBTOTAL	**511**	**4.8**	**8**	**1**	**3**	**5**	**7**	**9**	**9**
0-17	350	3.3	3	2	2	3	4	5	7
18-34	600	2.7	5	1	1	2	3	6	6
35-49	711	4.3	7	1	3	4	5	7	8
50-69	501	3.4	4	< 1	2	3	4	7	7
70 +	0								
SUBTOTAL	**2162**	**3.5**	**6**	**1**	**2**	**3**	**5**	**6**	**7**
GRAND TOTAL	**2672**	**3.7**	**6**	**1**	**2**	**3**	**5**	**7**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	33	1.8							
18-34	92	6.7	25	3	3	4	7	18	18
35-49	52	3.8	4	1	2	3	5	7	7
50-69	38	3.6							
70 +	0								
SUBTOTAL	**216**	**4.7**	**15**	**2**	**3**	**3**	**6**	**7**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	132	3.9	7	2	2	3	4	10	10
18-34	366	4.1	10	1	2	3	5	11	11
35-49	162	4.0	18	< 1	1	2	6	12	16
50-69	93	4.4	7	2	3	3	5	8	11
70 +	12	2.0	1						
SUBTOTAL	**765**	**4.0**	**11**	**1**	**2**	**3**	**5**	**10**	**11**
GRAND TOTAL	**981**	**4.2**	**12**	**1**	**2**	**3**	**5**	**10**	**11**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	15	6.0	4						
18-34	123	3.2	5	1	1	3	4	7	7
35-49	67	5.6	11	1	3	6	7	12	12
50-69	71	3.9	5	< 1	3	3	5	7	7
70 +	7	1.0							
SUBTOTAL	**283**	**4.0**	**7**	**1**	**1**	**3**	**6**	**7**	**8**
0-17	123	3.2	4	2	2	3	3	5	7
18-34	445	2.9	3	1	2	2	4	5	7
35-49	334	3.5	6	< 1	1	3	5	7	7
50-69	83	3.8	10	1	2	3	5	11	11
70 +	10	1.0							
SUBTOTAL	**995**	**3.2**	**5**	**1**	**1**	**3**	**5**	**6**	**7**
GRAND TOTAL	**1279**	**3.4**	**6**	**1**	**1**	**3**	**5**	**7**	**7**

DRG 277: Cellulitis Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	17534	8.4	56	3	4	7	10	15	20
70-74	9308	8.3	44	3	5	7	9	16	18
75-79	10198	8.6	50	3	5	7	10	15	20
80-84	7657	9.0	55	3	5	7	10	17	23
85+	10271	9.3	54	3	5	7	11	16	22
SUBTOTAL	**54968**	**8.7**	**53**	**3**	**5**	**7**	**10**	**16**	**21**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**54968**	**8.7**	**53**	**3**	**5**	**7**	**10**	**16**	**21**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	4214	5.4	19	2	3	4	6	10	12
35-49	7967	6.5	23	2	3	5	8	13	15
50-69	12438	7.3	29	3	4	6	9	13	17
70+	821	8.5	27	3	5	7	11	14	16
SUBTOTAL	**25439**	**6.8**	**26**	**3**	**4**	**6**	**8**	**13**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**25439**	**6.8**	**26**	**3**	**4**	**6**	**8**	**13**	**16**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	2982	6.9	38	2	4	5	8	13	18
35-49	3817	8.0	45	3	4	6	9	14	21
50-69	3635	7.5	27	3	4	6	9	13	20
70+	343	13.6	463	3	5	7	9	17	77
SUBTOTAL	**10778**	**7.7**	**52**	**3**	**4**	**6**	**9**	**13**	**20**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**10778**	**7.7**	**52**	**3**	**4**	**6**	**9**	**13**	**20**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	4879	5.5	17	2	3	5	7	10	14
35-49	5419	6.6	39	2	3	5	8	12	15
50-69	3668	7.0	23	2	4	6	9	12	16
70+	492	7.4	24	3	4	6	9	14	18
SUBTOTAL	**14458**	**6.4**	**28**	**2**	**3**	**5**	**8**	**12**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**14458**	**6.4**	**28**	**2**	**3**	**5**	**8**	**12**	**14**

Total U.S., July 1989 - June 1990

DRG 278: Cellulitis Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	7959	5.5	13	2	3	4	7	10	11
70-74	4589	6.3	36	2	3	5	7	10	15
75-79	4016	6.2	15	3	4	5	8	12	14
80-84	3250	6.9	30	3	4	5	8	13	17
85 +	3188	7.3	55	3	4	6	9	11	14
SUBTOTAL	**23002**	**6.2**	**27**	**2**	**3**	**5**	**7**	**11**	**14**
GRAND TOTAL	**23002**	**6.2**	**27**	**2**	**3**	**5**	**7**	**11**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	11612	3.9	6	2	2	3	5	7	9
35-49	11686	4.6	11	2	3	4	6	8	10
50-69	11693	5.2	10	2	3	4	6	9	12
70 +	487	5.7	10	2	4	5	7	8	11
35479	**4.6**	**9**	**2**	**3**	**4**	**6**	**8**	**10**
35479	**4.6**	**9**	**2**	**3**	**4**	**6**	**8**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	3874	4.9	11	2	3	4	6	8	11
35-49	2047	5.7	16	2	3	4	7	10	15
50-69	1327	6.4	15	2	3	5	8	13	13
70 +	283	5.5	4	4	4	5	7	7	10
SUBTOTAL	**7530**	**5.4**	**13**	**2**	**3**	**4**	**7**	**10**	**12**
GRAND TOTAL	**7530**	**5.4**	**13**	**2**	**3**	**4**	**7**	**10**	**12**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	9594	4.2	7	1	2	4	5	7	9
35-49	5682	5.0	15	2	3	4	6	9	11
50-69	3091	5.5	12	2	3	5	7	10	12
70 +	419	5.1	10	2	3	4	7	9	10
18786	**4.6**	**11**	**2**	**3**	**4**	**6**	**8**	**10**
18786	**4.6**	**11**	**2**	**3**	**4**	**6**	**8**	**10**

Total U.S., July 1989 - June 1990

DRG 279: Cellulitis Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	46	9.2	119	1	4	5	8	36	36
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	46	9.2	119	1	4	5	8	36	36
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	30	4.2	2						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	30	4.2	2						
GRAND TOTAL	76	7.2	78	1	4	5	7	8	36

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	3961	4.5	17	2	3	3	6	8	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	3961	4.5	17	2	3	3	6	8	10
0-17	14025	3.7	6	2	2	3	4	7	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	14025	3.7	6	2	2	3	4	7	8
	17986	3.9	9	2	2	3	5	7	9

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	2584	5.6	46	2	3	4	6	11	12
18-34	0	*							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	2584	5.6	46	2	3	4	6	11	12
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	9004	3.9	8	2	2	3	5	7	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	9004	3.9	8	2	2	3	5	7	9
GRAND TOTAL	11588	4.3	17	2	2	3	5	7	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1466	4.6	8	2	2	4	6	8	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1466	4.6	8	2	2	4	6	8	10
0-17	7642	3.8	5	1	2	3	5	7	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	7642	3.8	5	1	2	3	5	7	9
	9108	3.9	6	1	2	3	5	7	9

Total U.S., July 1989 - June 1990

DRG 280: Trauma to the Skin, Subcut Tiss & Breast Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2344	4.7	30	1	2	3	6	8	14
70-74	1643	5.9	45	1	2	4	6	10	22
75-79	2090	6.4	86	1	2	4	7	13	21
80-84	2063	6.5	48	2	3	5	8	12	16
85+	4228	7.4	60	2	3	5	9	15	19
SUBTOTAL	12369	6.4	55	1	2	4	8	13	18
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
GRAND TOTAL	12369	6.4	55	1	2	4	8	13	18

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	4731	2.6	6	1	1	2	3	5	7
35-49	2592	3.8	35	1	1	2	4	6	8
50-69	2651	3.8	10	1	2	3	5	8	10
70+	731	5.1	16	1	2	4	7	10	15
	10705	3.4	15	1	1	2	4	7	9
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	10705	3.4	15	1	1	2	4	7	9

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	1777	2.7	6	1	1	2	3	5	7
35-49	665	3.2	8	1	2	2	3	6	11
50-69	599	5.1	14	1	3	4	6	10	13
70+	53	5.0	7	1	3	4	8	9	9
SUBTOTAL	3094	3.3	9	1	1	2	4	7	9
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
GRAND TOTAL	3094	3.3	9	1	1	2	4	7	9

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	7207	2.5	9	1	1	2	3	5	6
35-49	2936	3.0	6	1	1	2	4	6	8
50-69	1009	4.5	61	1	1	2	5	9	14
70+	353	5.0	17	1	2	4	6	10	15
	11505	2.9	13	1	1	2	3	6	8
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	11505	2.9	13	1	1	2	3	6	8

Total U.S., July 1989 - June 1990

DRG 281: Trauma to the Skin, Subcut Tiss & Breast Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1859	3.3	20	1	1	2	3	5	10
70-74	1149	3.6	6	1	2	3	4	8	10
75-79	1737	4.9	13	1	2	4	7	10	14
80-84	1919	4.3	50	1	2	3	5	7	11
85 +	2409	5.0	24	1	2	4	6	9	15
SUBTOTAL	**9074**	**4.3**	**25**	**1**	**2**	**3**	**5**	**9**	**12**
GRAND TOTAL	**9074**	**4.3**	**25**	**1**	**2**	**3**	**5**	**9**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	0								
18-34	11537	2.1	3	1	1	2	2	4	5
35-49	5369	2.7	10	1	1	2	3	5	9
50-69	3294	2.6	3	1	1	2	3	5	7
70 +	687	3.3	8	1	2	2	4	7	12
SUBTOTAL	**20886**	**2.4**	**5**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**20886**	**2.4**	**5**	**1**	**1**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	3332	2.0	3	1	1	1	2	4	5
35-49	725	2.9	9	1	1	2	3	6	8
50-69	345	2.8	27	1	1	2	2	5	6
70 +	99	2.7	4	1	1	2	4	6	8
SUBTOTAL	**4501**	**2.2**	**6**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**4501**	**2.2**	**6**	**1**	**1**	**2**	**3**	**4**	**6**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	0								
18-34	19544	1.9	3	< 1	1	1	2	3	5
35-49	5046	2.2	7	1	1	1	2	5	6
50-69	1458	2.8	8	1	1	2	3	5	7
70 +	235	3.5	20	1	1	2	4	7	14
SUBTOTAL	**26283**	**2.1**	**4**	**< 1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**26283**	**2.1**	**4**	**< 1**	**1**	**1**	**2**	**4**	**5**

Total U.S., July 1989 - June 1990

DRG 282: Trauma to the Skin, Subcut Tiss & Breast Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	15	3.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	15	3.0							
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	65	3.8	3						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	65	3.8	3						
GRAND TOTAL	79	3.6	3	1	2	5	5	5	5

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	2510	2.5	5	1	1	2	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	2510	2.5	5	1	1	2	3	5	6
0-17	9875	1.8	2	<1	1	1	2	3	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	9875	1.8	2	<1	1	1	2	3	4
	12385	1.9	3	1	1	1	2	4	5

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	705	3.2	5	1	2	2	4	7	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	705	3.2	5	1	2	2	4	7	8
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	4181	2.0	4	1	1	1	2	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	4181	2.0	4	1	1	1	2	4	6
GRAND TOTAL	4886	2.2	4	1	1	1	3	4	6

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1083	2.3	5	1	1	2	3	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1083	2.3	5	1	1	2	3	4	6
0-17	6930	1.9	5	<1	1	1	2	3	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	6930	1.9	6	<1	1	1	2	3	5
	8013	2.0	6	<1	1	1	2	4	5

DRG 283: Minor Skin Disorders w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	2127	7.5	41	2	3	6	10	15	23
70-74	1259	5.4	18	2	3	4	7	11	12
75-79	1246	6.1	25	2	3	5	8	11	15
80-84	894	7.5	19	3	4	7	11	14	14
85 +	884	5.9	13	2	4	6	7	9	13
SUBTOTAL	**6408**	**6.6**	**27**	**2**	**3**	**5**	**9**	**12**	**15**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**6408**	**6.6**	**27**	**2**	**3**	**5**	**9**	**12**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1159	4.5	20	1	2	3	5	10	12
18-34	747	4.0	14	1	2	3	5	7	9
35-49	929	5.0	31	1	2	4	6	8	13
50-69	1630	6.8	33	2	3	5	8	14	18
70 +	119	9.3	37	2	5	7	18	19	19
	4584	**5.5**	**28**	**1**	**2**	**4**	**7**	**11**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4584	**5.5**	**28**	**1**	**2**	**4**	**7**	**11**	**16**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	1017	5.7	28	1	3	4	8	10	13
18-34	342	6.6	38	2	3	4	9	15	20
35-49	205	5.4	19	1	3	4	7	8	15
50-69	260	8.6	42	2	5	6	14	16	25
70 +	40	19.8	847						
SUBTOTAL	**1865**	**6.5**	**53**	**1**	**3**	**5**	**8**	**12**	**16**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1865**	**6.5**	**53**	**1**	**3**	**5**	**8**	**12**	**16**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	385	6.5	129	1	2	4	6	8	22
18-34	483	4.7	15	1	2	4	6	10	14
35-49	552	5.6	31	2	3	4	5	11	13
50-69	412	5.7	20	1	3	5	7	12	16
70 +	29	5.8	9						
	1860	**5.6**	**44**	**2**	**2**	**4**	**6**	**11**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1860	**5.6**	**44**	**2**	**2**	**4**	**6**	**11**	**15**

Total U.S., July 1989 - June 1990

DRG 284: Minor Skin Disorders w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1076	4.7	14	< 1	2	3	7	10	14
70-74	738	4.2	10	< 1	1	4	6	8	10
75-79	567	4.3	13	< 1	2	3	5	9	9
80-84	320	4.5	17	< 1	1	3	7	10	10
85 +	245	4.9	7	1	2	6	7	8	9
SUBTOTAL	**2946**	**4.5**	**12**	**< 1**	**2**	**3**	**6**	**9**	**11**
GRAND TOTAL	**2946**	**4.5**	**12**	**< 1**	**2**	**3**	**6**	**9**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	3439	3.0	8	1	1	2	4	6	9
18-34	2115	3.3	9	1	1	2	5	6	9
35-49	2124	3.4	7	< 1	1	3	5	7	9
50-69	1703	4.0	9	1	2	3	5	8	10
70 +	46	4.4	7						
SUBTOTAL	**9428**	**3.3**	**8**	**1**	**1**	**3**	**4**	**7**	**9**
GRAND TOTAL	**9428**	**3.3**	**8**	**1**	**1**	**3**	**4**	**7**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1952	4.1	25	1	2	3	5	9	13
18-34	572	4.9	12	1	2	3	8	10	11
35-49	331	4.1	12	1	2	3	6	9	13
50-69	187	4.7	25	1	1	3	5	15	15
70 +	10	2.0							
SUBTOTAL	**3053**	**4.3**	**21**	**1**	**2**	**3**	**6**	**9**	**13**
GRAND TOTAL	**3053**	**4.3**	**21**	**1**	**2**	**3**	**6**	**9**	**13**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	1113	3.1	14	1	1	2	3	5	8
18-34	910	3.4	12	1	1	2	4	7	10
35-49	799	3.5	8	1	2	3	4	7	10
50-69	355	4.4	17	1	2	4	6	8	9
70 +	30	2.1	2						
SUBTOTAL	**3208**	**3.4**	**12**	**1**	**1**	**2**	**4**	**7**	**9**
GRAND TOTAL	**3208**	**3.4**	**12**	**1**	**1**	**2**	**4**	**7**	**9**

Total U.S., July 1989 - June 1990

DRG 285: Amputat of Lower Limb for Endocrine, Nutrit,& Metabol Disorders

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1771	19.2	281	6	9	14	23	42	63
70-74	608	15.9	113	5	9	13	20	28	42
75-79	535	20.0	187	6	9	15	34	43	47
80-84	398	19.0	364	4	7	14	20	43	65
85 +	250	14.2	117	3	7	13	18	25	29
SUBTOTAL	**3561**	**18.4**	**239**	**6**	**9**	**14**	**24**	**41**	**53**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	53	9.1	21	3	6	8	15	15	15
70-74	17	12.4							
75-79	13	9.4	39						
80-84	10	15.0							
85 +	0								
SUBTOTAL	**94**	**10.4**	**21**	**3**	**6**	**12**	**15**	**15**	**15**
GRAND TOTAL	**3655**	**18.2**	**235**	**6**	**9**	**14**	**23**	**40**	**53**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	72	22.0	244	4	10	17	39	45	45
35-49	319	26.1	613	7	10	15	28	71	71
50-69	1140	15.9	137	4	8	14	20	34	38
70 +	15	54.8	10						
SUBTOTAL	**1546**	**18.7**	**269**	**5**	**9**	**14**	**22**	**38**	**52**
0-17	0								
18-34	10	2.0							
35-49	52	5.2	3						
50-69	37	10.7	56						
70 +	0								
SUBTOTAL	**99**	**6.9**	**32**	**1**	**2**	**6**	**10**	**18**	**21**
GRAND TOTAL	**1645**	**18.0**	**262**	**4**	**8**	**14**	**21**	**38**	**52**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	46	15.4	145						
35-49	119	16.9	82	5	10	14	23	32	33
50-69	304	16.8	65	7	13	17	19	26	36
70 +	37	28.6	331						
SUBTOTAL	**507**	**17.6**	**105**	**7**	**10**	**17**	**20**	**32**	**39**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	87	9.3	130	3	3	4	10	16	45
70 +	0								
SUBTOTAL	**87**	**9.3**	**130**	**3**	**3**	**4**	**10**	**16**	**45**
GRAND TOTAL	**594**	**16.4**	**117**	**3**	**9**	**14**	**19**	**32**	**39**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	13	16.1	1						
35-49	171	24.6	558	5	12	21	21	33	95
50-69	350	17.2	72	8	12	16	20	31	33
70 +	6	19.0							
SUBTOTAL	**540**	**19.5**	**235**	**5**	**12**	**18**	**21**	**32**	**38**
0-17	0								
18-34	10	2.0							
35-49	22	22.5	80						
50-69	19	9.6	93						
70 +	0								
SUBTOTAL	**51**	**13.7**	**135**	**1**	**2**	**9**	**24**	**30**	**30**
GRAND TOTAL	**592**	**19.0**	**228**	**5**	**11**	**17**	**21**	**31**	**38**

DRG 286: Adrenal & Pituitary Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	376	12.6	102	5	6	8	17	24	28
70-74	255	12.6	135	5	6	9	14	18	35
75-79	144	10.1	47	3	6	6	14	20	31
80-84	16	11.0							
85 +	8	9.0							
SUBTOTAL	**800**	**12.1**	**101**	**5**	**6**	**9**	**15**	**23**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	242	7.3	7	4	5	7	10	10	12
70-74	188	8.3	23	3	6	7	10	19	21
75-79	94	6.0	3	4	5	6	7	9	9
80-84	32	7.4	5						
85 +	15	6.5	2						
SUBTOTAL	**571**	**7.4**	**12**	**4**	**5**	**7**	**9**	**11**	**12**
GRAND TOTAL	**1371**	**10.1**	**69**	**5**	**6**	**8**	**12**	**18**	**24**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	360	10.5	45	5	6	9	12	14	22
18-34	375	7.6	18	4	5	6	10	17	23
35-49	643	10.3	48	5	6	8	12	21	29
50-69	533	10.0	26	5	6	9	14	16	25
70 +	41	11.1	40						
SUBTOTAL	**1953**	**9.7**	**37**	**5**	**6**	**8**	**12**	**17**	**25**
0-17	154	6.9	16	3	5	5	9	14	18
18-34	671	5.8	3	4	5	6	7	8	10
35-49	584	6.6	9	4	5	6	8	10	10
50-69	534	7.3	11	4	5	7	8	10	12
70 +	10	7.0							
SUBTOTAL	**1953**	**6.5**	**8**	**4**	**5**	**6**	**8**	**10**	**10**
GRAND TOTAL	**3906**	**8.1**	**25**	**4**	**5**	**7**	**10**	**14**	**19**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	74	15.4	191	5	7	11	16	29	55
18-34	105	8.3	14	4	6	7	12	13	16
35-49	69	19.6	317	7	7	10	34	56	56
50-69	74	12.2	65	4	6	8	13	29	29
70 +	0								
SUBTOTAL	**321**	**13.3**	**148**	**5**	**7**	**8**	**13**	**29**	**42**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	57	7.9	17	4	5	6	9	16	16
18-34	42	16.5	159	6	8	12	16	42	42
35-49	83	8.3	16	4	5	8	9	15	18
50-69	28	7.0							
70 +	0								
SUBTOTAL	**210**	**9.7**	**54**	**4**	**6**	**8**	**10**	**16**	**18**
GRAND TOTAL	**531**	**11.8**	**114**	**5**	**6**	**8**	**13**	**20**	**34**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	99	14.5	76	5	5	10	24	27	28
18-34	130	8.7	62	4	5	7	8	11	17
35-49	127	11.8	24	6	10	11	14	17	20
50-69	87	13.1	87	6	7	10	18	22	41
70 +	12	25.5	198						
SUBTOTAL	**455**	**12.1**	**72**	**5**	**6**	**10**	**14**	**27**	**28**
0-17	34	7.1	7						
18-34	60	5.5	2	4	4	5	7	8	8
35-49	94	8.0	13	5	6	6	11	14	17
50-69	106	14.4	186	3	5	8	13	40	40
70 +	6	6.0							
SUBTOTAL	**299**	**9.6**	**84**	**4**	**5**	**6**	**11**	**17**	**40**
GRAND TOTAL	**755**	**11.1**	**78**	**5**	**5**	**8**	**12**	**24**	**34**

Total U.S., July 1989 - June 1990

DRG 287: Skin Grafts & Wound Debrid for Endoc, Nutrit & Metab Disorders

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1955	15.2	188	3	6	11	19	35	39
70-74	892	16.6	155	6	9	11	22	38	47
75-79	725	14.5	146	3	6	9	21	36	45
80-84	402	20.9	266	7	12	17	24	34	67
85 +	403	22.9	431	7	8	17	28	62	78
SUBTOTAL	**4377**	**16.6**	**211**	**4**	**7**	**11**	**22**	**36**	**47**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	72	14.0	154	3	4	8	14	36	36
70-74	27	8.9	50						
75-79	31	3.9	3						
80-84	62	6.0	14						
85 +	10	55.0							
SUBTOTAL	**202**	**11.4**	**184**	**3**	**4**	**5**	**14**	**36**	**44**
GRAND TOTAL	**4579**	**16.4**	**210**	**4**	**7**	**11**	**22**	**36**	**47**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	30.0							
18-34	124	12.5	98	4	7	11	11	34	38
35-49	808	12.0	136	4	6	10	13	23	30
50-69	1497	15.3	180	4	7	12	20	34	47
70 +	54	11.2	27	6	8	9	13	24	24
	2498	**14.1**	**161**	**4**	**7**	**11**	**17**	**30**	**42**
0-17	23	13.5	235						
18-34	7	5.0							
35-49	26	9.0	103						
50-69	147	10.4	56	2	3	7	16	19	26
70 +	0								
	204	**10.4**	**82**	**2**	**3**	**5**	**16**	**26**	**27**
	2702	**13.8**	**156**	**4**	**6**	**11**	**16**	**30**	**41**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	83	18.9	283	6	6	9	42	42	55
35-49	342	17.7	169	5	8	13	20	45	45
50-69	437	14.5	150	4	5	12	20	28	39
70 +	42	17.8	46						
SUBTOTAL	**904**	**16.3**	**167**	**5**	**6**	**13**	**20**	**39**	**45**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	14	10.9	21						
50-69	8	13.0							
70 +	0								
SUBTOTAL	**22**	**11.6**	**14**						
GRAND TOTAL	**926**	**16.1**	**164**	**5**	**7**	**13**	**20**	**38**	**45**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	69	9.6	72	2	4	5	12	31	31
35-49	265	14.5	133	3	5	10	19	34	34
50-69	507	8.5	22	2	5	9	11	15	16
70 +	61	15.7	172	3	7	10	20	38	42
	901	**10.8**	**77**	**3**	**5**	**9**	**14**	**21**	**34**
0-17	16	1.0							
18-34	6	3.0							
35-49	0								
50-69	73	6.6	6						
70 +	8	6.0							
	102	**5.5**	**9**	**1**	**3**	**6**	**6**	**9**	**13**
	1003	**10.3**	**72**	**2**	**5**	**8**	**13**	**20**	**34**

Total U.S., July 1989 - June 1990

DRG 288: O.R. Procedures for Obesity

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	170	9.4	47	5	5	6	9	23	24
70-74	24	22.5	85						
75-79	10	16.0							
80-84	0								
85 +	14	21.5	2						
SUBTOTAL	217	11.9	70	5	6	8	17	29	29
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	238	4.5	2	3	4	4	5	7	7
70-74	0								
75-79	25	3.7	2						
80-84	0								
85 +	0								
SUBTOTAL	263	4.4	2	2	4	4	5	7	7
GRAND TOTAL	480	7.8	47	3	4	5	7	20	26

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	15	7.4	2						
18-34	377	6.9	14	4	5	6	7	10	11
35-49	707	7.8	35	3	5	6	9	12	26
50-69	235	8.1	57	3	5	6	8	15	33
70 +	0								
	1334	7.6	33	4	5	6	9	11	25
0-17	34	5.0	1						
18-34	1138	4.6	3	3	3	5	5	7	7
35-49	1861	5.1	10	2	3	5	6	7	8
50-69	421	4.0	5	2	3	3	5	7	8
70 +	0								
	3454	4.8	7	2	3	5	6	7	8
	4788	5.6	16	3	4	5	6	8	10

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	8	17.0							
18-34	54	20.0	630	3	5	10	25	86	86
35-49	170	8.9	21	4	6	9	10	14	20
50-69	10	6.0							
70 +	0								
SUBTOTAL	242	11.5	177	4	6	9	14	20	86
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	241	4.7	5	3	3	4	6	8	8
35-49	238	5.3	5	2	4	5	6	9	9
50-69	17	7.8	1						
70 +	0								
SUBTOTAL	496	5.1	5	3	3	5	6	9	9
GRAND TOTAL	738	7.2	70	3	4	5	9	12	20

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	44	8.9	66						
35-49	67	3.4	3	1	2	3	4	6	6
50-69	65	5.3	20	2	3	3	5	17	17
70 +	0								
	176	5.5	29	2	3	4	6	8	23
0-17	10	4.0							
18-34	307	4.3	8	1	1	4	5	9	9
35-49	440	3.0	4	1	1	2	5	6	7
50-69	136	2.8	5	1	1	2	4	6	8
70 +	0								
	893	3.5	6	1	1	3	5	7	9
	1070	3.8	10	1	1	3	5	7	9

Total U.S., July 1989 - June 1990

DRG 289: Parathyroid Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	665	7.0	55	3	3	5	8	13	17
70-74	313	8.1	91	2	3	4	8	17	33
75-79	299	7.6	50	3	3	5	11	13	15
80-84	167	10.3	86	3	4	9	11	22	41
85 +	48	13.9	103						
SUBTOTAL	**1492**	**8.0**	**69**	**3**	**3**	**5**	**10**	**16**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	841	3.9	5	2	2	3	5	7	9
70-74	523	4.1	14	2	2	3	4	6	13
75-79	332	3.8	13	2	2	3	4	5	6
80-84	263	5.8	35	2	3	4	6	8	26
85 +	29	5.2	3						
SUBTOTAL	**1987**	**4.2**	**13**	**2**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**3479**	**5.8**	**40**	**2**	**3**	**4**	**6**	**12**	**17**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	120	5.4	46	2	2	3	6	8	27
35-49	229	5.8	72	2	2	4	5	9	13
50-69	402	4.2	5	2	3	4	6	7	8
70 +	20	3.7	8						
SUBTOTAL	**772**	**4.8**	**32**	**2**	**2**	**3**	**6**	**8**	**10**
0-17	16	3.2	1						
18-34	301	2.7	1	2	2	3	3	4	4
35-49	1238	2.9	2	2	2	3	3	4	7
50-69	1583	3.1	4	1	2	3	4	5	6
70 +	66	4.1	2						
SUBTOTAL	**3203**	**3.0**	**3**	**2**	**2**	**3**	**3**	**5**	**6**
GRAND TOTAL	**3975**	**3.3**	**9**	**2**	**2**	**3**	**4**	**5**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	25	7.6	7						
35-49	14	9.8	7						
50-69	40	6.3	6						
70 +	0								
SUBTOTAL	**78**	**7.3**	**8**	**3**	**4**	**8**	**9**	**11**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	6	4.0							
35-49	70	3.9	4	1	3	4	5	6	7
50-69	104	3.1	1	2	3	3	3	5	6
70 +	6	11.0							
SUBTOTAL	**186**	**3.7**	**4**	**2**	**3**	**3**	**5**	**6**	**7**
GRAND TOTAL	**264**	**4.8**	**8**	**2**	**3**	**4**	**6**	**9**	**11**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	63	3.7	4	2	2	4	4	5	9
35-49	64	10.8	101	2	3	4	23	24	24
50-69	98	5.7	27	2	2	3	8	12	21
70 +	0								
SUBTOTAL	**225**	**6.6**	**49**	**2**	**2**	**4**	**8**	**23**	**24**
0-17	21	4.8	10						
18-34	51	2.5		2	2	3	3	3	3
35-49	273	3.2	7	1	2	3	3	5	5
50-69	262	3.2	19	1	2	2	4	4	5
70 +	8	2.0							
SUBTOTAL	**615**	**3.2**	**11**	**1**	**2**	**3**	**3**	**5**	**5**
GRAND TOTAL	**840**	**4.1**	**24**	**1**	**2**	**3**	**4**	**8**	**15**

DRG 290: Thyroid Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1177	4.0	7	2	2	3	5	7	8
70-74	818	6.0	46	2	3	4	7	10	18
75-79	683	5.8	79	2	2	3	5	10	10
80-84	330	10.2	93	3	5	5	11	26	34
85 +	80	5.5	15	2	2	5	6	14	14
SUBTOTAL	**3088**	**5.6**	**46**	**2**	**3**	**4**	**6**	**10**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2975	2.7	2	1	2	2	3	4	5
70-74	1707	3.0	3	2	2	3	3	5	6
75-79	998	2.7	2	1	2	2	3	4	5
80-84	425	3.8	4	2	2	4	4	6	8
85 +	93	4.7	17	2	2	3	7	15	15
SUBTOTAL	**6198**	**2.9**	**3**	**1**	**2**	**3**	**3**	**4**	**6**
GRAND TOTAL	**9287**	**3.8**	**19**	**2**	**2**	**3**	**4**	**6**	**9**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	134	2.3	1	1	1	2	3	4	4
18-34	792	3.4	4	1	2	3	4	7	8
35-49	1336	3.1	4	2	2	3	3	5	7
50-69	1426	4.2	12	2	2	3	5	10	12
70 +	34	6.0	14						
SUBTOTAL	**3722**	**3.6**	**7**	**2**	**2**	**3**	**4**	**7**	**10**
0-17	815	2.3	4	1	1	2	3	3	5
18-34	6996	2.2	1	1	1	2	3	3	4
35-49	11333	2.3	2	1	2	2	3	4	4
50-69	7806	2.3	1	1	2	2	3	4	4
70 +	73	2.2	4	1	1	2	2	5	8
SUBTOTAL	**27023**	**2.3**	**2**	**1**	**2**	**2**	**3**	**3**	**4**
GRAND TOTAL	**30745**	**2.4**	**3**	**1**	**2**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	26	4.9	3						
18-34	103	3.6	4	2	3	3	4	6	9
35-49	149	4.6	14	2	2	4	5	6	13
50-69	162	6.6	44	2	3	4	9	14	18
70 +	12	12.5	79						
SUBTOTAL	**452**	**5.3**	**26**	**2**	**3**	**4**	**5**	**10**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	81	2.3	4	1	1	2	3	5	8
18-34	733	2.7	4	1	2	2	3	4	7
35-49	420	3.1	3	2	2	3	4	4	7
50-69	344	3.1	1	2	2	3	4	5	5
70 +	10	2.0							
SUBTOTAL	**1587**	**2.9**	**3**	**1**	**2**	**2**	**3**	**5**	**7**
GRAND TOTAL	**2039**	**3.4**	**9**	**1**	**2**	**3**	**4**	**6**	**9**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	21	8.5	68						
18-34	150	3.9	6	1	2	3	4	9	9
35-49	283	2.9	4	1	2	2	3	5	6
50-69	243	4.3	11	2	2	3	6	8	12
70 +	44	3.7	2	2	2	4	5	6	6
SUBTOTAL	**741**	**3.8**	**9**	**1**	**2**	**3**	**4**	**7**	**9**
0-17	80	1.9	1	1	1	1	3	3	4
18-34	1334	2.1	2	1	1	2	2	3	3
35-49	1965	2.2	1	1	2	2	3	3	4
50-69	1156	2.3	1	1	2	2	3	4	5
70 +	52	2.2	1	1	1	2	3	4	4
SUBTOTAL	**4588**	**2.2**	**1**	**1**	**1**	**2**	**3**	**3**	**4**
GRAND TOTAL	**5329**	**2.4**	**3**	**1**	**2**	**2**	**3**	**4**	**5**

DRG 291: Thyroglossal Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	10	3.0							
75-79	10	3.0							
80-84	0								
85 +	7	11.0							
SUBTOTAL	**27**	**5.0**	**13**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	27	1.3							
70-74	42	1.8							
75-79	0								
80-84	0								
85 +	10	1.0							
SUBTOTAL	**80**	**1.5**		**1**	**1**	**1**	**2**	**2**	**2**
GRAND TOTAL	**107**	**2.4**	**6**	**1**	**1**	**2**	**3**	**3**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	3.7							
18-34	0								
35-49	18	1.0							
50-69	7	2.0							
70 +	0								
SUBTOTAL	**55**	**2.6**	**2**	**1**	**1**	**3**	**4**	**4**	**4**
0-17	1553	1.4	1	1	1	1	1	2	2
18-34	489	1.5	1	1	1	1	2	3	3
35-49	442	1.7	1	1	1	2	2	3	3
50-69	253	1.6	1	1	1	1	2	3	3
70 +	0								
SUBTOTAL	**2737**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**3**
GRAND TOTAL	**2792**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**3**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	6	1.0							
50-69	0								
70 +	0								
SUBTOTAL	**6**	**1.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	377	1.3		1	1	1	2	2	3
18-34	60	1.5	1	1	1	1	1	3	3
35-49	18	1.4							
50-69	15	1.5							
70 +	0								
SUBTOTAL	**469**	**1.4**		**1**	**1**	**1**	**2**	**2**	**3**
GRAND TOTAL	**475**	**1.4**		**1**	**1**	**1**	**2**	**2**	**3**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	1.0							
18-34	0								
35-49	8	2.0							
50-69	10	2.0							
70 +	0								
SUBTOTAL	**25**	**1.7**							
0-17	258	1.2		1	1	1	1	2	2
18-34	91	2.1	4	1	1	1	3	3	8
35-49	73	1.7	4	1	1	1	1	2	8
50-69	8	2.0							
70 +	6	3.0							
SUBTOTAL	**436**	**1.5**	**2**	**1**	**1**	**1**	**1**	**3**	**3**
GRAND TOTAL	**461**	**1.5**	**2**	**1**	**1**	**1**	**2**	**3**	**3**

DRG 292: Other Endocrine, Nutrit & Metab O.R. Proc w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1625	13.8	120	4	6	11	20	26	41
70-74	872	14.5	180	2	5	10	17	34	43
75-79	687	17.6	208	4	7	14	25	42	50
80-84	352	13.6	87	4	6	12	18	27	35
85 +	301	19.0	93	5	12	20	30	38	99 +
SUBTOTAL	**3837**	**15.0**	**147**	**4**	**6**	**12**	**21**	**34**	**42**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	3837	**15.0**	**147**	**4**	**6**	**12**	**21**	**34**	**42**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	244	15.5	173	3	6	13	20	23	39
18-34	168	12.1	289	2	6	7	13	19	77
35-49	410	10.9	94	3	4	8	12	26	33
50-69	894	13.1	116	2	7	10	16	27	44
70 +	46	18.5	37						
SUBTOTAL	**1763**	**13.0**	**136**	**3**	**6**	**10**	**17**	**25**	**38**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1763**	**13.0**	**136**	**3**	**6**	**10**	**17**	**25**	**38**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	191	19.3	228	4	7	19	27	44	47
18-34	108	11.9	112	2	4	7	20	29	32
35-49	171	25.3	832	6	8	12	33	74	98
50-69	212	12.5	139	4	7	10	17	20	24
70 +	22	22.3	14						
SUBTOTAL	**705**	**17.7**	**351**	**4**	**7**	**10**	**20**	**40**	**58**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	705	**17.7**	**351**	**4**	**7**	**10**	**20**	**40**	**58**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	66	21.9	455	1	6	13	21	58	58
18-34	106	5.1	2	3	4	6	6	7	7
35-49	159	11.4	109	2	4	6	28	28	28
50-69	181	16.8	337	3	5	11	19	39	73
70 +	51	22.5	444	4	4	17	31	68	68
SUBTOTAL	**564**	**14.2**	**264**	**3**	**5**	**6**	**19**	**31**	**58**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**564**	**14.2**	**264**	**3**	**5**	**6**	**19**	**31**	**58**

DRG 293: Other Endocrine, Nutrit & Metab O.R. Proc w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	200	4.4	12	1	3	3	5	8	9
70-74	92	4.2	6	1	3	4	5	6	11
75-79	54	4.4	15	< 1	1	2	8	11	11
80-84	44	5.6	5						
85 +	107	9.3	71	2	2	7	15	23	23
SUBTOTAL	**497**	**5.5**	**27**	**1**	**2**	**4**	**7**	**11**	**22**
GRAND TOTAL	**497**	**5.5**	**27**	**1**	**2**	**4**	**7**	**11**	**22**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	329	7.0	57	1	3	5	8	16	24
18-34	134	2.0	1	< 1	1	2	3	4	4
35-49	263	4.2	9	1	2	3	5	10	12
50-69	290	5.1	18	1	2	4	7	8	10
70 +	0								
	1016	**5.1**	**29**	**1**	**2**	**4**	**6**	**10**	**14**
	1016	**5.1**	**29**	**1**	**2**	**4**	**6**	**10**	**14**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	107	4.7	16	2	2	4	5	7	18
18-34	87	5.5	26	2	3	4	4	14	20
35-49	45	7.3	48	2	2	2	15	19	19
50-69	76	8.5	31	4	6	7	7	18	22
70 +	16	3.0							
SUBTOTAL	**331**	**6.0**	**28**	**2**	**3**	**4**	**7**	**18**	**19**
GRAND TOTAL	**331**	**6.0**	**28**	**2**	**3**	**4**	**7**	**18**	**19**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	134	3.6	4	1	2	4	5	6	8
18-34	157	2.9	6	< 1	1	2	4	7	8
35-49	71	8.4	249	2	2	4	5	6	59
50-69	65	3.1	8	< 1	1	2	4	9	9
70 +	8	7.0							
	433	**4.1**	**48**	**< 1**	**2**	**3**	**5**	**7**	**9**
	433	**4.1**	**48**	**< 1**	**2**	**3**	**5**	**7**	**9**

DRG 294: Diabetes Age >35

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	22500	7.1	29	3	4	6	8	12	16
70-74	12641	7.8	42	3	4	6	9	14	18
75-79	11041	8.2	45	3	4	6	10	14	22
80-84	7781	8.6	50	3	4	7	10	17	22
85+	5183	9.6	60	3	5	7	11	18	24
SUBTOTAL	59146	7.9	41	3	4	6	9	14	19
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	12205	5.3	10	2	3	5	7	9	11
70-74	6477	5.6	12	2	4	5	7	10	12
75-79	5420	5.8	10	3	3	5	7	10	13
80-84	2830	5.4	10	2	4	4	7	10	11
85+	1819	6.0	10	3	4	5	7	10	12
SUBTOTAL	28751	5.5	10	2	3	5	7	9	12
GRAND TOTAL	87897	7.1	32	3	4	6	8	13	16

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	9091	6.0	21	2	3	5	7	10	14
50-69	13142	6.8	32	3	4	6	8	12	15
70+	752	7.1	18	3	4	6	10	14	14
	22984	6.5	27	2	4	5	8	11	15
0-17	0								
18-34	0								
35-49	11084	4.4	6	2	3	4	5	7	9
50-69	14062	4.8	7	2	3	4	6	8	10
70+	284	5.4	7	2	3	5	8	99+	99+
	25430	4.6	6	2	3	4	6	8	10
	48414	5.5	17	2	3	5	7	10	12

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	4746	6.8	22	2	4	6	8	13	15
50-69	5935	7.7	61	2	4	6	9	13	18
70+	552	6.5	21	2	4	6	7	20	99+
SUBTOTAL	11233	7.2	43	2	4	6	9	13	18
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	3562	5.1	18	2	3	4	6	9	12
50-69	3778	5.7	21	2	3	4	7	10	12
70+	304	5.2	12	2	3	4	9	99+	99+
SUBTOTAL	7643	5.4	20	2	3	4	7	10	12
GRAND TOTAL	18876	6.5	34	2	3	5	8	12	16

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	5706	5.7	17	2	3	5	7	10	12
50-69	5258	6.4	21	3	4	5	8	12	15
70+	513	10.4	122	2	3	7	11	31	31
	11477	6.2	24	2	3	5	7	11	14
0-17	0								
18-34	0								
35-49	4405	3.9	6	1	2	3	5	8	9
50-69	3654	4.4	12	1	2	4	6	8	9
70+	299	6.3	66	1	2	5	9	9	12
	8358	4.2	11	1	2	4	5	8	9
	19835	5.4	20	2	3	4	7	10	12

Total U.S., July 1989 - June 1990

DRG 295: Diabetes Age 0-35

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1787	6.3	55	1	3	5	8	11	14
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	1787	6.3	55	1	3	5	8	11	14
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	669	4.5	10	2	3	4	6	8	10
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	669	4.5	10	2	3	4	6	8	10
GRAND TOTAL	2456	5.8	44	2	3	5	7	10	14

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6040	4.1	7	1	2	3	5	7	9
18-34	7506	5.2	33	2	3	4	6	9	12
35-49	512	5.8	15	2	3	5	7	12	12
50-69	0								
70 +	0								
	14057	4.7	21	2	2	4	6	8	11
	16667	4.1	7	2	2	4	5	7	8
	11333	3.7	4	2	2	3	5	6	7
	547	4.1	3	2	3	4	5	6	8
	0								
	0								
	28547	4.0	6	2	2	4	5	7	8
	42604	4.2	11	2	2	4	5	7	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	1812	4.8	13	2	3	4	6	9	11
18-34	5172	5.9	23	2	3	5	7	10	14
35-49	280	6.1	8	2	3	7	8	10	10
50-69	0								
70 +	0								
SUBTOTAL	7264	5.6	20	2	3	4	7	10	12
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	4522	4.9	21	2	3	4	6	8	10
18-34	4157	4.5	13	1	2	4	5	7	10
35-49	294	5.1	8	2	3	4	7	9	10
50-69	0								
70 +	0								
SUBTOTAL	8973	4.7	17	2	3	4	6	8	10
GRAND TOTAL	16237	5.1	18	2	3	4	6	9	11

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1799	4.3	10	2	2	4	5	8	9
18-34	5450	4.8	13	2	3	4	6	9	11
35-49	344	4.9	6	2	3	4	8	8	9
50-69	0								
70 +	0								
	7593	4.7	12	2	3	4	6	9	11
0-17	4746	4.2	19	1	2	4	5	7	8
18-34	6864	3.9	8	1	2	3	5	7	9
35-49	440	4.9	16	2	2	4	6	10	12
50-69	0								
70 +	0								
	12050	4.0	13	1	2	3	5	7	9
	19643	4.3	13	1	2	4	5	8	9

Total U.S., July 1989 - June 1990

DRG 296: Nutritional & Misc Metabolic Disorders Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	41835	7.3	49	2	3	5	9	15	20
70-74	28394	7.7	53	2	4	6	9	15	20
75-79	31976	8.1	64	3	4	6	10	15	21
80-84	31366	9.0	81	2	4	6	11	18	24
85 +	36731	9.4	84	3	4	7	11	18	25
SUBTOTAL	**170302**	**8.3**	**67**	**2**	**4**	**6**	**10**	**16**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**170302**	**8.3**	**67**	**2**	**4**	**6**	**10**	**16**	**22**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	7677	8.1	62	2	2	5	12	17	21
35-49	8708	6.2	33	2	3	4	8	13	18
50-69	18332	6.7	47	2	3	5	8	13	18
70 +	2166	6.7	32	2	3	5	8	13	18
	36883	**6.9**	**46**	**2**	**3**	**5**	**9**	**14**	**19**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	36883	**6.9**	**46**	**2**	**3**	**5**	**9**	**14**	**19**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	3804	7.2	38	1	2	5	11	14	19
35-49	3908	5.7	26	2	3	4	6	11	15
50-69	6560	7.3	50	2	3	5	9	16	21
70 +	1493	10.4	56	3	5	9	14	21	24
SUBTOTAL	**15764**	**7.2**	**43**	**2**	**3**	**5**	**9**	**15**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**15764**	**7.2**	**43**	**2**	**3**	**5**	**9**	**15**	**21**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2255	6.3	51	1	2	4	9	15	20
35-49	3215	5.9	60	1	2	4	6	12	19
50-69	5089	6.7	65	2	3	5	7	12	19
70 +	1872	7.0	51	2	3	5	8	14	21
	12430	**6.5**	**59**	**2**	**2**	**4**	**7**	**13**	**19**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	12430	**6.5**	**59**	**2**	**2**	**4**	**7**	**13**	**19**

DRG 297: Nutritional & Misc Metabolic Disorders Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	9126	4.8	15	2	2	4	6	9	12
70-74	6846	4.5	9	1	2	4	6	8	10
75-79	8986	5.4	22	2	3	4	7	10	13
80-84	8271	5.2	20	2	2	4	7	10	12
85 +	10718	5.7	20	2	3	4	7	11	13
SUBTOTAL	**43946**	**5.2**	**18**	**2**	**3**	**4**	**6**	**10**	**13**
GRAND TOTAL	**43946**	**5.2**	**18**	**2**	**3**	**4**	**6**	**10**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	0								
18-34	11256	4.2	21	1	2	3	4	10	14
35-49	7866	3.3	10	1	2	3	4	6	9
50-69	8868	3.9	17	1	2	3	5	7	10
70 +	989	4.1	69	1	2	3	4	6	8
SUBTOTAL	**28979**	**3.9**	**18**	**1**	**2**	**3**	**4**	**8**	**11**
	28979	**3.9**	**18**	**1**	**2**	**3**	**4**	**8**	**11**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	2596	5.6	23	1	2	4	8	14	16
35-49	1043	5.4	110	1	2	3	6	8	15
50-69	1909	4.0	10	1	2	3	5	7	11
70 +	407	7.1	19	3	5	6	9	10	13
SUBTOTAL	**5955**	**5.2**	**35**	**1**	**2**	**4**	**6**	**11**	**14**
GRAND TOTAL	**5955**	**5.2**	**35**	**1**	**2**	**4**	**6**	**11**	**14**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	0								
18-34	3070	3.8	32	1	1	2	4	8	12
35-49	1980	3.3	8	1	2	2	4	6	9
50-69	1778	4.0	15	1	2	3	5	7	10
70 +	699	6.1	77	1	2	3	6	14	28
SUBTOTAL	**7527**	**3.9**	**26**	**1**	**2**	**2**	**4**	**7**	**12**
	7527	**3.9**	**26**	**1**	**2**	**2**	**4**	**7**	**12**

DRG 298: Nutritional & Misc Metabolic Disorders Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	381	6.9	64	1	3	4	7	14	23
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**381**	**6.9**	**64**	**1**	**3**	**4**	**7**	**14**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	69	4.0	7	1	2	3	7	9	9
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**69**	**4.0**	**7**	**1**	**2**	**3**	**7**	**9**	**9**
GRAND TOTAL	**450**	**6.5**	**56**	**1**	**3**	**4**	**7**	**14**	**23**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	14336	6.9	79	1	2	4	9	15	21
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**14336**	**6.9**	**79**	**1**	**2**	**4**	**9**	**15**	**21**
0-17	43080	3.4	14	1	2	2	3	7	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**43080**	**3.4**	**14**	**1**	**2**	**2**	**3**	**7**	**11**
	57416	**4.3**	**33**	**1**	**2**	**2**	**4**	**10**	**14**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	10424	7.3	59	2	3	5	9	15	21
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**10424**	**7.3**	**59**	**2**	**3**	**5**	**9**	**15**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	23769	4.5	22	1	2	3	5	9	13
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**23769**	**4.5**	**22**	**1**	**2**	**3**	**5**	**9**	**13**
GRAND TOTAL	**34193**	**5.4**	**35**	**1**	**2**	**3**	**6**	**11**	**15**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	4375	6.2	56	1	2	4	8	14	18
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**4375**	**6.2**	**56**	**1**	**2**	**4**	**8**	**14**	**18**
0-17	13451	3.3	12	1	1	2	4	7	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**13451**	**3.3**	**12**	**1**	**1**	**2**	**4**	**7**	**9**
	17826	**4.0**	**24**	**1**	**2**	**2**	**4**	**9**	**13**

Total U.S., July 1989 - June 1990

DRG 299: Inborn Errors of Metabolism

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	229	8.6	93	2	4	6	8	16	24
70-74	35	3.0	1						
75-79	67	11.3	18						
80-84	38	4.7	15						
85 +	0								
SUBTOTAL	370	8.1	68	2	4	6	10	16	24
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	183	4.4	15	1	2	4	5	14	14
70-74	74	2.1	2	1	1	1	3	5	5
75-79	25	2.4							
80-84	0								
85 +	0								
SUBTOTAL	281	3.6	12	1	1	3	4	6	14
GRAND TOTAL	651	6.2	49	1	2	4	7	13	16

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	978	6.1	60	1	3	4	7	12	18
18-34	253	3.1	4	1	1	2	5	6	6
35-49	224	7.5	48	1	2	5	11	21	21
50-69	316	5.5	18	2	2	4	8	15	17
70 +	0								
	1771	5.7	44	1	2	4	7	12	18
0-17	1529	4.3	26	1	2	3	4	10	14
18-34	271	4.3	16	1	1	3	7	10	10
35-49	506	3.4	4	1	2	3	4	6	6
50-69	215	2.3	7	1	1	1	2	8	8
70 +	0								
	2521	3.9	19	1	1	3	4	9	11
	4292	4.7	31	1	2	3	6	10	15

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	499	7.7	64	2	2	4	10	20	22
18-34	158	4.9	18	1	2	3	6	12	16
35-49	66	10.5	34	1	8	11	13	19	19
50-69	43	3.0							
70 +	0								
SUBTOTAL	767	7.1	51	2	2	4	10	19	21
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	703	6.6	59	1	3	4	8	13	26
18-34	76	4.1	12	< 1	1	2	6	6	13
35-49	28	2.0							
50-69	10	5.0							
70 +	0								
SUBTOTAL	817	6.2	53	1	2	4	7	13	26
GRAND TOTAL	1584	6.6	52	1	2	4	8	16	22

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	225	12.3	165	1	3	8	12	28	42
18-34	71	11.4	49	4	5	12	14	27	27
35-49	113	6.4	22	1	3	4	7	13	17
50-69	57	3.7	6	1	1	5	6	7	7
70 +	0								
	466	9.7	104	1	3	7	12	21	28
0-17	580	2.9	7	1	1	2	3	7	7
18-34	312	5.9	45	1	2	4	6	15	24
35-49	142	4.4	14	1	2	3	5	12	13
50-69	74	3.9	21	1	1	1	5	13	13
70 +	0								
	1108	4.0	21	1	1	2	5	7	13
	1574	5.7	52	1	2	3	7	13	21

Total U.S., July 1989 - June 1990

DRG 300: Endocrine Disorders w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3062	7.4	53	2	3	6	9	14	20
70-74	2132	8.2	37	3	4	7	11	15	19
75-79	1842	8.3	42	3	4	6	10	17	23
80-84	1641	10.9	68	3	4	9	14	23	25
85 +	1230	9.7	58	4	6	8	12	15	22
SUBTOTAL	**9907**	**8.6**	**52**	**3**	**4**	**7**	**11**	**16**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**9907**	**8.6**	**52**	**3**	**4**	**7**	**11**	**16**	**23**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1472	5.6	71	1	2	4	7	12	15
18-34	552	4.8	14	1	2	4	7	10	12
35-49	1360	5.4	25	2	2	4	6	12	15
50-69	2229	7.1	49	2	3	5	9	14	21
70 +	153	6.2	11	3	3	5	8	10	13
	5765	**6.1**	**45**	**1**	**2**	**4**	**7**	**12**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	5765	**6.1**	**45**	**1**	**2**	**4**	**7**	**12**	**16**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	520	7.3	8[illegible]	1	2	5	8	15	29
18-34	282	12.0	173	2	3	6	17	39	39
35-49	434	8.6	96	2	3	6	9	16	27
50-69	498	8.2	85	2	3	5	12	15	17
70 +	48	10.8	28	4	6	8	17	18	18
SUBTOTAL	**1781**	**8.7**	**101**	**2**	**3**	**6**	**10**	**17**	**38**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1781**	**8.7**	**101**	**2**	**3**	**6**	**10**	**17**	**38**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	248	6.9	66	1	2	4	8	28	31
18-34	330	4.1	10	1	2	3	5	8	9
35-49	509	4.8	14	2	2	4	6	9	15
50-69	542	6.6	36	1	2	4	9	13	14
70 +	187	7.5	17	3	3	7	10	15	15
	1815	**5.8**	**29**	**1**	**2**	**4**	**8**	**12**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1815	**5.8**	**29**	**1**	**2**	**4**	**8**	**12**	**15**

DRG 301: Endocrine Disorders w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	570	3.8	5	2	2	3	5	6	9
70-74	382	4.5	12	1	1	3	8	9	11
75-79	333	5.0	13	1	2	4	7	10	12
80-84	176	6.0	13	3	3	5	8	12	13
85+	129	6.2	9	4	4	5	7	11	13
SUBTOTAL	1590	4.6	10	1	2	4	6	9	11
GRAND TOTAL	1590	4.6	10	1	2	4	6	9	11

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	2888	2.2	4	1	1	2	2	4	6
18-34	1187	3.4	8	1	2	2	4	7	10
35-49	1493	3.7	8	1	2	3	5	7	10
50-69	1450	3.3	5	1	2	3	4	6	7
70+	23	1.9	2						
	7040	2.9	6	1	1	2	4	6	7
	7040	2.9	6	1	1	2	4	6	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	563	3.1	7	1	1	2	5	6	8
18-34	339	3.3	4	1	2	3	4	6	6
35-49	246	4.4	22	1	2	3	5	10	16
50-69	209	4.6	12	1	1	4	7	9	11
70+	22	5.6	12						
SUBTOTAL	1379	3.7	10	1	1	3	5	8	10
GRAND TOTAL	1379	3.7	10	1	1	3	5	8	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	1491	2.0	13	1	1	1	2	4	6
18-34	711	3.3	7	1	1	2	5	8	9
35-49	590	3.8	10	1	2	3	5	10	11
50-69	441	3.6	8	1	2	2	5	8	9
70+	49	5.3	17	1	2	3	11	11	11
	3282	2.9	11	1	1	2	4	7	9
	3282	2.9	11	1	1	2	4	7	9

DRG 302: Kidney Transplant

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3553	17.6	124	8	10	15	21	29	40
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	3553	17.6	124	8	10	15	21	29	40
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	723	11.9	30	7	8	11	15	17	23
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	723	11.9	30	7	8	11	15	17	23
GRAND TOTAL	4276	16.6	112	8	10	14	20	28	37

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	225	20.5	122	12	14	16	25	34	55
18-34	250	16.9	94	8	10	14	19	31	31
35-49	349	14.2	38	7	9	13	17	22	27
50-69	168	16.5	108	7	9	14	17	31	40
70 +	0								
	992	16.7	89	8	10	15	19	27	32
0-17	73	14.9	29	7	10	15	18	24	24
18-34	108	10.6	6	8	8	11	13	14	14
35-49	141	9.9	9	6	8	9	12	14	16
50-69	48	9.8	2	8	9	10	11	12	12
70 +	0								
	370	11.1	15	7	8	10	13	16	18
	1362	15.2	75	8	9	13	18	26	31

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	91	29.5	119	16	22	28	34	39	57
18-34	152	16.2	54	7	8	17	23	28	28
35-49	64	17.0	38	7	11	21	22	23	25
50-69	26	15.8	29						
70 +	0								
SUBTOTAL	333	20.0	101	8	13	20	25	33	39
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	28	9.9	10						
18-34	51	11.4	16	7	10	11	11	21	21
35-49	18	13.3	6						
50-69	18	17.0	37						
70 +	0								
SUBTOTAL	115	12.2	21	8	8	11	15	21	24
GRAND TOTAL	448	18.0	92	8	11	17	23	28	34

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	38	17.5	24						
18-34	54	13.9	21	9	9	12	16	23	23
35-49	58	15.6	47	7	10	13	23	24	24
50-69	65	11.1	13	6	7	12	14	16	17
70 +	0								
	215	14.1	31	7	10	12	19	23	24
0-17	24	17.5	73						
18-34	35	13.2	23						
35-49	46	11.4	2	10	10	11	12	15	15
50-69	41	8.9	10	2	8	10	11	12	12
70 +	0								
	145	12.1	29	8	9	11	14	20	27
	360	13.3	31	8	10	12	17	22	24

DRG 303: Kidney, Ureter & Major Bladder Procedures for Neoplasm

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	3871	13.3	68	6	8	11	15	22	33
70-74	3008	14.1	71	7	9	12	17	25	29
75-79	2682	16.1	122	8	10	12	20	29	38
80-84	1392	14.6	83	7	9	12	17	26	35
85 +	668	15.2	56	8	11	14	17	32	32
SUBTOTAL	**11621**	**14.4**	**83**	**7**	**9**	**12**	**17**	**25**	**33**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	1451	9.1	14	5	7	9	10	14	16
70-74	827	8.7	9	5	7	9	11	13	14
75-79	492	11.0	29	6	7	9	14	21	23
80-84	413	9.6	12	6	7	8	12	14	15
85 +	179	11.4	16	7	8	12	16	16	16
SUBTOTAL	**3362**	**9.5**	**16**	**6**	**7**	**9**	**11**	**14**	**18**
GRAND TOTAL	**14983**	**13.3**	**73**	**6**	**8**	**11**	**15**	**23**	**31**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	358	12.9	110	5	7	10	14	33	44
18-34	158	10.4	34	5	7	9	11	13	27
35-49	1064	9.7	21	6	7	9	11	14	16
50-69	3639	11.6	45	6	8	10	14	18	26
70 +	238	13.2	65	6	8	11	16	20	33
SUBTOTAL	**5457**	**11.4**	**46**	**6**	**7**	**10**	**13**	**17**	**26**
0-17	344	8.1	9	5	6	8	9	12	14
18-34	213	7.0	7	4	6	7	8	10	12
35-49	893	7.3	6	5	6	7	8	11	12
50-69	2019	9.4	22	5	6	8	12	14	17
70 +	40	6.9	1						
SUBTOTAL	**3509**	**8.6**	**16**	**5**	**6**	**8**	**10**	**14**	**16**
GRAND TOTAL	**8966**	**10.3**	**36**	**5**	**7**	**9**	**12**	**16**	**22**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	121	16.4	109	6	8	13	20	36	36
18-34	129	10.9	17	7	9	9	11	16	23
35-49	99	18.0	225	8	9	13	17	44	58
50-69	222	15.0	146	7	7	12	17	26	52
70 +	26	14.8	1						
SUBTOTAL	**597**	**14.9**	**122**	**7**	**9**	**12**	**16**	**29**	**36**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	189	10.3	25	6	7	8	12	17	26
18-34	34	16.9	196						
35-49	32	9.9	5						
50-69	119	11.9	131	5	6	7	12	36	42
70 +	6	7.0							
SUBTOTAL	**380**	**11.3**	**74**	**6**	**7**	**8**	**12**	**17**	**36**
GRAND TOTAL	**976**	**13.5**	**107**	**6**	**7**	**10**	**16**	**26**	**36**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	91	9.6	30	4	7	9	10	24	24
18-34	52	9.2	12	6	6	8	14	14	14
35-49	164	10.9	24	6	7	8	14	19	21
50-69	962	12.5	84	6	8	10	15	20	24
70 +	148	15.6	131	6	7	10	22	37	37
SUBTOTAL	**1417**	**12.4**	**78**	**6**	**7**	**10**	**14**	**20**	**24**
0-17	67	8.2	12	4	5	7	12	14	14
18-34	8	7.0							
35-49	187	8.9	107	5	6	7	8	10	12
50-69	400	9.2	18	5	7	8	10	12	20
70 +	57	10.9	14	6	8	11	14	16	17
SUBTOTAL	**720**	**9.1**	**40**	**5**	**6**	**8**	**10**	**14**	**15**
GRAND TOTAL	**2137**	**11.3**	**67**	**6**	**7**	**9**	**13**	**19**	**24**

Total U.S., July 1989 - June 1990

DRG 304: Kidney, Ureter & Major Bladder Proc for Non-neopl w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	5770	11.7	88	4	6	9	14	22	30
70-74	3169	11.4	99	3	6	9	14	22	32
75-79	2559	12.9	84	4	7	10	17	26	31
80-84	1026	15.2	128	4	7	14	18	29	39
85 +	815	17.0	222	4	9	13	19	29	49
SUBTOTAL	13338	12.4	104	4	6	10	15	24	32
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	13338	12.4	104	4	6	10	15	24	32

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	4303	8.5	41	3	5	7	10	16	20
18-34	2206	8.6	62	3	5	7	10	16	22
35-49	3620	8.3	48	3	4	7	10	15	21
50-69	4149	10.3	60	3	5	9	13	20	25
70 +	185	14.0	42	5	9	14	22	22	23
	14463	9.0	52	3	5	7	11	17	22
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	14463	9.0	52	3	5	7	11	17	22

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	1215	11.6	196	3	5	7	12	24	39
18-34	958	9.6	84	3	4	7	11	19	26
35-49	677	11.3	83	3	5	9	14	33	33
50-69	430	12.5	101	5	8	9	14	23	28
70 +	58	16.0	59	5	10	17	22	27	28
SUBTOTAL	3337	11.1	128	3	5	8	13	23	33
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	3337	11.1	128	3	5	8	13	23	33

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1304	8.9	61	3	4	7	12	16	19
18-34	818	8.8	28	4	5	7	10	16	21
35-49	823	9.2	61	3	5	7	10	14	19
50-69	790	11.8	116	4	7	9	14	21	35
70 +	139	10.8	54	4	7	8	14	22	29
	3875	9.6	66	4	5	8	12	16	22
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3875	9.6	66	4	5	8	12	16	22

DRG 305: Kidney, Ureter & Major Bladder Proc for Non-neopl w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2169	6.4	13	2	4	6	9	11	12
70-74	743	5.9	12	2	3	6	8	10	13
75-79	749	6.5	25	2	2	5	10	15	17
80-84	433	6.9	9	4	4	6	8	11	14
85 +	118	7.5	20	1	5	7	11	14	15
SUBTOTAL	**4213**	**6.4**	**15**	**2**	**4**	**6**	**8**	**11**	**14**
GRAND TOTAL	4213	6.4	15	2	4	6	8	11	14

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	11664	5.5	11	2	4	5	7	9	11
18-34	3803	4.9	10	2	3	4	6	9	11
35-49	5058	5.2	18	1	2	4	7	9	12
50-69	4705	5.7	14	2	3	5	8	10	13
70 +	94	6.4	9	1	5	5	8	11	12
25324	**5.4**	**13**	**2**	**3**	**5**	**7**	**9**	**11**	
25324	**5.4**	**13**	**2**	**3**	**5**	**7**	**9**	**11**	

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	2706	5.9	21	2	3	5	7	10	13
18-34	520	6.3	14	2	3	6	9	9	11
35-49	288	6.9	58	3	3	5	7	11	14
50-69	341	8.0	40	2	5	8	9	13	19
70 +	12	2.0							
SUBTOTAL	**3867**	**6.2**	**25**	**2**	**3**	**5**	**8**	**10**	**13**
GRAND TOTAL	3867	6.2	25	2	3	5	8	10	13

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	2969	5.4	10	3	4	5	6	9	11
18-34	1774	5.4	11	2	3	5	7	9	10
35-49	1186	5.4	8	2	3	5	7	9	10
50-69	680	5.7	13	1	3	6	7	10	14
70 +	34	8.4	39						
6643	**5.5**	**10**	**2**	**3**	**5**	**7**	**9**	**11**	
6643	5.5	10	2	3	5	7	9	11	

Total U.S., July 1989 - June 1990

DRG 306: Prostatectomy w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2269	6.7	36	2	4	5	9	12	16
70-74	3155	9.0	63	3	4	6	11	17	22
75-79	3337	8.7	34	3	4	7	11	17	19
80-84	2315	9.7	87	3	4	7	12	17	28
85 +	1641	9.6	50	3	5	8	13	18	22
SUBTOTAL	**12718**	**8.7**	**54**	**3**	**4**	**7**	**11**	**17**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**12718**	**8.7**	**54**	**3**	**4**	**7**	**11**	**17**	**20**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	62	7.7	23	2	5	5	13	16	16
50-69	1619	7.6	25	3	4	6	10	14	17
70 +	200	5.5	11	2	3	4	7	12	12
SUBTOTAL	**1881**	**7.4**	**24**	**3**	**4**	**5**	**10**	**14**	**17**
0									
GRAND TOTAL	**1881**	**7.4**	**24**	**3**	**4**	**5**	**10**	**14**	**17**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	6	2.0							
50-69	44	9.6	149	3	3	4	10	39	39
70 +	15	6.8	4						
SUBTOTAL	**66**	**8.2**	**106**	**3**	**3**	**4**	**9**	**10**	**39**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**66**	**8.2**	**106**	**3**	**3**	**4**	**9**	**10**	**39**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	6	5.0							
35-49	0								
50-69	214	5.2	14	1	2	5	6	11	14
70 +	127	10.8	85	2	4	7	15	25	35
SUBTOTAL	**346**	**7.3**	**46**	**2**	**3**	**5**	**9**	**14**	**25**
0									
GRAND TOTAL	**346**	**7.3**	**46**	**2**	**3**	**5**	**9**	**14**	**25**

Total U.S., July 1989 - June 1990

DRG 307: Prostatectomy w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	1395	5.0	13	2	3	4	6	12	14
70-74	1310	4.0	4	2	3	4	5	6	8
75-79	1205	5.2	16	2	3	4	6	9	12
80-84	687	4.4	6	2	3	4	6	8	8
85 +	457	4.9	10	3	3	4	6	8	9
SUBTOTAL	**5054**	**4.7**	**10**	**2**	**3**	**4**	**6**	**8**	**10**
GRAND TOTAL	**5054**	**4.7**	**10**	**2**	**3**	**4**	**6**	**8**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	10	3.0							
35-49	144	5.4	10	3	4	4	5	14	14
50-69	1939	4.6	7	2	3	4	5	8	10
70 +	150	3.9	3	2	3	3	6	7	7
2243	**4.6**	**7**	**2**	**3**	**4**	**5**	**8**	**10**	
2243	**4.6**	**7**	**2**	**3**	**4**	**5**	**8**	**10**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	8	3.0							
50-69	49	3.0	1	1	3	3	4	4	4
70 +	20	3.5	2						
SUBTOTAL	**77**	**3.1**	**1**	**1**	**3**	**3**	**4**	**4**	**5**
GRAND TOTAL	**77**	**3.1**	**1**	**1**	**3**	**3**	**4**	**4**	**5**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	0								
35-49	29	2.3	1						
50-69	256	4.3	8	2	3	4	5	7	8
70 +	89	11.9	65						
373	**5.9**	**32**	**2**	**3**	**4**	**5**	**20**	**20**	
373	**5.9**	**32**	**2**	**3**	**4**	**5**	**20**	**20**	

DRG 308: Minor Bladder Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2797	8.5	69	2	3	6	10	16	21
70-74	2583	6.9	53	2	3	5	9	13	17
75-79	2250	9.8	91	2	3	7	13	20	35
80-84	1657	9.9	108	2	4	7	10	20	32
85 +	1311	10.6	74	3	5	8	14	22	25
SUBTOTAL	10598	8.9	78	2	3	6	11	17	25
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	10598	8.9	78	2	3	6	11	17	25

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	996	8.8	40	2	4	8	12	18	21
18-34	404	7.9	38	2	4	6	9	16	23
35-49	525	10.4	88	2	4	9	13	19	24
50-69	1625	7.9	88	2	3	5	9	15	24
70 +	181	7.2	36	3	3	5	10	14	23
	3732	8.5	68	2	3	6	11	18	23
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3732	8.5	68	2	3	6	11	18	23

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	451	9.2	40	1	3	8	14	18	20
18-34	174	11.2	75	3	6	8	15	26	26
35-49	182	9.5	119	2	4	4	8	26	34
50-69	134	9.7	73	3	4	8	11	26	37
70 +	40	8.4	39						
SUBTOTAL	982	9.6	66	2	4	8	14	19	26
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	982	9.6	66	2	4	8	14	19	26

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	287	9.8	37	2	6	9	15	20	20
18-34	274	7.9	15	4	5	7	11	14	16
35-49	113	9.3	25	3	6	9	12	20	99 +
50-69	372	9.1	31	3	5	8	12	15	26
70 +	154	7.1	19	3	3	6	12	13	13
	1201	8.7	28	3	5	8	12	17	20
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1201	8.7	28	3	5	8	12	17	20

Total U.S., July 1989 - June 1990

DRG 309: Minor Bladder Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	1215	4.3	16	1	2	3	5	9	11
70-74	1307	4.3	12	1	2	3	6	9	11
75-79	1110	4.8	17	1	2	3	7	9	11
80-84	507	4.0	14	1	2	3	6	7	12
85 +	431	6.6	22	1	3	5	8	16	16
SUBTOTAL	**4569**	**4.6**	**16**	**1**	**2**	**3**	**6**	**9**	**12**
GRAND TOTAL	**4569**	**4.6**	**16**	**1**	**2**	**3**	**6**	**9**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	1142	5.7	44	1	2	3	7	12	20
18-34	464	6.1	26	1	2	5	8	13	17
35-49	1059	4.7	26	2	3	4	6	8	9
50-69	1731	4.2	9	1	2	3	6	8	10
70 +	93	1.9		1	2	2	2	2	3
4489	**4.8**	**24**	**1**	**2**	**3**	**6**	**9**	**12**	
4489	**4.8**	**24**	**1**	**2**	**3**	**6**	**9**	**12**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	445	4.7	12	1	2	4	7	9	11
18-34	156	5.9	15	3	4	4	8	11	14
35-49	170	5.3	11	3	4	4	5	13	14
50-69	190	5.7	6	2	3	7	8	8	8
70 +	36	6.9	25						
SUBTOTAL	**998**	**5.3**	**12**	**1**	**3**	**5**	**7**	**9**	**12**
GRAND TOTAL	**998**	**5.3**	**12**	**1**	**3**	**5**	**7**	**9**	**12**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	369	7.3	79	1	2	6	8	15	15
18-34	201	4.1	4	2	2	4	6	8	8
35-49	176	4.8	13	2	2	3	7	8	16
50-69	265	3.8	7	1	2	3	5	8	10
70 +	151	3.1	3	1	1	3	4	5	5
1162	**5.0**	**32**	**1**	**2**	**4**	**7**	**8**	**12**	
1162	**5.0**	**32**	**1**	**2**	**4**	**7**	**8**	**12**	

Total U.S., July 1989 - June 1990

DRG 310: Transurethral Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	8432	5.1	30	1	2	4	6	10	15
70-74	7614	4.7	18	1	2	3	6	9	12
75-79	7308	5.2	25	1	2	4	6	10	14
80-84	5928	6.0	34	1	3	4	7	13	16
85 +	4322	7.7	77	2	3	5	9	16	24
SUBTOTAL	**33605**	**5.5**	**34**	**1**	**2**	**4**	**7**	**11**	**16**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**33605**	**5.5**	**34**	**1**	**2**	**4**	**7**	**11**	**16**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	175	5.8	31	1	2	4	8	14	14
18-34	2671	3.7	6	1	2	3	5	7	8
35-49	4894	3.7	6	1	2	3	5	6	8
50-69	8165	3.9	11	1	2	3	5	7	9
70 +	701	4.1	12	1	2	3	6	7	8
	16605	**3.8**	**9**	**1**	**2**	**3**	**5**	**7**	**8**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	16605	**3.8**	**9**	**1**	**2**	**3**	**5**	**7**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	67	1.8	1	< 1	1	1	3	3	3
18-34	260	5.1	10	1	3	5	6	8	14
35-49	209	5.4	21	1	2	3	6	12	14
50-69	554	7.0	29	1	3	6	8	15	17
70 +	173	6.6	31	3	4	5	7	10	23
SUBTOTAL	**1262**	**6.0**	**24**	**1**	**3**	**5**	**8**	**13**	**17**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1262**	**6.0**	**24**	**1**	**3**	**5**	**8**	**13**	**17**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	602	3.9	6	2	2	4	5	7	9
35-49	680	4.0	10	1	2	3	5	8	10
50-69	1430	4.3	25	1	1	3	5	9	13
70 +	416	4.2	14	1	2	3	5	10	12
	3127	**4.1**	**17**	**1**	**2**	**3**	**5**	**9**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3127	**4.1**	**17**	**1**	**2**	**3**	**5**	**9**	**12**

Total U.S., July 1989 - June 1990

DRG 311: Transurethral Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	6812	2.5	3	1	1	2	3	5	6
70-74	5537	2.6	3	1	1	2	3	5	6
75-79	4108	2.9	8	1	1	2	4	5	6
80-84	2818	2.9	5	1	1	2	4	5	7
85 +	2017	3.7	7	1	2	3	5	7	8
SUBTOTAL	**21292**	**2.8**	**5**	**1**	**1**	**2**	**4**	**5**	**7**
GRAND TOTAL	**21292**	**2.8**	**5**	**1**	**1**	**2**	**4**	**5**	**7**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	544	2.3	3	1	1	2	3	5	5
18-34	8473	2.9	3	1	2	2	4	5	6
35-49	14612	2.7	4	1	1	2	3	5	6
50-69	14736	2.7	4	1	1	2	4	5	6
70 +	484	2.4	3	1	1	2	3	4	5
SUBTOTAL	**38850**	**2.7**	**4**	**1**	**1**	**2**	**4**	**5**	**6**
	38850	**2.7**	**4**	**1**	**1**	**2**	**4**	**5**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	28	1.8	1						
18-34	465	3.0	3	1	1	3	4	5	6
35-49	504	3.0	3	1	2	2	4	5	7
50-69	327	3.1	2	1	2	3	4	4	6
70 +	200	2.8	1	1	1	3	4	4	4
SUBTOTAL	**1524**	**3.0**	**2**	**1**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**1524**	**3.0**	**2**	**1**	**2**	**3**	**4**	**5**	**6**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	143	2.7	3	1	2	2	3	5	9
18-34	2218	2.7	3	1	1	2	3	5	5
35-49	2140	2.5	3	1	1	2	3	4	5
50-69	2383	2.2	2	1	1	2	3	4	5
70 +	495	2.5	2	1	2	2	3	4	5
SUBTOTAL	**7379**	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
	7379	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**5**

DRG 312: Urethral Procedures, Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1029	4.9	29	1	1	3	6	10	13
70-74	656	4.9	17	1	2	4	5	12	16
75-79	509	5.7	17	1	3	4	8	12	13
80-84	579	6.6	88	1	3	4	6	12	17
85 +	410	5.8	18	2	3	5	7	11	14
SUBTOTAL	**3182**	**5.5**	**35**	**1**	**2**	**4**	**6**	**11**	**16**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3182**	**5.5**	**35**	**1**	**2**	**4**	**6**	**11**	**16**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	496	4.6	39	1	1	2	5	11	17
35-49	344	5.0	54	1	1	3	5	11	14
50-69	401	3.1	6	1	1	2	4	5	6
70 +	71	16.9	85						
SUBTOTAL	**1311**	**4.9**	**44**	**1**	**1**	**2**	**5**	**11**	**23**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1311**	**4.9**	**44**	**1**	**1**	**2**	**5**	**11**	**23**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	146	4.7	26	1	1	2	5	16	17
35-49	16	3.4							
50-69	150	7.4	16	3	4	6	11	11	19
70 +	13	2.1	1						
SUBTOTAL	**325**	**5.7**	**22**	**1**	**2**	**4**	**7**	**11**	**17**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**325**	**5.7**	**22**	**1**	**2**	**4**	**7**	**11**	**17**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	133	3.5	9	1	1	2	4	8	12
35-49	69	3.2	10	1	1	2	2	9	9
50-69	127	4.3	23	< 1	1	2	4	14	15
70 +	74	4.9	39	1	1	2	4	16	20
SUBTOTAL	**403**	**3.9**	**20**	**1**	**1**	**2**	**4**	**13**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**403**	**3.9**	**20**	**1**	**1**	**2**	**4**	**13**	**15**

DRG 313: Urethral Procedures, Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	553	3.0	6	1	1	2	4	6	9
70-74	453	1.9	1	1	1	2	2	3	4
75-79	498	2.9	5	1	1	2	3	6	7
80-84	190	4.6	19	1	2	3	7	11	11
85 +	170	3.0	6	1	1	2	5	7	7
SUBTOTAL	**1863**	**2.9**	**6**	**1**	**1**	**2**	**3**	**6**	**8**
GRAND TOTAL	**1863**	**2.9**	**6**	**1**	**1**	**2**	**3**	**6**	**8**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1158	2.8	7	1	1	2	4	6	8
35-49	937	2.2	3	1	1	1	3	5	5
50-69	710	3.5	20	1	1	2	4	10	16
70 +	14	1.0							
	2819	**2.8**	**9**	**1**	**1**	**2**	**3**	**5**	**8**
	2819	**2.8**	**9**	**1**	**1**	**2**	**3**	**5**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	155	2.5	1	1	2	2	3	4	4
35-49	73	3.1	3	1	1	3	4	7	7
50-69	56	2.0	2	1	1	2	2	5	5
70 +	6	1.0							
SUBTOTAL	**291**	**2.5**	**2**	**1**	**2**	**2**	**3**	**4**	**5**
GRAND TOTAL	**291**	**2.5**	**2**	**1**	**2**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	399	2.0	2	1	1	2	2	4	5
35-49	182	1.9	1	1	1	2	2	4	4
50-69	174	2.2	3	1	1	1	2	5	7
70 +	34	2.4	1						
	790	**2.1**	**2**	**1**	**1**	**2**	**2**	**4**	**5**
	790	**2.1**	**2**	**1**	**1**	**2**	**2**	**4**	**5**

Total U.S., July 1989 - June 1990

DRG 314: Urethral Procedures, Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	20	1.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**20**	**1.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**20**	**1.0**							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	287	5.0	24	1	2	4	6	14	21
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	287	**5.0**	**24**	**1**	**2**	**4**	**6**	**14**	**21**
0-17	1089	2.8	11	< 1	1	1	4	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1089	**2.8**	**11**	**< 1**	**1**	**1**	**4**	**5**	**7**
	1376	**3.3**	**15**	**< 1**	**1**	**2**	**4**	**6**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	88	4.9	18	1	1	4	7	12	13
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**88**	**4.9**	**18**	**1**	**1**	**4**	**7**	**12**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	249	3.6	12	< 1	1	3	5	8	14
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**249**	**3.6**	**12**	**< 1**	**1**	**3**	**5**	**8**	**14**
GRAND TOTAL	**337**	**3.9**	**14**	**< 1**	**1**	**3**	**6**	**10**	**13**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	158	4.6	13	< 1	< 1	4	8	11	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	158	**4.6**	**13**	**< 1**	**< 1**	**4**	**8**	**11**	**11**
0-17	315	3.0	5	< 1	1	2	5	7	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	315	**3.0**	**5**	**< 1**	**1**	**2**	**5**	**7**	**7**
	473	**3.6**	**8**	**< 1**	**1**	**3**	**6**	**8**	**11**

Total U.S., July 1989 - June 1990

DRG 315: Other Kidney & Urinary Tract O.R. Procedures

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	9366	9.7	114	2	3	6	12	23	33
70-74	3467	13.6	137	2	5	11	19	31	38
75-79	2472	14.2	160	2	5	11	19	32	38
80-84	1146	17.4	308	2	6	12	24	39	69
85 +	860	20.1	194	6	10	19	29	36	56
SUBTOTAL	**17312**	**12.1**	**151**	**2**	**3**	**8**	**17**	**29**	**38**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2920	4.1	22	1	2	2	5	9	12
70-74	1064	3.4	11	1	1	2	4	8	12
75-79	615	6.3	23	1	2	5	10	13	15
80-84	311	7.8	78	1	2	4	11	22	35
85 +	117	13.7	103	1	2	18	18	20	36
SUBTOTAL	**5027**	**4.6**	**28**	**1**	**2**	**3**	**5**	**11**	**15**
GRAND TOTAL	**22339**	**10.5**	**134**	**1**	**3**	**6**	**14**	**25**	**35**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	391	10.6	123	2	3	7	14	19	26
18-34	1316	8.9	140	2	3	6	10	17	24
35-49	2212	8.2	80	2	2	6	11	17	27
50-69	3859	10.1	95	1	3	8	13	24	27
70 +	160	9.9	44	2	7	9	13	16	27
SUBTOTAL	**7939**	**9.4**	**99**	**2**	**3**	**7**	**12**	**21**	**27**
0-17	317	7.0	41	2	3	5	9	15	24
18-34	880	5.6	18	1	3	5	8	11	13
35-49	1489	4.4	17	1	1	2	6	11	14
50-69	2300	3.8	21	1	1	2	4	7	11
70 +	102	3.8	12	1	1	2	5	10	11
SUBTOTAL	**5088**	**4.5**	**21**	**1**	**1**	**3**	**6**	**10**	**13**
GRAND TOTAL	**13027**	**7.5**	**75**	**1**	**2**	**5**	**9**	**17**	**24**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	274	18.3	402	2	4	11	25	45	52
18-34	894	11.0	75	2	4	9	18	23	29
35-49	1058	11.1	131	2	3	8	14	23	38
50-69	1642	12.9	129	2	4	10	18	26	40
70 +	72	18.9	75	10	11	15	28	34	34
SUBTOTAL	**3940**	**12.5**	**139**	**2**	**4**	**10**	**17**	**27**	**37**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	263	7.5	75	1	3	6	9	12	22
18-34	529	7.6	61	2	3	5	11	12	34
35-49	302	7.5	63	1	2	5	11	15	21
50-69	348	5.9	25	1	2	4	9	13	16
70 +	8	1.0							
SUBTOTAL	**1449**	**7.1**	**56**	**1**	**2**	**5**	**10**	**13**	**21**
GRAND TOTAL	**5389**	**11.0**	**122**	**2**	**3**	**8**	**15**	**25**	**34**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	202	13.9	145	1	4	11	20	37	43
18-34	521	11.3	79	2	4	8	16	25	30
35-49	515	9.8	77	2	3	7	14	23	26
50-69	1130	10.7	88	1	3	8	15	25	29
70 +	157	13.3	118	1	3	12	16	33	33
SUBTOTAL	**2525**	**11.1**	**92**	**2**	**4**	**8**	**15**	**25**	**30**
0-17	202	8.4	306	1	2	5	5	10	41
18-34	457	6.3	24	1	3	5	8	14	15
35-49	364	5.3	22	1	2	3	6	12	18
50-69	560	5.6	43	1	2	3	7	15	18
70 +	66	4.4	15	1	1	2	8	11	11
SUBTOTAL	**1650**	**6.0**	**65**	**1**	**2**	**4**	**8**	**13**	**17**
GRAND TOTAL	**4175**	**9.1**	**87**	**1**	**3**	**6**	**13**	**21**	**27**

Total U.S., July 1989 - June 1990

DRG 316: Renal Failure

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	9086	7.7	50	2	3	6	9	15	21
70-74	4468	10.8	100	3	5	8	13	20	31
75-79	4729	9.8	69	3	5	7	12	18	24
80-84	4778	10.5	54	4	6	8	13	22	28
85 +	4464	11.0	78	4	6	8	14	20	25
SUBTOTAL	**27524**	**9.6**	**68**	**3**	**5**	**7**	**12**	**18**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1333	4.1	14	< 1	1	3	6	8	10
70-74	582	6.7	66	1	3	4	8	12	22
75-79	440	4.7	18	1	2	4	5	9	16
80-84	451	7.8	41	2	3	5	12	21	21
85 +	356	5.8	18	2	3	5	7	10	16
SUBTOTAL	**3163**	**5.4**	**30**	**1**	**2**	**4**	**7**	**10**	**16**
GRAND TOTAL	**30687**	**9.1**	**66**	**2**	**4**	**7**	**11**	**18**	**24**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	625	5.6	31	1	2	4	8	13	18
18-34	918	6.7	27	1	3	6	9	14	14
35-49	1576	6.8	23	2	4	6	9	12	14
50-69	3533	9.0	67	2	3	6	12	20	24
70 +	514	8.2	21	3	5	7	11	15	16
7160	**7.9**	**47**	**2**	**3**	**6**	**10**	**16**	**22**	
0-17	495	3.8	13	1	1	3	4	9	12
18-34	403	4.7	8	1	3	4	6	8	11
35-49	629	4.0	11	1	2	3	4	12	12
50-69	734	5.2	28	1	2	3	7	11	16
70 +	62	7.6	43	< 1	1	5	15	17	17
2323	**4.6**	**18**	**1**	**2**	**3**	**6**	**10**	**13**	
9483	**7.0**	**42**	**1**	**3**	**5**	**9**	**14**	**20**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	396	9.2	77	2	4	7	11	18	25
18-34	765	6.5	62	1	2	4	8	13	18
35-49	984	7.4	42	1	3	5	11	17	22
50-69	1690	8.4	65	2	4	6	10	17	30
70 +	138	11.7	128	2	4	7	19	39	39
SUBTOTAL	**3973**	**8.0**	**63**	**1**	**3**	**5**	**10**	**17**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	360	8.0	117	1	2	4	9	19	58
18-34	357	3.2	10	< 1	1	2	4	6	9
35-49	261	5.1	27	< 1	< 1	3	7	13	17
50-69	365	6.5	70	< 1	1	4	7	13	24
70 +	34	3.8	5	2	3	99 +	99 +	99 +	99 +
SUBTOTAL	**1377**	**5.7**	**60**	**< 1**	**1**	**3**	**7**	**17**	**34**
GRAND TOTAL	**5351**	**7.4**	**64**	**1**	**2**	**5**	**10**	**17**	**25**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	174	10.4	121	3	3	8	12	26	48
18-34	685	6.3	63	1	2	4	7	10	35
35-49	980	6.4	45	1	2	4	9	14	21
50-69	1252	9.0	81	2	2	6	13	22	28
70 +	368	11.5	265	3	4	6	12	16	63
3458	**8.0**	**92**	**1**	**3**	**5**	**10**	**16**	**26**	
0-17	276	4.2	18	1	1	3	6	8	13
18-34	525	2.9	7	< 1	< 1	2	4	6	10
35-49	537	3.7	26	< 1	< 1	2	4	9	15
50-69	621	2.7	21	< 1	< 1	< 1	2	6	10
70 +	69	5.6	35	< 1	1	4	7	10	22
2027	**3.3**	**19**	**< 1**	**< 1**	**1**	**4**	**8**	**11**	
5485	**6.3**	**70**	**< 1**	**1**	**4**	**8**	**14**	**22**	

DRG 317: Admit for Renal Dialysis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	602	5.0	40	1	1	2	5	15	15
70-74	224	6.7	25	2	3	4	14	15	15
75-79	158	5.0	15	<1	<1	5	6	10	15
80-84	16	2.9	2						
85+	31	1.5							
SUBTOTAL	**1031**	**5.2**	**32**	**1**	**1**	**3**	**6**	**15**	**15**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1031**	**5.2**	**32**	**1**	**1**	**3**	**6**	**15**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	197	1.2	1	1	1	1	1	1	2
18-34	60	3.0	1						
35-49	353	1.9	2	<1	<1	1	3	4	5
50-69	240	4.1	8	1	1	4	7	8	8
70+	0								
SUBTOTAL	**849**	**2.4**	**5**	**<1**	**1**	**1**	**4**	**6**	**7**
0-17	0								
18-34	0								
35-49	177	1.3		<1	<1	<1	2	2	2
50-69	93	1.5							
70+	0								
SUBTOTAL	**270**	**1.4**		**<1**	**<1**	**1**	**2**	**2**	**2**
GRAND TOTAL	**1119**	**2.2**	**4**	**<1**	**<1**	**1**	**3**	**5**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	10	4.0							
18-34	281	1.5	1	<1	<1	<1	1	3	3
35-49	170	1.0		<1	<1	<1	<1	1	1
50-69	454	1.9	6	<1	<1	<1	1	5	5
70+	6	1.0							
SUBTOTAL	**921**	**1.7**	**3**	**<1**	**<1**	**<1**	**1**	**4**	**5**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	16	2.9	2						
35-49	87	1.3	1	<1	<1	1	1	1	4
50-69	16	1.0							
70+	0								
SUBTOTAL	**118**	**1.5**	**1**	**<1**	**<1**	**1**	**1**	**4**	**4**
GRAND TOTAL	**1039**	**1.6**	**3**	**<1**	**<1**	**<1**	**1**	**4**	**5**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	80	1.0		<1	<1	<1	<1	<1	1
35-49	55	1.2		<1	<1	<1	<1	3	3
50-69	55	1.4	1	<1	<1	1	2	3	3
70+	6	1.0							
SUBTOTAL	**196**	**1.2**		**<1**	**<1**	**<1**	**<1**	**2**	**3**
0-17	0								
18-34	6	1.0							
35-49	6	1.0							
50-69	0								
70+	6	2.0							
SUBTOTAL	**18**	**1.3**							
GRAND TOTAL	**215**	**1.2**		**<1**	**<1**	**<1**	**1**	**2**	**3**

DRG 318: Kidney & Urinary Tract Neoplasms w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1181	9.9	88	2	3	8	12	22	38
70-74	1172	7.7	45	2	3	6	10	16	19
75-79	933	11.2	76	2	4	8	16	23	30
80-84	937	9.5	70	2	4	7	13	22	25
85 +	739	7.1	34	1	3	6	8	14	17
SUBTOTAL	**4962**	**9.1**	**66**	**2**	**3**	**7**	**12**	**21**	**26**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	4962	9.1	66	2	3	7	12	21	26

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	356	6.0	23	1	3	6	7	10	16
18-34	82	3.4	5	1	2	3	3	8	8
35-49	348	5.0	12	1	2	4	7	10	12
50-69	1275	6.1	34	2	2	4	8	14	18
70 +	152	6.0	13	1	1	7	8	11	13
	2213	**5.8**	**27**	**1**	**2**	**5**	**7**	**11**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2213	5.8	27	1	2	5	7	11	15

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	165	6.1	47	1	3	4	6	11	30
18-34	24	14.0	97						
35-49	55	9.6	60	< 1	3	7	20	23	23
50-69	226	9.1	113	1	2	5	11	26	30
70 +	39	6.7	16	3	3	4	9	14	14
SUBTOTAL	**508**	**8.2**	**81**	**1**	**3**	**5**	**9**	**24**	**29**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	508	8.2	81	1	3	5	9	24	29

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	133	9.0	115	1	2	7	12	15	43
18-34	44	10.5	40						
35-49	141	10.0	54	4	6	6	10	27	27
50-69	324	7.1	40	< 1	2	5	12	15	21
70 +	96	3.8	2	3	3	4	4	6	6
	738	**7.8**	**55**	**1**	**3**	**6**	**10**	**18**	**21**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	738	7.8	55	1	3	6	10	18	21

DRG 319: Kidney & Urinary Tract Neoplasms w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	277	2.9	8	1	1	2	3	9	9
70-74	176	2.4	4	1	1	2	4	4	9
75-79	113	2.5	3	< 1	1	2	5	5	6
80-84	186	3.8	22	1	1	2	4	8	18
85 +	150	5.9	27	3	3	3	7	20	20
SUBTOTAL	**902**	**3.4**	**14**	**1**	**1**	**2**	**4**	**8**	**9**
GRAND TOTAL	**902**	**3.4**	**14**	**1**	**1**	**2**	**4**	**8**	**9**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	384	4.1	16	1	1	3	4	8	14
18-34	41	3.4	3						
35-49	241	2.2	2	1	1	2	3	4	5
50-69	386	2.4	6	< 1	1	1	2	6	7
70 +	15	6.0	1						
1067	**3.1**	**10**	**1**	**1**	**2**	**4**	**7**	**9**
-	**1067**	**3.1**	**10**	**1**	**1**	**2**	**4**	**7**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	123	7.7	85	2	2	4	5	25	31
18-34	31	2.4	2						
35-49	14	3.3	2						
50-69	72	3.4	15	< 1	1	2	5	6	15
70 +	46	3.3	10	1	1	1	3	9	9
SUBTOTAL	**285**	**5.1**	**47**	**1**	**1**	**3**	**5**	**9**	**25**
GRAND TOTAL	**285**	**5.1**	**47**	**1**	**1**	**3**	**5**	**9**	**25**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	101	10.2	325	2	2	5	8	15	79
18-34	25	2.0	2						
35-49	19	2.4	4						
50-69	151	2.9	8	1	1	2	4	4	5
70 +	7	1.0							
303	**5.2**	**125**	**1**	**1**	**3**	**5**	**8**	**15**
303	**5.2**	**125**	**1**	**1**	**3**	**5**	**8**	**15**

DRG 320: Kidney & Urinary Tract Infections Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	26249	7.5	37	3	4	6	9	13	16
70-74	18153	8.0	40	3	4	6	10	14	19
75-79	23097	8.1	47	3	4	6	10	15	20
80-84	24894	8.9	57	3	4	7	11	16	22
85 +	33866	9.2	63	4	5	7	11	17	22
SUBTOTAL	**126260**	**8.4**	**51**	**3**	**4**	**7**	**10**	**15**	**20**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**126260**	**8.4**	**51**	**3**	**4**	**7**	**10**	**15**	**20**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	8984	4.3	8	2	3	4	5	7	9
35-49	7598	5.6	15	2	3	5	7	9	12
50-69	12916	6.5	32	3	4	5	8	11	14
70 +	1523	7.3	26	3	4	6	9	13	17
	31021	**5.7**	**22**	**2**	**3**	**5**	**7**	**10**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	31021	**5.7**	**22**	**2**	**3**	**5**	**7**	**10**	**12**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	5623	5.3	20	2	3	4	6	9	12
35-49	2887	7.6	51	3	4	6	9	15	23
50-69	3808	7.3	24	3	4	6	9	13	17
70 +	1314	9.4	40	4	5	8	11	19	22
SUBTOTAL	**13632**	**6.7**	**31**	**2**	**4**	**5**	**8**	**12**	**17**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**13632**	**6.7**	**31**	**2**	**4**	**5**	**8**	**12**	**17**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	4304	4.8	15	2	3	4	6	8	11
35-49	2604	6.5	35	2	3	5	8	11	16
50-69	3403	6.7	37	2	3	5	8	12	15
70 +	1646	9.0	142	2	4	6	9	14	38
	11957	**6.3**	**45**	**2**	**3**	**5**	**7**	**11**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	11957	**6.3**	**45**	**2**	**3**	**5**	**7**	**11**	**15**

Total U.S., July 1989 - June 1990

DRG 321: Kidney & Urinary Tract Infections Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	6546	5.2	9	2	3	5	7	8	11
70-74	5154	5.5	18	2	3	5	7	9	12
75-79	5680	6.0	19	2	3	5	7	10	13
80-84	5473	6.2	22	2	4	5	7	10	13
85+	6428	6.0	15	3	4	5	7	10	13
SUBTOTAL	**29281**	**5.8**	**16**	**2**	**3**	**5**	**7**	**9**	**12**
GRAND TOTAL	**29281**	**5.8**	**16**	**2**	**3**	**5**	**7**	**9**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
0-17	0								
18-34	22387	3.6	3	2	2	3	4	6	7
35-49	11615	4.1	6	2	3	4	5	7	8
50-69	8511	4.6	9	2	3	4	5	8	11
70+	588	5.2	13	2	2	4	6	12	14
SUBTOTAL	**43101**	**4.0**	**5**	**2**	**3**	**4**	**5**	**6**	**8**
GRAND TOTAL	**43101**	**4.0**	**5**	**2**	**3**	**4**	**5**	**6**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	8249	3.9	5	2	3	4	5	6	7
35-49	1763	4.9	11	2	3	4	5	9	11
50-69	1372	6.9	51	3	4	5	8	11	16
70+	430	6.1	8	3	4	7	9	16	99+
SUBTOTAL	**11815**	**4.5**	**12**	**2**	**3**	**4**	**5**	**8**	**10**
GRAND TOTAL	**11815**	**4.5**	**12**	**2**	**3**	**4**	**5**	**8**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
0-17	0								
18-34	10865	3.7	4	2	2	3	5	6	7
35-49	3081	3.9	5	2	2	3	5	7	9
50-69	1556	4.6	7	2	3	4	6	8	10
70+	461	5.2	11	2	3	4	7	9	12
SUBTOTAL	**15963**	**3.9**	**5**	**2**	**2**	**4**	**5**	**6**	**8**
GRAND TOTAL	**15963**	**3.9**	**5**	**2**	**2**	**4**	**5**	**6**	**8**

DRG 322: Kidney & Urinary Tract Infections Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	263	5.3	11	2	3	4	7	10	12
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	263	5.3	11	2	3	4	7	10	12
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	43	4.3	2						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	43	4.3	2						
GRAND TOTAL	305	5.2	10	2	3	4	6	10	12

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	7024	4.5	15	2	3	4	5	8	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	7024	4.5	15	2	3	4	5	8	10
0-17	21270	3.7	5	2	2	3	5	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	21270	3.7	5	2	2	3	5	6	8
	28295	3.9	7	2	2	3	5	7	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	4435	5.5	20	2	3	5	7	10	13
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	4435	5.5	20	2	3	5	7	10	13
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	9256	4.4	6	2	3	4	5	8	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	9256	4.4	6	2	3	4	5	8	10
GRAND TOTAL	13691	4.7	11	2	3	4	6	8	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1961	4.7	13	2	3	4	5	8	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1961	4.7	13	2	3	4	5	8	11
0-17	7086	4.1	13	2	2	3	5	7	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	7086	4.1	13	2	2	3	5	7	9
	9047	4.2	13	2	2	3	5	7	9

Total U.S., July 1989 - June 1990

DRG 323: Urinary Stones w/ CC, &/or ESW Lithotripsy

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	9448	4.0	23	1	2	3	5	8	10
70-74	4200	4.6	32	1	2	3	5	9	13
75-79	3077	4.3	17	1	2	3	5	8	10
80-84	1598	5.6	34	1	2	4	6	11	14
85 +	996	5.0	18	1	2	3	7	10	14
SUBTOTAL	**19318**	**4.4**	**25**	**1**	**2**	**3**	**5**	**9**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	958	1.6	1	< 1	1	1	2	3	4
70-74	414	1.7	2	< 1	< 1	1	2	3	3
75-79	425	2.8	6	< 1	1	2	5	7	7
80-84	155	1.1		< 1	1	1	1	2	2
85 +	135	1.9	4	1	1	1	2	3	10
SUBTOTAL	**2088**	**1.8**	**3**	**< 1**	**1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**21406**	**4.1**	**23**	**1**	**2**	**3**	**5**	**8**	**11**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	910	3.3	7	1	1	3	4	6	9
18-34	9443	2.5	4	1	1	2	3	5	6
35-49	14836	2.6	9	1	1	2	3	5	6
50-69	11969	3.2	8	1	1	2	4	6	8
70 +	333	4.5	42	1	2	3	5	7	10
	37492	**2.8**	**8**	**1**	**1**	**2**	**3**	**5**	**7**
0-17	94	3.3	3	< 1	1	3	5	5	5
18-34	799	1.6	1	< 1	1	1	2	3	4
35-49	1713	1.5	1	< 1	< 1	1	2	3	4
50-69	1806	1.6	2	< 1	< 1	1	1	3	4
70 +	89	1.8	1	< 1	1	2	2	2	4
	4499	**1.6**	**2**	**< 1**	**< 1**	**1**	**2**	**3**	**4**
	41991	**2.7**	**7**	**1**	**1**	**2**	**3**	**5**	**7**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	243	3.1	5	1	1	3	4	7	7
18-34	1333	3.8	13	1	2	3	5	6	10
35-49	1341	5.6	29	1	2	4	7	12	16
50-69	814	5.1	28	1	2	4	6	10	11
70 +	24	9.7	15						
SUBTOTAL	**3755**	**4.7**	**22**	**1**	**2**	**4**	**5**	**10**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	15	7.0	27						
18-34	155	2.2	5	1	1	1	2	4	5
35-49	142	2.9	4	1	1	3	3	6	7
50-69	86	2.3	2	< 1	1	2	4	4	5
70 +	0								
SUBTOTAL	**398**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**8**
GRAND TOTAL	**4153**	**4.5**	**21**	**1**	**2**	**3**	**5**	**9**	**13**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	198	2.1	1	1	1	2	3	3	4
18-34	3338	2.7	5	1	1	2	3	6	7
35-49	3393	2.4	3	1	1	2	3	4	6
50-69	2373	3.3	7	1	2	2	4	7	8
70 +	223	4.0	13	1	2	3	5	8	9
	9524	**2.8**	**5**	**1**	**1**	**2**	**3**	**6**	**7**
0-17	0								
18-34	393	2.2	3	< 1	1	2	3	4	7
35-49	275	1.6	1	1	1	1	2	2	5
50-69	194	1.1		< 1	1	1	1	2	2
70 +	24	1.4							
	886	**1.8**	**2**	**< 1**	**1**	**1**	**2**	**4**	**5**
	10409	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**7**

Total U.S., July 1989 - June 1990

DRG 324: Urinary Stones w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	6533	2.4	3	1	1	2	3	5	6
70-74	3474	2.6	7	1	1	2	3	5	7
75-79	1785	2.6	4	1	1	2	3	4	7
80-84	1181	3.0	5	1	1	2	4	5	8
85 +	474	3.4	8	1	1	2	5	8	8
SUBTOTAL	**13447**	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**13447**	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	1911	2.4	3	1	1	2	3	5	6
18-34	27604	1.9	2	1	1	1	2	3	4
35-49	42247	1.9	2	1	1	1	2	3	4
50-69	25831	2.0	2	1	1	2	2	4	5
70 +	269	2.5	4	1	1	2	3	5	6
SUBTOTAL	**97861**	**1.9**	**2**	**1**	**1**	**2**	**2**	**4**	**5**
GRAND TOTAL	**97861**	**1.9**	**2**	**1**	**1**	**2**	**2**	**4**	**5**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	318	3.2	37	1	1	2	3	5	7
18-34	2395	2.5	5	1	1	2	3	4	5
35-49	1208	2.6	5	1	1	2	3	6	8
50-69	542	2.8	2	1	2	3	3	4	5
70 +	73	4.0	2						
SUBTOTAL	**4536**	**2.6**	**7**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**4536**	**2.6**	**7**	**1**	**1**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	560	2.0	3	1	1	1	2	4	5
18-34	8278	1.9	2	1	1	1	2	4	4
35-49	7474	1.9	2	1	1	1	2	4	5
50-69	3876	1.9	3	1	1	1	2	4	5
70 +	197	2.7	4	1	2	2	3	4	9
SUBTOTAL	**20386**	**1.9**	**2**	**1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**20386**	**1.9**	**2**	**1**	**1**	**1**	**2**	**4**	**5**

Total U.S., July 1989 - June 1990

DRG 325: Kidney & Urinary Tract Signs & Symptoms Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1783	5.0	18	1	2	4	7	9	12
70-74	1761	4.6	12	2	2	4	6	8	10
75-79	1627	5.0	15	2	3	4	6	9	11
80-84	1924	6.3	30	2	3	5	8	13	16
85+	1779	8.1	43	2	4	6	9	16	22
SUBTOTAL	**8873**	**5.8**	**26**	**2**	**3**	**4**	**7**	**11**	**15**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**8873**	**5.8**	**26**	**2**	**3**	**4**	**7**	**11**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	655	3.1	6	1	1	3	4	6	8
35-49	752	4.4	11	1	2	4	5	10	12
50-69	1309	4.4	17	1	2	4	6	7	10
70+	167	8.6	183	1	3	5	7	18	59
SUBTOTAL	**2883**	**4.3**	**24**	**1**	**2**	**3**	**5**	**8**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2883**	**4.3**	**24**	**1**	**2**	**3**	**5**	**8**	**11**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	117	5.1	16	2	3	3	8	9	17
35-49	290	9.4	159	3	3	4	5	39	39
50-69	302	5.6	14	2	3	5	8	10	12
70+	34	6.6	7						
SUBTOTAL	**743**	**7.0**	**74**	**2**	**3**	**4**	**8**	**12**	**39**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**743**	**7.0**	**74**	**2**	**3**	**4**	**8**	**12**	**39**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	243	5.5	90	2	3	3	4	6	14
35-49	141	3.4	5	1	1	3	5	6	7
50-69	204	4.1	6	1	2	4	5	8	10
70+	164	5.5	17	2	3	4	7	12	15
SUBTOTAL	**752**	**4.7**	**36**	**1**	**2**	**3**	**5**	**8**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**752**	**4.7**	**36**	**1**	**2**	**3**	**5**	**8**	**12**

Total U.S., July 1989 - June 1990

DRG 326: Kidney & Urinary Tract Signs & Symptoms Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	991	3.3	5	1	2	3	4	6	7
70-74	758	3.2	6	1	1	3	4	6	7
75-79	823	3.6	7	1	2	3	5	8	10
80-84	728	3.3	5	1	1	3	4	7	8
85+	710	3.4	6	1	2	3	4	6	6
SUBTOTAL	**4010**	**3.4**	**6**	**1**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**4010**	**3.4**	**6**	**1**	**2**	**3**	**4**	**6**	**8**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
0-17	0								
18-34	1025	2.4	3	<1	1	2	3	5	6
35-49	1272	2.7	4	1	1	2	3	5	8
50-69	1345	2.7	5	1	1	2	3	5	8
70+	81	2.7	3	<1	1	2	4	5	5
SUBTOTAL	**3724**	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**3724**	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	543	3.1	2	1	2	3	4	5	5
35-49	116	2.4	2	1	2	2	4	4	5
50-69	108	3.2	7	1	1	1	5	6	9
70+	28	2.1	1						
SUBTOTAL	**795**	**3.0**	**3**	**1**	**2**	**3**	**4**	**5**	**5**
GRAND TOTAL	**795**	**3.0**	**3**	**1**	**2**	**3**	**4**	**5**	**5**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
0-17	0								
18-34	357	2.1	2	<1	1	2	3	3	6
35-49	252	3.3	4	1	1	3	5	6	6
50-69	304	3.3	12	1	1	2	4	5	9
70+	48	3.7	10						
SUBTOTAL	**961**	**2.9**	**7**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**961**	**2.9**	**7**	**1**	**1**	**2**	**4**	**6**	**7**

DRG 327: Kidney & Urinary Tract Signs & Symptoms Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	8	5.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**8**	**5.0**							
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**8**	**5.0**							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	499	2.4	3	1	1	2	3	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**499**	**2.4**	**3**	**1**	**1**	**2**	**3**	**5**	**7**
0-17	1611	2.2	8	1	1	2	2	4	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1611**	**2.2**	**8**	**1**	**1**	**2**	**2**	**4**	**7**
GRAND TOTAL	**2109**	**2.2**	**7**	**1**	**1**	**2**	**2**	**4**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	197	4.9	16	1	2	3	6	9	15
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**197**	**4.9**	**16**	**1**	**2**	**3**	**6**	**9**	**15**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	584	2.4	2	1	2	2	3	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**584**	**2.4**	**2**	**1**	**2**	**2**	**3**	**4**	**5**
GRAND TOTAL	**781**	**3.0**	**7**	**1**	**2**	**2**	**3**	**6**	**9**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	88	3.7	7	1	1	4	5	8	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**88**	**3.7**	**7**	**1**	**1**	**4**	**5**	**8**	**9**
0-17	600	1.9	1	<1	1	2	2	3	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**600**	**1.9**	**1**	**<1**	**1**	**2**	**2**	**3**	**4**
GRAND TOTAL	**687**	**2.1**	**2**	**<1**	**1**	**2**	**3**	**4**	**4**

Total U.S., July 1989 - June 1990

DRG 328: Urethral Stricture Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	333	3.6	6	1	2	3	5	6	9
70-74	192	4.8	9	1	2	6	6	7	7
75-79	269	3.6	8	1	1	3	5	9	11
80-84	345	4.5	5	2	3	5	6	7	8
85 +	308	6.3	8	2	4	7	8	8	13
SUBTOTAL	1448	4.5	8	1	2	4	6	8	10
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	1448	4.5	8	1	2	4	6	8	10

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	203	3.1	4	1	1	3	4	6	7
35-49	90	2.3	2	< 1	1	2	3	3	5
50-69	215	3.9	9	1	2	3	6	10	11
70 +	22	4.2	5						
	530	3.3	6	1	1	3	4	6	10
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	530	3.3	6	1	1	3	4	6	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	30	7.1	5						
35-49	33	4.3	8						
50-69	15	5.5	22						
70 +	16	3.9	2						
SUBTOTAL	95	5.3	10	2	2	5	9	9	10
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	95	5.3	10	2	2	5	9	9	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	114	4.8	2						
35-49	74	9.7	41						
50-69	17	1.0							
70 +	38	1.2							
	243	5.4	23	1	2	4	6	15	15
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	243	5.4	23	1	2	4	6	15	15

Total U.S., July 1989 - June 1990

DRG 329: Urethral Stricture Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	79	4.4	28	<1	<1	3	6	17	17
70-74	96	1.5	1	<1	1	1	2	4	4
75-79	113	1.4	1	1	1	1	2	2	4
80-84	23	2.4	1						
85+	23	5.7	32						
SUBTOTAL	332	2.5	11	<1	1	1	2	4	13
GRAND TOTAL	332	2.5	11	<1	1	1	2	4	13

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	0								
18-34	172	3.1	6	<1	2	2	4	5	10
35-49	252	2.2	2	<1	1	1	3	5	5
50-69	176	1.9	1	<1	1	2	2	4	5
70+	0								
	601	2.4	3	<1	1	2	3	5	5
	601	2.4	3	<1	1	2	3	5	5

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	21	4.3	3						
35-49	0								
50-69	6	3.0							
70+	0								
SUBTOTAL	27	4.0	3						
GRAND TOTAL	27	4.0	3						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	0								
18-34	95	2.0	3	<1	<1	<1	2	5	6
35-49	29	3.5	2						
50-69	16	1.0							
70+	24	6.9	19						
	165	2.9	8	<1	<1	1	5	6	10
	165	2.9	8	<1	<1	1	5	6	10

DRG 330: Urethral Stricture Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	56	2.2	1	1	1	2	3	4	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**56**	**2.2**	**1**	**1**	**1**	**2**	**3**	**4**	**4**
0-17	234	3.1	5	< 1	1	2	5	7	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**234**	**3.1**	**5**	**< 1**	**1**	**2**	**5**	**7**	**7**
GRAND TOTAL	**291**	**2.9**	**5**	**< 1**	**1**	**2**	**5**	**6**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	6	1.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**6**	**1.0**							
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	41	1.6	1						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**41**	**1.6**	**1**						
GRAND TOTAL	**47**	**1.5**	**1**	**< 1**	**1**	**1**	**1**	**4**	**4**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	2.0	1						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**30**	**2.0**	**1**						
0-17	60	1.1		< 1	< 1	< 1	1	2	2
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**60**	**1.1**		**< 1**	**< 1**	**< 1**	**1**	**2**	**2**
	90	**1.4**		**< 1**	**< 1**	**< 1**	**2**	**3**	**3**

Total U.S., July 1989 - June 1990

DRG 331: Other Kidney & Urinary Tract Diagnoses Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	10324	6.7	39	2	3	5	9	13	17
70-74	3752	7.7	45	2	3	5	10	16	21
75-79	4741	7.5	48	2	3	6	9	14	20
80-84	3275	8.0	44	2	4	6	10	19	22
85+	2753	8.3	55	2	4	7	10	16	21
SUBTOTAL	**24845**	**7.3**	**45**	**2**	**3**	**5**	**10**	**15**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**24845**	**7.3**	**45**	**2**	**3**	**5**	**10**	**15**	**19**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2467	4.8	18	1	2	4	6	9	14
35-49	3484	5.4	23	1	2	4	7	11	15
50-69	4222	5.8	32	1	2	4	7	12	16
70+	342	6.6	30	2	2	5	10	14	20
	10516	**5.4**	**26**	**1**	**2**	**4**	**7**	**12**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	10516	**5.4**	**26**	**1**	**2**	**4**	**7**	**12**	**15**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	1029	5.2	22	1	2	4	6	10	14
35-49	712	7.0	39	2	2	5	9	15	18
50-69	941	6.8	29	2	3	6	9	13	19
70+	132	7.0	19	3	4	7	7	17	17
SUBTOTAL	**2814**	**6.3**	**29**	**2**	**3**	**5**	**8**	**13**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2814**	**6.3**	**29**	**2**	**3**	**5**	**8**	**13**	**17**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1321	3.8	12	1	2	3	5	7	11
35-49	1092	4.9	19	1	2	3	7	9	12
50-69	1188	5.8	24	2	3	5	7	11	13
70+	437	4.5	20	1	2	3	5	8	10
	4038	**4.8**	**19**	**1**	**2**	**3**	**6**	**10**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	4038	**4.8**	**19**	**1**	**2**	**3**	**6**	**10**	**12**

Total U.S., July 1989 - June 1990

DRG 332: Other Kidney & Urinary Tract Diagnoses Age >17 w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2676	4.4	21	1	1	3	5	10	14
70-74	1454	3.9	10	1	2	3	5	9	9
75-79	1161	3.6	8	1	1	2	5	8	11
80-84	701	4.2	11	1	2	4	5	7	9
85 +	441	5.4	45	1	1	4	6	10	14
SUBTOTAL	**6433**	**4.2**	**17**	**1**	**1**	**3**	**5**	**9**	**11**
GRAND TOTAL	**6433**	**4.2**	**17**	**1**	**1**	**3**	**5**	**9**	**11**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	3147	2.7	5	1	1	2	4	6	8
35-49	3169	2.8	6	1	1	2	3	6	8
50-69	3571	3.1	11	1	1	2	4	7	9
70 +	81	4.8	8	1	2	4	8	8	8
	9968	**2.9**	**7**	**1**	**1**	**2**	**4**	**6**	**8**
	9968	**2.9**	**7**	**1**	**1**	**2**	**4**	**6**	**8**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	829	4.5	11	1	2	4	7	9	10
35-49	353	3.9	13	1	2	2	6	9	10
50-69	397	4.8	17	1	2	3	7	12	12
70 +	41	2.8	3						
SUBTOTAL	**1620**	**4.4**	**13**	**1**	**2**	**3**	**7**	**10**	**12**
GRAND TOTAL	**1620**	**4.4**	**13**	**1**	**2**	**3**	**7**	**10**	**12**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1822	2.8	5	1	1	2	4	6	8
35-49	1106	3.3	8	1	1	2	4	7	10
50-69	742	2.8	8	< 1	1	2	4	7	9
70 +	112	4.1	15	1	1	3	7	10	12
	3781	**3.0**	**7**	**1**	**1**	**2**	**4**	**6**	**9**
	3781	**3.0**	**7**	**1**	**1**	**2**	**4**	**6**	**9**

DRG 333: Other Kidney & Urinary Tract Diagnoses Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	454	8.0	62	1	3	5	11	23	27
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	454	8.0	62	1	3	5	11	23	27
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	243	6.2	27	1	2	4	9	13	17
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	243	6.2	27	1	2	4	9	13	17
GRAND TOTAL	697	7.3	50	1	3	5	10	17	25

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	3394	4.7	18	1	2	3	6	10	14
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	3394	4.7	18	1	2	3	6	10	14
0-17	6637	3.2	10	1	1	2	4	6	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	6637	3.2	10	1	1	2	4	6	9
	10031	3.7	13	1	1	3	5	8	11

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	1593	7.5	47	1	3	5	10	15	19
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1593	7.5	47	1	3	5	10	15	19
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	2098	4.0	18	1	2	3	5	8	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	2098	4.0	18	1	2	3	5	8	11
GRAND TOTAL	3692	5.5	34	1	2	4	7	11	16

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1051	6.1	97	1	2	3	7	12	21
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1051	6.1	97	1	2	3	7	12	21
0-17	1833	3.7	17	1	1	2	5	8	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1833	3.7	17	1	1	2	5	8	10
	2884	4.6	47	1	1	3	5	9	12

DRG 334: Major Male Pelvic Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	5102	9.4	20	6	7	9	11	14	18
70-74	5146	10.8	84	6	7	9	12	15	19
75-79	2494	11.2	35	6	8	10	13	17	20
80-84	909	11.9	35	7	8	11	15	20	22
85 +	186	12.8	40	6	7	11	17	24	25
SUBTOTAL	**13836**	**10.5**	**48**	**6**	**7**	**9**	**12**	**16**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	13836	10.5	48	6	7	9	12	16	19

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	9.0							
18-34	92	8.3	10	4	6	7	9	14	14
35-49	136	8.1	4	5	7	8	9	12	13
50-69	3865	9.6	22	5	7	8	12	16	19
70 +	213	11.1	46	5	6	9	13	23	25
	4316	**9.6**	**22**	**5**	**7**	**8**	**12**	**16**	**19**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4316	9.6	22	5	7	8	12	16	19

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	6	9.0							
18-34	12	19.5	170						
35-49	12	20.0	109						
50-69	103	10.3	29	6	7	8	12	22	22
70 +	53	10.8	27	3	7	10	15	18	18
SUBTOTAL	**187**	**11.6**	**50**	**5**	**7**	**9**	**15**	**22**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	187	11.6	50	5	7	9	15	22	30

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	24	7.6	17						
18-34	50	20.6	124	8	16	17	33	40	40
35-49	0								
50-69	855	9.9	31	6	7	8	11	17	18
70 +	203	8.2	26	3	4	7	8	18	20
	1132	**10.0**	**39**	**5**	**7**	**8**	**11**	**17**	**19**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1132	10.0	39	5	7	8	11	17	19

DRG 335: Major Male Pelvic Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	3157	8.0	17	5	6	7	9	11	14
70-74	2201	7.6	5	5	6	7	9	11	11
75-79	980	8.0	7	5	6	8	9	12	12
80-84	201	9.1	12	5	7	8	11	13	15
85 +	106	11.3	15	8	8	10	15	16	20
SUBTOTAL	**6645**	**7.9**	**12**	**5**	**6**	**7**	**9**	**11**	**13**
GRAND TOTAL	**6645**	**7.9**	**12**	**5**	**6**	**7**	**9**	**11**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	150	3.0	7	< 1	1	2	6	6	9
18-34	60	7.6	4	4	8	8	9	10	10
35-49	150	8.2	5	5	6	8	11	11	11
50-69	4011	8.0	9	5	6	7	9	11	13
70 +	188	8.7	11	5	7	8	11	13	16
4559	**7.9**	**10**	**5**	**6**	**7**	**9**	**11**	**13**	
4559	**7.9**	**10**	**5**	**6**	**7**	**9**	**11**	**13**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	43	2.0							
18-34	37	6.5	4						
35-49	22	16.6	31						
50-69	73	9.9	39	5	6	8	11	12	29
70 +	47	7.7	8	5	6	6	9	14	14
SUBTOTAL	**222**	**8.0**	**34**	**2**	**5**	**7**	**9**	**16**	**20**
GRAND TOTAL	**222**	**8.0**	**34**	**2**	**5**	**7**	**9**	**16**	**20**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	84	3.5	16	1	1	1	5	13	13
18-34	58	10.5	51	4	6	7	17	25	27
35-49	14	4.3	10						
50-69	580	6.9	4	5	6	7	8	9	11
70 +	107	6.4	6	4	5	6	8	8	13
843	**6.7**	**11**	**4**	**5**	**6**	**8**	**10**	**12**	
843	**6.7**	**11**	**4**	**5**	**6**	**8**	**10**	**12**	

Total U.S., July 1989 - June 1990

DRG 336: Transurethral Prostatectomy w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	21375	5.5	18	3	3	4	6	9	13
70-74	25183	5.7	19	3	3	4	6	10	14
75-79	22914	6.1	27	3	4	5	7	11	14
80-84	15982	6.9	25	3	4	5	8	13	16
85 +	9674	8.1	47	3	4	6	9	16	21
SUBTOTAL	**95128**	**6.2**	**25**	**3**	**3**	**5**	**7**	**11**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**95128**	**6.2**	**25**	**3**	**3**	**5**	**7**	**11**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	6	4.0							
35-49	163	3.8	14	2	2	3	4	7	7
50-69	11303	5.2	10	3	3	4	6	9	12
70 +	1999	5.4	18	2	3	4	6	8	11
SUBTOTAL	**13470**	**5.2**	**12**	**2**	**3**	**4**	**6**	**9**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**13470**	**5.2**	**12**	**2**	**3**	**4**	**6**	**9**	**11**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	10	33.0							
35-49	24	4.8	2						
50-69	616	6.6	43	3	3	5	7	12	16
70 +	235	6.6	20	4	4	5	6	12	17
SUBTOTAL	**884**	**6.8**	**43**	**3**	**4**	**5**	**7**	**12**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**884**	**6.8**	**43**	**3**	**4**	**5**	**7**	**12**	**22**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	6.0							
18-34	0								
35-49	55	4.4	10	2	2	3	4	11	11
50-69	2431	4.7	15	2	3	4	5	8	10
70 +	1546	5.6	18	3	3	4	6	11	14
SUBTOTAL	**4048**	**5.1**	**16**	**2**	**3**	**4**	**5**	**9**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4048**	**5.1**	**16**	**2**	**3**	**4**	**5**	**9**	**12**

Total U.S., July 1989 - June 1990

DRG 337: Transurethral Prostatectomy w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	25658	3.8	2	2	3	3	4	5	7
70-74	25301	4.1	4	2	3	4	5	6	7
75-79	19523	4.2	4	2	3	4	5	6	7
80-84	10307	4.4	11	2	3	4	5	7	9
85 +	4856	5.1	8	3	3	4	6	8	10
SUBTOTAL	**85645**	**4.1**	**5**	**2**	**3**	**4**	**5**	**6**	**7**
GRAND TOTAL	**85645**	**4.1**	**5**	**2**	**3**	**4**	**5**	**6**	**7**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	16	1.0							
18-34	27	3.5	8						
35-49	745	3.3	2	2	2	3	4	5	5
50-69	29915	3.7	3	2	3	3	4	5	6
70 +	2099	3.9	5	2	3	3	5	6	7
32802	**3.7**	**3**	**2**	**3**	**3**	**4**	**6**	**7**
32802	**3.7**	**3**	**2**	**3**	**3**	**4**	**6**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	24	4.4	4						
50-69	686	4.3	3	2	3	4	5	6	8
70 +	413	6.5	22	3	4	5	7	12	16
SUBTOTAL	**1123**	**5.1**	**11**	**3**	**3**	**5**	**5**	**8**	**12**
GRAND TOTAL	**1123**	**5.1**	**11**	**3**	**3**	**5**	**5**	**8**	**12**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	0								
35-49	122	2.7		2	2	3	3	4	4
50-69	4358	3.3	2	2	2	3	4	5	6
70 +	1509	3.6	4	2	2	3	4	6	7
5990	**3.4**	**2**	**2**	**2**	**3**	**4**	**5**	**6**
5990	**3.4**	**2**	**2**	**2**	**3**	**4**	**5**	**6**

Total U.S., July 1989 - June 1990

DRG 338: Testes Procedures, for Malignancy

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	903	7.7	114	1	2	3	9	18	27
70-74	1233	5.7	63	1	1	3	8	14	22
75-79	1633	6.4	53	1	2	3	9	15	21
80-84	897	7.8	83	1	2	5	10	16	24
85 +	569	5.5	27	1	1	3	8	13	15
SUBTOTAL	**5236**	**6.6**	**69**	**1**	**1**	**3**	**9**	**16**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	539	2.0	3	< 1	1	1	2	3	7
70-74	534	2.2	4	1	1	2	2	4	8
75-79	742	2.1	6	1	1	1	3	3	4
80-84	516	1.6	2	1	1	1	2	3	3
85 +	311	2.3	4	1	1	2	2	4	7
SUBTOTAL	**2641**	**2.0**	**4**	**1**	**1**	**1**	**2**	**3**	**6**
GRAND TOTAL	**7877**	**5.1**	**52**	**1**	**1**	**2**	**7**	**12**	**18**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	10.6	7						
18-34	260	4.8	22	1	1	3	7	13	14
35-49	194	5.5	13	1	3	5	8	10	10
50-69	692	7.3	69	1	2	5	8	16	21
70 +	125	4.7	22	1	1	2	8	13	15
SUBTOTAL	**1287**	**6.3**	**47**	**1**	**2**	**4**	**8**	**14**	**18**
0-17	51	3.4	7						
18-34	978	1.6	1	1	1	1	2	3	3
35-49	623	1.5	1	1	1	1	2	2	3
50-69	209	1.9	2	1	1	1	2	4	6
70 +	133	1.9	4	1	1	1	2	7	7
SUBTOTAL	**1994**	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**3281**	**3.5**	**24**	**1**	**1**	**2**	**3**	**8**	**13**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	8	10.0							
18-34	56	6.9	22	2	3	3	11	14	14
35-49	0								
50-69	107	3.6	13	1	2	2	5	5	14
70 +	24	12.9	42						
SUBTOTAL	**195**	**5.9**	**29**	**1**	**2**	**3**	**10**	**14**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	25	4.0	7						
18-34	76	2.7	11	1	1	1	2	4	13
35-49	16	4.0							
50-69	13	1.5							
70 +	0								
SUBTOTAL	**130**	**3.0**	**8**	**1**	**1**	**2**	**4**	**7**	**7**
GRAND TOTAL	**326**	**4.7**	**23**	**1**	**2**	**3**	**5**	**13**	**14**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	59	5.3	24	1	1	2	9	14	15
35-49	73	7.5	12						
50-69	145	12.5	123	1	1	12	18	35	35
70 +	105	4.9	16	1	2	4	8	11	14
SUBTOTAL	**382**	**8.3**	**68**	**1**	**2**	**6**	**12**	**18**	**25**
0-17	42	3.0	15						
18-34	344	2.1	2	1	1	1	3	4	6
35-49	158	1.4	1	1	1	1	1	3	5
50-69	47	1.3	1						
70 +	31	1.5	1						
SUBTOTAL	**622**	**1.9**	**3**	**1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**1004**	**4.4**	**37**	**1**	**1**	**2**	**5**	**12**	**17**

Total U.S., July 1989 - June 1990

DRG 339: Testes Procedures, Non-malignancy Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	594	4.0	20	1	1	2	4	11	14
70-74	209	5.0	24	1	2	2	6	14	16
75-79	385	6.2	39	1	2	5	7	21	21
80-84	245	4.4	36	1	1	3	5	9	12
85+	110	14.2	36	6	7	13	20	20	22
SUBTOTAL	**1543**	**5.5**	**36**	**1**	**1**	**3**	**6**	**15**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	817	2.1	3	<1	1	1	3	4	7
70-74	634	2.1	3	1	1	1	2	4	7
75-79	325	2.7	6	1	1	2	3	8	9
80-84	164	2.8	4	1	1	2	5	5	7
85+	49	2.4	5						
SUBTOTAL	**1988**	**2.3**	**4**	**1**	**1**	**1**	**3**	**5**	**7**
GRAND TOTAL	**3531**	**3.7**	**20**	**1**	**1**	**2**	**4**	**8**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	131	2.8	4	1	1	3	4	6	7
35-49	301	2.8	9	1	1	1	4	7	11
50-69	370	5.2	27	1	2	4	8	11	16
70+	0								
SUBTOTAL	**802**	**3.9**	**18**	**1**	**1**	**2**	**6**	**8**	**11**
0-17	0								
18-34	3289	1.5	1	1	1	1	2	3	4
35-49	2356	1.8	2	1	1	1	2	4	4
50-69	1994	2.1	4	1	1	1	3	4	6
70+	63	1.2		1	1	1	1	2	2
SUBTOTAL	**7702**	**1.7**	**2**	**1**	**1**	**1**	**2**	**3**	**4**
	8504	**1.9**	**4**	**1**	**1**	**1**	**2**	**4**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	70	5.6	19	2	2	3	10	12	13
35-49	32	6.0	24						
50-69	45	10.4	48	5	6	8	14	26	26
70+	17	11.4	9						
SUBTOTAL	**164**	**7.6**	**33**	**2**	**2**	**6**	**11**	**15**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	435	1.8	3	1	1	1	2	3	3
35-49	110	2.5	6	1	1	2	3	5	11
50-69	42	2.0	2						
70+	8	2.0							
SUBTOTAL	**595**	**2.0**	**4**	**1**	**1**	**1**	**2**	**3**	**5**
GRAND TOTAL	**759**	**3.2**	**15**	**1**	**1**	**2**	**3**	**9**	**11**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	96	2.7	1	1	2	3	3	4	5
35-49	66	3.6	2	2	3	3	4	6	6
50-69	42	2.3	1						
70+	23	1.7							
SUBTOTAL	**226**	**2.8**	**2**	**1**	**2**	**3**	**3**	**5**	**5**
0-17	0								
18-34	1609	2.0	3	1	1	1	2	4	5
35-49	580	2.0	5	1	1	1	2	4	6
50-69	446	3.4	12	1	1	2	4	9	12
70+	53	3.4	9	1	1	2	8	8	8
SUBTOTAL	**2689**	**2.3**	**5**	**1**	**1**	**1**	**2**	**5**	**6**
	2915	**2.3**	**5**	**1**	**1**	**1**	**3**	**5**	**6**

Total U.S., July 1989 - June 1990

DRG 340: Testes Procedures, Non-malignancy Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	16	2.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**16**	**2.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**16**	**2.0**							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	570	2.5	6	1	1	2	3	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**570**	**2.5**	**6**	**1**	**1**	**2**	**3**	**5**	**7**
0-17	9416	1.3	1	< 1	1	1	1	2	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**9416**	**1.3**	**1**	**< 1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**9987**	**1.4**	**1**	**< 1**	**1**	**1**	**1**	**2**	**3**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	187	2.3	2	1	1	2	3	5	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**187**	**2.3**	**2**	**1**	**1**	**2**	**3**	**5**	**5**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	2123	1.5	2	< 1	1	1	2	3	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**2123**	**1.5**	**2**	**< 1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**2311**	**1.6**	**2**	**< 1**	**1**	**1**	**2**	**3**	**4**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	96	2.0	1	1	1	2	3	4	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**96**	**2.0**	**1**	**1**	**1**	**2**	**3**	**4**	**4**
0-17	2653	1.3		< 1	1	1	1	2	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**2653**	**1.3**		**< 1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**2749**	**1.3**	**1**	**< 1**	**1**	**1**	**1**	**2**	**3**

DRG 341: Penis Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1846	4.5	33	1	2	4	5	7	10
70-74	1148	5.0	13	2	3	4	6	8	13
75-79	944	4.1	7	2	3	3	5	6	7
80-84	748	7.7	27	3	4	7	10	14	22
85 +	412	9.2	98	1	4	6	12	17	23
SUBTOTAL	**5098**	**5.4**	**31**	**2**	**3**	**4**	**6**	**10**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2762	3.4	5	1	2	3	4	6	8
70-74	1926	3.8	4	1	2	4	5	6	7
75-79	1080	3.7	4	2	2	3	5	6	7
80-84	554	4.5	9	1	2	4	6	8	8
85 +	227	4.2	4	2	3	4	5	7	8
SUBTOTAL	**6550**	**3.7**	**5**	**1**	**2**	**3**	**5**	**6**	**8**
GRAND TOTAL	**11647**	**4.4**	**17**	**1**	**2**	**4**	**5**	**7**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	520	5.8	36	1	1	3	9	12	13
18-34	98	8.3	25	2	4	7	12	15	16
35-49	470	5.0	98	2	2	3	5	7	9
50-69	1628	3.3	8	1	2	3	4	6	8
70 +	118	3.8	3	2	2	3	4	7	7
SUBTOTAL	**2833**	**4.3**	**30**	**1**	**2**	**3**	**5**	**8**	**12**
0-17	7201	2.5	8	< 1	1	1	3	7	8
18-34	556	4.4	21	1	1	2	6	15	16
35-49	1252	2.5	4	1	1	2	3	5	6
50-69	4637	2.8	4	1	1	2	4	5	6
70 +	219	3.3	1	2	3	3	4	5	5
SUBTOTAL	**13864**	**2.7**	**7**	**1**	**1**	**2**	**3**	**6**	**8**
	16697	**3.0**	**11**	**1**	**1**	**2**	**4**	**6**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	82	5.1	9	1	2	6	7	10	10
18-34	65	9.5	41	4	4	9	11	23	23
35-49	95	10.3	58	4	4	6	18	20	25
50-69	58	11.6	373	3	3	4	6	61	61
70 +	30	15.2	194						
SUBTOTAL	**330**	**9.5**	**117**	**3**	**4**	**6**	**9**	**20**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1788	2.6	6	1	1	2	3	5	7
18-34	56	3.3	1	2	3	3	4	5	5
35-49	51	2.3	1						
50-69	103	3.2	4	1	1	3	4	6	7
70 +	67	5.3	2						
SUBTOTAL	**2066**	**2.7**	**6**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**2396**	**3.6**	**27**	**1**	**1**	**2**	**4**	**7**	**9**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	166	11.5	116	1	2	4	21	25	33
18-34	73	4.5	5	2	3	4	6	7	10
35-49	165	3.7	26	< 1	< 1	2	4	5	23
50-69	284	4.8	31	1	2	4	6	6	21
70 +	60	5.5	18	< 1	2	5	7	15	15
SUBTOTAL	**747**	**6.1**	**54**	**< 1**	**2**	**4**	**6**	**17**	**23**
0-17	2245	3.0	10	1	1	2	4	7	10
18-34	346	2.7	6	1	1	2	3	5	7
35-49	265	3.4	5	1	2	3	4	6	6
50-69	637	2.5	6	1	1	2	3	5	7
70 +	100	2.9	3	1	1	3	4	5	7
SUBTOTAL	**3592**	**2.9**	**8**	**1**	**1**	**2**	**4**	**6**	**9**
	4340	**3.5**	**17**	**1**	**1**	**2**	**4**	**7**	**12**

DRG 342: Circumcision Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	174	4.7	34	1	2	3	3	9	22
70-74	28	2.8	6						
75-79	123	2.5	13	<1	1	1	2	12	12
80-84	27	6.5	64						
85+	24	3.0	7						
SUBTOTAL	**376**	**3.9**	**27**	**1**	**1**	**2**	**3**	**12**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	66	2.1	3	<1	<1	1	4	5	5
70-74	42	2.0	5						
75-79	10	1.0							
80-84	34	2.0	3						
85+	10	2.0							
SUBTOTAL	**163**	**2.0**	**3**	**<1**	**<1**	**1**	**2**	**5**	**5**
GRAND TOTAL	**539**	**3.3**	**20**	**<1**	**1**	**2**	**3**	**7**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	43	12.0							
35-49	63	1.0							
50-69	106	2.0	2	1	1	1	3	3	5
70+	7	4.0							
SUBTOTAL	**220**	**3.8**	**18**	**1**	**1**	**1**	**4**	**12**	**12**
0-17	0								
18-34	125	1.2		<1	<1	1	1	1	4
35-49	245	1.7	1	<1	<1	1	2	4	4
50-69	222	3.2	19	<1	1	1	2	12	12
70+	43	5.0							
SUBTOTAL	**636**	**2.4**	**8**	**<1**	**<1**	**1**	**2**	**5**	**12**
GRAND TOTAL	**856**	**2.7**	**11**	**<1**	**<1**	**1**	**3**	**12**	**12**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	10	13.0							
35-49	10	3.0							
50-69	7	4.0							
70+	0								
SUBTOTAL	**27**	**7.0**	**22**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	16	3.0							
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**16**	**3.0**							
GRAND TOTAL	**43**	**5.5**	**18**						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	1.0							
35-49	0								
50-69	26	7.0	25						
70+	23	6.0	8						
SUBTOTAL	**59**	**5.6**	**18**						
0-17	0								
18-34	42	1.0							
35-49	26	1.0							
50-69	10	1.0							
70+	0								
SUBTOTAL	**78**	**1.0**		**<1**	**<1**	**<1**	**1**	**1**	**1**
GRAND TOTAL	**137**	**3.0**	**13**	**<1**	**<1**	**<1**	**2**	**11**	**11**

DRG 343: Circumcision Age 0-17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	265	1.1		< 1	< 1	1	1	2	2
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**265**	**1.1**		**< 1**	**< 1**	**1**	**1**	**2**	**2**
0-17	872	1.1		< 1	< 1	< 1	1	1	1
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**872**	**1.1**		**< 1**	**< 1**	**< 1**	**1**	**1**	**1**
GRAND TOTAL	**1137**	**1.1**		**< 1**	**< 1**	**< 1**	**1**	**1**	**2**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	117	1.8		< 1	1	2	2	3	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**117**	**1.8**		**< 1**	**1**	**2**	**2**	**3**	**3**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	343	1.2		< 1	< 1	< 1	1	1	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**343**	**1.2**		**< 1**	**< 1**	**< 1**	**1**	**1**	**3**
GRAND TOTAL	**460**	**1.3**	**1**	**< 1**	**< 1**	**< 1**	**1**	**2**	**3**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	90	1.6	2	< 1	< 1	1	1	3	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**90**	**1.6**	**2**	**< 1**	**< 1**	**1**	**1**	**3**	**7**
0-17	296	1.3	1	< 1	< 1	< 1	1	2	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**296**	**1.3**	**1**	**< 1**	**< 1**	**< 1**	**1**	**2**	**3**
GRAND TOTAL	**386**	**1.4**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**3**

DRG 344: Other Male Reproductive System O.R. Procedures for Malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	472	6.5	30	2	2	5	8	15	21
70-74	690	6.6	29	2	3	6	7	12	18
75-79	899	4.7	23	2	2	2	6	10	16
80-84	359	5.4	48	1	2	2	4	14	16
85+	202	6.5	35	3	3	4	7	16	23
SUBTOTAL	**2623**	**5.7**	**31**	**2**	**2**	**4**	**7**	**13**	**16**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	242	3.9	3	2	2	4	5	6	7
70-74	488	3.9	5	2	2	3	6	7	8
75-79	263	3.4	4	2	2	2	5	7	8
80-84	174	2.4	1	2	2	2	2	4	4
85+	18	1.9	1						
SUBTOTAL	**1185**	**3.6**	**4**	**2**	**2**	**3**	**5**	**7**	**7**
GRAND TOTAL	**3808**	**5.1**	**24**	**2**	**2**	**4**	**6**	**10**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	12.0							
18-34	24	12.1	19						
35-49	16	3.0							
50-69	579	5.7	9	3	4	5	7	9	10
70+	111	2.5	1						
SUBTOTAL	**740**	**5.4**	**11**	**2**	**3**	**5**	**7**	**9**	**10**
0-17	0								
18-34	55	7.5	7	5	6	6	10	12	12
35-49	29	9.8	3						
50-69	488	4.3	3	1	3	4	6	6	7
70+	17	3.0							
SUBTOTAL	**590**	**4.8**	**6**	**2**	**3**	**4**	**6**	**7**	**10**
GRAND TOTAL	**1330**	**5.1**	**9**	**2**	**3**	**5**	**6**	**9**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	12	4.0	4						
70+	18	4.4	17						
SUBTOTAL	**30**	**4.2**	**11**						
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	10	6.0							
18-34	0								
35-49	6	6.0							
50-69	8	1.0							
70+	0								
SUBTOTAL	**24**	**4.4**	**6**						
GRAND TOTAL	**54**	**4.3**	**9**	**1**	**1**	**6**	**6**	**9**	**9**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	44	7.6	8	5	6	6	9	14	14
35-49	0								
50-69	86	6.4	9	5	5	6	6	14	14
70+	8	2.0							
SUBTOTAL	**138**	**6.5**	**10**	**3**	**5**	**6**	**7**	**14**	**14**
0-17	0								
18-34	22	6.0							
35-49	14	8.4							
50-69	38	5.0	6						
70+	23	2.0							
SUBTOTAL	**96**	**5.0**	**6**	**2**	**3**	**5**	**6**	**9**	**10**
GRAND TOTAL	**233**	**5.9**	**9**	**2**	**5**	**6**	**7**	**9**	**14**

DRG 345: Other Male Reproductive System O.R. Proc except for Malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	205	7.1	63	1	3	5	8	12	28
70-74	149	6.0	42	1	2	4	8	14	25
75-79	283	5.1	10	2	3	4	6	10	12
80-84	156	5.3	17	2	2	4	7	12	14
85 +	139	8.2	122	1	3	6	8	11	46
SUBTOTAL	**932**	**6.2**	**46**	**2**	**3**	**4**	**8**	**12**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	180	3.4	5	1	1	2	6	6	6
70-74	196	4.3	26	1	1	2	6	12	18
75-79	268	2.3	2	1	1	2	3	5	5
80-84	70	3.9	8	1	2	3	4	11	11
85 +	111	3.0	7	1	2	2	3	4	11
SUBTOTAL	**825**	**3.3**	**10**	**1**	**1**	**2**	**4**	**6**	**11**
GRAND TOTAL	**1757**	**4.8**	**31**	**1**	**2**	**3**	**6**	**11**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	14	7.4	17						
18-34	7	4.0							
35-49	108	8.9	15						
50-69	230	3.9	7	1	2	4	5	6	12
70 +	0								
SUBTOTAL	**358**	**5.5**	**15**	**1**	**3**	**4**	**7**	**13**	**13**
0-17	43	3.3	1						
18-34	22	6.0	10						
35-49	120	2.7	11	1	1	1	2	11	11
50-69	624	2.3	4	1	1	2	3	5	9
70 +	19	2.1	2						
SUBTOTAL	**828**	**2.5**	**6**	**1**	**1**	**2**	**3**	**5**	**9**
	1187	**3.4**	**10**	**1**	**1**	**2**	**4**	**9**	**11**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	8	5.0							
18-34	0								
35-49	16	2.0							
50-69	26	12.8	63						
70 +	6	1.0							
SUBTOTAL	**56**	**7.3**	**56**	**1**	**2**	**3**	**19**	**19**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	6	1.0							
18-34	16	1.4							
35-49	0								
50-69	0								
70 +	16	2.0							
SUBTOTAL	**38**	**1.6**							
GRAND TOTAL	**94**	**5.0**	**41**	**1**	**2**	**2**	**5**	**19**	**19**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	6	14.0							
50-69	41	5.0	12						
70 +	0								
SUBTOTAL	**47**	**6.1**	**20**						
0-17	6	1.0							
18-34	50	4.6	3						
35-49	22	4.4	5						
50-69	136	3.3	10	1	2	3	3	6	14
70 +	24	5.3	6						
SUBTOTAL	**237**	**3.8**	**8**	**1**	**2**	**3**	**4**	**8**	**9**
	284	**4.2**	**11**	**1**	**2**	**3**	**4**	**9**	**14**

DRG 346: Malignancy, Male Reproductive System, w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1171	8.0	75	2	3	5	10	15	20
70-74	1171	7.6	80	2	4	5	10	13	22
75-79	1549	8.0	57	2	3	5	11	19	24
80-84	1313	7.7	56	2	3	6	10	14	18
85 +	1114	8.9	53	2	4	7	13	18	22
SUBTOTAL	**6319**	**8.0**	**64**	**2**	**3**	**5**	**10**	**16**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**6319**	**8.0**	**64**	**2**	**3**	**5**	**10**	**16**	**22**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	139	2.9	5	1	1	3	4	5	11
18-34	69	4.1	8	1	2	4	7	7	9
35-49	44	11.8	31	5	8	11	12	21	21
50-69	796	6.7	34	2	3	5	9	13	16
70 +	190	10.8	55	3	5	8	20	20	20
SUBTOTAL	**1238**	**6.9**	**38**	**1**	**3**	**5**	**9**	**16**	**20**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1238**	**6.9**	**38**	**1**	**3**	**5**	**9**	**16**	**20**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	72	8.4	52	3	3	6	11	25	25
18-34	126	6.3	29	1	2	6	8	12	24
35-49	0								
50-69	82	12.0	65	4	7	11	14	24	31
70 +	90	8.8	13	5	8	8	8	12	19
SUBTOTAL	**370**	**8.6**	**42**	**2**	**4**	**7**	**11**	**19**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**370**	**8.6**	**42**	**2**	**4**	**7**	**11**	**19**	**24**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	18	13.3	104						
18-34	123	4.6	5	2	2	5	6	7	8
35-49	22	4.2	2						
50-69	187	9.5	42	1	6	9	14	17	20
70 +	135	9.2	102	1	3	5	10	34	34
SUBTOTAL	**484**	**8.1**	**55**	**1**	**3**	**6**	**11**	**17**	**22**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**484**	**8.1**	**55**	**1**	**3**	**6**	**11**	**17**	**22**

DRG 347: Malignancy, Male Reproductive System, w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	190	3.0	7	1	1	2	3	5	10
70-74	204	3.8	16	< 1	1	2	5	10	12
75-79	204	2.9	5	1	1	2	5	5	8
80-84	168	4.5	15	< 1	1	4	6	10	13
85 +	99	4.5	16	1	2	3	4	12	13
SUBTOTAL	**865**	**3.6**	**12**	**1**	**1**	**2**	**5**	**10**	**12**
GRAND TOTAL	**865**	**3.6**	**12**	**1**	**1**	**2**	**5**	**10**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	41	3.2	3						
18-34	75	1.7	1	< 1	< 1	1	2	4	4
35-49	43	4.0							
50-69	441	3.9	18	1	1	3	5	6	13
70 +	55	2.5	5	1	1	1	4	7	7
655	**3.5**	**13**	**1**	**1**	**3**	**4**	**5**	**8**
655	**3.5**	**13**	**1**	**1**	**3**	**4**	**5**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	18	6.5	17						
18-34	151	3.7	7	1	2	2	5	8	8
35-49	6	1.0							
50-69	13	1.9	1						
70 +	0								
SUBTOTAL	**188**	**3.7**	**8**	**1**	**1**	**2**	**5**	**8**	**10**
GRAND TOTAL	**188**	**3.7**	**8**	**1**	**1**	**2**	**5**	**8**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	18	1.0							
18-34	71	4.0	4	1	2	4	5	7	7
35-49	0								
50-69	83	2.6	3	1	1	2	3	6	6
70 +	27	1.9	1						
199	**2.9**	**4**	**1**	**1**	**2**	**4**	**6**	**7**
199	**2.9**	**4**	**1**	**1**	**2**	**4**	**6**	**7**

Total U.S., July 1989 - June 1990

DRG 348: Benign Prostatic Hypertrophy w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1068	3.7	16	1	1	3	5	6	7
70-74	683	5.5	32	1	2	4	7	10	13
75-79	809	4.7	15	1	2	4	6	10	12
80-84	799	4.6	13	1	2	4	6	9	13
85 +	871	5.9	12	1	3	6	9	11	12
SUBTOTAL	**4230**	**4.8**	**18**	**1**	**2**	**4**	**6**	**10**	**12**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4230**	**4.8**	**18**	**1**	**2**	**4**	**6**	**10**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	57	2.7							
50-69	556	4.0	8	1	2	4	5	6	11
70 +	38	6.1	22						
SUBTOTAL	**652**	**4.0**	**8**	**1**	**2**	**3**	**5**	**7**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**652**	**4.0**	**8**	**1**	**2**	**3**	**5**	**7**	**11**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	8	1.0							
50-69	16	2.0							
70 +	46	5.4	9	1	3	5	9	9	9
SUBTOTAL	**70**	**4.1**	**9**	**1**	**2**	**3**	**6**	**9**	**9**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**70**	**4.1**	**9**	**1**	**2**	**3**	**6**	**9**	**9**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	10	4.0							
50-69	119	5.0	13	2	3	4	6	8	15
70 +	39	4.9	6						
SUBTOTAL	**168**	**4.9**	**11**	**2**	**3**	**4**	**6**	**8**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**168**	**4.9**	**11**	**2**	**3**	**4**	**6**	**8**	**15**

Total U.S., July 1989 - June 1990

DRG 349: Benign Prostatic Hypertrophy w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	488	2.2	4	< 1	1	1	3	4	7
70-74	512	1.9	2	< 1	1	1	2	4	4
75-79	396	2.9	5	< 1	1	2	4	6	7
80-84	260	8.6	328	< 1	1	2	8	9	36
85 +	330	4.8	18	2	2	3	6	15	15
SUBTOTAL	**1986**	**3.5**	**53**	**< 1**	**1**	**2**	**3**	**7**	**9**
GRAND TOTAL	**1986**	**3.5**	**53**	**< 1**	**1**	**2**	**3**	**7**	**9**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	43	8.0							
35-49	23	2.3	1						
50-69	829	2.8	4	1	1	2	4	6	7
70 +	82	2.5	1	< 1	1	3	3	4	4
978	**3.0**	**4**	**< 1**	**1**	**2**	**4**	**7**	**8**
978	**3.0**	**4**	**< 1**	**1**	**2**	**4**	**7**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	10	1.0							
50-69	62	2.2	4	< 1	< 1	1	3	7	7
70 +	12	1.0							
SUBTOTAL	**84**	**1.9**	**3**	**< 1**	**< 1**	**1**	**2**	**3**	**7**
GRAND TOTAL	**84**	**1.9**	**3**	**< 1**	**< 1**	**1**	**2**	**3**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	0								
35-49	16	1.0							
50-69	196	2.1	3	< 1	1	1	2	6	7
70 +	34	1.8	1						
246	**2.0**	**3**	**< 1**	**1**	**1**	**2**	**3**	**7**
246	**2.0**	**3**	**< 1**	**1**	**1**	**2**	**3**	**7**

Total U.S., July 1989 - June 1990

DRG 350: Inflammation of the Male Reproductive System

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-[illegible],YRS.)	2302	5.8	16	3	4	5	7	9	12
70-[illegible]	1148	6.5	12	3	4	6	8	10	13
75-79	1007	6.0	10	3	4	5	7	9	11
80-84	493	6.2	12	3	4	5	7	14	14
85 +	342	9.0	42	3	5	7	12	23	23
SUBTOTAL	**5292**	**6.2**	**16**	**3**	**4**	**5**	**8**	**10**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1291	4.4	7	2	3	4	6	8	8
70-74	553	5.7	9	3	4	6	7	8	12
75-79	431	4.8	21	2	3	4	5	7	7
80-84	176	7.5	46	2	4	4	9	18	25
85 +	156	6.6	10	3	4	8	10	10	10
SUBTOTAL	**2608**	**5.1**	**14**	**2**	**3**	**4**	**6**	**8**	**10**
GRAND TOTAL	**7900**	**5.9**	**15**	**2**	**4**	**5**	**7**	**10**	**12**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	[illegible]84	2.9	3	1	1	3	4	5	6
18-34	766	4.4	3	2	4	4	5	6	7
35-49	1347	5.1	18	2	3	4	5	9	11
50-69	2195	5.2	15	2	3	5	6	9	12
70 +	62	3.2	2	1	2	4	4	5	5
SUBTOTAL	**4653**	**4.9**	**13**	**2**	**3**	**4**	**6**	**8**	**11**
0-17	1091	3.3	4	1	2	3	4	5	8
18-34	2427	3.8	5	2	2	3	4	6	7
35-49	2972	3.7	3	2	3	3	5	6	6
50-69	2671	4.3	5	2	3	4	6	7	7
70 +	88	3.6	7	2	2	2	5	6	10
SUBTOTAL	**9250**	**3.8**	**4**	**2**	**2**	**3**	**5**	**6**	**7**
	13904	**4.2**	**7**	**2**	**3**	**4**	**5**	**7**	**8**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	52	3.9	9	< 1	< 1	3	8	9	9
18-34	209	4.1	5	2	2	4	5	9	9
35-49	159	5.7	9	2	4	4	7	11	11
50-69	275	6.4	9	2	4	7	10	10	11
70 +	26	4.1	5						
SUBTOTAL	**720**	**5.3**	**9**	**2**	**3**	**4**	**7**	**10**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	475	2.9	3	1	1	3	4	4	6
18-34	266	4.5	7	2	2	3	7	8	9
35-49	211	5.2	16	2	3	4	6	10	17
50-69	169	5.1	4	2	4	5	6	8	8
70 +	56	1.4	1						
SUBTOTAL	**1177**	**3.9**	**8**	**1**	**2**	**3**	**5**	**8**	**8**
GRAND TOTAL	**1897**	**4.4**	**9**	**1**	**2**	**4**	**6**	**9**	**10**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	135	3.7	11	1	1	2	4	8	13
18-34	233	4.3	5	2	3	4	5	8	9
35-49	374	4.6	10	1	2	4	7	9	10
50-69	423	4.2	5	2	3	4	6	6	7
70 +	18	9.8	13						
SUBTOTAL	**1183**	**4.4**	**8**	**1**	**2**	**4**	**6**	**8**	**10**
0-17	403	2.9	3	1	1	2	4	5	6
18-34	1255	3.0	4	1	1	3	4	6	6
35-49	801	3.8	5	1	2	4	5	6	8
50-69	406	4.2	5	1	3	4	5	7	8
70 +	36	3.2							
SUBTOTAL	**2901**	**3.4**	**5**	**1**	**2**	**3**	**5**	**6**	**7**
	4084	**3.7**	**6**	**1**	**2**	**3**	**5**	**7**	**8**

DRG 351: Sterilization, Male

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	139	1.0		< 1	< 1	< 1	< 1	1	1
35-49	75	1.0		< 1	< 1	< 1	< 1	< 1	< 1
50-69	0								
70 +	0								
	214	1.0		< 1	< 1	< 1	< 1	< 1	1
	214	1.0		< 1	< 1	< 1	< 1	< 1	1

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	68	1.3	1	< 1	< 1	< 1	< 1	3	3
50-69	0								
70 +	0								
	68	1.3	1	< 1	< 1	< 1	< 1	3	3
	68	1.3	1	< 1	< 1	< 1	< 1	3	3

DRG 352: Other Male Reproductive System Diagnoses

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	198	3.9	41	1	1	3	4	6	6
70-74	100	3.9	4	3	3	3	4	8	8
75-79	72	3.3	6	1	1	3	5	6	9
80-84	81	4.0	5	1	3	4	4	9	9
85 +	32	2.7	1						
SUBTOTAL	**483**	**3.8**	**19**	**1**	**2**	**3**	**4**	**6**	**9**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	114	2.0	1	1	1	1	3	4	4
70-74	154	1.9	1	1	1	1	3	3	3
75-79	61	2.3		2	2	2	3	3	3
80-84	40	1.7	1						
85 +	15	6.3	17						
SUBTOTAL	**384**	**2.2**	**2**	**1**	**1**	**2**	**3**	**3**	**4**
GRAND TOTAL	**867**	**3.1**	**12**	**1**	**1**	**3**	**3**	**5**	**8**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	111	2.2	2	1	1	1	4	4	5
18-34	123	3.4	5	1	2	3	3	6	10
35-49	57	2.6	10						
50-69	184	3.1	13	< 1	1	2	3	8	16
70 +	0								
SUBTOTAL	**475**	**2.9**	**8**	**1**	**1**	**2**	**3**	**6**	**10**
0-17	833	2.2	4	< 1	1	1	2	5	8
18-34	574	2.0	4	1	1	1	3	3	5
35-49	301	2.3	3	1	1	1	4	5	5
50-69	203	1.8	2	1	1	1	2	5	5
70 +	21	2.0							
SUBTOTAL	**1932**	**2.1**	**3**	**1**	**1**	**1**	**2**	**5**	**6**
GRAND TOTAL	**2407**	**2.2**	**4**	**1**	**1**	**1**	**3**	**5**	**6**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	96	5.6	24	< 1	3	5	6	16	16
18-34	21	3.4	9						
35-49	22	10.3	86						
50-69	16	5.0							
70 +	0								
SUBTOTAL	**155**	**6.0**	**32**	**1**	**3**	**5**	**6**	**16**	**16**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	266	1.6	1	< 1	< 1	1	2	3	5
18-34	52	2.6	5	< 1	1	1	6	6	6
35-49	19	3.1	5						
50-69	14	5.5	27						
70 +	0								
SUBTOTAL	**352**	**2.0**	**4**	**< 1**	**1**	**1**	**2**	**5**	**6**
GRAND TOTAL	**506**	**3.2**	**16**	**< 1**	**1**	**1**	**5**	**6**	**11**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	24	1.6	1						
18-34	79	7.2	15	3	5	5	13	13	13
35-49	34	2.9	9						
50-69	0								
70 +	0								
SUBTOTAL	**137**	**5.2**	**17**	**1**	**1**	**5**	**8**	**13**	**13**
0-17	362	2.1	7	< 1	1	1	2	4	11
18-34	310	2.3	6	< 1	1	1	3	5	6
35-49	137	4.0	20	1	2	3	3	16	16
50-69	91	2.0	3	< 1	1	2	2	2	7
70 +	8	1.0							
SUBTOTAL	**907**	**2.4**	**9**	**1**	**1**	**1**	**3**	**5**	**11**
GRAND TOTAL	**1044**	**2.8**	**10**	**1**	**1**	**1**	**3**	**6**	**12**

DRG 353: Pelvic Evisceration, Radical Hysterectomy & Radical Vulvectomy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	444	12.4	88	5	7	9	15	21	32
70-74	329	13.6	163	5	6	10	16	28	38
75-79	273	13.3	45	7	8	11	16	25	27
80-84	177	15.0	50	5	9	13	21	25	29
85 +	133	15.5	65	7	10	12	22	32	32
SUBTOTAL	**1356**	**13.5**	**91**	**5**	**8**	**10**	**16**	**25**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	260	7.9	11	5	5	7	10	13	15
70-74	76	10.1	149	3	5	7	10	11	50
75-79	101	7.4	22	5	5	5	7	10	23
80-84	33	5.6	2						
85 +	42	10.5	18						
SUBTOTAL	**512**	**8.2**	**35**	**4**	**5**	**7**	**9**	**13**	**16**
GRAND TOTAL	**1868**	**12.1**	**82**	**5**	**7**	**9**	**14**	**23**	**29**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	21.0							
18-34	319	8.8	36	5	6	7	8	15	23
35-49	947	8.4	8	6	7	8	9	11	15
50-69	675	12.9	97	6	8	10	15	22	31
70 +	6	8.0							
SUBTOTAL	**1957**	**10.1**	**48**	**6**	**7**	**8**	**10**	**16**	**22**
0-17	6	4.0							
18-34	348	6.5	4	3	5	7	8	9	9
35-49	734	6.8	8	3	4	7	8	10	13
50-69	339	6.3	4	4	5	7	7	8	9
70 +	6	5.0							
SUBTOTAL	**1434**	**6.6**	**6**	**3**	**5**	**7**	**8**	**9**	**11**
GRAND TOTAL	**3390**	**8.6**	**34**	**4**	**6**	**7**	**9**	**14**	**16**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	152	10.8	29	5	7	8	14	24	24
35-49	163	10.7	31	7	8	9	11	14	16
50-69	137	12.2	81	6	7	9	12	28	33
70 +	14	12.6	38						
SUBTOTAL	**467**	**11.2**	**45**	**6**	**7**	**9**	**12**	**18**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	117	7.4	6	4	6	8	9	11	11
35-49	79	8.2	5	5	6	8	10	11	11
50-69	16	6.0	1						
70 +	8	5.0							
SUBTOTAL	**219**	**7.5**	**6**	**4**	**6**	**8**	**9**	**11**	**11**
GRAND TOTAL	**686**	**10.0**	**36**	**5**	**7**	**9**	**11**	**14**	**24**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	86	7.8	3	6	6	8	9	11	11
35-49	196	10.7	35	6	7	8	15	17	18
50-69	197	13.5	72	7	8	9	19	22	47
70 +	8	9.0							
SUBTOTAL	**487**	**11.3**	**48**	**6**	**7**	**9**	**15**	**22**	**32**
0-17	6	11.0							
18-34	99	8.8	10	5	7	8	10	15	15
35-49	157	5.5	9	2	2	5	7	10	10
50-69	69	8.6	23	4	6	8	9	11	22
70 +	29	11.9	17						
SUBTOTAL	**361**	**7.6**	**17**	**2**	**5**	**7**	**10**	**14**	**15**
GRAND TOTAL	**848**	**9.7**	**38**	**5**	**6**	**8**	**11**	**18**	**22**

DRG 354: Uterine, Adnexa Proc for Non-ovarian/Adnexal Malig w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3342	7.6	20	4	5	6	9	12	17
70-74	2353	7.9	22	4	5	7	9	13	16
75-79	1939	8.3	28	4	5	7	9	14	19
80-84	1003	10.1	67	5	6	7	11	19	33
85 +	410	8.9	11	5	6	9	11	12	17
SUBTOTAL	**9046**	**8.1**	**27**	**4**	**5**	**7**	**9**	**14**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**9046**	**8.1**	**27**	**4**	**5**	**7**	**9**	**14**	**17**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	17.0							
18-34	677	5.7	5	3	4	5	7	8	9
35-49	1800	6.8	20	4	4	6	7	11	15
50-69	3309	7.0	16	4	5	6	8	11	15
70 +	144	7.7	20	4	5	7	8	17	19
SUBTOTAL	**5941**	**6.9**	**16**	**4**	**5**	**6**	**8**	**11**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**5941**	**6.9**	**16**	**4**	**5**	**6**	**8**	**11**	**14**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	391	5.2	12	3	3	4	5	10	15
35-49	345	6.8	16	4	5	6	7	12	13
50-69	332	8.4	29	4	5	7	9	14	17
70 +	0								
SUBTOTAL	**1068**	**6.7**	**20**	**3**	**4**	**5**	**8**	**12**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1068**	**6.7**	**20**	**3**	**4**	**5**	**8**	**12**	**16**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	181	4.6	5	2	3	4	5	7	10
35-49	511	6.5	14	4	4	5	7	11	13
50-69	656	7.5	19	4	5	6	8	14	17
70 +	93	7.1	10	4	5	6	10	13	13
SUBTOTAL	**1441**	**6.7**	**16**	**4**	**4**	**6**	**8**	**12**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1441**	**6.7**	**16**	**4**	**4**	**6**	**8**	**12**	**14**

DRG 355: Uterine, Adnexa Proc for Non-ovarian/Adnexal Malig w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2622	5.1	3	3	4	5	6	7	8
70-74	1820	5.3	3	4	4	5	6	8	8
75-79	1069	5.7	4	4	4	5	7	8	8
80-84	570	5.9	3	4	5	6	7	8	9
85 +	193	6.0	5	4	5	6	6	8	12
SUBTOTAL	**6274**	**5.4**	**3**	**4**	**4**	**5**	**6**	**8**	**8**
GRAND TOTAL	**6274**	**5.4**	**3**	**4**	**4**	**5**	**6**	**8**	**8**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	4350	3.6	1	2	3	4	4	5	5
35-49	6002	4.2	2	3	3	4	5	6	6
50-69	5510	4.9	3	3	4	5	6	7	8
70 +	108	5.5	4	4	4	5	6	9	11
15970	**4.3**	**2**	**3**	**3**	**4**	**5**	**6**	**7**	
15970	**4.3**	**2**	**3**	**3**	**4**	**5**	**6**	**7**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	1370	3.8	5	3	3	4	4	5	5
35-49	621	4.1	2	3	3	4	4	6	6
50-69	370	5.3	2	4	4	5	6	7	8
70 +	72	9.4	5						
SUBTOTAL	**2433**	**4.3**	**5**	**3**	**3**	**4**	**5**	**6**	**7**
GRAND TOTAL	**2433**	**4.3**	**5**	**3**	**3**	**4**	**5**	**6**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	863	3.8	2	2	3	3	4	6	7
35-49	1292	3.8	2	2	3	4	4	5	6
50-69	878	4.5	2	3	4	4	5	6	8
70 +	100	4.7	1	4	4	5	5	5	6
3134	**4.0**	**2**	**3**	**3**	**4**	**5**	**6**	**7**	
3134	**4.0**	**2**	**3**	**3**	**4**	**5**	**6**	**7**	

Total U.S., July 1989 - June 1990

DRG 356: Female Reproductive System Reconstructive Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3019	5.4	8	3	4	5	6	9	9
70-74	2201	5.3	10	2	3	5	6	9	12
75-79	1874	5.7	10	3	4	5	7	9	12
80-84	864	6.5	34	4	4	5	7	9	12
85 +	371	6.6	10	3	4	6	8	11	13
SUBTOTAL	8330	5.6	12	3	4	5	7	9	11
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	7848	4.0	3	2	3	4	5	6	6
70-74	5848	4.1	3	2	3	4	5	6	7
75-79	3135	4.2	3	2	3	4	5	6	7
80-84	1390	4.7	5	2	3	4	6	7	9
85 +	404	4.6	4	3	3	4	6	7	8
SUBTOTAL	18625	4.1	3	2	3	4	5	6	7
GRAND TOTAL	26955	4.6	6	2	3	4	5	7	9

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	23	5.9	33						
18-34	313	5.7	12	3	4	4	7	9	16
35-49	2200	4.9	4	3	3	4	6	8	9
50-69	4613	5.4	9	3	4	5	6	9	10
70 +	71	5.3	5	3	4	4	7	8	10
	7219	5.2	8	3	4	5	6	8	10
0-17	77	6.1	5	2	5	6	8	9	9
18-34	1781	3.9	5	2	3	3	4	6	7
35-49	11552	3.7	2	2	3	4	4	6	6
50-69	17593	4.0	4	2	3	4	5	6	7
70 +	341	4.2	4	3	3	4	4	8	8
	31350	3.9	3	2	3	4	5	6	7
	38570	4.2	4	2	3	4	5	6	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	71	5.1	2	2	4	6	6	7	7
35-49	287	4.8	4	3	4	4	5	7	9
50-69	350	5.2	3	3	4	5	6	8	8
70 +	8	6.0							
SUBTOTAL	715	5.0	4	3	4	5	6	8	8
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	517	4.1	2	3	3	4	5	5	6
35-49	1040	4.2	3	2	3	4	6	7	7
50-69	482	4.1	3	2	3	4	5	5	6
70 +	32	4.7	2						
SUBTOTAL	2070	4.1	3	2	3	4	5	6	7
GRAND TOTAL	2786	4.4	3	2	3	4	5	7	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	21	7.7	7						
18-34	63	4.8	10	2	2	4	8	10	10
35-49	333	4.2	3	2	3	4	5	6	8
50-69	528	4.4	5	2	3	4	5	7	7
70 +	38	4.0	2						
	984	4.4	5	2	3	4	5	7	8
0-17	0								
18-34	135	4.3	11	2	2	3	4	13	13
35-49	1541	3.6	2	2	3	3	4	5	6
50-69	2233	3.6	2	2	3	3	4	5	6
70 +	133	4.2	3	2	3	4	5	7	7
	4042	3.6	2	2	3	3	4	5	7
	5025	3.8	3	2	3	4	5	6	7

Total U.S., July 1989 - June 1990

DRG 357: Uterine & Adnexa Proc for Ovarian or Adnexal Malignancy

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2050	13.1	108	5	7	10	15	28	34
70-74	1077	15.6	164	6	9	11	19	31	41
75-79	1091	14.7	76	6	8	12	19	25	31
80-84	715	14.6	75	6	8	13	16	29	33
85 +	431	12.9	102	6	8	11	13	19	30
SUBTOTAL	**5364**	**14.1**	**109**	**6**	**8**	**11**	**16**	**28**	**34**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	664	5.8	5	4	5	5	6	8	10
70-74	235	7.4	8	4	6	7	8	13	14
75-79	174	7.6	16	4	5	7	7	11	19
80-84	152	10.9	48	4	4	9	21	21	21
85 +	26	8.3	26						
SUBTOTAL	**1251**	**7.0**	**15**	**4**	**5**	**6**	**7**	**12**	**16**
GRAND TOTAL	**6615**	**12.8**	**99**	**5**	**7**	**10**	**15**	**25**	**32**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	61	8.6	24	4	6	8	8	19	19
18-34	409	6.9	7	4	5	6	9	11	12
35-49	1547	8.6	20	4	6	8	11	14	17
50-69	2799	10.2	44	5	6	8	12	18	21
70 +	156	11.5	62	5	7	9	16	17	64
	4971	**9.4**	**35**	**5**	**6**	**8**	**11**	**17**	**19**
0-17	106	4.9	4	3	4	5	5	6	11
18-34	887	4.2	1	3	3	4	5	6	6
35-49	1450	4.8	5	3	4	4	5	7	9
50-69	882	6.0	5	4	4	5	7	8	11
70 +	21	7.2	3						
	3346	**5.0**	**4**	**3**	**4**	**4**	**6**	**7**	**9**
	8317	**7.7**	**28**	**4**	**4**	**6**	**9**	**14**	**18**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	26	7.1	6						
18-34	70	20.8	489	5	7	7	20	61	61
35-49	185	10.4	20	7	7	10	11	16	16
50-69	187	11.2	35	6	7	10	13	17	17
70 +	22	8.6	5						
SUBTOTAL	**490**	**12.0**	**105**	**5**	**7**	**9**	**13**	**17**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	17	6.0							
18-34	60	4.4	3	1	4	5	5	7	7
35-49	72	6.4	6	4	5	5	9	11	11
50-69	24	7.0	2						
70 +	0								
SUBTOTAL	**173**	**5.8**	**5**	**4**	**4**	**5**	**7**	**9**	**10**
GRAND TOTAL	**663**	**10.3**	**86**	**4**	**6**	**8**	**11**	**16**	**20**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	24	11.1	6						
18-34	226	7.6	12	4	5	6	11	11	14
35-49	465	9.1	24	4	5	7	12	16	18
50-69	405	9.7	26	5	7	9	10	16	22
70 +	82	12.6	53	5	7	11	15	28	28
	1201	**9.3**	**25**	**4**	**6**	**8**	**11**	**16**	**20**
0-17	16	3.5							
18-34	219	5.2	25	2	3	4	5	11	11
35-49	303	5.4	18	3	4	5	5	7	8
50-69	236	6.1	21	3	4	5	6	9	12
70 +	23	5.9	2						
	797	**5.5**	**20**	**3**	**4**	**5**	**6**	**8**	**11**
	1998	**7.8**	**27**	**4**	**4**	**6**	**10**	**14**	**18**

DRG 358: Uterine & Adnexa Proc for Non-malignancy w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	8406	6.4	16	4	4	5	7	9	14
70-74	5523	7.0	16	4	5	6	8	11	15
75-79	3536	7.5	23	4	5	6	8	12	17
80-84	2040	7.6	24	4	5	6	9	13	18
85 +	538	9.0	34	4	5	7	11	16	21
SUBTOTAL	**20044**	**6.9**	**19**	**4**	**5**	**6**	**8**	**11**	**16**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**20044**	**6.9**	**19**	**4**	**5**	**6**	**8**	**11**	**16**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	940	4.5	4	2	3	4	6	7	8
18-34	23018	4.8	5	3	4	4	6	7	9
35-49	60096	5.1	5	3	4	5	6	7	9
50-69	15162	5.8	9	4	4	5	6	9	11
70 +	209	6.7	7	5	5	6	8	11	12
	99424	**5.1**	**6**	**3**	**4**	**5**	**6**	**8**	**9**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	99424	**5.1**	**6**	**3**	**4**	**5**	**6**	**8**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	156	5.8	12	4	4	4	6	11	15
18-34	4734	5.9	23	3	4	5	7	9	11
35-49	4673	6.3	18	3	4	5	7	10	14
50-69	915	7.0	37	4	5	6	7	11	13
70 +	65	6.7	22	2	3	4	10	16	16
SUBTOTAL	**10543**	**6.2**	**22**	**3**	**4**	**5**	**7**	**10**	**13**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**10543**	**6.2**	**22**	**3**	**4**	**5**	**7**	**10**	**13**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	243	5.2	11	3	3	4	5	11	12
18-34	5471	5.1	8	3	4	4	6	9	11
35-49	11225	5.4	13	3	4	5	6	8	10
50-69	2351	6.0	13	4	4	5	7	9	11
70 +	297	5.9	8	3	4	5	8	10	10
	19586	**5.4**	**12**	**3**	**4**	**5**	**6**	**9**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	19586	**5.4**	**12**	**3**	**4**	**5**	**6**	**9**	**10**

DRG 359: Uterine & Adnexa Proc for Non-malignancy w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	12981	4.8	2	3	4	4	5	7	8
70-74	6948	5.0	7	3	4	5	6	7	8
75-79	3911	5.4	4	3	4	5	6	8	9
80-84	1547	5.7	7	4	4	5	6	8	10
85 +	429	6.2	5	4	5	6	8	9	9
SUBTOTAL	**25816**	**5.0**	**4**	**3**	**4**	**5**	**6**	**7**	**8**
GRAND TOTAL	**25816**	**5.0**	**4**	**3**	**4**	**5**	**6**	**7**	**8**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	3935	3.6	5	2	3	3	4	5	6
18-34	120312	3.6	2	2	3	4	4	5	6
35-49	215445	4.0	2	3	3	4	5	5	6
50-69	48349	4.4	2	3	4	4	5	6	7
70 +	571	4.5	2	3	4	4	5	7	7
388612	**4.0**	**2**	**3**	**3**	**4**	**5**	**5**	**6**	
388612	**4.0**	**2**	**3**	**3**	**4**	**5**	**5**	**6**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	874	3.8	7	2	3	3	4	6	8
18-34	19736	4.1	3	2	3	4	5	6	7
35-49	10699	4.5	3	3	4	4	5	6	7
50-69	1385	4.9	3	3	4	5	6	7	8
70 +	98	4.7	1	4	4	4	5	6	7
SUBTOTAL	**32791**	**4.2**	**3**	**3**	**3**	**4**	**5**	**6**	**7**
GRAND TOTAL	**32791**	**4.2**	**3**	**3**	**3**	**4**	**5**	**6**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	1098	3.8	5	2	3	4	4	5	6
18-34	21901	3.7	3	2	3	3	4	5	6
35-49	29041	3.9	2	3	3	4	4	5	6
50-69	6137	4.2	2	3	4	4	5	6	7
70 +	385	4.4	2	3	4	4	5	7	7
58562	**3.9**	**2**	**2**	**3**	**4**	**4**	**5**	**6**	
58562	**3.9**	**2**	**2**	**3**	**4**	**4**	**5**	**6**	

DRG 360: Vagina, Cervix & Vulva Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1021	6.7	26	3	4	5	8	14	18
70-74	979	6.6	34	2	3	5	8	13	21
75-79	851	7.4	45	3	4	5	9	16	28
80-84	492	6.2	19	2	3	5	7	13	15
85 +	360	5.8	15	1	4	6	6	9	13
SUBTOTAL	**3703**	**6.7**	**31**	**2**	**4**	**5**	**8**	**13**	**18**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	2052	3.7	5	1	2	4	5	6	7
70-74	1411	4.2	3	2	3	4	5	6	7
75-79	1154	3.6	4	< 1	2	3	5	6	7
80-84	677	5.2	20	2	2	4	7	10	20
85 +	307	5.1	34	1	2	4	6	9	28
SUBTOTAL	**5600**	**4.1**	**8**	**1**	**2**	**4**	**5**	**7**	**8**
GRAND TOTAL	**9303**	**5.1**	**19**	**2**	**3**	**4**	**6**	**9**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	114	3.3	6	1	1	3	3	9	9
18-34	555	5.0	24	1	1	3	6	14	15
35-49	690	7.6	148	1	2	4	7	13	38
50-69	1201	5.0	11	2	3	4	6	8	12
70 +	64	5.0	6	3	3	4	5	9	11
SUBTOTAL	**2624**	**5.6**	**51**	**1**	**2**	**4**	**6**	**11**	**15**
0-17	860	2.8	15	< 1	1	2	3	5	8
18-34	2962	2.2	3	< 1	< 1	1	3	5	6
35-49	4119	3.0	4	< 1	1	3	4	6	6
50-69	3651	3.6	6	1	2	3	5	6	7
70 +	81	4.5	16	2	3	3	4	6	18
SUBTOTAL	**11673**	**3.0**	**6**	**< 1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**14297**	**3.5**	**15**	**< 1**	**1**	**3**	**4**	**6**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	57	9.4	55	2	3	4	17	21	21
18-34	167	3.0	5	1	2	2	4	6	6
35-49	159	7.1	38	1	3	8	8	10	21
50-69	232	5.0	12	1	3	4	7	9	14
70 +	6	1.0							
SUBTOTAL	**621**	**5.4**	**24**	**1**	**2**	**4**	**8**	**11**	**15**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	193	3.4	9	1	1	2	4	8	10
18-34	568	2.6	7	< 1	1	2	3	5	5
35-49	290	3.3	9	1	2	2	4	7	8
50-69	104	4.5	6	2	2	5	7	7	10
70 +	22	6.9	3						
SUBTOTAL	**1177**	**3.1**	**9**	**1**	**1**	**2**	**4**	**7**	**8**
GRAND TOTAL	**1798**	**3.9**	**15**	**1**	**1**	**3**	**5**	**8**	**11**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	54	3.6	2	2	2	4	5	6	6
18-34	225	4.8	11	1	2	5	8	10	10
35-49	288	4.8	10	1	2	4	7	10	10
50-69	236	5.5	21	1	2	5	7	11	16
70 +	22	4.7	2						
SUBTOTAL	**825**	**4.9**	**13**	**1**	**2**	**4**	**7**	**10**	**10**
0-17	350	2.0	2	< 1	1	1	3	3	5
18-34	692	2.0	3	< 1	1	1	2	4	5
35-49	511	2.6	3	1	1	2	3	5	5
50-69	491	3.2	3	1	2	3	5	5	7
70 +	38	4.6	5						
SUBTOTAL	**2082**	**2.5**	**3**	**< 1**	**1**	**2**	**3**	**5**	**5**
GRAND TOTAL	**2906**	**3.2**	**7**	**1**	**1**	**2**	**4**	**7**	**10**

DRG 361: Laparoscopy & Incisional Tubal Interruption

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	27	4.8	13						
70-74	70	7.5	12	3	5	8	11	13	13
75-79	52	6.2	22						
80-84	18	3.8	4						
85 +	33	13.4	174						
SUBTOTAL	**199**	**7.4**	**48**	**1**	**2**	**5**	**10**	**13**	**27**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	250	3.9	24	< 1	1	2	3	15	15
70-74	42	2.0	4						
75-79	58	1.6	1	< 1	< 1	1	2	3	3
80-84	10	1.0							
85 +	0								
SUBTOTAL	**361**	**3.2**	**18**	**< 1**	**< 1**	**1**	**3**	**8**	**15**
GRAND TOTAL	**560**	**4.7**	**33**	**< 1**	**1**	**2**	**6**	**12**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	271	4.1	6	1	2	5	6	7	7
18-34	1533	3.4	6	1	2	3	4	8	8
35-49	692	3.5	6	1	1	3	6	7	8
50-69	112	3.8	7	< 1	2	3	5	9	10
70 +	0								
	2608	**3.5**	**6**	**1**	**1**	**3**	**5**	**7**	**8**
0-17	1228	2.8	4	< 1	1	2	4	6	7
18-34	12807	2.6	5	< 1	1	2	3	5	7
35-49	4788	2.2	3	< 1	< 1	1	3	5	6
50-69	298	2.2	5	< 1	1	1	2	6	6
70 +	0								
	19121	**2.5**	**5**	**< 1**	**< 1**	**2**	**3**	**5**	**7**
	21730	**2.6**	**5**	**< 1**	**1**	**2**	**4**	**5**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	82	5.2	12	2	2	4	7	11	13
18-34	711	4.6	16	1	1	4	6	9	10
35-49	150	5.2	8	1	2	6	7	9	9
50-69	18	4.8	4						
70 +	0								
SUBTOTAL	**961**	**4.7**	**15**	**1**	**2**	**4**	**7**	**9**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	282	4.1	8	1	2	3	7	9	9
18-34	3342	3.0	4	1	1	2	4	6	7
35-49	325	2.5	3	< 1	1	2	3	5	8
50-69	10	6.0							
70 +	0								
SUBTOTAL	**3959**	**3.0**	**5**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**4920**	**3.3**	**7**	**1**	**1**	**3**	**4**	**7**	**8**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	18	4.5							
18-34	735	3.4	5	1	2	3	4	6	8
35-49	295	4.0	11	1	1	3	6	10	10
50-69	7	3.0							
70 +	8	39.0							
	1062	**3.8**	**16**	**1**	**1**	**3**	**4**	**7**	**10**
0-17	323	3.0	8	1	1	2	3	5	7
18-34	3828	2.8	6	< 1	1	2	4	5	7
35-49	1147	2.2	4	< 1	1	1	3	5	6
50-69	64	1.6	1	< 1	1	1	3	3	3
70 +	0								
	5361	**2.6**	**6**	**< 1**	**1**	**2**	**4**	**5**	**7**
	6423	**2.8**	**7**	**< 1**	**1**	**2**	**4**	**5**	**8**

Total U.S., July 1989 - June 1990

DRG 362: Endoscopic Tubal Interruption

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	10	3.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	10	3.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	67	1.0		< 1	< 1	< 1	< 1	1	1
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	67	1.0		< 1	< 1	< 1	< 1	1	1
GRAND TOTAL	77	1.3		< 1	< 1	< 1	1	3	3

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	34	1.5	1						
35-49	46	1.8	1						
50-69	0								
70 +	0								
	79	1.7	1	1	1	1	2	4	4
0-17	0								
18-34	2020	1.1		< 1	< 1	< 1	< 1	1	1
35-49	1444	1.0		< 1	< 1	< 1	< 1	< 1	1
50-69	53	1.8							
70 +	0								
	3517	1.1		< 1	< 1	< 1	< 1	1	1
	3596	1.1		< 1	< 1	< 1	< 1	1	1

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	123	1.6		1	1	2	2	2	3
35-49	10	1.0							
50-69	0								
70 +	0								
SUBTOTAL	133	1.6		1	1	2	2	2	3
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	716	1.0		< 1	< 1	< 1	< 1	< 1	1
35-49	105	1.0		< 1	< 1	< 1	< 1	< 1	1
50-69	0								
70 +	0								
SUBTOTAL	821	1.0		< 1	< 1	< 1	< 1	< 1	1
GRAND TOTAL	954	1.1		< 1	< 1	< 1	< 1	1	2

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	44	1.5							
35-49	17	1.0							
50-69	0								
70 +	0								
	61	1.3		< 1	< 1	1	2	2	2
0-17	0								
18-34	169	1.0		< 1	< 1	< 1	1	1	1
35-49	96	1.3	1	< 1	< 1	1	1	1	5
50-69	0								
70 +	0								
	265	1.1		< 1	< 1	< 1	1	1	1
	326	1.1		< 1	< 1	1	1	1	2

DRG 363: D&C, Conization & Radio-implant, for Malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	775	5.4	59	2	2	3	4	12	40
70-74	523	4.5	21	1	2	3	4	12	16
75-79	503	4.4	14	2	2	3	4	10	11
80-84	268	8.3	84	1	2	4	9	26	26
85 +	281	5.3	21	3	3	3	5	13	16
SUBTOTAL	**2350**	**5.3**	**41**	**2**	**2**	**3**	**5**	**13**	**20**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	1214	2.8	3	1	2	2	3	5	7
70-74	698	2.7	2	1	2	3	3	4	5
75-79	663	3.0	2	1	2	3	3	6	6
80-84	201	3.2	3	1	2	3	4	6	7
85 +	221	3.6	12	1	2	2	4	8	12
SUBTOTAL	**2998**	**2.9**	**3**	**1**	**2**	**3**	**3**	**5**	**6**
GRAND TOTAL	**5348**	**4.0**	**21**	**1**	**2**	**3**	**4**	**7**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	1.0							
18-34	112	4.1	24	1	2	2	3	16	16
35-49	467	3.2	10	1	1	2	4	7	13
50-69	629	5.6	58	2	2	3	5	10	14
70 +	43	4.7	31						
SUBTOTAL	**1261**	**4.5**	**37**	**1**	**2**	**3**	**4**	**10**	**14**
0-17	0								
18-34	951	1.5	1	< 1	< 1	1	1	3	4
35-49	1232	2.1	2	< 1	1	2	3	3	5
50-69	1458	2.3	1	1	2	2	3	4	4
70 +	80	4.2	1						
SUBTOTAL	**3721**	**2.1**	**2**	**< 1**	**1**	**2**	**3**	**4**	**1**
GRAND TOTAL	**4982**	**2.7**	**12**	**< 1**	**1**	**2**	**3**	**4**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	93	3.8	3	2	2	4	5	8	8
35-49	286	6.6	41	2	3	4	8	14	17
50-69	331	6.2	33	2	3	4	6	14	14
70 +	10	7.0							
SUBTOTAL	**720**	**6.1**	**33**	**2**	**3**	**4**	**6**	**14**	**14**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	295	1.6	1	< 1	< 1	1	2	3	4
35-49	354	2.7	1	2	2	2	4	4	4
50-69	433	2.5	1	1	2	2	3	4	4
70 +	16	4.5	4						
SUBTOTAL	**1097**	**2.4**	**1**	**1**	**2**	**2**	**3**	**4**	**4**
GRAND TOTAL	**1818**	**3.8**	**17**	**1**	**2**	**3**	**4**	**6**	**14**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	75	2.5	1						
35-49	118	3.7	2	2	3	4	5	5	6
50-69	182	6.1	58	1	1	4	5	17	32
70 +	8	2.0							
SUBTOTAL	**383**	**4.6**	**30**	**1**	**2**	**3**	**4**	**7**	**17**
0-17	0								
18-34	349	1.8	1	< 1	1	1	3	3	4
35-49	435	1.9	1	1	1	1	2	4	4
50-69	423	2.6	2	1	2	2	3	4	6
70 +	47	2.0							
SUBTOTAL	**1253**	**2.1**	**2**	**1**	**1**	**2**	**3**	**4**	**4**
GRAND TOTAL	**1636**	**2.7**	**9**	**1**	**1**	**2**	**3**	**4**	**6**

Total U.S., July 1989 - June 1990

DRG 364: D&C, Conization except for Malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	720	2.7	4	<1	1	2	3	6	7
70-74	362	3.6	9	2	2	2	4	8	12
75-79	183	5.9	30	1	1	5	7	15	19
80-84	177	6.4	109	1	1	3	6	8	39
85+	150	9.0	[illegible]	1	3	7	12	21	27
SUBTOTAL	**1591**	**4.3**	**29**	**1**	**2**	**2**	**5**	**9**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	840	1.7	2	<1	<1	1	2	3	4
70-74	342	2.0	13	<1	<1	<1	1	4	4
75-79	335	1.6	4	<1	<1	1	1	2	4
80-84	245	2.1	2	<1	1	2	3	4	5
85+	172	2.1	2	<1	1	2	4	4	4
SUBTOTAL	**1933**	**1.8**	**4**	**<1**	**<1**	**1**	**2**	**4**	**4**
GRAND TOTAL	**3524**	**2.9**	**17**	**<1**	**1**	**2**	**3**	**6**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	99	2.2	2	1	1	2	2	5	5
18-34	841	2.0	1	1	1	2	2	3	4
35-49	2707	2.1	3	<1	1	2	3	5	5
50-69	736	2.8	12	1	1	2	3	5	5
70+	16	1.0							
SUBTOTAL	**4400**	**2.2**	**4**	**1**	**1**	**2**	**3**	**5**	**5**
0-17	121	2.9	2	1	2	3	4	5	6
18-34	3603	1.4	1	<1	<1	<1	1	3	4
35-49	6844	1.2	1	<1	<1	<1	1	2	3
50-69	2666	1.2	1	<1	<1	<1	1	2	3
70+	24	1.7							
SUBTOTAL	**13257**	**1.3**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**3**
GRAND TOTAL	**17657**	**1.5**	**2**	**<1**	**<1**	**1**	**1**	**3**	**4**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	62	4.3	1						
18-34	676	2.4	7	1	1	2	3	4	6
35-49	287	2.4	4	<1	1	2	3	5	7
50-69	114	4.0	13	2	2	3	4	7	16
70+	0								
SUBTOTAL	**1139**	**2.7**	**7**	**1**	**1**	**2**	**3**	**5**	**6**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	8	2.0							
18-34	852	1.8	2	<1	<1	1	2	[illegible]	4
35-49	407	2.9	9	<1	<1	2	4	8	8
50-69	213	1.6	1	<1	1	1	2	3	3
70+	0								
SUBTOTAL	**1481**	**2.1**	**4**	**<1**	**<1**	**1**	**2**	**4**	**7**
GRAND TOTAL	**2620**	**2.3**	**5**	**<1**	**1**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	15	4.1	4						
18-34	425	2.4	2	1	1	2	3	5	5
35-49	857	2.1	3	<1	1	1	2	4	8
50-69	263	2.1	6	1	1	1	2	3	11
70+	31	3.8	21						
SUBTOTAL	**1591**	**2.2**	**4**	**1**	**1**	**2**	**2**	**5**	**8**
0-17	8	1.0							
18-34	927	2.0	5	<1	1	1	2	3	6
35-49	1035	1.4	1	<1	<1	1	1	2	4
50-69	430	1.3	1	<1	<1	1	1	2	3
70+	14	1.0							
SUBTOTAL	**2413**	**1.6**	**3**	**<1**	**<1**	**1**	**1**	**2**	**5**
GRAND TOTAL	**4003**	**1.8**	**3**	**<1**	**1**	**1**	**2**	**3**	**5**

DRG 365: Other Female Reproductive System O.R. Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	686	10.9	74	3	5	7	13	27	27
70-74	513	13.0	91	4	6	9	17	26	31
75-79	388	9.8	59	4	5	7	13	20	22
80-84	246	18.1	194	5	8	13	31	42	42
85 +	106	15.1	34	7	11	16	16	24	27
SUBTOTAL	**1939**	**12.4**	**95**	**4**	**5**	**8**	**16**	**27**	**33**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	380	3.9	5	2	2	4	4	8	8
70-74	200	5.2	8	2	3	5	6	10	11
75-79	71	5.2	14	1	3	4	5	11	15
80-84	81	4.7	3	3	4	4	4	8	9
85 +	28	5.0							
SUBTOTAL	**759**	**4.5**	**6**	**2**	**3**	**4**	**6**	**8**	**9**
GRAND TOTAL	**2698**	**10.2**	**83**	**3**	**4**	**7**	**13**	**25**	**29**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	118	6.4	15	< 1	3	4	10	10	13
18-34	656	5.7	23	2	4	4	6	10	12
35-49	795	7.3	31	3	4	6	8	13	23
50-69	1036	8.9	51	3	4	7	11	16	22
70 +	24	16.8	127						
SUBTOTAL	**2630**	**7.6**	**39**	**3**	**4**	**5**	**10**	**14**	**22**
0-17	418	5.0	13	3	3	4	5	8	13
18-34	2511	4.1	4	2	3	4	5	7	9
35-49	2081	4.6	7	2	3	4	5	8	11
50-69	1025	4.3	4	2	3	4	5	6	8
70 +	7	5.0							
SUBTOTAL	**6042**	**4.3**	**6**	**2**	**3**	**4**	**5**	**7**	**9**
GRAND TOTAL	**8672**	**5.3**	**18**	**2**	**3**	**4**	**6**	**10**	**13**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	27	21.9	56						
18-34	256	6.2	6	3	5	5	8	9	12
35-49	153	9.4	25	5	7	9	10	21	23
50-69	148	11.5	113	4	5	6	15	34	35
70 +	40	9.7	14						
SUBTOTAL	**623**	**9.1**	**50**	**3**	**5**	**7**	**10**	**16**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	70	6.0	16	2	3	4	8	15	15
18-34	566	4.1	5	2	3	4	5	7	9
35-49	211	6.0	14	3	4	5	7	9	10
50-69	46	4.5	2	2	4	4	6	7	7
70 +	26	8.1	25						
SUBTOTAL	**918**	**4.8**	**9**	**2**	**3**	**4**	**6**	**9**	**12**
GRAND TOTAL	**1542**	**6.6**	**30**	**2**	**3**	**5**	**8**	**12**	**16**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	69	8.1							
18-34	282	7.6	58	2	4	5	8	14	35
35-49	242	10.0	76	3	4	8	13	17	27
50-69	162	8.2	32	2	5	6	11	15	15
70 +	8	40.0							
SUBTOTAL	**762**	**8.9**	**63**	**3**	**4**	**7**	**10**	**16**	**27**
0-17	148	3.5	3	2	2	3	5	6	7
18-34	488	3.8	5	2	3	3	4	6	7
35-49	413	5.5	7	3	4	5	6	10	10
50-69	272	4.2	13	2	2	3	4	9	12
70 +	21	3.1	1						
SUBTOTAL	**1343**	**4.4**	**8**	**2**	**3**	**4**	**5**	**8**	**10**
GRAND TOTAL	**2105**	**6.0**	**32**	**2**	**3**	**4**	**7**	**12**	**15**

Total U.S., July 1989 - June 1990

DRG 366: Malignancy, Female Reproductive System w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	755	8.2	82	2	2	5	10	21	27
70-74	715	7.3	35	2	4	6	9	15	18
75-79	559	10.5	86	2	4	8	13	25	29
80-84	557	10.7	70	3	4	9	14	22	28
85+	437	10.1	116	2	2	6	14	25	41
SUBTOTAL	3024	9.2	76	2	3	7	11	22	27
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
GRAND TOTAL	3024	9.2	76	2	3	7	11	22	27

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	53	4.5	1						
18-34	169	10.0	84	2	3	6	14	29	29
35-49	772	5.7	39	1	2	4	6	15	21
50-69	1133	6.4	31	2	3	5	9	13	17
70+	122	5.4	5	4	4	5	5	9	10
	2249	6.3	37	2	2	4	8	14	21
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	2249	6.3	37	2	2	4	8	14	21

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	65	6.2	30	1	3	4	8	20	20
18-34	170	6.9	40	2	2	5	8	16	16
35-49	224	11.4	71	3	4	8	15	26	26
50-69	379	7.5	43	2	3	5	9	15	22
70+	16	9.7	49						
SUBTOTAL	854	8.3	52	2	3	6	12	20	26
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
GRAND TOTAL	854	8.3	52	2	3	6	12	20	26

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	36	11.6	15						
18-34	42	12.4	16						
35-49	174	6.5	31	2	3	5	7	17	20
50-69	497	10.2	90	1	3	7	13	29	30
70+	45	7.6	25	2	3	6	14	16	16
	793	9.4	69	2	3	7	13	23	30
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	793	9.4	69	2	3	7	13	23	30

Total U.S., July 1989 - June 1990

DRG 367: Malignancy, Female Reproductive System w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	281	2.4	4	1	1	2	3	5	8
70-74	197	2.6	2	1	1	2	4	4	5
75-79	147	3.9	7	1	2	3	6	8	11
80-84	183	4.5	7	1	3	4	8	8	8
85 +	67	11.8	133	2	4	7	10	32	32
SUBTOTAL	**874**	**3.9**	**20**	**1**	**1**	**3**	**5**	**8**	**8**
GRAND TOTAL	**874**	**3.9**	**20**	**1**	**1**	**3**	**5**	**8**	**8**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	105	3.5	2	1	3	4	4	4	6
18-34	202	3.4	1	2	3	4	4	5	5
35-49	333	2.6	5	1	1	2	3	5	7
50-69	505	2.0	6	1	1	1	3	3	4
70 +	51	1.0							
1196	**2.5**	**5**	**1**	**1**	**2**	**3**	**4**	**5**	
1196	**2.5**	**5**	**1**	**1**	**2**	**3**	**4**	**5**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	75	2.9	2	1	1	3	4	4	4
18-34	195	2.1	9	< 1	< 1	< 1	1	3	13
35-49	89	3.1	5	1	1	3	4	6	8
50-69	105	2.3	2	1	1	2	4	4	5
70 +	25	3.5	2						
SUBTOTAL	**488**	**2.5**	**6**	**< 1**	**< 1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**488**	**2.5**	**6**	**< 1**	**< 1**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	12	5.0	10						
18-34	62	3.6	14	< 1	1	2	4	13	13
35-49	171	2.9	28	1	1	1	2	3	24
50-69	166	1.9	2	< 1	1	1	3	4	5
70 +	20	2.2	1						
432	**2.6**	**15**	**1**	**1**	**2**	**3**	**5**	**8**	
432	**2.6**	**15**	**1**	**1**	**2**	**3**	**5**	**8**	

Total U.S., July 1989 - June 1990

DRG 368: Infections, Female Reproductive System

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	374	5.4	7	3	3	5	7	7	10
70-74	114	11.2	27	4	5	12	16	16	18
75-79	207	6.7	7	4	4	6	9	11	11
80-84	202	10.7	19	7	7	13	14	16	16
85 +	170	14.1	179	3	5	6	35	36	36
SUBTOTAL	**1066**	**8.7**	**49**	**3**	**4**	**7**	**11**	**16**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	291	5.1	9	2	2	4	8	9	10
70-74	53	7.6	20						
75-79	8	7.0							
80-84	108	7.5	9						
85 +	64	4.4	3	2	3	5	6	7	7
SUBTOTAL	**525**	**5.8**	**11**	**2**	**4**	**5**	**9**	**10**	**11**
GRAND TOTAL	**1591**	**7.7**	**38**	**3**	**4**	**6**	**10**	**15**	**16**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	773	4.4	11	2	3	4	5	8	9
18-34	3067	4.2	5	2	3	4	5	7	9
35-49	936	5.3	8	2	3	5	7	10	11
50-69	265	5.8	7	3	3	6	7	9	12
70 +	26	8.1	1						
	5068	**4.6**	**7**	**2**	**3**	**4**	**6**	**8**	**9**
0-17	3070	3.7	4	2	2	3	5	7	8
18-34	16783	3.6	3	2	2	3	4	6	7
35-49	4422	4.2	5	2	3	4	5	7	8
50-69	373	5.4	7	3	3	5	8	8	11
70 +	0								
	24648	**3.8**	**4**	**2**	**2**	**3**	**5**	**6**	**7**
	29716	**3.9**	**4**	**2**	**3**	**3**	**5**	**7**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	873	5.0	6	3	3	5	7	8	10
18-34	3469	4.3	4	2	3	4	5	7	9
35-49	544	4.8	5	3	4	4	5	7	10
50-69	111	6.7	3						
70 +	0								
SUBTOTAL	**4998**	**4.6**	**5**	**2**	**3**	**4**	**6**	**8**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	2499	4.1	5	2	3	4	5	7	8
18-34	9951	3.8	4	2	3	4	5	6	7
35-49	759	4.2	5	2	3	4	5	6	8
50-69	13	7.2	17						
70 +	0								
SUBTOTAL	**13222**	**3.9**	**4**	**2**	**3**	**4**	**5**	**6**	**7**
GRAND TOTAL	**18220**	**4.1**	**4**	**2**	**3**	**4**	**5**	**7**	**8**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	652	4.2	4	2	3	4	5	7	7
18-34	3817	4.4	7	2	3	4	5	7	8
35-49	579	5.3	13	2	3	5	7	10	13
50-69	80	7.7	40	3	4	7	8	11	26
70 +	15	7.9	1						
	5144	**4.5**	**8**	**2**	**3**	**4**	**5**	**7**	**9**
0-17	2489	4.4	7	2	2	4	6	8	9
18-34	11978	3.7	4	2	2	3	5	6	7
35-49	1417	4.8	9	2	3	4	6	10	11
50-69	39	4.1	4						
70 +	16	15.0							
	15939	**3.9**	**5**	**2**	**2**	**3**	**5**	**7**	**8**
	21083	**4.1**	**6**	**2**	**3**	**4**	**5**	**7**	**8**

DRG 369: Menstrual & Other Female Reproductive System Disorders

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	545	4.6	10	1	2	4	6	7	11
70-74	311	4.7	17	<1	2	5	6	7	12
75-79	179	4.8	23	1	2	3	6	7	11
80-84	253	7.3	180	3	3	3	7	15	99+
85+	243	6.3	14	2	3	6	8	13	13
SUBTOTAL	**1531**	**5.4**	**43**	**1**	**3**	**4**	**6**	**11**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	429	2.4	3	<1	1	2	3	4	5
70-74	285	3.1	5	<1	1	3	5	6	6
75-79	242	4.0	22	1	2	3	4	5	8
80-84	164	5.1	14	1	2	4	8	8	15
85+	181	4.0	4	2	3	3	5	6	9
SUBTOTAL	**1302**	**3.4**	**9**	**<1**	**1**	**3**	**4**	**6**	**8**
GRAND TOTAL	**2833**	**4.5**	**28**	**1**	**2**	**4**	**5**	**8**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	681	4.2	33	1	2	3	5	6	10
18-34	2546	2.9	10	1	1	2	3	5	6
35-49	1807	2.8	4	<1	1	2	4	5	7
50-69	472	4.0	10	<1	2	3	6	10	11
70+	15	6.7	17						
SUBTOTAL	**5522**	**3.1**	**11**	**1**	**1**	**2**	**4**	**6**	**7**
0-17	3762	1.8	1	1	1	2	2	3	4
18-34	12251	2.2	3	1	1	2	3	4	5
35-49	5471	2.4	3	1	1	2	3	4	5
50-69	902	2.5	3	<1	1	2	3	4	5
70+	29	4.2	6						
SUBTOTAL	**22416**	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**27938**	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	213	2.6	2	1	2	2	3	4	4
18-34	593	3.8	13	1	2	3	4	7	13
35-49	464	3.9	9	1	2	3	4	9	10
50-69	131	4.9	22	<1	2	5	5	7	21
70+	8	6.0							
SUBTOTAL	**1409**	**3.7**	**11**	**1**	**2**	**3**	**4**	**7**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	755	1.6	1	<1	1	1	2	3	3
18-34	2920	2.2	3	<1	1	2	3	4	6
35-49	732	2.8	4	1	1	3	4	5	7
50-69	93	2.5	3	<1	2	2	2	7	7
70+	0								
SUBTOTAL	**4500**	**2.2**	**3**	**<1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**5909**	**2.6**	**5**	**<1**	**1**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	265	2.3	2	1	2	2	3	3	5
18-34	1089	3.0	8	1	1	2	3	8	9
35-49	784	2.7	3	1	1	2	4	5	5
50-69	248	4.0	113	1	1	1	2	5	10
70+	21	4.6	5						
SUBTOTAL	**2407**	**2.9**	**16**	**1**	**1**	**2**	**3**	**6**	**8**
0-17	1263	1.6	1	<1	1	1	2	3	4
18-34	4518	2.0	4	1	1	1	2	3	5
35-49	1324	2.4	3	1	1	2	3	5	6
50-69	358	2.0	5	<1	1	1	2	3	9
70+	27	1.0							
SUBTOTAL	**7490**	**2.0**	**3**	**<1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**9898**	**2.2**	**7**	**1**	**1**	**2**	**2**	**4**	**6**

Total U.S., July 1989 - June 1990

DRG 370: Cesarean Section w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	641	7.6	67	4	5	5	7	12	16
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	641	7.6	67	4	5	5	7	12	16
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	641	7.6	67	4	5	5	7	12	16

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	2190	6.0	11	4	4	5	7	9	11
18-34	84808	5.6	24	3	4	5	6	8	10
35-49	14794	6.3	38	3	4	5	6	9	13
50-69	0								
70 +	0								
	101791	5.7	26	3	4	5	6	8	11
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	101791	5.7	26	3	4	5	6	8	11

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	7068	6.1	12	4	4	5	7	9	12
18-34	56761	5.7	19	3	4	5	6	9	11
35-49	3625	6.9	56	3	4	5	7	12	16
50-69	8	4.0							
70 +	0								
SUBTOTAL	67461	5.8	21	3	4	5	6	9	12
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	67461	5.8	21	3	4	5	6	9	12

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1943	5.7	7	3	4	5	7	9	11
18-34	30212	5.5	16	3	4	5	6	8	11
35-49	4266	5.9	46	3	4	5	6	8	11
50-69	0								
70 +	0								
	36421	5.5	19	3	4	5	6	8	11
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	36421	5.5	19	3	4	5	6	8	11

Total U.S., July 1989 - June 1990

DRG 371: Cesarean Section w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1233	4.0	1	3	3	4	4	5	6
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**1233**	**4.0**	**1**	**3**	**3**	**4**	**4**	**5**	**6**
GRAND TOTAL	**1233**	**4.0**	**1**	**3**	**3**	**4**	**4**	**5**	**6**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	4837	4.3	2	3	4	4	5	6	7
18-34	375630	4.1	4	3	3	4	4	5	6
35-49	57330	4.4	6	3	4	4	5	5	6
50-69	25	4.5	3						
70 +	0								
SUBTOTAL	**437822**	**4.2**	**4**	**3**	**3**	**4**	**5**	**5**	**6**
GRAND TOTAL	**437822**	**4.2**	**4**	**3**	**3**	**4**	**5**	**5**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	12054	4.3	3	3	3	4	5	6	7
18-34	140202	4.1	4	3	3	4	4	5	6
35-49	7001	4.2	5	3	3	4	5	5	6
50-69	59	4.7							
70 +	0								
SUBTOTAL	**159316**	**4.1**	**4**	**3**	**3**	**4**	**4**	**5**	**6**
GRAND TOTAL	**159316**	**4.1**	**4**	**3**	**3**	**4**	**4**	**5**	**6**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	2898	4.4	11	3	3	4	5	6	7
18-34	95554	4.0	5	3	3	4	4	5	6
35-49	12233	4.1	7	3	3	4	4	5	6
50-69	12	11.0	70						
70 +	0								
SUBTOTAL	**110697**	**4.0**	**5**	**3**	**3**	**4**	**4**	**5**	**6**
GRAND TOTAL	**110697**	**4.0**	**5**	**3**	**3**	**4**	**4**	**5**	**6**

DRG 372: Vaginal Delivery w/ Complicating Diagnoses

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	289	3.1	4	2	2	3	4	5	6
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**289**	**3.1**	**4**	**2**	**2**	**3**	**4**	**5**	**6**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	219	2.1	1	1	2	2	3	3	3
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**219**	**2.1**	**1**	**1**	**2**	**2**	**3**	**3**	**3**
GRAND TOTAL	**508**	**2.7**	**3**	**1**	**2**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1186	3.8	6	2	2	3	5	7	9
18-34	32357	3.4	12	2	2	3	4	5	7
35-49	4622	3.4	6	2	2	3	4	6	8
50-69	0								
70+	0								
SUBTOTAL	**38166**	**3.4**	**11**	**2**	**2**	**3**	**4**	**5**	**7**
0-17	2358	2.9	7	1	2	2	3	4	7
18-34	66825	2.7	4	2	2	2	3	4	5
35-49	7908	2.9	7	2	2	2	3	4	5
50-69	0								
70+	0								
SUBTOTAL	**77091**	**2.8**	**5**	**2**	**2**	**2**	**3**	**4**	**5**
GRAND TOTAL	**115257**	**3.0**	**7**	**2**	**2**	**2**	**3**	**4**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	3830	3.4	9	2	2	3	4	5	7
18-34	24628	3.5	12	2	2	3	4	6	8
35-49	1389	3.6	10	2	2	3	4	6	9
50-69	7	6.0							
70+	0								
SUBTOTAL	**29853**	**3.5**	**11**	**2**	**2**	**3**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	6342	3.0	8	2	2	2	3	4	6
18-34	35818	2.6	4	1	2	2	3	4	5
35-49	1697	2.7	4	1	2	2	3	4	5
50-69	0								
70+	0								
SUBTOTAL	**43857**	**2.7**	**4**	**1**	**2**	**2**	**3**	**4**	**5**
GRAND TOTAL	**73710**	**3.0**	**7**	**1**	**2**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1628	3.4	7	2	2	3	4	7	8
18-34	13963	3.3	9	1	2	3	4	5	7
35-49	1531	3.2	9	1	2	2	4	6	7
50-69	0								
70+	0								
SUBTOTAL	**17123**	**3.3**	**9**	**1**	**2**	**3**	**4**	**5**	**7**
0-17	2099	2.6	3	1	2	2	3	4	5
18-34	24303	2.5	4	1	2	2	3	4	5
35-49	2063	2.7	5	1	2	2	3	4	7
50-69	0								
70+	0								
SUBTOTAL	**28465**	**2.6**	**4**	**1**	**2**	**2**	**3**	**4**	**5**
GRAND TOTAL	**45588**	**2.8**	**6**	**1**	**2**	**2**	**3**	**4**	**6**

DRG 373: Vaginal Delivery w/o Complicating Diagnoses

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	503	2.8	2	2	2	2	3	5	5
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**503**	**2.8**	**2**	**2**	**2**	**2**	**3**	**5**	**5**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2668	2.2	1	1	2	2	3	3	3
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**2668**	**2.2**	**1**	**1**	**2**	**2**	**3**	**3**	**3**
GRAND TOTAL	**3171**	**2.3**	**1**	**1**	**2**	**2**	**3**	**3**	**4**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	2370	2.6	2	1	2	2	3	4	4
18-34	52468	2.8	7	2	2	2	3	4	5
35-49	6288	3.1	21	2	2	3	3	5	6
50-69	0								
70 +	0								
61126	**2.8**	**8**	**2**	**2**	**2**	**3**	**4**	**5**	
0-17	27003	2.1	1	1	2	2	2	3	3
18-34	1128200	2.2	1	1	2	2	3	3	3
35-49	119085	2.3	2	1	2	2	3	3	3
50-69	60	2.5	2	< 1	1	2	4	4	4
70 +	0								
1274349	**2.2**	**1**	**1**	**2**	**2**	**3**	**3**	**3**	
1335475	**2.2**	**2**	**1**	**2**	**2**	**3**	**3**	**3**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	8625	2.6	4	1	2	2	3	4	5
18-34	60941	2.5	4	1	2	2	3	3	4
35-49	2107	2.7	5	1	2	2	3	5	6
50-69	8	2.0							
70 +	0								
SUBTOTAL	**71681**	**2.5**	**4**	**1**	**2**	**2**	**3**	**3**	**4**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	72365	2.2	1	1	2	2	3	3	3
18-34	530740	2.0	1	1	2	2	2	3	3
35-49	16860	2.0	1	1	1	2	2	3	3
50-69	67	2.4	2	1	2	2	2	5	5
70 +	0								
SUBTOTAL	**620031**	**2.0**	**1**	**1**	**2**	**2**	**2**	**3**	**3**
GRAND TOTAL	**691712**	**2.1**	**1**	**1**	**2**	**2**	**2**	**3**	**3**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	3574	2.4	2	1	2	2	3	3	4
18-34	34051	2.3	4	1	2	2	3	3	4
35-49	2193	2.3	2	1	2	2	3	4	4
50-69	12	11.5	98						
70 +	0								
39831	**2.3**	**3**	**1**	**2**	**2**	**3**	**3**	**4**	
0-17	26710	2.0	2	1	1	2	2	3	3
18-34	426302	1.9	1	1	1	2	2	3	3
35-49	35538	1.9	1	1	1	2	2	3	3
50-69	31	1.4	1						
70 +	0								
488580	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	
528411	**2.0**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	

Total U.S., July 1989 - June 1990

DRG 374: Vaginal Delivery w/ Sterilization &/or D&C

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	122	3.5	3	2	2	3	4	5	8
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**122**	**3.5**	**3**	**2**	**2**	**3**	**4**	**5**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	535	2.5	1	2	2	2	3	3	3
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**535**	**2.5**	**1**	**2**	**2**	**2**	**3**	**3**	**3**
GRAND TOTAL	**657**	**2.7**	**1**	**2**	**2**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	23	2.3							
18-34	7155	3.4	6	2	2	3	4	5	6
35-49	1620	3.5	9	2	2	3	4	6	7
50-69	0								
70 +	0								
	8798	**3.4**	**7**	**2**	**2**	**3**	**4**	**5**	**7**
0-17	136	1.5	1	< 1	< 1	1	2	3	3
18-34	79216	2.5	2	2	2	2	3	3	4
35-49	16818	2.7	6	2	2	2	3	4	4
50-69	15	2.5							
70 +	0								
	96184	**2.5**	**3**	**2**	**2**	**2**	**3**	**3**	**4**
	104982	**2.6**	**3**	**2**	**2**	**2**	**3**	**3**	**4**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	197	3.5	2	2	2	3	4	6	7
18-34	9047	3.3	12	2	2	3	4	5	7
35-49	777	4.4	89	2	2	3	4	5	5
50-69	0								
70 +	0								
SUBTOTAL	**10021**	**3.4**	**18**	**2**	**2**	**3**	**4**	**5**	**7**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	552	3.6	6	2	2	3	3	6	10
18-34	63704	2.4	2	2	2	2	3	3	4
35-49	5072	2.5	1	2	2	2	3	3	4
50-69	0								
70 +	0								
SUBTOTAL	**69327**	**2.4**	**2**	**2**	**2**	**2**	**3**	**3**	**4**
GRAND TOTAL	**79348**	**2.5**	**4**	**2**	**2**	**2**	**3**	**3**	**4**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	34	2.9	1						
18-34	2902	3.3	7	2	2	3	3	5	7
35-49	590	3.5	10	2	2	3	3	5	6
50-69	0								
70 +	0								
	3526	**3.3**	**8**	**2**	**2**	**3**	**3**	**5**	**7**
0-17	103	2.2	1	1	2	2	2	2	6
18-34	21330	2.4	2	1	2	2	3	3	4
35-49	4028	2.5	2	1	2	2	3	4	4
50-69	16	3.0							
70 +	0								
	25477	**2.4**	**2**	**1**	**2**	**2**	**3**	**3**	**4**
	29002	**2.5**	**2**	**1**	**2**	**2**	**3**	**3**	**4**

Total U.S., July 1989 - June 1990

DRG 375: Vaginal Delivery w/ O.R. Proc except Steril &/or D&C

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	8	2.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**8**	**2.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**8**	**2.0**							

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	54	- 3.2	3	1	2	3	6	6	6
18-34	408	4.8	24	2	3	3	5	8	13
35-49	128	6.1	36	2	2	4	11	12	23
50-69	0								
70 +	0								
SUBTOTAL	**591**	**5.0**	**25**	**2**	**3**	**3**	**6**	**10**	**13**
0-17	87	2.4		2	2	2	3	3	3
18-34	1191	2.4	1	1	2	2	3	3	4
35-49	114	2.7	2	1	2	2	3	6	6
50-69	0								
70 +	0								
SUBTOTAL	**1392**	**2.4**	**1**	**1**	**2**	**2**	**3**	**3**	**4**
GRAND TOTAL	**1982**	**3.2**	**10**	**2**	**2**	**2**	**3**	**5**	**7**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	128	4.0	5	2	2	3	4	6	11
18-34	967	5.0	42	2	2	3	5	9	15
35-49	106	5.2	41	2	2	2	3	19	22
50-69	0								
70 +	0								
SUBTOTAL	**1200**	**4.9**	**38**	**2**	**2**	**3**	**5**	**9**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	300	2.4	1	2	2	2	3	3	4
18-34	1580	2.7	3	2	2	2	3	4	4
35-49	55	1.8		1	1	2	2	3	3
50-69	0								
70 +	0								
SUBTOTAL	**1934**	**2.6**	**3**	**2**	**2**	**2**	**3**	**4**	**4**
GRAND TOTAL	**3135**	**3.5**	**18**	**2**	**2**	**3**	**3**	**5**	**7**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	89	5.2	11	2	3	5	6	8	15
18-34	275	3.7	10	1	2	3	5	7	13
35-49	15	3.5							
50-69	0								
70 +	0								
SUBTOTAL	**379**	**4.1**	**10**	**1**	**2**	**3**	**5**	**7**	**13**
0-17	99	2.5		2	2	3	3	3	3
18-34	1016	2.5	3	2	2	2	3	3	4
35-49	69	2.9	4	1	2	2	3	8	8
50-69	0								
70 +	0								
SUBTOTAL	**1184**	**2.5**	**2**	**2**	**2**	**2**	**3**	**3**	**4**
GRAND TOTAL	**1563**	**2.9**	**5**	**2**	**2**	**2**	**3**	**5**	**6**

Total U.S., July 1989 - June 1990

DRG 376: Postpartum & Post Abortion Diagnoses w/o O.R. Procedure

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	62	4.4	21	1	1	2	4	15	15
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**62**	**4.4**	**21**	**1**	**1**	**2**	**4**	**15**	**15**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	71	3.9	15	1	1	3	5	14	14
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**71**	**3.9**	**15**	**1**	**1**	**3**	**5**	**14**	**14**
GRAND TOTAL	**133**	**4.1**	**18**	**1**	**1**	**3**	**5**	**14**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	248	3.0	2	2	2	2	3	5	6
18-34	3683	4.0	16	1	2	3	5	8	10
35-49	411	5.8	28	1	2	3	8	15	16
50-69	0								
70 +	0								
SUBTOTAL	**4342**	**4.1**	**17**	**1**	**2**	**3**	**5**	**8**	**11**
0-17	475	3.2	4	2	2	3	3	5	6
18-34	8425	2.9	6	1	2	2	3	5	7
35-49	1193	3.3	9	1	2	2	4	7	7
50-69	0								
70 +	0								
SUBTOTAL	**10094**	**3.0**	**6**	**1**	**2**	**2**	**3**	**5**	**7**
	14435	**3.3**	**10**	**1**	**2**	**2**	**4**	**6**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	696	3.4	7	1	2	3	4	6	7
18-34	3928	3.6	7	1	2	3	4	7	8
35-49	194	4.3	24	1	2	2	5	9	19
50-69	0								
70 +	0								
SUBTOTAL	**4819**	**3.6**	**8**	**1**	**2**	**3**	**4**	**7**	**8**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	1226	2.4	1	1	2	2	3	4	5
18-34	8276	2.6	4	1	1	2	3	5	7
35-49	426	2.7	4	1	2	2	3	5	6
50-69	0								
70 +	0								
SUBTOTAL	**9928**	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**14748**	**2.9**	**5**	**1**	**2**	**2**	**3**	**6**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	228	4.1	12	1	2	3	5	7	15
18-34	2479	3.3	9	1	2	2	4	7	9
35-49	250	3.5	8	1	2	3	4	6	8
50-69	0								
70 +	0								
SUBTOTAL	**2957**	**3.3**	**9**	**1**	**2**	**2**	**4**	**7**	**9**
0-17	497	2.7	1	1	2	3	3	4	4
18-34	5047	2.4	4	1	1	2	3	4	6
35-49	710	2.5	5	1	1	2	3	5	7
50-69	0								
70 +	0								
SUBTOTAL	**6255**	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**6**
	9211	**2.7**	**6**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 377: Postpartum & Post Abortion Diagnoses w/ O.R. Procedure

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	7	3.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**7**	**3.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	18	3.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**18**	**3.0**							
GRAND TOTAL	**25**	**3.0**							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	57	2.7	8	1	1	2	2	10	10
18-34	1872	4.0	14	1	2	3	5	8	10
35-49	355	5.8	26	1	2	5	9	11	15
50-69	0								
70 +	0								
	2285	**4.2**	**16**	**1**	**2**	**3**	**5**	**9**	**11**
0-17	35	5.2	20						
18-34	2852	2.4	3	< 1	1	2	3	5	6
35-49	489	2.0	2	< 1	1	1	2	5	6
50-69	0								
70 +	0								
	3375	**2.3**	**3**	**< 1**	**1**	**2**	**3**	**5**	**6**
	5660	**3.1**	**9**	**1**	**1**	**2**	**4**	**6**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	171	2.9	6	< 1	1	2	5	7	8
18-34	1428	4.0	12	1	2	3	5	9	11
35-49	70	5.0	26	1	2	3	5	18	18
50-69	0								
70 +	0								
SUBTOTAL	**1669**	**3.9**	**12**	**1**	**2**	**3**	**5**	**8**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	63	2.1	2	1	1	2	2	5	5
18-34	1520	2.5	3	1	1	2	3	4	7
35-49	49	3.6	8	1	2	2	7	8	8
50-69	0								
70 +	0								
SUBTOTAL	**1633**	**2.5**	**3**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**3302**	**3.2**	**8**	**1**	**2**	**2**	**4**	**7**	**9**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	143	3.2	3	2	2	3	4	5	8
18-34	822	3.4	11	1	1	2	4	7	12
35-49	130	6.6	164	1	2	3	3	21	55
50-69	0								
70 +	0								
	1095	**3.8**	**29**	**1**	**1**	**2**	**4**	**7**	**12**
0-17	82	2.0	1						
18-34	1131	2.5	8	< 1	1	1	3	5	7
35-49	173	3.3	8	1	1	2	4	8	10
50-69	0								
70 +	0								
	1386	**2.6**	**8**	**< 1**	**1**	**2**	**3**	**5**	**7**
	2480	**3.1**	**18**	**1**	**1**	**2**	**3**	**6**	**9**

Total U.S., July 1989 - June 1990

DRG 378: Ectopic Pregnancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	56	4.9	3	2	4	5	6	8	8
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**56**	**4.9**	**3**	**2**	**4**	**5**	**6**	**8**	**8**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	67	3.1	1	1	3	3	4	4	4
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**67**	**3.1**	**1**	**1**	**3**	**3**	**4**	**4**	**4**
GRAND TOTAL	**123**	**3.9**	**3**	**2**	**3**	**4**	**5**	**6**	**8**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	140	3.8	1	3	3	4	5	5	5
18-34	8098	3.9	2	2	3	4	5	6	6
35-49	1916	4.2	3	2	3	4	5	6	8
50-69	0								
70 +	0								
SUBTOTAL	**10154**	**3.9**	**2**	**2**	**3**	**4**	**5**	**6**	**6**
0-17	446	2.5	2	1	1	3	3	4	4
18-34	20619	3.1	2	1	2	3	4	4	5
35-49	4574	3.2	2	1	2	3	4	5	5
50-69	10	4.0							
70 +	0								
SUBTOTAL	**25649**	**3.1**	**2**	**1**	**2**	**3**	**4**	**4**	**5**
GRAND TOTAL	**35803**	**3.3**	**2**	**1**	**3**	**3**	**4**	**5**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	138	3.9	2	3	3	4	5	6	7
18-34	3446	4.0	2	2	3	4	5	6	7
35-49	356	4.3	3	2	3	4	5	6	6
50-69	0								
70 +	0								
SUBTOTAL	**3940**	**4.0**	**2**	**2**	**3**	**4**	**5**	**6**	**7**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	262	3.2	1	2	3	3	4	4	4
18-34	6762	3.2	2	1	2	3	4	5	5
35-49	592	3.5	1	2	3	3	4	5	5
50-69	0								
70 +	0								
SUBTOTAL	**7616**	**3.2**	**2**	**2**	**3**	**3**	**4**	**5**	**5**
GRAND TOTAL	**11556**	**3.5**	**2**	**2**	**3**	**3**	**4**	**5**	**6**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	70	3.3	2	1	2	3	5	6	6
18-34	5069	3.8	3	2	3	4	4	5	6
35-49	861	4.6	5	2	3	4	5	8	9
50-69	0								
70 +	0								
SUBTOTAL	**6000**	**3.9**	**3**	**2**	**3**	**4**	**5**	**6**	**7**
0-17	335	2.7	2	< 1	2	3	3	5	5
18-34	11535	3.0	2	1	2	3	4	4	5
35-49	1639	3.0	2	1	2	3	4	5	5
50-69	0								
70 +	0								
SUBTOTAL	**13509**	**3.0**	**2**	**1**	**2**	**3**	**4**	**5**	**5**
GRAND TOTAL	**19508**	**3.3**	**2**	**1**	**2**	**3**	**4**	**5**	**6**

Total U.S., July 1989 - June 1990

DRG 379: Threatened Abortion

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	21	3.4	7						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**21**	**3.4**	**7**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	287	2.0	2	< 1	< 1	1	2	4	6
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**287**	**2.0**	**2**	**< 1**	**< 1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**309**	**2.1**	**3**	**< 1**	**< 1**	**1**	**2**	**4**	**6**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	591	4.6	23	1	2	3	5	9	19
18-34	11365	3.6	26	1	1	2	4	7	12
35-49	1213	5.2	79	1	1	3	5	8	21
50-69	0								
70 +	0								
	13169	**3.8**	**31**	**1**	**1**	**2**	**4**	**7**	**12**
0-17	1984	2.6	10	< 1	1	1	3	6	9
18-34	51620	2.5	10	< 1	1	2	3	5	7
35-49	5293	3.1	18	< 1	1	2	3	7	10
50-69	16	6.0							
70 +	0								
	58913	**2.5**	**11**	**< 1**	**1**	**2**	**3**	**5**	**8**
	72082	**2.8**	**15**	**< 1**	**1**	**2**	**3**	**5**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	1786	3.1	6	1	2	2	4	6	9
18-34	12323	3.4	20	1	1	2	4	6	9
35-49	392	6.0	42	1	2	3	7	20	20
50-69	0								
70 +	0								
SUBTOTAL	**14501**	**3.5**	**19**	**1**	**1**	**2**	**4**	**6**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	5015	2.5	7	< 1	1	2	3	4	7
18-34	30717	2.3	5	< 1	1	2	3	4	6
35-49	684	2.4	3	< 1	1	2	3	5	5
50-69	0								
70 +	0								
SUBTOTAL	**36416**	**2.3**	**5**	**< 1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**50917**	**2.6**	**10**	**< 1**	**1**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	652	3.7	21	1	2	3	4	6	10
18-34	5359	3.5	15	1	1	3	4	7	10
35-49	532	4.1	20	1	1	3	5	8	13
50-69	0								
70 +	0								
	6544	**3.6**	**16**	**1**	**1**	**3**	**4**	**7**	**10**
0-17	2016	2.2	6	< 1	1	1	3	4	6
18-34	19915	2.4	13	< 1	1	1	3	4	6
35-49	1303	2.4	9	< 1	1	1	3	5	6
50-69	0								
70 +	0								
	23234	**2.4**	**12**	**< 1**	**1**	**1**	**3**	**4**	**6**
	29778	**2.6**	**13**	**< 1**	**1**	**2**	**3**	**5**	**7**

Total U.S., July 1989 - June 1990

DRG 380: Abortion w/o D&C

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	57	3.8	15						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	57	3.8	15						
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	57	3.8	15						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	77	3.0	1	2	3	3	3	4	5
18-34	1085	3.4	53	1	1	2	4	7	8
35-49	158	1.9	1	1	1	1	3	3	4
50-69	0								
70 +	0								
	1321	3.2	44	1	1	2	3	6	8
0-17	724	1.5		< 1	1	1	2	2	3
18-34	7853	1.6	2	< 1	1	1	2	3	4
35-49	1833	1.5	2	< 1	1	1	2	2	4
50-69	16	1.0							
70 +	0								
	10426	1.5	1	< 1	1	1	2	2	4
	11747	1.7	6	< 1	1	1	2	3	4

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	180	3.0	1	2	2	3	4	4	5
18-34	1158	3.3	33	1	1	2	3	5	7
35-49	81	1.3		1	1	1	1	2	3
50-69	0								
70 +	0								
SUBTOTAL	1418	3.1	27	1	1	2	3	5	6
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	645	1.7	1	1	1	1	2	3	4
18-34	3989	1.9	1	1	1	2	2	3	4
35-49	150	1.4	1	< 1	1	1	2	2	4
50-69	7	3.0							
70 +	0								
SUBTOTAL	4790	1.9	1	1	1	2	2	3	4
GRAND TOTAL	6209	2.1	8	1	1	2	2	4	5

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	135	1.7	5	< 1	1	1	1	2	9
18-34	911	3.0	9	1	1	2	4	6	8
35-49	87	3.4	5	1	1	3	4	6	9
50-69	0								
70 +	0								
	1133	2.9	8	1	1	2	4	6	9
0-17	479	1.6		1	1	2	2	2	2
18-34	4330	1.6	2	< 1	1	1	2	3	3
35-49	528	1.5	1	< 1	< 1	1	2	2	4
50-69	0								
70 +	0								
	5336	1.6	2	< 1	1	1	2	3	3
	6469	1.8	3	< 1	1	1	2	3	5

DRG 381: Abortion w/ D&C, Aspiration Curettage or Hysterotomy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	82	2.6	3	1	1	3	3	6	6
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**82**	**2.6**	**3**	**1**	**1**	**3**	**3**	**6**	**6**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	273	1.4	3	< 1	1	1	1	2	5
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**273**	**1.4**	**3**	**< 1**	**1**	**1**	**1**	**2**	**5**
GRAND TOTAL	**355**	**1.7**	**3**	**1**	**1**	**1**	**1**	**4**	**6**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	94	1.7	3	1	1	1	2	2	8
18-34	3215	2.3	5	1	1	2	2	5	6
35-49	845	2.2	5	< 1	1	1	2	6	9
50-69	0								
70 +	0								
	4155	**2.2**	**5**	**1**	**1**	**1**	**2**	**5**	**6**
0-17	1586	1.4	1	< 1	1	1	1	2	3
18-34	32811	1.3	1	< 1	< 1	1	1	2	3
35-49	7282	1.3	1	< 1	< 1	1	1	2	3
50-69	0								
70 +	0								
	41678	**1.3**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**3**
	45833	**1.4**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**3**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	327	3.0	5	1	1	2	4	7	9
18-34	2886	2.5	4	1	1	2	3	5	6
35-49	368	3.0	15	1	1	2	3	5	15
50-69	0								
70 +	0								
SUBTOTAL	**3581**	**2.6**	**6**	**1**	**1**	**2**	**3**	**5**	**7**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1399	1.5	1	< 1	1	1	2	2	3
18-34	12222	1.5	1	< 1	1	1	2	3	4
35-49	949	1.5	1	< 1	1	1	2	3	6
50-69	0								
70 +	0								
SUBTOTAL	**14570**	**1.5**	**1**	**< 1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**18151**	**1.7**	**2**	**< 1**	**1**	**1**	**2**	**3**	**4**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	312	1.9	2	1	1	1	2	4	6
18-34	2534	2.1	4	< 1	1	1	3	4	6
35-49	373	1.9	6	< 1	1	1	1	4	6
50-69	0								
70 +	0								
	3219	**2.1**	**4**	**< 1**	**1**	**1**	**2**	**4**	**6**
0-17	2038	1.2		< 1	1	1	1	2	2
18-34	20080	1.3	1	< 1	< 1	1	1	2	3
35-49	3337	1.3	1	< 1	< 1	1	1	2	3
50-69	6	1.0							
70 +	0								
	25460	**1.3**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**3**
	28679	**1.4**	**1**	**< 1**	**1**	**1**	**1**	**2**	**3**

Total U.S., July 1989 - June 1990

DRG 382: False Labor

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	12	1.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**12**	**1.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	115	1.0		< 1	< 1	1	1	1	1
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**115**	**1.0**		**< 1**	**< 1**	**1**	**1**	**1**	**1**
GRAND TOTAL	**127**	**1.0**		**< 1**	**1**	**1**	**1**	**1**	**1**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	25	1.3							
18-34	1176	1.8	4	< 1	< 1	1	2	3	4
35-49	120	3.5	22	< 1	< 1	1	4	15	15
50-69	0								
70 +	0								
SUBTOTAL	**1321**	**1.9**	**6**	**< 1**	**< 1**	**1**	**2**	**3**	**5**
0-17	805	1.0		< 1	< 1	< 1	1	1	1
18-34	24033	1.1	1	< 1	< 1	< 1	1	1	2
35-49	2141	1.1		< 1	< 1	< 1	1	1	1
50-69	0								
70 +	0								
SUBTOTAL	**26980**	**1.1**	**1**	**< 1**	**< 1**	**< 1**	**1**	**1**	**2**
	28301	**1.1**	**1**	**< 1**	**< 1**	**< 1**	**1**	**1**	**2**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	316	1.9	1	< 1	< 1	1	3	4	4
18-34	1454	1.5	1	< 1	< 1	1	1	3	4
35-49	47	1.9	1						
50-69	0								
70 +	0								
SUBTOTAL	**1817**	**1.5**	**1**	**< 1**	**< 1**	**1**	**2**	**3**	**4**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1846	1.2	1	< 1	< 1	1	1	1	3
18-34	13773	1.1		< 1	< 1	< 1	1	1	2
35-49	320	1.1		< 1	< 1	< 1	1	1	1
50-69	0								
70 +	0								
SUBTOTAL	**15939**	**1.1**		**< 1**	**< 1**	**< 1**	**1**	**1**	**2**
GRAND TOTAL	**17757**	**1.2**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**2**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	46	1.2							
18-34	362	1.7	1	< 1	< 1	1	2	3	4
35-49	8	1.0							
50-69	0								
70 +	0								
SUBTOTAL	**416**	**1.6**	**1**	**< 1**	**1**	**1**	**2**	**3**	**3**
0-17	504	1.1		< 1	< 1	< 1	1	1	2
18-34	6642	1.1	1	< 1	< 1	< 1	1	1	2
35-49	489	1.0		< 1	< 1	< 1	1	1	1
50-69	0								
70 +	0								
SUBTOTAL	**7636**	**1.1**		**< 1**	**< 1**	**< 1**	**1**	**1**	**2**
	8051	**1.1**	**1**	**< 1**	**< 1**	**< 1**	**1**	**1**	**2**

Total U.S., July 1989 - June 1990

DRG 383: Other Antepartum Diagnoses w/ Medical Complications

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	568	5.7	27	2	3	5	6	12	13
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	568	5.7	27	2	3	5	6	12	13
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	323	3.4	8	1	2	3	4	8	9
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	323	3.4	8	1	2	3	4	8	9
GRAND TOTAL	891	4.8	21	1	2	4	6	9	13

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	2210	3.1	14	< 1	1	2	4	6	8
18-34	34745	3.5	15	1	2	3	4	6	8
35-49	3676	4.3	23	1	2	3	5	9	11
50-69	0								
70 +	0								
	40631	3.6	16	1	2	3	4	7	9
0-17	2193	2.8	3	1	1	2	4	5	6
18-34	56273	2.8	8	1	1	2	3	5	7
35-49	6337	2.9	5	1	1	2	4	5	7
50-69	0								
70 +	0								
	64803	2.8	7	1	1	2	3	5	7
	105434	3.1	11	1	1	2	4	6	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	4235	3.4	4	1	2	3	4	6	8
18-34	30130	3.8	16	1	2	3	4	7	10
35-49	1700	4.7	25	1	2	3	5	9	14
50-69	0								
70 +	0								
SUBTOTAL	36065	3.8	15	1	2	3	4	7	10
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	4412	2.7	5	< 1	1	2	3	5	7
18-34	32095	2.7	5	< 1	1	2	3	5	6
35-49	1910	2.9	6	1	1	2	3	6	7
50-69	0								
70 +	0								
SUBTOTAL	38417	2.7	5	< 1	1	2	3	5	6
GRAND TOTAL	74482	3.2	10	1	1	2	4	6	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1554	3.6	8	1	2	3	4	7	9
18-34	16210	3.8	14	1	2	3	4	7	9
35-49	1061	5.3	66	1	2	3	7	8	11
50-69	0								
70 +	0								
	18825	3.9	17	1	2	3	5	7	9
0-17	1529	2.6	6	< 1	1	2	3	5	7
18-34	20030	2.7	7	1	1	2	3	5	6
35-49	1811	3.3	7	1	2	2	4	6	8
50-69	6	2.0							
70 +	0								
	23377	2.7	7	1	1	2	3	5	6
	42202	3.2	11	1	1	2	4	6	8

DRG 384: Other Antepartum Diagnoses w/o Medical Complications

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	50	2.9							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	50	2.9							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	66	2.0	2	< 1	< 1	2	2	5	5
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	66	2.0	2	< 1	< 1	2	2	5	5
GRAND TOTAL	115	2.4	1	< 1	1	2	3	3	5

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	138	2.8	12	< 1	1	2	2	11	11
18-34	4174	3.5	13	< 1	1	2	4	7	10
35-49	608	3.9	15	< 1	1	3	6	6	11
50-69	0								
70 +	0								
	4919	3.5	14	< 1	1	2	4	7	10
	854	1.8	3	< 1	< 1	1	2	4	5
	34689	2.1	8	< 1	< 1	1	2	4	6
	5456	2.1	8	< 1	< 1	1	2	4	6
	43	4.0							
	0								
	41042	2.1	8	< 1	< 1	1	2	4	6
	45962	2.2	8	< 1	< 1	1	2	4	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	279	2.2	2	< 1	< 1	1	4	4	4
18-34	2183	3.4	15	< 1	1	2	4	7	12
35-49	126	6.1	126	< 1	1	3	5	11	49
50-69	0								
70 +	0								
SUBTOTAL	2588	3.4	19	< 1	1	2	4	7	11
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1626	2.1	4	< 1	1	2	2	4	4
18-34	14260	2.1	4	< 1	< 1	1	2	4	6
35-49	853	2.0	2	< 1	1	1	2	4	6
50-69	0								
70 +	0								
SUBTOTAL	16738	2.1	4	< 1	< 1	1	2	4	6
GRAND TOTAL	19326	2.2	7	< 1	1	1	3	4	6

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	133	3.7	21	< 1	1	2	4	8	20
18-34	1372	3.4	18	< 1	1	2	4	7	11
35-49	135	6.7	121	1	2	3	6	10	50
50-69	0								
70 +	0								
	1640	3.7	27	< 1	1	2	4	8	11
	528	2.4	7	< 1	1	1	2	5	6
	11393	2.1	6	< 1	< 1	1	2	4	6
	1295	2.2	4	< 1	1	1	2	6	6
	0								
	0								
	13216	2.1	6	< 1	1	1	2	4	6
	14857	2.3	9	< 1	1	1	3	4	7

Total U.S., July 1989 - June 1990

DRG 386: Extreme Immaturity or Respiratory Distress Syndrome, Neonate

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999 (GMS.)	8	94.0							
1000-1499	8	49.0							
1500-1749	6	32.0							
1750-2499	8	42.0							
2500 +	21	14.4	9						
SUBTOTAL	**50**	**38.0**	**755**	**12**	**13**	**32**	**49**	**94**	**94**
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**50**	**38.0**	**755**	**12**	**13**	**32**	**49**	**94**	**94**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	1524	74.9	240	59	75	92	99 +	99 +	99 +
1000-1499	3224	51.3	249	34	41	51	63	81	99 +
1500-1749	1701	33.9	179	17	27	33	40	49	65
1750-2499	5060	17.0	131	6	9	15	22	31	39
2500 +	6033	8.7	111	2	4	6	10	15	24
SUBTOTAL	**17542**	**27.1**	**617**	**4**	**8**	**19**	**50**	**86**	**99 +**
1-999	0								
1000-1499	10	26.0							
1500-1749	0								
1750-2499	30	13.7	72						
2500 +	145	5.8	6	3	4	5	7	10	10
SUBTOTAL	**185**	**8.2**	**42**	**3**	**5**	**7**	**9**	**26**	**30**
GRAND TOTAL	**17727**	**26.9**	**614**	**4**	**8**	**19**	**50**	**86**	**99 +**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999 (GMS.)	1423	74.6	202	62	71	89	99 +	99 +	99 +
1000-1499	2594	50.3	288	30	39	51	67	83	99 +
1500-1749	1333	31.5	140	18	22	29	40	48	53
1750-2499	2951	17.0	140	5	9	15	22	30	39
2500 +	2565	9.5	210	2	4	5	9	16	43
SUBTOTAL	**10866**	**32.5**	**697**	**4**	**10**	**29**	**62**	**94**	**99 +**
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	10	41.0							
1000-1499	15	23.0							
1500-1749	0								
1750-2499	43	1.0							
2500 +	26	7.4	5						
SUBTOTAL	**95**	**10.5**	**170**	**1**	**1**	**5**	**23**	**41**	**99 +**
GRAND TOTAL	**10961**	**32.3**	**697**	**4**	**10**	**29**	**62**	**94**	**99 +**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	619	74.0	266	61	73	89	99 +	99 +	99 +
1000-1499	1454	48.4	320	27	39	49	62	95	99 +
1500-1749	664	29.4	191	17	21	27	34	47	59
1750-2499	2021	15.4	95	4	9	14	22	27	33
2500 +	2333	7.9	79	2	3	5	10	14	23
SUBTOTAL	**7091**	**26.1**	**604**	**4**	**8**	**20**	**49**	**89**	**99 +**
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	18	11.2	75						
2500 +	100	7.1	14	3	5	6	10	13	13
SUBTOTAL	**118**	**7.7**	**25**	**3**	**4**	**6**	**10**	**13**	**21**
GRAND TOTAL	**7209**	**25.8**	**600**	**4**	**7**	**19**	**49**	**89**	**99 +**

DRG 387: Prematurity w/ Major Problems

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	18	39.1	1						
1500-1749	0								
1750-2499	68	10.6	35	2	6	10	16	19	19
2500 +	0								
SUBTOTAL	**86**	**16.4**	**162**	**3**	**6**	**14**	**19**	**40**	**40**
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	8	8.0							
SUBTOTAL	**8**	**8.0**							
GRAND TOTAL	**94**	**15.7**	**154**	**3**	**7**	**14**	**19**	**39**	**40**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	207	64.7	281	44	52	63	83	91	91
1000-1499	1625	41.0	282	22	28	39	51	66	78
1500-1749	2014	26.6	113	16	20	24	32	42	47
1750-2499	12216	10.2	47	3	5	8	14	19	23
2500 +	9288	6.0	25	2	3	5	7	11	15
SUBTOTAL	**25350**	**12.4**	**169**	**3**	**4**	**8**	**15**	**28**	**42**
1-999	20	68.5	2						
1000-1499	179	40.3	135	27	30	42	49	55	55
1500-1749	168	21.6	79	10	19	20	27	29	40
1750-2499	1949	10.5	53	3	4	8	15	20	24
2500 +	1080	4.6	8	2	3	4	6	8	10
SUBTOTAL	**3396**	**11.1**	**127**	**3**	**4**	**6**	**15**	**24**	**34**
GRAND TOTAL	**28746**	**12.2**	**164**	**3**	**4**	**8**	**15**	**28**	**41**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999 (GMS.)	154	65.6	412	41	49	76	86	99 +	99 +
1000-1499	1912	39.7	246	24	30	38	48	67	83
1500-1749	2180	24.0	86	14	18	22	28	36	43
1750-2499	11840	10.8	61	3	5	9	15	19	24
2500 +	4469	6.5	39	2	3	5	8	11	16
SUBTOTAL	**20555**	**14.4**	**188**	**3**	**5**	**10**	**19**	**33**	**43**
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	10	70.0							
1000-1499	166	43.7	237	24	28	45	53	66	68
1500-1749	301	21.9	113	12	14	22	25	30	41
1750-2499	1848	10.3	59	2	4	8	15	20	28
2500 +	786	5.3	20	2	3	4	6	10	13
SUBTOTAL	**3111**	**12.1**	**151**	**2**	**4**	**8**	**16**	**26**	**35**
GRAND TOTAL	**23667**	**14.1**	**184**	**3**	**5**	**10**	**19**	**32**	**42**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	103	69.0	135	57	62	70	85	89	99 +
1000-1499	808	38.0	178	23	29	38	47	56	97
1500-1749	1129	22.7	101	14	17	20	27	34	40
1750-2499	6632	10.0	51	3	5	8	14	18	22
2500 +	3759	5.8	26	2	3	5	7	10	13
SUBTOTAL	**12431**	**12.2**	**151**	**3**	**4**	**8**	**16**	**28**	**39**
1-999	10	64.0							
1000-1499	173	37.2	209	24	27	35	45	58	70
1500-1749	154	21.6	60	12	14	23	29	29	37
1750-2499	1027	10.3	68	2	4	8	13	23	26
2500 +	632	5.8	25	2	3	5	7	10	12
SUBTOTAL	**1996**	**12.3**	**155**	**2**	**4**	**8**	**16**	**29**	**37**
GRAND TOTAL	**14426**	**12.2**	**152**	**3**	**4**	**8**	**16**	**28**	**39**

DRG 388: Prematurity w/o Major Problems

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	8	38.0							
1750-2499	81	2.6	2	2	2	2	2	5	6
2500 +	59	2.0							
SUBTOTAL	**147**	**4.2**	**64**	**2**	**2**	**2**	**2**	**6**	**38**
GRAND TOTAL	**147**	**4.2**	**64**	**2**	**2**	**2**	**2**	**6**	**38**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	16	32.0							
1500-1749	56	21.1	164	8	12	20	26	47	47
1750-2499	659	9.0	31	2	4	9	13	17	19
2500 +	247	6.9	84	2	3	4	7	10	41
	978	**9.5**	**69**	**2**	**4**	**7**	**13**	**19**	**26**
1-999	0								
1000-1499	232	24.4	76	12	19	24	32	36	37
1500-1749	866	16.6	37	10	12	16	20	23	24
1750-2499	12925	5.2	17	2	3	4	6	10	14
2500 +	14240	3.1	5	2	2	3	4	5	6
	28262	**4.7**	**21**	**2**	**2**	**3**	**5**	**9**	**14**
	29240	**4.8**	**23**	**2**	**2**	**3**	**5**	**10**	**14**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	8	28.0							
1500-1749	163	21.2	33	14	14	25	26	26	26
1750-2499	484	7.7	24	3	4	5	12	16	17
2500 +	161	4.5	4	3	3	4	6	7	9
SUBTOTAL	**816**	**10.0**	**59**	**3**	**4**	**6**	**14**	**25**	**26**
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	0								
1000-1499	141	26.5	79	15	18	25	32	38	38
1500-1749	463	18.7	40	12	15	17	21	28	32
1750-2499	11946	5.0	18	2	2	4	6	10	13
2500 +	8554	3.0	5	1	2	2	4	5	6
SUBTOTAL	**21105**	**4.6**	**22**	**2**	**2**	**3**	**5**	**10**	**14**
GRAND TOTAL	**21920**	**4.8**	**25**	**2**	**2**	**3**	**5**	**10**	**15**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	6	58.0							
1500-1749	71	14.5	20						
1750-2499	427	9.3	49	2	4	9	11	18	28
2500 +	110	4.7	8	2	2	4	6	8	13
	615	**9.5**	**68**	**2**	**4**	**9**	**11**	**18**	**28**
1-999	10	45.0							
1000-1499	295	28.8	113	15	23	28	36	44	48
1500-1749	499	18.3	36	11	14	17	22	25	27
1750-2499	8481	5.2	21	2	2	4	6	12	16
2500 +	7468	3.1	9	1	2	2	4	5	7
	16753	**5.1**	**35**	**1**	**2**	**3**	**5**	**11**	**17**
	17368	**5.3**	**37**	**2**	**2**	**3**	**6**	**12**	**17**

Total U.S., July 1989 - June 1990

DRG 389: Full Term Neonate w/ Major Problems

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	66	4.0	1						
2500 +	188	4.8	13	2	2	4	7	10	14
SUBTOTAL	**254**	**4.6**	**10**	**2**	**2**	**4**	**5**	**8**	**14**
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	12	4.5	2						
2500 +	88	3.3	3	2	2	3	3	5	8
SUBTOTAL	**100**	**3.5**	**3**	**2**	**3**	**3**	**3**	**6**	**8**
GRAND TOTAL	**354**	**4.3**	**8**	**2**	**2**	**3**	**5**	**8**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	56	61.4	360	47	49	66	99 +	99 +	99 +
1000-1499	226	31.8	245	17	21	26	42	66	70
1500-1749	157	20.8	58	14	15	21	27	28	37
1750-2499	3706	7.1	65	2	3	5	8	15	22
2500 +	78512	4.2	13	2	2	3	5	7	10
SUBTOTAL	**82657**	**4.5**	**22**	**2**	**2**	**3**	**5**	**8**	**10**
1-999	0								
1000-1499	10	32.0							
1500-1749	30	12.4	77						
1750-2499	1145	5.2	29	2	3	3	5	12	14
2500 +	21383	3.4	6	2	2	3	4	5	7
SUBTOTAL	**22568**	**3.6**	**7**	**2**	**2**	**3**	**4**	**5**	**7**
GRAND TOTAL	**105225**	**4.3**	**19**	**2**	**2**	**3**	**5**	**7**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999 (GMS.)	49	51.7	79	44	47	55	99 +	99 +	99 +
1000-1499	202	32.6	325	16	20	30	44	79	99 +
1500-1749	310	24.3	209	12	15	24	30	34	42
1750-2499	4399	7.2	61	2	3	5	9	15	19
2500 +	51184	4.5	19	2	2	3	5	8	11
SUBTOTAL	**56144**	**4.9**	**31**	**2**	**2**	**4**	**6**	**9**	**12**
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	0								
1000-1499	8	14.0							
1500-1749	55	12.3	39	8	9	10	12	27	29
1750-2499	1718	5.3	17	2	3	4	7	9	12
2500 +	15468	4.1	18	2	2	3	4	7	9
SUBTOTAL	**17249**	**4.3**	**19**	**2**	**2**	**3**	**5**	**7**	**10**
GRAND TOTAL	**73392**	**4.8**	**28**	**2**	**2**	**4**	**5**	**9**	**12**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	54	63.6	406	41	46	63	88	98	99 +
1000-1499	116	39.1	395	17	27	41	74	99 +	99 +
1500-1749	191	21.3	54	12	16	18	27	34	35
1750-2499	2456	7.2	28	2	4	5	10	15	18
2500 +	39390	4.3	17	2	2	3	5	8	10
SUBTOTAL	**42208**	**4.7**	**29**	**2**	**2**	**4**	**5**	**8**	**11**
1-999	6	45.0							
1000-1499	31	50.6	331						
1500-1749	68	11.4	59	3	4	10	18	26	26
1750-2499	1094	5.7	21	2	3	4	7	13	14
2500 +	14013	3.9	10	2	2	3	4	7	9
SUBTOTAL	**15212**	**4.1**	**17**	**2**	**2**	**3**	**5**	**7**	**10**
GRAND TOTAL	**57420**	**4.6**	**26**	**2**	**2**	**3**	**5**	**8**	**11**

DRG 390: Neonate w/ Other Significant Problems

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	10	6.0							
SUBTOTAL	**10**	**6.0**							
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	24	2.0							
2500 +	485	2.8	3	1	2	2	3	4	4
SUBTOTAL	**509**	**2.7**	**2**	**1**	**2**	**2**	**3**	**4**	**4**
GRAND TOTAL	**519**	**2.8**	**3**	**1**	**2**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	206	4.0	12	2	2	2	5	8	11
2500 +	5273	3.6	6	2	2	3	4	5	7
	5480	**3.6**	**7**	**2**	**2**	**3**	**4**	**5**	**7**
1-999	0								
1000-1499	25	27.9	127						
1500-1749	97	14.2	27	7	9	17	18	21	21
1750-2499	8656	3.6	8	2	2	3	4	6	8
2500 +	195349	2.8	2	2	2	2	3	4	5
	204127	**2.8**	**3**	**2**	**2**	**2**	**4**	**4**	**5**
	209607	**2.8**	**3**	**2**	**2**	**2**	**4**	**4**	**5**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	529	6.1	39	2	3	5	7	10	15
2500 +	3646	3.8	12	2	2	3	4	6	8
SUBTOTAL	**4175**	**4.1**	**16**	**2**	**2**	**3**	**5**	**7**	**10**
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	0								
1000-1499	25	22.0	6						
1500-1749	153	18.1	61	9	10	17	24	31	32
1750-2499	11496	3.7	9	2	2	3	4	7	10
2500 +	129815	2.7	3	1	2	2	3	4	5
SUBTOTAL	**141489**	**2.8**	**4**	**1**	**2**	**2**	**3**	**5**	**6**
GRAND TOTAL	**145664**	**2.8**	**4**	**1**	**2**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	6	52.0							
1500-1749	0								
1750-2499	256	8.6	57	2	4	7	12	17	18
2500 +	2977	3.4	7	1	2	3	4	6	8
	3238	**3.9**	**18**	**1**	**2**	**3**	**4**	**7**	**11**
1-999	0								
1000-1499	46	17.3	64	7	10	19	26	28	28
1500-1749	50	12.7	39	3	11	12	15	23	23
1750-2499	6869	3.7	10	1	2	3	4	7	9
2500 +	109854	2.7	3	1	2	2	3	4	5
	116819	**2.7**	**4**	**1**	**2**	**2**	**3**	**5**	**6**
	120057	**2.8**	**4**	**1**	**2**	**2**	**3**	**5**	**6**

DRG 391: Normal Newborn

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	69	1.3							
2500 +	2221	2.4	1	1	2	2	3	4	5
SUBTOTAL	**2290**	**2.4**	**1**	**1**	**2**	**2**	**3**	**4**	**5**
GRAND TOTAL	**2290**	**2.4**	**1**	**1**	**2**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
0									
1-999	0								
1000-1499	10	14.0							
1500-1749	10	17.0							
1750-2499	13885	2.7	2	1	2	2	4	4	5
2500 +	1128629	2.4	1	1	2	2	3	4	4
1142535	**2.5**	**1**	**1**	**2**	**2**	**3**	**4**	**4**	
1142535	**2.5**	**1**	**1**	**2**	**2**	**3**	**4**	**4**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	6	7.0							
1750-2499	15507	2.7	3	1	2	2	3	4	6
2500 +	542705	2.3	1	1	2	2	3	4	4
SUBTOTAL	**558218**	**2.3**	**1**	**1**	**2**	**2**	**3**	**4**	**4**
GRAND TOTAL	**558218**	**2.3**	**1**	**1**	**2**	**2**	**3**	**4**	**4**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
0									
1-999	12	70.0	627						
1000-1499	32	23.4	166						
1500-1749	20	15.1	208						
1750-2499	10710	2.8	4	1	2	2	3	4	6
2500 +	541241	2.2	1	1	2	2	3	4	4
552015	**2.2**	**2**	**1**	**2**	**2**	**3**	**4**	**4**	
552015	**2.2**	**2**	**1**	**2**	**2**	**3**	**4**	**4**	

DRG 392: Splenectomy Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	507	15.8	143	5	7	10	23	38	38
70-74	332	16.4	244	6	8	11	21	29	51
75-79	211	11.3	39	7	7	8	15	18	23
80-84	95	13.0	124	7	7	9	12	18	49
85 +	112	17.1	83						
SUBTOTAL	1257	15.1	149	6	7	10	21	30	38
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	202	7.6	7	6	7	7	8	10	10
70-74	49	6.5	33	3	3	5	7	21	21
75-79	31	10.4	48						
80-84	22	6.0	6						
85 +	21	17.7	94						
SUBTOTAL	325	8.3	27	4	5	7	8	17	21
GRAND TOTAL	1582	13.7	132	5	7	9	18	27	38

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	789	9.0	27	5	6	7	11	15	21
35-49	691	9.7	33	5	6	8	13	18	18
50-69	727	11.4	52	5	7	9	14	22	23
70 +	24	19.6	4						
SUBTOTAL	2230	10.1	39	5	6	8	12	18	22
0-17	0								
18-34	1019	6.5	18	4	4	6	7	9	12
35-49	491	7.2	10	4	5	6	8	14	14
50-69	306	7.1	11	4	5	6	8	10	16
70 +	8	5.0							
SUBTOTAL	1824	6.8	15	4	5	6	7	9	14
GRAND TOTAL	4054	8.6	31	4	5	7	9	15	19

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	187	8.4	17	5	6	7	12	19	99 +
35-49	116	15.1	92	6	9	12	18	30	39
50-69	61	10.7	84	5	6	6	8	34	34
70 +	0								
SUBTOTAL	364	10.9	61	5	6	8	14	30	39
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	155	9.0	123	4	5	7	7	9	46
35-49	37	5.1	2						
50-69	20	8.2	2						
70 +	0								
SUBTOTAL	213	8.2	92	4	5	6	7	9	13
GRAND TOTAL	577	9.9	74	5	6	7	10	19	39

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	487	7.4	45	5	5	6	8	10	13
35-49	275	11.3	88	5	6	9	12	33	37
50-69	98	17.0	205	7	8	11	22	48	55
70 +	29	11.7	41						
SUBTOTAL	889	9.8	85	5	6	7	9	14	33
0-17	0								
18-34	528	6.1	9	4	4	5	7	10	11
35-49	139	6.2	8	2	4	6	8	10	11
50-69	140	5.4	4	4	4	5	7	9	10
70 +	0								
SUBTOTAL	807	6.0	8	4	4	5	7	10	11
GRAND TOTAL	1696	8.0	52	4	5	6	9	12	19

Total U.S., July 1989 - June 1990

DRG 393: Splenectomy Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	603	8.6	36	5	6	7	8	16	18
18-34	0								
35-49	0								
50-69	0								
70+	0								
	603	8.6	36	5	6	7	8	16	18
0-17	1450	5.0	4	3	4	5	6	7	9
18-34	0								
35-49	0								
50-69	0								
70+	0								
	1450	5.0	4	3	4	5	6	7	9
	2053	6.1	17	3	4	5	7	9	15

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	78	9.4	72	5	5	5	8	23	33
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	78	9.4	72	5	5	5	8	23	33
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	395	5.6	5	3	4	5	6	10	10
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	395	5.6	5	3	4	5	6	10	10
GRAND TOTAL	473	6.3	18	3	4	5	6	10	11

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	120	5.4	2	3	5	5	6	7	9
18-34	0								
35-49	0								
50-69	0								
70+	0								
	120	5.4	2	3	5	5	6	7	9
0-17	286	5.5	6	3	4	5	6	7	9
18-34	0								
35-49	0								
50-69	0								
70+	0								
	286	5.5	6	3	4	5	6	7	9
	407	5.5	5	3	4	5	6	7	9

Total U.S., July 1989 - June 1990

DRG 394: Other O.R. Procedures of the Blood And Blood Forming Organs

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	555	9.6	260	2	3	6	8	16	22
70-74	364	8.5	43	1	2	8	14	17	20
75-79	220	17.1	414	2	5	9	26	40	79
80-84	52	3.2	7	1	1	2	6	8	8
85 +	128	10.8	220	2	2	7	10	33	62
SUBTOTAL	**1319**	**10.4**	**222**	**1**	**3**	**6**	**12**	**20**	**33**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	346	5.5	31	1	2	4	7	10	16
70-74	212	2.9	8	1	1	2	4	4	7
75-79	192	4.0	14	1	1	2	5	9	15
80-84	25	3.1	3						
85 +	16	2.0							
SUBTOTAL	**791**	**4.3**	**21**	**1**	**1**	**3**	**5**	**9**	**16**
GRAND TOTAL	**2109**	**8.1**	**155**	**1**	**2**	**5**	**9**	**17**	**25**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	362	10.8	123	3	5	7	13	18	43
18-34	264	8.7	72	1	2	6	11	19	29
35-49	434	6.8	83	1	1	4	9	17	24
50-69	338	12.4	357	1	2	5	13	24	69
70 +	22	2.7	8						
	1421	**9.4**	**160**	**1**	**2**	**5**	**13**	**19**	**29**
0-17	2271	3.7	25	1	1	2	4	8	11
18-34	1066	2.7	7	< 1	1	2	3	6	8
35-49	910	2.5	7	< 1	1	1	3	6	7
50-69	636	2.8	12	1	1	2	3	6	9
70 +	8	1.0							
	4891	**3.1**	**16**	**1**	**1**	**2**	**4**	**7**	**9**
	6312	**4.5**	**56**	**1**	**1**	**2**	**5**	**10**	**14**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	147	18.4	255	2	3	16	40	50	99 +
18-34	86	7.9	84	1	2	3	17	17	31
35-49	48	6.2	18						
50-69	12	14.0	17						
70 +	16	16.0							
SUBTOTAL	**309**	**13.3**	**176**	**2**	**3**	**7**	**27**	**40**	**60**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	726	4.5	11	1	1	4	7	9	10
18-34	176	3.1	7	1	1	2	3	8	8
35-49	78	35.2	848	1	4	61	61	61	61
50-69	79	2.1	4	< 1	1	1	3	5	7
70 +	0								
SUBTOTAL	**1060**	**6.3**	**137**	**1**	**1**	**3**	**7**	**10**	**13**
GRAND TOTAL	**1369**	**7.9**	**155**	**1**	**1**	**4**	**8**	**17**	**42**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	137	9.7	120	1	3	7	12	18	44
18-34	85	6.4	18	2	4	5	10	11	18
35-49	155	7.0	30	1	4	5	12	15	16
50-69	88	9.9	124	1	1	5	12	32	32
70 +	0								
	464	**8.2**	**74**	**1**	**3**	**5**	**11**	**18**	**32**
0-17	866	3.6	9	< 1	1	3	6	8	9
18-34	379	2.9	7	1	1	2	4	8	8
35-49	171	5.6	21	1	1	6	11	12	12
50-69	100	3.5	10	< 1	< 1	1	6	9	9
70 +	6	1.0							
	1522	**3.6**	**10**	**< 1**	**1**	**2**	**6**	**8**	**10**
	1986	**4.7**	**29**	**1**	**1**	**3**	**7**	**11**	**12**

Total U.S., July 1989 - June 1990

DRG 395: Red Blood Cell Disorders Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	13027	6.5	44	1	3	5	9	13	16
70-74	8466	5.9	32	2	3	4	7	11	15
75-79	9307	6.4	37	1	3	5	8	12	17
80-84	9020	6.4	34	1	3	5	8	13	18
85+	7973	6.7	53	2	3	5	8	13	19
SUBTOTAL	**47794**	**6.4**	**40**	**1**	**3**	**5**	**8**	**13**	**17**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	7459	6.1	25	2	3	5	8	11	16
70-74	2350	4.4	12	1	2	4	5	9	12
75-79	3027	4.8	16	1	2	4	7	10	11
80-84	2548	4.3	19	1	1	3	5	9	12
85+	2454	6.2	40	1	2	4	8	13	17
SUBTOTAL	**17837**	**5.4**	**23**	**1**	**2**	**4**	**7**	**10**	**14**
GRAND TOTAL	**65631**	**6.1**	**36**	**1**	**3**	**5**	**8**	**12**	**16**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2361	6.7	39	1	2	5	8	13	18
35-49	3323	5.5	27	1	2	4	7	10	14
50-69	6949	5.0	23	1	2	3	7	10	13
70+	540	5.2	12	1	2	5	7	10	10
SUBTOTAL	**13173**	**5.4**	**27**	**1**	**2**	**4**	**7**	**11**	**14**
0-17	0								
18-34	4754	4.8	23	1	2	4	6	9	13
35-49	3056	4.4	10	1	2	4	6	8	11
50-69	3003	4.3	9	1	2	3	6	8	10
70+	237	3.6	10	1	1	2	5	9	10
SUBTOTAL	**11049**	**4.5**	**16**	**1**	**2**	**3**	**6**	**9**	**12**
GRAND TOTAL	**24222**	**5.0**	**22**	**1**	**2**	**4**	**7**	**10**	**13**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	4696	7.5	46	2	3	6	9	15	21
35-49	2257	6.8	27	2	3	5	9	14	18
50-69	1606	6.1	29	2	3	5	8	12	15
70+	283	8.4	97	2	3	7	10	14	20
SUBTOTAL	**8842**	**7.1**	**40**	**2**	**3**	**5**	**9**	**14**	**19**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	10637	5.6	19	2	3	5	7	11	13
35-49	2016	5.9	30	2	3	5	7	9	12
50-69	691	5.0	6	1	3	5	7	8	8
70+	85	6.0	15	3	3	4	8	8	16
SUBTOTAL	**13430**	**5.6**	**20**	**2**	**3**	**5**	**7**	**10**	**13**
GRAND TOTAL	**22272**	**6.2**	**28**	**2**	**3**	**5**	**8**	**12**	**15**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1639	6.3	24	2	3	5	8	12	13
35-49	1761	5.8	24	2	3	4	7	11	14
50-69	2109	6.2	33	1	2	5	8	13	17
70+	580	5.2	28	1	2	3	8	14	18
SUBTOTAL	**6090**	**6.0**	**27**	**1**	**3**	**5**	**8**	**12**	**15**
0-17	0								
18-34	2905	4.3	10	1	2	3	5	8	11
35-49	1438	4.5	12	1	2	3	6	9	12
50-69	1037	3.1	6	<1	1	3	4	6	6
70+	357	3.1	8	1	1	2	4	8	8
SUBTOTAL	**5736**	**4.0**	**10**	**1**	**2**	**3**	**5**	**8**	**11**
GRAND TOTAL	**11826**	**5.1**	**20**	**1**	**2**	**4**	**7**	**10**	**13**

DRG 396: Red Blood Cell Disorders Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	163	1.8	2	1	1	1	2	4	5
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**163**	**1.8**	**2**	**1**	**1**	**1**	**2**	**4**	**5**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	90	2.9	3	<1	2	2	4	6	6
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**90**	**2.9**	**3**	**<1**	**2**	**2**	**4**	**6**	**6**
GRAND TOTAL	**253**	**2.2**	**2**	**1**	**1**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	4727	5.1	23	1	2	4	7	11	15
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	4727	**5.1**	**23**	**1**	**2**	**4**	**7**	**11**	**15**
0-17	10019	3.4	10	1	1	3	4	7	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	10019	**3.4**	**10**	**1**	**1**	**3**	**4**	**7**	**9**
	14745	**4.0**	**15**	**1**	**1**	**3**	**5**	**8**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	4315	5.4	19	1	3	4	7	10	12
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**4315**	**5.4**	**19**	**1**	**3**	**4**	**7**	**10**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	13266	3.5	6	1	2	3	4	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**13266**	**3.5**	**6**	**1**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**17581**	**3.9**	**10**	**1**	**2**	**3**	**5**	**7**	**9**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1524	5.2	19	1	2	4	7	10	13
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1524	**5.2**	**19**	**1**	**2**	**4**	**7**	**10**	**13**
0-17	4352	3.4	7	1	2	3	4	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	4352	**3.4**	**7**	**1**	**2**	**3**	**4**	**6**	**7**
	5876	**3.8**	**10**	**1**	**2**	**3**	**5**	**7**	**10**

Total U.S., July 1989 - June 1990

DRG 397: Coagulation Disorders

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1835	6.6	32	2	3	5	9	13	16
70-74	1417	7.0	28	2	3	6	9	13	18
75-79	1800	7.1	41	2	4	5	9	13	18
80-84	1120	9.2	112	3	4	7	10	14	22
85 +	947	8.2	37	2	4	7	10	14	25
SUBTOTAL	**7117**	**7.4**	**47**	**2**	**3**	**5**	**9**	**14**	**18**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	606	5.2	11	2	3	4	7	9	12
70-74	354	5.9	13	3	3	4	8	10	12
75-79	441	3.9	9	1	2	3	5	9	11
80-84	263	4.4	11	1	2	4	5	10	12
85 +	298	5.2	8	2	3	5	6	10	10
SUBTOTAL	**1963**	**4.9**	**11**	**2**	**2**	**4**	**7**	**10**	**12**
GRAND TOTAL	**9080**	**6.9**	**41**	**2**	**3**	**5**	**9**	**13**	**17**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	2122	4.1	25	1	2	3	4	8	13
18-34	715	5.1	17	1	2	4	7	11	14
35-49	1004	7.1	43	2	3	5	8	15	20
50-69	1923	6.2	30	1	3	5	8	12	17
70 +	203	6.1	16	2	4	5	7	15	15
SUBTOTAL	**5966**	**5.5**	**30**	**1**	**2**	**4**	**7**	**12**	**16**
0-17	6313	2.9	7	1	1	2	4	5	7
18-34	1187	4.4	9	1	2	4	5	9	11
35-49	919	3.8	9	1	2	3	5	8	8
50-69	961	4.0	7	2	2	4	5	7	9
70 +	14	3.6	9						
SUBTOTAL	**9395**	**3.3**	**8**	**1**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**15361**	**4.1**	**17**	**1**	**2**	**3**	**5**	**8**	**11**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	839	4.7	22	1	1	3	5	12	16
18-34	381	10.4	93	2	4	9	13	24	24
35-49	321	7.1	30	2	3	7	8	15	16
50-69	239	6.1	23	1	3	5	7	17	17
70 +	22	8.0	30						
SUBTOTAL	**1801**	**6.5**	**44**	**1**	**2**	**5**	**8**	**15**	**19**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	2148	3.6	13	1	2	3	4	6	10
18-34	370	4.8	20	1	2	3	5	9	18
35-49	134	5.6	45	1	1	4	6	14	14
50-69	96	4.1	15	2	2	4	4	5	18
70 +	6	1.0							
SUBTOTAL	**2755**	**3.9**	**16**	**1**	**2**	**3**	**4**	**7**	**11**
GRAND TOTAL	**4556**	**4.9**	**28**	**1**	**2**	**3**	**6**	**11**	**16**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	672	4.9	60	1	1	3	6	8	14
18-34	549	6.4	38	1	3	5	8	10	14
35-49	291	6.2	14	2	3	5	9	11	13
50-69	355	7.8	109	1	3	5	9	22	31
70 +	98	7.9	37	3	6	7	8	11	27
SUBTOTAL	**1965**	**6.2**	**56**	**1**	**2**	**5**	**7**	**11**	**17**
0-17	2413	2.7	4	1	1	2	3	5	6
18-34	491	4.0	6	2	2	4	5	8	9
35-49	228	4.6	10	< 1	1	4	8	9	11
50-69	245	7.3	43	2	2	6	9	14	27
70 +	16	2.0							
SUBTOTAL	**3393**	**3.3**	**9**	**1**	**2**	**2**	**4**	**7**	**9**
GRAND TOTAL	**5357**	**4.4**	**28**	**1**	**2**	**3**	**5**	**9**	**11**

DRG 398: Reticuloendothelial & Immunity Disorders w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4190	7.7	27	3	4	7	10	14	17
70-74	3013	7.9	42	3	4	6	10	14	18
75-79	2559	8.0	38	3	4	7	9	16	22
80-84	1465	9.1	66	3	5	7	11	16	19
85+	705	9.3	69	3	4	6	11	17	28
SUBTOTAL	11932	8.1	43	3	4	7	10	15	19
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
GRAND TOTAL	11932	8.1	43	3	4	7	10	15	19

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	7643	5.9	22	2	3	5	8	11	15
18-34	2072	5.1	22	1	2	4	7	9	11
35-49	2715	7.2	44	2	4	6	8	12	17
50-69	4510	7.4	27	3	4	6	8	13	17
70+	240	8.2	23	3	4	8	13	14	17
	17179	6.4	27	2	3	5	8	12	16
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	17179	6.4	27	2	3	5	8	12	16

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	3031	6.1	21	2	3	5	7	11	14
18-34	664	5.7	19	1	3	5	7	11	12
35-49	460	7.6	35	3	4	7	9	15	17
50-69	449	6.8	36	1	3	6	9	14	18
70+	16	4.0							
SUBTOTAL	4620	6.3	24	2	3	5	8	12	15
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
GRAND TOTAL	4620	6.3	24	2	3	5	8	12	15

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	2056	7.1	57	2	3	5	8	14	23
18-34	770	7.5	52	2	4	6	9	15	20
35-49	480	5.7	26	1	3	4	8	10	14
50-69	749	6.7	28	2	3	6	8	14	17
70+	180	8.6	28	3	5	7	13	14	21
	4236	7.0	46	2	3	5	8	14	20
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	4236	7.0	46	2	3	5	8	14	20

Total U.S., July 1989 - June 1990

DRG 399: Reticuloendothelial & Immunity Disorders w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	631	4.3	8	1	2	4	6	9	9
70-74	352	4.1	11	2	2	3	5	10	11
75-79	236	5.9	38	2	3	3	5	18	19
80-84	341	5.8	9	2	3	7	8	9	10
85 +	222	7.4	31	2	3	5	14	14	19
SUBTOTAL	**1783**	**5.1**	**17**	**1**	**2**	**4**	**7**	**10**	**14**
GRAND TOTAL	**1783**	**5.1**	**17**	**1**	**2**	**4**	**7**	**10**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	7405	4.2	8	1	2	4	5	8	10
18-34	1739	3.8	10	<1	1	3	5	7	9
35-49	814	5.2	17	1	3	4	7	13	15
50-69	1113	4.1	15	1	1	3	5	9	12
70 +	38	5.6	4						
	11109	**4.2**	**10**	**1**	**2**	**3**	**5**	**8**	**10**
	11109	**4.2**	**10**	**1**	**2**	**3**	**5**	**8**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	3152	4.7	11	2	3	4	6	8	10
18-34	256	4.3	5	1	2	4	6	7	9
35-49	86	6.1	41	2	3	5	6	7	28
50-69	77	7.8	16	2	4	7	10	14	14
70 +	18	2.3	1						
SUBTOTAL	**3589**	**4.7**	**12**	**2**	**3**	**4**	**6**	**8**	**10**
GRAND TOTAL	**3589**	**4.7**	**12**	**2**	**3**	**4**	**6**	**8**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	2298	4.3	6	2	2	4	6	8	9
18-34	632	4.6	13	1	2	4	6	8	14
35-49	280	3.9	13	1	1	3	5	8	12
50-69	245	5.3	11	1	3	4	6	11	13
70 +	67	5.6	29	1	2	3	6	15	16
	3520	**4.4**	**9**	**1**	**2**	**4**	**6**	**8**	**10**
	3520	**4.4**	**9**	**1**	**2**	**4**	**6**	**8**	**10**

DRG 400: Lymphoma & Leukemia w/ Major O.R. Procedure

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1481	14.7	181	4	6	10	18	32	39
70-74	1105	14.5	110	3	6	11	20	32	40
75-79	1017	15.2	115	4	7	13	20	26	40
80-84	618	18.0	184	6	10	15	24	32	37
85 +	511	15.4	240	4	5	7	23	50	50
SUBTOTAL	**4733**	**15.3**	**158**	**4**	**7**	**11**	**20**	**32**	**40**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	792	7.1	33	2	3	6	9	13	15
70-74	610	6.8	24	2	3	6	9	14	17
75-79	391	7.6	54	1	3	6	10	15	21
80-84	194	6.5	18	1	3	5	9	13	14
85 +	91	9.2	67	3	4	8	13	13	36
SUBTOTAL	**2079**	**7.2**	**34**	**2**	**3**	**6**	**9**	**14**	**17**
GRAND TOTAL	**6812**	**12.8**	**134**	**3**	**5**	**9**	**17**	**27**	**36**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	444	11.4	95	5	5	9	16	32	99 +
18-34	508	8.3	27	3	6	7	9	13	20
35-49	1058	11.9	161	3	5	8	12	24	43
50-69	2238	12.1	110	3	5	9	15	27	34
70 +	59	8.6	46	3	3	6	9	24	24
	4307	**11.5**	**112**	**3**	**5**	**9**	**14**	**25**	**36**
0-17	531	7.0	9	3	5	7	9	12	12
18-34	1251	5.4	11	1	4	5	7	8	10
35-49	1491	5.6	20	2	3	5	7	10	13
50-69	1648	5.4	14	1	3	4	7	10	12
70 +	42	8.8	124						
	4963	**5.7**	**16**	**2**	**3**	**5**	**7**	**10**	**12**
	9271	**8.4**	**69**	**2**	**4**	**6**	**10**	**16**	**25**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	72	43.0	970	9	22	31	95	97	99 +
18-34	166	16.5	488	2	4	10	16	56	64
35-49	80	10.9	105	2	3	6	11	29	32
50-69	102	13.9	51	8	9	11	18	24	31
70 +	16	15.5	4						
SUBTOTAL	**437**	**19.2**	**491**	**3**	**7**	**11**	**24**	**56**	**95**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	178	8.8	149	2	5	6	9	10	16
18-34	174	7.7	14	2	6	7	9	13	13
35-49	63	6.5	3	5	5	5	8	9	9
50-69	120	9.1	93	2	4	6	9	33	33
70 +	0								
SUBTOTAL	**535**	**8.2**	**76**	**2**	**5**	**6**	**9**	**13**	**16**
GRAND TOTAL	**971**	**13.2**	**292**	**2**	**5**	**8**	**13**	**31**	**56**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	163	12.3	34	6	8	10	18	20	24
18-34	117	9.6	33	4	5	6	14	19	22
35-49	311	10.9	75	5	5	7	11	24	32
50-69	264	14.5	109	3	6	12	25	29	33
70 +	37	20.0	357						
	893	**12.4**	**89**	**4**	**5**	**10**	**16**	**26**	**33**
0-17	157	7.1	8	3	5	7	9	11	12
18-34	326	8.0	47	1	5	6	9	12	26
35-49	337	7.4	37	1	3	5	9	18	18
50-69	236	4.7	9	2	2	4	7	8	9
70 +	59	2.8	6	1	1	1	5	8	8
	1114	**6.7**	**31**	**1**	**3**	**5**	**8**	**13**	**18**
	2007	**9.3**	**65**	**2**	**4**	**7**	**11**	**19**	**26**

Total U.S., July 1989 - June 1990

DRG 401: Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1523	11.7	111	2	5	9	15	27	33
70-74	1119	10.5	65	2	4	8	15	21	25
75-79	1266	13.9	178	3	6	9	17	29	50
80-84	682	13.1	130	1	6	12	16	25	41
85 +	365	15.9	209	6	8	12	19	28	35
SUBTOTAL	**4955**	**12.5**	**130**	**2**	**6**	**9**	**16**	**27**	**34**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4955**	**12.5**	**130**	**2**	**6**	**9**	**16**	**27**	**34**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	155	16.1	179	2	4	14	27	39	39
18-34	222	10.2	58	2	6	9	13	16	24
35-49	702	11.9	115	2	4	9	14	29	38
50-69	1434	11.1	93	2	5	8	15	24	27
70 +	65	12.3	198	< 1	1	9	13	48	48
	2578	**11.6**	**105**	**2**	**4**	**9**	**14**	**26**	**36**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2578	**11.6**	**105**	**2**	**4**	**9**	**14**	**26**	**36**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	60	17.8	180	7	8	11	25	48	48
18-34	116	15.5	139	6	8	9	21	39	42
35-49	159	10.4	168	4	4	5	12	14	49
50-69	215	18.9	400	1	9	13	22	73	73
70 +	19	8.2	30						
SUBTOTAL	**570**	**15.3**	**259**	**4**	**4**	**11**	**19**	**42**	**58**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**570**	**15.3**	**259**	**4**	**4**	**11**	**19**	**42**	**58**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	52	10.7	12	8	8	9	13	17	17
18-34	165	13.7	104	4	6	13	23	44	99 +
35-49	215	14.8	259	2	7	10	17	32	37
50-69	489	9.9	80	2	5	8	13	18	33
70 +	60	10.5	102	2	5	8	10	37	37
	982	**11.7**	**125**	**3**	**6**	**9**	**14**	**26**	**44**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	982	**11.7**	**125**	**3**	**6**	**9**	**14**	**26**	**44**

DRG 402: Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	905	5.1	16	1	2	4	6	13	14
70-74	799	4.1	19	1	1	2	4	10	17
75-79	570	4.5	15	1	2	3	5	10	12
80-84	370	5.2	23	1	2	4	7	12	13
85 +	196	5.7	36	1	2	2	10	10	22
SUBTOTAL	**2841**	**4.7**	**19**	**1**	**2**	**3**	**6**	**10**	**14**
GRAND TOTAL	**2841**	**4.7**	**19**	**1**	**2**	**3**	**6**	**10**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	330	4.1	13	1	2	3	5	10	14
18-34	715	4.0	11	1	1	3	6	8	12
35-49	916	4.3	18	1	1	3	6	10	13
50-69	1642	4.6	25	1	1	3	6	12	15
70 +	63	4.8	12	2	2	3	7	11	12
	3666	**4.4**	**19**	**1**	**1**	**3**	**6**	**10**	**14**
	3666	**4.4**	**19**	**1**	**1**	**3**	**6**	**10**	**14**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	123	4.8	33	1	1	3	4	18	18
18-34	153	6.5	39	< 1	1	5	10	12	14
35-49	77	10.7	29	2	6	11	14	15	22
50-69	76	4.9	33	1	2	2	4	12	21
70 +	0								
SUBTOTAL	**429**	**6.5**	**38**	**1**	**2**	**4**	**10**	**14**	**18**
GRAND TOTAL	**429**	**6.5**	**38**	**1**	**2**	**4**	**10**	**14**	**18**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	92	5.6	9	3	3	4	8	11	11
18-34	283	4.5	15	< 1	1	4	5	10	13
35-49	288	5.5	18	1	1	5	9	11	16
50-69	407	3.4	10	< 1	1	2	5	9	10
70 +	36	2.2	2						
	1106	**4.4**	**14**	**1**	**1**	**3**	**6**	**9**	**11**
	1106	**4.4**	**14**	**1**	**1**	**3**	**6**	**9**	**11**

Total U.S., July 1989 - June 1990

DRG 403: Lymphoma & Non-acute Leukemia w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	5265	11.2	111	3	5	8	14	23	30
70-74	4378	11.4	132	3	4	8	13	23	38
75-79	4322	11.9	164	3	5	8	15	24	31
80-84	3098	11.2	74	3	5	9	14	21	28
85+	2116	10.5	83	2	5	8	14	21	31
SUBTOTAL	**19178**	**11.3**	**119**	**3**	**5**	**8**	**14**	**22**	**32**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**19178**	**11.3**	**119**	**3**	**5**	**8**	**14**	**22**	**32**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	876	7.5	56	1	3	5	10	16	26
18-34	741	7.2	75	1	3	5	8	13	27
35-49	2304	10.7	144	1	3	6	12	30	39
50-69	5306	11.0	111	3	4	7	14	26	34
70+	471	7.8	42	1	2	6	13	17	20
	9698	**10.2**	**110**	**2**	**4**	**7**	**13**	**25**	**33**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	9698	**10.2**	**110**	**2**	**4**	**7**	**13**	**25**	**33**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	303	11.2	246	2	3	6	12	25	41
18-34	484	11.4	190	1	4	7	11	26	55
35-49	527	13.8	186	2	5	9	15	39	50
50-69	1025	13.7	191	3	5	9	16	30	49
70+	123	12.9	71	4	9	11	14	20	36
SUBTOTAL	**2462**	**12.9**	**191**	**2**	**5**	**9**	**15**	**33**	**49**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2462**	**12.9**	**191**	**2**	**5**	**9**	**15**	**33**	**49**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	203	9.7	154	2	3	4	7	37	42
18-34	426	10.4	101	2	4	6	13	30	31
35-49	699	11.8	156	2	4	7	15	29	38
50-69	1135	12.0	103	2	4	10	17	25	32
70+	249	7.1	38	1	3	5	9	15	21
	2711	**11.1**	**116**	**2**	**4**	**7**	**15**	**26**	**33**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	2711	**11.1**	**116**	**2**	**4**	**7**	**15**	**26**	**33**

DRG 404: Lymphoma & Non-acute Leukemia w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1396	5.6	30	1	2	4	7	13	16
70-74	1023	6.1	23	1	3	5	7	13	16
75-79	755	5.5	14	1	3	4	8	11	12
80-84	621	6.0	40	1	1	5	7	12	16
85 +	378	6.6	39	1	2	6	8	12	14
SUBTOTAL	**4174**	**5.9**	**28**	**1**	**2**	**5**	**7**	**12**	**16**
GRAND TOTAL	**4174**	**5.9**	**28**	**1**	**2**	**5**	**7**	**12**	**16**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	1017	3.8	16	1	1	2	5	7	11
18-34	1126	3.5	13	1	1	2	4	9	9
35-49	1381	4.0	18	1	1	2	5	9	11
50-69	3019	5.0	23	1	2	4	6	10	14
70 +	67	8.6	48	1	5	8	8	13	28
6610	**4.4**	**20**	**1**	**1**	**3**	**6**	**9**	**12**
6610	**4.4**	**20**	**1**	**1**	**3**	**6**	**9**	**12**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	377	5.5	43	1	2	3	6	12	19
18-34	356	4.2	12	1	2	3	5	9	15
35-49	307	6.0	47	1	2	4	7	13	17
50-69	422	5.5	41	1	1	4	6	18	18
70 +	55	11.3	180	< 1	2	7	11	42	42
SUBTOTAL	**1517**	**5.5**	**43**	**1**	**2**	**3**	**6**	**12**	**18**
GRAND TOTAL	**1517**	**5.5**	**43**	**1**	**2**	**3**	**6**	**12**	**18**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	270	4.7	13	1	1	4	8	10	10
18-34	389	5.6	122	1	2	4	6	10	11
35-49	288	4.9	23	1	2	3	6	12	15
50-69	525	6.7	47	1	2	4	8	18	23
70 +	131	4.9	18	1	2	3	6	14	14
1602	**5.6**	**53**	**1**	**2**	**4**	**6**	**13**	**18**
1602	**5.6**	**53**	**1**	**2**	**4**	**6**	**13**	**18**

DRG 405: Acute Leukemia w/o Major O.R. Procedure Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	7	6.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	7	6.0							
GRAND TOTAL	7	6.0							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	4503	12.2	149	2	4	8	15	29	40
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	4503	12.2	149	2	4	8	15	29	40
0-17	4232	5.4	30	1	2	4	7	10	14
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	4232	5.4	30	1	2	4	7	10	14
	8735	8.9	103	1	3	6	10	22	30

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	1603	12.9	191	2	4	8	18	32	50
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1603	12.9	191	2	4	8	18	32	50
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1192	5.7	25	1	2	4	8	11	15
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1192	5.7	25	1	2	4	8	11	15
GRAND TOTAL	2795	9.9	133	1	3	6	11	25	37

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	925	12.5	160	2	5	8	15	27	39
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	925	12.5	160	2	5	8	15	27	39
0-17	1478	6.3	53	1	2	4	7	13	23
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1478	6.3	53	1	2	4	7	13	23
	2403	8.7	103	1	2	5	10	21	30

Total U.S., July 1989 - June 1990

DRG 406: Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R.Proc w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1121	11.4	98	3	5	8	14	22	36
70-74	851	14.5	80	4	8	12	21	27	34
75-79	680	11.9	103	2	5	9	15	27	36
80-84	406	19.8	219	6	10	14	29	47	48
85 +	195	16.3	151	3	6	13	24	33	36
SUBTOTAL	**3252**	**13.7**	**120**	**3**	**6**	**11**	**18**	**30**	**38**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	3252	13.7	120	3	6	11	18	30	38

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	142	13.8	273	3	4	7	16	43	71
18-34	163	15.8	450	5	7	10	12	46	92
35-49	758	12.3	190	4	7	8	12	19	50
50-69	1463	10.6	83	3	5	8	14	20	33
70 +	86	19.6	159	2	11	14	32	37	37
	2612	**11.9**	**153**	**4**	**6**	**8**	**13**	**25**	**37**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2612	11.9	153	4	6	8	13	25	37

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	91	18.6	353	2	5	16	21	66	66
18-34	46	9.7	30	4	6	8	11	21	21
35-49	15	22.5	77						
50-69	93	17.0	140	5	8	17	21	43	43
70 +	14	10.0	52						
SUBTOTAL	**259**	**16.2**	**199**	**4**	**6**	**14**	**21**	**31**	**43**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	259	16.2	199	4	6	14	21	31	43

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	55	9.4	28	4	4	6	15	17	17
18-34	66	14.2	65	5	8	10	17	27	27
35-49	126	15.9	255	2	5	9	30	41	59
50-69	192	17.3	111	6	7	17	26	35	39
70 +	21	5.9	2						
	459	**15.0**	**139**	**4**	**6**	**11**	**21**	**30**	**39**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	459	15.0	139	4	6	11	21	30	39

Total U.S., July 1989 - June 1990

DRG 407: Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R.Proc w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	457	5.6	12	1	3	5	8	11	12
70-74	229	6.6	13	3	3	6	10	11	11
75-79	160	11.1	62	3	4	9	23	23	23
80-84	133	7.3	8	3	5	7	8	12	12
85 +	110	4.5	3						
SUBTOTAL	**1091**	**6.7**	**22**	**2**	**3**	**6**	**8**	**11**	**14**
GRAND TOTAL	**1091**	**6.7**	**22**	**2**	**3**	**6**	**8**	**11**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	169	5.9	15	2	3	5	7	13	14
18-34	167	6.1	11	3	4	6	7	12	16
35-49	466	4.8	10	1	2	4	7	8	10
50-69	866	6.9	21	2	4	6	10	13	15
70 +	52	4.6	8						
SUBTOTAL	**1721**	**6.1**	**17**	**2**	**3**	**5**	**8**	**12**	**14**
GRAND TOTAL	**1721**	**6.1**	**17**	**2**	**3**	**5**	**8**	**12**	**14**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	55	7.4	10	1	5	8	10	11	11
18-34	41	7.6	16	4	5	5	9	16	16
35-49	18	8.2	7						
50-69	46	8.3	8						
70 +	0								
SUBTOTAL	**159**	**7.8**	**10**	**4**	**5**	**8**	**10**	**12**	**12**
GRAND TOTAL	**159**	**7.8**	**10**	**4**	**5**	**8**	**10**	**12**	**12**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	43	8.3	8						
18-34	62	6.2	13	4	4	5	6	11	16
35-49	177	5.7	17	1	2	4	11	11	13
50-69	330	5.3	7	3	4	4	7	8	9
70 +	29	5.6	3						
SUBTOTAL	**639**	**5.7**	**11**	**2**	**4**	**4**	**8**	**11**	**11**
GRAND TOTAL	**639**	**5.7**	**11**	**2**	**4**	**4**	**8**	**11**	**11**

DRG 408: Myeloprolif Disord or Poorly Diff Neopl w/ Other O.R.Proc

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1227	8.2	71	2	3	5	10	21	25
70-74	912	7.0	44	1	2	4	9	16	20
75-79	586	8.6	53	2	3	6	12	18	26
80-84	406	10.7	366	2	2	5	11	16	78
85 +	183	9.0	75	2	3	5	13	24	32
SUBTOTAL	**3315**	**8.3**	**98**	**2**	**3**	**5**	**11**	**20**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	946	2.9	6	1	2	2	3	4	7
70-74	611	3.7	10	1	2	3	4	9	10
75-79	673	3.5	6	1	2	3	4	6	8
80-84	231	2.3	1	1	2	2	3	3	3
85 +	237	3.1	7	2	2	3	3	5	8
SUBTOTAL	**2697**	**3.2**	**7**	**1**	**2**	**2**	**3**	**6**	**8**
GRAND TOTAL	**6011**	**6.0**	**63**	**1**	**2**	**3**	**7**	**13**	**21**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	153	5.5	72	1	2	4	5	6	37
18-34	133	9.8	222	2	4	6	7	19	68
35-49	719	8.6	139	2	3	6	9	15	23
50-69	1381	7.9	68	1	2	5	10	19	31
70 +	8	2.0							
SUBTOTAL	**2395**	**8.0**	**99**	**1**	**2**	**5**	**9**	**19**	**28**
0-17	212	3.4	11	1	1	2	5	8	10
18-34	247	4.8	14	1	2	4	6	9	14
35-49	1349	3.2	7	1	2	2	4	7	10
50-69	1993	3.4	15	1	1	2	3	6	11
70 +	63	7.9	90						
SUBTOTAL	**3865**	**3.5**	**14**	**1**	**1**	**2**	**4**	**7**	**10**
GRAND TOTAL	**6259**	**5.2**	**51**	**1**	**2**	**3**	**6**	**12**	**19**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	110	18.3	316	3	5	6	42	47	47
18-34	166	9.8	115	3	4	6	7	28	31
35-49	173	15.9	706	2	2	6	12	77	97
50-69	305	12.6	171	2	3	9	18	24	24
70 +	12	8.0	17						
SUBTOTAL	**766**	**13.5**	**305**	**2**	**3**	**6**	**18**	**28**	**47**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	67	3.4	14	1	1	3	3	12	12
18-34	217	3.3	2	1	2	4	4	5	5
35-49	140	3.2	4	2	2	3	4	4	11
50-69	194	4.0	12	1	2	3	4	7	13
70 +	29	3.0	2						
SUBTOTAL	**648**	**3.5**	**7**	**1**	**2**	**3**	**4**	**6**	**10**
GRAND TOTAL	**1414**	**8.9**	**193**	**1**	**2**	**4**	**7**	**24**	**28**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	37	7.4	42						
18-34	24	3.6							
35-49	198	6.4	40	2	2	5	6	16	18
50-69	227	8.3	59	1	2	6	15	21	25
70 +	57	12.2	408	1	2	3	21	61	61
SUBTOTAL	**543**	**7.8**	**88**	**1**	**2**	**4**	**12**	**18**	**24**
0-17	102	3.5	27	< 1	1	1	3	9	19
18-34	151	3.8	5	1	2	3	4	8	8
35-49	223	5.2	18	1	2	4	8	9	15
50-69	257	3.4	13	1	2	3	3	7	8
70 +	41	2.2		1	2	2	3	3	3
SUBTOTAL	**774**	**3.9**	**15**	**1**	**2**	**3**	**4**	**8**	**9**
GRAND TOTAL	**1318**	**5.5**	**49**	**1**	**2**	**3**	**6**	**15**	**18**

Total U.S., July 1989 - June 1990

DRG 409: Radiotherapy

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2467	8.1	57	3	4	5	9	19	23
70-74	1400	8.0	66	3	4	5	9	17	21
75-79	1167	10.5	95	3	4	5	15	24	27
80-84	747	12.4	191	3	5	6	16	26	31
85 +	377	11.6	52	5	6	10	14	21	25
SUBTOTAL	**6158**	**9.3**	**85**	**3**	**4**	**5**	**12**	**20**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	499	4.7	26	2	4	4	5	5	6
70-74	281	3.2	2	2	2	4	4	5	5
75-79	264	4.2	6	1	2	4	6	6	11
80-84	126	4.0	8	< 1	2	5	5	6	13
85 +	94	5.8	4	5	5	5	5	10	10
SUBTOTAL	**1265**	**4.3**	**13**	**2**	**2**	**4**	**5**	**6**	**6**
GRAND TOTAL	**7423**	**8.4**	**76**	**2**	**4**	**5**	**10**	**19**	**24**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	171	3.5	8	1	2	2	5	6	13
18-34	281	3.4	4	2	2	3	5	5	7
35-49	895	6.4	40	2	4	5	6	12	19
50-69	2376	7.1	39	3	4	5	7	16	18
70 +	104	8.7	25	5	5	5	11	19	19
SUBTOTAL	**3828**	**6.5**	**37**	**2**	**3**	**5**	**6**	**15**	**18**
0-17	63	2.2	1	1	1	2	3	5	5
18-34	447	2.6	5	1	2	2	3	5	5
35-49	647	2.5	2	1	2	2	3	5	5
50-69	904	2.8	3	1	2	2	4	5	5
70 +	8	2.0							
SUBTOTAL	**2068**	**2.6**	**3**	**1**	**2**	**2**	**4**	**5**	**5**
GRAND TOTAL	**5896**	**5.2**	**28**	**2**	**2**	**4**	**5**	**11**	**16**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	97	6.5	68	1	2	3	5	25	25
18-34	120	4.6	33	1	2	4	4	4	26
35-49	215	8.5	42	3	4	5	14	20	22
50-69	283	10.3	79	3	5	6	14	19	24
70 +	6	8.0							
SUBTOTAL	**721**	**8.3**	**62**	**2**	**4**	**5**	**10**	**20**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	8	9.0							
18-34	61	2.1	1	1	2	2	3	3	3
35-49	100	3.7	3	1	2	5	5	5	6
50-69	112	7.0	36	2	5	5	6	11	24
70 +	0								
SUBTOTAL	**280**	**4.8**	**20**	**1**	**2**	**5**	**5**	**9**	**11**
GRAND TOTAL	**1001**	**7.3**	**53**	**2**	**3**	**5**	**8**	**19**	**24**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	23	4.7	1						
18-34	31	3.8	9						
35-49	135	6.1	5	4	5	6	7	10	13
50-69	222	6.5	24	1	4	5	6	16	16
70 +	31	14.8	152						
SUBTOTAL	**444**	**6.7**	**30**	**2**	**4**	**5**	**7**	**15**	**16**
0-17	35	1.7							
18-34	130	1.5		1	1	1	2	2	3
35-49	154	2.0	2	1	1	2	2	5	5
50-69	145	3.8	2	2	2	4	5	5	5
70 +	8	3.0							
SUBTOTAL	**472**	**2.4**	**2**	**1**	**1**	**2**	**4**	**5**	**5**
GRAND TOTAL	**916**	**4.5**	**20**	**1**	**2**	**4**	**5**	**7**	**15**

Total U.S., July 1989 - June 1990

DRG 410: Chemotherapy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	51753	3.5	9	1	2	3	5	6	7
70-74	32076	3.5	11	1	2	3	4	6	7
75-79	18758	3.5	11	1	2	3	4	6	7
80-84	5733	3.5	9	1	2	3	5	6	8
85 +	1694	4.3	16	1	2	4	5	6	8
SUBTOTAL	**110014**	**3.5**	**10**	**1**	**2**	**3**	**5**	**6**	**7**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	8249	2.7	4	1	1	2	4	5	6
70-74	5529	2.6	3	1	1	2	4	5	6
75-79	3487	2.5	3	1	1	2	4	5	5
80-84	1689	2.5	5	1	1	2	4	5	6
85 +	335	3.5	4	1	2	4	5	5	6
SUBTOTAL	**19288**	**2.6**	**3**	**1**	**1**	**2**	**4**	**5**	**6**
GRAND TOTAL	**129302**	**3.4**	**9**	**1**	**2**	**3**	**4**	**6**	**7**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	26513	3.1	10	1	2	2	4	5	6
18-34	11788	3.4	7	1	2	3	5	5	6
35-49	27291	3.4	10	1	2	3	4	5	7
50-69	77090	3.4	11	1	2	3	4	6	7
70 +	1420	3.9	25	1	2	3	5	6	9
	144102	**3.4**	**10**	**1**	**2**	**3**	**4**	**6**	**7**
0-17	14635	3.1	3	1	2	3	4	5	6
18-34	4715	3.2	3	1	2	3	5	5	5
35-49	9616	2.3	3	1	1	2	3	5	5
50-69	16721	2.5	5	1	1	2	4	5	6
70 +	247	2.5	4	1	1	2	3	6	6
	45934	**2.7**	**4**	**1**	**1**	**2**	**4**	**5**	**6**
	190036	**3.2**	**9**	**1**	**2**	**3**	**4**	**5**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	10797	3.4	9	1	2	3	4	6	7
18-34	3806	4.1	15	1	2	3	5	6	8
35-49	5931	4.3	15	1	2	4	5	7	10
50-69	8873	4.0	11	1	2	4	5	7	9
70 +	223	3.3	4	2	2	3	4	6	7
SUBTOTAL	**29630**	**3.9**	**12**	**1**	**2**	**3**	**5**	**6**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	5443	3.6	5	1	2	3	5	6	6
18-34	1291	3.1	4	1	2	3	4	6	6
35-49	1420	3.4	6	1	1	3	5	6	7
50-69	1953	4.0	27	1	2	3	5	6	7
70 +	44	3.3	6	1	1	3	6	7	7
SUBTOTAL	**10151**	**3.6**	**9**	**1**	**2**	**3**	**5**	**6**	**7**
GRAND TOTAL	**39781**	**3.8**	**11**	**1**	**2**	**3**	**5**	**6**	**8**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	4917	3.2	11	1	2	2	4	5	6
18-34	2858	3.6	7	1	2	4	5	6	7
35-49	4145	3.6	10	1	2	3	4	6	8
50-69	8461	3.5	10	1	2	3	5	6	8
70 +	481	3.0	17	1	1	2	4	5	7
	20861	**3.4**	**10**	**1**	**2**	**3**	**4**	**6**	**7**
0-17	2440	3.2	3	1	2	3	4	6	6
18-34	1362	3.5	3	1	2	4	5	6	6
35-49	1632	3.1	4	1	1	3	4	5	6
50-69	2067	2.7	3	1	1	2	4	5	6
70 +	244	1.3		1	1	1	1	2	3
	7745	**3.0**	**3**	**1**	**1**	**3**	**4**	**5**	**6**
	28607	**3.3**	**8**	**1**	**2**	**3**	**4**	**6**	**7**

Total U.S., July 1989 - June 1990

DRG 411: History of Malignancy w/o Endoscopy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	16	2.0							
70-74	22	1.6	1						
75-79	41	2.6	1						
80-84	20	4.0	4						
85 +	10	8.0							
SUBTOTAL	**109**	**3.1**	**4**	**1**	**2**	**2**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	18	1.9	1						
70-74	26	7.1	25						
75-79	45	3.4	4						
80-84	28	3.7	3						
85 +	7	4.0							
SUBTOTAL	**123**	**4.1**	**10**	**1**	**1**	**4**	**5**	**11**	**11**
GRAND TOTAL	**232**	**3.6**	**7**	**1**	**2**	**3**	**5**	**8**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	2.0							
18-34	10	2.0							
35-49	20	5.5							
50-69	58	2.8	2						
70 +	0								
SUBTOTAL	**95**	**3.2**	**3**	**1**	**2**	**3**	**5**	**6**	**6**
0-17	73	4.4	62	1	1	1	2	24	24
18-34	24	1.0							
35-49	41	2.0	1						
50-69	63	1.6	2	< 1	< 1	1	2	5	5
70 +	8	1.0							
SUBTOTAL	**209**	**2.6**	**24**	**< 1**	**1**	**1**	**2**	**3**	**6**
GRAND TOTAL	**305**	**2.8**	**17**	**< 1**	**1**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	6	6.0							
35-49	0								
50-69	0								
70 +	6	10.0							
SUBTOTAL	**12**	**8.0**	**4**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	57	2.3	2	< 1	1	2	3	5	5
18-34	22	1.3							
35-49	0								
50-69	33	1.6							
70 +	6	1.0							
SUBTOTAL	**118**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**5**
GRAND TOTAL	**131**	**2.4**	**5**	**1**	**1**	**2**	**2**	**5**	**6**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	19.0							
18-34	0								
35-49	0								
50-69	13	2.6	2						
70 +	0								
SUBTOTAL	**19**	**7.8**	**63**						
0-17	28	1.3							
18-34	0								
35-49	12	1.0							
50-69	20	1.0							
70 +	0								
SUBTOTAL	**60**	**1.1**		**< 1**	**< 1**	**< 1**	**1**	**2**	**2**
GRAND TOTAL	**80**	**2.7**	**23**	**< 1**	**< 1**	**1**	**2**	**4**	**19**

DRG 412: History of Malignancy w/ Endoscopy

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	40	3.0	12						
70-74	20	1.0							
75-79	20	1.5							
80-84	36	3.6	2						
85 +	0								
SUBTOTAL	**117**	**2.6**	**6**	**< 1**	**1**	**2**	**3**	**5**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	83	1.3		< 1	< 1	< 1	2	2	2
70-74	58	1.8	2	< 1	< 1	< 1	2	5	5
75-79	82	2.1	4	< 1	< 1	1	3	3	8
80-84	41	1.4							
85 +	23	1.[illegible]							
SUBTOTAL	**287**	**1.7**	**2**	**< 1**	**< 1**	**< 1**	**2**	**3**	**5**
GRAND TOTAL	**404**	**1.9**	**3**	**< 1**	**< 1**	**1**	**2**	**3**	**5**

BLUE CROSS/[illegible] INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VA[illegible] ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	17	4.0							
50-69	59	2.0							
70 +	0								
SUBTOTAL	**76**	**2.4**	**1**						
0-17	0								
18-34	0								
35-49	7	1.0							
50-69	70	1.6	3	< 1	< 1	< 1	1	6	6
70 +	0								
SUBTOTAL	**77**	**1.5**	**2**	**< 1**	**< 1**	**< 1**	**< 1**	**5**	**6**
	153	**2.0**	**2**	**< 1**	**< 1**	**2**	**2**	**4**	**5**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES [illegible]TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)									
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	6	1.0							
SUBTOTAL	**6**	**1.0**							
GRAND TOTAL	**6**	**1.0**							

NO INSU[illegible]

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VA[illegible] ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	20	2.5							
70 +	0								
SUBTOTAL	**20**	**2.5**							
0-17	0								
18-34	0								
35-49	0								
50-69	10	4.0							
70 +	0								
SUBTOTAL	**10**	**4.0**							
	30	**3.0**	**1**						

DRG 413: Other Myeloprolif Dis or Poorly Diff Neopl Diag w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1653	11.4	126	3	4	8	13	27	38
70-74	1187	11.4	97	3	4	8	14	26	33
75-79	1116	9.9	79	3	4	7	12	19	38
80-84	824	11.3	48	3	7	10	15	21	23
85+	654	9.3	35	3	5	9	11	17	20
SUBTOTAL	**5433**	**10.8**	**88**	**3**	**5**	**8**	**13**	**21**	**33**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	5433	10.8	88	3	5	8	13	21	33

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	278	2.9	6	1	1	2	3	6	9
18-34	168	7.8	22	3	4	7	10	11	14
35-49	767	10.2	93	1	4	7	14	20	30
50-69	1561	11.4	107	3	5	9	14	21	29
70+	146	10.5	27	6	6	11	11	21	22
	2919	**10.0**	**91**	**2**	**4**	**8**	**12**	**20**	**27**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	2919	10.0	91	2	4	8	12	20	27

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	98	5.6	4	3	4	6	7	8	8
18-34	200	11.3	135	2	3	5	17	28	40
35-49	250	9.7	225	1	4	8	9	14	33
50-69	378	12.1	73	3	6	10	16	22	22
70+	6	16.0							
SUBTOTAL	**932**	**10.6**	**123**	**2**	**5**	**8**	**15**	**21**	**31**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	932	10.6	123	2	5	8	15	21	31

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	41	10.2	145						
18-34	43	5.3	6	2	3	6	7	9	9
35-49	399	13.8	123	3	4	11	24	34	34
50-69	359	9.5	46	3	5	7	12	18	21
70+	141	4.9	18	2	3	3	5	8	21
	982	**10.4**	**86**	**2**	**4**	**7**	**14**	**26**	**34**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	982	10.4	86	2	4	7	14	26	34

DRG 414: Other Myeloprolif Dis or Poorly Diff Neopl Diag w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	568	5.3	25	1	2	5	6	9	15
70-74	384	5.2	15	1	3	4	7	12	13
75-79	335	7.6	29	2	3	7	14	14	16
80-84	351	8.4	79	1	1	5	12	28	28
85+	132	4.6	11	1	3	4	5	11	13
SUBTOTAL	**1771**	**6.3**	**35**	**1**	**2**	**5**	**8**	**14**	**17**
GRAND TOTAL	**1771**	**6.3**	**35**	**1**	**2**	**5**	**8**	**14**	**17**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	401	2.7	5	<1	1	2	4	7	7
18-34	158	3.3	4	1	1	4	5	5	6
35-49	473	4.1	30	1	2	3	4	7	11
50-69	1028	5.3	32	1	2	4	7	9	12
70+	84	9.3	156	1	2	3	6	35	35
	2145	**4.6**	**31**	**1**	**2**	**3**	**5**	**8**	**10**
	2145	**4.6**	**31**	**1**	**2**	**3**	**5**	**8**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	143	4.0	23	<1	1	2	4	8	20
18-34	67	6.0	24	1	1	5	11	11	14
35-49	80	6.9	15	2	4	6	9	13	14
50-69	203	6.8	31	1	3	4	9	15	19
70+	18	9.7	95						
SUBTOTAL	**513**	**6.0**	**29**	**1**	**2**	**4**	**8**	**14**	**19**
GRAND TOTAL	**513**	**6.0**	**29**	**1**	**2**	**4**	**8**	**14**	**19**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	47	2.7	2	<1	1	3	4	5	5
18-34	85	18.3	233	<1	1	33	33	33	33
35-49	122	4.8	19	1	2	3	7	11	15
50-69	256	5.8	36	1	2	4	7	10	18
70+	59	7.6	66	1	4	6	7	29	29
	569	**7.4**	**84**	**1**	**2**	**4**	**7**	**27**	**33**
	569	**7.4**	**84**	**1**	**2**	**4**	**7**	**27**	**33**

DRG 415: O.R. Procedure for Infectious & Parasitic Diseases

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	6253	19.9	246	6	9	15	27	42	58
70-74	3685	21.3	253	7	10	16	28	43	51
75-79	3403	20.0	255	6	10	16	24	43	73
80-84	1921	20.6	229	8	11	17	24	37	54
85+	2176	22.7	284	8	13	19	27	46	57
SUBTOTAL	**17439**	**20.7**	**253**	**6**	**10**	**16**	**26**	**43**	**57**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	1103	10.9	87	2	4	8	16	24	27
70-74	654	9.9	54	3	5	7	12	21	26
75-79	523	9.7	31	3	5	9	14	16	19
80-84	245	7.5	27	3	3	6	9	16	18
85+	176	8.8	29	2	5	7	12	18	18
SUBTOTAL	**2702**	**10.0**	**60**	**3**	**5**	**8**	**14**	**20**	**26**
GRAND TOTAL	**20141**	**19.2**	**240**	**5**	**9**	**15**	**24**	**40**	**54**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	991	16.7	243	3	6	12	23	37	65
18-34	1394	12.1	136	3	5	9	15	25	35
35-49	1917	15.4	221	4	6	10	18	32	52
50-69	3797	18.1	215	5	8	13	25	40	52
70+	199	16.4	70	8	10	13	23	28	28
SUBTOTAL	**8298**	**16.3**	**207**	**4**	**7**	**12**	**21**	**36**	**52**
0-17	1343	7.1	36	2	3	6	9	16	16
18-34	1596	7.6	37	2	4	6	10	13	22
35-49	1537	8.7	57	2	4	7	11	17	21
50-69	1810	8.3	42	2	4	7	10	17	23
70+	112	9.8	12	5	8	9	13	14	17
SUBTOTAL	**6398**	**8.0**	**43**	**2**	**4**	**6**	**10**	**16**	**21**
GRAND TOTAL	**14697**	**12.7**	**152**	**3**	**5**	**9**	**16**	**28**	**39**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	561	18.6	252	4	9	14	22	45	61
18-34	676	15.9	89	6	9	13	20	35	37
35-49	472	20.0	200	6	11	18	23	45	69
50-69	639	22.7	335	7	10	14	33	57	71
70+	58	33.4	470	10	22	26	33	77	77
SUBTOTAL	**2407**	**19.5**	**234**	**6**	**10**	**15**	**25**	**45**	**61**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	533	8.2	59	2	4	5	10	16	22
18-34	394	8.1	45	3	4	6	9	16	20
35-49	278	9.1	38	1	5	8	14	18	22
50-69	130	10.5	33	5	7	10	14	23	24
70+	10	7.0							
SUBTOTAL	**1346**	**8.6**	**48**	**2**	**4**	**7**	**11**	**16**	**22**
GRAND TOTAL	**3753**	**15.6**	**195**	**4**	**6**	**12**	**20**	**37**	**53**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	304	13.3	153	5	7	9	18	28	99+
18-34	696	12.3	100	3	5	10	17	25	35
35-49	566	18.9	324	4	5	12	27	45	52
50-69	682	19.2	258	5	7	13	29	39	54
70+	142	15.9	147	2	4	16	23	29	45
SUBTOTAL	**2390**	**16.2**	**217**	**4**	**7**	**11**	**21**	**38**	**45**
0-17	546	7.0	30	2	3	5	9	13	15
18-34	916	10.0	83	2	4	6	12	29	30
35-49	456	8.6	34	2	4	8	12	15	19
50-69	343	7.4	37	2	4	6	8	14	25
70+	31	7.5	38						
SUBTOTAL	**2291**	**8.6**	**55**	**2**	**3**	**7**	**11**	**18**	**29**
GRAND TOTAL	**4681**	**12.4**	**152**	**3**	**5**	**8**	**15**	**29**	**39**

DRG 416: Septicemia Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	19373	10.6	61	4	6	9	12	19	26
70-74	14353	11.0	60	4	6	9	13	19	25
75-79	15253	12.8	119	5	7	10	15	24	36
80-84	15158	11.9	87	4	7	9	14	22	29
85 +	16960	12.3	97	5	7	10	14	22	31
SUBTOTAL	**81098**	**11.7**	**85**	**4**	**6**	**9**	**14**	**21**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	654	9.8	42	4	5	8	11	17	22
70-74	746	6.7	19	2	4	6	9	12	15
75-79	884	6.7	15	2	3	6	9	12	14
80-84	638	7.3	23	4	4	6	9	12	17
85 +	900	8.7	39	4	5	7	11	14	18
SUBTOTAL	**3822**	**7.8**	**29**	**3**	**4**	**7**	**10**	**14**	**17**
GRAND TOTAL	**84921**	**11.5**	**83**	**4**	**6**	**9**	**14**	**20**	**28**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2222	8.5	73	3	4	7	10	14	19
35-49	4149	9.1	48	3	5	8	10	17	21
50-69	10196	9.9	51	4	6	8	12	17	23
70 +	862	10.3	36	4	6	9	13	18	22
SUBTOTAL	**17429**	**9.5**	**52**	**4**	**5**	**8**	**11**	**16**	**22**
0-17	0								
18-34	647	5.8	16	2	3	4	7	11	14
35-49	891	5.6	12	3	3	5	6	9	12
50-69	1000	6.7	15	3	4	7	8	11	11
70 +	109	6.2	25	3	3	4	6	15	17
SUBTOTAL	**2647**	**6.1**	**15**	**3**	**3**	**6**	**8**	**11**	**13**
GRAND TOTAL	**20076**	**9.1**	**49**	**3**	**5**	**8**	**11**	**16**	**21**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	1349	10.1	60	4	5	7	12	23	29
35-49	1349	11.5	110	4	6	8	13	22	35
50-69	2317	11.4	72	4	7	9	14	19	26
70 +	528	12.2	39	7	8	11	15	19	28
SUBTOTAL	**5543**	**11.2**	**76**	**4**	**6**	**9**	**13**	**21**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	227	6.5	18	3	4	4	9	9	15
35-49	73	8.3	77	2	4	5	10	12	35
50-69	76	11.5	196	4	4	6	8	47	47
70 +	18	18.7	113						
SUBTOTAL	**395**	**8.3**	**76**	**3**	**4**	**6**	**9**	**15**	**30**
GRAND TOTAL	**5938**	**11.0**	**76**	**4**	**6**	**8**	**13**	**21**	**30**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1086	9.1	49	3	5	7	12	15	19
35-49	1541	10.3	68	4	6	9	12	16	24
50-69	2062	11.3	77	4	6	9	14	21	28
70 +	802	9.9	65	4	5	7	12	18	30
SUBTOTAL	**5491**	**10.4**	**68**	**4**	**5**	**9**	**13**	**18**	**26**
0-17	0								
18-34	203	6.0	14	2	3	5	8	13	13
35-49	158	5.8	21	3	4	4	5	11	19
50-69	214	8.0	18	3	5	7	10	14	16
70 +	113	7.5	47	2	4	5	11	11	29
SUBTOTAL	**688**	**6.8**	**23**	**2**	**4**	**5**	**9**	**13**	**15**
GRAND TOTAL	**6179**	**10.0**	**64**	**4**	**5**	**8**	**13**	**17**	**25**

Total U.S., July 1989 - June 1990

DRG 417: Septicemia Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	102	4.1	3	2	3	4	5	7	8
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**102**	**4.1**	**3**	**2**	**3**	**4**	**5**	**7**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**102**	**4.1**	**3**	**2**	**3**	**4**	**5**	**7**	**8**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6424	7.3	51	2	3	5	9	14	19
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	6424	**7.3**	**51**	**2**	**3**	**5**	**9**	**14**	**19**
0-17	8741	4.2	9	2	2	3	5	9	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	8741	**4.2**	**9**	**2**	**2**	**3**	**5**	**9**	**10**
	15165	**5.5**	**29**	**2**	**3**	**4**	**7**	**11**	**14**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	5452	7.0	32	2	3	5	9	14	16
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**5452**	**7.0**	**32**	**2**	**3**	**5**	**9**	**14**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	5875	4.7	11	2	3	3	6	10	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**5875**	**4.7**	**11**	**2**	**3**	**3**	**6**	**10**	**11**
GRAND TOTAL	**11327**	**5.8**	**22**	**2**	**3**	**4**	**8**	**11**	**14**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	2752	6.5	36	2	3	4	9	13	15
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2752	**6.5**	**36**	**2**	**3**	**4**	**9**	**13**	**15**
0-17	4299	4.5	9	2	2	3	6	10	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	4299	**4.5**	**9**	**2**	**2**	**3**	**6**	**10**	**11**
	7051	**5.3**	**21**	**2**	**3**	**4**	**7**	**11**	**13**

DRG 418: Postoperative & Post-traumatic Infections

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2914	8.3	39	3	4	7	10	16	21
70-74	1545	10.0	70	3	5	7	11	24	28
75-79	1166	9.7	114	3	4	6	12	18	22
80-84	653	10.5	157	4	5	7	10	22	33
85 +	458	10.9	170	4	5	8	10	17	30
SUBTOTAL	**6736**	**9.3**	**80**	**3**	**4**	**7**	**11**	**18**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1799	7.2	43	3	3	5	8	13	17
70-74	929	7.0	25	3	4	5	9	13	17
75-79	973	7.0	15	3	4	6	9	12	14
80-84	336	6.1	15	3	4	5	6	13	14
85 +	293	7.3	60	2	3	6	7	15	17
SUBTOTAL	**4330**	**7.0**	**32**	**3**	**4**	**5**	**9**	**13**	**16**
GRAND TOTAL	**11066**	**8.4**	**63**	**3**	**4**	**6**	**10**	**15**	**22**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	776	6.3	27	2	3	4	9	13	15
18-34	1167	5.6	14	2	3	4	7	9	14
35-49	1617	7.2	49	2	3	5	8	13	18
50-69	2133	7.6	31	3	4	6	10	14	17
70 +	125	10.6	48	4	6	9	12	23	27
	5819	**7.0**	**33**	**2**	**3**	**5**	**9**	**14**	**17**
0-17	1878	4.5	9	2	2	4	5	7	10
18-34	2733	4.5	11	2	2	4	6	8	10
35-49	3057	5.5	18	2	3	4	7	10	15
50-69	2527	5.9	18	2	3	5	7	10	13
70 +	87	5.2	6	1	4	5	7	9	9
	10283	**5.1**	**15**	**2**	**3**	**4**	**6**	**9**	**12**
	16102	**5.8**	**22**	**2**	**3**	**4**	**7**	**11**	**15**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	394	6.2	40	2	2	4	8	12	16
18-34	379	8.8	72	3	4	5	8	24	28
35-49	616	8.8	135	2	4	6	9	16	22
50-69	364	9.3	47	3	5	8	10	23	27
70 +	47	14.3	8						
SUBTOTAL	**1800**	**8.5**	**82**	**2**	**4**	**6**	**9**	**17**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1019	4.4	13	1	2	3	5	9	10
18-34	924	4.8	14	2	3	3	5	10	13
35-49	483	4.5	7	2	3	4	5	9	10
50-69	231	6.2	13	2	3	6	8	12	14
70 +	8	3.0							
SUBTOTAL	**2664**	**4.7**	**12**	**2**	**3**	**4**	**5**	**9**	**12**
GRAND TOTAL	**4464**	**6.2**	**44**	**2**	**3**	**4**	**8**	**12**	**17**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	146	4.3	6	2	2	4	6	9	9
18-34	572	5.9	24	2	3	4	8	10	11
35-49	497	6.2	24	2	2	5	9	14	14
50-69	391	7.5	28	2	3	6	9	17	20
70 +	118	8.3	18	4	4	8	11	14	17
	1725	**6.4**	**24**	**2**	**3**	**5**	**8**	**12**	**16**
0-17	685	4.1	6	2	3	3	5	8	9
18-34	1317	5.1	12	2	3	5	7	8	10
35-49	816	5.1	13	1	3	4	7	9	12
50-69	455	6.5	15	3	4	6	8	9	14
70 +	56	2.9	2	1	2	3	4	5	5
	3329	**5.1**	**12**	**2**	**3**	**4**	**7**	**9**	**10**
	5054	**5.5**	**16**	**2**	**3**	**4**	**7**	**10**	**13**

Total U.S., July 1989 - June 1990

DRG 419: Fever of Unknown Origin Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	5849	6.6	32	3	4	5	8	12	15
70-74	3474	7.6	84	2	4	6	8	13	17
75-79	3391	7.8	44	2	4	6	9	14	21
80-84	2136	8.0	38	3	4	6	10	16	19
85+	2071	8.2	45	3	4	7	9	13	20
SUBTOTAL	**16921**	**7.4**	**48**	**3**	**4**	**6**	**9**	**13**	**18**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**16921**	**7.4**	**48**	**3**	**4**	**6**	**9**	**13**	**18**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1753	4.6	10	2	2	4	6	9	11
35-49	2140	5.7	15	2	3	5	7	11	12
50-69	3994	6.5	25	2	3	5	8	12	16
70+	183	5.4	5	2	4	6	7	8	10
	8070	**5.9**	**19**	**2**	**3**	**5**	**7**	**11**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	8070	**5.9**	**19**	**2**	**3**	**5**	**7**	**11**	**14**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	450	5.2	14	2	3	5	6	11	13
35-49	321	5.3	22	2	3	4	5	10	16
50-69	351	7.9	18	3	4	7	11	14	16
70+	18	8.3	33						
SUBTOTAL	**1140**	**6.1**	**19**	**2**	**3**	**5**	**7**	**13**	**16**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1140**	**6.1**	**19**	**2**	**3**	**5**	**7**	**13**	**16**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	600	4.2	8	2	2	3	5	8	9
35-49	306	7.3	26	2	3	5	10	15	17
50-69	903	7.8	46	2	3	6	9	17	26
70+	117	5.6	5	2	4	6	7	9	9
	1926	**6.4**	**31**	**2**	**3**	**5**	**8**	**12**	**20**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	1926	**6.4**	**31**	**2**	**3**	**5**	**8**	**12**	**20**

DRG 420: Fever of Unknown Origin Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	884	5.1	8	2	3	5	7	9	11
70-74	832	4.6	12	2	2	3	6	9	11
75-79	626	5.9	12	3	3	5	8	12	13
80-84	616	8.0	56	3	4	5	8	14	32
85 +	602	4.9	14	2	2	4	6	9	11
SUBTOTAL	**3560**	**5.6**	**20**	**2**	**3**	**5**	**7**	**10**	**13**
GRAND TOTAL	**3560**	**5.6**	**20**	**2**	**3**	**5**	**7**	**10**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	1316	3.7	8	1	2	3	4	6	10
35-49	1557	4.4	12	2	2	4	5	8	9
50-69	1394	4.7	9	2	3	4	6	8	10
70 +	166	3.9	3	1	3	4	6	6	7
4434	**4.3**	**10**	**2**	**2**	**4**	**5**	**8**	**10**
4434	**4.3**	**10**	**2**	**2**	**4**	**5**	**8**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	298	4.4	8	1	2	3	8	8	8
35-49	116	4.8	4	2	3	5	7	8	8
50-69	102	5.5	14	2	3	4	9	10	14
70 +	15	1.0							
SUBTOTAL	**530**	**4.6**	**9**	**1**	**2**	**4**	**7**	**8**	**10**
GRAND TOTAL	**530**	**4.6**	**9**	**1**	**2**	**4**	**7**	**8**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	614	3.7	11	1	2	3	5	6	10
35-49	362	3.9	17	1	2	3	4	8	10
50-69	313	7.2	31	1	3	6	11	16	21
70 +	60	3.8	3	2	2	4	5	7	7
1349	**4.6**	**19**	**1**	**2**	**3**	**5**	**10**	**13**
1349	**4.6**	**19**	**1**	**2**	**3**	**5**	**10**	**13**

Total U.S., July 1989 - June 1990

DRG 421: Viral Illness Age >17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3566	5.3	21	2	3	4	7	10	13
70-74	1909	5.5	13	2	3	5	7	11	15
75-79	2295	6.7	38	2	3	5	8	13	16
80-84	1746	7.2	30	2	3	5	9	16	19
85+	1383	7.5	48	3	3	5	10	13	16
SUBTOTAL	**10898**	**6.2**	**29**	**2**	**3**	**5**	**7**	**12**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1394	3.9	5	2	2	4	5	6	7
70-74	843	4.1	5	1	2	4	5	7	7
75-79	1008	4.7	33	1	2	4	6	8	8
80-84	642	3.1	5	1	2	2	4	5	8
85+	652	5.1	13	2	3	4	6	8	11
SUBTOTAL	**4538**	**4.2**	**13**	**1**	**2**	**4**	**5**	**7**	**8**
GRAND TOTAL	**15436**	**5.6**	**25**	**2**	**3**	**4**	**7**	**11**	**15**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	6613	3.9	9	1	2	3	5	7	9
35-49	3512	4.5	28	1	2	3	5	8	10
50-69	3181	5.3	24	2	3	4	7	11	13
70+	148	4.5	14	2	2	3	6	7	19
SUBTOTAL	**13454**	**4.4**	**18**	**1**	**2**	**3**	**5**	**8**	**11**
0-17	0								
18-34	7272	3.1	4	1	2	3	4	6	7
35-49	3363	3.5	5	1	2	3	5	6	8
50-69	2235	3.7	5	1	2	3	5	7	7
70+	70	3.9	4	1	2	3	5	7	7
SUBTOTAL	**12939**	**3.3**	**4**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**26394**	**3.9**	**12**	**1**	**2**	**3**	**5**	**7**	**9**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	1020	4.5	15	1	2	3	5	9	11
35-49	573	4.3	5	2	3	4	5	7	10
50-69	337	4.7	19	2	2	4	5	7	12
70+	87	4.4	3	2	3	5	6	6	6
SUBTOTAL	**2017**	**4.5**	**12**	**2**	**2**	**4**	**5**	**9**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	937	3.5	7	1	2	3	4	7	8
35-49	273	5.0	17	2	2	3	6	14	14
50-69	104	3.2	6	1	2	2	4	6	11
70+	19	3.6	1						
SUBTOTAL	**1334**	**3.8**	**10**	**1**	**2**	**3**	**4**	**7**	**11**
GRAND TOTAL	**3350**	**4.2**	**11**	**1**	**2**	**3**	**5**	**8**	**10**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2356	4.0	11	1	2	3	5	8	10
35-49	722	5.1	18	1	2	4	7	12	14
50-69	585	4.3	8	1	2	4	7	7	10
70+	110	3.9	3	2	3	4	4	7	7
SUBTOTAL	**3774**	**4.3**	**12**	**1**	**2**	**3**	**6**	**8**	**11**
0-17	0								
18-34	2351	2.9	4	1	2	2	4	6	7
35-49	891	3.3	5	1	2	3	4	5	8
50-69	343	3.4	4	2	2	3	4	5	9
70+	36	2.5	1						
SUBTOTAL	**3621**	**3.0**	**4**	**1**	**2**	**3**	**4**	**5**	**8**
GRAND TOTAL	**7394**	**3.7**	**8**	**1**	**2**	**3**	**4**	**7**	**8**

Total U.S., July 1989 - June 1990

DRG 422: Viral Illness & Fever of Unknown Origin Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	198	4.1	6	1	2	3	6	7	8
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	198	4.1	6	1	2	3	6	7	8
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	50	6.2	65	< 1	1	3	4	22	22
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	50	6.2	65	< 1	1	3	4	22	22
GRAND TOTAL	247	4.5	19	1	2	3	6	8	11

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	24423	3.5	10	1	2	3	4	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	24423	3.5	10	1	2	3	4	6	8
	45883	2.7	2	1	2	2	3	4	5
	0								
	0								
	0								
	0								
	0								
	45883	2.7	2	1	2	2	3	4	5
	70306	3.0	5	1	2	3	3	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	13401	3.8	10	2	2	3	4	7	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	13401	3.8	10	2	2	3	4	7	8
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	27374	2.9	4	1	2	3	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	27374	2.9	4	1	2	3	3	5	6
GRAND TOTAL	40775	3.2	6	1	2	3	4	5	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	9303	3.4	7	1	2	3	4	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	9303	3.4	7	1	2	3	4	6	8
	17670	2.8	3	1	2	3	3	4	5
	0								
	0								
	0								
	0								
	0								
	17670	2.8	3	1	2	3	3	4	5
	26973	3.0	4	1	2	3	4	5	6

Total U.S., July 1989 - June 1990

DRG 423: Other Infectious & Parasitic Diseases Diagnoses

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1617	12.2	93	4	6	9	15	21	33
70-74	957	9.6	75	2	4	7	12	20	28
75-79	747	11.5	104	2	5	8	16	27	31
80-84	445	12.0	59	4	7	9	18	21	21
85 +	491	11.2	123	3	4	6	14	31	32
SUBTOTAL	**4258**	**11.4**	**92**	**3**	**5**	**8**	**15**	**22**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	395	7.1	33	2	3	5	8	13	23
70-74	244	11.2	79	4	7	8	14	19	41
75-79	146	5.5	21	2	2	6	8	9	19
80-84	147	6.7	15	2	4	6	12	12	12
85 +	83	10.2	38	7	8	8	8	23	23
SUBTOTAL	**1016**	**8.0**	**44**	**2**	**4**	**7**	**9**	**15**	**19**
GRAND TOTAL	**5274**	**10.7**	**84**	**3**	**5**	**8**	**14**	**21**	**30**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1429	6.5	37	2	2	4	9	15	18
18-34	916	5.6	35	2	3	4	5	10	16
35-49	760	10.9	165	2	4	7	12	23	34
50-69	981	10.2	89	2	4	7	14	21	31
70 +	7	9.0							
4093	**8.0**	**77**	**2**	**3**	**5**	**10**	**17**	**25**	
0-17	2068	4.4	16	1	2	3	6	8	11
18-34	1275	4.5	16	1	2	3	5	8	12
35-49	1308	5.1	15	2	3	4	7	9	11
50-69	780	5.0	9	2	3	5	7	10	10
70 +	26	4.9	18						
5457	**4.7**	**15**	**1**	**2**	**4**	**6**	**8**	**11**	
9550	**6.1**	**44**	**2**	**2**	**4**	**7**	**12**	**18**	

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	641	10.0	181	2	3	6	11	16	29
18-34	373	7.6	48	2	3	5	11	17	19
35-49	386	15.1	197	3	6	11	22	28	45
50-69	292	10.1	61	4	4	6	14	20	27
70 +	14	13.1	21						
SUBTOTAL	**1706**	**10.7**	**140**	**2**	**4**	**7**	**12**	**27**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	976	5.7	18	2	3	4	7	11	11
18-34	299	6.5	24	2	3	4	9	14	15
35-49	148	8.0	27	2	3	8	12	15	18
50-69	43	12.7	147	3	5	9	10	37	37
70 +	23	9.4	30						
SUBTOTAL	**1489**	**6.4**	**26**	**2**	**3**	**4**	**9**	**12**	**15**
GRAND TOTAL	**3195**	**8.7**	**92**	**2**	**3**	**6**	**11**	**17**	**28**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	568	5.7	25	1	2	3	8	12	17
18-34	713	8.3	90	1	3	5	9	17	28
35-49	250	14.6	279	2	3	7	22	44	68
50-69	214	13.3	188	4	6	7	12	33	46
70 +	34	11.3	156						
1779	**9.0**	**119**	**2**	**3**	**6**	**10**	**19**	**35**	
0-17	1078	5.0	15	1	2	4	7	10	14
18-34	1037	4.3	11	1	2	3	6	10	12
35-49	474	6.1	23	1	2	4	8	14	16
50-69	125	5.8	13	3	4	4	7	13	14
70 +	15	8.0	17						
2729	**5.0**	**15**	**1**	**2**	**4**	**7**	**11**	**14**	
4508	**6.6**	**60**	**1**	**2**	**4**	**7**	**14**	**18**	

Total U.S., July 1989 - June 1990

DRG 424: O.R. Procedure w/ Principal Diagnoses of Mental Illness

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	877	22.5	228	6	13	21	33	54	99+
70-74	370	22.3	190	7	11	18	34	41	60
75-79	643	20.6	191	8	12	19	29	54	99+
80-84	520	25.7	296	8	15	20	39	64	99+
85+	546	21.1	196	6	11	18	26	42	44
SUBTOTAL	**2957**	**22.4**	**224**	**7**	**13**	**20**	**33**	**51**	**99+**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	461	20.5	155	6	10	18	29	39	43
70-74	216	18.4	246	5	5	15	28	36	37
75-79	190	17.6	172	1	11	16	23	32	35
80-84	86	21.6	207	4	17	20	23	31	62
85+	89	8.7	56	1	1	7	16	20	22
SUBTOTAL	**1042**	**18.6**	**183**	**4**	**9**	**17**	**26**	**36**	**42**
GRAND TOTAL	**3999**	**21.4**	**216**	**5**	**11**	**19**	**30**	**47**	**64**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	242	17.0	201	8	11	14	15	43	51
18-34	295	19.1	187	7	9	16	28	39	65
35-49	535	22.5	288	6	10	15	34	46	59
50-69	306	21.9	202	2	11	23	31	39	56
70+	26	51.7	110						
SUBTOTAL	**1404**	**21.3**	**251**	**7**	**10**	**15**	**31**	**43**	**59**
0-17	266	16.9	385	1	2	9	35	99+	99+
18-34	628	17.4	244	2	7	13	21	42	63
35-49	669	13.8	201	1	3	11	20	29	41
50-69	532	15.5	248	2	3	8	26	32	40
70+	16	12.8	91						
SUBTOTAL	**2110**	**15.7**	**250**	**1**	**4**	**11**	**22**	**40**	**63**
GRAND TOTAL	**3514**	**17.9**	**258**	**2**	**7**	**14**	**26**	**43**	**60**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	82	24.1	390	2	4	16	37	48	56
18-34	241	23.8	444	7	13	18	28	42	89
35-49	154	23.8	237	8	14	21	29	45	65
50-69	135	25.5	325	9	12	16	29	58	70
70+	10	17.0							
SUBTOTAL	**621**	**24.1**	**352**	**6**	**13**	**19**	**29**	**47**	**65**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	307	9.9	428	1	1	2	11	85	99+
18-34	166	20.2	311	5	6	20	27	43	73
35-49	80	28.3	147	14	19	24	31	48	49
50-69	38	28.2	507						
70+	0								
SUBTOTAL	**591**	**16.5**	**414**	**1**	**1**	**8**	**28**	**66**	**85**
GRAND TOTAL	**1212**	**20.4**	**397**	**1**	**4**	**16**	**29**	**48**	**73**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	3.9	6						
18-34	157	24.9	397	8	8	18	32	62	79
35-49	74	8.5	21	4	5	7	14	14	17
50-69	72	9.6	66	3	3	5	22	22	22
70+	22	23.0	301						
SUBTOTAL	**341**	**17.0**	**286**	**3**	**7**	**11**	**22**	**35**	**62**
0-17	54	11.7	179	<1	<1	3	27	31	31
18-34	237	13.0	189	1	3	7	22	40	43
35-49	201	8.4	63	1	3	6	11	17	29
50-69	108	8.9	64	1	2	8	13	20	29
70+	7	23.0							
SUBTOTAL	**608**	**10.7**	**128**	**1**	**2**	**7**	**13**	**29**	**40**
GRAND TOTAL	**949**	**13.0**	**193**	**2**	**3**	**8**	**18**	**32**	**43**

Total U.S., July 1989 - June 1990

DRG 425: Acute Adjust React & Disturbances of Psychosocial Dysfunction

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3710	7.0	59	1	2	5	8	16	24
70-74	1888	7.8	49	2	3	6	9	18	24
75-79	2274	7.4	90	2	3	5	9	15	21
80-84	2118	7.8	52	2	3	5	10	19	30
85 +	2207	7.4	67	2	3	5	8	15	26
SUBTOTAL	**12197**	**7.4**	**63**	**2**	**3**	**5**	**9**	**16**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2998	5.9	31	1	2	4	8	13	17
70-74	1590	8.0	71	1	3	5	10	20	28
75-79	1149	8.0	38	2	3	6	11	18	22
80-84	876	6.4	53	2	2	4	6	12	21
85 +	615	6.2	23	2	3	5	8	10	18
SUBTOTAL	**7229**	**6.8**	**44**	**1**	**3**	**4**	**9**	**16**	**21**
GRAND TOTAL	**19426**	**7.2**	**56**	**2**	**3**	**5**	**9**	**16**	**22**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	443	5.6	59	1	1	3	6	13	20
18-34	1562	7.6	76	1	2	5	9	20	26
35-49	1685	7.6	77	1	2	4	10	19	30
50-69	1833	6.5	30	2	3	5	9	14	19
70 +	246	6.2	33	2	3	4	6	16	21
SUBTOTAL	**5768**	**7.0**	**59**	**1**	**2**	**4**	**9**	**17**	**23**
0-17	2178	8.8	135	1	2	4	10	27	32
18-34	4387	7.3	86	1	2	4	10	18	24
35-49	4892	5.8	48	1	2	3	7	15	20
50-69	2646	5.4	41	1	2	3	6	12	15
70 +	149	2.7	9	1	1	2	3	6	14
SUBTOTAL	**14252**	**6.6**	**73**	**1**	**2**	**3**	**8**	**16**	**24**
GRAND TOTAL	**20020**	**6.7**	**69**	**1**	**2**	**4**	**8**	**16**	**24**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	283	10.1	103	1	2	5	16	28	28
18-34	925	10.0	133	2	3	7	13	20	34
35-49	780	7.4	75	1	2	5	9	20	31
50-69	468	12.3	236	2	3	6	14	50	50
70 +	16	2.0	1						
SUBTOTAL	**2473**	**9.6**	**133**	**1**	**2**	**6**	**12**	**22**	**39**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1405	13.1	253	1	3	6	20	38	54
18-34	1738	6.6	55	1	2	4	8	17	23
35-49	1327	7.2	35	1	2	5	12	16	18
50-69	433	4.6	22	1	1	3	6	10	13
70 +	6	3.0							
SUBTOTAL	**4909**	**8.4**	**112**	**1**	**2**	**4**	**11**	**20**	**28**
GRAND TOTAL	**7382**	**8.8**	**120**	**1**	**2**	**5**	**11**	**22**	**33**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	112	5.2	21	< 1	2	4	7	12	17
18-34	1325	5.8	97	1	1	3	6	13	23
35-49	674	6.5	86	1	2	4	6	14	23
50-69	672	6.6	80	1	2	4	6	14	20
70 +	171	7.3	22	3	4	6	9	15	18
SUBTOTAL	**2954**	**6.2**	**84**	**1**	**2**	**3**	**6**	**14**	**21**
0-17	872	8.1	136	1	1	3	10	22	32
18-34	2682	5.5	41	1	2	3	7	12	19
35-49	2085	6.2	43	1	2	4	8	13	20
50-69	789	4.2	15	1	1	2	6	11	12
70 +	86	8.9	107	2	2	3	12	32	32
SUBTOTAL	**6514**	**6.0**	**53**	**1**	**2**	**3**	**7**	**14**	**21**
GRAND TOTAL	**9468**	**6.0**	**63**	**1**	**2**	**3**	**7**	**14**	**21**

DRG 426: Depressive Neuroses

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3464	11.5	117	2	4	8	16	24	32
70-74	1007	10.4	46	3	5	8	15	21	25
75-79	1045	11.8	138	4	5	8	14	24	29
80-84	673	8.8	80	3	5	6	8	15	28
85 +	420	9.1	80	2	4	6	12	19	51
SUBTOTAL	**7208**	**11.0**	**107**	**3**	**4**	**8**	**14**	**23**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	4178	9.5	61	2	4	7	13	20	26
70-74	1388	12.6	128	3	4	9	17	30	36
75-79	1239	11.0	45	3	6	9	15	20	25
80-84	778	11.5	67	3	4	11	17	21	23
85 +	436	9.6	72	2	4	9	12	18	21
SUBTOTAL	**8018**	**10.5**	**73**	**2**	**4**	**8**	**15**	**21**	**27**
GRAND TOTAL	**15226**	**10.7**	**89**	**3**	**4**	**8**	**14**	**22**	**28**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	2527	18.9	243	2	7	15	28	42	56
18-34	5706	9.6	83	1	3	6	15	21	27
35-49	3662	8.8	59	2	3	7	11	21	24
50-69	1881	9.4	60	2	4	7	13	21	25
70 +	51	19.3	189	7	7	11	34	46	46
	13827	**11.1**	**117**	**2**	**3**	**7**	**16**	**25**	**33**
	14246	18.2	240	3	7	14	28	38	48
	14316	7.4	55	1	2	5	10	17	22
	11500	8.3	58	1	3	6	11	17	22
	4573	8.1	52	2	3	6	10	15	24
	109	8.8	38						
	44745	**11.1**	**137**	**1**	**3**	**7**	**15**	**27**	**35**
	58573	**11.1**	**133**	**1**	**3**	**7**	**15**	**27**	**34**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	1271	22.2	328	4	8	16	35	54	67
18-34	4621	12.3	132	2	4	9	20	21	30
35-49	2217	12.6	87	3	5	11	21	24	28
50-69	755	10.7	37	4	6	9	14	19	21
70 +	6	1.0							
SUBTOTAL	**8870**	**13.6**	**153**	**3**	**5**	**11**	**21**	**27**	**38**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	6896	20.3	285	3	8	17	29	42	56
18-34	6956	8.4	78	1	3	6	11	17	24
35-49	3157	8.8	61	2	4	6	12	20	23
50-69	585	10.6	115	2	4	8	12	22	24
70 +	28	10.5	34						
SUBTOTAL	**17623**	**13.2**	**190**	**2**	**4**	**9**	**18**	**30**	**42**
GRAND TOTAL	**26493**	**13.4**	**177**	**2**	**4**	**9**	**19**	**29**	**42**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	404	10.8	148	2	4	7	14	29	50
18-34	4808	6.3	47	1	2	4	8	14	19
35-49	1848	6.6	37	2	3	4	9	14	18
50-69	676	7.3	29	2	2	6	11	16	17
70 +	58	20.2	449	3	8	12	29	69	69
	7794	**6.8**	**54**	**1**	**2**	**4**	**9**	**15**	**19**
	3703	11.8	173	1	3	7	17	28	38
	10688	5.9	48	1	2	4	8	14	17
	3602	7.7	68	1	3	5	10	19	29
	925	8.7	76	1	2	6	14	21	22
	60	11.3	110	3	4	4	26	30	30
	18979	**7.6**	**83**	**1**	**2**	**4**	**9**	**18**	**25**
	26774	**7.3**	**75**	**1**	**2**	**4**	**9**	**17**	**23**

Total U.S., July 1989 - June 1990

DRG 427: Neuroses except Depressive

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1221	10.8	137	2	3	6	13	31	38
70-74	374	9.2	39	4	5	7	12	21	23
75-79	328	15.9	228	5	7	9	22	36	56
80-84	204	11.2	77	1	4	11	14	30	32
85 +	59	14.0	98	3	7	8	15	35	35
SUBTOTAL	**2187**	**11.4**	**131**	**2**	**4**	**7**	**13**	**30**	**35**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1998	9.5	116	1	3	6	11	24	30
70-74	340	16.8	163	4	7	12	19	44	44
75-79	211	9.8	83	1	1	8	15	24	28
80-84	221	14.5	214	2	4	8	18	42	42
85 +	185	15.6	178	4	8	10	14	38	46
SUBTOTAL	**2955**	**11.1**	**138**	**1**	**3**	**7**	**14**	**28**	**39**
GRAND TOTAL	**5142**	**11.2**	**135**	**2**	**4**	**7**	**14**	**29**	**36**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1045	15.4	232	3	5	11	19	44	58
18-34	1869	9.7	151	2	3	6	12	21	35
35-49	1144	9.8	81	1	3	7	15	24	31
50-69	492	8.0	58	1	3	4	12	24	25
70 +	6	17.0							
SUBTOTAL	**4556**	**10.9**	**148**	**2**	**3**	**7**	**14**	**26**	**36**
0-17	6892	12.9	158	1	4	9	19	29	41
18-34	6671	8.3	99	1	2	5	10	21	27
35-49	4079	9.8	98	2	3	7	13	19	30
50-69	1298	8.8	64	2	3	6	12	16	27
70 +	7	16.0							
SUBTOTAL	**18946**	**10.3**	**122**	**1**	**3**	**7**	**14**	**24**	**32**
	23502	**10.5**	**127**	**1**	**3**	**7**	**14**	**24**	**32**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	477	17.6	253	2	7	15	23	40	51
18-34	1267	10.8	189	2	3	6	14	26	37
35-49	568	8.3	40	2	3	6	12	19	23
50-69	169	8.5	84	2	3	5	11	19	33
70 +	14	2.6							
SUBTOTAL	**2494**	**11.4**	**170**	**2**	**3**	**7**	**14**	**28**	**37**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	3839	16.8	268	2	6	11	23	42	59
18-34	2837	9.9	168	2	3	6	11	21	31
35-49	1148	8.5	52	2	4	6	12	18	23
50-69	240	8.2	33	3	4	8	9	18	22
70 +	23	67.6	1740						
SUBTOTAL	**8087**	**13.1**	**222**	**2**	**4**	**8**	**16**	**29**	**45**
GRAND TOTAL	**10581**	**12.7**	**210**	**2**	**4**	**8**	**16**	**29**	**43**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	343	10.1	145	1	3	6	12	27	31
18-34	1964	6.4	36	1	2	4	10	14	17
35-49	557	8.7	74	3	4	5	11	18	31
50-69	156	5.2	63	< 1	1	2	5	11	14
70 +	16	10.5							
SUBTOTAL	**3036**	**7.2**	**58**	**1**	**2**	**4**	**10**	**16**	**18**
0-17	2106	10.0	106	1	3	6	14	23	29
18-34	4282	5.8	43	1	2	4	7	13	18
35-49	1276	7.4	57	1	2	5	9	17	21
50-69	458	6.7	35	2	2	4	9	15	22
70 +	15	20.5	32						
SUBTOTAL	**8136**	**7.2**	**64**	**1**	**2**	**5**	**9**	**17**	**21**
	11173	**7.2**	**63**	**1**	**2**	**5**	**10**	**17**	**21**

DRG 428: Disorders of Personality & Impulse Control

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	803	9.9	62	2	3	8	14	20	28
70-74	52	15.3	107	<1	7	13	23	32	32
75-79	75	14.5	300	4	5	7	14	57	57
80-84	10	43.0							
85+	16	15.3	68						
SUBTOTAL	**956**	**11.0**	**97**	**2**	**4**	**8**	**15**	**23**	**32**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1444	11.9	151	2	4	9	15	28	36
70-74	66	11.6	133	2	2	7	21	36	38
75-79	102	9.4	35	5	5	6	16	16	22
80-84	68	9.0	2						
85+	7	4.0							
SUBTOTAL	**1686**	**11.6**	**137**	**2**	**4**	**9**	**15**	**25**	**36**
GRAND TOTAL	**2643**	**11.4**	**123**	**2**	**4**	**8**	**15**	**25**	**35**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1115	25.3	376	4	10	22	36	56	59
18-34	1395	15.7	356	1	3	9	20	50	69
35-49	487	15.9	339	2	4	9	21	37	70
50-69	55	8.9	36	1	2	12	15	15	15
70+	0								
SUBTOTAL	**3052**	**19.1**	**377**	**2**	**5**	**13**	**29**	**51**	**59**
0-17	2356	23.3	364	3	9	20	36	59	75
18-34	3048	17.5	368	2	4	11	22	47	71
35-49	1447	14.0	247	2	4	9	19	31	48
50-69	256	9.6	54	4	4	6	14	22	28
70+	0								
SUBTOTAL	**7107**	**18.4**	**354**	**2**	**5**	**13**	**25**	**49**	**71**
GRAND TOTAL	**10158**	**18.6**	**361**	**2**	**5**	**13**	**27**	**50**	**70**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	171	22.3	468	3	9	20	41	99+	99+
18-34	1069	13.7	168	2	3	8	22	32	45
35-49	223	10.8	65	2	4	10	15	18	22
50-69	17	4.2	1						
70+	0								
SUBTOTAL	**1480**	**14.1**	**196**	**2**	**4**	**10**	**22**	**37**	**55**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	984	16.5	290	3	4	11	27	41	63
18-34	2156	13.2	176	1	3	10	19	32	44
35-49	658	8.9	44	2	3	8	13	19	22
50-69	89	8.6	38	3	3	8	9	12	27
70+	0								
SUBTOTAL	**3888**	**13.2**	**185**	**2**	**3**	**9**	**18**	**31**	**44**
GRAND TOTAL	**5369**	**13.4**	**188**	**2**	**3**	**9**	**19**	**32**	**45**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	136	11.3	92	4	4	7	17	28	30
18-34	911	12.3	306	2	3	6	12	34	48
35-49	206	14.3	364	1	3	5	16	51	63
50-69	35	15.0	33						
70+	52	2.0							
SUBTOTAL	**1340**	**12.2**	**279**	**1**	**3**	**6**	**13**	**30**	**48**
0-17	493	19.7	311	3	5	16	29	41	70
18-34	1907	8.9	85	1	2	6	13	21	28
35-49	548	6.4	51	1	2	4	10	12	28
50-69	131	5.2	35	1	1	2	7	18	20
70+	6	7.0							
SUBTOTAL	**3085**	**10.0**	**131**	**1**	**2**	**6**	**14**	**26**	**33**
GRAND TOTAL	**4425**	**10.7**	**177**	**1**	**2**	**6**	**13**	**27**	**36**

Total U.S., July 1989 - June 1990

DRG 429: Organic Disturbances & Mental Retardation

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	3723	15.3	175	4	6	12	20	32	45
70-74	3281	13.6	137	3	6	10	17	29	37
75-79	5654	12.8	144	3	5	10	17	27	43
80-84	5866	14.0	180	3	5	10	19	31	43
85 +	6178	13.4	170	3	5	9	17	38	58
SUBTOTAL	**24702**	**13.7**	**163**	**3**	**5**	**10**	**18**	**31**	**46**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	3111	14.4	138	3	6	12	19	30	40
70-74	3177	12.9	121	3	6	10	16	27	35
75-79	4106	12.8	124	3	5	9	18	29	32
80-84	4128	12.9	128	3	6	10	15	27	43
85 +	3969	10.3	81	2	4	8	14	23	28
SUBTOTAL	**18492**	**12.6**	**119**	**3**	**5**	**10**	**16**	**27**	**34**
GRAND TOTAL	**43194**	**13.2**	**145**	**3**	**5**	**10**	**17**	**29**	**40**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	406	15.7	364	2	3	9	22	31	74
18-34	401	16.7	182	3	7	15	22	35	57
35-49	526	13.6	114	2	6	13	20	29	36
50-69	1199	14.6	109	2	7	13	23	31	35
70 +	354	10.8	170	3	5	7	13	20	28
	2886	**14.4**	**166**	**2**	**5**	**11**	**21**	**30**	**36**
0-17	682	11.0	161	1	2	6	14	31	41
18-34	557	11.5	95	2	5	8	19	25	30
35-49	614	10.9	62	2	4	10	15	22	30
50-69	1141	11.6	67	2	6	10	15	23	27
70 +	205	12.8	392	2	2	7	12	21	79
	3199	**11.4**	**112**	**2**	**4**	**9**	**15**	**24**	**31**
	6085	**12.8**	[illegible]	**2**	**4**	**10**	**18**	**28**	**34**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	298	21.3	469	2	5	11	34	52	76
18-34	490	15.7	115	3	6	16	20	33	43
35-49	391	15.5	220	2	6	11	20	32	40
50-69	616	18.6	387	3	6	14	26	94	99 +
70 +	241	17.7	347	5	10	14	99 +	99 +	99 +
SUBTOTAL	**2035**	**17.6**	**300**	**3**	**7**	**14**	**25**	**70**	**99 +**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	521	19.4	418	2	4	10	30	47	61
18-34	717	15.6	178	4	6	12	21	33	47
35-49	373	11.3	104	2	6	10	12	20	41
50-69	496	16.6	191	6	7	15	21	40	51
70 +	321	8.8	44	2	6	7	9	23	25
SUBTOTAL	**2428**	**15.1**	**215**	**3**	**6**	**10**	**19**	**36**	**48**
GRAND TOTAL	**4463**	**16.2**	**255**	**3**	**6**	**11**	**23**	**43**	**78**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	78	16.5	283	2	4	10	23	51	51
18-34	276	9.1	39	2	4	8	14	22	22
35-49	308	10.3	76	2	4	7	13	19	28
50-69	286	17.6	243	2	4	16	29	35	41
70 +	499	14.7	236	3	5	12	22	99 +	99 +
	1447	**13.4**	**178**	**2**	**5**	**10**	**18**	**39**	**59**
0-17	202	9.4	108	< 1	1	5	14	29	32
18-34	341	10.9	126	2	3	7	16	23	35
35-49	275	8.2	37	2	3	6	13	15	21
50-69	495	11.7	154	2	4	11	13	32	82
70 +	575	11.6	241	2	4	10	84	99 +	99 +
	1888	**10.7**	**155**	**2**	**3**	**9**	**16**	**84**	**99 +**
	3334	**11.9**	**166**	**2**	**4**	**9**	**17**	**43**	**99 +**

Total U.S., July 1989 - June 1990

DRG 430: Psychoses

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	30947	16.3	158	4	7	13	22	33	43
70-74	8451	18.2	206	4	7	15	24	37	48
75-79	7912	18.9	239	5	8	15	27	41	49
80-84	5341	18.0	207	4	7	14	25	36	51
85 +	3567	15.7	208	3	6	12	21	36	44
SUBTOTAL	**56219**	**17.1**	**186**	**4**	**7**	**14**	**23**	**35**	**45**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	64282	16.5	186	4	7	13	22	35	44
70-74	11389	17.9	161	5	9	15	23	35	43
75-79	9000	18.7	179	4	9	16	26	35	43
80-84	4709	17.2	154	4	8	15	23	34	42
85 +	3087	14.5	150	3	6	11	19	33	38
SUBTOTAL	**92467**	**16.9**	**180**	**4**	**7**	**14**	**23**	**35**	**44**
GRAND TOTAL	**148685**	**17.0**	**182**	**4**	**7**	**14**	**23**	**35**	**44**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	3716	24.6	350	4	11	21	33	50	65
18-34	13719	15.3	164	3	6	12	21	30	39
35-49	14781	14.7	130	3	7	12	19	29	36
50-69	10249	16.6	161	4	8	14	22	33	43
70 +	575	16.7	153	5	8	11	25	38	41
	43041	**16.2**	**175**	**4**	**7**	**13**	**21**	**33**	**42**
0-17	17341	21.2	242	4	10	18	29	42	54
18-34	46151	14.8	157	3	6	12	19	30	39
35-49	50956	14.3	118	3	7	12	19	27	34
50-69	25481	15.8	142	4	7	13	21	31	38
70 +	788	16.1	195	3	5	10	22	31	48
	140717	**15.6**	**156**	**3**	**7**	**13**	**21**	**31**	**40**
	183758	**15.7**	**160**	**3**	**7**	**13**	**21**	**31**	**41**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	1709	24.8	321	7	12	22	38	57	97
18-34	12402	15.2	160	4	7	13	20	31	42
35-49	9461	14.5	138	4	7	11	19	29	36
50-69	4866	18.2	223	5	8	14	23	36	52
70 +	159	20.4	263	2	9	28	44	99 +	99 +
SUBTOTAL	**28598**	**16.1**	**180**	**4**	**7**	**13**	**21**	**33**	**45**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	6921	22.9	294	6	11	18	31	51	70
18-34	34542	15.5	193	3	6	12	21	34	46
35-49	22430	15.1	150	4	7	12	20	31	40
50-69	8675	16.3	141	4	7	14	21	31	41
70 +	237	20.7	281	4	8	19	23	43	63
SUBTOTAL	**72805**	**16.2**	**189**	**3**	**7**	**13**	**21**	**34**	**45**
GRAND TOTAL	**101403**	**16.2**	**186**	**4**	**7**	**13**	**21**	**34**	**45**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	761	21.5	344	3	7	15	28	54	68
18-34	7738	12.9	121	3	5	10	17	27	35
35-49	6158	11.8	97	2	4	9	17	25	31
50-69	2786	13.2	124	3	5	11	17	27	34
70 +	635	17.1	211	4	6	13	22	35	48
	18077	**13.1**	**130**	**2**	**5**	**10**	**18**	**28**	**34**
0-17	3473	16.7	179	3	7	14	24	34	42
18-34	25235	11.5	121	2	4	9	15	24	32
35-49	18410	11.6	114	2	5	9	15	23	30
50-69	6726	13.5	127	3	6	11	18	28	34
70 +	829	14.4	111	2	5	13	21	31	35
	54674	**12.1**	**125**	**2**	**5**	**9**	**16**	**25**	**33**
	72751	**12.4**	**126**	**2**	**5**	**9**	**16**	**26**	**34**

DRG 431: Childhood Mental Disorders

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	111	6.2	13	1	3	6	8	12	13
70-74	47	13.2	186						
75-79	21	5.0	9						
80-84	14	4.9	1						
85 +	73	14.3	23						
SUBTOTAL	**266**	**9.5**	**60**	**1**	**4**	**7**	**14**	**17**	**32**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	215	8.5	54	2	3	4	13	24	25
70-74	0								
75-79	10	9.0							
80-84	0								
85 +	43	6.0							
SUBTOTAL	**268**	**8.1**	**44**	**3**	**3**	**6**	**11**	**18**	**25**
GRAND TOTAL	**534**	**8.8**	**52**	**2**	**3**	**6**	**13**	**17**	**25**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1758	23.1	399	3	7	18	35	58	69
18-34	125	9.0	50	3	3	5	11	20	23
35-49	12	6.0	10						
50-69	7	6.0							
70 +	0								
	1902	**22.0**	**387**	**3**	**6**	**17**	**33**	**57**	**67**
0-17	8762	22.0	352	2	8	18	30	47	67
18-34	167	16.5	270	2	5	12	29	99 +	99 +
35-49	31	12.1	116						
50-69	10	4.0							
70 +	0								
	8970	**21.8**	**351**	**2**	**8**	**18**	**30**	**49**	**67**
	10871	**21.9**	**357**	**2**	**8**	**18**	**30**	**50**	**67**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	1291	20.5	421	3	6	15	28	51	85
18-34	145	17.2	612	2	2	7	15	58	75
35-49	23	3.7	4						
50-69	17	11.4	50						
70 +	0								
SUBTOTAL	**1476**	**19.8**	**434**	**2**	**6**	**13**	**27**	**51**	**85**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	8411	22.7	319	4	9	20	33	48	63
18-34	361	18.1	359	3	5	14	27	60	75
35-49	30	12.6	24						
50-69	0								
70 +	6	3.0							
SUBTOTAL	**8808**	**22.5**	**321**	**4**	**9**	**19**	**33**	**48**	**64**
GRAND TOTAL	**10284**	**22.1**	**338**	**3**	**8**	**18**	**31**	**48**	**66**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	549	20.9	515	3	5	11	28	62	71
18-34	38	11.5	65						
35-49	0								
50-69	10	7.0							
70 +	0								
	597	**20.1**	**486**	**3**	**5**	**10**	**28**	**60**	**71**
0-17	2572	16.1	229	1	4	13	24	37	48
18-34	109	4.7	38	1	1	2	10	11	23
35-49	22	3.4	2						
50-69	13	4.5							
70 +	0								
	2716	**15.5**	**225**	**1**	**3**	**11**	**23**	**35**	**48**
	3313	**16.3**	**275**	**1**	**4**	**11**	**24**	**37**	**56**

DRG 432: Other Mental Disorder Diagnoses

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	194	11.5	92	3	3	6	21	26	31
70-74	86	8.5	10	4	6	10	10	10	13
75-79	37	10.5	29						
80-84	61	3.2	3						
85 +	25	6.5	1						
SUBTOTAL	**402**	**9.2**	**58**	**3**	**3**	**7**	**10**	**22**	**25**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	110	12.0	150	< 1	1	7	24	29	40
70-74	7	1.0							
75-79	18	4.4	2						
80-84	27	3.4	3						
85 +	16	8.0	17						
SUBTOTAL	**178**	**9.1**	**110**	**< 1**	**1**	**5**	**13**	**28**	**29**
GRAND TOTAL	**580**	**9.2**	**74**	**2**	**3**	**6**	**12**	**24**	**26**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	361	27.2	395	2	6	28	48	51	52
18-34	868	20.3	184	4	8	19	28	42	43
35-49	257	16.7	106	4	7	15	25	29	30
50-69	109	12.5	208	2	3	6	15	43	43
70 +	16	20.0	224						
SUBTOTAL	**1611**	**20.8**	**237**	**3**	**7**	**19**	**29**	**43**	**51**
0-17	1385	15.3	275	1	1	9	26	42	53
18-34	1414	21.2	195	3	10	20	30	41	52
35-49	387	17.5	209	< 1	5	16	27	32	41
50-69	38	6.5	68						
70 +	8	20.0							
SUBTOTAL	**3232**	**18.1**	**238**	**1**	**3**	**17**	**28**	**40**	**53**
GRAND TOTAL	**4844**	**19.0**	**239**	**1**	**4**	**18**	**28**	**42**	**52**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	128	18.7	251	3	3	13	32	45	46
18-34	280	22.7	369	3	7	15	42	51	56
35-49	81	15.7	75	2	8	19	21	27	27
50-69	0								
70 +	0								
SUBTOTAL	**489**	**20.5**	**296**	**3**	**7**	**15**	**27**	**46**	**56**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	487	8.9	203	1	1	1	14	28	46
18-34	318	18.7	203	4	9	19	21	40	46
35-49	135	19.7	223	6	8	18	21	55	55
50-69	35	6.6	38						
70 +	0								
SUBTOTAL	**975**	**13.5**	**225**	**1**	**1**	**10**	**20**	**30**	**50**
GRAND TOTAL	**1464**	**15.8**	**260**	**1**	**2**	**13**	**21**	**42**	**51**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	83	18.8	522	1	2	7	37	39	83
18-34	243	16.7	203	1	5	16	19	37	55
35-49	56	19.9	9	15	19	19	21	25	25
50-69	25	2.8	6						
70 +	0								
SUBTOTAL	**407**	**16.7**	**242**	**1**	**5**	**16**	**21**	**37**	**55**
0-17	208	16.7	434	1	1	3	28	56	63
18-34	379	12.5	95	1	3	11	19	25	28
35-49	113	13.3	101	1	1	14	21	27	28
50-69	34	17.8	183						
70 +	8	17.0							
SUBTOTAL	**743**	**14.1**	**197**	**1**	**3**	**11**	**21**	**28**	**41**
GRAND TOTAL	**1149**	**15.0**	**214**	**1**	**3**	**13**	**21**	**32**	**42**

Total U.S., July 1989 - June 1990

DRG 434: Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	12912	8.7	63	2	3	6	11	20	27
70-74	3828	8.9	64	2	3	6	12	22	28
75-79	2386	8.8	58	3	4	6	11	18	26
80-84	1176	7.5	33	2	3	6	10	15	18
85+	691	12.4	348	2	3	6	12	28	79
SUBTOTAL	**20992**	**8.8**	**71**	**2**	**3**	**6**	**11**	**20**	**27**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**20992**	**8.8**	**71**	**2**	**3**	**6**	**11**	**20**	**27**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	846	9.0	196	1	1	2	12	32	43
18-34	6597	9.5	79	2	3	6	13	27	28
35-49	10916	8.2	62	2	3	5	10	21	28
50-69	8884	9.1	88	2	3	5	11	26	28
70+	139	8.5	47	3	4	6	10	25	25
SUBTOTAL	**27382**	**8.8**	**79**	**2**	**3**	**5**	**11**	**24**	**28**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**27382**	**8.8**	**79**	**2**	**3**	**5**	**11**	**24**	**28**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	237	13.?	314	<1	2	4	17	40	45
18-34	6588	9.7	93	2	4	7	10	28	33
35-49	7168	8.0	68	2	3	6	8	20	28
50-69	3315	9.3	91	2	4	6	11	21	28
70+	40	6.5	13						
SUBTOTAL	**17348**	**9.0**	**86**	**2**	**3**	**6**	**10**	**22**	**28**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**17348**	**9.0**	**86**	**2**	**3**	**6**	**10**	**22**	**28**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	258	7.0	220	<1	<1	2	3	22	39
18-34	7342	6.0	44	1	2	4	7	13	21
35-49	10934	5.7	31	1	2	4	7	11	16
50-69	4771	7.1	65	2	3	5	8	14	21
70+	166	10.5	205	1	2	6	10	25	34
SUBTOTAL	**23471**	**6.1**	**46**	**1**	**2**	**4**	**7**	**13**	**19**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**23471**	**6.1**	**46**	**1**	**2**	**4**	**7**	**13**	**19**

Total U.S., July 1989 - June 1990

DRG 435: Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	11570	8.8	78	2	3	5	12	23	28
70-74	2146	7.9	71	1	3	4	10	19	28
75-79	935	8.3	68	1	3	5	11	19	29
80-84	537	7.4	48	2	4	5	10	14	21
85 +	508	5.6	34	2	2	3	6	14	18
SUBTOTAL	**15696**	**8.5**	**74**	**2**	**3**	**5**	**12**	**22**	**28**
GRAND TOTAL	**15696**	**8.5**	**74**	**2**	**3**	**5**	**12**	**22**	**28**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	9190	21.3	313	1	4	21	33	44	54
18-34	45116	12.9	122	2	3	8	22	28	30
35-49	37007	10.1	97	2	3	5	17	28	28
50-69	14143	8.6	79	2	3	5	10	25	28
70 +	202	7.1	32	2	4	5	8	14	17
105659	**12.1**	**135**	**2**	**3**	**6**	**21**	**28**	**31**
105659	**12.1**	**135**	**2**	**3**	**6**	**21**	**28**	**31**

MEDICAID~

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	2710	20.8	335	1	4	17	35	43	58
18-34	19750	10.8	112	2	3	6	15	28	32
35-49	11037	7.6	56	2	3	5	8	19	27
50-69	3060	7.3	53	1	3	5	7	21	28
70 +	133	17.2	302	3	4	7	42	42	42
SUBTOTAL	**36690**	**10.3**	**119**	**2**	**3**	**5**	**14**	**28**	**34**
GRAND TOTAL	**36690**	**10.3**	**119**	**2**	**3**	**5**	**14**	**28**	**34**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	2468	12.9	249	< 1	1	5	21	36	46
18-34	28511	7.4	76	1	2	4	9	22	28
35-49	21497	6.0	45	1	2	4	7	14	23
50-69	6365	6.3	48	1	2	4	7	14	25
70 +	340	5.1	24	1	2	3	8	9	12
59181	**7.0**	**70**	**1**	**2**	**4**	**8**	**21**	**28**
59181	**7.0**	**70**	**1**	**2**	**4**	**8**	**21**	**28**

Total U.S., July 1989 - June 1990

DRG 436: Alc/Drug Dependence w/ Rehabilitation Therapy *

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	664	21.1	70	9	14	21	28	28	36
70-74	178	20.9	67	10	12	21	28	28	35
75-79	80	17.6	98	7	7	15	28	29	30
80-84	21	16.7	146						
85 +	0								
SUBTOTAL	943	20.7	74	8	13	21	28	29	36
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1293	22.4	111	9	14	22	28	36	39
70-74	244	21.3	72	7	14	28	28	28	28
75-79	84	16.9	55	7	13	14	23	29	29
80-84	30	14.5	96						
85 +	8	20.0							
SUBTOTAL	1658	21.8	104	9	14	22	28	34	37
GRAND TOTAL	2601	21.4	93	8	14	22	28	31	36

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	191	35.3	296	17	26	30	46	64	65
18-34	434	18.9	74	6	13	21	27	28	29
35-49	363	17.7	59	8	11	20	22	28	29
50-69	377	19.2	74	9	10	21	26	29	33
70 +	8	15.0							
SUBTOTAL	1373	20.9	134	7	13	21	28	31	39
0-17	4807	33.6	231	15	25	33	40	54	63
18-34	5756	20.2	89	7	14	21	27	28	30
35-49	2616	19.8	61	7	14	21	27	28	28
50-69	766	18.7	74	7	11	21	27	28	29
70 +	7	3.0							
SUBTOTAL	13952	24.7	174	8	16	25	29	39	49
GRAND TOTAL	15325	24.3	172	8	15	24	29	39	48

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	88	44.3	463	9	25	44	62	64	86
18-34	486	18.3	80	7	10	17	27	28	28
35-49	181	20.6	65	9	14	22	27	29	32
50-69	143	24.3	36	11	21	27	28	28	29
70 +	0								
SUBTOTAL	897	22.3	164	7	13	22	28	32	44
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1663	35.6	383	8	21	35	49	64	73
18-34	4455	20.0	87	7	12	22	28	28	29
35-49	1172	21.8	66	9	14	27	28	28	29
50-69	213	24.5	57	9	21	28	28	29	29
70 +	0								
SUBTOTAL	7502	23.9	188	7	13	27	28	37	53
GRAND TOTAL	8400	23.7	186	7	13	27	28	36	53

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	64	25.6	87	18	18	23	30	47	47
18-34	344	18.5	65	8	11	21	25	29	30
35-49	222	17.1	83	7	8	14	27	28	31
50-69	72	15.2	82	6	9	15	19	27	36
70 +	8	31.0							
SUBTOTAL	710	18.5	81	7	9	19	26	30	31
0-17	854	25.6	163	9	16	27	35	43	46
18-34	3275	17.8	90	5	10	19	28	29	30
35-49	1168	13.7	73	3	8	11	21	27	28
50-69	256	16.5	86	6	9	14	28	29	29
70 +	21	8.7	10						
SUBTOTAL	5574	18.0	110	5	10	17	28	29	35
GRAND TOTAL	6285	18.1	107	6	10	17	28	29	34

Total U.S., July 1989 - June 1990

* The patient records used in this table represent discharges from 10/01/89-6/30/90

DRG 437: Alc/Drug Dependence, Combined Rehab & Detox Therapy *

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2580	18.2	78	7	11	17	25	29	33
70-74	559	19.6	72	8	13	21	28	28	29
75-79	310	19.2	68	9	13	19	28	29	31
80-84	61	12.7	78	2	6	10	14	30	30
85 +	0								
SUBTOTAL	**3510**	**18.4**	**77**	**7**	**11**	**17**	**27**	**29**	**33**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2772	19.8	78	7	14	21	28	30	35
70-74	291	17.4	60	8	12	17	23	27	29
75-79	219	15.9	39	10	11	14	19	26	27
80-84	91	21.9	62	10	11	28	28	28	28
85 +	27	9.2	22						
SUBTOTAL	**3400**	**19.3**	**75**	**7**	**14**	**20**	**28**	**29**	**32**
GRAND TOTAL	**6911**	**18.8**	**76**	**7**	**13**	**18**	**27**	**29**	**32**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	68	33.5	171	17	27	31	39	60	60
18-34	1696	20.7	87	6	14	21	28	30	32
35-49	2342	18.6	81	5	13	19	27	29	31
50-69	1536	20.5	86	7	14	21	28	29	32
70 +	15	27.8	4						
SUBTOTAL	**5657**	**19.9**	**88**	**6**	**13**	**21**	**28**	**30**	**32**
0-17	1833	27.4	94	14	22	28	33	40	42
18-34	14083	20.2	75	6	14	21	28	29	31
35-49	10406	18.8	74	6	12	21	27	28	30
50-69	2620	18.4	69	6	13	21	26	28	29
70 +	14	19.8	7						
SUBTOTAL	**28955**	**20.0**	**80**	**6**	**14**	**21**	**28**	**29**	**32**
GRAND TOTAL	**34612**	**20.0**	**81**	**6**	**14**	**21**	**28**	**29**	**32**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	17	59.6	836						
18-34	634	15.5	57	5	10	14	21	26	29
35-49	432	18.0	88	8	10	18	24	28	32
50-69	113	13.2	88	3	7	10	19	24	35
70 +	0								
SUBTOTAL	**1195**	**16.8**	**110**	**6**	**10**	**16**	**22**	**28**	**32**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	228	36.3	523	14	18	28	56	71	75
18-34	2710	16.8	76	6	10	16	23	28	28
35-49	1069	17.3	77	5	10	17	26	28	29
50-69	152	14.3	57	7	10	12	21	28	28
70 +	0	–			–				
SUBTOTAL	**4159**	**17.9**	**120**	**6**	**10**	**17**	**25**	**28**	**31**
GRAND TOTAL	**5354**	**17.7**	**118**	**6**	**10**	**17**	**24**	**28**	**32**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	614	17.2	81	5	9	17	26	28	28
35-49	606	15.5	93	4	7	15	22	28	32
50-69	428	14.2	105	4	4	13	21	28	39
70 +	16	16.3	86						
SUBTOTAL	**1664**	**15.8**	**93**	**4**	**7**	**14**	**23**	**28**	**31**
0-17	153	26.1	124	7	21	27	30	34	56
18-34	4087	18.5	91	5	10	21	27	29	30
35-49	2499	15.1	82	4	8	13	23	28	28
50-69	682	14.0	82	4	7	10	22	28	28
70 +	29	13.2	94						
SUBTOTAL	**7450**	**17.1**	**93**	**4**	**8**	**17**	**27**	**28**	**30**
GRAND TOTAL	**9114**	**16.8**	**93**	**4**	**8**	**16**	**26**	**28**	**30**

Total U.S., July 1989 - June 1990

* The patient records used in this table represent discharges from 10/01/89-6/30/90

DRG 439: Skin Grafts for Injuries

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	248	11.2	69	5	5	8	15	29	30
70-74	65	7.1	27	2	4	7	7	18	18
75-79	24	6.5	23						
80-84	108	10.0	43	3	6	9	9	22	25
85 +	104	12.7	204	2	4	4	30	38	38
SUBTOTAL	**549**	**10.6**	**85**	**2**	**5**	**8**	**12**	**29**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	210	3.8	8	1	1	2	6	9	9
70-74	99	6.2	32	< 1	1	5	8	16	16
75-79	89	3.4	8	1	1	2	6	9	9
80-84	110	15.8	157	1	4	8	29	29	29
85 +	63	4.9	27						
SUBTOTAL	**572**	**6.6**	**64**	**1**	**1**	**4**	**8**	**16**	**29**
GRAND TOTAL	**1121**	**8.5**	**78**	**1**	**2**	**5**	**9**	**25**	**29**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	146	10.2	103	1	3	5	15	28	37
18-34	95	12.7	49	3	7	16	17	20	27
35-49	101	15.2	216	2	8	12	14	39	53
50-69	285	17.6	191	6	9	11	27	34	53
70 +	0								
SUBTOTAL	**627**	**14.8**	**162**	**3**	**6**	**11**	**18**	**34**	**44**
0-17	527	3.2	8	1	1	2	5	6	9
18-34	495	5.6	29	1	2	3	7	14	14
35-49	383	4.6	17	1	1	3	7	9	14
50-69	421	5.2	35	1	1	4	5	12	15
70 +	14	8.3	32						
SUBTOTAL	**1841**	**4.6**	**23**	**1**	**1**	**3**	**6**	**11**	**14**
GRAND TOTAL	**2468**	**7.2**	**78**	**1**	**2**	**4**	**9**	**15**	**27**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	45	6.9	12						
18-34	71	15.4	147	2	3	19	23	24	43
35-49	44	13.5	248	1	1	9	16	49	49
50-69	16	31.3	540						
70 +	0								
SUBTOTAL	**176**	**14.1**	**209**	**2**	**3**	**8**	**19**	**43**	**49**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	237	4.9	41	1	1	2	5	12	14
18-34	89	10.7	64	2	4	8	18	19	28
35-49	24	3.7	11						
50-69	57	2.0	4						
70 +	0								
SUBTOTAL	**407**	**5.7**	**47**	**1**	**1**	**3**	**8**	**15**	**19**
GRAND TOTAL	**583**	**8.2**	**111**	**1**	**1**	**4**	**11**	**19**	**28**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	29	9.4	67						
18-34	100	19.0	98	4	10	26	26	26	35
35-49	32	10.6	19						
50-69	38	7.4	22						
70 +	0								
SUBTOTAL	**200**	**14.0**	**92**	**2**	**6**	**13**	**26**	**26**	**26**
0-17	158	5.1	58	1	1	1	7	21	26
18-34	235	6.3	57	1	2	3	6	15	25
35-49	108	8.7	163	< 1	1	3	13	40	43
50-69	131	3.2	18	1	1	2	2	8	11
70 +	8	2.0							
SUBTOTAL	**639**	**5.7**	**69**	**1**	**1**	**2**	**5**	**17**	**26**
GRAND TOTAL	**839**	**7.7**	**87**	**1**	**1**	**3**	**13**	**26**	**26**

DRG 440: Wound Debridements for Injuries

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1253	15.7	171	3	5	14	21	36	39
70-74	545	18.2	418	4	6	12	20	56	97
75-79	545	21.0	303	2	6	21	33	51	77
80-84	322	16.5	136	7	10	11	27	37	54
85 +	331	26.0	623	7	7	18	42	81	81
SUBTOTAL	**2995**	**18.3**	**297**	**3**	**7**	**14**	**24**	**42**	**70**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	700	9.4	100	1	3	5	16	20	39
70-74	177	6.7	31	1	3	5	11	17	17
75-79	217	7.8	71	2	4	6	8	15	18
80-84	90	9.5	58	3	4	7	12	19	29
85 +	94	8.1	41	2	5	5	13	13	27
SUBTOTAL	**1277**	**8.7**	**79**	**1**	**3**	**5**	**11**	**19**	**27**
GRAND TOTAL	**4273**	**15.4**	**251**	**3**	**5**	**11**	**20**	**37**	**50**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	283	12.7	162	3	3	10	20	31	99 +
18-34	631	11.5	174	2	4	7	14	28	60
35-49	648	15.5	173	4	6	13	21	27	40
50-69	831	13.4	154	3	6	9	17	30	42
70 +	48	18.6	47	7	16	19	23	28	28
SUBTOTAL	**2441**	**13.5**	**165**	**3**	**5**	**10**	**18**	**30**	**44**
0-17	1714	5.8	40	1	2	4	7	12	17
18-34	1647	5.5	32	1	2	3	7	13	20
35-49	1312	4.7	24	1	1	3	6	11	15
50-69	975	6.9	50	1	2	5	9	20	25
70 +	66	15.7	107	1	3	18	23	27	27
SUBTOTAL	**5714**	**5.7**	**38**	**1**	**2**	**4**	**7**	**13**	**20**
GRAND TOTAL	**8154**	**8.1**	**89**	**1**	**2**	**5**	**10**	**20**	**26**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	134	12.9	121	3	5	9	24	32	34
18-34	231	20.1	473	3	6	12	23	54	60
35-49	213	16.9	256	3	5	12	28	55	56
50-69	211	10.1	70	4	4	8	11	16	21
70 +	0								
SUBTOTAL	**790**	**15.3**	**262**	**3**	**5**	**10**	**21**	**34**	**55**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	563	5.0	18	1	1	3	8	11	12
18-34	479	6.1	18	2	3	6	7	10	12
35-49	190	8.3	64	2	3	4	10	22	26
50-69	68	15.6	131	3	7	16	17	44	44
70 +	10	5.0							
SUBTOTAL	**1311**	**6.4**	**36**	**1**	**2**	**5**	**9**	**12**	**20**
GRAND TOTAL	**2100**	**9.8**	**139**	**1**	**3**	**7**	**11**	**21**	**32**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	197	16.0	141	5	7	11	26	36	36
18-34	629	11.6	103	2	5	10	15	27	31
35-49	481	10.1	49	2	4	11	14	17	22
50-69	127	22.7	454	5	9	11	32	58	78
70 +	36	11.8	144						
SUBTOTAL	**1471**	**12.7**	**134**	**2**	**5**	**10**	**15**	**29**	**36**
0-17	617	5.9	45	1	1	3	9	15	19
18-34	2033	6.4	31	1	2	5	9	13	17
35-49	614	6.5	43	1	2	4	10	12	18
50-69	394	5.8	34	1	2	3	7	20	20
70 +	0								
SUBTOTAL	**3657**	**6.2**	**36**	**1**	**2**	**4**	**9**	**14**	**19**
GRAND TOTAL	**5128**	**8.1**	**72**	**1**	**2**	**5**	**11**	**17**	**23**

Total U.S., July 1989 - June 1990

DRG 441: Hand Procedures for Injuries

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	150	12.6	223	1	3	7	15	45	59
70-74	39	7.6	72						
75-79	24	4.0	3						
80-84	8	2.0							
85 +	8	8.0							
SUBTOTAL	**229**	**10.3**	**170**	**1**	**2**	**7**	**15**	**15**	**45**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	373	2.4	3	1	1	2	4	4	4
70-74	111	2.0	3	< 1	1	1	2	5	6
75-79	109	2.5	2	2	2	2	3	3	7
80-84	16	3.0							
85 +	8	5.0							
SUBTOTAL	**617**	**2.4**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**846**	**4.5**	**60**	**1**	**1**	**2**	**4**	**9**	**15**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	81	5.0	14	1	2	4	5	10	14
18-34	97	6.1	14	2	3	6	8	11	15
35-49	137	5.2	9	1	3	5	7	9	13
50-69	100	3.7	10	1	1	2	5	7	12
70 +	20	4.2	3						
	436	**5.0**	**11**	**1**	**2**	**5**	**7**	**10**	**13**
	757	3.0	8	1	1	2	4	7	9
	1262	3.1	6	1	1	2	3	7	9
	998	2.8	5	1	1	2	4	6	9
	508	3.5	13	1	1	2	4	12	12
	13	2.9	1						
	3538	**3.1**	**7**	**1**	**1**	**2**	**4**	**7**	**10**
	3974	**3.3**	**8**	**1**	**1**	**2**	**4**	**7**	**10**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	28	5.4	20						
18-34	19	19.0	244						
35-49	10	4.0							
50-69	7	14.0							
70 +	0								
SUBTOTAL	**64**	**10.6**	**117**	**2**	**4**	**7**	**14**	**17**	**41**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	218	3.6	14	< 1	1	2	4	9	9
18-34	256	3.9	11	1	2	3	5	5	9
35-49	53	16.4	375	2	3	5	46	46	46
50-69	21	5.4	21						
70 +	43	4.0							
SUBTOTAL	**592**	**5.0**	**57**	**1**	**1**	**3**	**5**	**9**	**16**
GRAND TOTAL	**656**	**5.5**	**66**	**1**	**2**	**4**	**5**	**11**	**16**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	22	7.3							
18-34	184	6.5	22	2	3	6	8	11	17
35-49	39	5.9	15	1	3	6	8	13	13
50-69	14	5.6							
70 +	0								
	259	**6.5**	**18**	**2**	**3**	**6**	**8**	**11**	**17**
0-17	554	2.9	5	1	1	2	5	6	6
18-34	723	3.7	10	1	1	2	5	8	9
35-49	234	3.7	21	1	1	2	4	9	18
50-69	186	2.1	4	1	1	1	2	5	8
70 +	0								
	1697	**3.2**	**10**	**1**	**1**	**2**	**4**	**8**	**9**
	1956	**3.7**	**12**	**1**	**1**	**2**	**5**	**8**	**10**

DRG 442: Other O.R. Procedures for Injuries w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	8791	8.9	109	1	3	6	11	20	27
70-74	3097	10.0	120	1	3	7	13	23	36
75-79	2812	8.9	93	2	3	6	12	18	26
80-84	1517	9.2	82	1	2	7	12	22	28
85+	1110	11.9	108	2	4	9	16	25	37
SUBTOTAL	**17327**	**9.3**	**107**	**1**	**3**	**6**	**12**	**21**	**29**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**17327**	**9.3**	**107**	**1**	**3**	**6**	**12**	**21**	**29**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1314	9.7	84	2	3	7	13	20	33
18-34	2313	6.2	53	1	2	4	8	13	18
35-49	2744	6.8	60	1	1	4	9	15	22
50-69	3589	9.5	120	1	3	7	11	19	27
70+	291	9.1	72	1	3	8	11	20	27
	10252	**8.0**	**85**	**1**	**2**	**6**	**10**	**17**	**24**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	10252	**8.0**	**85**	**1**	**2**	**6**	**10**	**17**	**24**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	752	14.7	291	2	3	7	20	39	59
18-34	985	6.8	61	1	3	4	8	15	22
35-49	602	8.8	63	2	4	6	11	18	27
50-69	750	10.4	104	1	4	8	11	23	29
70+	84	6.0	16	1	2	7	7	8	16
SUBTOTAL	**3174**	**9.9**	**134**	**1**	**3**	**6**	**12**	**23**	**35**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3174**	**9.9**	**134**	**1**	**3**	**6**	**12**	**23**	**35**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	373	12.0	125	1	3	9	19	27	29
18-34	1680	6.7	39	1	3	5	8	12	18
35-49	782	8.2	59	1	4	7	10	17	23
50-69	765	9.1	105	1	3	6	10	20	35
70+	168	6.4	40	2	2	2	12	15	15
	3768	**8.0**	**68**	**1**	**3**	**6**	**10**	**17**	**25**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	3768	**8.0**	**68**	**1**	**3**	**6**	**10**	**17**	**25**

Total U.S., July 1989 - June 1990

DRG 443: Other O.R. Procedures for Injuries w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	3483	4.5	21	1	2	3	6	10	13
70-74	1873	4.7	29	1	1	3	6	9	16
75-79	1206	4.2	31	1	1	3	6	10	10
80-84	656	4.9	42	1	1	2	6	10	17
85+	499	4.1	17	1	1	2	4	13	13
SUBTOTAL	**7718**	**4.5**	**26**	**1**	**2**	**3**	**6**	**10**	**13**
GRAND TOTAL	**7718**	**4.5**	**26**	**1**	**2**	**3**	**6**	**10**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
0									
0-17	4518	2.4	7	1	1	1	3	5	8
18-34	6554	3.0	13	1	1	2	3	6	8
35-49	5404	3.4	16	1	1	2	4	7	9
50-69	4257	4.0	14	1	1	3	5	9	12
70+	172	4.9	28	1	2	3	6	11	14
20904	**3.2**	**13**	**1**	**1**	**2**	**4**	**7**	**9**
20904	**3.2**	**13**	**1**	**1**	**2**	**4**	**7**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	1275	4.4	38	1	1	2	5	10	15
18-34	1116	4.5	16	1	1	3	6	11	13
35-49	483	4.9	22	1	1	3	6	15	16
50-69	484	5.2	39	1	2	3	6	10	12
70+	27	8.9	28						
SUBTOTAL	**3386**	**4.6**	**29**	**1**	**1**	**3**	**6**	**11**	**15**
GRAND TOTAL	**3386**	**4.6**	**29**	**1**	**1**	**3**	**6**	**11**	**15**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
0									
0-17	1253	3.2	21	1	1	2	4	7	10
18-34	3425	3.5	12	1	1	2	5	8	10
35-49	1282	3.8	11	1	1	3	5	7	10
50-69	826	3.4	7	1	1	3	5	7	9
70+	135	3.5	8	<1	1	2	6	8	9
6920	**3.5**	**13**	**1**	**1**	**2**	**5**	**8**	**10**
6920	**3.5**	**13**	**1**	**1**	**2**	**5**	**8**	**10**

DRG 444: Traumatic Injury Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1347	4.9	13	1	3	4	6	9	11
70-74	979	6.4	30	2	3	5	8	12	23
75-79	699	6.8	17	2	4	6	9	13	13
80-84	679	5.3	9	3	3	4	7	9	11
85 +	664	5.9	16	2	3	5	8	13	13
SUBTOTAL	**4368**	**5.8**	**18**	**2**	**3**	**5**	**8**	**11**	**13**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4368**	**5.8**	**18**	**2**	**3**	**5**	**8**	**11**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1605	3.1	6	1	1	2	4	6	8
35-49	908	4.5	11	2	2	3	6	9	11
50-69	1177	4.8	8	2	2	4	6	8	11
70 +	130	6.7	17	2	3	6	9	14	14
SUBTOTAL	**3820**	**4.1**	**9**	**1**	**2**	**3**	**6**	**8**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3820**	**4.1**	**9**	**1**	**2**	**3**	**6**	**8**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	533	4.0	12	1	1	3	5	9	12
35-49	268	5.4	33	1	2	4	6	9	19
50-69	182	6.9	18	2	5	6	6	12	21
70 +	50	7.2	4						
SUBTOTAL	**1033**	**5.0**	**20**	**1**	**2**	**4**	**6**	**9**	**13**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1033**	**5.0**	**20**	**1**	**2**	**4**	**6**	**9**	**13**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1861	3.1	8	1	1	2	4	6	8
35-49	781	6.1	21	1	3	5	9	11	15
50-69	419	5.1	10	2	3	4	6	10	10
70 +	105	14.4	346	3	4	8	17	22	79
SUBTOTAL	**3166**	**4.5**	**27**	**1**	**1**	**3**	**6**	**10**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3166**	**4.5**	**27**	**1**	**1**	**3**	**6**	**10**	**13**

Total U.S., July 1989 - June 1990

DRG 445: Traumatic Injury Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	593	3.7	9	1	2	3	4	7	10
70-74	440	5.4	17	1	2	5	7	12	12
75-79	445	4.3	8	1	3	4	6	7	10
80-84	427	6.1	25	1	3	4	8	16	16
85 +	593	6.4	50	2	3	5	8	10	15
SUBTOTAL	**2499**	**5.1**	**24**	**1**	**2**	**4**	**6**	**10**	**14**
GRAND TOTAL	**2499**	**5.1**	**24**	**1**	**2**	**4**	**6**	**10**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	0								
18-34	6044	2.8	5	1	1	2	4	5	7
35-49	3044	3.1	5	1	2	2	4	6	7
50-69	1698	3.6	8	1	2	3	4	6	8
70 +	266	3.2	5	< 1	1	2	6	6	7
SUBTOTAL	**11052**	**3.0**	**6**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**11052**	**3.0**	**6**	**1**	**1**	**2**	**4**	**6**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	1650	3.1	6	1	1	2	4	7	8
35-49	512	3.4	4	1	2	3	5	5	9
50-69	55	4.9	23	1	2	3	5	16	16
70 +	73	2.2							
SUBTOTAL	**2290**	**3.2**	**6**	**1**	**1**	**3**	**4**	**6**	**8**
GRAND TOTAL	**2290**	**3.2**	**6**	**1**	**1**	**3**	**4**	**6**	**8**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	0								
18-34	6874	3.1	8	1	1	2	4	6	7
35-49	2115	3.8	11	1	2	3	5	8	9
50-69	530	4.1	15	1	2	3	5	10	11
70 +	47	4.4	3	2	3	4	6	7	7
SUBTOTAL	**9566**	**3.3**	**9**	**1**	**2**	**2**	**4**	**7**	**8**
GRAND TOTAL	**9566**	**3.3**	**9**	**1**	**2**	**2**	**4**	**7**	**8**

DRG 446: Traumatic Injury Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	837	3.2	6	1	2	3	4	5	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	837	3.2	6	1	2	3	4	5	9
0-17	4330	2.4	5	1	1	2	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	4330	2.4	5	1	1	2	3	5	6
	5166	2.5	5	1	1	2	3	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	606	5.2	20	1	3	4	6	14	14
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	606	5.2	20	1	3	4	6	14	14
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	2128	3.0	10	1	1	2	4	6	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	2128	3.0	10	1	1	2	4	6	11
GRAND TOTAL	2734	3.5	13	1	1	2	4	7	12

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	365	3.7	14	1	1	3	4	9	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	365	3.7	14	1	1	3	4	9	11
0-17	2726	2.5	4	1	1	2	3	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2726	2.5	4	1	1	2	3	5	7
	3091	2.6	5	1	1	2	3	5	7

Total U.S., July 1989 - June 1990

DRG 447: Allergic Reactions Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	662	2.5	4	1	1	2	3	4	6
70-74	232	4.7	24	1	2	3	4	8	19
75-79	320	2.8	4	1	2	2	3	5	9
80-84	125	3.2	3	2	2	3	4	5	9
85 +	211	7.3	78	3	3	4	3	12	14
SUBTOTAL	**1551**	**3.6**	**19**	**1**	**2**	**3**	**4**	**6**	**10**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	589	2.5	3	1	1	2	5	5	5
70-74	310	2.2	2	1	1	1	3	4	5
75-79	122	3.2	15	< 1	1	2	3	7	16
80-84	75	2.5	2	1	1	2	4	5	5
85 +	41	2.4	2	1	1	2	4	4	4
SUBTOTAL	**1137**	**2.5**	**4**	**1**	**1**	**2**	**4**	**5**	**5**
GRAND TOTAL	**2688**	**3.1**	**13**	**1**	**1**	**2**	**4**	**5**	**8**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	333	1.8	1	1	1	1	2	3	4
35-49	568	3.1	5	1	1	2	3	7	8
50-69	803	3.3	8	1	1	2	4	7	10
70 +	25	4.2	4						
SUBTOTAL	**1730**	**2.9**	**6**	**1**	**1**	**2**	**4**	**6**	**9**
0-17	0								
18-34	1049	2.2	4	1	1	1	3	5	6
35-49	1265	2.2	2	1	1	2	3	4	5
50-69	1361	2.3	4	1	1	2	3	4	5
70 +	29	2.0							
SUBTOTAL	**3704**	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**5434**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	121	2.0	2	< 1	< 1	1	3	5	5
35-49	74	3.5	10	1	1	2	3	10	10
50-69	59	6.2	27	1	2	4	10	16	16
70 +	6	10.0							
SUBTOTAL	**260**	**3.5**	**14**	**< 1**	**1**	**2**	**4**	**10**	**10**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	137	3.3	24	1	1	2	3	4	20
35-49	134	2.1	4	1	1	1	2	6	7
50-69	53	1.8	1	< 1	1	2	2	4	4
70 +	0								
SUBTOTAL	**324**	**2.6**	**12**	**1**	**1**	**2**	**2**	**5**	**7**
GRAND TOTAL	**584**	**3.0**	**13**	**< 1**	**1**	**2**	**3**	**7**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	103	4.0	9	2	2	3	5	7	13
35-49	184	3.2	4	1	2	2	5	6	7
50-69	94	2.2	4	1	1	1	2	7	7
70 +	8	2.0							
SUBTOTAL	**389**	**3.2**	**6**	**1**	**1**	**2**	**4**	**7**	**7**
0-17	0								
18-34	424	2.3	3	1	1	2	3	4	5
35-49	375	2.2	8	< 1	1	1	2	4	6
50-69	276	1.8	1	1	1	2	2	3	4
70 +	8	6.0							
SUBTOTAL	**1083**	**2.1**	**4**	**1**	**1**	**2**	**2**	**4**	**5**
GRAND TOTAL	**1472**	**2.4**	**5**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 448: Allergic Reactions Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	340	2.5	5	1	1	2	3	5	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	340	2.5	5	1	1	2	3	5	9
0-17	1191	1.7	1	1	1	1	2	3	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1191	1.7	1	1	1	1	2	3	5
GRAND TOTAL	1530	1.9	2	1	1	1	2	4	5

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	173	2.6	3	1	2	2	3	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	173	2.6	3	1	2	2	3	4	6
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	306	2.2	2	< 1	1	2	3	4	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	306	2.2	2	< 1	1	2	3	4	4
GRAND TOTAL	479	2.4	2	< 1	1	2	3	4	4

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	85	3.6	3	2	2	3	6	6	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	85	3.6	3	2	2	3	6	6	6
0-17	464	2.1	7	1	1	2	2	3	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	464	2.1	7	1	1	2	2	3	5
GRAND TOTAL	549	2.4	7	1	1	2	2	5	6

DRG 449: Poisoning & Toxic Effects of Drugs Age >17 w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	10901	5.3	38	1	2	3	6	11	15
70-74	4570	5.9	30	2	3	4	7	13	15
75-79	4623	7.0	52	2	3	5	8	14	21
80-84	3825	7.0	41	2	3	5	8	14	20
85 +	3449	6.4	21	2	3	5	8	13	17
SUBTOTAL	**27368**	**6.0**	**38**	**1**	**3**	**4**	**7**	**12**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**27368**	**6.0**	**38**	**1**	**3**	**4**	**7**	**12**	**16**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	7614	3.6	24	1	1	2	4	8	12
35-49	6466	4.4	40	1	1	3	5	9	13
50-69	4546	4.5	27	1	2	3	5	10	14
70 +	331	5.2	11	2	2	4	6	10	14
	18957	**4.1**	**30**	**1**	**1**	**2**	**5**	**9**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	18957	**4.1**	**30**	**1**	**1**	**2**	**5**	**9**	**13**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	5542	3.5	18	1	1	2	4	7	10
35-49	3998	4.6	25	1	2	3	5	10	13
50-69	2070	5.4	19	1	2	4	7	12	14
70 +	183	8.4	36	2	4	6	13	18	18
SUBTOTAL	**11793**	**4.3**	**22**	**1**	**2**	**3**	**5**	**10**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**11793**	**4.3**	**22**	**1**	**2**	**3**	**5**	**10**	**13**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10790	3.1	19	1	1	2	3	6	10
35-49	5325	3.4	16	1	1	2	4	7	12
50-69	1890	4.9	30	1	2	3	6	11	14
70 +	386	5.6	47	1	2	3	5	10	26
	18391	**3.5**	**21**	**1**	**1**	**2**	**4**	**7**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	18391	**3.5**	**21**	**1**	**1**	**2**	**4**	**7**	**11**

Total U.S., July 1989 - June 1990

DRG 450: Poisoning & Toxic Effects of Drugs Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	3637	3.3	18	1	1	2	4	7	10
70-74	1033	5.0	21	1	2	3	7	11	14
75-79	1345	4.5	48	1	2	3	5	9	12
80-84	873	4.9	23	1	2	3	5	11	13
85+	473	3.9	9	1	2	3	5	8	10
SUBTOTAL	7360	4.0	24	1	1	3	5	8	12
GRAND TOTAL	7360	4.0	24	1	1	3	5	8	12

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	0								
18-34	16988	2.4	11	1	1	1	2	4	7
35-49	9300	2.7	18	<1	1	2	3	5	8
50-69	4224	2.8	11	1	1	2	3	6	8
70+	79	4.5	12	1	3	3	5	8	14
	30591	2.6	13	1	1	2	3	4	8
	30591	2.6	13	1	1	2	3	4	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	6570	2.6	9	1	1	2	3	5	9
35-49	2252	2.6	9	1	1	2	3	5	8
50-69	806	3.1	9	1	1	2	4	5	8
70+	54	3.9	7	1	1	3	6	8	8
SUBTOTAL	9682	2.7	9	1	1	2	3	5	8
GRAND TOTAL	9682	2.7	9	1	1	2	3	5	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	0								
18-34	17782	2.0	4	<1	1	1	2	4	5
35-49	5773	2.3	10	<1	1	1	2	4	6
50-69	1430	2.7	9	<1	1	1	3	6	11
70+	110	6.7	110	1	1	2	5	32	32
	25095	2.1	6	<1	1	1	2	4	5
	25095	2.1	6	<1	1	1	2	4	5

Total U.S., July 1989 - June 1990

DRG 451: Poisoning & Toxic Effects of Drugs Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	32	5.9	22						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**32**	**5.9**	**22**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	16	1.4							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**16**	**1.4**							
GRAND TOTAL	**49**	**4.4**	**19**	**< 1**	**1**	**2**	**7**	**13**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	4615	3.5	35	1	1	2	4	7	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**4615**	**3.5**	**35**	**1**	**1**	**2**	**4**	**7**	**9**
0-17	23304	2.3	14	< 1	1	1	2	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**23304**	**2.3**	**14**	**< 1**	**1**	**1**	**2**	**4**	**6**
	27919	**2.5**	**18**	**< 1**	**1**	**1**	**2**	**4**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	3270	3.4	34	1	1	2	4	7	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**3270**	**3.4**	**34**	**1**	**1**	**2**	**4**	**7**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	13714	2.7	21	1	1	1	3	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**13714**	**2.7**	**21**	**1**	**1**	**1**	**3**	**5**	**7**
GRAND TOTAL	**16984**	**2.9**	**23**	**1**	**1**	**1**	**3**	**6**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	2466	2.6	8	1	1	2	3	5	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**2466**	**2.6**	**8**	**1**	**1**	**2**	**3**	**5**	**8**
0-17	12936	2.4	20	< 1	1	1	2	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**12936**	**2.4**	**20**	**< 1**	**1**	**1**	**2**	**5**	**6**
	15401	**2.4**	**18**	**1**	**1**	**1**	**3**	**5**	**7**

Total U.S., July 1989 - June 1990

DRG 452: Complications of Treatment w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	7609	6.0	42	1	2	4	7	13	18
70-74	4145	5.9	41	1	2	4	7	13	19
75-79	3366	6.1	34	1	2	4	7	14	18
80-84	2142	6.0	43	1	3	4	7	12	18
85 +	1834	7.0	43	2	2	5	10	15	18
SUBTOTAL	19096	6.1	41	1	2	4	7	14	18
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	19096	6.1	41	1	2	4	7	14	18

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	2760	4.9	26	1	2	3	6	11	16
18-34	2451	5.1	45	1	2	3	5	13	17
35-49	3086	5.0	22	1	2	3	6	10	15
50-69	4548	5.3	17	1	2	4	7	11	14
70 +	361	5.1	25	1	2	4	5	11	21
	13207	5.1	26	1	2	4	7	11	15
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	13207	5.1	26	1	2	4	7	11	15

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	1514	7.4	74	1	2	5	9	17	22
18-34	754	7.5	70	1	3	5	9	14	20
35-49	637	7.4	76	1	2	5	9	15	33
50-69	798	8.6	84	2	3	6	11	17	27
70 +	64	5.0	18	1	2	4	7	9	15
SUBTOTAL	3766	7.6	75	1	2	5	9	17	27
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	3766	7.6	75	1	2	5	9	17	27

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	549	6.2	38	1	2	4	9	16	23
18-34	599	6.8	84	1	2	4	7	17	37
35-49	497	4.6	14	1	2	4	6	9	10
50-69	1044	5.6	34	1	2	4	7	12	20
70 +	238	3.7	3	2	2	3	4	7	8
	2927	5.6	40	1	2	4	7	12	20
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2927	5.6	40	1	2	4	7	12	20

Total U.S., July 1989 - June 1990

DRG 453: Complications of Treatment w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2237	3.9	16	1	2	3	4	9	12
70-74	1482	3.8	15	1	2	3	4	6	10
75-79	1345	3.8	16	1	1	3	4	8	11
80-84	852	2.7	5	1	1	2	3	6	8
85 +	584	5.1	16	2	2	4	8	10	13
SUBTOTAL	**6500**	**3.8**	**14**	**1**	**2**	**3**	**4**	**8**	**11**
GRAND TOTAL	**6500**	**3.8**	**14**	**1**	**2**	**3**	**4**	**8**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	3068	2.3	6	1	1	1	3	4	7
18-34	3718	2.6	8	1	1	2	3	5	7
35-49	4067	2.9	6	1	1	2	4	6	8
50-69	3952	3.2	7	1	1	2	4	6	7
70 +	193	4.6	11	1	2	4	5	11	11
SUBTOTAL	**14997**	**2.8**	**7**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**14997**	**2.8**	**7**	**1**	**1**	**2**	**4**	**6**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1067	3.4	11	1	1	2	4	8	10
18-34	665	3.5	11	1	2	2	4	6	9
35-49	447	3.0	3	1	2	2	4	6	7
50-69	352	3.5	8	1	1	3	4	6	10
70 +	64	5.7	26	1	1	3	9	15	15
SUBTOTAL	**2595**	**3.4**	**10**	**1**	**1**	**2**	**4**	**7**	**10**
GRAND TOTAL	**2595**	**3.4**	**10**	**1**	**1**	**2**	**4**	**7**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	675	2.8	30	1	1	1	2	4	8
18-34	994	3.9	17	1	1	2	5	7	14
35-49	895	4.1	19	1	1	2	5	9	12
50-69	573	3.4	12	1	1	2	4	7	9
70 +	86	3.9	19	1	1	2	4	8	17
SUBTOTAL	**3223**	**3.6**	**19**	**1**	**1**	**2**	**4**	**8**	**12**
GRAND TOTAL	**3223**	**3.6**	**19**	**1**	**1**	**2**	**4**	**8**	**12**

DRG 454: Other Injury, Poisoning & Toxic Effect Diag w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	777	5.1	39	1	2	3	6	10	12
70-74	454	7.2	64	1	3	5	9	13	21
75-79	995	6.9	54	2	3	4	8	15	26
80-84	639	6.6	89	1	2	3	6	13	31
85 +	937	6.9	35	2	3	5	8	15	20
SUBTOTAL	3802	6.5	54	1	2	4	8	14	21
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	3802	6.5	54	1	2	4	8	14	21

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1039	3.1	27	1	1	1	3	7	16
18-34	905	2.8	12	1	1	2	3	6	10
35-49	618	4.1	28	1	2	3	4	6	17
50-69	650	5.1	11	2	2	4	7	11	11
70 +	92	6.0	29	1	2	5	17	99 +	99 +
	3305	3.7	21	1	1	2	4	8	13
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3305	3.7	21	1	1	2	4	8	13

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	831	5.8	116	1	2	2	5	13	39
18-34	275	2.4	4	< 1	1	2	2	3	10
35-49	255	4.8	16	< 1	1	3	10	10	11
50-69	190	9.9	36	4	5	9	11	18	26
70 +	14	2.0							
SUBTOTAL	1564	5.5	74	1	2	2	7	11	19
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	1564	5.5	74	1	2	2	7	11	19

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	613	2.0	3	1	1	2	2	3	7
18-34	859	2.9	21	1	1	2	3	4	8
35-49	620	4.1	9	1	2	3	6	10	10
50-69	321	4.2	20	1	2	2	6	6	18
70 +	45	3.1	3	1	2	3	3	7	7
	2457	3.2	14	1	1	2	3	6	10
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2457	3.2	14	1	1	2	3	6	10

Total U.S., July 1989 - June 1990

DRG 455: Other Injury, Poisoning & Toxic Effect Diag w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	303	2.7	3	1	1	2	3	6	7
70-74	165	3.4	7	1	1	3	5	8	8
75-79	215	2.5	2	1	1	2	4	5	5
80-84	275	3.3	4	1	2	2	5	7	7
85 +	205	4.3	23	1	2	2	5	11	15
SUBTOTAL	1163	3.2	8	1	1	2	4	6	8
GRAND TOTA	1163	3.2	8	1	1	2	4	6	8

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	3636	1.4	1	1	1	1	2	2	3
18-34	2395	1.6	2	< 1	1	1	2	3	3
35-49	1296	1.8	3	< 1	1	1	2	3	4
50-69	864	2.5	6	1	1	2	3	6	8
70 +	125	2.8	2	2	2	2	3	6	6
	8316	1.7	2	< 1	1	1	2	3	4
	8316	1.7	2	< 1	1	1	2	3	4

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	2178	2.2	8	1	1	1	2	4	8
18-34	491	1.2	1	< 1	< 1	1	1	2	3
35-49	87	4.4	6	3	3	3	8	8	9
50-69	36	3.3	21						
70 +	0								
SUBTOTAL	2792	2.1	.	< 1	1	1	2	4	8
GRAND TOTAL	2792	2.1	7	< 1	1	1	2	4	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	2404	1.5	3	< 1	1	1	1	3	4
18-34	1600	1.5	1	< 1	1	1	2	2	3
35-49	523	2.6	5	1	1	1	4	6	8
50-69	312	2.0	1	< 1	1	2	3	4	4
70 +	66	2.3	1	1	1	2	3	4	4
	4905	1.7	3	< 1	1	1	2	3	4
	4905	1.7	3	< 1	1	1	2	3	4

DRG 457: Extensive Burns w/o O.R. Procedure

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	10	8.0							
85 +	0								
SUBTOTAL	**10**	**8.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	6	1.0							
SUBTOTAL	**6**	**1.0**							
GRAND TOTAL	**16**	**5.3**	**12**						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	10	5.0							
50-69	0								
70 +	0								
SUBTOTAL	**10**	**5.0**							
0-17	7	1.0							
18-34	83	9.0	15	3	6	12	12	12	12
35-49	8	3.0							
50-69	0								
70 +	0								
SUBTOTAL	**97**	**8.0**	**20**	**1**	**3**	**11**	**12**	**12**	**12**
GRAND TOTAL	**107**	**7.7**	**18**	**1**	**3**	**8**	**12**	**12**	**12**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	20	8.0	26						
18-34	6	18.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**26**	**10.4**	**39**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	45	6.4	25						
18-34	0								
35-49	0								
50-69	8	2.0							
70 +	0								
SUBTOTAL	**53**	**5.8**	**24**	**1**	**2**	**4**	**10**	**14**	**14**
GRAND TOTAL	**79**	**7.3**	**33**	**1**	**3**	**4**	**13**	**14**	**18**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	6	14.0							
35-49	6	7.0							
50-69	10	18.0							
70 +	0								
SUBTOTAL	**22**	**13.9**	**22**						
0-17	36	8.3	4						
18-34	10	12.0							
35-49	0								
50-69	10	13.0							
70 +	0								
SUBTOTAL	**56**	**9.8**	**7**						
GRAND TOTAL	**78**	**11.0**	**14**	**6**	**8**	**11**	**13**	**18**	**18**

DRG 458: Non-extensive Burns w/ Skin Graft

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	419	25.4	485	7	9	16	36	74	74
70-74	108	29.4	377	6	8	23	53	53	58
75-79	179	31.8	306	8	25	29	57	57	99 +
80-84	139	30.4	458	5	5	31	51	64	64
85 +	141	22.0	240	9	12	12	32	58	58
SUBTOTAL	**986**	**27.2**	**411**	**7**	**10**	**23**	**40**	**58**	**74**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	213	14.8	113	6	8	12	18	23	38
70-74	35	9.9	44						
75-79	84	18.6	155	3	9	15	29	41	41
80-84	137	9.6	17	4	8	8	8	17	18
85 +	31	28.6	333						
SUBTOTAL	**499**	**14.3**	**127**	**3**	**8**	**10**	**18**	**29**	**41**
GRAND TOTAL	**1485**	**22.9**	**353**	**5**	**8**	**16**	**34**	**57**	**64**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	349	20.8	202	7	9	19	28	42	46
18-34	290	23.7	202	8	10	22	37	45	49
35-49	230	26.9	219	11	16	18	42	42	44
50-69	190	26.2	314	9	13	21	39	83	99 +
70 +	0								
SUBTOTAL	**1060**	**23.9**	**231**	**8**	**12**	**20**	**37**	**44**	**52**
0-17	1267	12.5	298	1	2	7	14	32	39
18-34	652	9.5	63	2	3	8	12	23	27
35-49	350	11.3	95	3	4	8	15	23	31
50-69	260	8.5	82	2	2	5	9	20	29
70 +	0								
SUBTOTAL	**2529**	**11.2**	**189**	**1**	**3**	**7**	**14**	**27**	**36**
GRAND TOTAL	**3588**	**14.9**	**235**	**1**	**4**	**10**	**20**	**37**	**42**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	224	26.1	373	3	11	20	41	60	66
18-34	289	16.7	126	8	10	13	25	41	99 +
35-49	100	19.4	244	5	10	13	19	50	50
50-69	92	27.6	679	4	10	22	29	94	94
70 +	6	31.0							
SUBTOTAL	**710**	**21.6**	**311**	**6**	**10**	**14**	**33**	**50**	**66**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	952	14.7	143	1	4	12	21	30	36
18-34	277	12.5	118	2	4	10	21	22	32
35-49	145	11.9	58	3	8	8	16	21	22
50-69	97	7.5	93	1	1	2	14	28	31
70 +	16	18.0							
SUBTOTAL	**1486**	**13.6**	**129**	**1**	**4**	**11**	**19**	**28**	**35**
GRAND TOTAL	**2196**	**16.2**	**202**	**2**	**6**	**13**	**22**	**36**	**48**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	117	23.1	97	12	17	19	31	33	46
18-34	154	24.4	499	5	11	19	30	91	99 +
35-49	170	16.2	112	3	10	12	27	32	37
50-69	113	25.5	100	14	22	22	36	36	99 +
70 +	10	47.0							
SUBTOTAL	**564**	**22.3**	**235**	**5**	**12**	**20**	**31**	**45**	**60**
0-17	762	16.0	177	1	6	12	24	33	42
18-34	416	13.3	79	3	7	11	19	23	25
35-49	193	14.4	145	2	4	11	21	37	37
50-69	93	16.2	160	8	9	14	18	50	50
70 +	0								
SUBTOTAL	**1464**	**15.1**	**145**	**2**	**6**	**12**	**22**	**32**	**37**
GRAND TOTAL	**2027**	**17.1**	**180**	**2**	**8**	**14**	**23**	**36**	**46**

DRG 459: Non-extensive Burns w/ Wound Debridement or Other O.R. Proc

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	90	14.9	295	2	4	8	19	37	66
70-74	61	16.4	6						
75-79	47	12.8	36						
80-84	15	11.5							
85 +	37	32.2	423						
SUBTOTAL	**249**	**17.2**	**215**	**5**	**8**	**12**	**19**	**37**	**60**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	31	19.5	33						
70-74	34	8.8	42						
75-79	10	11.0							
80-84	24	6.1	1						
85 +	6	20.0							
SUBTOTAL	**105**	**12.2**	**55**	**3**	**6**	**11**	**19**	**23**	**25**
GRAND TOTAL	**354**	**15.7**	**173**	**4**	**7**	**12**	**19**	**29**	**38**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	45	9.3	50						
18-34	25	6.0	12						
35-49	68	11.0	33	5	7	9	18	18	18
50-69	39	12.0	34						
70 +	6	26.0							
SUBTOTAL	**184**	**10.6**	**45**	**2**	**5**	**9**	**17**	**18**	**18**
0-17	359	6.5	60	1	1	3	8	15	22
18-34	215	4.8	14	1	2	3	7	10	12
35-49	112	7.7	17	4	5	7	10	14	16
50-69	87	6.4	26	1	1	4	9	16	16
70 +	0								
SUBTOTAL	**773**	**6.2**	**38**	**1**	**1**	**4**	**8**	**14**	**17**
	958	**7.0**	**42**	**1**	**2**	**5**	**10**	**17**	**18**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	58	20.0	397	2	6	14	32	67	67
18-34	0								
35-49	13	20.5	69						
50-69	24	4.0	2						
70 +	0								
SUBTOTAL	**95**	**16.0**	**299**	**2**	**5**	**13**	**14**	**32**	**67**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	252	6.2	107	1	3	3	6	11	20
18-34	43	8.3	21						
35-49	26	4.8	3						
50-69	34	12.5	49						
70 +	0								
SUBTOTAL	**354**	**7.0**	**87**	**1**	**3**	**3**	**8**	**14**	**22**
GRAND TOTAL	**449**	**8.9**	**145**	**1**	**3**	**5**	**11**	**20**	**32**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	12	4.0	1						
35-49	10	7.0							
50-69	7	11.0							
70 +	6	21.0							
SUBTOTAL	**35**	**9.2**	**37**						
0-17	219	8.6	43	1	2	8	16	16	16
18-34	102	7.8	38	2	3	6	10	18	23
35-49	107	6.5	24	1	3	6	7	16	16
50-69	38	7.1	11						
70 +	0								
SUBTOTAL	**466**	**7.8**	**36**	**1**	**3**	**7**	**12**	**16**	**16**
	501	**7.9**	**36**	**2**	**3**	**7**	**12**	**16**	**21**

Total U.S., July 1989 - June 1990

DRG 460: Non-extensive Burns w/o O.R. Procedure

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	603	7.7	58	3	4	6	8	13	26
70-74	230	6.6	30	1	1	4	11	16	16
75-79	331	15.7	157	2	5	12	26	40	40
80-84	192	7.5	19	5	6	6	8	13	13
85 +	107	5.8	12	1	3	7	9	10	10
SUBTOTAL	**1464**	**9.2**	**80**	**2**	**4**	**6**	**11**	**22**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	428	6.2	45	1	2	4	9	11	20
70-74	40	6.7	14						
75-79	60	8.9	70	< 1	3	7	12	26	26
80-84	75	9.6	20						
85 +	102	13.1	102	1	3	8	24	24	24
SUBTOTAL	**705**	**7.8**	**57**	**1**	**3**	**5**	**10**	**24**	**24**
GRAND TOTAL	**2169**	**8.7**	**73**	**2**	**3**	**6**	**11**	**22**	**26**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	522	6.7	42	2	2	4	9	17	25
18-34	280	4.5	18	1	2	3	4	11	12
35-49	395	7.2	82	2	3	4	10	12	18
50-69	334	8.1	36	1	2	7	13	17	19
70 +	2(	10.6	21						
SUBTOTAL	**1552**	**6.8**	**48**	**2**	**2**	**4**	**9**	**15**	**18**
0-17	4191	4.4	19	1	1	3	6	9	13
18-34	2444	4.5	14	1	2	3	7	10	12
35-49	1550	5.1	21	1	2	4	8	11	14
50-69	515	4.6	26	1	2	2	5	11	17
70 +	16	8.2	91						
SUBTOTAL	**8715**	**4.6**	**18**	**1**	**1**	**3**	**7**	**10**	**14**
GRAND TOTAL	**10267**	**4.9**	**23**	**1**	**2**	**3**	**7**	**10**	**14**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	568	7.9	42	1	3	5	13	18	20
18-34	203	8.4	78	2	3	6	9	18	25
35-49	202	7.3	23	2	3	5	13	13	13
50-69	120	9.1	47	3	3	7	12	25	25
70 +	26	4.7	6						
SUBTOTAL	**1118**	**7.9**	**45**	**2**	**3**	**6**	**12**	**16**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	4303	5.2	22	1	2	3	7	11	14
18-34	418	5.4	30	1	2	2	6	18	18
35-49	136	7.1	61	1	2	4	9	16	30
50-69	91	4.9	16	< 1	2	3	6	14	14
70 +	10	16.0							
SUBTOTAL	**4959**	**5.3**	**24**	**1**	**2**	**3**	**7**	**12**	**15**
GRAND TOTAL	**6077**	**5.8**	**29**	**1**	**2**	**4**	**8**	**13**	**16**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	291	6.2	30	1	4	5	8	11	23
18-34	492	5.3	17	1	3	4	7	12	12
35-49	246	5.3	14	< 1	3	5	7	10	14
50-69	119	5.8	68	2	2	2	5	10	32
70 +	41	16.9	96						
SUBTOTAL	**1189**	**6.0**	**31**	**1**	**2**	**5**	**7**	**12**	**23**
0-17	4160	5.5	32	1	2	4	7	12	18
18-34	1955	4.8	26	1	1	3	6	11	15
35-49	633	4.5	9	1	2	4	6	9	10
50-69	266	4.4	13	1	2	3	7	7	9
70 +	0								
SUBTOTAL	**7014**	**5.1**	**28**	**1**	**2**	**4**	**7**	**11**	**16**
GRAND TOTAL	**8203**	**5.3**	**28**	**1**	**2**	**4**	**7**	**11**	**16**

DRG 461: O.R. Proc w/ Diagnoses of Other Contact w/ Health Services

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1669	11.5	264	1	2	4	16	39	55
70-74	1183	13.8	303	1	2	4	25	45	51
75-79	946	14.9	302	1	2	6	27	42	51
80-84	624	14.3	253	1	2	4	26	37	44
85 +	552	13.7	287	1	2	6	19	40	41
SUBTOTAL	**4974**	**13.3**	**283**	**1**	**2**	**5**	**23**	**40**	**51**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	915	3.6	36	1	1	2	4	7	10
70-74	824	4.6	75	1	1	2	3	8	35
75-79	665	5.6	94	1	1	2	3	16	34
80-84	283	3.9	63	1	1	2	2	4	29
85 +	311	3.5	49	1	1	2	3	4	14
SUBTOTAL	**2998**	**4.3**	**64**	**1**	**1**	**2**	**3**	**8**	**24**
GRAND TOTAL	**7972**	**9.9**	**220**	**1**	**1**	**3**	**12**	**34**	**44**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	434	6.9	216	1	1	2	7	52	99 +
18-34	525	8.4	298	1	1	2	9	99 +	99 +
35-49	810	8.8	246	1	1	4	8	35	75
50-69	1351	12.9	384	1	2	4	10	47	60
70 +	67	34.9	823	1	17	23	52	81	81
	3188	**10.8**	**339**	**1**	**1**	**3**	**10**	**54**	**81**
0-17	2908	1.9	20	1	1	1	1	2	5
18-34	2587	2.3	12	1	1	1	2	4	6
35-49	2351	2.8	18	1	1	2	3	5	8
50-69	2025	3.0	29	1	1	2	3	6	7
70 +	89	8.6	272	1	1	1	1	44	44
	9959	**2.5**	**22**	**1**	**1**	**1**	**2**	**4**	**7**
	13146	**4.5**	**111**	**1**	**1**	**1**	**3**	**8**	**26**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	282	4.5	55	1	1	1	4	17	37
18-34	247	10.4	235	1	3	5	22	99 +	99 +
35-49	141	9.7	115	1	2	5	11	23	39
50-69	101	16.7	449	< 1	1	6	58	99 +	99 +
70 +	20	48.0							
SUBTOTAL	**791**	**9.9**	**223**	**1**	**1**	**4**	**17**	**53**	**99 +**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	957	2.5	23	1	1	1	3	5	8
18-34	300	4.6	76	< 1	1	2	5	8	40
35-49	169	3.7	5	1	1	4	6	6	7
50-69	166	7.8	207	1	1	4	6	7	35
70 +	6	7.0							
SUBTOTAL	**1598**	**3.6**	**53**	**1**	**1**	**1**	**4**	**7**	**10**
GRAND TOTAL	**2389**	**5.7**	**118**	**1**	**1**	**2**	**6**	**20**	**48**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	135	14.2	400	1	2	4	22	63	69
18-34	220	8.3	359	1	1	3	8	37	98
35-49	186	4.9	38	1	1	3	10	99 +	99 +
50-69	249	7.8	134	< 1	1	4	8	25	53
70 +	79	2.9	6	1	1	2	3	7	9
	870	**7.8**	**210**	**1**	**1**	**3**	**8**	**27**	**98**
0-17	427	1.7	2	< 1	1	1	2	4	4
18-34	685	3.7	23	< 1	1	2	4	10	10
35-49	388	2.3	3	1	1	2	3	5	6
50-69	319	1.8	1	1	1	1	3	3	4
70 +	44	3.2	11	1	1	1	7	9	9
	1862	**2.6**	**11**	**1**	**1**	**1**	**3**	**6**	**10**
	2733	**4.3**	**80**	**1**	**1**	**2**	**4**	**10**	**22**

DRG 462: Rehabilitation

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	12170	23.0	245	7	12	19	32	43	58
70-74	9424	23.2	235	8	12	19	31	44	56
75-79	10813	21.9	179	8	12	19	29	41	49
80-84	8690	21.2	168	8	12	19	27	38	48
85 +	7049	19.6	128	7	12	17	25	35	42
SUBTOTAL	48145	22.0	199	8	12	19	29	41	52
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	3940	19.6	180	6	10	16	26	40	49
70-74	3711	18.8	170	5	9	16	25	38	42
75-79	4032	18.4	160	7	10	15	23	35	41
80-84	3548	19.0	142	7	11	16	24	36	38
85 +	2543	18.5	143	6	10	16	24	33	42
SUBTOTAL	17774	18.9	161	6	10	16	24	36	42
GRAND TOTAL	65920	21.2	190	7	11	18	28	40	50

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	729	23.9	619	3	7	16	40	99	99 +
18-34	1995	27.0	442	7	11	25	39	83	99 +
35-49	2855	23.6	396	5	8	18	34	57	75
50-69	6181	26.4	269	8	14	24	37	51	64
70 +	1543	22.7	300	6	11	17	28	48	62
	13303	25.3	347	6	11	22	36	57	76
0-17	1058	14.2	298	1	2	7	21	39	50
18-34	954	19.7	297	2	6	16	31	56	79
35-49	1130	24.6	261	6	9	25	36	49	56
50-69	2402	20.5	219	6	10	17	28	39	53
70 +	513	16.8	111	6	8	15	23	31	39
	6056	19.7	254	3	8	17	28	44	56
	19359	23.6	305	6	10	20	33	54	70

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	249	22.9	446	4	12	21	87	99 +	99 +
18-34	894	28.2	480	6	13	28	45	75	99 +
35-49	646	21.5	219	7	9	22	28	60	99 +
50-69	1012	26.7	333	8	13	22	40	55	64
70 +	80	36.7	820	6	15	26	82	82	99 +
SUBTOTAL	2881	26.0	386	7	12	23	39	72	99 +
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	513	24.0	391	4	6	18	39	48	57
18-34	341	26.5	584	4	12	19	35	84	84
35-49	194	25.9	175	8	16	25	32	37	59
50-69	382	22.5	366	< 1	7	17	36	56	57
70 +	22	11.5	74						
SUBTOTAL	1452	24.3	400	4	8	19	37	53	56
GRAND TOTAL	4333	25.4	391	6	11	22	38	64	97

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	103	24.9	349	3	8	30	42	59	99 +
18-34	664	26.8	602	4	6	19	42	67	76
35-49	629	17.6	232	5	6	14	22	54	59
50-69	871	21.7	231	7	11	17	29	39	56
70 +	722	16.1	111	5	8	14	22	28	42
	2988	20.7	305	5	8	16	28	53	63
0-17	147	17.9	558	1	2	11	26	69	95
18-34	305	23.0	403	5	7	19	44	64	84
35-49	203	20.8	123	9	11	21	28	42	42
50-69	267	18.9	117	6	10	19	25	33	39
70 +	263	16.2	125	6	8	11	22	40	41
	1185	19.5	253	5	8	14	27	44	60
	4173	20.4	290	5	8	15	28	48	63

DRG 463: Signs & Symptoms w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2526	6.4	34	2	3	5	8	14	18
70-74	1321	6.3	35	2	3	5	8	12	17
75-79	1764	6.3	51	2	3	4	7	11	21
80-84	1100	8.2	110	2	3	6	9	14	20
85+	1572	6.8	22	2	3	6	9	12	18
SUBTOTAL	**8282**	**6.7**	**46**	**2**	**3**	**5**	**8**	**13**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**8282**	**6.7**	**46**	**2**	**3**	**5**	**8**	**13**	**18**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	588	5.2	25	1	2	3	6	12	16
18-34	169	4.6	6	2	2	5	6	8	10
35-49	718	6.0	75	2	2	4	7	9	17
50-69	1801	6.4	27	2	3	5	8	14	17
70+	137	4.6	32	2	2	3	4	7	26
	3414	**6.0**	**36**	**2**	**2**	**4**	**8**	**12**	**17**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	3414	**6.0**	**36**	**2**	**2**	**4**	**8**	**12**	**17**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	384	5.1	29	1	2	4	6	10	17
18-34	247	4.8	17	2	3	4	5	7	13
35-49	339	4.6	16	1	2	3	7	12	13
50-69	661	8.0	55	2	4	5	10	15	26
70+	74	6.0	15	3	3	4	8	10	15
SUBTOTAL	**1705**	**6.1**	**36**	**1**	**3**	**4**	**8**	**13**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1705**	**6.1**	**36**	**1**	**3**	**4**	**8**	**13**	**16**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	215	5.4	123	1	2	2	5	8	18
18-34	209	4.0	7	1	2	4	7	7	8
35-49	469	5.5	21	2	2	5	8	9	11
50-69	356	7.6	38	2	3	5	12	19	21
70+	115	5.6	19	1	2	4	9	14	15
	1364	**5.8**	**40**	**1**	**2**	**4**	**7**	**12**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	1364	**5.8**	**40**	**1**	**2**	**4**	**7**	**12**	**15**

Total U.S., July 1989 - June 1990

DRG 464: Signs & Symptoms w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	895	2.9	4	1	2	2	3	6	7
70-74	699	3.8	27	1	2	2	4	6	9
75-79	441	4.3	14	1	2	4	5	9	12
80-84	586	5.2	16	2	2	4	7	12	15
85 +	413	3.4	8	1	2	2	4	8	9
SUBTOTAL	**3035**	**3.8**	**14**	**1**	**2**	**3**	**4**	**7**	**10**
GRAND TOTAL	**3035**	**3.8**	**14**	**1**	**2**	**3**	**4**	**7**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	1045	2.6	15	1	1	2	3	5	7
18-34	553	2.2	2	1	1	2	2	5	6
35-49	733	2.6	6	1	1	2	3	5	7
50-69	1431	3.1	8	1	1	2	3	6	8
70 +	127	3.0	4	1	1	2	5	6	7
SUBTOTAL	**3889**	**2.8**	**9**	**1**	**1**	**2**	**3**	**6**	**7**
GRAND TOTAL	**3889**	**2.8**	**9**	**1**	**1**	**2**	**3**	**6**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	697	2.5	3	1	1	2	3	5	7
18-34	111	3.0	6	1	2	2	3	6	11
35-49	127	4.5	13	< 1	1	4	10	10	11
50-69	236	5.5	15	1	2	4	8	12	12
70 +	29	5.5	1						
SUBTOTAL	**1202**	**3.4**	**8**	**1**	**1**	**2**	**4**	**8**	**11**
GRAND TOTAL	**1202**	**3.4**	**8**	**1**	**1**	**2**	**4**	**8**	**11**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	393	2.1	4	1	1	2	2	4	4
18-34	216	3.5	23	1	1	3	3	6	10
35-49	202	4.2	15	1	2	2	6	11	13
50-69	244	3.0	7	< 1	1	2	4	6	11
70 +	63	4.7	10	1	2	4	7	12	12
SUBTOTAL	**1118**	**3.1**	**12**	**1**	**1**	**2**	**4**	**6**	**10**
GRAND TOTAL	**1118**	**3.1**	**12**	**1**	**1**	**2**	**4**	**6**	**10**

DRG 465: Aftercare w/ History of Malignancy As Secondary Diagnosis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	129	3.7	16	1	1	1	5	12	14
70-74	101	8.1	48	3	4	5	16	20	24
75-79	108	5.2	68	< 1	1	1	7	11	29
80-84	71	8.2	54	1	1	8	10	23	23
85 +	40	14.4	116						
SUBTOTAL	**450**	**6.7**	**60**	**1**	**1**	**5**	**8**	**20**	**24**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	175	1.2		< 1	< 1	< 1	1	2	2
70-74	154	2.8	53	< 1	< 1	< 1	1	2	2
75-79	117	2.1	8	< 1	< 1	1	2	2	11
80-84	96	1.6	4	< 1	< 1	< 1	1	1	9
85 +	84	3.7	42	< 1	1	1	1	21	21
SUBTOTAL	**626**	**2.1**	**21**	**< 1**	**< 1**	**< 1**	**1**	**2**	**9**
GRAND TOTAL	**1076**	**4.1**	**42**	**< 1**	**< 1**	**1**	**4**	**11**	**20**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	1.0							
18-34	0								
35-49	52	1.7	1						
50-69	47	3.9	9	1	1	4	5	10	10
70 +	0								
	109	**2.6**	**5**	**1**	**1**	**2**	**4**	**5**	**10**
0-17	125	1.2	1	< 1	< 1	< 1	1	1	2
18-34	0								
35-49	80	1.0		< 1	< 1	< 1	< 1	1	1
50-69	304	1.3		< 1	< 1	< 1	1	3	3
70 +	0								
	509	**1.2**		**< 1**	**< 1**	**< 1**	**1**	**2**	**3**
	618	**1.4**	**2**	**< 1**	**< 1**	**< 1**	**1**	**3**	**4**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	43	4.0							
50-69	0								
70 +	0								
SUBTOTAL	**43**	**4.0**							
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	33	2.5	4						
18-34	6	1.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**39**	**2.2**	**4**						
GRAND TOTAL	**82**	**3.2**	**3**	**1**	**1**	**4**	**4**	**5**	**6**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	66	3.0	10	< 1	1	1	3	10	10
70 +	7	11.0							
	73	**3.8**	**15**	**< 1**	**1**	**1**	**7**	**10**	**11**
0-17	0								
18-34	0								
35-49	10	1.0							
50-69	10	1.0							
70 +	16	1.0							
	36	**1.0**							
	109	**2.9**	**12**	**< 1**	**< 1**	**1**	**3**	**10**	**11**

Total U.S., July 1989 - June 1990

DRG 466: Aftercare w/o History of Malignancy As Secondary Diagnosis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1937	8.0	126	1	1	3	11	20	31
70-74	776	11.9	90	1	4	10	20	28	31
75-79	831	12.2	125	1	3	10	17	29	35
80-84	946	14.8	118	2	6	12	22	31	36
85+	809	13.9	153	2	6	12	18	29	51
SUBTOTAL	**5299**	**11.4**	**130**	**1**	**2**	**8**	**17**	**26**	**34**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	437	3.8	42	<1	1	1	3	13	18
70-74	301	3.1	20	<1	1	1	3	7	9
75-79	291	7.9	56	1	2	5	12	17	25
80-84	222	8.3	91	1	1	5	14	19	29
85+	245	10.2	295	1	2	3	15	22	33
SUBTOTAL	**1496**	**6.2**	**96**	**<1**	**1**	**2**	**8**	**16**	**25**
GRAND TOTAL	**6794**	**10.2**	**127**	**1**	**2**	**7**	**15**	**25**	**33**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	664	3.7	59	<1	1	2	3	9	14
18-34	275	1.8	2	1	1	1	2	3	4
35-49	482	3.8	52	1	1	1	2	7	25
50-69	1153	3.3	36	1	1	1	3	6	22
70+	61	15.5	415	1	1	10	14	47	70
	2636	**3.6**	**53**	**1**	**1**	**1**	**3**	**7**	**17**
0-17	1231	2.7	10	<1	1	1	3	6	8
18-34	456	2.9	26	1	1	2	3	4	5
35-49	462	1.9	22	<1	<1	1	1	3	3
50-69	726	2.5	28	<1	1	1	2	3	6
70+	54	1.9	7	1	1	1	1	9	9
	2929	**2.5**	**19**	**<1**	**1**	**1**	**2**	**5**	**7**
	5566	**3.0**	**35**	**<1**	**1**	**1**	**3**	**6**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	528	5.6	143	1	1	1	5	16	21
18-34	91	4.1	32	1	1	1	2	17	17
35-49	83	2.3	4	1	1	1	2	7	7
50-69	183	5.1	29	1	1	2	8	16	19
70+	43	11.0							
SUBTOTAL	**928**	**5.3**	**93**	**1**	**1**	**1**	**7**	**12**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	447	4.1	24	<1	1	2	5	12	14
18-34	136	3.2	2	1	3	3	3	6	6
35-49	48	8.0	168						
50-69	72	1.0		<1	<1	<1	1	1	1
70+	23	1.7							
SUBTOTAL	**725**	**3.8**	**28**	**<1**	**1**	**2**	**4**	**10**	**13**
GRAND TOTAL	**1653**	**4.6**	**65**	**1**	**1**	**1**	**5**	**12**	**17**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	168	7.0	74	<1	1	2	14	21	26
18-34	91	3.4	30	<1	1	1	2	10	22
35-49	75	3.2	51	1	1	1	1	2	27
50-69	149	1.9	2	1	1	2	2	4	5
70+	240	16.7	378	1	5	12	35	99+	99+
	723	**8.3**	**189**	**1**	**1**	**2**	**13**	**30**	**94**
0-17	409	2.6	8	<1	1	1	3	6	10
18-34	276	3.1	18	1	1	2	3	6	16
35-49	114	3.4	11	1	1	2	6	7	13
50-69	170	1.6	2	1	1	1	1	4	4
70+	29	6.7	11						
	997	**2.8**	**11**	**1**	**1**	**1**	**3**	**7**	**10**
	1721	**5.1**	**93**	**1**	**1**	**2**	**5**	**18**	**29**

DRG 471: Bilateral or Multiple Major Joint Procs of Lower Extremity

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1250	16.0	148	8	9	13	17	29	40
70-74	1157	14.3	72	7	10	11	16	23	39
75-79	873	16.8	121	8	10	14	20	28	32
80-84	606	16.6	83	8	9	14	22	30	38
85 +	323	20.6	179	9	13	18	24	33	41
SUBTOTAL	**4209**	**16.1**	**117**	**8**	**10**	**13**	**19**	**29**	**39**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	710	11.6	24	7	8	11	14	19	21
70-74	556	12.4	22	7	9	11	15	20	22
75-79	496	12.3	30	8	9	11	15	20	22
80-84	226	11.6	16	7	8	12	14	16	21
85 +	83	13.8	33	8	9	11	20	22	22
SUBTOTAL	**2071**	**12.1**	**24**	**7**	**9**	**11**	**14**	**20**	**22**
GRAND TOTAL	**6280**	**14.8**	**90**	**7**	**9**	**12**	**17**	**25**	**33**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	13.0							
18-34	16	9.6	20						
35-49	103	19.2	321	7	8	11	19	47	66
50-69	939	14.1	67	8	10	12	16	23	25
70 +	85	12.3	9	9	10	12	15	15	19
	1150	**14.4**	**87**	**8**	**9**	**12**	**16**	**23**	**30**
0-17	8	12.0							
18-34	17	7.9	6						
35-49	152	12.8	40	6	9	12	15	17	33
50-69	866	11.5	17	7	9	10	15	17	20
70 +	7	12.0							
	1050	**11.6**	**21**	**7**	**9**	**10**	**15**	**17**	**20**
	2200	**13.1**	**57**	**7**	**9**	**11**	**16**	**20**	**24**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	27	15.0	60						
50-69	38	15.5	12						
70 +	17	15.6	113						
SUBTOTAL	**82**	**15.3**	**47**	**7**	**12**	**13**	**22**	**24**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	10	4.0							
18-34	10	12.0							
35-49	0								
50-69	38	15.2	31						
70 +	0								
SUBTOTAL	**58**	**12.8**	**38**	**4**	**4**	**13**	**20**	**20**	**20**
GRAND TOTAL	**140**	**14.3**	**45**	**4**	**12**	**13**	**20**	**24**	**26**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	8	6.0							
50-69	125	19.2	207	8	9	12	19	51	51
70 +	62	9.6	7	5	8	10	13	13	13
	194	**15.6**	**158**	**6**	**8**	**11**	**16**	**35**	**51**
0-17	0								
18-34	0								
35-49	58	21.7	55						
50-69	75	11.6	33	8	8	10	11	17	27
70 +	52	8.6	11	5	6	8	9	16	16
	185	**13.9**	**63**	**8**	**8**	**10**	**26**	**26**	**26**
	379	**14.8**	**112**	**7**	**8**	**10**	**17**	**27**	**35**

DRG 472: Extensive Burns w/ O.R. Procedure

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	18	53.8	176						
70-74	8	69.0							
75-79	0								
80-84	8	35.0							
85+	0								
SUBTOTAL	33	52.9	231						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
GRAND TOTAL	33	52.9	231						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	40	47.0	597						
18-34	42	42.2	125						
35-49	47	36.8	143	25	30	31	46	60	60
50-69	6	39.0							
70+	0								
	136	41.6	279	25	31	37	59	99+	99+
0-17	28	56.0	201						
18-34	20	36.5	59						
35-49	43	26.0							
50-69	13	19.0	78						
70+	10	3.0							
	114	32.3	317	11	26	26	42	54	77
	250	37.4	317	25	26	35	54	77	99+

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	80	49.8	727	20	25	61	99	99+	99+
18-34	66	34.6	154	14	28	35	50	99+	99+
35-49	6	33.0							
50-69	26	46.8	714						
70+	0								
SUBTOTAL	178	43.2	535	23	28	48	76	99+	99+
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	43	52.6	427						
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	43	52.6	427						
GRAND TOTAL	221	45.0	526	18	28	50	76	99+	99+

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	28	36.4	208						
18-34	29	39.9	350						
35-49	0								
50-69	0								
70+	0								
	57	38.2	279	23	28	29	55	71	71
0-17	36	35.4	566						
18-34	6	17.0							
35-49	0								
50-69	0								
70+	0								
	42	32.7	525						
	99	35.9	386	20	22	28	55	72	73

DRG 473: Acute Leukemia w/o Major O.R. Procedure Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1148	22.7	335	3	7	18	35	47	65
70-74	664	24.9	586	3	5	13	36	71	74
75-79	513	15.1	243	3	4	8	24	42	51
80-84	397	20.0	381	2	4	9	41	51	51
85 +	392	14.5	139	3	4	11	21	29	29
SUBTOTAL	**3114**	**20.6**	**370**	**3**	**5**	**13**	**32**	**51**	**63**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	256	10.5	94	2	4	7	13	31	32
70-74	148	8.2	96	1	3	4	8	25	39
75-79	55	6.3	4	4	5	6	7	10	10
80-84	84	8.8	21	3	4	12	12	12	15
85 +	93	8.4	77	2	2	5	7	25	28
SUBTOTAL	**635**	**9.1**	**76**	**2**	**4**	**6**	**12**	**25**	**31**
GRAND TOTAL	**3749**	**18.6**	**338**	**3**	**4**	**11**	**30**	**47**	**56**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	775	23.9	281	2	8	25	36	47	52
35-49	894	28.1	353	4	8	30	42	56	61
50-69	1824	25.1	465	1	7	20	41	54	68
70 +	89	22.0	179	8	12	15	31	39	51
SUBTOTAL	**3581**	**25.5**	**393**	**2**	**7**	**25**	**39**	**51**	**61**
0-17	0								
18-34	326	6.4	56	1	2	3	8	14	28
35-49	429	7.0	75	1	1	3	7	21	30
50-69	381	7.0	73	1	2	4	7	16	31
70 +	16	5.6	2						
SUBTOTAL	**1152**	**6.8**	**68**	**1**	**2**	**4**	**7**	**21**	**30**
GRAND TOTAL	**4734**	**20.9**	**378**	**1**	**4**	**15**	**34**	**47**	**57**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	504	22.7	352	2	6	22	34	50	66
35-49	259	26.9	256	6	17	27	33	48	54
50-69	134	24.3	475	3	6	15	35	65	65
70 +	26	24.1	401						
SUBTOTAL	**923**	**24.1**	**346**	**3**	**8**	**24**	**34**	**50**	**65**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	143	6.5	69	2	3	4	7	8	29
35-49	60	10.7	117	3	4	7	7	32	38
50-69	53	8.7	93	1	3	4	6	30	30
70 +	0								
SUBTOTAL	**256**	**8.0**	**87**	**2**	**3**	**5**	**7**	**22**	**30**
GRAND TOTAL	**1180**	**20.6**	**334**	**2**	**5**	**17**	**33**	**49**	**57**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	386	26.0	364	5	12	26	35	50	83
35-49	189	33.0	262	6	26	32	45	50	59
50-69	277	26.4	445	3	7	29	32	55	71
70 +	39	6.2	37						
SUBTOTAL	**892**	**26.7**	**380**	**4**	**9**	**28**	**36**	**50**	**71**
0-17	0								
18-34	116	9.8	217	1	3	4	6	37	53
35-49	61	17.9	121	4	10	17	29	33	33
50-69	30	4.4	15						
70 +	6	14.0							
SUBTOTAL	**214**	**11.5**	**175**	**1**	**3**	**5**	**14**	**33**	**37**
GRAND TOTAL	**1106**	**23.8**	**376**	**3**	**6**	**23**	**34**	**50**	**67**

DRG 475: Respiratory System Diagnosis with Ventilator Support

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	14106	16.0	142	5	8	13	20	30	39
70-74	8860	15.1	112	5	8	12	19	29	36
75-79	7356	15.9	134	6	9	13	19	29	40
80-84	4601	15.8	116	7	9	12	20	30	39
85 +	3015	15.9	127	6	9	12	20	29	37
SUBTOTAL	**37937**	**15.7**	**129**	**6**	**8**	**12**	**20**	**30**	**38**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	281	9.9	38	3	6	9	14	15	21
70-74	117	8.0	26	3	3	9	10	12	23
75-79	96	10.3	24	5	5	10	12	18	19
80-84	163	9.4	37	4	7	7	12	12	26
85 +	79	8.2	9	4	7	9	9	9	15
SUBTOTAL	**737**	**9.4**	**31**	**3**	**6**	**9**	**12**	**15**	**21**
GRAND TOTAL	**38675**	**15.6**	**128**	**6**	**8**	**12**	**19**	**29**	**38**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	2200	13.3	132	4	6	10	17	26	42
18-34	1004	8.9	80	2	3	6	11	19	23
35-49	1624	13.8	117	4	6	10	18	29	40
50-69	6020	14.0	122	5	7	11	17	27	34
70 +	466	15.7	90	5	9	15	21	25	31
	11314	**13.5**	**121**	**4**	**6**	**11**	**17**	**26**	**35**
0-17	484	7.2	23	2	4	7	9	13	15
18-34	201	3.9	5	2	3	4	5	6	6
35-49	115	7.3	12	3	4	7	10	11	16
50-69	275	8.7	54	3	4	6	10	21	31
70 +	39	8.8	21						
	1114	**7.0**	**29**	**2**	**4**	**6**	**9**	**13**	**16**
	12428	**12.9**	**116**	**4**	**6**	**10**	**16**	**26**	**34**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	1897	15.6	221	4	7	12	18	30	56
18-34	623	10.9	60	3	5	7	19	22	24
35-49	768	18.1	210	5	8	13	21	47	50
50-69	2338	14.3	106	5	8	12	17	26	39
70 +	192	22.7	553	7	11	15	22	43	96
SUBTOTAL	**5818**	**15.1**	**172**	**4**	**7**	**12**	**18**	**28**	**47**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	626	9.0	43	2	4	8	12	17	24
18-34	146	9.3	56	2	4	6	14	21	28
35-49	113	8.2	27	2	4	8	12	17	17
50-69	85	9.5	18	5	7	9	12	13	19
70 +	23	6.4	10						
SUBTOTAL	**994**	**8.9**	**40**	**2**	**4**	**8**	**12**	**17**	**21**
GRAND TOTAL	**6812**	**14.2**	**158**	**4**	**7**	**11**	**17**	**27**	**43**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	777	14.7	210	3	7	11	17	30	43
18-34	535	7.9	48	2	4	6	10	16	23
35-49	704	11.7	60	3	5	10	17	22	22
50-69	2116	12.6	89	4	6	10	17	25	32
70 +	592	15.0	247	4	6	10	18	35	84
	4724	**12.6**	**124**	**3**	**6**	**10**	**16**	**24**	**35**
0-17	247	6.7	11	2	4	7	9	10	13
18-34	141	6.5	12	2	4	6	9	13	13
35-49	145	4.9	10	3	3	3	6	10	14
50-69	77	6.0	12	3	4	5	7	14	14
70 +	14	16.5	209						
	624	**6.3**	**18**	**3**	**3**	**5**	**9**	**10**	**14**
	5348	**11.9**	**115**	**3**	**5**	**9**	**16**	**23**	**32**

Total U.S., July 1989 - June 1990

DRG 478: Other Vascular Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	28637	9.1	84	1	3	7	12	20	27
70-74	16420	11.0	92	2	5	8	14	22	29
75-79	15240	11.6	99	3	5	9	15	23	31
80-84	8359	12.2	99	3	6	10	15	24	30
85 +	5354	12.9	117	4	6	10	17	26	33
SUBTOTAL	**74011**	**10.7**	**95**	**2**	**5**	**8**	**14**	**22**	**29**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**74011**	**10.7**	**95**	**2**	**5**	**8**	**14**	**22**	**29**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1642	5.4	43	2	2	3	8	12	16
18-34	743	7.7	57	1	2	5	10	14	27
35-49	2673	7.6	51	2	3	6	9	14	19
50-69	13901	10.1	93	2	4	8	12	20	27
70 +	1085	9.5	80	2	4	7	11	22	26
	20044	**9.2**	**83**	**2**	**4**	**7**	**11**	**18**	**26**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	20044	**9.2**	**83**	**2**	**4**	**7**	**11**	**18**	**26**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	411	9.1	115	1	2	6	12	17	33
18-34	282	9.1	85	1	3	6	10	22	30
35-49	916	11.1	81	2	4	9	16	24	28
50-69	2839	10.0	111	2	4	7	12	21	30
70 +	266	15.5	98	5	6	14	23	25	25
SUBTOTAL	**4714**	**10.4**	**105**	**2**	**4**	**8**	**13**	**23**	**30**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4714**	**10.4**	**105**	**2**	**4**	**8**	**13**	**23**	**30**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	399	6.6	55	1	2	4	8	14	20
18-34	309	12.2	123	3	6	10	12	24	39
35-49	676	10.3	105	1	4	7	15	20	26
50-69	2170	10.2	144	2	4	7	12	23	32
70 +	763	8.8	46	1	4	7	12	17	23
	4317	**9.8**	**112**	**1**	**4**	**7**	**12**	**21**	**30**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4317	**9.8**	**112**	**1**	**4**	**7**	**12**	**21**	**30**

Total U.S., July 1989 - June 1990

DRG 479: Other Vascular Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	7273	5.2	23	1	2	5	7	10	12
70-74	4488	5.5	20	1	2	5	8	11	14
75-79	3483	5.8	30	1	2	5	7	11	14
80-84	1873	6.0	19	1	3	6	8	11	14
85 +	853	6.4	18	2	3	5	9	15	16
SUBTOTAL	**17970**	**5.5**	**23**	**1**	**2**	**5**	**8**	**10**	**13**
GRAND TOTAL	**17970**	**5.5**	**23**	**1**	**2**	**5**	**8**	**10**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	1334	3.3	12	1	2	2	3	8	12
18-34	491	4.6	15	1	2	3	6	10	12
35-49	2591	4.2	11	1	1	3	6	8	11
50-69	10369	4.5	12	1	2	4	6	9	11
70 +	316	5.0	11	1	3	4	6	9	11
SUBTOTAL	**15102**	**4.4**	**12**	**1**	**2**	**3**	**6**	**9**	**11**
GRAND TOTAL	**15102**	**4.4**	**12**	**1**	**2**	**3**	**6**	**9**	**11**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	249	5.3	25	1	1	2	8	14	17
18-34	145	3.8	8	1	2	3	5	7	9
35-49	242	5.4	31	1	1	3	9	17	17
50-69	800	6.1	28	1	2	5	9	11	12
70 +	25	5.9	13						
SUBTOTAL	**1461**	**5.6**	**26**	**1**	**2**	**4**	**8**	**11**	**14**
GRAND TOTAL	**1461**	**5.6**	**26**	**1**	**2**	**4**	**8**	**11**	**14**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	280	4.4	11	1	2	3	6	10	11
18-34	285	5.4	19	1	2	5	8	9	17
35-49	496	4.8	21	1	1	4	7	8	12
50-69	1659	5.1	36	1	1	4	6	8	12
70 +	300	4.5	21	1	1	3	5	9	14
SUBTOTAL	**3020**	**4.9**	**28**	**1**	**2**	**4**	**6**	**9**	**12**
GRAND TOTAL	**3020**	**4.9**	**28**	**1**	**2**	**4**	**6**	**9**	**12**

DRG 480: Liver Transplant

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	46	25.8	16	18	24	27	28	30	30
70-74	10	12.0							
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**56**	**23.3**	**42**	**12**	**18**	**27**	**28**	**30**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**56**	**23.3**	**42**	**12**	**18**	**27**	**28**	**30**	**30**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	108	45.1	383	23	31	42	71	79	99 +
18-34	78	30.9	140	17	18	32	45	49	99 +
35-49	373	39.9	363	18	25	39	53	70	75
50-69	227	32.3	310	16	21	29	49	87	99 +
70 +	0								
	786	**37.5**	**350**	**17**	**23**	**35**	**53**	**72**	**99 +**
0-17	47	28.4	194						
18-34	0								
35-49	0								
50-69	6	22.0							
70 +	0								
	54	**27.7**	**176**	**19**	**21**	**21**	**24**	**55**	**55**
	839	**36.9**	**345**	**18**	**22**	**33**	**53**	**72**	**99 +**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	58	49.7	492	21	38	61	99 +	99 +	99 +
18-34	43	33.5	299						
35-49	38	20.8	12	16	18	22	25	99 +	99 +
50-69	6	21.0							
70 +	0								
SUBTOTAL	**145**	**36.1**	**433**	**17**	**21**	**38**	**69**	**99 +**	**99 +**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**145**	**36.1**	**433**	**17**	**21**	**38**	**69**	**99 +**	**99 +**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	79	33.6	210	18	24	30	35	66	66
18-34	10	54.0							
35-49	54	44.1	1030	15	19	27	75	94	94
50-69	40	50.3	772						
70 +	0								
	183	**41.4**	**608**	**18**	**21**	**30**	**66**	**86**	**94**
0-17	0								
18-34	0								
35-49	10	18.0							
50-69	0								
70 +	0								
	10	**18.0**							
	193	**40.2**	**604**	**18**	**21**	**30**	**66**	**86**	**92**

Total U.S., July 1989 - June 1990

DRG 481: Bone Marrow Transplant

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	7	78.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**7**	**78.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**7**	**78.0**							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	804	45.3	255	31	34	40	59	72	84
18-34	593	42.3	405	2	33	43	53	64	74
35-49	542	46.8	175	34	39	43	54	61	77
50-69	137	39.1	161	29	34	43	46	51	56
70 +	0								
SUBTOTAL	**2076**	**44.4**	**275**	**30**	**35**	**43**	**54**	**65**	**77**
0-17	119	38.4	545	1	30	38	51	67	81
18-34	89	24.5	629	2	2	2	46	61	61
35-49	28	30.9	317						
50-69	17	2.0							
70 +	0								
SUBTOTAL	**252**	**30.2**	**606**	**1**	**2**	**38**	**46**	**61**	**67**
GRAND TOTAL	**2328**	**42.9**	**330**	**25**	**34**	**42**	**53**	**64**	**77**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	145	52.0	377	28	32	51	67	80	80
18-34	80	41.1	380	2	31	43	49	71	71
35-49	0								
50-69	10	65.0							
70 +	0								
SUBTOTAL	**235**	**48.9**	**398**	**26**	**32**	**49**	**66**	**79**	**80**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	24	46.2	146						
18-34	16	53.8	91						
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**40**	**49.3**	**135**						
GRAND TOTAL	**275**	**48.9**	**360**	**27**	**34**	**49**	**65**	**71**	**80**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	169	45.8	232	30	35	40	62	73	73
18-34	39	35.7	110						
35-49	89	39.7	94	30	36	38	42	82	99 +
50-69	28	42.6	56						
70 +	0								
SUBTOTAL	**324**	**42.6**	**177**	**30**	**33**	**38**	**49**	**72**	**73**
0-17	38	41.4	22						
18-34	21	13.3	183						
35-49	20	2.0							
50-69	0								
70 +	0								
SUBTOTAL	**79**	**23.8**	**359**	**2**	**3**	**31**	**41**	**47**	**47**
GRAND TOTAL	**403**	**38.9**	**268**	**28**	**31**	**38**	**45**	**65**	**73**

DRG 482: Tracheostomy w/ Mouth, Larynx or Pharynx Disorder

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2045	17.5	118	7	10	15	22	30	41
70-74	1707	16.8	98	6	10	14	21	35	42
75-79	861	15.3	81	7	10	13	19	32	43
80-84	501	23.0	192	10	14	18	31	37	74
85 +	184	14.6	99	4	7	14	27	99 +	99 +
SUBTOTAL	**5298**	**17.3**	**116**	**7**	**10**	**14**	**22**	**33**	**42**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	538	9.6	24	4	6	8	12	15	18
70-74	399	13.9	65	4	7	12	20	28	28
75-79	212	11.1	11	6	9	11	12	14	15
80-84	159	6.7	15	2	2	6	9	13	15
85 +	30	9.0	25						
SUBTOTAL	**1338**	**10.8**	**38**	**4**	**6**	**10**	**14**	**19**	**23**
GRAND TOTAL	**6636**	**16.0**	**108**	**6**	**9**	**14**	**20**	**31**	**38**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	216	22.6	176	7	11	19	38	41	48
18-34	152	9.4	13	5	7	8	13	16	16
35-49	561	13.7	62	6	9	12	17	21	26
50-69	2652	15.5	98	7	10	13	17	27	37
70 +	111	16.1	227	7	9	12	18	62	99 +
	3692	**15.4**	**102**	**7**	**10**	**13**	**17**	**29**	**40**
0-17	208	12.8	70	2	5	14	15	26	27
18-34	165	7.4	21	3	4	6	10	12	17
35-49	395	7.4	15	3	4	6	11	14	14
50-69	1161	9.9	35	4	6	8	12	17	28
70 +	23	11.0	16						
	1952	**9.5**	**36**	**3**	**5**	**8**	**12**	**16**	**20**
	5645	**13.3**	**87**	**5**	**8**	**12**	**16**	**23**	**34**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	195	25.3	302	8	10	25	45	99 +	99 +
18-34	136	13.8	73	7	7	13	16	24	28
35-49	336	17.2	147	5	12	14	20	28	43
50-69	799	23.9	293	9	13	19	35	52	85
70 +	18	27.0	446						
SUBTOTAL	**1484**	**21.7**	**257**	**7**	**11**	**17**	**28**	**51**	**77**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	109	15.7	192	3	4	9	28	40	41
18-34	27	8.8	10						
35-49	96	13.1	89	5	8	11	16	16	45
50-69	180	10.6	23	2	8	11	13	16	18
70 +	7	1.0							
SUBTOTAL	**418**	**12.2**	**88**	**3**	**7**	**10**	**15**	**22**	**40**
GRAND TOTAL	**1902**	**19.6**	**235**	**7**	**10**	**16**	**25**	**44**	**74**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	57	23.6	23	14	21	27	28	99 +	99 +
18-34	174	14.9	125	6	8	12	18	27	55
35-49	277	14.1	64	7	8	12	19	24	33
50-69	652	18.2	180	7	9	14	24	35	37
70 +	85	13.4	121	5	5	10	15	26	45
	1245	**16.7**	**141**	**7**	**9**	**13**	**22**	**35**	**39**
0-17	87	17.3	213	5	6	12	31	41	44
18-34	223	8.4	13	5	6	8	10	13	18
35-49	180	11.7	58	4	6	10	16	23	32
50-69	398	11.3	50	5	7	10	14	18	29
70 +	23	11.6	25						
	911	**11.3**	**62**	**5**	**6**	**9**	**13**	**19**	**31**
	2156	**14.4**	**115**	**5**	**7**	**12**	**17**	**31**	**36**

Total U.S., July 1989 - June 1990

DRG 483: Tracheostomy except for Mouth, Larynx or Pharynx Disorder

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	3608	44.6	573	16	29	47	78	99+	99+
70-74	2123	51.5	717	17	36	57	93	99+	99+
75-79	1988	46.5	558	14	34	51	78	99+	99+
80-84	943	47.6	558	12	33	56	78	99+	99+
85+	533	51.7	575	25	37	62	91	99+	99+
SUBTOTAL	**9194**	**47.3**	**609**	**15**	**32**	**52**	**84**	**99+**	**99+**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	248	14.1	146	4	5	7	18	37	43
70-74	143	18.2	381	2	3	6	47	47	47
75-79	30	11.1	97						
80-84	8	18.0							
85+	0								
SUBTOTAL	**429**	**15.3**	**222**	**3**	**5**	**7**	**18**	**47**	**47**
GRAND TOTAL	**9623**	**45.9**	**636**	**14**	**30**	**50**	**83**	**99+**	**99+**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1013	35.1	353	12	26	40	75	99+	99+
18-34	1683	34.4	527	9	19	33	58	93	99+
35-49	1593	38.5	443	14	24	38	60	96	99+
50-69	2854	42.7	505	14	30	47	71	99+	99+
70+	336	41.8	291	25	31	42	63	75	99+
	7479	**38.9**	**479**	**13**	**24**	**41**	**64**	**99+**	**99+**
0-17	380	15.5	192	4	10	12	23	38	99+
18-34	302	19.9	475	3	6	7	36	45	46
35-49	107	10.0	50	3	4	7	14	21	21
50-69	286	10.0	144	2	4	7	10	22	33
70+	16	20.2	49						
	1091	**14.8**	**257**	**3**	**6**	**10**	**21**	**45**	**49**
	8570	**35.8**	**515**	**8**	**20**	**37**	**62**	**99+**	**99+**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	473	39.2	662	11	30	73	99+	99+	99+
18-34	926	43.5	449	22	34	48	92	99+	99+
35-49	389	37.1	529	3	25	47	83	99+	99+
50-69	739	44.0	523	18	29	58	99+	99+	99+
70+	84	60.3	685	35	59	78	99+	99+	99+
SUBTOTAL	**2610**	**42.5**	**544**	**14**	**32**	**56**	**99+**	**99+**	**99+**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	132	15.6	168	4	8	14	31	99+	99+
18-34	94	23.1	483	5	9	17	22	77	77
35-49	86	37.8	1012	2	7	68	69	69	69
50-69	51	14.2	156	6	8	8	16	46	46
70+	6	32.0							
SUBTOTAL	**369**	**22.8**	**519**	**4**	**8**	**15**	**36**	**69**	**99+**
GRAND TOTAL	**2979**	**40.0**	**583**	**10**	**29**	**52**	**99+**	**99+**	**99+**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	322	39.1	510	14	28	52	99+	99+	99+
18-34	1081	33.6	510	9	17	31	58	99+	99+
35-49	691	36.4	523	9	21	32	57	90	99+
50-69	811	43.3	736	12	25	48	84	99+	99+
70+	151	48.6	359	27	36	52	75	99+	99+
	3056	**38.1**	**586**	**11**	**21**	**41**	**74**	**99+**	**99+**
0-17	83	20.0	243	2	3	16	33	41	48
18-34	172	14.3	156	5	6	9	23	39	99+
35-49	101	19.0	521	6	6	11	17	77	80
50-69	58	10.3	41	3	5	9	10	21	21
70+	22	36.7	339						
	436	**17.1**	**280**	**3**	**6**	**10**	**22**	**48**	**55**
	3492	**35.5**	**596**	**8**	**17**	**36**	**70**	**99+**	**99+**

DRG 484: Craniotomy for Multiple Significant Trauma

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	47	13.9	62						
70-74	10	20.0							
75-79	16	32.8	30						
80-84	0								
85 +	17	14.9	6						
SUBTOTAL	**90**	**18.1**	**89**	**1**	**12**	**20**	**23**	**37**	**37**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**90**	**18.1**	**89**	**1**	**12**	**20**	**23**	**37**	**37**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	358	26.2	245	10	13	24	39	53	84
18-34	314	27.7	188	13	16	25	37	46	58
35-49	78	27.5	272	6	12	25	44	51	51
50-69	107	19.2	276	11	12	12	14	62	99 +
70 +	8	17.0							
SUBTOTAL	**865**	**25.9**	**236**	**11**	**13**	**23**	**39**	**51**	**62**
0-17	6	10.0	–						
18-34	16	11.9	4						
35-49	23	21.5	14						
50-69	16	10.0							
70 +	0								
SUBTOTAL	**60**	**14.8**	**34**	**10**	**10**	**14**	**24**	**24**	**24**
GRAND TOTAL	**925**	**25.2**	**230**	**10**	**13**	**23**	**39**	**50**	**62**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	50	28.7	285	6	23	32	50	99 +	99 +
18-34	110	35.2	380	10	17	45	47	64	99 +
35-49	35	23.5	203						
50-69	0								
70 +	0								
SUBTOTAL	**195**	**31.4**	**342**	**10**	**14**	**32**	**50**	**64**	**99 +**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	8	11.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**8**	**11.0**							
GRAND TOTAL	**203**	**30.7**	**345**	**10**	**13**	**32**	**50**	**64**	**99 +**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	94	33.8	519	8	16	35	50	60	86
18-34	137	26.5	284	6	9	29	38	54	62
35-49	98	23.6	327	7	11	16	39	73	99 +
50-69	43	37.0							
70 +	13	15.0	61						
SUBTOTAL	**385**	**28.3**	**339**	**7**	**11**	**29**	**38**	**60**	**73**
0-17	16	15.5	22						
18-34	70	24.1	190						
35-49	6	24.0							
50-69	0								
70 +	0								
SUBTOTAL	**93**	**22.5**	**158**	**11**	**20**	**20**	**24**	**27**	**59**
GRAND TOTAL	**478**	**27.2**	**309**	**7**	**12**	**22**	**38**	**54**	**65**

DRG 485: Limb Reattachment, Hip And Femur Proc for Multiple Significant Trauma

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	232	16.0	112	6	7	13	25	36	37
70-74	131	27.4	364	6	11	24	34	52	73
75-79	323	21.9	372	8	9	12	25	65	65
80-84	236	22.6	218	8	10	15	32	54	54
85 +	392	15.4	81	7	11	12	15	29	34
SUBTOTAL	**1314**	**19.6**	**227**	**7**	**9**	**13**	**27**	**38**	**54**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	18	23.8	321						
70-74	16	6.5	2						
75-79	10	7.0							
80-84	8	12.0							
85 +	0								
SUBTOTAL	**53**	**13.4**	**168**	**5**	**7**	**8**	**12**	**43**	**43**
GRAND TOTAL	**1367**	**19.4**	**226**	**7**	**9**	**13**	**26**	**38**	**54**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	923	16.0	133	6	9	12	17	37	43
18-34	2136	19.9	219	8	11	15	23	48	60
35-49	739	23.6	216	11	14	18	28	51	56
50-69	387	22.1	178	11	12	18	35	37	55
70 +	117	19.6	101	11	13	17	21	37	49
	4302	**19.9**	**199**	**8**	**11**	**15**	**24**	**43**	**58**
0-17	74	14.2	5						
18-34	70	11.6	13	5	11	12	14	16	16
35-49	6	11.0							
50-69	0								
70 +	8	13.0							
	157	**12.9**	**10**	**8**	**12**	**13**	**14**	**17**	**18**
	4459	**19.7**	**194**	**8**	**11**	**15**	**23**	**43**	**56**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	169	18.0	78	5	9	23	24	26	31
18-34	336	25.5	392	10	13	20	26	61	67
35-49	88	22.2	200	9	10	16	39	41	51
50-69	30	28.2	82						
70 +	0								
SUBTOTAL	**623**	**23.1**	**276**	**9**	**12**	**21**	**26**	**41**	**61**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	18	13.0	30						
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**18**	**13.0**	**30**						
GRAND TOTAL	**641**	**22.9**	**272**	**9**	**12**	**20**	**26**	**41**	**61**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	225	12.2	103	4	5	9	16	28	28
18-34	1200	18.3	209	6	9	15	23	39	54
35-49	323	21.5	224	9	10	15	26	51	51
50-69	95	29.3	862	8	9	16	51	98	99 +
70 +	29	7.5	27						
	1873	**18.5**	**243**	**6**	**9**	**13**	**23**	**43**	**51**
0-17	53	15.9	212						
18-34	20	24.2	611						
35-49	16	27.6	122						
50-69	16	32.0							
70 +	0								
	106	**21.7**	**277**	**9**	**9**	**9**	**32**	**46**	**61**
	1979	**18.7**	**245**	**6**	**9**	**13**	**24**	**43**	**51**

Total U.S., July 1989 - June 1990

DRG 486: Other O.R. Procedures for Multiple Significant Trauma

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	547	18.8	135	7	9	16	23	31	44
70-74	273	15.8	138	3	9	15	20	26	42
75-79	328	20.4	180	8	9	16	32	38	47
80-84	183	16.1	160	6	11	15	16	24	32
85 +	218	22.3	429	7	9	14	28	52	84
SUBTOTAL	**1548**	**18.8**	**194**	**7**	**9**	**15**	**22**	**38**	**47**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	24	6.0	2						
70-74	0								
75-79	10	9.0							
80-84	0								
85 +	0								
SUBTOTAL	**34**	**6.9**	**3**						
GRAND TOTAL	**1582**	**18.5**	**192**	**7**	**9**	**15**	**22**	**38**	**47**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1800	15.3	148	5	7	12	19	31	48
18-34	3946	14.2	135	6	7	10	18	28	36
35-49	1926	19.7	269	6	9	14	24	51	66
50-69	805	17.5	134	7	9	15	23	35	41
70 +	211	15.8	61	6	8	19	22	24	24
	8689	**16.0**	**170**	**6**	**8**	**12**	**20**	**32**	**51**
0-17	99	9.8	66	4	6	8	11	16	38
18-34	182	9.1	9	6	7	8	12	13	13
35-49	110	11.9	20	9	10	10	16	17	20
50-69	0								
70 +	0								
	390	**10.0**	**28**	**5**	**7**	**10**	**12**	**16**	**17**
	9079	**15.7**	**166**	**6**	**8**	**12**	**20**	**32**	**47**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	339	18.2	209	5	8	12	29	40	43
18-34	1426	16.8	171	6	9	13	21	39	51
35-49	378	17.8	307	6	8	10	19	45	65
50-69	87	20.1	392	6	6	10	27	59	59
70 +	6	13.0							
SUBTOTAL	**2237**	**17.3**	**208**	**6**	**8**	**12**	**22**	**40**	**58**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	13	10.6	39						
18-34	51	7.6	14	3	5	7	7	16	16
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**64**	**8.2**	**20**	**3**	**5**	**7**	**11**	**16**	**17**
GRAND TOTAL	**2301**	**17.1**	**205**	**6**	**8**	**12**	**21**	**40**	**52**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	791	11.7	45	5	7	9	15	20	28
18-34	4407	14.0	140	5	7	10	17	29	37
35-49	838	13.5	82	6	8	11	15	26	35
50-69	353	15.1	92	8	9	13	23	36	99 +
70 +	90	17.7	83	8	10	16	23	36	36
	6479	**13.8**	**118**	**5**	**7**	**10**	**17**	**28**	**36**
0-17	59	17.4	207	4	6	10	29	44	50
18-34	246	7.8	25	5	5	6	8	15	24
35-49	58	14.5	132	5	6	10	16	41	41
50-69	7	6.0							
70 +	0								
	370	**10.3**	**85**	**5**	**5**	**6**	**10**	**24**	**29**
	6849	**13.6**	**117**	**5**	**7**	**10**	**17**	**28**	**35**

Total U.S., July 1989 - June 1990

DRG 487: Other Multiple Significant Trauma

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	437	10.6	76	3	5	9	13	22	31
70-74	405	11.6	88	4	6	7	16	28	38
75-79	416	11.8	65	3	5	9	17	24	28
80-84	291	12.3	194	4	5	9	15	21	28
85 +	438	12.5	63	5	7	10	19	23	29
SUBTOTAL	**1987**	**11.7**	**91**	**4**	**6**	**9**	**15**	**23**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	66	7.2	24						
70-74	16	17.5	166						
75-79	25	5.7	8						
80-84	23	4.7	2						
85 +	0								
SUBTOTAL	**131**	**7.7**	**48**	**2**	**4**	**7**	**7**	**20**	**30**
GRAND TOTAL	**2118**	**11.5**	**89**	**4**	**5**	**9**	**15**	**23**	**30**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	2468	9.9	69	2	4	8	12	22	31
18-34	3223	7.6	47	2	3	6	10	15	18
35-49	1517	10.0	98	2	4	7	13	21	33
50-69	1253	10.8	69	4	5	8	14	22	27
70 +	377	12.8	51	3	7	12	17	22	28
	8838	**9.3**	**67**	**2**	**4**	**7**	**12**	**19**	**28**
0-17	245	6.2	16	2	4	5	7	14	14
18-34	252	8.3	40	2	3	6	11	15	24
35-49	58	4.9	5	2	2	6	7	8	8
50-69	22	2.7							
70 +	22	20.3	36						
	599	**7.3**	**34**	**2**	**3**	**6**	**10**	**15**	**24**
	9437	**9.2**	**65**	**2**	**4**	**7**	**12**	**19**	**26**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	704	12.7	202	3	6	7	14	33	46
18-34	426	10.3	81	3	5	8	15	23	28
35-49	184	15.0	119	2	5	14	26	26	45
50-69	32	15.8	82						
70 +	0								
SUBTOTAL	**1346**	**12.3**	**152**	**3**	**5**	**8**	**15**	**26**	**45**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	49	3.8	6	2	2	3	6	9	9
18-34	27	3.2	3						
35-49	8	5.0							
50-69	0								
70 +	0								
SUBTOTAL	**84**	**3.7**	**5**	**2**	**2**	**3**	**5**	**6**	**9**
GRAND TOTAL	**1430**	**11.8**	**147**	**2**	**5**	**8**	**15**	**26**	**41**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1022	11.1	72	2	5	9	15	23	26
18-34	2415	8.6	93	2	3	6	10	17	25
35-49	741	9.4	65	3	5	6	12	17	25
50-69	339	13.9	201	3	5	9	16	32	45
70 +	44	8.8	12	4	5	9	12	13	13
	4561	**9.7**	**93**	**2**	**4**	**7**	**12**	**21**	**26**
0-17	158	4.9	6	3	3	4	7	9	9
18-34	91	5.8	15	2	2	4	10	12	12
35-49	77	5.0	11	< 1	3	6	7	10	11
50-69	8	4.0							
70 +	16	6.0	4						
	351	**5.2**	**9**	**2**	**3**	**4**	**7**	**10**	**11**
	4912	**9.4**	**89**	**2**	**4**	**7**	**11**	**20**	**26**

DRG 488: HIV w/ Extensive O.R. Procedure

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	54	31.2	419	16	23	24	30	80	80
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**54**	**31.2**	**419**	**16**	**23**	**24**	**30**	**80**	**80**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**54**	**31.2**	**419**	**16**	**23**	**24**	**30**	**80**	**80**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	697	17.8	109	8	11	15	23	28	43
35-49	582	15.6	232	3	6	10	23	32	43
50-69	142	25.1	732	6	7	13	22	85	85
70 +	0								
	1421	**17.6**	**228**	**5**	**8**	**14**	**23**	**32**	**44**
0-17	0								
18-34	18	14.8	149						
35-49	23	1.0							
50-69	0								
70 +	0								
	41	**7.0**	**111**						
	1462	**17.3**	**228**	**4**	**8**	**14**	**23**	**32**	**43**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	30	47.3	602						
18-34	492	21.0	220	8	11	18	24	43	55
35-49	363	21.5	172	9	12	19	28	31	52
50-69	71	27.6	22						
70 +	0								
SUBTOTAL	**956**	**22.5**	**221**	**8**	**12**	**20**	**29**	**43**	**55**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**956**	**22.5**	**221**	**8**	**12**	**20**	**29**	**43**	**55**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	76.0							
18-34	368	23.8	226	5	11	26	36	46	48
35-49	285	21.3	128	10	10	22	31	36	41
50-69	52	30.0	228	14	19	24	38	57	57
70 +	0								
	713	**23.8**	**219**	**6**	**13**	**23**	**35**	**46**	**52**
0-17	0								
18-34	0								
35-49	6	6.0							
50-69	0								
70 +	0								
	6	**6.0**							
	719	**23.6**	**220**	**6**	**11**	**23**	**35**	**46**	**50**

Total U.S., July 1989 - June 1990

DRG 489: HIV w/ Major Related Condition

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1342	14.5	139	2	5	10	22	30	39
70-74	118	21.5	175	9	13	13	38	38	99+
75-79	43	8.0							
80-84	0								
85+	0								
SUBTOTAL	**1503**	**14.9**	**143**	**2**	**6**	**11**	**22**	**37**	**39**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	6	7.0							
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**6**	**7.0**							
GRAND TOTAL	**1509**	**14.8**	**143**	**2**	**6**	**11**	**22**	**37**	**39**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	241	6.8	89	1	2	3	6	18	35
18-34	3194	12.7	99	3	6	9	17	26	33
35-49	3267	14.1	147	4	6	11	18	29	38
50-69	565	18.1	222	4	7	11	25	45	47
70+	6	12.0							
SUBTOTAL	**7274**	**13.6**	**133**	**3**	**6**	**10**	**17**	**28**	**38**
0-17	8	5.0							
18-34	24	11.7	31						
35-49	15	9.5							
50-69	22	9.5	42						
70+	0								
SUBTOTAL	**68**	**9.8**	**28**	**4**	**6**	**8**	**18**	**18**	**18**
GRAND TOTAL	**7342**	**13.5**	**132**	**3**	**6**	**10**	**17**	**28**	**38**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	762	8.0	76	2	2	5	9	25	46
18-34	4807	13.3	102	4	6	11	17	26	33
35-49	3277	13.6	139	3	5	11	20	28	43
50-69	248	18.9	123	3	12	22	26	44	46
70+	0								
SUBTOTAL	**9094**	**13.1**	**117**	**3**	**5**	**10**	**18**	**27**	**36**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	61	5.1	24	1	1	2	8	15	15
18-34	47	9.9	26	4	7	8	14	19	19
35-49	47	10.0	39	3	3	10	17	20	20
50-69	14	13.7	60						
70+	0								
SUBTOTAL	**169**	**8.5**	**39**	**2**	**3**	**7**	**14**	**19**	**20**
GRAND TOTAL	**9263**	**13.1**	**116**	**3**	**5**	**10**	**18**	**27**	**35**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	209	12.6	233	1	3	6	16	48	52
18-34	3038	14.7	141	3	7	12	19	32	36
35-49	2488	13.1	111	3	6	10	18	28	35
50-69	303	22.9	219	5	11	22	38	46	51
70+	0								
SUBTOTAL	**6038**	**14.4**	**140**	**3**	**6**	**11**	**19**	**32**	**38**
0-17	12	4.5	7						
18-34	83	9.6	103	2	3	6	13	18	40
35-49	31	7.4	23						
50-69	0								
70+	0								
SUBTOTAL	**126**	**8.5**	**76**	**2**	**3**	**6**	**13**	**18**	**24**
GRAND TOTAL	**6163**	**14.3**	**139**	**3**	**6**	**11**	**19**	**31**	**38**

DRG 490: HIV w/ or w/o Other Related Condition

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	525	7.2	28	2	4	6	10	15	17
70-74	16	2.5							
75-79	52	8.4	11						
80-84	8	4.0							
85 +	0								
SUBTOTAL	**601**	**7.1**	**26**	**2**	**4**	**6**	**9**	**15**	**17**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	16	3.2	9						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**16**	**3.2**	**9**						
GRAND TOTAL	**617**	**7.0**	**26**	**2**	**4**	**6**	**9**	**15**	**17**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	229	7.0	138	1	1	4	7	11	25
18-34	1142	7.5	37	2	4	7	10	14	21
35-49	1457	7.0	53	2	3	4	8	14	24
50-69	354	9.1	65	1	3	7	14	17	18
70 +	0								
SUBTOTAL	**3182**	**7.4**	**55**	**2**	**3**	**5**	**9**	**14**	**21**
0-17	33	5.1	12						
18-34	167	5.6	3	3	5	6	7	7	8
35-49	200	14.9	290	2	4	8	37	37	37
50-69	7	9.0							
70 +	0								
SUBTOTAL	**408**	**10.2**	**166**	**2**	**4**	**6**	**8**	**37**	**37**
GRAND TOTAL	**3589**	**7.7**	**68**	**2**	**3**	**5**	**9**	**14**	**25**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	640	9.6	198	2	3	5	10	20	54
18-34	1690	8.7	70	2	3	6	11	19	23
35-49	1486	8.6	67	2	3	7	11	18	26
50-69	170	17.2	181	7	10	12	19	26	56
70 +	0								
SUBTOTAL	**3986**	**9.1**	**97**	**2**	**3**	**6**	**12**	**20**	**26**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	255	3.7	17	< 1	1	2	6	9	12
18-34	438	8.1	64	2	4	7	11	12	24
35-49	120	5.4	17	2	3	4	7	9	16
50-69	31	1.2							
70 +	0								
SUBTOTAL	**844**	**6.2**	**46**	**1**	**2**	**4**	**9**	**12**	**14**
GRAND TOTAL	**4830**	**8.6**	**89**	**2**	**3**	**6**	**11**	**18**	**26**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	185	6.9	140	1	2	3	6	10	45
18-34	932	7.7	85	1	2	6	9	16	24
35-49	678	7.7	31	2	4	7	12	14	18
50-69	115	22.7	763	2	9	15	20	90	90
70 +	0								
SUBTOTAL	**1910**	**8.5**	**124**	**1**	**3**	**6**	**11**	**17**	**24**
0-17	224	1.2	1	1	1	1	1	2	2
18-34	248	5.4	16	1	2	5	7	7	17
35-49	192	5.7	17	1	2	3	11	11	12
50-69	25	8.8	45						
70 +	0								
SUBTOTAL	**688**	**4.2**	**17**	**1**	**1**	**2**	**7**	**11**	**11**
GRAND TOTAL	**2598**	**7.4**	**99**	**1**	**2**	**5**	**9**	**15**	**20**

Appendix

Appendix 1

1989-90 HOSPITAL CHARACTERISTICS
Short-Term, Nonfederal Hospitals[1]

HOSPITAL CATEGORY	UNIVERSE TOTAL[2]	LOS BY DRG SAMPLE
Region		
Northeastern	772	87
North Central	1,579	174
Southern	2,052	72
Western	1,022	159
Total	5,425	492
Location[3]		
Urban	2,844	247
Rural	2,581	245
Teaching Intensity[4]		
High/Medium	983	366
Low	4,442	126

[1]Hospitals with average stay less than 30 days

[2]1988 Annual Survey of Hospitals, magnetic tape, American Hospital Association

[3]Urban hospitals are those with a metropolitan statistical area designation on the AHA Annual Survey of Hospitals. Hospitals without a metropolitan statistical area designation represent rural hospitals.

[4]The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai.

Appendix 2

STATE INCLUSIONS BY REGION

Northeast	North Central	South	West
Connecticut	Illinois	Alabama	Alaska
Maine	Indiana	Arkansas	Arizona
Massachusetts	Iowa	Delaware	California
New Hampshire	Kansas	District of Columbia	Colorado
New Jersey	Michigan	Florida	Hawaii
New York	Minnesota	Georgia	Idaho
Pennsylvania	Missouri	Kentucky	Montana
Rhode Island	Nebraska	Louisiana	Nevada
Vermont	North Dakota	Maryland	New Mexico
	Ohio	Mississippi	Oregon
	South Dakota	North Carolina	Utah
	Wisconsin	Oklahoma	Washington
		South Carolina	Wyoming
		Tennessee	
		Texas	
		Virginia	
		West Virginia	

Appendix 3

DIAGNOSIS RELATED GROUPS

DRG	Description
1	Craniotomy Age >17 except for Trauma
2	Craniotomy for Trauma Age > 17
3	Craniotomy Age 0-17
4	Spinal Procedures
5	Extracranial Vascular Procedures
6	Carpal Tunnel Release
7	Periph & Cranial Nerve & Other Nerv Syst Proc w/ CC
8	Periph & Cranial Nerve & Other Nerv Syst Proc w/o CC
9	Spinal Disorders & Injuries
10	Nervous System Neoplasms w/ CC
11	Nervous System Neoplasms w/o CC
12	Degenerative Nervous System Disorders
13	Multiple Sclerosis & Cerebellar Ataxia
14	Specific Cerebrovascular Disorders except TIA
15	Transient Ischemic Attack & Precerebral Occlusions
16	Nonspecific Cerebrovascular Disorders w/ CC
17	Nonspecific Cerebrovascular Disorders w/o CC
18	Cranial & Peripheral Nerve Disorders w/ CC
19	Cranial & Peripheral Nerve Disorders w/o CC
20	Nervous System Infection except Viral Meningitis
21	Viral Meningitis
22	Hypertensive Encephalopathy
23	Nontraumatic Stupor & Coma
24	Seizure & Headache Age >17 w/ CC
25	Seizure & Headache Age >17 w/o CC
26	Seizure & Headache Age 0-17
27	Traumatic Stupor & Coma, Coma >1 Hr
28	Traumatic Stupor & Coma, Coma <1 Hr Age >17 w/ CC
29	Traumatic Stupor & Coma, Coma <1 Hr Age >17 w/o CC
30	Traumatic Stupor & Coma, Coma <1 Hr Age 0-17
31	Concussion Age >17 w/ CC
32	Concussion Age >17 w/o CC
33	Concussion Age 0-17
34	Other Disorders of Nervous System w/ CC
35	Other Disorders of Nervous System w/o CC
36	Retinal Procedures
37	Orbital Procedures
38	Primary Iris Procedures
39	Lens Procedures with or without Vitrectomy
40	Extraocular Procedures except Orbit Age > 17
41	Extraocular Procedures except Orbit Age 0-17
42	Intraocular Procedures except Retina, Iris & Lens
43	Hyphema
44	Acute Major Eye Infections
45	Neurological Eye Disorders
46	Other Disorders of the Eye Age >17 w/ CC
47	Other Disorders of the Eye Age >17 w/o CC
48	Other Disorders of the Eye Age 0-17
49	Major Head & Neck Procedures
50	Sialoadenectomy
51	Salivary Gland Procedures except Sialoadenectomy
52	Cleft Lip & Palate Repair

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
53	Sinus & Mastoid Procedures Age > 17
54	Sinus & Mastoid Procedures Age 0-17
55	Miscellaneous Ear, Nose, Mouth & Throat Procedures
56	Rhinoplasty
57	T&A Proc, except Tonsillectomy &/or Adenoidectomy Only, Age >17
58	T&A Proc, except Tonsillectomy &/or Adenoidectomy Only, Age 0-17
59	Tonsillectomy &/or Adenoidectomy Only, Age > 17
60	Tonsillectomy &/or Adenoidectomy Only, Age 0-17
61	Myringotomy w/ Tube Insertion Age > 17
62	Myringotomy w/ Tube Insertion Age 0-17
63	Other Ear, Nose, Mouth & Throat O.R. Procedures
64	Ear, Nose, Mouth & Throat Malignancy
65	Dysequilibrium
66	Epistaxis
67	Epiglottitis
68	Otitis Media & URI Age >17 w/ CC
69	Otitis Media & URI Age >17 w/o CC
70	Otitis Media & URI Age 0-17
71	Laryngotracheitis
72	Nasal Trauma & Deformity
73	Other Ear, Nose, Mouth & Throat Diagnoses Age > 17
74	Other Ear, Nose, Mouth & Throat Diagnoses Age 0-17
75	Major Chest Procedures
76	Other Resp System O.R. Procedures w/ CC
77	Other Resp System O.R. Procedures w/o CC
78	Pulmonary Embolism
79	Respiratory Infections & Inflammations Age >17 w/ CC
80	Respiratory Infections & Inflammations Age >17 w/o CC
81	Respiratory Infections & Inflammations Age 0-17
82	Respiratory Neoplasms
83	Major Chest Trauma w/ CC
84	Major Chest Trauma w/o CC
85	Pleural Effusion w/ CC
86	Pleural Effusion w/o CC
87	Pulmonary Edema & Respiratory Failure
88	Chronic Obstructive Pulmonary Disease
89	Simple Pneumonia & Pleurisy Age >17 w/ CC
90	Simple Pneumonia & Pleurisy Age >17 w/o CC
91	Simple Pneumonia & Pleurisy Age 0-17
92	Interstitial Lung Disease w/ CC
93	Interstitial Lung Disease w/o CC
94	Pneumothorax w/ CC
95	Pneumothorax w/o CC
96	Bronchitis & Asthma Age >17 w/ CC
97	Bronchitis & Asthma Age >17 w/o CC
98	Bronchitis & Asthma Age 0-17
99	Respiratory Signs & Symptoms w/ CC
100	Respiratory Signs & Symptoms w/o CC
101	Other Respiratory System Diagnoses w/ CC
102	Other Respiratory System Diagnoses w/o CC
103	Heart Transplant
104	Cardiac Valve Procedures w/ Cardiac Cath
105	Cardiac Valve Procedures w/o Cardiac Cath
106	Coronary Bypass w/ Cardiac Cath
107	Coronary Bypass w/o Cardiac Cath
108	Other Cardiothoracic Procedures

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
109	No Longer Valid (Table Excluded)
110	Major Cardiovascular Procedures w/ CC
111	Major Cardiovascular Procedures w/o CC
112	Percutaneous Cardiovascular Procedures
113	Amputation for Circ System Disorders except Upper Limb & Toe
114	Upper Limb & Toe Amputation for Circ System Disorders
115	Perm Cardiac Pacemaker Implant w/ AMI, Heart Failure or Shock
116	Perm Cardiac Pacemaker Implant w/o AMI, Heart Failure or Shock
117	Cardiac Pacemaker Revision except Device Replacement
118	Cardiac Pacemaker Device Replacement
119	Vein Ligation & Stripping
120	Other Circulatory System O.R. Procedures
121	Circulatory Disorders w/ AMI & C.V. Comp Disch Alive
122	Circulatory Disorders w/ AMI w/o C.V. Comp Disch Alive
123	Circulatory Disorders w/ AMI, Expired (Table Excluded)
124	Circulatory Disorders except AMI, w/ Card Cath & Complex Diag
125	Circulatory Disorders except AMI, w/ Card Cath w/o Complex Diag
126	Acute & Subacute Endocarditis
127	Heart Failure & Shock
128	Deep Vein Thrombophlebitis
129	Cardiac Arrest, Unexplained
130	Peripheral Vascular Disorders w/ CC
131	Peripheral Vascular Disorders w/o CC
132	Atherosclerosis w/ CC
133	Atherosclerosis w/o CC
134	Hypertension
135	Cardiac Congenital & Valvular Disorders Age >17 w/ CC
136	Cardiac Congenital & Valvular Disorders Age >17 w/o CC
137	Cardiac Congenital & Valvular Disorders Age 0-17
138	Cardiac Arrhythmia & Conduction Disorders w/ CC
139	Cardiac Arrhythmia & Conduction Disorders w/o CC
140	Angina Pectoris
141	Syncope & Collapse w/ CC
142	Syncope & Collapse w/o CC
143	Chest Pain
144	Other Circulatory System Diagnoses w/ CC
145	Other Circulatory System Diagnoses w/o CC
146	Rectal Resection w/ CC
147	Rectal Resection w/o CC
148	Major Small & Large Bowel Procedures w/ CC
149	Major Small & Large Bowel Procedures w/o CC
150	Peritoneal Adhesiolysis w/ CC
151	Peritoneal Adhesiolysis w/o CC
152	Minor Small & Large Bowel Procedures w/ CC
153	Minor Small & Large Bowel Procedures w/o CC
154	Stomach, Esophageal & Duodenal Procedures Age >17 w/ CC
155	Stomach, Esophageal & Duodenal Procedures Age >17 w/o CC
156	Stomach, Esophageal & Duodenal Procedures Age 0-17
157	Anal & Stomal Procedures w/ CC
158	Anal & Stomal Procedures w/o CC
159	Hernia Procedures except Inguinal & Femoral Age >17 w/ CC
160	Hernia Procedures except Inguinal & Femoral Age >17 w/o CC
161	Inguinal & Femoral Hernia Procedures Age >17 w/ CC
162	Inguinal & Femoral Hernia Procedures Age >17 w/o CC
163	Hernia Procedures Age 0-17
164	Appendectomy w/ Complicated Principal Diag w/ CC

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
165	Appendectomy w/ Complicated Principal Diag w/o CC
166	Appendectomy w/o Complicated Principal Diag w/ CC
167	Appendectomy w/o Complicated Principal Diag w/o CC
168	Mouth Procedures w/ CC
169	Mouth Procedures w/o CC
170	Other Digestive System O.R. Procedures w/ CC
171	Other Digestive System O.R. Procedures w/o CC
172	Digestive Malignancy w/ CC
173	Digestive Malignancy w/o CC
174	G.I. Hemorrhage w/ CC
175	G.I. Hemorrhage w/o CC
176	Complicated Peptic Ulcer
177	Uncomplicated Peptic Ulcer w/ CC
178	Uncomplicated Peptic Ulcer w/o CC
179	Inflammatory Bowel Disease
180	G.I. Obstruction w/ CC
181	G.I. Obstruction w/o CC
182	Esophagitis, Gastroent & Misc Digest Disorders Age > 17 w/ CC
183	Esophagitis, Gastroent & Misc Digest Disorders Age > 17 w/o CC
184	Esophagitis, Gastroent & Misc Digest Disorders Age 0-17
185	Dental & Oral Dis except Extractions & Restorations, Age >17
186	Dental & Oral Dis except Extractions & Restorations, Age 0-17
187	Dental Extractions & Restorations
188	Other Digestive System Diagnoses Age >17 w/ CC
189	Other Digestive System Diagnoses Age >17 w/o CC
190	Other Digestive System Diagnoses Age 0-17
191	Pancreas, Liver & Shunt Procedures w/ CC
192	Pancreas, Liver & Shunt Procedures w/o CC
193	Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/ CC
194	Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/o CC
195	Total Cholecystectomy w/ C.D.E. w/ CC
196	Total Cholecystectomy w/ C.D.E. w/o CC
197	Total Cholecystectomy w/o C.D.E. w/ CC
198	Total Cholecystectomy w/o C.D.E. w/o CC
199	Hepatobiliary Diagnostic Procedure for Malignancy
200	Hepatobiliary Diagnostic Procedure for Non-malignancy
201	Other Hepatobiliary or Pancreas O.R. Procedures
202	Cirrhosis & Alcoholic Hepatitis
203	Malignancy of Hepatobiliary System or Pancreas
204	Disorders of Pancreas except Malignancy
205	Disorders of Liver except Malig, Cirr, Alc Hepa w/ CC
206	Disorders of Liver except Malig, Cirr, Alc Hepa w/o CC
207	Disorders of the Biliary Tract w/ CC
208	Disorders of the Biliary Tract w/o CC
209	Major Joint & Limb Reattachment Procedures
210	Hip & Femur Procedures except Major Joint Age >17 w/ CC
211	Hip & Femur Procedures except Major Joint Age >17 w/o CC
212	Hip & Femur Procedures except Major Joint Age 0-17
213	Amputation for Musculoskeletal System & Conn Tissue Disorders
214	Back & Neck Procedures w/ CC
215	Back & Neck Procedures w/o CC
216	Biopsies of Musculoskeletal System & Connective Tissue
217	Wnd Debrid & Skn Grft except Hand, for Muscskelet & Conn Tiss Dis
218	Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/ CC
219	Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/o CC
220	Lower Extrem & Humer Proc except Hip, Foot, Femur Age 0-17

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
221	Knee Procedures w/ CC
222	Knee Procedures w/o CC
223	Major Shoulder/Elbow Proc, or Other Upper Extremity Proc w/ CC
224	Shoulder, Elbow or Forearm Proc, exc Major Joint Proc, w/o CC
225	Foot Procedures
226	Soft Tissue Procedures w/ CC
227	Soft Tissue Procedures w/o CC
228	Major Thumb or Joint Proc, or Oth Hand or Wrist Proc w/ CC
229	Hand or Wrist Proc, except Major Joint Proc, w/o CC
230	Local Excision & Removal of Int Fix Devices of Hip & Femur
231	Local Excision & Removal of Int Fix Devices except Hip & Femur
232	Arthroscopy
233	Other Musculoskelet Sys & Conn Tiss O.R. Proc w/ CC
234	Other Musculoskelet Sys & Conn Tiss O.R. Proc w/o CC
235	Fractures of Femur
236	Fractures of Hip & Pelvis
237	Sprains, Strains, & Dislocations of Hip, Pelvis & Thigh
238	Osteomyelitis
239	Pathological Fractures & Musculoskeletal & Conn Tiss Malignancy
240	Connective Tissue Disorders w/ CC
241	Connective Tissue Disorders w/o CC
242	Septic Arthritis
243	Medical Back Problems
244	Bone Diseases & Specific Arthropathies w/ CC
245	Bone Diseases & Specific Arthropathies w/o CC
246	Non-specific Arthropathies
247	Signs & Symptoms of Musculoskeletal System & Conn Tissue
248	Tendonitis, Myositis & Bursitis
249	Aftercare, Musculoskeletal System & Connective Tissue
250	Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/ CC
251	Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/o CC
252	Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age 0-17
253	Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age > 17 w/ CC
254	Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age > 17 w/o CC
255	Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age 0-17
256	Other Musculoskeletal System & Connective Tissue Diagnoses
257	Total Mastectomy for Malignancy w/ CC
258	Total Mastectomy for Malignancy w/o CC
259	Subtotal Mastectomy for Malignancy w/ CC
260	Subtotal Mastectomy for Malignancy w/o CC
261	Breast Proc for Non-malignancy except Biopsy & Local Excision
262	Breast Biopsy & Local Excision for Non-malignancy
263	Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/ CC
264	Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/o CC
265	Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/ CC
266	Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/o CC
267	Perianal & Pilonidal Procedures
268	Skin, Subcutaneous Tissue & Breast Plastic Procedures
269	Other Skin, Subcut Tiss & Breast Proc w/ CC
270	Other Skin, Subcut Tiss & Breast Proc w/o CC
271	Skin Ulcers
272	Major Skin Disorders w/ CC
273	Major Skin Disorders w/o CC
274	Malignant Breast Disorders w/ CC
275	Malignant Breast Disorders w/o CC
276	Non-malignant Breast Disorders

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
277	Cellulitis Age >17 w/ CC
278	Cellulitis Age >17 w/o CC
279	Cellulitis Age 0-17
280	Trauma to the Skin, Subcut Tiss & Breast Age >17 w/ CC
281	Trauma to the Skin, Subcut Tiss & Breast Age >17 w/o CC
282	Trauma to the Skin, Subcut Tiss & Breast Age 0-17
283	Minor Skin Disorders w/ CC
284	Minor Skin Disorders w/o CC
285	Amputat of Lower Limb for Endocrine, Nutrit & Metabol Disorders
286	Adrenal & Pituitary Procedures
287	Skin Grafts & Wound Debrid for Endoc, Nutrit & Metab Disorders
288	O.R. Procedures for Obesity
289	Parathyroid Procedures
290	Thyroid Procedures
291	Thyroglossal Procedures
292	Other Endocrine, Nutrit & Metab O.R. Proc w/ CC
293	Other Endocrine, Nutrit & Metab O.R. Proc w/o CC
294	Diabetes Age > 35
295	Diabetes Age 0-35
296	Nutritional & Misc Metabolic Disorders Age >17 w/ CC
297	Nutritional & Misc Metabolic Disorders Age >17 w/o CC
298	Nutritional & Misc Metabolic Disorders Age 0-17
299	Inborn Errors of Metabolism
300	Endocrine Disorders w/ CC
301	Endocrine Disorders w/o CC
302	Kidney Transplant
303	Kidney, Ureter & Major Bladder Procedures for Neoplasm
304	Kidney, Ureter & Major Bladder Proc for Non-neopl w/ CC
305	Kidney, Ureter & Major Bladder Proc for Non-neopl w/o CC
306	Prostatectomy w/ CC
307	Prostatectomy w/o CC
308	Minor Bladder Procedures w/ CC
309	Minor Bladder Procedures w/o CC
310	Transurethral Procedures w/ CC
311	Transurethral Procedures w/o CC
312	Urethral Procedures Age >17 w/ CC
313	Urethral Procedures Age >17 w/o CC
314	Urethral Procedures Age 0-17
315	Other Kidney & Urinary Tract O.R. Procedures
316	Renal Failure
317	Admit for Renal Dialysis
318	Kidney & Urinary Tract Neoplasms w/ CC
319	Kidney & Urinary Tract Neoplasms w/o CC
320	Kidney & Urinary Tract Infections Age >17 w/ CC
321	Kidney & Urinary Tract Infections Age >17 w/o CC
322	Kidney & Urinary Tract Infections Age 0-17
323	Urinary Stones w/ CC, &/or ESW Lithotripsy
324	Urinary Stones w/o CC
325	Kidney & Urinary Tract Signs & Symptoms Age >17 w/ CC
326	Kidney & Urinary Tract Signs & Symptoms Age >17 w/o CC
327	Kidney & Urinary Tract Signs & Symptoms Age 0-17
328	Urethral Stricture Age >17 w/ CC
329	Urethral Stricture Age >17 w/o CC
330	Urethral Stricture Age 0-17
331	Other Kidney & Urinary Tract Diagnoses Age >17 w/ CC
332	Other Kidney & Urinary Tract Diagnoses Age >17 w/o CC

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
333	Other Kidney & Urinary Tract Diagnoses Age 0-17
334	Major Male Pelvic Procedures w/ CC
335	Major Male Pelvic Procedures w/o CC
336	Transurethral Prostatectomy w/ CC
337	Transurethral Prostatectomy w/o CC
338	Testes Procedures, for Malignancy
339	Testes Procedures, Non-malignancy Age > 17
340	Testes Procedures, Non-malignancy Age 0-17
341	Penis Procedures
342	Circumcision Age > 17
343	Circumcision Age 0-17
344	Other Male Reproductive System O.R. Procedures for Malignancy
345	Other Male Reproductive System O.R. Proc except for Malignancy
346	Malignancy, Male Reproductive System, w/ CC
347	Malignancy, Male Reproductive System, w/o CC
348	Benign Prostatic Hypertrophy w/ CC
349	Benign Prostatic Hypertrophy w/o CC
350	Inflammation of the Male Reproductive System
351	Sterilization, Male
352	Other Male Reproductive System Diagnoses
353	Pelvic Evisceration, Radical Hysterectomy & Radical Vulvectomy
354	Uterine, Adnexa Proc for Non-ovarian/Adnexal Malig w/ CC
355	Uterine, Adnexa Proc for Non-ovarian/Adnexal Malig w/o CC
356	Female Reproductive System Reconstructive Procedures
357	Uterine & Adnexa Proc for Ovarian or Adnexal Malignancy
358	Uterine & Adnexa Proc for Non-malignancy w/ CC
359	Uterine & Adnexa Proc for Non-malignancy w/o CC
360	Vagina, Cervix & Vulva Procedures
361	Laparoscopy & Incisional Tubal Interruption
362	Endoscopic Tubal Interruption
363	D&C, Conization & Radio-implant, for Malignancy
364	D&C, Conization except for Malignancy
365	Other Female Reproductive System O.R. Procedures
366	Malignancy, Female Reproductive System w/ CC
367	Malignancy, Female Reproductive System w/o CC
368	Infections, Female Reproductive System
369	Menstrual & Other Female Reproductive System Disorders
370	Cesarean Section w/ CC
371	Cesarean Section w/o CC
372	Vaginal Delivery w/ Complicating Diagnoses
373	Vaginal Delivery w/o Complicating Diagnoses
374	Vaginal Delivery w/ Sterilization &/or D&C
375	Vaginal Delivery w/ O.R. Proc except Steril &/or D&C
376	Postpartum & Post Abortion Diagnoses w/o O.R. Procedure
377	Postpartum & Post Abortion Diagnoses w/ O.R. Procedure
378	Ectopic Pregnancy
379	Threatened Abortion
380	Abortion w/o D&C
381	Abortion w/ D&C, Aspiration Curettage or Hysterotomy
382	False Labor
383	Other Antepartum Diagnoses w/ Medical Complications
384	Other Antepartum Diagnoses w/o Medical Complications
385	Neonates, Died or Transferred to Another Acute Care Facility (Table Excluded)
386	Extreme Immaturity or Respiratory Distress Syndrome, Neonate
387	Prematurity w/ Major Problems

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
388	Prematurity w/o Major Problems
389	Full Term Neonate w/ Major Problems
390	Neonate w/ Other Significant Problems
391	Normal Newborn
392	Splenectomy Age > 17
393	Splenectomy Age 0-17
394	Other O.R. Procedures of the Blood And Blood Forming Organs
395	Red Blood Cell Disorders Age > 17
396	Red Blood Cell Disorders Age 0-17
397	Coagulation Disorders
398	Reticuloendothelial & Immunity Disorders w/ CC
399	Reticuloendothelial & Immunity Disorders w/o CC
400	Lymphoma & Leukemia w/ Major O.R. Procedure
401	Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/ CC
402	Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/o CC
403	Lymphoma & Non-acute Leukemia w/ CC
404	Lymphoma & Non-acute Leukemia w/o CC
405	Acute Leukemia w/o Major O.R. Procedure Age 0-17
406	Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R. Proc w/ CC
407	Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R. Proc w/o CC
408	Myeloprolif Disord or Poorly Diff Neopl w/ Other O.R. Proc
409	Radiotherapy
410	Chemotherapy
411	History of Malignancy w/o Endoscopy
412	History of Malignancy w/ Endoscopy
413	Other Myeloprolif Dis or Poorly Diff Neopl Diag w/ CC
414	Other Myeloprolif Dis or Poorly Diff Neopl Diag w/o CC
415	O.R. Procedure for Infectious & Parasitic Diseases
416	Septicemia Age > 17
417	Septicemia Age 0-17
418	Postoperative & Post-traumatic Infections
419	Fever of Unknown Origin Age >17 w/ CC
420	Fever of Unknown Origin Age >17 w/o CC
421	Viral Illness Age > 17
422	Viral Illness & Fever of Unknown Origin Age 0-17
423	Other Infectious & Parasitic Diseases Diagnoses
424	O.R. Procedure w/ Principal Diagnoses of Mental Illness
425	Acute Adjust React & Disturbances of Psychosocial Dysfunction
426	Depressive Neuroses
427	Neuroses except Depressive
428	Disorders of Personality & Impulse Control
429	Organic Disturbances & Mental Retardation
430	Psychoses
431	Childhood Mental Disorders
432	Other Mental Disorder Diagnoses
433	Alcohol/Drug Abuse or Dependence, Left AMA (Table Excluded)
434	Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w/ CC
435	Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w/o CC
436	Alc/Drug Dependence w/ Rehabilitation Therapy
437	Alc/Drug Dependence, Combined Rehab & Detox Therapy
438	No Longer Valid (Table Excluded)
439	Skin Grafts for Injuries
440	Wound Debridements for Injuries
441	Hand Procedures for Injuries
442	Other O.R. Procedures for Injuries w/ CC
443	Other O.R. Procedures for Injuries w/o CC

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
444	Traumatic Injury Age >17 w/ CC
445	Traumatic Injury Age >17 w/o CC
446	Traumatic Injury Age 0-17
447	Allergic Reactions Age >17
448	Allergic Reactions Age 0-17
449	Poisoning & Toxic Effects of Drugs Age >17 w/ CC
450	Poisoning & Toxic Effects of Drugs Age >17 w/o CC
451	Poisoning & Toxic Effects of Drugs Age 0-17
452	Complications of Treatment w/ CC
453	Complications of Treatment w/o CC
454	Other Injury, Poisoning & Toxic Effect Diag w/ CC
455	Other Injury, Poisoning & Toxic Effect Diag w/o CC
456	Burns, Transferred to Another Acute Care Facility (Table Excluded)
457	Extensive Burns w/o O.R. Procedure
458	Non-extensive Burns w/ Skin Graft
459	Non-extensive Burns w/ Wound Debridement or Other O.R. Proc
460	Non-extensive Burns w/o O.R. Procedure
461	O.R. Proc w/ Diagnoses of Other Contact w/ Health Services
462	Rehabilitation
463	Signs & Symptoms w/ CC
464	Signs & Symptoms w/o CC
465	Aftercare w/ History of Malignancy As Secondary Diagnosis
466	Aftercare w/o History of Malignancy As Secondary Diagnosis
467	Other Factors Influencing Health Status (Table Excluded)
468	Extensive O.R. Procedure Unrelated to Principal Diagnosis (Table Excluded)
469	Principal Diagnosis Invalid As Discharge Diagnosis (Table Excluded)
470	Ungroupable (Table Excluded)
471	Bilateral or Multiple Major Joint Procs of Lower Extremity
472	Extensive Burns w/ O.R. Procedure
473	Acute Leukemia w/o Major O.R. Procedure Age > 17
474	No Longer Valid (Table Excluded)
475	Respiratory System Diagnosis with Ventilator Support
476	Prostatic O.R. Procedure Unrelated to Principal Diagnosis (Table Excluded)
477	Non-extensive O.R. Procedure Unrelated to Principal Diagnosis (Table Excluded)
478	Other Vascular Procedures w/ CC
479	Other Vascular Procedures w/o CC
480	Liver Transplant
481	Bone Marrow Transplant
482	Tracheostomy w/ Mouth, Larynx or Pharynx Disorder
483	Tracheostomy Except for Mouth, Larynx or Pharynx Disorder
484	Craniotomy for Multiple Significant Trauma
485	Limb Reattach., Hip and Femur Procs for Multi Sign Trauma
486	Other O.R. Procedures for Multiple Significant Trauma
487	Other Multiple Significant Trauma
488	HIV w/ Extensive O.R. Procedure
489	HIV w/ Major Related Condition
490	HIV w/ or w/o Other Related Condition

B446-5.2



LENGTH OF STAY
BY DRG AND PAYMENT SOURCE

United States, Northeastern Region, 1989-90

Healthcare Knowledge Resources
Ann Arbor, Michigan
March, 1991

LENGTH OF STAY BY DRG AND PAYMENT SOURCE

This volume is one of five books in the Length of Stay by DRG and Payment Source series:

Length of Stay by DRG and Payment Source, United States, 1989-90
ISSN 1043-9285

Length of Stay by DRG and Payment Source, Northeastern Region, 1989-90
ISSN 1043-9307

Length of Stay by DRG and Payment Source, North Central Region, 1989-90
ISSN 1043-9323

Length of Stay by DRG and Payment Source, Southern Region, 1989-90
ISSN 1043-9293

Length of Stay by DRG and Payment Source, Western Region, 1989-90
ISSN 1043-9315

For further information, please contact Healthcare Knowledge Resources, P.O. Box 303, Ann Arbor, Michigan 48106-0303, or call 800-521-6210.

Statistics reported in this volume are drawn from individual patient discharge records for the time period July 1, 1989 through June 30, 1990. Neither the Commission on Professional and Hospital Activities (CPHA) nor Healthcare Knowledge Resources assumes any liability for any use, furnishing, analysis, interpretation, conclusions, or utilization review decisions based on data reported herein. Any such liability shall be the responsibility of the user of the data, who agrees to hold CPHA or Healthcare Knowledge Resources harmless from any damages, litigation, liability or claimed liability, claims, and any expenses including legal expenses incident thereto resulting from any such use, furnishing, analysis, interpretation, conclusions, or utilization review decisions.

Copyright 1991 by Healthcare Knowledge Resources, Ann Arbor, Michigan, based on data from the Commission on Professional and Hospital Activities. Printed in the United States of America.

All rights reserved. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any other form, or by any other means, or stored in a database or retrieval system, without prior written permission of the publisher.

CONTENTS

Introduction v

Description of the Database vi

Source of the Data
Data Quality
Hospital Characteristics
Projecting to the Universe

Organization of the Tables x

Diagnosis Related Groups
Expected Principal Payment Source
Presence or Absence of Complications and Comorbidities (CCs)
Patient Age and or Birth Weight

Explanation of the Statistics xii

Total Number of Patients
Average Length of Stay
Variance
Percentiles
Subtotal and Grand Total

Using the Tables xiii

Length of Stay Tables 1

Appendix 1: 1989-90 Hospital Characteristics 481

Appendix 2: State Inclusions By Region 482

Appendix 3: Diagnosis Related Groups 483

ACKNOWLEDGEMENTS

1989-90 LENGTH OF STAY BY DRG AND PAYMENT SOURCE SERIES

PROJECT TEAM

Jennifer Goewey, Publications Specialist, Normative Products

Information Services
Joyce Beach, Senior Programmer Analyst
Lale Olson, Senior Electronic Publishing Analyst
Jan Sweet, Electronic Publishing Analyst

Additionally, the following individuals made valuable contributions to the development of this publication:

Nancy Ramirez, Medical Systems Specialist, Healthcare Knowledge Resources.
Linda Vanek, Manager, Normative Products, Healthcare Knowledge Resources.

We offer a special thank-you to the following individuals for their assistance:

Clyde McCollum and Donna Witkowski.

Finally, we gratefully acknowledge the hospitals and state organizations that support this and other publications by making their data available.

INTRODUCTION

Healthcare Knowledge Resources is the official vendor and distributor of products derived from the clinical research and classification development activities of the Commission on Professional and Hospital Activities (CPHA). Now in its fourth decade as a reliable source for clinical record information, CPHA retains ownership of its databases and classification systems while Healthcare Knowledge Resources develops and markets high quality, information-oriented products and services to the healthcare industry and related fields.

Length of Stay data have been available from CPHA since 1963. This book is one volume in a set of five books presenting statistics on hospital stay during 1989-90 in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from other organizations contributing to CPHA are also included in the series.

The *Length of Stay by DRG and Payment Source* series has been designed as a companion to the standard reference, *Length of Stay by Diagnosis and Operation*, to provide length of stay data by another patient classification system, *Length of Stay by DRG and Payment Source* is designed to assist the healthcare professional in utilization review and other cost containment and evaluation activities.

Notable differences between the *Length of Stay by DRG and Payment Source* series and the *Length of Stay by Diagnosis and Operation* series are primarily with the data source. Data used for the *Length of Stay by DRG and Payment Source* series have been projected to the universe of short-term, nonfederal general hospitals based on patient records from 492 hospitals. A detailed description of the projection methodology is given on page viii. It is important to keep in mind that the numbers and calculations in *Length of Stay by DRG and Payment Source* represent projections rather than actual numbers.

The *Length of Stay by DRG and Payment Source* series is enhanced by providing length of stay data by the following four principal payment sources: Medicare, Medicaid, Blue Cross Private Insurance, and No Insurance. This allows for comparison of length of stay by clinical condition and patient age among the major healthcare reimbursement systems.

Healthcare Knowledge Resources offers a range of information products, available through books, magnetic media, and educational seminars. In addition to *Length of Stay by DRG and Payment Source*, other titles in the Cost Containment Series include: *Psychiatric Length of Stay* and *Length of Stay by Diagnosis and Operation*. Each series is available on an annual basis for the United States, Northeastern, North Central, Southern, and Western regions. Pediatric Length of Stay (19 years and under) and Geriatric Length of Stay (65 years and over) are also available in the Diagnosis and Operation series for the United States.

These statistics, also available on magnetic tape and diskette, provide a valuable perspective for utilization review, quality assurance professionals, physicians, consultants, hospital administrators, third party payors, and researchers interested in cost containment and quality care.

DESCRIPTION OF THE DATABASE

Source of the Data

Data in the *Length of Stay by DRG and Payment Source* tables were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS). In addition, discharge data from hospitals participating in information systems other than PAS are included.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer or magnetic tape.
2. The disk or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected.
4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.
5. Data are standardized to create an aggregated patient record base.

Annually these data are utilized to create the *Length of Stay by DRG and Payment Source* series and other reference tools.

Data Quality

Data quality is a primary concern. Although the hospital has basic responsibility for the quality of PAS data, considerable effort is exerted to prevent and correct errors. Over 600 automated checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, numerous edits are done to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death, stillborn
2. admission from other short-term hospital
3. discharge to other short-term hospital
4. discharge against medical advice

Hospital Characteristics

Data chosen for inclusion in the *Length of Stay by DRG and Payment Source* series are from general, nonfederal, short-term hospitals in the United States with twelve complete months of discharge data beginning July 1, 1989. The American Hospital Association (AHA)[1] defines these characteristics in the following manner:

General – The primary function of the institution is to provide patient services, diagnostic and therapeutic, for a variety of medical conditions.

Nonfederal – Controlled by state, county, city, city-county, hospital district or authority, church.

Short-term – The average length of stay for all patients is less than 30 days, or over 50 percent of all patients are admitted to units where the average length of stay is less than 30 days.

Most data used in the Length of Stay tables are from hospitals participating in PAS. In addition, the following organizations have sent data: Colorado Hospital Association, Hospital Association of New York State, Michigan Hospital Association, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), New Hampshire Hospital Association, Oregon Hospital Association, Southern Kaiser Foundation Hospitals, Vermont Hospital Association, and Wyoming Hospital Association. Several individual hospitals throughout the United States have also sent data for special studies.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from long-term specialty institutions, e.g., long-term psychiatric or rehabilitation facilities, are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

The characteristics of all hospitals with discharge data included in the Length of Stay books are displayed in Appendix 1.

[1] American Hospital Association Guide to the Health Care Field, 1989.

Projecting to the Universe

To make the *LOS by DRG and Payment Source* sample reflect the activity of U.S. nonfederal, short-term general hospitals the following steps are taken:

Step 1 - Stratification

First, the hospitals are stratified by factors known to affect inpatient utilization. The two factors used are teaching intensity and geographical region:

A. **Teaching Intensity** is determined by a weighted index measuring program intensity created by Phillip and Hai[1]. The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by the Joint Commission on Accreditation of Healthcare Organizations (JCA)
- Cancer Program approved by the American College of Surgeons (CP)
- Residency approved by the American Medical Association (RES)
- Medical School Affiliation reported by the American Medical Association (MS)
- Hospital-controlled professional nursing school, reported by the National League for Nursing (PNS)
- Member of the Council of Teaching Hospitals of the Association of American Medical Colleges (COT)

Based on this index, hospitals are classified by one of three teaching status groups:

- Low Teaching Intensity Hospitals
- Medium Teaching Intensity Hospitals
- High Teaching Intensity Hospitals

The statistical formula is:

$$Ip = 9.9(JCA) + 14.0(CP) + 28.0(RES) + 14.7(MS) + 13.3(PNS) + 20.1(COT)$$

The numerical values in the formula are weights that have been assigned to each of the approvals incorporated in the index.

For the *Length of Stay by DRG and Payment Source* series the following cut-offs are used to stratify hospitals by teaching status:

Ip value under 25.0	Nonteaching Institution (low teaching intensity)
Ip value 25.0+	Teaching Institution (medium/high teaching intensity)

[1] Phillip P., J., and Hai, Abdul, *An Index of Programs for Hospitals*, American Hospital Association, Chicago, Illinois, 1976.

B. **Census Division** places the 50 states and the District of Columbia into nine geographical areas defined by the U.S. Department of Commerce, Bureau of the Census. These nine divisions and their corresponding regions are:

Region	Division
Northeast	New England
	Mid Atlantic
North Central	East North Central
	West North Central
South	South Atlantic
	East South Central
	West South Central
West	Mountain
	Pacific

A list of the states included in each region is provided in Appendix 2.

Step 2 - Projection

A matrix is constructed which identifies the number of actual discharges from hospitals by program intensity (nonteaching and teaching) and geographical region (Northeast, North Central, South, West). A projection factor is calculated for each cell within the matrix. This factor is calculated as follows:

$$\text{Projection Factor} = \frac{\text{Total discharges from the universe}}{\text{Number of actual discharges in LOS DRG sample}}$$

Each projection factor is multiplied by the number of actual discharges in a particular cell. The resulting numbers represent estimated patient discharges, the sum of which approximates total July 1989 through June 1990 discharges from the U.S. nonfederal, short-term, general hospital universe.

ORGANIZATION OF THE TABLES

The data are stratified by DRG, principal payment source, presence or absence of complications and comorbidities (CCs), and by age ranges.

Diagnosis Related Groups (DRGs)

There are 490 DRGs in the *1989-90 LOS by DRG and Payment Source* series. These DRGs are based on the seventh revision (version 8), effective October 1, 1990. Appendix 3 provides a list of all DRGs for the seventh revision.

Some DRGs have been excluded because they include invalid, ungroupable, or inappropriate categories for examining length of stay. The excluded DRGs are:

DRG Number	English Description
109	(No longer valid)
123	Circulatory Disorders w AMI, Expired
385	Neonates, Died or Transferred to Another Acute Care Facility
433	Alcohol/Drug Abuse or Dependence, Left Against Medical Advice
438	(No longer valid)
456	Burns, Transferred to Another Acute Care Facility
467	Other Factors Influencing Health Status
468	Extensive Operating Room Procedure Unrelated to Principal Diagnosis
469	Principal Diagnosis Invalid as Discharge Diagnosis
470	Ungroupable
474	(No longer valid)
476	Prostatic Operating Room Procedure Unrelated to Principal Diagnosis
477	Non-extensive Operating Room Procedure Unrelated to Principal Diagnosis

A table is not displayed for the excluded DRGs listed above. Additionally, new ICD-9-CM procedure codes were created 10/1/89 for grouping to DRGs 436 and 437 (Alcohol/Drug Dependence with Rehab Therapy and Alcohol/Drug Dependence, Combined Rehab and Detox Therapy). Patient records used in this series include three months of discharges prior to the addition of the new codes. As a result, only nine months of patient records (from 10/01/89 - 6/30/90) have been grouped to DRGs 436 and 437.

Expected Principal Payment Source

For each DRG, there are four tables corresponding to one of four expected principal payment sources:

1. Medicare
2. Blue Cross/Blue Shield and Private Insurance
3. Medicaid
4. No Insurance

The 'No Insurance' category represents a collapsing of the following payment categories from the PAS abstract: 'Self Pay', 'Other', and 'No Charge'. These three payment categories have not been used consistently by all hospitals contributing data, and therefore this category should be interpreted with some caution.

Presence or Absence of Complications and Comorbidities (CCs)

To determine the presence of complications or comorbidities (CCs), a patient's secondary diagnoses are compared to those specific ICD-9-CM diagnosis codes defined by the Health Care Financing Administration (HCFA) as CCs.

HCFA definitions are:

- A complication is a condition that arises during the hospital stay that prolongs length of stay by at least one day in approximately 75 percent of the cases.
- A comorbidity is a pre-existing condition that will, because of its presence with a specific diagnosis, cause an increase in length of stay by at least one day in approximately 75 percent of the cases.

Determination of the existence of CCs corresponds to the DRG version effective October 1, 1990.

Patient Age and/or Birth Weight

Patient discharges in the Medicare payment source category are in one of the following age groups, recorded in years:

0 - 69
70 - 74
75 - 79
80 - 84
85 +

The other three payment source age groups are collapsed as follows:

0 - 17
18 - 34
35 - 49
50 - 69
70 +

For DRGs 386 - 391, which classify neonates, the age range is replaced by a birth weight range, recorded in grams. The categories are as follows:

1 - 999
1000 - 1499
1500 - 1749
1750 - 2499
2500 +

All discharge records for newborns and neonates with an unrecorded birth weight have been excluded.

EXPLANATION OF THE STATISTICS

The statistics are displayed by total number of patients, average length of stay, variance, and distribution percentiles. In addition, two subtotals and a grand total are included. Since the *LOS by DRG and Payment Source* series is drawn from patient discharges from 492 hospitals and then projected to the universe of U.S. hospitals, *the numbers and calculations represent projections rather than actual numbers.* One actual patient discharge represents multiple projected patients; the average projection factor is 10.6. If the total number of patients listed is based on five or fewer *actual* discharges, the percentile distribution columns are left blank.

Total Number of Patients

This number represents the total number of projected patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the lengths of stay for all projected patients and then dividing by the total number of projected patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. The smallest variance is zero, indicating all lengths of stay are equal.

When using tables in which there is a large variance, and the projected patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of projected patients is determined by arranging the projected patient stays from low to high. Counting up from the lowest stay to the point where half of the projected patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total projected patients gives the 10th percentile, and so on.

The 10th, 25th, 50th, 75th, 90th, and 95th percentiles of stay are displayed in days. If, for example, the 25th percentile for a group of projected patients is four, it means 25 percent of the projected patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients. (If a line of data consists solely of stays of 99+ days, the discharges in that line will be excluded from all portions of the table.)

Subtotal and Grand Total

The subtotal represents the total projected patients in one of the two complication and comorbidity groups, within each payment source. The grand total represents the total number of projected patients in the payment source categories. In cases where a total is off by one patient, it is the result of rounding the projections.

USING THE TABLES

The Length of Stay series can be used as a valuable supplement and reference in a variety of healthcare settings. Use of hospital stay data as an inpatient utilization measure allows the healthcare professional to compare regional and national norms to an individual institution or special population. The Length of Stay series assists in:

- projecting extended stay reviews;
- identifying candidates for utilization review;
- establishing baselines;
- developing forecasts; and
- service planning.

The following steps are intended to provide a guide in situations where a healthcare professional wishes to determine a reasonable length of stay by using one of the Length of Stay regional or national volumes:

Step 1: Consult Appendix 3 at the back of the book for the particular DRG to be reviewed.

Step 2: Find the corresponding table in the book. The DRG number precedes the title of each table.

Step 3: Find the appropriate portion of the table for review:

- Payment Source
- Complication Comorbidity Status
- Age Group

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total stratified patient sample (Grand Total) and its variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

A sample table with descriptions of table elements is provided on page xiv.

These general steps can be followed, with more specific applications, by healthcare professionals in many diverse settings.

Length of Stay by DRG and Payment Source

Sample Table

DRG number and title

Payment source

DRG 1: Craniotomy Age >17 except for Trauma

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/CCs									
AGE GROUP									
0-69 (YRS.)	4827	19.3	238	6	9	15	24	42	58
70-74	3670	18.9	190	6	9	15	25	39	50
75-79	2887	19.4	184	7	10	16	23	39	48
80-84	1435	17.9	175	6	8	14	26	45	55
85 +	776	19.3	232	7	12	15	23	29	62
SUBTOTAL	13594	19.0	207	6	9	15	24	40	50
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2607	10.0	62	4	6	8	12	18	24
70-74	1924	10.9	75	4	6	8	14	19	25
75-79	1360	10.3	38	4	6	9	13	17	19
80-84	727	10.0	43	4	6	8	14	19	21
85 +	437	10.4	42	5	7	9	11	14	30
SUBTOTAL	7054	10.3	58	4	6	8	13	18	24
GRAND TOTAL	20648	16.1	173	5	8	12	20	34	46

Presence or absence of Complications/ Comorbidities

Length of stay (in days) by percentile

Patient age group

(Note: Age groups for Medicare differ from those for Medicaid, Blue Cross/Private Insurance, and No Insurance)

Total number of projected patients

DRG Length of Stay Tables

All DRGS

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	361139	9.8	106	2	4	7	12	20	29
70-74	284728	10.3	108	2	4	8	13	21	31
75-79	276607	10.9	121	2	4	8	13	22	33
80-84	223386	11.7	135	3	5	8	14	25	36
85 +	208024	12.6	151	3	5	9	15	26	38
SUBTOTAL	**1353884**	**10.9**	**122**	**2**	**4**	**8**	**13**	**23**	**33**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	189587	6.2	57	1	2	4	7	12	19
70-74	133630	6.0	41	1	2	4	8	12	16
75-79	112823	6.6	50	1	3	5	8	13	18
80-84	81512	7.1	58	1	3	5	9	14	20
85 +	66626	7.6	62	2	3	5	9	15	22
SUBTOTAL	**584178**	**6.5**	**53**	**1**	**2**	**5**	**8**	**13**	**18**
GRAND TOTAL	**1938062**	**9.6**	**105**	**2**	**4**	**7**	**12**	**20**	**29**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	138837	7.8	131	1	2	4	8	18	31
18-34	177279	6.2	60	1	2	4	7	13	20
35-49	175195	7.2	65	2	3	5	9	15	21
50-69	341739	8.5	78	2	3	6	10	17	24
70 +	22100	11.2	122	3	5	8	14	24	32
SUBTOTAL	**855150**	**7.7**	**82**	**2**	**3**	**5**	**9**	**16**	**23**
0-17	700038	3.1	13	1	2	2	4	5	7
18-34	822857	3.3	14	1	2	3	4	5	7
35-49	407861	4.1	21	1	2	3	5	7	11
50-69	346292	4.8	26	1	2	3	6	9	13
70 +	11964	6.3	60	1	2	4	7	13	17
SUBTOTAL	**2289012**	**3.6**	**17**	**1**	**2**	**3**	**4**	**6**	**9**
GRAND TOTAL	**3144162**	**4.7**	**38**	**1**	**2**	**3**	**5**	**9**	**14**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	50058	7.6	129	1	2	4	8	18	31
18-34	64038	7.1	83	1	2	4	8	17	24
35-49	34765	9.3	97	2	4	6	11	21	29
50-69	40897	10.5	136	2	4	7	12	23	34
70 +	6472	13.3	175	3	6	10	16	26	41
SUBTOTAL	**196231**	**8.5**	**114**	**2**	**3**	**5**	**10**	**20**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	173270	3.6	31	1	2	2	4	6	9
18-34	164484	4.4	42	1	2	3	4	8	15
35-49	35890	7.3	77	1	2	4	8	17	27
50-69	20227	7.4	83	1	3	5	8	16	25
70 +	2657	8.7	145	2	4	6	10	14	22
SUBTOTAL	**396528**	**4.5**	**45**	**1**	**2**	**3**	**4**	**8**	**15**
GRAND TOTAL	**592759**	**5.8**	**71**	**1**	**2**	**3**	**6**	**13**	**21**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	40978	7.1	91	1	2	4	8	15	27
18-34	61845	6.0	54	1	2	4	7	12	18
35-49	40638	8.0	81	2	3	5	9	17	25
50-69	58451	9.5	95	2	4	7	12	20	28
70 +	14624	11.9	152	2	5	8	15	25	36
SUBTOTAL	**216536**	**7.9**	**87**	**1**	**3**	**5**	**9**	**17**	**25**
0-17	226836	3.1	10	1	2	2	4	5	7
18-34	202972	3.2	14	1	1	2	4	6	8
35-49	70221	4.1	19	1	2	3	5	8	12
50-69	47608	4.7	24	1	2	3	6	10	13
70 +	7664	7.2	75	1	2	5	8	15	22
SUBTOTAL	**555301**	**3.5**	**15**	**1**	**2**	**2**	**4**	**6**	**9**
GRAND TOTAL	**771837**	**4.7**	**39**	**1**	**2**	**3**	**5**	**10**	**15**

DRG 1: Craniotomy Age >17 except for Trauma

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	850	21.5	333	6	11	16	29	81	99+
70-74	777	21.6	281	6	10	17	34	45	54
75-79	542	22.6	239	9	12	16	33	46	57
80-84	313	19.4	118	8	10	19	30	45	99+
85+	219	23.5	399	9	12	17	29	62	62
SUBTOTAL	2701	21.7	280	6	11	16	30	52	83
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	453	13.7	150	5	7	9	15	26	30
70-74	407	11.8	120	3	6	9	14	18	34
75-79	224	13.5	65	6	9	12	17	19	38
80-84	244	10.2	80	2	4	7	14	24	24
85+	104	13.6	98	7	8	9	14	36	36
SUBTOTAL	1433	12.5	114	4	6	9	14	24	34
GRAND TOTAL	4134	18.5	242	6	8	14	24	42	62

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	778	8.4	48	2	3	6	12	17	22
35-49	699	16.0	146	7	8	11	20	33	48
50-69	1454	19.8	305	5	8	16	25	50	79
70+	57	13.6	19						
	2988	15.8	217	4	7	11	20	36	57
0-17	0								
18-34	600	10.7	91	4	6	9	13	18	22
35-49	1043	10.2	21	4	7	9	13	18	19
50-69	1126	9.4	30	4	6	8	11	17	20
70+	31	6.0	4						
	2800	9.9	40	4	6	9	12	18	20
	5788	13.0	140	4	7	9	16	24	39

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	240	5.8	8	2	3	6	8	10	11
35-49	130	16.7	333	5	6	7	13	63	63
50-69	104	31.6	629	8	13	15	51	55	83
70+	0								
SUBTOTAL	474	14.5	336	3	5	8	13	51	63
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	157	16.4	157	7	8	13	17	42	51
35-49	73	11.0	175						
50-69	10	15.0							
70+	10	9.0							
SUBTOTAL	250	14.5	156	4	7	9	17	43	51
GRAND TOTAL	725	14.5	274	3	6	8	15	50	55

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	73	15.2	262						
35-49	120	26.3	505	4	14	18	52	72	72
50-69	140	32.9	619	6	11	29	48	88	88
70+	0								
	333	26.7	543	6	10	18	45	52	72
0-17	0								
18-34	146	11.4	87	3	5	7	16	30	30
35-49	120	11.4	40	7	7	8	19	24	24
50-69	63	16.8	30						
70+	0								
	329	12.4	63	5	6	10	19	24	26
	662	19.6	355	5	7	13	24	48	52

DRG 2: Craniotomy for Trauma Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	83	10.5	51	4	5	8	23	99+	99+
70-74	42	30.7	686						
75-79	157	22.4	201	8	10	21	39	43	99+
80-84	63	18.0	17						
85+	26	17.5	143						
SUBTOTAL	370	19.6	221	5	8	16	30	64	99+
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	68	12.9	19						
70-74	89	33.9	1335	2	3	5	64	97	97
75-79	57	13.2	19						
80-84	10	5.0							
85+	31	6.5							
SUBTOTAL	255	19.2	592	3	6	10	20	58	97
GRAND TOTAL	625	19.4	371	5	8	13	24	64	97

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	156	11.2	18	7	7	11	14	16	17
35-49	130	21.8	186	8	13	17	31	47	47
50-69	93	26.7	491	4	5	26	41	68	68
70+	10	13.0							
SUBTOTAL	390	18.5	228	7	10	13	19	44	47
0-17	0								
18-34	218	10.0	58	2	4	9	12	20	30
35-49	104	7.3	23	1	3	7	9	13	16
50-69	68	5.5	6						
70+	0								
SUBTOTAL	390	8.5	43	2	4	7	11	17	20
	780	13.5	160	3	7	11	16	30	44

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	16	20.0							
35-49	31	30.0	413						
50-69	16	12.0							
70+	16	8.0							
SUBTOTAL	78	20.0	245						
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	10	42.0							
35-49	16	12.0							
50-69	0								
70+	0								
SUBTOTAL	26	23.9	224						
GRAND TOTAL	104	21.0	240	8	10	12	26	50	50

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	26	12.9	42						
35-49	57	17.9	259						
50-69	31	21.0	4						
70+	0								
SUBTOTAL	115	17.6	147	5	7	18	23	43	43
0-17	0								
18-34	146	6.2	13	1	4	6	8	12	12
35-49	0								
50-69	31	8.0	1						
70+	0								
SUBTOTAL	177	6.5	12	1	5	6	9	12	12
	292	10.9	94	2	5	7	14	23	43

DRG 3: Craniotomy Age 0-17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	2115	8.1	119	1	2	4	10	21	28
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2115	8.1	119	1	2	4	10	21	28
0-17	1968	6.8	33	2	3	5	9	13	15
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1968	6.8	33	2	3	5	9	13	15
	4083	7.5	78	1	2	4	10	15	23

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	757	10.7	200	1	3	5	13	31	40
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	757	10.7	200	1	3	5	13	31	40
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	548	6.4	16	1	3	6	8	11	16
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	548	6.4	16	1	3	6	8	11	16
GRAND TOTAL	1305	8.9	127	1	3	6	9	17	31

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	407	15.9	272	1	5	10	23	36	47
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	407	15.9	272	1	5	10	23	36	47
0-17	512	8.8	73	2	4	7	11	21	26
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	512	8.8	73	2	4	7	11	21	26
	319	12.0	174	1	4	8	13	29	42

DRG 4: Spinal Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	167	16.3	92	8	9	12	21	32	36
70-74	130	18.1	175	5	7	12	24	42	42
75-79	73	25.7	365	7	14	17	58	99 +	99 +
80-84	63	23.0	322						
85 +	0								
SUBTOTAL	432	19.4	208	6	9	15	36	50	99 +
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	109	8.0	18	4	5	7	10	17	17
70-74	10	2.0							
75-79	47	14.7	21						
80-84	26	22.7	72						
85 +	0								
SUBTOTAL	192	11.3	56	4	5	9	16	20	31
GRAND TOTAL	625	16.9	175	5	8	13	24	42	58

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	397	11.8	101	2	6	9	15	30	30
18-34	240	13.3	79	4	10	11	17	40	99 +
35-49	287	9.8	46	3	5	6	16	20	27
50-69	245	17.9	178	8	10	13	22	41	41
70 +	16	23.0							
	1184	13.0	107	4	6	11	16	27	40
	559	7.6	8	4	6	7	10	11	14
	328	6.2	17	2	3	6	9	12	13
	619	5.5	36	2	3	3	6	10	14
	255	8.5	56	3	4	7	7	26	29
	0								
	1760	6.7	28	2	3	6	8	12	14
	2944	9.2	69	2	4	7	11	18	27

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	94	7.5	3	5	7	7	8	11	11
18-34	57	32.7	1494						
35-49	31	11.0	4						
50-69	16	81.0							
70 +	0								
SUBTOTAL	198	21.1	857	5	7	10	13	95	99 +
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	78	9.8	13						
18-34	62	6.7	44						
35-49	47	10.3	88						
50-69	16	4.0							
70 +	0								
SUBTOTAL	203	8.5	42	2	4	7	11	18	23
GRAND TOTAL	401	14.8	483	3	6	8	13	81	95

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	110	15.9	124	7	8	13	16	42	42
18-34	26	29.2	16						
35-49	16	17.0							
50-69	36	13.3	12						
70 +	0								
	187	17.3	100	8	11	14	18	34	42
	94	8.5	9	6	7	7	8	15	15
	109	7.0	36	1	2	5	10	19	19
	47	10.0	21						
	0								
	0								
	250	8.1	24	2	4	7	11	15	19
	438	12.1	77	4	7	10	15	19	34

DRG 5: Extracranial Vascular Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1249	10.6	144	4	5	7	11	23	31
70-74	1019	9.1	45	4	5	7	12	17	22
75-79	921	9.7	40	4	5	8	13	18	20
80-84	363	9.9	45	4	6	8	12	18	21
85 +	52	9.3	1						
SUBTOTAL	3605	9.8	78	4	5	7	12	19	27
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1385	5.4	9	3	4	5	6	9	10
70-74	827	6.8	18	3	4	5	8	13	15
75-79	765	7.6	29	4	5	6	8	14	17
80-84	374	7.5	36	4	4	6	8	12	23
85 +	115	4.5	1	4	4	4	4	6	7
SUBTOTAL	3465	6.4	19	3	4	5	7	11	15
GRAND TOTAL	7070	8.2	52	4	4	6	9	16	21

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	14.0							
18-34	26	4.0							
35-49	130	8.9	40	3	4	5	12	22	22
50-69	1229	8.9	109	3	4	6	10	14	22
70 +	10	6.0							
SUBTOTAL	1411	8.8	99	3	4	6	10	14	22
0-17	16	2.0							
18-34	99	1.6	1	1	1	1	3	3	3
35-49	255	4.6	7	1	3	4	5	11	11
50-69	1442	5.9	29	3	4	5	6	8	12
70 +	26	7.2	16						
SUBTOTAL	1837	5.5	25	2	3	5	6	8	12
GRAND TOTAL	3248	7.0	60	3	4	5	7	12	18

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	16	4.0							
35-49	16	17.0							
50-69	26	11.0							
70 +	10	14.0							
SUBTOTAL	68	11.2	21						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	26	1.6							
18-34	0								
35-49	0								
50-69	52	4.2	1						
70 +	0								
SUBTOTAL	78	3.3	2	1	2	3	5	5	5
GRAND TOTAL	145	7.0	27	2	3	5	11	17	17

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	204	6.8	29	2	3	5	9	10	22
70 +	0								
SUBTOTAL	204	6.8	29	2	3	5	9	10	22
0-17	0								
18-34	36	1.4							
35-49	10	4.0							
50-69	68	3.7	2						
70 +	16	3.0							
SUBTOTAL	130	3.0	2	1	2	3	4	6	6
GRAND TOTAL	333	5.3	22	1	2	4	7	10	10

DRG 6: Carpal Tunnel Release

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	104	1.8	1	1	1	1	2	4	4
70-74	26	4.0	6						
75-79	42	1.4							
80-84	16	3.0							
85 +	10	1.0							
SUBTOTAL	198	2.0	2	< 1	1	2	2	4	6
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	145	1.1		< 1	< 1	< 1	< 1	2	2
70-74	62	1.0							
75-79	139	2.9	17	< 1	< 1	1	1	14	14
80-84	72	1.0		< 1	< 1	1	1	1	1
85 +	42	2.1	1						
SUBTOTAL	460	1.7	6	< 1	< 1	1	1	3	5
GRAND TOTAL	658	1.8	5	< 1	< 1	1	2	3	5

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	1.0							
35-49	26	1.0							
50-69	10	1.0							
70 +	0								
	46	1.0							
0-17	47	1.0							
18-34	155	1.3		< 1	< 1	< 1	1	3	3
35-49	243	1.2		< 1	< 1	< 1	1	2	3
50-69	222	1.7	3	< 1	< 1	1	2	2	8
70 +	0								
	667	1.4	1	< 1	< 1	< 1	1	2	3
	713	1.4	1	< 1	< 1	< 1	1	2	3

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	16	2.0							
18-34	10	1.0							
35-49	0								
50-69	10	1.0							
70 +	0								
SUBTOTAL	36	1.4							
GRAND TOTAL	36	1.4							

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	10	1.0							
70 +	0								
	10	1.0							
0-17	0								
18-34	26	1.0							
35-49	21	1.0							
50-69	46	1.0							
70 +	0								
	93	1.0		< 1	< 1	< 1	1	1	1
	103	1.0		< 1	< 1	< 1	1	1	1

DRG 7: Periph & Cranial Nerve & Other Nerv Syst Proc w/ CC ,

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	166	11.1	414	1	2	6	9	73	99+
70-74	363	14.8	187	3	6	12	33	99+	99+
75-79	213	15.3	95	1	9	19	30	99+	99+
80-84	171	28.5	500	5	11	32	50	99+	99+
85+	52	28.0	587	6	11	62	99+	99+	99+
SUBTOTAL	966	17.4	319	2	6	12	33	99+	99+
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
GRAND TOTAL	966	17.4	319	2	6	12	33	99+	99+

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	104	5.1	12	1	2	3	8	11	11
18-34	125	12.1	637	<1	1	4	12	12	95
35-49	161	9.5	90	1	1	9	17	21	36
50-69	353	12.8	310	1	4	7	12	39	60
70+	16	23.0							
	759	11.2	279	1	3	7	11	23	39
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	759	11.2	279	1	3	7	11	23	39

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	16	3.0							
18-34	94	7.3	76	1	1	2	18	21	21
35-49	26	22.2	418						
50-69	26	9.2	2						
70+	0								
SUBTOTAL	162	9.6	142	1	1	6	18	21	47
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
GRAND TOTAL	162	9.6	142	1	1	6	18	21	47

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	119	6.1	44	1	2	2	6	20	20
35-49	57	13.0	101						
50-69	57	12.8	62						
70+	0								
	234	9.5	73	1	2	6	12	24	29
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	234	9.5	73	1	2	6	12	24	29

DRG 8: Periph & Cranial Nerve & Other Nerv Syst Proc w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	306	3.4	11	1	1	2	4	6	15
70-74	183	3.5	6	1	2	3	5	6	9
75-79	83	3.3	6	< 1	< 1	3	6	7	7
80-84	99	4.4	10	1	2	4	8	10	11
85 +	94	9.3	79	1	2	7	12	27	27
SUBTOTAL	765	4.3	21	1	1	3	5	9	12
GRAND TOTAL	765	4.3	21	1	1	3	5	9	12

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	976	3.2	13	< 1	1	2	4	7	8
18-34	796	2.2	3	1	1	2	3	5	6
35-49	878	2.4	4	1	1	2	3	4	8
50-69	718	2.6	8	1	1	2	3	5	7
70 +	16	11.0							
SUBTOTAL	3384	2.7	7	1	1	2	3	6	8
GRAND TOTAL	3384	2.7	7	1	1	2	3	6	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	166	2.0	1	1	1	2	3	3	3
18-34	146	2.5	16	< 1	1	1	1	14	14
35-49	68	3.2	2						
50-69	16	11.0							
70 +	0								
SUBTOTAL	396	2.7	10	< 1	1	2	3	5	11
GRAND TOTAL	396	2.7	10	< 1	1	2	3	5	11

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	266	2.6	11	< 1	< 1	1	3	5	15
18-34	285	2.2	3	< 1	1	1	3	5	6
35-49	130	2.4	2	1	1	2	4	5	5
50-69	119	2.7	8	1	1	1	7	8	8
70 +	0								
SUBTOTAL	801	2.4	6	< 1	1	1	3	5	7
GRAND TOTAL	801	2.4	6	< 1	1	1	3	5	7

DRG 9: Spinal Disorders & Injuries

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	57	24.4	377						
70-74	26	1.6							
75-79	68	11.3	22						
80-84	0								
85 +	67	15.0	29	9	10	14	20	24	24
SUBTOTAL	218	14.7	163	2	8	10	17	25	53
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	26	12.8	36						
70-74	16	10.0							
75-79	0								
80-84	52	15.1	39						
85 +	0								
SUBTOTAL	93	13.6	35	6	8	10	20	21	21
GRAND TOTAL	311	14.4	124	2	8	10	20	25	48

TYPE OF PATIENT	BLUE CROSS PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	57	7.0	20						
18-34	57	13.5	85						
35-49	31	9.5	44						
50-69	31	12.5							
70 +	47	16.7	45						
	224	11.8	54	3	6	11	16	24	28
0-17	109	3.7	8	< 1	< 1	3	6	9	9
18-34	98	3.6	5	< 1	2	2	6	7	7
35-49	78	4.3	20	1	1	3	5	15	15
50-69	57	3.9	7						
70 +	16	4.0							
	358	3.9	9	< 1	2	3	5	8	9
	582	6.9	41	1	3	5	9	16	24

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	26	4.4							
18-34	16	10.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	42	6.5	8						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	31	2.0	1						
18-34	0								
35-49	0								
50-69	16	13.0							
70 +	0								
SUBTOTAL	47	5.7	28						
GRAND TOTAL	89	6.1	19	1	3	4	10	13	13

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	31	8.5	13						
50-69	16	15.0							
70 +	0								
	47	10.7	18						
0-17	31	1.0							
18-34	140	5.5	17	1	2	5	7	15	15
35-49	26	18.0	6						
50-69	21	5.5	13						
70 +	0								
	218	6.4	34	1	1	4	8	16	16
	265	7.1	33	1	2	5	12	15	16

Northeastern Region, July 1989 - June 1990

DRG 10: Nervous System Neoplasms w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1133	12.3	89	3	5	10	18	27	29
70-74	743	15.6	240	3	6	12	19	31	55
75-79	764	15.7	322	2	6	11	17	31	59
80-84	302	16.1	113	4	9	19	22	25	46
85 +	280	22.5	349	4	6	12	44	48	51
SUBTOTAL	3222	15.1	212	3	5	11	19	31	47
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	3222	15.1	212	3	5	11	19	31	47

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	595	4.7	26	1	1	3	5	13	16
18-34	307	5.0	17	1	2	3	8	11	15
35-49	597	7.4	37	2	3	6	9	17	21
50-69	1860	11.1	107	3	5	7	14	26	33
70 +	62	9.8	2						
	3422	8.7	78	2	3	6	11	21	28
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3422	8.7	78	2	3	6	11	21	28

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	94	7.3	39	1	3	4	12	19	19
18-34	63	4.0	3						
35-49	52	11.6	73						
50-69	229	15.1	185	4	6	9	27	41	44
70 +	16	17.0							
SUBTOTAL	453	11.6	129	2	4	6	19	31	41
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	453	11.6	129	2	4	6	19	31	41

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	110	3.7	7	1	1	3	6	9	9
18-34	31	14.0	103						
35-49	94	21.5	232	2	8	20	29	49	49
50-69	392	14.6	199	5	6	8	16	34	46
70 +	31	25.5	2						
	658	14.3	189	3	5	8	23	33	46
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	658	14.3	189	3	5	8	23	33	46

DRG 11: Nervous System Neoplasms w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	297	6.1	38	1	3	4	7	10	29
70-74	239	6.4	24	1	2	5	11	14	17
75-79	172	6.2	13	2	3	7	9	10	13
80-84	166	8.3	27	3	3	8	13	14	18
85 +	26	32.3	255						
SUBTOTAL	900	7.4	52	1	3	5	10	14	18
GRAND TOTAL	900	7.4	52	1	3	5	10	14	18

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	512	3.2	7	1	1	2	5	7	10
18-34	219	3.2	15	1	1	1	2	11	13
35-49	166	5.5	28	2	2	3	5	17	18
50-69	504	5.5	39	1	2	3	7	13	13
70 +	26	9.6							
SUBTOTAL	1428	4.4	24	1	1	2	6	10	13
GRAND TOTAL	1428	4.4	24	1	1	2	6	10	13

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	136	1.7		1	1	2	2	2	2
18-34	0								
35-49	10	5.0							
50-69	10	3.0							
70 +	0								
SUBTOTAL	156	2.0	1	1	1	2	2	3	5
GRAND TOTAL	156	2.0	1	1	1	2	2	3	5

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	125	2.8	2	1	2	2	4	5	5
18-34	68	2.6	1						
35-49	104	4.9	6	2	3	5	6	7	10
50-69	63	4.8	13						
70 +	26	3.2	1						
SUBTOTAL	386	3.7	6	1	2	3	5	7	10
GRAND TOTAL	386	3.7	6	1	2	3	5	7	10

DRG 12: Degenerative Nervous System Disorders

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	540	13.1	243	2	6	9	14	33	88
70-74	602	18.5	409	3	7	12	21	36	69
75-79	788	13.1	179	3	7	10	15	25	63
80-84	570	18.0	222	6	8	13	27	43	47
85 +	451	14.8	211	4	6	13	21	35	99 +
SUBTOTAL	2951	15.4	256	4	7	11	19	35	71
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	425	9.8	110	2	3	7	11	27	45
70-74	425	8.4	29	3	6	8	11	12	14
75-79	571	8.8	39	2	5	7	12	16	22
80-84	333	10.3	82	2	4	8	12	30	35
85 +	244	7.3	35	2	3	5	10	18	22
SUBTOTAL	1998	9.0	59	2	4	7	11	18	30
GRAND TOTAL	4949	12.8	187	3	6	9	15	30	46

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	29.0	753						
18-34	31	2.5							
35-49	62	16.2	285	2	5	16	44	99 +	99 +
50-69	207	9.9	66	1	6	8	13	26	28
70 +	46	13.0	51						
SUBTOTAL	379	12.3	186	2	3	8	20	44	56
0-17	162	3.5	10	< 1	1	2	6	9	9
18-34	214	5.9	62	1	2	2	8	15	30
35-49	177	6.5	35	3	3	4	8	11	28
50-69	343	6.8	29	1	3	5	9	14	17
70 +	10	2.0							
SUBTOTAL	905	5.9	36	1	2	4	8	14	17
GRAND TOTAL	1284	7.8	88	1	2	5	9	20	28

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	31	15.5	31						
18-34	16	13.0							
35-49	16	3.0							
50-69	99	21.1	525	7	11	14	17	73	99 +
70 +	0								
SUBTOTAL	162	17.5	357	6	10	13	17	73	99 +
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	78	3.0	2						
18-34	0								
35-49	10	4.0							
50-69	52	11.1	153						
70 +	31	10.0	37						
SUBTOTAL	172	6.8	68	1	2	4	7	16	35
GRAND TOTAL	333	12.0	236	2	4	7	14	35	73

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	16	3.0							
50-69	42	6.5	7						
70 +	57	14.0	48						
SUBTOTAL	115	9.8	46	3	5	5	16	23	23
0-17	26	2.2	2						
18-34	46	4.3	9						
35-49	36	3.8	7						
50-69	42	10.6	58						
70 +	83	13.9	105	5	7	8	19	33	33
SUBTOTAL	233	8.5	73	1	3	5	10	20	33
GRAND TOTAL	347	8.9	64	2	3	5	11	20	23

DRG 13: Multiple Sclerosis & Cerebellar Ataxia

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	450	8.0	43	1	4	6	11	17	19
70-74	0								
75-79	36	12.1	18						
80-84	16	6.0							
85 +	0								
SUBTOTAL	501	8.2	41	1	4	6	12	17	19
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	650	7.6	20	4	4	6	10	14	15
70-74	57	4.3							
75-79	26	8.4	9						
80-84	26	6.6	9						
85 +	26	20.7	168						
SUBTOTAL	785	7.8	29	4	4	6	10	14	16
GRAND TOTAL	1287	7.9	34	2	4	6	10	15	18

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	4.0							
18-34	224	6.4	11	2	4	6	8	11	14
35-49	411	12.6	134	5	6	9	12	29	37
50-69	208	15.1	570	4	5	7	15	16	97
70 +	0								
	854	11.5	217	4	5	7	11	16	37
0-17	52	4.5	7						
18-34	692	8.3	122	3	4	6	9	14	18
35-49	1736	6.1	12	2	4	5	8	10	13
50-69	432	6.6	9	3	4	6	9	11	12
70 +	0								
	2911	6.7	39	3	4	5	8	11	14
	3765	7.8	83	3	4	6	9	13	16

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	68	24.6	351						
35-49	52	5.3	2						
50-69	0								
70 +	0								
SUBTOTAL	119	16.2	291	5	6	7	16	56	56
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	31	1.5							
18-34	104	10.4	64	3	7	11	12	16	32
35-49	63	5.5	7						
50-69	16	20.0							
70 +	10	4.0							
SUBTOTAL	224	8.2	53	1	2	7	11	20	20
GRAND TOTAL	343	11.0	150	2	4	7	12	29	32

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	7.0	17						
18-34	0								
35-49	47	7.7	7						
50-69	26	6.6	4						
70 +	0								
	104	7.2	9	3	4	9	10	11	11
0-17	0								
18-34	68	5.5	11						
35-49	109	6.9	16	3	4	5	13	13	13
50-69	26	4.0							
70 +	0								
	203	6.1	13	3	4	4	9	13	13
	307	6.5	12	3	4	5	10	12	13

DRG 14: Specific Cerebrovascular Disorders except TIA

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	6277	13.4	164	4	6	9	16	30	43
70-74	7019	14.6	199	4	6	10	18	35	55
75-79	7691	15.7	221	4	7	11	20	40	59
80-84	7751	17.3	269	4	7	12	22	45	63
85 +	7641	17.9	249	5	8	13	21	39	57
SUBTOTAL	36379	15.9	226	4	7	11	20	38	57
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2583	7.9	38	2	4	6	10	15	21
70-74	2909	8.5	48	3	4	7	10	15	20
75-79	3297	10.3	97	3	5	7	12	21	27
80-84	2875	11.7	143	3	5	8	13	25	35
85 +	2476	11.1	95	4	6	8	14	18	28
SUBTOTAL	14140	9.9	87	3	5	7	11	18	27
GRAND TOTAL	50519	14.2	194	4	6	10	17	32	50

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	47	9.0	63						
18-34	256	7.9	19	2	6	6	10	15	18
35-49	758	9.7	57	3	5	7	12	18	27
50-69	4578	12.1	155	3	5	8	14	25	37
70 +	611	16.0	153	3	7	13	25	34	43
SUBTOTAL	6250	12.0	140	3	5	8	15	26	37
0-17	0								
18-34	219	6.3	39	1	2	5	7	13	24
35-49	768	6.7	35	2	2	5	9	14	17
50-69	3237	7.5	41	2	4	6	10	13	17
70 +	404	6.9	15	3	4	5	10	12	16
SUBTOTAL	4628	7.3	38	2	3	6	10	13	17
	10877	10.0	102	2	4	7	12	20	29

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	16	31.0							
18-34	16	8.0							
35-49	150	16.8	339	6	9	12	20	82	99 +
50-69	592	19.3	385	5	8	13	26	71	99 +
70 +	255	18.9	204	7	11	13	40	51	99 +
SUBTOTAL	1028	18.8	326	5	8	12	27	82	99 +
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	10	13.0							
18-34	36	7.0	15						
35-49	93	5.9	6	2	5	6	9	9	9
50-69	275	13.9	83	4	6	11	22	31	99 +
70 +	78	28.2	1276						
SUBTOTAL	493	14.1	297	4	6	10	18	31	99
GRAND TOTAL	1521	17.3	321	5	8	12	23	67	99 +

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	73	14.6	237						
35-49	245	10.6	109	2	3	7	12	34	39
50-69	1083	11.9	93	4	5	8	15	24	33
70 +	423	17.8	288	6	9	12	23	42	88
SUBTOTAL	1823	13.2	153	4	6	10	16	29	41
0-17	21	2.5	2						
18-34	42	7.3	10						
35-49	213	6.5	14	3	4	5	7	12	15
50-69	743	9.6	130	2	5	8	10	12	34
70 +	256	8.6	43	3	5	6	9	22	28
SUBTOTAL	1275	8.7	89	3	4	7	10	12	28
	3098	11.4	132	3	5	8	12	25	39

DRG 15: Transient Ischemic Attack & Precerebral Occlusions

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2747	6.1	22	2	3	5	8	11	13
70-74	3220	6.9	58	2	3	5	8	13	18
75-79	3485	9.2	117	2	4	6	11	16	26
80-84	3565	8.7	136	3	4	6	9	14	26
85 +	3682	8.5	82	2	4	6	10	16	25
SUBTOTAL	16700	8.0	88	2	3	6	9	14	22
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2641	4.5	16	1	2	4	6	9	12
70-74	2149	4.3	13	1	2	4	6	7	10
75-79	2467	5.0	21	1	2	4	6	9	11
80-84	2105	4.9	12	1	2	4	6	9	11
85 +	2056	5.5	26	2	3	4	6	11	12
SUBTOTAL	11417	4.8	18	1	2	4	6	9	11
GRAND TOTAL	28117	6.7	62	2	3	5	8	12	17

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	3.0							
35-49	269	5.6	63	1	2	3	7	10	11
50-69	2321	5.2	12	2	3	4	7	10	12
70 +	160	9.8	93	3	3	7	9	28	35
SUBTOTAL	2760	5.5	22	2	3	4	7	10	12
0-17	0								
18-34	36	1.7							
35-49	856	4.4	14	1	2	3	6	9	11
50-69	2992	4.0	15	1	2	3	5	7	8
70 +	150	5.0	10	2	3	4	6	13	13
SUBTOTAL	4035	4.1	14	1	2	3	5	7	9
	6795	4.7	18	1	2	4	6	9	11

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	166	5.9	18	1	3	5	8	12	15
70 +	93	11.5	116	3	3	4	15	36	36
SUBTOTAL	259	7.9	60	2	3	5	12	15	22
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	21	3.0	1						
50-69	135	4.0	10	1	2	2	6	8	12
70 +	42	1.8	1						
SUBTOTAL	197	3.4	8	1	2	2	4	8	10
GRAND TOTAL	456	6.0	42	1	2	4	6	15	15

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	26	4.8	1						
50-69	307	6.7	67	1	3	4	7	14	39
70 +	245	7.1	21	3	4	6	9	15	19
SUBTOTAL	578	6.8	45	2	3	4	9	14	19
0-17	16	5.0							
18-34	26	4.8	12						
35-49	93	2.7	2	< 1	< 1	3	4	5	5
50-69	636	4.2	15	1	2	3	4	10	12
70 +	109	6.0	27	2	2	5	6	18	18
SUBTOTAL	880	4.3	15	1	2	3	5	10	12
	1458	5.3	28	1	2	4	6	11	15

DRG 16: Nonspecific Cerebrovascular Disorders w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	213	9.3	47	2	5	6	16	26	99 +
70-74	270	8.0	34	3	3	5	11	13	22
75-79	295	15.5	315	3	6	9	17	67	98
80-84	410	14.4	315	3	7	9	15	28	94
85 +	456	16.3	380	3	5	9	16	47	69
SUBTOTAL	1643	13.4	262	3	5	9	15	34	69
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	1643	13.4	262	3	5	9	15	34	69

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	63	4.8	19						
18-34	26	6.2	12						
35-49	46	27.6	436						
50-69	197	9.1	33	3	5	7	12	18	22
70 +	36	5.7	12						
	369	10.2	124	2	4	7	12	18	24
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	369	10.2	124	2	4	7	12	18	24

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	16	4.0							
50-69	36	7.6	10						
70 +	10	4.0							
SUBTOTAL	62	6.1	9						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	62	6.1	9						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	26	6.6							
35-49	0								
50-69	16	4.0							
70 +	0								
	42	5.6	2						
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	42	5.6	2						

DRG 17: Nonspecific Cerebrovascular Disorders w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	93	7.6	49	1	3	7	9	22	22
70-74	109	12.7	164	2	5	7	9	34	37
75-79	124	4.8	15	1	3	3	6	8	16
80-84	114	7.9	10	4	4	8	9	12	13
85 +	125	7.0	19	2	4	6	11	15	15
SUBTOTAL	565	7.9	56	2	4	6	9	15	22
GRAND TOTAL	565	7.9	56	2	4	6	9	15	22

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	120	3.1	10	< 1	< 1	2	3	11	11
18-34	130	4.4	22	1	3	3	4	5	20
35-49	129	5.5	16	1	2	4	8	14	14
50-69	115	4.1	3	2	3	4	5	7	7
70 +	16	2.0							
SUBTOTAL	510	4.2	14	< 1	2	3	5	9	14
	510	4.2	14	< 1	2	3	5	9	14

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	52	4.4	6						
18-34	31	10.5	13						
35-49	26	4.0	6						
50-69	0								
70 +	0								
SUBTOTAL	109	6.0	16	2	3	4	7	14	14
GRAND TOTAL	109	6.0	16	2	3	4	7	14	14

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	31	4.0	1						
18-34	16	4.0							
35-49	21	5.5	21						
50-69	26	3.4	4						
70 +	0								
SUBTOTAL	93	4.2	6	1	3	4	5	10	10
	93	4.2	6	1	3	4	5	10	10

DRG 18: Cranial & Peripheral Nerve Disorders w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1084	8.4	46	2	3	7	10	16	25
70-74	519	8.2	57	2	4	7	10	15	19
75-79	436	10.9	112	3	4	8	13	26	50
80-84	206	10.6	55	3	5	7	15	20	24
85 +	207	10.0	37	4	5	8	14	19	23
SUBTOTAL	2452	9.1	61	2	4	7	12	19	25
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	2452	9.1	61	2	4	7	12	19	25

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	63	7.3	61						
18-34	109	6.0	17	2	2	5	13	99 +	99 +
35-49	540	4.7	6	2	2	4	6	8	9
50-69	659	6.4	27	1	3	6	8	13	17
70 +	57	5.7	6						
	1428	5.7	20	1	3	5	8	10	17
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1428	5.7	20	1	3	5	8	10	17

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	26	4.6	9						
18-34	21	5.5	21						
35-49	83	8.8	50	3	5	6	7	23	23
50-69	150	10.3	46	1	7	9	13	27	27
70 +	10	14.0							
SUBTOTAL	290	9.1	45	1	5	7	10	23	27
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	290	9.1	45	1	5	7	10	23	27

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	11.0							
18-34	77	5.7	13	< 1	2	5	9	10	10
35-49	93	3.6		2	3	4	4	4	4
50-69	99	6.4	34	1	2	3	10	18	18
70 +	47	10.3	6						
	332	6.2	20	2	3	4	10	11	13
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	332	6.2	20	2	3	4	10	11	13

DRG 19: Cranial & Peripheral Nerve Disorders w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	633	5.3	23	1	2	4	7	13	14
70-74	446	5.4	15	1	3	4	8	11	13
75-79	327	6.3	40	1	2	4	8	16	21
80-84	213	4.4	12	1	2	4	5	9	11
85 +	177	13.5	302	2	4	8	12	21	66
SUBTOTAL	1796	6.2	56	1	2	4	8	13	18
GRAND TOTAL	1796	6.2	56	1	2	4	8	13	18

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-69	371	6.5	23	2	2	6	9	14	17
70-74	524	4.4	8	1	2	4	6	7	10
75-49	878	3.5	10	1	1	2	5	8	12
80-84	1247	5.1	20	1	2	4	7	11	14
85 +	21	3.5	2						
	3039	4.7	16	1	2	3	7	10	12
	3039	4.7	16	1	2	3	7	10	12

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	47	2.7	3						
18-34	26	5.8	2						
35-49	42	7.0	10						
50-69	62	13.2	44						
70 +	26	8.6	20						
SUBTOTAL	203	8.0	35	2	4	6	11	15	23
GRAND TOTAL	203	8.0	35	2	4	6	11	15	23

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	125	6.4	15	3	3	6	8	15	15
18-34	177	5.1	9	1	2	6	7	9	10
35-49	73	6.2	19						
50-69	140	5.3	6	2	3	6	7	9	9
70 +	42	3.1	1						
	557	5.4	11	1	3	5	7	9	12
	557	5.4	11	1	3	5	7	9	12

Northeastern Region, July 1989 - June 1990

DRG 20: Nervous System Infection except Viral Meningitis

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	302	15.4	128	4	6	14	20	31	48
70-74	286	20.0	238	2	11	18	26	36	53
75-79	187	17.3	258	4	6	16	20	30	64
80-84	244	13.7	180	3	4	8	18	32	54
85 +	114	21.5	142	9	14	19	38	41	41
SUBTOTAL	1133	17.1	197	4	7	14	22	32	48
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	68	4.9	12						
70-74	104	10.6	20	4	7	9	15	17	17
75-79	26	7.4	4						
80-84	47	7.3	30						
85 +	31	10.3	3						
SUBTOTAL	275	8.3	22	2	4	9	11	15	17
GRAND TOTAL	1408	15.4	175	3	6	11	19	31	41

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	427	11.2	29	5	7	10	14	20	23
18-34	99	22.5	282	4	6	18	38	46	54
35-49	186	8.8	47	1	3	7	13	15	26
50-69	333	19.0	260	6	8	14	19	52	53
70 +	46	6.7	45						
	1092	14.0	150	4	7	10	18	26	52
	1067	7.5	15	3	4	7	10	12	14
	358	6.0	42	1	2	3	7	15	19
	363	7.5	31	2	2	6	11	15	16
	259	10.4	133	1	3	7	12	25	47
	0								
	2046	7.6	39	2	3	7	10	15	16
	3138	9.8	87	2	4	8	12	18	26

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	374	12.1	52	5	7	10	16	23	27
18-34	26	19.8	36						
35-49	31	31.0	646						
50-69	26	23.9	132						
70 +	0								
SUBTOTAL	407	14.8	133	5	7	11	23	33	99 +
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	344	10.1	35	3	7	9	11	15	21
18-34	26	12.2	12						
35-49	16	13.0							
50-69	26	13.4	4						
70 +	0								
SUBTOTAL	411	10.5	32	4	7	10	13	15	21
GRAND TOTAL	818	12.6	87	5	7	10	15	28	36

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	266	9.7	70	4	5	8	10	14	40
18-34	26	2.2	1						
35-49	115	24.9	290	11	13	18	42	60	60
50-69	73	31.1	202	12	26	45	99 +	99 +	99 +
70 +	0								
	479	16.2	223	3	7	11	19	47	99 +
	250	7.1	12	2	4	8	9	12	15
	115	5.8	20	1	3	5	7	16	16
	16	11.0							
	26	14.8	16						
	0								
	406	7.4	19	2	4	7	10	15	16
	886	12.1	149	3	5	9	15	42	60

DRG 21: Viral Meningitis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	16	11.0							
70-74	36	12.7	25						
75-79	42	9.0	12						
80-84	26	15.5	143						
85 +	10	21.0							
SUBTOTAL	130	12.5	50	6	6	11	13	21	30
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	42	3.5	4						
70-74	0								
75-79	0								
80-84	16	5.0							
85 +	0								
SUBTOTAL	57	3.9	3						
GRAND TOTAL	187	9.9	52	2	5	6	11	21	30

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	427	4.3	11	1	2	3	6	11	11
18-34	243	3.9	4	2	2	3	5	7	7
35-49	93	3.3	3	2	2	3	3	8	8
50-69	42	4.2	6						
70 +	16	17.0							
	821	4.3	11	2	2	3	5	8	11
0-17	2053	3.2	3	2	2	3	4	5	6
18-34	1243	3.7	4	2	2	3	4	6	7
35-49	362	4.1	4	2	3	4	5	7	8
50-69	140	3.9	3	2	3	4	5	6	8
70 +	0								
	3798	3.5	4	2	2	3	4	6	7
	4619	3.6	5	2	2	3	4	6	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	140	5.1	13	2	3	3	8	10	14
18-34	52	11.6	204						
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	192	6.8	73	2	3	3	8	14	36
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	839	3.1	4	1	2	2	3	6	8
18-34	124	3.6	5	2	3	3	3	6	10
35-49	16	5.0							
50-69	0								
70 +	0								
SUBTOTAL	979	3.2	4	2	2	3	3	6	8
GRAND TOTAL	1171	3.8	17	2	2	3	4	8	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	203	4.6	11	2	2	4	4	11	12
18-34	99	6.9	20	2	2	7	12	12	12
35-49	47	5.0	2						
50-69	0								
70 +	0								
	349	5.3	13	2	2	4	7	12	12
0-17	562	3.5	12	1	2	3	4	5	8
18-34	316	3.9	6	1	2	3	6	7	10
35-49	83	6.0	3	3	5	6	7	9	9
50-69	0								
70 +	0								
	962	3.9	10	1	2	3	5	7	9
	1311	4.2	11	1	2	3	5	8	11

DRG 22: Hypertensive Encephalopathy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	93	12.5	53	5	8	10	22	23	23
70-74	114	11.0	93	3	4	9	20	31	31
75-79	124	10.7	60	4	5	8	12	17	32
80-84	83	10.4	46	2	7	7	19	21	21
85 +	104	9.4	25	4	5	7	13	15	17
SUBTOTAL	518	10.8	57	3	5	8	16	22	27
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	51	3.0	3						
70-74	41	4.3	8						
75-79	57	4.5	2						
80-84	88	7.8	35	4	4	7	7	23	23
85 +	46	9.4	62						
SUBTOTAL	284	6.0	28	2	3	4	7	10	20
GRAND TOTAL	802	9.1	52	2	4	7	12	20	23

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	8.0							
18-34	0								
35-49	52	7.9	46						
50-69	171	6.1	12	3	3	5	8	12	14
70 +	0								
	238	6.6	19	3	3	5	8	14	18
0-17	0								
18-34	10	1.0							
35-49	98	2.9	1	2	2	3	4	4	4
50-69	119	4.5	9	2	2	3	7	8	11
70 +	21	4.0	9						
	247	3.7	6	1	2	3	4	7	8
	486	5.1	15	2	2	4	7	11	14

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	16	4.0							
18-34	10	9.0							
35-49	16	22.0							
50-69	10	16.0							
70 +	10	3.0							
SUBTOTAL	62	11.2	59						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	16	3.0							
50-69	10	1.0							
70 +	0								
SUBTOTAL	26	2.2	1						
GRAND TOTAL	88	8.5	59	1	3	4	16	22	22

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	36	11.8	54						
50-69	52	6.0	8						
70 +	0								
	88	8.4	35	3	4	6	10	20	20
0-17	0								
18-34	0								
35-49	41	6.3	16						
50-69	16	17.0							
70 +	0								
	57	9.2	35						
	145	8.7	35	3	4	6	13	20	20

DRG 23: Nontraumatic Stupor & Coma

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	119	6.0	38	2	2	4	5	14	23
70-74	21	3.5	2						
75-79	119	11.7	76	4	5	9	21	29	29
80-84	82	8.5	68	1	2	6	10	27	27
85 +	88	9.2	62	1	3	5	15	23	23
SUBTOTAL	429	8.6	63	2	3	5	11	23	27
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	10	5.0							
70-74	16	18.0							
75-79	10	1.0							
80-84	26	11.5	49						
85 +	41	9.3	67						
SUBTOTAL	103	9.9	59	2	3	7	18	19	23
GRAND TOTAL	532	8.8	62	2	3	5	15	23	23

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	31.0	753						
18-34	72	1.6	1	<1	1	1	2	3	3
35-49	89	3.3	7	<1	1	2	6	9	9
50-69	46	5.5	12						
70 +	0								
	239	6.9	192	<1	1	3	4	12	58
0-17	36	1.0							
18-34	0								
35-49	46	1.2							
50-69	26	4.2	1						
70 +	0								
	109	1.9	2	1	1	1	2	5	5
	347	5.3	138	<1	1	2	4	9	12

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	21	2.5							
18-34	16	2.0							
35-49	26	5.4	4						
50-69	16	8.0							
70 +	0								
SUBTOTAL	78	4.5	6	2	2	3	7	8	8
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	16	5.0							
50-69	0								
70 +	0								
SUBTOTAL	16	5.0							
GRAND TOTAL	93	4.6	5	2	2	5	7	8	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	6.0							
18-34	21	1.5							
35-49	16	35.0							
50-69	16	18.0							
70 +	10	3.0							
	78	12.7	163	1	2	6	18	35	35
0-17	10	2.0							
18-34	10	3.0							
35-49	21	1.0							
50-69	0								
70 +	0								
	41	1.8	1						
	119	8.9	133	1	1	3	18	35	35

DRG 24: Seizure & Headache Age >17 w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3035	6.4	38	2	3	5	8	12	16
70-74	2137	8.4	59	2	4	6	10	20	28
75-79	1641	10.8	193	3	4	7	10	23	40
80-84	1370	8.9	73	2	4	7	11	18	25
85 +	1155	11.0	164	3	4	6	11	29	39
SUBTOTAL	9338	8.6	94	2	4	6	10	17	29
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	9338	8.6	94	2	4	6	10	17	29

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1437	3.6	7	1	2	3	5	7	9
35-49	1440	4.4	13	1	2	3	6	10	13
50-69	1792	5.6	31	2	2	4	7	11	14
70 +	124	6.5	46	1	2	5	9	13	26
	4794	4.7	20	1	2	3	6	10	12
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4794	4.7	20	1	2	3	6	10	12

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	645	4.2	8	1	2	3	6	8	10
35-49	658	5.8	28	2	3	5	6	11	12
50-69	575	7.3	20	3	4	7	10	12	15
70 +	46	17.9	96						
SUBTOTAL	1924	6.0	26	2	3	4	8	11	13
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	1924	6.0	26	2	3	4	8	11	13

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	595	3.4	6	1	2	3	4	7	8
35-49	633	5.4	58	1	2	3	6	10	11
50-69	264	4.5	8	2	2	4	6	8	8
70 +	73	16.3	99						
	1565	5.0	39	1	2	3	6	9	15
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1565	5.0	39	1	2	3	6	9	15

DRG 25: Seizure & Headache Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2140	4.3	19	1	2	3	5	8	12
70-74	1026	4.9	18	2	2	4	6	9	13
75-79	844	6.1	111	1	2	4	5	9	14
80-84	667	4.8	10	1	3	4	6	8	9
85 +	396	6.1	29	1	3	4	9	13	15
SUBTOTAL	5072	4.9	34	1	2	4	6	9	12
GRAND TOTAL	5072	4.9	34	1	2	4	6	9	12

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	4685	3.2	9	1	1	2	4	6	7
35-49	3563	2.7	4	1	1	2	3	5	7
50-69	2411	3.4	5	1	2	3	4	6	8
70 +	113	4.2	3	2	3	4	5	7	7
	10771	3.1	6	1	1	2	4	6	7
	10771	3.1	6	1	1	2	4	6	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	1214	4.5	53	1	2	3	4	7	13
35-49	669	2.9	3	1	2	2	4	5	6
50-69	378	5.0	65	1	1	2	5	8	15
70 +	26	2.6	4						
SUBTOTAL	2287	4.1	40	1	2	3	4	7	10
GRAND TOTAL	2287	4.1	40	1	2	3	4	7	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1317	2.9	5	1	1	2	4	6	7
35-49	668	3.3	12	1	2	2	4	6	7
50-69	483	3.3	6	1	1	3	4	7	7
70 +	52	3.8	5						
	2520	3.1	7	1	1	2	4	6	7
	2520	3.1	7	1	1	2	4	6	7

DRG 26: Seizure & Headache Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	31	12.0	125						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	31	12.0	125						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	31	12.0	125						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	2319	4.2	18	1	1	3	5	11	13
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2319	4.2	18	1	1	3	5	11	13
0-17	9939	2.9	9	1	1	2	3	5	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	9939	2.9	9	1	1	2	3	5	8
	12258	3.1	11	1	1	2	4	6	9

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	900	4.3	17	1	2	3	5	8	14
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	900	4.3	17	1	2	3	5	8	14
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	3294	3.1	10	1	1	2	4	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	3294	3.1	10	1	1	2	4	5	7
GRAND TOTAL	4194	3.3	12	1	2	2	4	6	9

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	666	6.7	150	1	1	3	6	10	27
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	666	6.7	150	1	1	3	6	10	27
0-17	2422	3.1	8	1	1	2	4	6	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2422	3.1	8	1	1	2	4	6	10
	3088	3.9	41	1	1	2	4	7	11

DRG 27: Traumatic Stupor & Coma, Coma >1 Hr

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	68	14.7	107						
70-74	21	9.5	76						
75-79	36	7.6	29						
80-84	36	41.6	332						
85 +	21	7.5	44						
SUBTOTAL	181	17.3	281	1	7	12	23	33	62
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	52	17.6	746						
70-74	0								
75-79	16	8.0							
80-84	10	8.0							
85 +	0								
SUBTOTAL	78	14.4	515	3	4	5	8	72	72
GRAND TOTAL	259	16.4	351	1	5	8	18	50	62

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	52	19.6	90						
18-34	198	8.0	44	1	3	6	12	16	24
35-49	16	2.0							
50-69	47	8.7	23						
70 +	16	4.0							
SUBTOTAL	329	9.4	66	2	3	7	13	23	24
0-17	328	4.7	20	1	1	3	8	9	9
18-34	224	4.5	13	1	2	3	7	11	13
35-49	130	3.6	4	2	2	3	4	7	7
50-69	47	10.7	4						
70 +	0								
SUBTOTAL	729	4.8	16	1	1	3	7	11	13
GRAND TOTAL	1057	6.2	36	1	2	4	8	13	19

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	16	11.0							
18-34	89	6.7	48	1	2	3	9	24	24
35-49	42	7.3	9						
50-69	26	6.6	9						
70 +	0								
SUBTOTAL	172	7.2	30	2	3	9	9	11	24
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	16	4.0							
18-34	16	19.0							
35-49	16	6.0							
50-69	0								
70 +	0								
SUBTOTAL	47	9.7	45						
GRAND TOTAL	219	7.7	34	2	3	7	9	19	19

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	8.0							
18-34	109	7.7	116	1	2	3	10	33	33
35-49	57	8.8	24						
50-69	10	5.0							
70 +	0								
SUBTOTAL	192	7.9	73	1	2	5	9	16	33
0-17	52	9.9	38						
18-34	130	4.7	9	1	2	4	7	10	10
35-49	42	6.0	3						
50-69	31	3.5							
70 +	0								
SUBTOTAL	255	5.8	18	1	3	4	8	10	19
GRAND TOTAL	447	6.7	43	1	3	5	8	16	19

DRG 28: Traumatic Stupor & Coma, Coma <1 Hr Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	302	6.5	29	1	2	6	10	13	13
70-74	239	14.7	159	3	5	12	19	45	99+
75-79	171	8.3	45	1	3	5	10	19	22
80-84	244	9.6	54	3	3	7	15	21	25
85+	295	12.8	215	2	3	6	16	46	48
SUBTOTAL	1250	10.4	113	2	3	7	14	25	41
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
GRAND TOTAL	1250	10.4	113	2	3	7	14	25	41

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	417	4.4	28	1	1	2	5	17	18
35-49	297	4.0	11	1	1	2	5	11	11
50-69	260	8.6	236	1	2	3	9	15	67
70+	42	8.2	19						
	1015	5.5	80	1	1	2	6	11	17
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	1015	5.5	80	1	1	2	6	11	17

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	177	4.9	12	2	3	4	5	12	12
35-49	26	6.6							
50-69	0								
70+	0								
SUBTOTAL	203	5.1	11	2	3	4	6	12	12
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
GRAND TOTAL	203	5.1	11	2	3	4	6	12	12

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	369	7.1	112	1	2	4	9	13	18
35-49	177	10.3	114	1	2	9	14	21	39
50-69	99	7.7	34	1	2	7	14	17	17
70+	52	10.6	59						
	697	8.3	99	1	2	4	11	17	21
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	697	8.3	99	1	2	4	11	17	21

DRG 29: Traumatic Stupor & Coma, Coma <1 Hr Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	171	3.2	3	1	2	3	5	6	6
70-74	93	4.2	5	2	3	3	5	10	10
75-79	114	15.6	712	3	4	4	7	82	82
80-84	197	5.0	9	2	3	5	6	7	13
85 +	250	7.1	104	1	2	3	5	30	30
SUBTOTAL	825	6.6	147	1	2	4	6	10	30
GRAND TOTAL	825	6.6	147	1	2	4	6	10	30

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1583	2.9	7	1	1	2	3	6	8
35-49	510	4.0	10	1	2	3	5	10	10
50-69	282	3.6	10	1	1	2	5	7	12
70 +	99	13.1	382	2	2	4	16	57	57
	2473	3.6	27	1	1	2	4	7	10
	2473	3.6	27	1	1	2	4	7	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	98	4.5	7	1	2	4	8	9	9
35-49	26	1.6							
50-69	31	7.0	26						
70 +	0								
SUBTOTAL	156	4.5	12	1	2	4	8	11	12
GRAND TOTAL	156	4.5	12	1	2	4	8	11	12

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	733	2.4	4	1	1	2	3	4	7
35-49	229	4.2	10	1	2	3	6	7	14
50-69	62	2.3	2						
70 +	26	4.6							
	1050	2.8	6	1	1	2	4	6	7
	1050	2.8	6	1	1	2	4	6	7

DRG 30: Traumatic Stupor & Coma, Coma <1 Hr Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	438	3.3	22	1	1	1	3	10	11
18-34	0								
35-49	0								
50-69	0								
70+	0								
	438	3.3	22	1	1	1	3	10	11
0-17	3377	1.8	6	1	1	1	2	3	4
18-34	0								
35-49	0								
50-69	0								
70+	0								
	3377	1.8	6	1	1	1	2	3	4
	3814	2.0	8	1	1	1	2	3	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	209	4.2	14	<1	1	3	5	11	13
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	209	4.2	14	<1	1	3	5	11	13
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	796	2.4	5	1	1	2	2	4	6
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	796	2.4	5	1	1	2	2	4	6
GRAND TOTAL	1004	2.7	8	1	1	2	3	6	11

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	162	2.4	2	1	1	3	3	4	5
18-34	0								
35-49	0								
50-69	0								
70+	0								
	162	2.4	2	1	1	3	3	4	5
0-17	1057	2.0	3	1	1	1	2	4	5
18-34	0								
35-49	0								
50-69	0								
70+	0								
	1057	2.0	3	1	1	1	2	4	5
	1218	2.1	3	1	1	1	3	4	5

DRG 31: Concussion Age >17 w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	227	3.8	18	1	1	3	5	7	9
70-74	170	3.8	4	2	2	4	5	6	10
75-79	217	6.5	15	2	2	6	10	12	12
80-84	103	16.7	1010	1	1	2	11	91	91
85 +	223	10.3	55	3	4	7	19	22	23
SUBTOTAL	940	7.4	148	1	2	4	8	13	22
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	940	7.4	148	1	2	4	8	13	22

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	746	2.5	4	< 1	1	2	3	5	6
35-49	259	2.3	2	< 1	1	2	3	4	5
50-69	218	3.4	7	1	2	2	4	6	7
70 +	78	5.1	7	1	3	4	7	9	9
	1301	2.8	5	1	1	2	4	5	7
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1301	2.8	5	1	1	2	4	5	7

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	26	1.0							
35-49	46	2.1	4						
50-69	36	7.0	40						
70 +	0								
SUBTOTAL	109	3.5	21	< 1	1	1	6	7	16
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	109	3.5	21	< 1	1	1	6	7	16

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	606	2.8	5	< 1	1	2	3	6	6
35-49	202	4.2	8	1	2	4	6	9	10
50-69	78	7.6	9	3	4	9	10	11	11
70 +	10	17.0							
	896	3.7	10	1	1	3	5	9	11
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	896	3.7	10	1	1	3	5	9	11

DRG 32: Concussion Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	129	2.8	2	1	2	2	4	6	6
70-74	109	3.1	5	2	2	2	4	4	9
75-79	186	3.0	7	1	1	2	4	8	8
80-84	144	4.5	32	1	1	2	4	10	22
85 +	150	5.7	21	2	3	3	7	13	19
SUBTOTAL	718	3.8	15	1	2	2	4	8	10
GRAND TOTAL	718	3.8	15	1	2	2	4	8	10

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	2126	1.8	2	1	1	1	2	3	4
35-49	664	2.4	5	1	1	2	3	4	7
50-69	461	2.1	3	1	1	1	2	4	6
70 +	125	4.1	7	1	2	4	6	10	10
	3375	2.0	3	1	1	1	2	4	6
	3375	2.0	3	1	1	1	2	4	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	176	2.2	2	1	1	2	3	4	6
35-49	31	1.5							
50-69	16	3.0							
70 +	0								
SUBTOTAL	223	2.1	2	1	1	2	3	4	6
GRAND TOTAL	223	2.1	2	1	1	2	3	4	6

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1263	1.9	2	<1	1	1	2	3	4
35-49	378	2.2	5	1	1	2	2	3	7
50-69	207	3.3	20	1	1	2	3	5	9
70 +	26	3.0							
	1874	2.1	5	<1	1	2	2	3	4
	1874	2.1	5	<1	1	2	2	3	4

DRG 33: Concussion Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	10	7.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	10	7.0							
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	10	7.0							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	296	2.2	4	1	1	1	2	4	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	296	2.2	4	1	1	1	2	4	9
0-17	4030	1.3		1	1	1	1	2	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	4030	1.3		1	1	1	1	2	3
GRAND TOTAL	4326	1.4	1	1	1	1	1	2	3

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	89	2.4	2	1	2	2	2	5	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	89	2.4	2	1	2	2	2	5	5
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	482	1.5	1	1	1	1	2	3	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	482	1.5	1	1	1	1	2	3	4
GRAND TOTAL	571	1.6	1	1	1	1	2	3	5

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	124	4.4	56	1	1	2	2	24	24
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	124	4.4	56	1	1	2	2	24	24
0-17	1005	1.6	2	1	1	1	2	2	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1005	1.6	2	1	1	1	2	2	4
GRAND TOTAL	1129	1.9	9	1	1	1	2	2	4

DRG 34: Other Disorders of Nervous System w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	722	11.4	184	2	3	7	13	30	39
70-74	545	10.0	62	4	5	8	11	23	31
75-79	367	12.1	357	3	5	7	12	21	97
80-84	446	12.7	114	2	5	9	18	32	33
85 +	425	8.2	58	3	3	5	9	18	25
SUBTOTAL	2505	10.9	151	3	4	7	12	25	33
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	2505	10.9	151	3	4	7	12	25	33

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	448	5.5	36	1	2	3	6	18	20
18-34	265	8.6	110	1	4	6	9	13	46
35-49	207	7.7	57	1	2	4	15	16	18
50-69	365	10.3	163	2	4	8	11	45	58
70 +	26	8.0	25						
	1311	7.9	93	1	2	4	10	18	30
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1311	7.9	93	1	2	4	10	18	30

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	157	5.0	95	< 1	1	2	3	27	34
18-34	73	4.9	48	1	1	2	18	99 +	99 +
35-49	52	7.5	9						
50-69	104	11.6	49	4	5	9	20	21	21
70 +	16	16.0							
SUBTOTAL	401	7.4	70	1	1	3	16	21	34
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	401	7.4	70	1	1	3	16	21	34

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	63	12.0	149						
18-34	42	6.7	2						
35-49	99	6.5	46	< 1	1	4	13	20	20
50-69	78	15.2	71						
70 +	16	14.0							
	297	10.4	79	1	4	7	15	25	32
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	297	10.4	79	1	4	7	15	25	32

DRG 35: Other Disorders of Nervous System w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	337	6.7	70	1	2	4	6	25	31
70-74	134	5.8	7	3	4	5	7	10	11
75-79	212	7.5	36	2	3	6	9	20	23
80-84	155	8.8	62	3	4	6	12	14	35
85 +	93	9.8	66	4	5	8	27	99 +	99 +
SUBTOTAL	932	7.4	53	1	3	5	9	22	28
GRAND TOTAL	932	7.4	53	1	3	5	9	22	28

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	875	3.3	14	1	1	2	5	7	9
18-34	508	3.0	8	1	1	2	4	6	9
35-49	483	2.8	4	1	1	2	4	6	7
50-69	389	3.7	16	1	1	2	5	13	14
70 +	10	8.0							
	2266	3.2	11	1	1	2	4	7	9
	2266	3.2	11	1	1	2	4	7	9

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	396	5.1	119	< 1	1	2	3	6	40
18-34	93	2.1	1	< 1	1	2	2	4	4
35-49	73	2.9	1						
50-69	42	6.9	34						
70 +	0								
SUBTOTAL	604	4.5	82	< 1	1	2	3	5	40
GRAND TOTAL	604	4.5	82	< 1	1	2	3	5	40

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	136	10.1	349	< 1	2	2	6	61	61
18-34	83	2.2	2	1	1	2	3	4	4
35-49	89	3.1	5	< 1	1	2	5	7	7
50-69	52	5.8	18						
70 +	16	4.0							
	375	5.9	141	1	1	3	5	10	13
	375	5.9	141	1	1	3	5	10	13

Northeastern Region, July 1989 - June 1990

DRG 36: Retinal Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	636	2.8	3	1	2	2	3	5	5
70-74	423	2.3	1	1	2	2	3	3	4
75-79	354	4.2	23	2	2	3	3	7	12
80-84	224	4.1	10	2	2	3	5	10	13
85 +	78	7.2	67	1	2	2	16	24	24
SUBTOTAL	1714	3.4	12	1	2	2	3	5	10
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	1027	2.1	1	1	2	2	2	3	3
70-74	773	2.4	2	1	2	2	3	4	5
75-79	740	2.4	1	1	2	2	3	4	5
80-84	298	3.1	2	2	2	3	4	6	7
85 +	99	2.2		1	2	2	3	3	3
SUBTOTAL	2937	2.4	1	1	2	2	3	4	5
GRAND TOTAL	4651	2.7	5	1	2	2	3	4	5

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	219	2.7	1	2	2	2	3	4	6
35-49	297	2.5	3	1	2	2	2	4	7
50-69	730	2.8	3	1	2	2	4	5	5
70 +	63	3.0	1						
SUBTOTAL	1309	2.7	2	1	2	2	3	5	6
0-17	240	2.0	1	1	1	2	2	3	5
18-34	877	2.1	1	1	2	2	2	3	3
35-49	1012	2.0	1	1	1	2	2	3	3
50-69	2687	2.3	2	1	2	2	2	3	5
70 +	73	2.0	2						
SUBTOTAL	4889	2.2	2	1	2	2	2	3	4
	6198	2.3	2	1	2	2	3	4	5

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	141	3.4	4	1	2	3	5	7	7
35-49	16	2.0							
50-69	63	3.5	4						
70 +	0								
SUBTOTAL	219	3.4	4	2	2	3	5	7	7
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	47	2.3							
18-34	73	2.8	1						
35-49	31	3.0	1						
50-69	78	3.4	3						
70 +	16	3.0							
SUBTOTAL	245	2.9	2	2	2	2	4	5	6
GRAND TOTAL	465	3.1	3	2	2	2	4	6	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	4.0							
18-34	10	38.0							
35-49	16	3.0							
50-69	47	3.0	2						
70 +	0								
SUBTOTAL	89	7.2	127	2	2	3	5	38	38
0-17	31	2.0	1						
18-34	89	2.8	1	1	2	3	4	4	4
35-49	47	1.7							
50-69	198	3.1	3	1	2	3	5	5	6
70 +	16	1.0							
SUBTOTAL	381	2.7	2	1	1	2	4	5	5
	470	3.5	29	1	2	2	4	5	6

DRG 37: Orbital Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	88	2.8	4	1	2	2	3	8	8
70-74	26	2.0							
75-79	31	3.5							
80-84	83	5.5	14	2	2	3	9	12	12
85 +	46	9.8	146						
SUBTOTAL	275	4.8	37	2	2	3	4	9	12
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	57	4.2	9						
70-74	68	2.5	1						
75-79	99	4.2	28	1	1	1	4	16	16
80-84	78	9.5	136	1	1	2	12	31	31
85 +	16	2.0							
SUBTOTAL	317	5.0	50	1	1	2	4	14	24
GRAND TOTAL	592	4.9	44	1	2	3	4	12	16

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	110	3.3	4	1	2	2	5	7	7
18-34	36	3.1	1						
35-49	47	2.0	2						
50-69	42	2.0							
70 +	0								
	234	2.8	3	1	2	2	4	5	7
0-17	266	2.9	13	< 1	1	2	3	4	16
18-34	255	3.9	13	1	1	3	4	12	12
35-49	182	1.9	1	1	1	2	3	3	5
50-69	104	2.5	3	1	2	2	3	6	6
70 +	0								
	806	2.9	9	1	1	2	3	7	12
	1041	2.9	8	1	1	2	3	6	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	63	5.8	15						
35-49	10	3.0							
50-69	57	3.9	4						
70 +	0								
SUBTOTAL	130	4.7	10	1	2	3	7	10	10
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	68	2.6	3						
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	68	2.6	3						
GRAND TOTAL	198	4.0	9	1	1	3	5	9	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	3.0							
18-34	57	4.3	5						
35-49	16	2.0							
50-69	0								
70 +	0								
	83	3.7	4	2	3	3	4	9	9
0-17	57	2.9	3						
18-34	83	2.8	3	1	1	2	3	6	6
35-49	16	4.0							
50-69	0								
70 +	0								
	156	2.9	3	< 1	1	3	4	6	6
	239	3.2	4	1	2	3	4	6	6

DRG 38: Primary Iris Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	16	1.0							
80-84	10	3.0							
85 +	0								
SUBTOTAL	26	1.8	1						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	51	1.2							
70-74	10	1.0							
75-79	21	2.0	1						
80-84	67	1.7	2	< 1	< 1	< 1	< 1	4	4
85 +	10	4.0							
SUBTOTAL	159	1.7	1	< 1	< 1	< 1	2	4	4
GRAND TOTAL	185	1.7	1	< 1	< 1	1	3	4	4

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	16	1.0							
35-49	16	3.0							
50-69	62	1.4							
70 +	0								
	93	1.6	1	< 1	1	1	2	3	3
	93	1.6	1	< 1	1	1	2	3	3

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	31	2.5	2						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	31	2.5	2						
GRAND TOTAL	31	2.5	2						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	47	1.0							
18-34	0								
35-49	21	1.0							
50-69	41	1.0							
70 +	0								
	109	1.0		< 1	< 1	< 1	1	1	1
	109	1.0		< 1	< 1	< 1	1	1	1

DRG 39: Lens Procedures with or without Vitrectomy

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	570	3.1	68	< 1	1	2	2	3	4
70-74	502	1.8	2	< 1	1	1	2	3	4
75-79	817	1.7	2	< 1	< 1	1	2	3	4
80-84	548	1.9	4	< 1	< 1	1	2	4	6
85 +	352	1.8	2	< 1	1	1	2	4	5
SUBTOTAL	2789	2.0	16	< 1	< 1	1	2	3	4
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	305	1.5	2	< 1	< 1	1	1	2	8
70-74	605	1.7	3	< 1	< 1	1	2	2	7
75-79	786	1.4	1	< 1	< 1	1	2	3	3
80-84	799	1.3		< 1	< 1	1	2	2	2
85 +	570	1.5	1	< 1	< 1	1	2	2	4
SUBTOTAL	3064	1.5	1	< 1	< 1	1	2	2	3
GRAND TOTAL	5853	1.7	8	< 1	< 1	1	2	2	4

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	1.0							
18-34	16	2.0							
35-49	16	2.0							
50-69	299	1.9	3	< 1	< 1	1	2	4	5
70 +	16	1.0							
	362	1.8	3	< 1	< 1	1	2	3	5
	256	1.2		< 1	< 1	1	1	2	2
	47	2.0							
	88	1.7	1	< 1	< 1	1	2	4	4
	248	1.4		< 1	< 1	1	2	3	3
	10	1.0							
	649	1.4		< 1	< 1	1	2	2	3
	1011	1.5	1	< 1	< 1	1	2	2	4

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	31	2.0							
35-49	0								
50-69	99	2.3	1	1	1	2	3	4	4
70 +	0								
SUBTOTAL	130	2.2	1	1	2	2	3	3	4
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	63	1.3							
18-34	0								
35-49	26	1.6							
50-69	52	1.3							
70 +	10	1.0							
SUBTOTAL	151	1.3		< 1	< 1	1	2	2	2
GRAND TOTAL	281	1.7	1	< 1	1	2	2	3	3

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	7.5	21						
18-34	16	1.0							
35-49	0								
50-69	119	1.1		< 1	< 1	1	1	2	2
70 +	63	1.5							
	229	2.1	8	< 1	1	1	2	3	12
	89	1.2		< 1	< 1	1	1	2	2
	0								
	26	1.0							
	88	1.4		< 1	< 1	1	2	2	2
	0								
	203	1.2		< 1	< 1	1	1	2	2
	432	1.7	4	< 1	< 1	1	2	2	3

Northeastern Region, July 1989 - June 1990

DRG 40: Extraocular Procedures except Orbit Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	109	5.3	38	1	1	2	9	19	19
70-74	83	2.3	2	<1	1	2	3	5	5
75-79	57	1.0							
80-84	67	1.5	1	<1	<1	1	2	3	3
85+	57	10.7	38						
SUBTOTAL	373	4.1	28	<1	1	2	3	14	18
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	260	2.7	6	<1	<1	1	3	7	9
70-74	250	1.8	1	<1	1	2	2	3	4
75-79	135	3.0	14	<1	1	2	3	13	13
80-84	171	1.6	1	<1	1	1	2	2	4
85+	166	1.3		<1	1	1	2	2	2
SUBTOTAL	982	2.1	4	<1	1	1	2	4	6
GRAND TOTAL	1356	2.6	12	<1	1	1	2	6	10

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	125	2.0	1	1	1	2	2	5	5
35-49	99	3.5	5	<1	1	3	6	7	7
50-69	36	3.6	2						
70+	16	2.0							
	276	2.8	3	1	2	2	4	6	7
0-17	0								
18-34	459	1.4	1	<1	<1	1	2	2	2
35-49	329	1.3	1	<1	<1	1	1	2	3
50-69	442	1.6	1	<1	1	1	2	3	3
70+	0								
	1229	1.4	1	<1	<1	1	2	3	3
	1505	1.7	1	<1	<1	1	2	3	5

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	10	1.0							
50-69	16	11.0							
70+	0								
SUBTOTAL	26	7.0	25						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	73	1.2							
35-49	0								
50-69	0								
70+	26	3.4	4						
SUBTOTAL	99	1.8	2	<1	<1	1	2	5	5
GRAND TOTAL	125	2.9	11	<1	<1	1	5	11	11

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	16	1.0							
35-49	0								
50-69	42	1.4							
70+	0								
	57	1.3							
0-17	0								
18-34	213	1.3		<1	<1	<1	1	2	2
35-49	57	1.0							
50-69	104	1.5	1	<1	<1	1	2	3	3
70+	47	1.0							
	421	1.3		<1	<1	<1	1	2	3
	478	1.3		<1	<1	<1	1	2	3

DRG 41: Extraocular Procedures except Orbit Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	167	1.8	2	< 1	< 1	< 1	2	3	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	167	1.8	2	< 1	< 1	< 1	2	3	6
0-17	3757	1.1	2	< 1	< 1	< 1	< 1	1	1
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	3757	1.1	2	< 1	< 1	< 1	< 1	1	1
	3924	1.2	2	< 1	< 1	< 1	< 1	1	2

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	110	1.3		< 1	< 1	< 1	1	3	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	110	1.3		< 1	< 1	< 1	1	3	3
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1128	1.0		< 1	< 1	< 1	< 1	< 1	1
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1128	1.0		< 1	< 1	< 1	< 1	< 1	1
GRAND TOTAL	1237	1.1		< 1	< 1	< 1	< 1	< 1	1

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	78	1.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	78	1.0							
0-17	1628	1.0		< 1	< 1	< 1	< 1	< 1	1
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1628	1.0		< 1	< 1	< 1	< 1	< 1	1
	1706	1.0		< 1	< 1	< 1	< 1	< 1	1

DRG 42: Intraocular Procedures except Retina, Iris & Lens

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	376	3.6	12	1	2	2	4	9	11
70-74	391	3.7	21	1	2	2	4	10	10
75-79	291	4.2	15	2	2	3	4	7	18
80-84	187	2.5	4	1	1	2	3	4	9
85 +	182	4.6	14	1	1	3	8	9	13
SUBTOTAL	1427	3.7	15	1	2	2	4	9	11
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	625	2.6	3	1	2	2	3	5	8
70-74	802	2.1	1	1	1	2	2	4	4
75-79	645	2.5	4	1	1	2	3	5	7
80-84	670	2.3	2	1	1	2	3	4	5
85 +	338	2.7	5	1	1	2	3	4	5
SUBTOTAL	3080	2.4	3	1	1	2	3	4	5
GRAND TOTAL	4507	2.8	7	1	1	2	3	5	8

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	4.0							
18-34	110	1.9		1	2	2	2	2	2
35-49	188	2.8	3	2	2	2	3	6	7
50-69	344	2.8	5	1	2	2	2	8	8
70 +	0								
	658	2.7	4	1	2	2	2	6	8
0-17	485	3.2	5	<1	1	3	5	6	7
18-34	302	2.3	3	1	1	2	2	5	8
35-49	380	2.6	2	1	2	2	4	4	6
50-69	453	2.5	2	1	2	2	3	4	6
70 +	57	2.0	1						
	1677	2.7	3	1	1	2	4	6	6
	2334	2.7	3	1	2	2	3	6	6

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	47	2.7							
35-49	57	2.3							
50-69	73	5.9	30						
70 +	16	3.0							
SUBTOTAL	193	3.8	14	2	2	3	3	5	16
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	94	1.7	1	1	1	1	2	4	4
18-34	63	3.5	7						
35-49	73	2.7	8						
50-69	63	2.0	1						
70 +	16	5.0							
SUBTOTAL	308	2.5	5	1	1	2	3	7	8
GRAND TOTAL	501	3.0	9	1	1	2	3	5	8

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	7.0							
18-34	16	1.0							
35-49	0								
50-69	26	2.6							
70 +	0								
	57	3.4	6						
0-17	183	2.1	2	<1	<1	1	3	5	5
18-34	98	2.9	1	2	2	3	4	4	4
35-49	83	3.4	1	2	3	3	4	5	5
50-69	10	5.0							
70 +	0								
	374	2.7	2	<1	1	3	4	5	5
	432	2.8	2	<1	1	3	4	5	5

DRG 43: Hyphema

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	31	5.0	9						
70-74	0								
75-79	10	5.0							
80-84	0								
85 +	0								
SUBTOTAL	42	5.0	7						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	10	2.0							
85 +	10	9.0							
SUBTOTAL	21	5.5	13						
GRAND TOTAL	62	5.2	9						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	26	3.0							
18-34	31	3.0	4						
35-49	10	4.0							
50-69	0								
70 +	0								
	68	3.2	2						
0-17	296	4.3	5	1	3	4	5	7	8
18-34	124	3.0	2	1	2	3	4	5	5
35-49	36	4.3	5						
50-69	46	3.5	2						
70 +	0								
	502	3.9	4	1	2	4	5	6	8
	570	3.8	4	1	2	4	5	6	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	16	4.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	16	4.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	89	2.9	1	1	2	3	4	4	4
18-34	26	2.8	2						
35-49	0								
50-69	16	6.0							
70 +	0								
SUBTOTAL	130	3.2	2	1	2	3	4	6	6
GRAND TOTAL	146	3.3	2	1	3	4	4	6	6

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	16	4.0							
50-69	0								
70 +	0								
	16	4.0							
0-17	72	3.6	3	1	2	4	5	6	6
18-34	36	3.1	1						
35-49	16	1.0							
50-69	0								
70 +	0								
	124	3.1	2	1	2	3	4	5	6
	139	3.2	2	1	2	4	4	5	6

DRG 44: Acute Major Eye Infections

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	16	8.0							
70-74	16	28.0							
75-79	16	5.0							
80-84	52	8.8	18						
85 +	46	11.8	87						
SUBTOTAL	145	11.3	72	5	5	8	15	28	29
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	52	3.5							
70-74	16	6.0							
75-79	52	5.8	5						
80-84	46	5.0	5						
85 +	10	15.0							
SUBTOTAL	176	5.5	9	3	3	4	7	9	15
GRAND TOTAL	322	8.1	46	3	4	6	8	15	28

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	223	3.5	3	2	2	3	5	7	7
18-34	16	2.0							
35-49	57	4.8	1						
50-69	26	7.2	1						
70 +	0								
	322	4.0	3	2	2	4	5	7	8
0-17	971	3.7	5	2	2	3	5	6	7
18-34	83	3.1	2	2	2	2	4	6	6
35-49	10	2.0							
50-69	104	5.4	12	2	3	4	6	13	13
70 +	0								
	1168	3.8	5	2	2	3	5	6	8
	1490	3.8	5	2	2	3	5	6	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	94	2.5	2	1	2	2	3	5	5
18-34	16	5.0							
35-49	16	3.0							
50-69	0								
70 +	0								
SUBTOTAL	125	2.9	2	1	2	2	4	5	5
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	417	3.4	4	1	2	3	4	8	8
18-34	26	7.8	16						
35-49	0								
50-69	10	9.0							
70 +	0								
SUBTOTAL	453	3.8	6	2	2	3	5	8	9
GRAND TOTAL	578	3.6	6	2	2	3	5	8	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	68	2.8	1						
18-34	0								
35-49	10	3.0							
50-69	10	7.0							
70 +	0								
	88	3.3	3	1	2	3	4	7	7
0-17	323	3.5	4	2	2	3	4	8	8
18-34	41	3.0	1						
35-49	31	3.5	2						
50-69	16	3.0							
70 +	0								
	411	3.5	4	2	2	3	4	8	8
	499	3.4	3	2	2	3	4	7	8

DRG 45: Neurological Eye Disorders

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	208	4.1	7	1	2	4	5	7	7
70-74	135	4.3	6	2	3	3	6	7	11
75-79	46	3.5	9						
80-84	31	4.0	4						
85 +	26	8.6							
SUBTOTAL	447	4.3	7	1	2	4	6	9	9
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	73	2.9	2						
70-74	57	6.1	4						
75-79	68	5.5	7						
80-84	16	3.0							
85 +	10	1.0							
SUBTOTAL	224	4.4	6	1	3	4	6	8	10
GRAND TOTAL	671	4.4	7	1	2	4	6	8	10

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	42	2.1	1						
35-49	57	7.3	5						
50-69	239	4.5	8	1	3	4	6	9	11
70 +	16	2.0							
	354	4.6	8	1	2	4	6	9	10
0-17	42	1.0							
18-34	83	3.0	3	1	2	2	5	5	5
35-49	130	4.1	4	2	3	3	7	7	8
50-69	224	3.4	7	1	2	2	4	7	11
70 +	10	1.0							
	489	3.2	6	1	2	2	4	7	8
	843	3.8	7	1	2	3	5	8	10

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	16	1.0							
35-49	10	9.0							
50-69	42	5.4	4						
70 +	16	7.0							
SUBTOTAL	83	5.3	8	< 1	2	6	7	9	9
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	10	5.0							
50-69	0								
70 +	0								
SUBTOTAL	10	5.0							
GRAND TOTAL	93	5.3	7	< 1	2	6	7	9	9

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	1.0							
18-34	16	6.0							
35-49	31	3.0	1						
50-69	47	5.7	14						
70 +	0								
	110	4.3	9	< 1	1	4	6	10	10
0-17	31	5.0	4						
18-34	47	4.3							
35-49	16	6.0							
50-69	16	4.0							
70 +	0								
	110	4.7	2	3	4	4	6	7	7
	219	4.5	6	1	3	4	6	7	10

DRG 46: Other Disorders of the Eye Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	265	4.3	8	1	2	3	7	8	9
70-74	119	4.0	6	1	1	4	6	8	8
75-79	155	11.6	254	1	1	7	13	31	60
80-84	104	15.2	359	2	2	5	31	53	53
85 +	140	9.7	25	3	5	10	14	18	18
SUBTOTAL	784	8.1	122	1	2	5	9	16	31
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	784	8.1	122	1	2	5	9	16	31

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	151	7.0	15	3	4	6	9	15	15
35-49	146	6.7	32	1	1	4	12	15	15
50-69	109	4.3	9	1	3	3	5	8	12
70 +	10	10.0							
	416	6.3	21	1	3	5	10	14	15
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	416	6.3	21	1	3	5	10	14	15

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	47	3.3	7						
35-49	42	9.4	12						
50-69	0								
70 +	0								
SUBTOTAL	89	6.2	19	1	2	6	9	15	15
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	89	6.2	19	1	2	6	9	15	15

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	5.0							
35-49	16	1.0							
50-69	16	3.0							
70 +	0								
	42	2.7	2						
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	42	2.7	2						

DRG 47: Other Disorders of the Eye Age >17 w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	170	2.3	3	<1	1	1	3	4	6
70-74	68	1.2							
75-79	155	2.0	3	<1	1	1	2	3	8
80-84	73	4.2	15						
85 +	99	1.7	1	<1	1	1	3	4	4
SUBTOTAL	565	2.2	4	<1	1	1	3	6	7
GRAND TOTAL	565	2.2	4	<1	1	1	3	6	7

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	135	2.5	3	<1	1	2	3	6	6
35-49	182	3.1	5	1	1	3	5	6	7
50-69	166	2.3	4	1	1	1	3	4	8
70 +	36	2.4	1						
	519	2.6	4	<1	1	2	4	6	7
	519	2.6	4	<1	1	2	4	6	7

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	47	5.0	13						
35-49	16	1.0							
50-69	10	5.0							
70 +	0								
SUBTOTAL	73	4.1	11						
GRAND TOTAL	73	4.1	11						

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	130	3.3	9	<1	1	2	4	10	10
35-49	68	2.9	8						
50-69	36	2.4	1						
70 +	42	3.6	14						
	275	3.1	8	<1	1	2	4	8	10
	275	3.1	8	<1	1	2	4	8	10

DRG 48: Other Disorders of the Eye Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	151	2.1	1	< 1	1	2	3	3	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	151	2.1	1	< 1	1	2	3	3	4
0-17	503	2.1	2	< 1	1	2	3	3	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	503	2.1	2	< 1	1	2	3	3	6
	654	2.1	2	< 1	1	2	3	3	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	68	2.5	4						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	68	2.5	4						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	177	2.8	2	2	2	2	3	6	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	177	2.8	2	2	2	2	3	6	6
GRAND TOTAL	245	2.7	3	< 1	2	2	3	6	6

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	47	1.7	1						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	47	1.7	1						
0-17	209	1.8	3	< 1	1	1	2	3	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	209	1.8	3	< 1	1	1	2	3	5
	256	1.8	2	< 1	1	1	2	3	4

DRG 49: Major Head & Neck Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	57	8.1	23						
70-74	119	11.1	115	2	4	5	17	29	35
75-79	57	6.3	5						
80-84	52	3.5	9						
85 +	16	85.0							
SUBTOTAL	302	12.1	352	2	4	5	9	29	85
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	94	5.5	28	1	3	4	4	17	17
70-74	57	3.7	5						
75-79	42	6.0	19						
80-84	62	3.0	1						
85 +	10	1.0							
SUBTOTAL	265	4.4	16	1	3	3	5	11	17
GRAND TOTAL	567	8.5	209	1	3	4	8	17	29

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	42	6.5	2						
50-69	234	8.2	54	2	3	6	13	20	28
70 +	16	18.0							
	292	8.5	49	2	3	7	13	20	28
0-17	63	4.8	13						
18-34	104	2.5	1	1	2	3	3	3	4
35-49	115	3.1	2	1	2	3	5	5	5
50-69	104	4.3	6	1	2	5	6	8	8
70 +	10	4.0							
	396	3.5	5	1	2	3	5	6	8
	687	5.6	30	2	2	3	7	13	18

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	16	7.0							
35-49	16	11.0							
50-69	10	7.0							
70 +	16	30.0							
SUBTOTAL	57	14.4	96						
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	16	3.0							
18-34	0								
35-49	16	9.0							
50-69	16	6.0							
70 +	0								
SUBTOTAL	47	6.0	6						
GRAND TOTAL	104	10.6	73	3	6	7	11	30	30

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	42	8.5	45						
70 +	0								
	42	8.5	45						
0-17	26	4.6	9						
18-34	0								
35-49	0								
50-69	16	9.0							
70 +	0								
	42	6.3	10						
	83	7.4	28	1	3	7	9	17	17

DRG 50: Sialoadenectomy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	114	4.1	11	1	2	3	5	9	11
70-74	57	2.8							
75-79	99	11.0	147	2	3	4	20	35	35
80-84	99	3.3	1	1	3	3	4	5	5
85 +	21	8.5	2						
SUBTOTAL	390	5.7	52	1	3	3	5	11	20
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	250	2.3	1	1	2	2	3	4	5
70-74	223	2.3	2	1	1	2	3	4	6
75-79	161	2.3	1	1	2	2	3	4	4
80-84	140	2.9	4	1	2	2	3	8	8
85 +	62	2.9	1						
SUBTOTAL	836	2.4	2	1	2	2	3	4	5
GRAND TOTAL	1225	3.5	20	1	2	3	3	5	9

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	83	2.4	1	1	1	2	3	4	4
50-69	135	2.7	3	1	1	3	3	5	6
70 +	52	3.1	4						
	270	2.7	3	1	1	3	3	5	6
0-17	83	1.9	1	1	1	2	2	4	4
18-34	681	2.2	2	1	1	2	3	3	4
35-49	966	2.0	1	1	1	2	3	3	4
50-69	825	2.2	1	1	1	2	3	3	4
70 +	21	2.0	1						
	2575	2.1	1	1	1	2	3	3	4
	2845	2.2	1	1	1	2	3	3	4

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	21	1.5							
70 +	0								
SUBTOTAL	21	1.5							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	26	1.8	1						
18-34	26	1.6							
35-49	36	1.7							
50-69	26	2.2	1						
70 +	0								
SUBTOTAL	114	1.8	1	1	1	2	2	3	3
GRAND TOTAL	135	1.8	1	1	1	2	2	3	3

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	1.0							
35-49	0								
50-69	16	2.0							
70 +	0								
	26	1.6							
0-17	0								
18-34	36	1.3							
35-49	62	1.3							
50-69	16	2.0							
70 +	0								
	114	1.4		1	1	1	2	2	2
	140	1.4		1	1	1	2	2	2

DRG 51: Salivary Gland Procedures except Sialoadenectomy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	10	23.0							
70-74	0								
75-79	0								
80-84	16	8.0							
85 +	0								
SUBTOTAL	26	13.9	56						
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	26	2.2	1						
70-74	26	2.4							
75-79	31	9.5	44						
80-84	42	2.1	2						
85 +	0								
SUBTOTAL	125	4.1	22	1	1	3	4	16	16
GRAND TOTAL	151	5.8	41	1	2	3	8	16	23

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	14.0	125						
18-34	10	1.0							
35-49	0								
50-69	31	5.0	17						
70 +	0								
	73	8.3	86						
0-17	47	1.3							
18-34	10	1.0							
35-49	109	1.6		1	1	2	2	2	2
50-69	145	1.7	1	1	1	1	2	2	5
70 +	10	1.0							
	322	1.6	1	1	1	1	2	2	2
	394	2.8	23	1	1	2	2	5	9

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	10	1.0							
70 +	0								
SUBTOTAL	10	1.0							
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	10	1.0							
35-49	0								
50-69	0	—							
70 +	0								
SUBTOTAL	10	1.0							
GRAND TOTAL	21	1.0							

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	16	1.0							
70 +	0								
	16	1.0							
0-17	26	2.6	4						
18-34	10	7.0							
35-49	36	1.4							
50-69	0								
70 +	0								
	72	2.6	5	1	1	2	5	7	7
	88	2.3	4	1	1	1	2	7	7

DRG 52: Cleft Lip & Palate Repair

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	110	3.4	1	2	3	4	4	4	4
18-34	0								
35-49	0								
50-69	16	1.0							
70+	0								
	125	3.1	1	1	2	3	4	4	4
0-17	2870	2.5	1	1	2	2	3	4	4
18-34	136	2.0	1	1	1	2	3	3	3
35-49	119	1.3		1	1	1	2	2	2
50-69	36	2.7	4						
70+	0								
	3161	2.5	1	1	2	2	3	4	4
	3286	2.5	1	1	2	2	3	4	4

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	78	4.4	3						
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	78	4.4	3						
2.PATIENTS W/OUT CCs				–					
AGE GROUP									
0-17	741	3.1	2	2	2	3	4	5	5
18-34	31	3.5							
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	772	3.1	2	2	2	3	4	5	5
GRAND TOTAL	850	3.2	2	2	2	3	4	5	6

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	24.0							
18-34	0								
35-49	0								
50-69	0								
70+	0								
	16	24.0							
0-17	412	2.8	1	2	2	3	4	4	4
18-34	0								
35-49	0								
50-69	0								
70+	0								
	412	2.8	1	2	2	3	4	4	4
	428	3.6	17	2	2	3	4	4	4

DRG 53: Sinus & Mastoid Procedures Age >17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	269	3.9	22	1	1	1	5	12	19
70-74	77	2.5	1	1	1	3	3	4	4
75-79	52	3.7	17						
80-84	62	2.3	1						
85+	31	6.5	13						
SUBTOTAL	492	3.6	16	1	1	3	4	10	12
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	752	2.0	4	1	1	1	2	4	7
70-74	456	2.0	2	1	1	1	3	4	5
75-79	320	1.5	1	1	1	1	1	3	4
80-84	119	1.5	1	1	1	1	2	3	3
85+	31	5.0	1						
SUBTOTAL	1679	1.9	3	1	1	1	2	4	5
GRAND TOTAL	2171	2.3	6	1	1	1	3	5	6

BLUE CROSS PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	224	3.5	9	1	2	3	4	9	12
35-49	182	2.3	2	1	1	2	3	5	5
50-69	306	3.3	13	1	1	1	4	9	11
70+	0								
	712	3.1	9	1	1	2	4	9	11
0-17	0								
18-34	2797	1.7	5	1	1	1	2	2	4
35-49	3186	1.5	1	1	1	1	2	3	4
50-69	2214	1.6	1	1	1	1	2	3	4
70+	26	2.2	1						
	8224	1.6	3	1	1	1	2	3	4
	8936	1.7	3	1	1	1	2	3	4

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	42	2.0							
35-49	0								
50-69	0								
70+	0	—							
SUBTOTAL	42	2.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	145	1.3		1	1	1	1	2	3
35-49	51	1.0							
50-69	57	1.8	2						
70+	0								
SUBTOTAL	253	1.3	1	1	1	1	1	3	4
GRAND TOTAL	295	1.4	1	1	1	1	2	2	4

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	83	5.3	11	1	1	6	7	10	10
35-49	16	5.0							
50-69	31	3.0	4						
70+	0								
	130	4.7	9	<1	1	5	6	10	10
0-17	0								
18-34	342	1.9	3	1	1	1	2	5	6
35-49	218	1.1		<1	<1	1	1	2	2
50-69	115	1.3		<1	1	1	1	3	3
70+	0								
	674	1.6	2	<1	1	1	1	3	5
	804	2.1	4	<1	1	1	2	5	7

DRG 54: Sinus & Mastoid Procedures Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	136	4.3	17	1	1	2	4	13	13
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	136	4.3	17	1	1	2	4	13	13
0-17	1421	1.7	4	1	1	1	1	3	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1421	1.7	4	1	1	1	1	3	6
	1556	1.9	5	1	1	1	2	4	9

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	270	1.7	1	1	1	1	2	3	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	270	1.7	1	1	1	1	2	3	3
GRAND TOTAL	270	1.7	1	1	1	1	2	3	3

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	9.5	13						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	31	9.5	13						
0-17	302	1.4	1	1	1	1	1	2	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	302	1.4	1	1	1	1	1	2	6
	333	2.1	8	1	1	1	1	6	6

DRG 55: Miscellaneous Ear, Nose, Mouth & Throat Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	42	2.5	4						
70-74	83	2.4	7	< 1	1	1	2	8	8
75-79	26	3.2	1						
80-84	26	2.2	1						
85 +	0								
SUBTOTAL	177	2.5	5	1	1	1	4	5	8
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	571	1.3		1	1	1	2	2	2
70-74	280	1.7	2	< 1	1	1	2	4	7
75-79	109	2.2	7	1	1	1	2	2	10
80-84	78	1.4	1	1	1	1	1	3	3
85 +	21	2.0	1						
SUBTOTAL	1059	1.5	2	1	1	1	2	2	3
GRAND TOTAL	1235	1.7	2	1	1	1	2	3	4

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	141	3.1	4	1	1	2	5	7	7
18-34	187	4.6	15	1	2	3	7	10	14
35-49	130	2.8	9	1	1	1	2	10	10
50-69	162	3.7	11	1	2	2	4	8	13
70 +	0								
	620	3.6	10	1	1	2	5	10	13
0-17	2962	1.5	3	< 1	1	1	1	3	4
18-34	2591	1.4	1	1	1	1	2	2	3
35-49	2089	1.3	1	1	1	1	1	2	3
50-69	1142	1.3	1	< 1	1	1	1	2	2
70 +	26	5.2	16						
	8810	1.4	1	< 1	1	1	1	2	3
	9430	1.6	2	< 1	1	1	2	3	4

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	63	22.8	261						
18-34	31	2.7	2						
35-49	10	1.0							
50-69	26	1.6							
70 +	0								
SUBTOTAL	130	12.0	234	1	1	3	15	43	43
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	600	1.6	2	1	1	1	2	3	5
18-34	166	1.5		1	1	1	2	2	3
35-49	72	1.4		< 1	1	1	2	2	2
50-69	31	1.5							
70 +	0								
SUBTOTAL	870	1.6	1	1	1	1	2	3	4
GRAND TOTAL	1000	2.9	44	1	1	1	2	4	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	26	2.2	1						
18-34	10	6.0							
35-49	26	1.0							
50-69	52	11.6	202						
70 +	0								
	114	6.6	114	1	1	3	6	10	39
0-17	813	1.7	2	1	1	1	2	4	5
18-34	338	1.5	2	1	1	1	1	3	6
35-49	224	1.1		< 1	1	1	1	2	2
50-69	135	1.3		< 1	1	1	1	2	3
70 +	0								
	1509	1.5	1	< 1	1	1	1	3	4
	1623	1.9	11	1	1	1	2	4	5

DRG 56: Rhinoplasty

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	41	1.8							
75-79	36	3.2	6						
80-84	0								
85 +	0								
SUBTOTAL	77	2.4	4	1	1	2	2	6	6
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	186	1.2		1	1	1	1	2	3
70-74	72	1.1		1	1	1	1	2	2
75-79	52	2.4	3						
80-84	16	1.0							
85 +	10	1.0							
SUBTOTAL	337	1.4	1	1	1	1	1	2	3
GRAND TOTAL	414	1.6	2	1	1	1	2	3	5

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	26	1.6							
18-34	88	1.7	1	< 1	1	1	2	4	4
35-49	93	2.8	4	1	1	2	6	6	6
50-69	88	6.9	121	1	1	1	7	30	30
70 +	0								
	295	3.6	42	1	1	1	3	6	30
0-17	1099	1.2	1	1	1	1	1	2	2
18-34	4173	1.1		1	1	1	1	2	2
35-49	2412	1.2		1	1	1	1	2	2
50-69	866	1.4		1	1	1	2	2	3
70 +	31	1.0							
	8580	1.2		1	1	1	1	2	2
	8875	1.3	2	1	1	1	1	2	2

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	16	1.0							
18-34	10	2.0							
35-49	10	1.0							
50-69	0								
70 +	0								
SUBTOTAL	36	1.3							
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	46	1.0							
18-34	160	1.2		1	1	1	1	2	2
35-49	16	1.0							
50-69	0								
70 +	0								
SUBTOTAL	222	1.1		1	1	1	1	2	2
GRAND TOTAL	258	1.1		1	1	1	1	2	2

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	21	4.5	13						
70 +	0								
	21	4.5	13						
0-17	104	1.2		< 1	< 1	1	1	2	2
18-34	527	1.0		< 1	1	1	1	1	1
35-49	186	1.3		< 1	1	1	1	2	3
50-69	104	1.5	1	< 1	1	1	1	4	4
70 +	0								
	920	1.1		< 1	1	1	1	1	2
	941	1.2	1	< 1	1	1	1	1	

DRG 57: T&A Proc, except Tonsillectomy &/or Adenoidectomy Only, Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	42	5.9	50						
70-74	31	1.0							
75-79	16	3.0							
80-84	0								
85 +	0								
SUBTOTAL	89	3.7	28	1	1	1	3	18	18
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	57	1.5							
70-74	10	1.0							
75-79	16	2.0							
80-84	42	5.5	26						
85 +	0								
SUBTOTAL	124	2.9	12	<1	1	2	2	12	12
GRAND TOTAL	213	3.2	19	<1	1	2	3	12	12

TYPE OF PATIENT	BLUE CROSS PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	337	2.8	4	1	1	2	3	6	7
35-49	145	5.8	40	1	2	3	9	22	22
50-69	73	4.9	41						
70 +	0								
	555	3.9	20	1	1	2	4	9	17
0-17	0								
18-34	1712	1.8	1	1	1	1	2	4	4
35-49	406	1.7	1	1	1	2	2	3	3
50-69	240	3.1	9	1	1	2	3	9	10
70 +	0								
	2358	1.9	2	1	1	1	2	4	4
	2913	2.3	6	1	1	2	3	4	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	52	4.0	7						
35-49	0								
50-69	21	1.0							
70 +	0								
SUBTOTAL	72	3.2	7	<1	1	1	5	7	7
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	171	2.8	3	1	1	2	4	6	6
35-49	21	1.0							
50-69	0								
70 +	0								
SUBTOTAL	192	2.6	3	1	1	2	4	6	6
GRAND TOTAL	264	2.8	4	1	1	2	5	6	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	68	2.1	2						
35-49	10	4.0							
50-69	0								
70 +	0								
	78	2.4	2	1	1	2	4	5	5
0-17	0								
18-34	409	2.6	3	1	1	2	3	6	6
35-49	36	1.7							
50-69	0								
70 +	0								
	445	2.5	3	1	1	2	3	6	6
	523	2.5	3	1	1	2	3	5	6

DRG 58: T&A Proc, except Tonsillectomy &/or Adenoidectomy Only, Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	869	1.9	4	1	1	1	2	3	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	869	1.9	4	1	1	1	2	3	7
0-17	10800	1.2	1	1	1	1	1	1	2
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	10800	1.2	1	1	1	1	1	1	2
	11669	1.2	1	1	1	1	1	2	2

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	157	3.3	11	1	1	2	5	10	12
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	157	3.3	11	1	1	2	5	10	12
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1991	1.4	1	1	1	1	1	2	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1991	1.4	1	1	1	1	1	2	4
GRAND TOTAL	2148	1.5	2	1	1	1	1	3	5

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	151	3.0	7	1	1	2	3	10	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	151	3.0	7	1	1	2	3	10	10
0-17	1405	1.3	1	< 1	1	1	1	2	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1405	1.3	1	< 1	1	1	1	2	3
	1557	1.5	1	< 1	1	1	1	3	4

DRG 59: Tonsillectomy &/or Adenoidectomy Only, Age >17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	36	2.4							
70-74	0								
75-79	10	1.0							
80-84	10	1.0							
85+	0								
SUBTOTAL	46	1.8	1						
2.PATIENTS W/OUT CCs AGE GROUP									
0-59	36	1.6							
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	36	1.6							
GRAND TOTAL	83	1.7		1	1	2	2	3	3

BLUE CROSS PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	259	1.2		1	1	1	1	2	2
35-49	63	1.3							
50-69	0								
70+	0								
	322	1.2		1	1	1	1	2	2
0-17	0								
18-34	7770	1.1		1	1	1	1	1	2
35-49	517	1.1		1	1	1	1	2	2
50-69	93	1.9	2	<1	1	1	2	6	6
70+	0								
	8380	1.1		1	1	1	1	1	2
	8702	1.1		1	1	1	1	1	2

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	10	4.0							
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	10	4.0							
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	295	1.2		1	1	1	1	2	2
35-49	0								
50-69	0					—			
70+	0								
SUBTOTAL	295	1.2		1	1	1	1	2	2
GRAND TOTAL	305	1.3		1	1	1	1	2	3

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	47	1.0							
35-49	0								
50-69	0								
70+	0								
	47	1.0							
0-17	0								
18-34	1029	1.3	1	1	1	1	1	2	3
35-49	16	1.0							
50-69	10	1.0							
70+	0								
	1055	1.3	1	1	1	1	1	2	3
	1102	1.3	1	1	1	1	1	2	3

DRG 60: Tonsillectomy &/or Adenoidectomy Only, Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	759	1.8	9	1	1	1	2	2	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	759	1.8	9	1	1	1	2	2	3
0-17	24737	1.1	1	1	1	1	1	1	1
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	24737	1.1	1	1	1	1	1	1	1
	25496	1.1	1	1	1	1	1	1	1

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	109	1.1		<1	1	1	1	2	2
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	109	1.1		<1	1	1	1	2	2
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	3851	1.2	1	1	1	1	1	1	2
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	3851	1.2	1	1	1	1	1	1	2
GRAND TOTAL	3960	1.2	1	1	1	1	1	1	2

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	115	1.5	1	1	1	1	2	4	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	115	1.5	1	1	1	1	2	4	4
0-17	2956	1.1		1	1	1	1	1	2
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2956	1.1		1	1	1	1	1	2
	3070	1.1		1	1	1	1	1	2

DRG 61: Myringotomy w/ Tube Insertion Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	21	1.0							
70-74	0								
75-79	10	10.0							
80-84	0								
85 +	0								
SUBTOTAL	31	4.0	19						
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	36	1.0							
70-74	10	1.0							
75-79	10	1.0							
80-84	10	1.0							
85 +	0								
SUBTOTAL	67	1.0		<1	<1	1	1	1	1
GRAND TOTAL	98	1.9	8	<1	<1	1	1	7	10

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	2.0							
35-49	16	3.0							
50-69	16	2.0							
70 +	0								
	42	2.4							
0-17	0								
18-34	227	1.4	2	<1	1	1	1	1	7
35-49	108	1.3		<1	1	1	1	2	3
50-69	62	4.1	8						
70 +	0								
	398	1.8	4	<1	1	1	1	7	7
	439	1.9	3	<1	1	1	2	3	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	10	1.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	10	1.0							
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	21	1.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	21	1.0							
GRAND TOTAL	31	1.0							

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	42	1.0							
35-49	0								
50-69	0								
70 +	0								
	42	1.0							
	42	1.0							

DRG 62: Myringotomy w/ Tube Insertion Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	68	7.4	39						
18-34	0								
35-49	0								
50-69	0								
70+	0								
	68	7.4	39						
0-17	1119	1.7	2	<1	<1	<1	1	5	5
18-34	0								
35-49	0								
50-69	0								
70+	0								
	1119	1.7	2	<1	<1	<1	1	5	5
	1187	2.1	6	<1	<1	<1	2	5	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	62	1.9	2						
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	62	1.9	2						
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	597	1.6	3	<1	<1	<1	1	4	5
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	597	1.6	3	<1	<1	<1	1	4	5
GRAND TOTAL	659	1.7	3	<1	<1	<1	1	4	5

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	2.0	1						
18-34	0								
35-49	0								
50-69	0								
70+	0								
	31	2.0	1						
0-17	357	1.5	2	<1	<1	<1	1	3	5
18-34	0								
35-49	0								
50-69	0								
70+	0								
	357	1.5	2	<1	<1	<1	1	3	5
	388	1.5	2	<1	<1	<1	1	3	5

DRG 63: Other Ear, Nose, Mouth & Throat O.R. Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	119	6.7	24	2	3	7	14	99 +	99 +
70-74	109	8.7	82	2	2	3	17	27	27
75-79	130	11.7	29	4	6	12	15	15	~ 23
80-84	52	2.7	5						
85 +	26	10.6	30						
SUBTOTAL	436	8.5	46	2	3	7	15	17	27
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	140	3.4	6	1	2	3	4	5	11
70-74	166	2.7	5	1	1	2	3	5	9
75-79	31	1.0							
80-84	16	4.0							
85 +	31	5.0	17						
SUBTOTAL	384	3.0	6	1	1	2	4	5	9
GRAND TOTAL	820	5.9	35	1	2	3	9	15	21

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	432	4.9	17	1	2	3	6	12	13
18-34	764	4.6	28	1	2	3	5	8	17
35-49	260	6.7	44	1	1	6	8	12	29
50-69	182	4.1	10	1	2	3	4	12	12
70 +	26	7.2	1						
	1664	5.0	26	1	2	3	6	11	13
0-17	1493	2.8	4	1	1	2	3	6	7
18-34	4225	2.3	2	1	1	2	3	4	5
35-49	1403	2.5	3	1	1	2	3	5	6
50-69	416	2.6	8	1	1	2	3	6	7
70 +	10	5.0							
	7547	2.4	3	1	1	2	3	4	6
	9211	2.9	8	1	1	2	3	6	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	31	~ 2.5							
18-34	145	5.8	8	1	4	6	7	11	11
35-49	62	4.8	10						
50-69	10	9.0							
70 +	0								
SUBTOTAL	249	5.3	9	1	3	6	7	9	11
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	136	2.5	3	< 1	1	2	4	6	6
18-34	187	3.0	2	1	2	3	4	5	6
35-49	42	4.5	19						
50-69	16	12.0							
70 +	0								
SUBTOTAL	380	3.4	8	1	2	2	4	6	12
GRAND TOTAL	629	4.1	9	1	2	3	6	9	11

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	57	5.0	10						
18-34	373	4.5	8	1	2	4	5	9	10
35-49	67	3.6	2	2	2	3	5	6	6
50-69	21	5.0	9						
70 +	0								
	518	4.4	8	1	2	4	5	9	10
0-17	224	2.1	2	1	1	2	3	3	7
18-34	824	2.6	3	1	1	2	4	5	7
35-49	140	1.8	1	1	1	1	3	3	4
50-69	31	1.5							
70 +	0								
	1218	2.4	3	1	1	2	3	4	6
	1737	3.0	5	1	1	2	4	6	9

DRG 64: Ear, Nose, Mouth & Throat Malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	234	6.4	42	< 1	1	3	10	24	24
70-74	151	13.8	179	2	5	11	15	50	50
75-79	109	10.1	244	1	1	4	12	15	56
80-84	68	8.9	18						
85 +	42	7.6	15						
SUBTOTAL	603	9.3	116	1	3	7	12	19	50
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	93	1.8	4	< 1	1	1	1	6	6
70-74	72	2.2	4	1	1	2	2	7	7
75-79	88	1.4		< 1	1	1	2	2	2
80-84	52	1.0							
85 +	72	4.1	5	1	3	4	7	7	7
SUBTOTAL	378	2.1	4	< 1	1	1	2	6	7
GRAND TOTAL	981	6.5	85	1	1	3	9	15	24

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	6.5	2						
18-34	0								
35-49	88	13.7	133	3	5	5	18	35	35
50-69	171	9.0	25	2	6	8	12	15	18
70 +	10	3.0							
SUBTOTAL	301	9.9	61	3	5	8	12	18	35
0-17	78	2.6							
18-34	16	3.0							
35-49	42	1.6							
50-69	203	2.8	7	< 1	1	1	6	7	8
70 +	26	5.4	4						
	364	2.8	5	1	1	2	3	7	7
	665	6.0	42	1	2	3	8	15	18

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	16	10.0							
18-34	0								
35-49	10	6.0							
50-69	42	9.3	12						
70 +	0								
SUBTOTAL	68	8.9	9						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	16	2.0							
18-34	0								
35-49	36	5.6	5						
50-69	26	6.8	2						
70 +	0								
SUBTOTAL	78	5.3	6	2	3	5	8	8	8
GRAND TOTAL	145	7.0	11	2	4	8	9	13	13

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	8.0							
18-34	0								
35-49	0								
50-69	31	14.5	75						
70 +	0								
	47	12.3	59						
0-17	63	3.0	9						
18-34	0								
35-49	0								
50-69	26	3.0	6						
70 +	0								
	89	3.0	8	1	1	1	6	8	8
	136	6.2	45	1	1	6	8	23	23

DRG 65: Dysequilibrium

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	806	4.0	5	2	2	3	6	8	8
70-74	1010	4.6	10	2	2	4	6	9	13
75-79	702	5.1	17	2	3	4	6	11	13
80-84	704	5.9	16	2	3	4	8	13	14
85 +	559	6.9	48	2	3	5	9	15	25
SUBTOTAL	3781	5.2	18	2	3	4	6	10	13
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	987	3.2	7	1	1	2	4	6	7
70-74	960	3.7	8	1	2	3	5	7	7
75-79	755	3.9	14	1	2	3	4	7	8
80-84	491	7.0	184	1	2	3	7	15	22
85 +	538	4.6	10	2	3	4	6	9	10
SUBTOTAL	3731	4.2	34	1	2	3	5	7	10
GRAND TOTAL	7512	4.7	26	1	2	3	6	9	13

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	42	7.0	41						
35-49	232	2.9	4	1	1	3	4	5	7
50-69	692	3.6	6	1	2	3	5	6	9
70 +	83	3.8	7	1	1	3	6	8	8
	1049	3.6	7	1	2	3	5	7	9
0-17	104	1.6	1	< 1	1	1	2	3	3
18-34	273	2.8	2	1	2	3	3	6	6
35-49	694	3.4	6	1	2	3	4	8	8
50-69	1732	2.9	4	1	2	2	4	6	7
70 +	46	3.9	1						
	2850	3.0	4	1	2	3	4	6	7
	3900	3.2	5	1	2	3	4	6	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	31	4.7	15						
35-49	36	4.6							
50-69	94	6.3	14	2	4	6	9	13	13
70 +	0								
SUBTOTAL	161	5.6	12	2	4	4	9	11	13
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	42	3.3	2						
35-49	46	3.3	2						
50-69	83	4.1	2	2	3	4	5	6	6
70 +	0								
SUBTOTAL	171	3.7	2	1	3	4	5	5	6
GRAND TOTAL	332	4.6	8	2	3	4	5	9	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	2.0							
18-34	10	1.0							
35-49	68	3.6	5						
50-69	104	4.3	6	2	2	4	6	7	9
70 +	57	8.8	78						
	255	4.9	26	2	2	3	6	9	23
0-17	31	4.0	9						
18-34	78	3.3	3	1	2	3	4	6	6
35-49	186	1.9	1	1	1	2	3	3	3
50-69	249	3.0	3	1	2	2	5	6	7
70 +	99	2.7	3	1	1	2	4	6	6
	643	2.7	3	1	1	2	3	6	6
	898	3.3	10	1	2	2	4	6	7

DRG 66: Epistaxis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	359	5.3	10	2	3	5	7	8	11
70-74	331	4.4	13	2	2	4	5	6	7
75-79	347	4.4	5	2	2	4	6	7	8
80-84	155	9.9	356	3	3	4	8	9	80
85 +	264	5.4	10	1	2	5	8	10	11
SUBTOTAL	1456	5.4	49	2	3	4	6	8	10
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	186	3.5	5	< 1	1	3	5	5	10
70-74	238	3.8	3	1	3	4	5	5	6
75-79	129	3.4	2	1	2	4	5	5	5
80-84	229	3.2	2	1	2	3	4	5	5
85 +	165	3.7	3	2	2	3	5	6	8
SUBTOTAL	947	3.5	3	1	2	4	5	5	6
GRAND TOTAL	2404	4.6	32	1	2	4	5	7	9

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	3.0							
18-34	36	5.3	12						
35-49	109	4.6	6	3	3	4	6	8	9
50-69	326	5.0	12	1	2	5	7	10	12
70 +	0								
	503	4.8	10	1	2	4	7	9	12
0-17	62	1.4							
18-34	88	2.5	1	< 1	2	2	3	4	4
35-49	229	5.4	8	1	3	6	7	10	10
50-69	507	3.5	4	1	2	3	4	6	7
70 +	31	3.0	1						
	917	3.7	5	1	2	3	5	7	9
	1420	4.1	7	1	2	3	6	8	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	31	5.5	13						
35-49	26	9.6	30						
50-69	57	5.6	2						
70 +	16	7.0							
SUBTOTAL	130	6.5	12	2	4	7	7	14	14
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	10	1.0							
18-34	57	5.1	1						
35-49	0								
50-69	16	4.0							
70 +	0								
SUBTOTAL	83	4.4	3	< 1	4	4	6	6	6
GRAND TOTAL	213	5.7	10	2	4	5	7	9	14

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	3.0							
18-34	10	1.0							
35-49	16	4.0							
50-69	125	4.8	13	1	2	5	10	11	11
70 +	0								
	161	4.4	11	< 1	2	4	5	10	11
0-17	42	3.6	3						
18-34	10	5.0							
35-49	52	4.6	4						
50-69	78	4.0	1	2	3	4	5	6	6
70 +	0								
	182	4.1	2	1	4	4	5	6	6
	343	4.2	7	1	2	4	5	6	10

DRG 67: Epiglottitis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	31	7.5	2						
80-84	0								
85 +	0								
SUBTOTAL	31	7.5	2						
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	21	2.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	21	2.0							
GRAND TOTAL	52	5.3	9						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	89	6.5	2	4	6	7	7	8	8
18-34	16	2.0							
35-49	26	9.4	4						
50-69	68	7.2	11						
70 +	16	6.0							
	213	6.7	7	2	6	7	8	11	11
0-17	150	4.6	3	2	3	5	6	7	7
18-34	197	3.2	2	2	2	4	4	5	5
35-49	134	3.1	2	1	2	3	4	6	6
50-69	88	3.7	2	1	3	4	4	6	6
70 +	0								
	569	3.6	3	2	2	4	5	6	6
	782	4.5	6	2	3	4	6	7	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	10	1.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	10	1.0							
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	16	5.0							
18-34	42	3.9	1						
35-49	26	3.2	2						
50-69	0								
70 +	0								
SUBTOTAL	83	3.9	2	2	2	4	5	5	5
GRAND TOTAL	93	3.6	2	1	2	4	5	5	5

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	110	5.0	3	2	3	5	7	7	7
18-34	10	4.0							
35-49	16	4.0							
50-69	0								
70 +	0								
	136	4.8	3	2	4	5	6	7	7
0-17	16	5.0							
18-34	83	2.7	2	1	1	2	4	5	5
35-49	46	2.3	1						
50-69	10	4.0							
70 +	0								
	155	2.9	2	1	2	3	4	5	5
	291	3.8	3	1	2	4	5	7	7

DRG 68: Otitis Media & URI Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	705	7.0	63	1	4	5	8	11	13
70-74	542	6.8	17	2	4	6	10	11	16
75-79	367	7.2	39	2	4	6	8	9	19
80-84	440	8.2	23	3	5	7	10	15	18
85 +	527	8.7	36	3	5	7	11	18	22
SUBTOTAL	2581	7.5	38	2	4	6	9	13	18
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	2581	7.5	38	2	4	6	9	13	18

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1042	3.8	12	1	2	3	4	6	9
35-49	384	4.3	9	2	2	3	5	7	9
50-69	679	5.7	19	2	3	4	7	13	17
70 +	10	4.0							
	2114	4.5	14	2	2	4	5	9	13
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2114	4.5	14	2	2	4	5	9	13

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	259	4.3	8	1	3	4	5	8	13
35-49	88	5.4	9	1	3	5	9	9	9
50-69	124	5.4	2	3	4	6	7	7	7
70 +	0								
SUBTOTAL	471	4.8	7	2	3	4	6	8	9
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	471	4.8	7	2	3	4	6	8	9

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	332	4.6	5	2	3	4	6	7	9
35-49	144	3.1	4	1	2	3	4	5	9
50-69	78	4.3	5	2	2	4	5	8	8
70 +	16	5.0							
	570	4.2	5	2	2	4	5	7	9
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	570	4.2	5	2	2	4	5	7	9

DRG 69: Otitis Media & URI Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	238	3.2	3	1	2	3	4	5	8
70-74	176	4.1	4	1	2	4	6	6	8
75-79	78	5.7	14	<1	3	4	9	11	11
80-84	119	5.4	6	2	3	6	7	9	10
85 +	202	6.6	17	2	4	5	8	13	16
SUBTOTAL	813	4.8	10	2	3	4	6	9	11
GRAND TOTAL	813	4.8	10	2	3	4	6	9	11

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	2318	2.5	2	1	1	2	3	5	5
35-49	734	3.3	3	1	2	3	4	5	7
50-69	553	3.9	8	1	2	3	4	8	12
70 +	10	5.0							
	3616	2.9	4	1	1	3	4	5	6
	3616	2.9	4	1	1	3	4	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	295	3.0	1	2	2	3	4	4	5
35-49	103	2.2	3	<1	1	1	3	5	5
50-69	26	1.8	1						
70 +	0								
SUBTOTAL	424	2.7	2	1	2	2	4	5	5
GRAND TOTAL	424	2.7	2	1	2	2	4	5	5

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	747	2.8	2	1	2	3	4	5	6
35-49	198	4.2	6	1	3	4	5	7	10
50-69	94	4.3	4	<1	3	4	6	7	7
70 +	16	7.0							
	1054	3.2	4	1	2	3	4	6	7
	1054	3.2	4	1	2	3	4	6	7

DRG 70: Otitis Media & URI Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	2250	3.1	4	1	2	3	4	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2250	3.1	4	1	2	3	4	5	6
	6216	2.6	3	1	1	2	3	4	5
	6216	2.6	3	1	1	2	3	4	5
	8466	2.7	3	1	2	2	3	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	1412	3.2	3	1	2	3	4	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1412	3.2	3	1	2	3	4	5	6
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	2745	3.0	5	1	2	2	4	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	2745	3.0	5	1	2	2	4	5	6
GRAND TOTAL	4157	3.1	4	1	2	3	4	5	6

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	498	2.8	6	1	1	2	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	498	2.8	6	1	1	2	3	5	6
0-17	1319	2.8	5	1	1	2	3	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1319	2.8	5	1	1	2	3	5	7
	1817	2.8	5	1	1	2	3	5	7

DRG 71: Laryngotracheitis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	10	5.0							
70-74	10	7.0							
75-79	16	1.0							
80-84	0								
85 +	0								
SUBTOTAL	36	3.8	7						
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	10	6.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	10	6.0							
GRAND TOTAL	46	4.3	6						

TYPE OF PATIENT	BLUE CROSS PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	811	3.9	25	1	1	2	4	8	15
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	811	3.9	25	1	1	2	4	8	15
	6375	2.1	11	1	1	2	2	3	4
	41	2.5							
	21	1.5							
	21	1.0							
	0								
	6457	2.1	11	1	1	2	2	3	4
	7267	2.3	13	1	1	2	3	4	5

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	464	3.6	14	1	1	2	3	6	14
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	464	3.6	14	1	1	2	3	6	14
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	1585	2.4	2	1	1	2	3	5	5
18-34	16	1.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1601	2.4	2	1	1	2	3	5	5
GRAND TOTAL	2064	2.6	5	1	1	2	3	5	6

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	396	3.1	7	< 1	1	2	4	8	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	396	3.1	7	< 1	1	2	4	8	9
	1243	1.6	1	1	1	1	2	3	3
	0								
	0								
	0								
	0								
	1243	1.6	1	1	1	1	2	3	3
	1639	2.0	3	1	1	1	2	3	5

DRG 72: Nasal Trauma & Deformity

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	10	3.0							
75-79	10	8.0							
80-84	42	5.0	1						
85 +	31	4.7	15						
SUBTOTAL	93	5.0	7	1	3	4	6	10	10
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	21	1.0							
70-74	16	1.0							
75-79	21	4.0	1						
80-84	31	6.0	17						
85 +	16	2.0							
SUBTOTAL	104	3.3	10	< 1	1	2	4	10	10
GRAND TOTAL	197	4.1	9	< 1	2	3	6	10	10

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	36	1.0							
18-34	88	2.8	3	1	1	3	5	5	5
35-49	42	2.0	1						
50-69	16	4.0							
70 +	16	11.0							
	197	3.0	8	1	1	3	4	5	11
0-17	171	1.2		< 1	< 1	< 1	1	2	3
18-34	233	1.3		< 1	1	1	2	2	2
35-49	73	1.2							
50-69	62	1.7	2						
70 +	0								
	539	1.3		< 1	< 1	1	1	2	2
	736	1.8	3	< 1	< 1	1	2	3	5

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	16	1.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	16	1.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	57	1.5	1						
18-34	0								
35-49	16	1.0							
50-69	0								
70 +	0								
SUBTOTAL	73	1.4	1						
GRAND TOTAL	89	1.4	1	< 1	1	1	1	3	3

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	1.0							
18-34	31	1.5							
35-49	0								
50-69	0								
70 +	10	15.0							
	52	4.1	30						
0-17	68	1.0							
18-34	156	1.3		< 1	< 1	< 1	< 1	3	3
35-49	0								
50-69	0								
70 +	0								
	223	1.2		< 1	< 1	< 1	1	2	3
	275	1.7	7	< 1	< 1	< 1	1	2	3

DRG 73: Other Ear, Nose, Mouth & Throat Diagnoses Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	275	7.7	33	1	4	5	10	17	22
70-74	155	7.9	33	2	3	6	12	17	21
75-79	227	6.8	43	1	2	4	10	18	28
80-84	197	7.8	25	3	5	6	10	12	22
85 +	156	6.8	15	3	3	7	9	14	15
SUBTOTAL	1009	7.4	31	2	3	6	10	16	21
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	296	3.6	5	< 1	1	3	6	7	7
70-74	129	2.5	5	1	1	1	4	7	7
75-79	150	1.9	2	< 1	< 1	1	3	4	5
80-84	146	7.2	70	1	1	6	8	29	29
85 +	171	4.6	16	1	1	4	6	7	15
SUBTOTAL	892	3.9	20	< 1	1	3	6	7	11
GRAND TOTAL	1901	5.8	29	1	2	5	7	13	17

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	135	3.1	7	1	2	2	3	10	10
35-49	140	4.4	9	1	1	4	6	9	11
50-69	323	4.2	22	1	1	3	4	8	14
70 +	0								
	597	4.0	16	1	1	3	5	9	10
0-17	0								
18-34	540	3.1	4	< 1	1	3	5	6	7
35-49	498	3.1	6	1	1	2	5	6	9
50-69	477	2.6	6	< 1	1	1	4	5	8
70 +	0								
	1515	2.9	6	< 1	1	2	5	6	8
	2112	3.2	9	1	1	2	5	6	9

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	42	2.0							
35-49	0								
50-69	68	4.9	7						
70 +	0								
SUBTOTAL	109	3.8	6	1	2	2	5	8	8
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	78	3.6	5	1	2	3	5	8	8
35-49	21	3.5	2						
50-69	167	3.8	6	2	3	4	4	5	12
70 +	0								
SUBTOTAL	265	3.7	5	1	2	4	4	5	8
GRAND TOTAL	374	3.8	5	1	2	3	5	7	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	68	3.2	4						
35-49	26	7.4	20						
50-69	0								
70 +	0								
	93	4.4	12	1	2	2	6	11	11
0-17	0								
18-34	197	2.8	7	1	1	2	3	4	11
35-49	52	4.4	5						
50-69	72	1.9	1	< 1	< 1	2	2	3	3
70 +	0								
	22	2.8	6	< 1	1	2	3	6	9
	415	3.2	8	1	1	2	4	7	11

DRG 74: Other Ear, Nose, Mouth & Throat Diagnoses Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	552	2.5	6	1	1	2	3	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	552	2.5	6	1	1	2	3	6	7
0-17	2237	2.1	4	< 1	1	1	2	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2237	2.1	4	< 1	1	1	2	4	6
	2789	2.2	4	< 1	1	1	3	4	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	282	6.3	100	1	1	2	7	26	36
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	282	6.3	100	1	1	2	7	26	36
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	594	2.6	3	1	1	2	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	594	2.6	3	1	1	2	3	5	6
GRAND TOTAL	876	3.8	37	1	1	2	3	7	20

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	277	2.5	2	1	2	2	3	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	277	2.5	2	1	2	2	3	4	5
0-17	634	2.2	3	< 1	1	2	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	634	2.2	3	< 1	1	2	3	5	6
	911	2.3	2	< 1	1	2	3	5	6

DRG 75: Major Chest Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2321	15.2	136	6	8	12	17	30	41
70-74	1712	16.8	97	8	11	14	21	28	38
75-79	1242	16.5	98	7	10	13	22	33	38
80-84	287	14.2	50	8	11	12	16	20	39
85 +	62	14.1	23						
SUBTOTAL	5624	15.9	111	7	9	12	19	31	39
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	462	10.3	100	5	6	8	9	15	34
70-74	323	9.7	22	5	7	9	11	18	19
75-79	187	11.0	27	7	8	9	14	19	23
80-84	125	10.7	15	7	8	10	12	15	20
85 +	31	10.0	9						
SUBTOTAL	1128	10.3	54	6	7	9	11	18	22
GRAND TOTAL	6752	15.0	106	6	8	12	18	28	39

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	324	11.2	155	5	6	9	20	99 +	99 +
18-34	536	13.3	70	6	8	11	15	24	30
35-49	921	14.7	86	7	9	12	17	28	36
50-69	3384	13.1	69	6	8	11	16	22	28
70 +	140	21.9	298	6	10	12	29	60	60
	5305	13.5	85	6	8	11	17	24	36
	547	5.4	10	2	4	5	6	7	13
	545	8.3	19	4	6	7	11	16	18
	368	7.8	20	4	5	7	9	15	18
	1020	8.7	13	5	7	8	11	14	17
	42	7.8	5						
	2522	7.8	16	4	5	7	10	13	17
	7827	11.6	70	5	7	9	14	21	29

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	78	17.0	240						
18-34	73	12.5	28						
35-49	83	13.7	39	5	7	15	18	24	24
50-69	130	16.8	137	8	9	11	19	31	48
70 +	26	13.0	6						
SUBTOTAL	390	15.1	111	5	8	15	18	31	45
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	125	7.1	39	1	3	5	9	22	22
18-34	52	6.3	4						
35-49	31	18.5							
50-69	125	9.5	20	2	6	9	14	16	16
70 +	0								
SUBTOTAL	333	9.0	34	3	4	8	14	18	19
GRAND TOTAL	723	12.3	85	3	6	9	17	19	31

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	172	22.8	456	5	5	17	36	62	63
18-34	98	10.6	20	5	6	10	16	18	18
35-49	203	15.5	77	8	9	12	20	22	40
50-69	491	17.3	168	7	10	12	21	32	48
70 +	110	13.1	60	7	8	10	15	31	31
	1074	16.8	183	6	8	12	20	36	48
0-17	172	9.7	72	4	5	5	13	14	34
18-34	161	10.4	77	3	5	7	17	26	31
35-49	72	7.1	3	4	6	8	8	9	9
50-69	125	11.0	23	6	7	9	16	20	20
70 +	16	9.0							
	546	9.9	52	4	5	8	10	20	31
	1620	14.5	149	5	7	10	17	31	36

DRG 76: Other Resp System O.R. Procedures w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2106	12.9	147	2	5	10	16	30	36
70-74	1512	15.0	272	2	7	11	16	32	75
75-79	1375	16.3	240	3	6	13	20	31	56
80-84	772	17.8	318	3	7	13	25	44	77
85 +	430	25.6	493	9	12	17	36	98	99 +
SUBTOTAL	6194	15.7	253	3	7	12	18	35	62
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	6194	15.7	253	3	7	12	18	35	62

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	83	21.6	313	6	13	16	56	99 +	99 +
18-34	306	13.2	331	1	2	7	16	24	56
35-49	796	8.0	33	1	3	7	12	17	18
50-69	2471	11.6	91	2	4	10	16	24	29
70 +	115	13.0	261	2	2	7	19	51	51
	3772	11.3	113	2	4	9	16	24	30
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3772	11.3	113	2	4	9	16	24	30

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	78	20.8	87						
18-34	115	14.4	111	< 1	5	18	24	31	31
35-49	136	15.9	49	7	10	18	21	27	27
50-69	135	11.1	44	4	5	10	14	24	24
70 +	26	24.6	30						
SUBTOTAL	489	15.5	81	5	7	14	24	28	30
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	489	15.5	81	5	7	14	24	28	30

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	68	10.2	29						
35-49	240	17.1	121	2	13	17	20	35	35
50-69	552	13.2	104	1	7	11	18	30	32
70 +	130	28.0	305	6	15	22	42	59	59
	990	15.9	155	2	7	14	21	35	42
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	990	15.9	155	2	7	14	21	35	42

DRG 77: Other Resp System O.R. Procedures w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	323	4.1	14	1	1	3	6	10	12
70-74	213	4.2	35	1	1	2	3	8	24
75-79	280	4.5	33	1	1	2	6	10	14
80-84	166	6.8	41	1	2	4	11	15	21
85 +	72	6.8	38	< 1	< 1	7	8	17	17
SUBTOTAL	1055	4.9	30	1	1	2	7	12	17
GRAND TOTAL	1055	4.9	30	1	1	2	7	12	17

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	130	3.4	16	1	1	1	2	13	13
18-34	307	3.8	23	1	1	2	4	15	19
35-49	363	3.8	19	1	1	2	4	13	15
50-69	820	5.3	23	1	1	3	8	14	15
70 +	10	21.0							
	1631	4.6	24	1	1	2	7	13	15
	1631	4.6	24	1	1	2	7	13	15

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	47	4.7	6						
18-34	10	2.0							
35-49	16	34.0							
50-69	57	9.5	45						
70 +	0								
SUBTOTAL	130	10.1	107	2	2	4	15	34	34
GRAND TOTAL	130	10.1	107	2	2	4	15	34	34

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	16	6.0							
18-34	120	6.1	21	< 1	1	5	11	14	14
35-49	83	4.0	8	1	2	3	8	8	8
50-69	73	2.0	2						
70 +	16	2.0							
	307	4.4	14	1	1	2	7	11	14
	307	4.4	14	1	1	2	7	11	14

DRG 78: Pulmonary Embolism

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	762	11.6	82	5	7	9	13	20	22
70-74	751	10.9	30	6	8	10	13	18	22
75-79	740	13.9	103	7	8	11	16	31	42
80-84	538	12.8	27	8	9	12	15	20	21
85 +	399	12.5	49	5	8	11	14	21	22
SUBTOTAL	3191	12.3	62	6	8	10	15	21	27
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	244	9.8	26	6	7	8	11	12	13
70-74	279	8.8	9	5	7	8	11	13	16
75-79	269	10.2	7	8	9	9	10	14	17
80-84	88	8.1	1	6	8	8	9	10	10
85 +	104	10.1	13	6	7	9	14	15	16
SUBTOTAL	983	9.5	13	6	8	9	10	14	16
GRAND TOTAL	4174	11.6	52	6	8	10	14	19	23

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	208	9.2	24	3	7	9	11	15	21
35-49	300	9.9	7	8	9	10	11	14	15
50-69	959	10.3	17	6	8	10	12	17	19
70 +	62	14.7	57						
	1529	10.3	18	6	8	10	12	16	20
0-17	0								
18-34	187	7.7	6	4	6	7	9	10	14
35-49	431	8.2	9	4	7	8	10	11	15
50-69	550	8.9	11	5	7	8	11	14	14
70 +	42	10.5	22						
	1209	8.5	10	4	7	8	10	13	15
	2738	9.5	16	5	7	9	11	15	17

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	10	17.0							
18-34	16	12.0							
35-49	73	9.6	9						
50-69	46	15.2	52						
70 +	10	24.0							
SUBTOTAL	156	12.9	36	7	8	11	16	24	28
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	62	6.3	5	3	4	7	8	9	9
35-49	42	8.4	47						
50-69	26	9.4	4						
70 +	0								
SUBTOTAL	129	7.6	20	2	4	7	10	17	17
GRAND TOTAL	285	10.5	35	4	7	9	12	17	24

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	31	11.5							
35-49	98	14.4	148	7	8	9	13	42	42
50-69	42	16.6	26						
70 +	31	9.7	6						
	202	13.7	83	7	9	11	13	23	42
0-17	16	13.0							
18-34	93	9.1	10	4	8	9	10	15	15
35-49	115	8.1	5	4	6	9	10	11	11
50-69	42	10.8	1						
70 +	16	10.0							
	281	9.2	7	6	8	9	10	13	15
	483	11.1	44	6	8	10	12	14	23

DRG 79: Respiratory Infections & Inflammations Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	2507	14.1	104	5	7	11	17	28	33
70-74	2004	13.9	92	5	7	11	17	24	33
75-79	2436	14.4	110	6	8	12	18	25	33
80-84	2583	16.8	255	6	8	11	18	35	55
85 +	3178	16.8	155	6	8	14	20	35	47
SUBTOTAL	12708	15.3	148	6	8	12	18	31	41
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	12708	15.3	148	6	8	12	18	31	41

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	770	12.0	84	4	6	9	15	21	35
35-49	832	13.3	80	5	6	11	19	22	28
50-69	1396	11.9	80	4	6	10	15	20	34
70 +	186	20.1	509	5	6	12	28	42	86
	3184	12.8	109	4	6	10	16	22	34
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3184	12.8	109	4	6	10	16	22	34

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	605	12.2	69	6	9	11	14	17	29
35-49	338	15.4	146	4	8	11	20	43	49
50-69	451	15.0	172	6	7	11	18	28	42
70 +	124	13.3	50	5	7	11	20	23	25
SUBTOTAL	1518	13.8	117	5	8	11	17	24	42
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	1518	13.8	117	5	8	11	17	24	42

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	276	10.4	57	3	5	10	13	24	32
35-49	396	16.6	143	7	8	12	24	31	31
50-69	433	14.9	50	5	9	14	19	26	29
70 +	140	26.9	729	8	11	13	76	97	99 +
	1244	15.8	178	5	8	13	20	29	32
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1244	15.8	178	5	8	13	20	29	32

DRG 80: Respiratory Infections & Inflammations Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP	—								
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	290	9.6	41	4	4	10	12	16	20
70-74	263	8.4	22	4	5	8	9	13	22
75-79	347	8.9	23	4	6	8	10	18	19
80-84	228	12.1	80	3	5	9	17	29	35
85 +	259	6.5	7	3	5	6	9	9	10
SUBTOTAL	1388	9.0	36	4	5	8	10	17	21
GRAND TOTAL	1388	9.0	36	4	5	8	10	17	21

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	358	6.8	14	3	5	6	8	10	11
35-49	317	7.1	10	3	4	7	10	12	13
50-69	347	7.3	20	1	3	7	10	15	15
70 +	10	9.0							
	1032	7.1	15	3	4	7	10	12	15
	1032	7.1	15	3	4	7	10	12	15

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	130	15.2	283	5	6	10	11	59	59
35-49	63	8.3	18						
50-69	31	23.0	149						
70 +	16	7.0							
SUBTOTAL	240	13.9	200	4	6	10	13	35	59
GRAND TOTAL	240	13.9	200	4	6	10	13	35	59

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	187	9.4	23	4	5	9	14	16	18
35-49	124	8.4	27	3	6	6	11	19	19
50-69	68	13.2	124						
70 +	31	18.5	93						
	411	10.4	54	2	5	9	14	19	28
	411	10.4	54	2	5	9	14	19	28

DRG 81: Respiratory Infections & Inflammations Age 0-17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	16	22.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	16	22.0							
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	16	22.0							

BLUE CROSS PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	980	11.1	76	4	6	11	14	17	24
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	980	11.1	76	4	6	11	14	17	24
	327	8.9	68	1	3	8	11	17	21
	1307	10.5	74	3	5	9	14	17	24

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	547	13.6	50	5	8	14	17	23	29
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	547	13.6	50	5	8	14	17	23	29
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	333	5.5	31	1	2	3	7	14	16
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	333	5.5	31	1	2	3	7	14	16
GRAND TOTAL	880	10.5	58	2	4	9	15	23	23

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	297	11.7	97	2	3	10	17	24	41
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	297	11.7	97	2	3	10	17	24	41
0-17	83	2.4	1	1	2	2	3	4	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	83	2.4	1	1	2	2	3	4	4
	380	9.6	90	2	2	5	14	21	24

DRG 82: Respiratory Neoplasms

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3479	10.4	117	2	4	7	13	22	29
70-74	3095	11.3	72	3	6	10	14	23	26
75-79	2191	10.6	79	2	4	8	15	21	28
80-84	1484	10.5	83	3	5	8	14	19	24
85 +	675	17.6	345	4	8	12	19	40	78
SUBTOTAL	10925	11.2	109	2	5	8	14	22	29
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	473	6.6	25	1	2	5	8	14	16
70-74	311	7.8	55	1	1	6	10	16	28
75-79	416	7.2	46	1	2	4	12	20	23
80-84	244	6.6	19	1	3	6	10	14	15
85 +	98	7.3	69	2	2	5	7	21	31
SUBTOTAL	1542	7.0	39	1	2	5	10	15	22
GRAND TOTAL	12466	10.6	102	2	4	8	14	22	28

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	141	4.1	20	< 1	1	1	5	12	12
18-34	209	7.0	20	2	2	6	10	14	15
35-49	1102	9.1	58	2	4	7	11	20	24
50-69	3785	9.6	76	2	4	7	12	19	25
70 +	171	13.6	104	6	8	10	16	24	47
	5408	9.4	71	2	4	7	12	19	24
0-17	16	3.0							
18-34	42	6.9	6						
35-49	176	2.7	5	1	1	2	3	6	9
50-69	673	6.4	43	1	2	4	8	14	16
70 +	10	2.0							
	916	5.6	35	1	2	3	7	12	16
	6324	8.8	68	2	3	7	11	19	24

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	16	1.0							
18-34	72	4.8	4	2	4	4	5	9	9
35-49	119	11.6	155	2	3	8	17	41	41
50-69	400	11.1	83	3	4	9	15	22	32
70 +	93	15.4	33	5	13	15	21	23	23
SUBTOTAL	700	10.9	87	2	4	8	15	22	39
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	47	3.7	4						
18-34	0								
35-49	42	3.9	3						
50-69	26	5.4	30						
70 +	0								
SUBTOTAL	115	4.1	10	1	1	4	5	6	12
GRAND TOTAL	815	9.9	82	2	4	8	13	21	26

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	172	8.2	79	1	3	5	7	25	28
18-34	0								
35-49	286	10.6	50	2	5	9	16	22	25
50-69	917	11.7	109	2	5	9	14	19	37
70 +	130	24.5	832	2	4	6	40	89	89
	1506	12.2	172	2	5	9	14	25	40
0-17	47	3.0	2						
18-34	0								
35-49	57	3.6	10						
50-69	63	4.8	6						
70 +	47	13.7	137						
	214	6.0	51	< 1	1	4	8	11	29
	1720	11.4	161	2	4	8	13	25	37

DRG 83: Major Chest Trauma w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	263	6.3	19	2	3	5	8	14	15
70-74	332	12.6	209	3	4	7	16	30	34
75-79	340	10.6	62	2	5	9	14	21	24
80-84	341	10.0	74	2	4	8	13	19	26
85 +	501	15.0	185	3	5	13	19	35	45
SUBTOTAL	1778	11.4	128	2	4	8	14	23	35
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	1778	11.4	128	2	4	8	14	23	35

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	2.0							
18-34	279	5.3	19	2	3	4	6	11	20
35-49	374	5.3	10	1	3	5	6	11	12
50-69	606	6.0	13	2	3	5	8	11	12
70 +	224	7.1	32	2	4	6	9	12	12
	1499	5.8	16	2	3	5	7	11	12
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1499	5.8	16	2	3	5	7	11	12

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	16	10.0							
18-34	26	3.2	2						
35-49	0								
50-69	31	7.0	1						
70 +	0								
SUBTOTAL	72	6.3	8	2	5	6	8	10	10
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	72	6.3	8	2	5	6	8	10	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	67	2.5	3	1	1	2	3	6	6
35-49	135	4.4	6	< 1	2	4	6	8	10
50-69	223	6.4	13	2	4	7	9	10	15
70 +	46	11.3	10						
	471	5.8	15	1	3	5	8	12	15
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	471	5.8	15	1	3	5	8	12	15

Northeastern Region, July 1989 - June 1990

DRG 84: Major Chest Trauma w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	108	5.1	10	2	2	4	9	9	9
70-74	124	5.0	10	1	2	5	6	11	11
75-79	31	3.0	5						
80-84	109	5.2	24	1	2	3	8	11	17
85 +	109	18.7	1103	2	3	5	13	99	99
SUBTOTAL	481	8.1	293	1	2	4	8	11	17
GRAND TOTAL	481	8.1	293	1	2	4	8	11	17

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	47	1.7							
18-34	426	2.8	3	1	1	2	4	5	7
35-49	280	2.6	2	1	2	2	4	5	5
50-69	327	3.5	4	2	2	3	4	6	8
70 +	104	4.5	7	2	3	4	5	10	10
	1183	3.0	4	1	2	3	4	5	7
	1183	3.0	4	1	2	3	4	5	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	42	5.5	2						
35-49	0								
50-69	26	3.0							
70 +	0								
SUBTOTAL	68	4.5	2						
GRAND TOTAL	68	4.5	2						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	26	3.2	1						
18-34	129	2.6	2	1	2	2	3	5	5
35-49	88	2.9	2	1	2	3	3	6	6
50-69	119	3.1	6	1	1	2	5	5	9
70 +	16	2.0							
	378	2.8	3	1	2	2	4	5	6
	378	2.8	3	1	2	2	4	5	6

DRG 85: Pleural Effusion w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	753	8.3	44	2	4	7	10	19	21
70-74	767	10.9	90	3	5	9	13	21	24
75-79	914	9.9	42	3	6	8	14	18	21
80-84	689	11.3	57	3	5	10	15	23	29
85 +	643	12.7	70	4	6	10	18	23	32
SUBTOTAL	3766	10.5	62	3	5	8	14	21	25
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	3766	10.5	62	3	5	8	14	21	25

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	183	11.2	94	2	3	10	23	25	31
18-34	98	6.8	14	2	3	7	9	13	13
35-49	307	6.3	26	2	2	4	10	14	21
50-69	707	8.8	61	2	4	7	10	16	25
70 +	31	6.5							
	1326	8.3	55	2	3	6	10	16	25
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1326	8.3	55	2	3	6	10	16	25

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	63	8.3	21						
18-34	0								
35-49	57	4.5	6						
50-69	46	10.9	33						
70 +	31	8.5	6						
SUBTOTAL	198	7.8	23	2	4	8	11	16	16
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	198	7.8	23	2	4	8	11	16	16

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	47	16.3	337						
18-34	0								
35-49	68	11.2	29						
50-69	235	8.1	28	1	4	7	14	16	18
70 +	47	6.3	11						
	397	9.4	70	2	4	7	14	18	18
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	397	9.4	70	2	4	7	14	18	18

DRG 86: Pleural Effusion w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0	—							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	115	4.7	4	2	2	5	6	8	8
70-74	99	3.7	3	2	2	3	5	6	6
75-79	93	5.1	18	1	3	4	5	14	14
80-84	78	7.8	11						
85 +	124	5.9	15	1	3	5	7	11	14
SUBTOTAL	510	5.4	12	2	3	5	7	11	14
GRAND TOTAL	510	5.4	12	2	3	5	7	11	14

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	31	3.7	3						
18-34	83	6.1	16	2	2	5	10	12	12
35-49	104	5.1	10	1	3	4	7	11	11
50-69	286	5.8	24	1	2	5	7	16	18
70 +	10	3.0							
	514	5.5	19	1	2	5	7	12	16
	514	5.5	19	1	2	5	7	12	16

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	16	8.0							
18-34	16	2.0							
35-49	26	4.0	6						
50-69	0								
70 +	0								
SUBTOTAL	57	4.5	8						
GRAND TOTAL	57	4.5	8						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	68	4.6	8						
50-69	42	7.1	3						
70 +	16	9.0							
	125	6.0	8	< 1	4	5	9	9	9
	125	6.0	8	< 1	4	5	9	9	9

DRG 87: Pulmonary Edema & Respiratory Failure

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2328	9.3	70	3	5	8	12	17	20
70-74	1638	10.1	55	4	6	8	12	20	27
75-79	1406	10.5	55	4	6	8	14	20	26
80-84	833	11.2	79	4	6	9	13	19	34
85 +	657	13.4	162	3	5	11	18	21	48
SUBTOTAL	6862	10.4	75	3	5	8	13	19	27
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	78	6.0	20	2	2	5	8	16	16
70-74	88	4.5	5	1	3	4	6	8	8
75-79	73	5.5	19						
80-84	103	6.2	5	4	5	6	7	9	11
85 +	124	7.9	23	3	4	5	14	15	19
SUBTOTAL	466	6.2	16	2	4	5	7	12	15
GRAND TOTAL	7328	10.1	72	3	5	8	12	19	26

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	7.0							
18-34	78	4.3	5	2	2	3	6	8	8
35-49	88	12.2	27	2	10	13	15	22	22
50-69	1309	8.1	33	2	4	6	10	16	20
70 +	93	8.2	13	2	6	8	10	16	16
	1584	8.1	32	2	4	7	10	16	20
	10	1.0							
	62	3.3	1						
	36	7.2	7						
	98	3.7	1	2	3	3	5	5	5
	16	10.0							
	223	4.5	6	2	3	4	5	10	10
	1807	7.7	30	2	4	6	10	15	20

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	16	34.0							
18-34	21	20.5	360						
35-49	36	9.0	28						
50-69	228	11.3	108	4	4	7	14	31	35
70 +	0								
SUBTOTAL	300	12.9	139	2	4	7	17	34	35
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	10	2.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	10	2.0							
GRAND TOTAL	311	12.5	138	2	4	7	17	34	35

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	104	6.0	7	3	4	5	9	9	10
50-69	156	6.6	13	2	3	6	11	12	12
70 +	0								
	259	6.3	10	2	3	6	9	11	12
0-17	10	2.0							
18-34	0								
35-49	21	3.0							
50-69	0								
70 +	0								
	31	2.7							
	290	5.9	11	2	3	5	9	11	12

DRG 88: Chronic Obstructive Pulmonary Disease

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4913	8.9	44	3	5	7	11	17	20
70-74	4159	9.1	77	3	5	7	11	17	21
75-79	3823	9.6	83	3	5	7	11	18	24
80-84	2295	9.3	52	4	5	7	11	19	24
85 +	1383	8.5	19	4	5	8	11	14	16
SUBTOTAL	**16574**	**9.1**	**60**	**3**	**5**	**7**	**11**	**17**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	3877	6.7	17	3	4	6	8	11	15
70-74	2261	6.5	15	3	4	6	8	11	13
75-79	2072	6.8	31	2	4	5	8	12	17
80-84	1195	6.9	16	3	4	6	9	12	16
85 +	544	6.6	17	3	4	5	9	13	17
SUBTOTAL	**9950**	**6.7**	**19**	**3**	**4**	**6**	**8**	**11**	**15**
GRAND TOTAL	**26524**	**8.2**	**46**	**3**	**4**	**7**	**10**	**15**	**20**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	13.5							
18-34	16	17.0							
35-49	358	6.7	28	2	3	5	7	11	19
50-69	2715	8.1	39	3	5	7	10	12	17
70 +	265	10.0	74	2	4	8	11	20	29
SUBTOTAL	**3385**	**8.2**	**41**	**3**	**5**	**7**	**10**	**14**	**19**
0-17	26	4.2	16						
18-34	52	3.2							
35-49	478	5.6	9	2	3	5	8	9	12
50-69	3122	5.8	11	2	4	5	8	10	13
70 +	255	5.5	3	3	5	6	6	8	8
SUBTOTAL	**3932**	**5.7**	**10**	**2**	**4**	**5**	**7**	**10**	**12**
GRAND TOTAL	**7316**	**6.9**	**26**	**3**	**4**	**6**	**8**	**12**	**14**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	42	7.0	15						
18-34	10	3.0							
35-49	78	11.9	206	3	4	4	10	40	40
50-69	854	6.9	23	2	4	5	9	14	17
70 +	88	6.6	12	2	2	7	8	12	12
SUBTOTAL	**1072**	**7.2**	**36**	**2**	**4**	**5**	**9**	**14**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	16	2.0							
18-34	42	3.1	1						
35-49	145	6.2	7	3	5	6	6	10	12
50-69	657	8.0	214	2	3	5	8	11	16
70 +	119	7.3	6	3	5	7	9	9	12
SUBTOTAL	**979**	**7.4**	**147**	**2**	**3**	**5**	**8**	**10**	**12**
GRAND TOTAL	**2051**	**7.3**	**89**	**2**	**3**	**5**	**9**	**12**	**16**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	6.0							
35-49	36	6.7	16						
50-69	323	10.5	198	4	5	7	9	12	37
70 +	120	9.0	14	5	5	7	14	15	15
SUBTOTAL	**489**	**9.8**	**137**	**4**	**5**	**7**	**10**	**14**	**23**
0-17	16	1.0							
18-34	0								
35-49	103	5.1	11	2	2	4	8	11	11
50-69	519	5.1	5	2	3	4	6	8	9
70 +	63	7.8	25						
SUBTOTAL	**700**	**5.2**	**9**	**2**	**3**	**4**	**7**	**9**	**11**
GRAND TOTAL	**1189**	**7.1**	**66**	**3**	**4**	**6**	**8**	**11**	**15**

DRG 89: Simple Pneumonia & Pleurisy Age >17 w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	12126	9.0	40	4	5	8	11	16	20
70-74	11385	9.4	50	4	6	8	11	16	20
75-79	12773	10.2	58	4	6	8	12	18	21
80-84	12500	11.6	97	4	6	9	13	22	29
85 +	15408	12.3	115	4	6	10	14	22	34
SUBTOTAL	64191	10.6	76	4	6	8	13	19	25
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	64191	10.6	76	4	6	8	13	19	25

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2043	6.2	13	2	4	5	8	11	13
35-49	3119	7.3	19	3	4	7	9	13	16
50-69	8742	8.6	48	3	5	7	10	15	19
70 +	939	10.5	65	4	5	8	13	19	25
	14843	8.1	39	3	5	7	10	14	18
	0								
	0								
	0								
	0								
	0								
	0								
	14843	8.1	39	3	5	7	10	14	18

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	992	9.3	100	4	5	6	11	19	21
35-49	1147	8.4	38	3	5	7	10	14	18
50-69	1621	8.7	32	3	5	8	10	15	20
70 +	400	11.8	87	5	6	10	12	25	36
SUBTOTAL	4159	9.1	56	3	5	7	10	17	21
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	4159	9.1	56	3	5	7	10	17	21

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	996	6.2	20	2	4	5	7	10	14
35-49	1153	7.6	17	3	5	7	10	14	17
50-69	1974	8.9	39	3	5	7	12	16	21
70 +	673	11.9	43	6	8	11	15	21	28
	4797	8.4	33	3	4	7	11	15	20
	0								
	0								
	0								
	0								
	0								
	0								
	4797	8.4	33	3	4	7	11	15	20

DRG 90: Simple Pneumonia & Pleurisy Age >17 w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	2025	6.6	19	3	4	6	8	11	13
70-74	1972	7.0	15	3	4	6	9	13	15
75-79	1765	7.3	19	4	5	6	8	12	15
80-84	1716	7.6	18	4	5	6	9	13	16
85 +	2106	9.1	62	4	5	7	11	14	23
SUBTOTAL	9584	7.5	28	3	5	6	9	13	15
GRAND TOTAL	9584	7.5	28	3	5	6	9	13	15

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	3085	4.5	6	2	3	4	6	7	9
35-49	3383	5.1	6	2	3	5	6	8	10
50-69	3726	5.7	10	2	4	5	7	10	13
70 +	155	8.3	17	4	5	7	10	16	16
	10349	5.2	8	2	3	5	6	9	11
	10349	5.2	8	2	3	5	6	9	11

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	642	4.6	13	1	2	4	6	9	12
35-49	295	6.2	8	2	4	6	8	11	11
50-69	306	5.9	5	3	4	6	7	9	11
70 +	109	6.9	2	5	6	7	8	9	9
SUBTOTAL	1352	5.4	10	2	3	5	7	9	11
GRAND TOTAL	1352	5.4	10	2	3	5	7	9	11

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1098	4.9	7	2	3	4	6	9	9
35-49	747	5.4	11	2	3	5	6	10	13
50-69	544	6.1	15	3	4	6	7	10	11
70 +	146	8.9	35	4	6	8	9	25	25
	2535	5.6	13	2	3	5	7	9	12
	2535	5.6	13	2	3	5	7	9	12

DRG 91: Simple Pneumonia & Pleurisy Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	62	11.4	28						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	62	11.4	28						
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	10	13.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	10	13.0							
GRAND TOTAL	72	11.6	25	4	5	13	14	18	18

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	5206	4.9	19	1	2	4	6	9	13
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	5206	4.9	19	1	2	4	6	9	13
	9731	3.4	4	2	2	3	4	6	7
	14938	3.9	10	2	2	3	5	7	9

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	2341	5.2	13	2	3	4	7	10	13
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	2341	5.2	13	2	3	4	7	10	13
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	4682	3.7	5	1	2	3	5	7	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	4682	3.7	5	1	2	3	5	7	8
GRAND TOTAL	7022	4.2	8	2	2	3	5	7	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1428	4.5	17	1	2	3	6	8	13
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1428	4.5	17	1	2	3	6	8	13
	1906	3.6	6	1	2	3	4	7	8
	3333	4.0	11	1	2	3	5	8	9

DRG 92: Interstitial Lung Disease w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	550	8.5	47	2	4	7	13	16	19
70-74	357	9.2	28	2	5	8	12	18	18
75-79	280	11.6	113	5	6	9	11	16	52
80-84	264	9.9	62	3	5	8	12	21	23
85 +	299	9.8	58	4	5	8	12	31	80
SUBTOTAL	1750	9.6	59	3	5	8	12	18	24
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	1750	9.6	59	3	5	8	12	18	24

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	47	8.0	42						
18-34	68	3.8	1						
35-49	156	8.6	60	2	4	6	10	26	30
50-69	276	12.1	62	2	5	11	22	24	24
70 +	26	9.0	6						
SUBTOTAL	572	9.7	57	2	4	6	12	23	24
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	572	9.7	57	2	4	6	12	23	24

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	16	1.0							
18-34	46	9.9	13						
35-49	26	8.8	2						
50-69	62	8.5	14						
70 +	16	28.0							
SUBTOTAL	166	10.1	49	5	5	10	11	15	28
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	166	10.1	49	5	5	10	11	15	28

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	26	3.4	4						
18-34	63	6.8	17						
35-49	63	8.5	19						
50-69	57	7.0	12						
70 +	16	5.0							
SUBTOTAL	224	6.8	16	1	3	5	9	12	15
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	224	6.8	16	1	3	5	9	12	15

DRG 93. Interstitial Lung Disease w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	124	5.7	17	2	3	4	10	13	13
70-74	16	7.0							
75-79	16	8.0							
80-84	57	7.6	1						
85 +	63	7.5	7						
SUBTOTAL	276	6.7	10	2	4	7	8	12	13
GRAND TOTAL	276	6.7	10	2	4	7	8	12	13

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	249	4.8	41	1	1	3	5	9	28
18-34	109	2.8	4	1	1	2	5	5	7
35-49	93	8.3	68	3	4	4	8	31	31
50-69	124	6.3	40	< 1	1	3	8	17	20
70 +	0								
	576	5.3	41	1	1	3	6	9	20
	576	5.3	41	1	1	3	6	9	20

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	26	1.0							
18-34	16	17.0							
35-49	31	4.0	4						
50-69	16	5.0							
70 +	0								
SUBTOTAL	89	5.6	32	< 1	1	5	6	17	17
GRAND TOTAL	89	5.6	32	< 1	1	5	6	17	17

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	10	9.0							
18-34	10	3.0							
35-49	16	5.0							
50-69	16	20.0							
70 +	16	8.0							
	68	9.5	38						
	68	9.5	38						

DRG 94: Pneumothorax w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	451	8.8	60	2	5	7	11	20	25
70-74	451	9.3	46	3	4	8	13	16	24
75-79	300	10.4	44	4	5	8	13	20	28
80-84	234	12.4	91	4	7	10	15	27	39
85 +	156	8.6	33	2	3	8	11	14	25
SUBTOTAL	1591	9.8	56	3	5	8	12	20	25
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	1591	9.8	56	3	5	8	12	20	25

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	68	5.6	9						
18-34	514	6.9	30	2	3	5	9	11	18
35-49	394	8.2	54	3	4	6	9	13	31
50-69	530	9.3	78	2	3	7	11	19	21
70 +	52	4.2	2						
	1558	7.9	52	3	4	6	10	17	19
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1558	7.9	52	3	4	6	10	17	19

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	16	5.0							
18-34	78	7.7	8	3	5	8	9	12	12
35-49	31	11.0	4						
50-69	98	8.1	25	3	4	5	15	16	16
70 +	0								
SUBTOTAL	223	8.1	17	3	5	8	12	15	16
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	223	8.1	17	3	5	8	12	15	16

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	19.0							
18-34	285	5.8	8	2	4	5	8	10	11
35-49	130	6.9	10	3	5	6	9	12	12
50-69	68	5.8	3						
70 +	63	6.5	36						
	560	6.5	16	2	4	6	9	11	16
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	560	6.5	16	2	4	6	9	11	16

DRG 95: Pneumothorax w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	57	3.5	13						
70-74	120	6.2	32	2	3	4	7	20	20
75-79	62	5.8	15						
80-84	73	8.4	5						
85 +	21	6.5							
SUBTOTAL	332	6.2	20	2	3	5	9	11	14
GRAND TOTAL	332	6.2	20	2	3	5	9	11	14

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	456	4.0	6	1	2	3	6	7	8
18-34	1942	4.9	10	2	3	4	6	10	11
35-49	865	5.1	14	2	3	4	6	8	10
50-69	322	3.8	3	1	3	4	4	6	8
70 +	0								
	3584	4.8	10	2	3	4	6	8	11
	3584	4.8	10	2	3	4	6	8	11

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	52	7.3	28						
18-34	207	4.6	10	2	2	3	8	10	10
35-49	42	5.4	12						
50-69	16	13.0							
70 +	0								
SUBTOTAL	317	5.6	16	2	2	4	8	12	14
GRAND TOTAL	317	5.6	16	2	2	4	8	12	14

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	89	5.2	5	2	4	4	8	8	8
18-34	775	4.3	8	1	2	4	6	8	10
35-49	119	5.1		4	5	5	6	6	6
50-69	46	7.6	28						
70 +	0								
	1030	4.6	8	1	3	4	6	8	10
	1030	4.6	8	1	3	4	6	8	10

DRG 96: Bronchitis & Asthma Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	9702	7.9	34	3	4	6	10	14	18
70-74	8207	8.0	45	3	5	6	9	13	18
75-79	6717	8.1	41	3	4	6	10	15	18
80-84	4734	7.8	26	3	5	7	10	14	18
85 +	3831	8.9	57	4	5	7	10	17	20
SUBTOTAL	33189	8.1	40	3	5	7	10	14	18
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	33189	8.1	40	3	5	7	10	14	18

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2047	4.7	11	2	3	4	6	8	10
35-49	2698	5.9	14	2	3	5	7	10	14
50-69	7051	6.5	18	3	4	5	8	11	16
70 +	404	7.6	31	2	4	6	9	15	16
	12200	6.1	17	2	3	5	8	11	14
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	12200	6.1	17	2	3	5	8	11	14

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	1169	4.9	11	2	3	4	6	10	13
35-49	1091	6.3	50	2	3	5	8	10	12
50-69	1956	7.0	24	3	4	6	8	12	14
70 +	98	7.5	14	1	6	7	10	13	14
SUBTOTAL	4314	6.3	28	2	3	5	8	11	13
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	4314	6.3	28	2	3	5	8	11	13

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	608	4.5	7	2	3	4	6	8	10
35-49	498	4.8	5	2	3	5	6	8	9
50-69	1211	6.5	24	3	3	5	8	12	20
70 +	235	6.7	5	4	4	7	8	9	11
	2552	5.7	16	2	3	5	7	10	13
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2552	5.7	16	2	3	5	7	10	13

DRG 97: Bronchitis & Asthma Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2493	5.8	13	2	3	5	7	11	13
70-74	1637	5.5	10	2	3	5	7	10	11
75-79	1237	5.9	9	3	4	5	8	11	12
80-84	807	6.3	11	3	4	5	8	10	13
85 +	719	6.3	19	3	4	6	7	9	11
SUBTOTAL	6894	5.9	12	3	4	5	7	10	12
GRAND TOTAL	6894	5.9	12	3	4	5	7	10	12

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	5830	3.5	3	1	2	3	5	6	7
35-49	5646	4.5	9	2	3	4	6	8	9
50-69	4750	5.0	11	2	3	4	6	8	10
70 +	150	4.3	12	<1	2	3	5	10	12
	16376	4.3	8	2	3	4	5	7	9
	16376	4.3	8	2	3	4	5	7	9

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	2268	3.8	6	2	2	3	5	7	8
35-49	1215	4.9	7	2	3	5	6	8	11
50-69	963	5.0	7	3	3	4	6	10	10
70 +	73	4.2	2						
SUBTOTAL	4519	4.4	7	2	3	4	5	8	10
GRAND TOTAL	4519	4.4	7	2	3	4	5	8	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1849	3.3	4	1	2	3	4	6	7
35-49	1355	4.7	7	2	3	4	6	8	10
50-69	1061	5.1	8	2	3	4	6	9	11
70 +	46	7.1	15						
	4311	4.2	7	1	2	4	6	7	10
	4311	4.2	7	1	2	4	6	7	10

DRG 98: Bronchitis & Asthma Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	9163	3.6	19	1	2	3	4	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	9163	3.6	19	1	2	3	4	6	8
0-69	23794	2.9	3	1	2	3	4	5	6
70-74	0								
75-79	0								
80-84	0								
85 +	0								
	23794	2.9	3	1	2	3	4	5	6
	32957	3.1	8	1	2	3	4	5	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	6870	3.6	9	1	2	3	4	7	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	6870	3.6	9	1	2	3	4	7	10
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	11388	3.3	5	1	2	3	4	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	11388	3.3	5	1	2	3	4	6	8
GRAND TOTAL	18258	3.4	6	1	2	3	4	6	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	4998	2.7	5	1	1	2	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	4998	2.7	5	1	1	2	3	5	6
0-17	5333	2.8	7	1	2	2	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	5333	2.8	7	1	2	2	3	5	6
	10331	2.7	6	1	1	2	3	5	6

DRG 99: Respiratory Signs & Symptoms w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1527	5.7	54	2	2	4	6	10	16
70-74	1315	6.0	59	2	2	5	7	11	16
75-79	1046	5.9	33	1	2	4	7	14	17
80-84	735	6.8	27	2	3	6	10	14	18
85 +	413	4.8	9	2	2	4	6	9	10
SUBTOTAL	5036	5.9	44	2	2	4	7	11	17
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	5036	5.9	44	2	2	4	7	11	17

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	504	4.5	26	1	2	3	4	16	19
18-34	140	4.6	11	2	2	4	5	13	13
35-49	663	3.9	10	1	2	3	5	8	10
50-69	1576	4.6	24	1	2	3	5	9	13
70 +	36	2.1	1						
	2919	4.4	20	1	2	3	5	9	13
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2919	4.4	20	1	2	3	5	9	13

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	260	7.2	46	2	2	6	9	15	29
18-34	73	2.6	2						
35-49	218	5.0	14	1	3	4	6	9	16
50-69	357	4.9	8	2	3	4	6	8	12
70 +	26	2.2	1						
SUBTOTAL	933	5.3	21	1	2	4	6	11	15
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	933	5.3	21	1	2	4	6	11	15

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	156	6.8	52	2	3	4	5	22	23
18-34	62	3.2	4						
35-49	259	4.5	19	1	1	3	6	10	18
50-69	249	6.4	31	1	3	4	8	14	23
70 +	31	9.5	6						
	758	5.7	30	1	2	4	6	14	19
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	758	5.7	30	1	2	4	6	14	19

DRG 100: Respiratory Signs & Symptoms w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0		-						
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	751	3.2	5	1	2	2	4	7	8
70-74	524	2.3	2	1	1	2	3	4	5
75-79	373	2.5	1	1	2	2	3	4	5
80-84	176	4.7	8	2	2	4	7	8	11
85 +	145	3.6	6	1	2	3	4	8	9
SUBTOTAL	1968	3.0	4	1	2	2	3	6	8
GRAND TOTAL	1968	3.0	4	1	2	2	3	6	8

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1017	3.0	7	1	1	2	4	6	8
18-34	699	1.9	3	1	1	1	3	3	4
35-49	1962	2.3	2	1	1	2	3	4	5
50-69	1771	2.7	3	1	1	2	3	5	6
70 +	26	4.6	9						
	5475	2.5	4	1	1	2	3	5	6
	5475	2.5	4	1	1	2	3	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	920	3.0	7	1	1	2	3	6	7
18-34	26	1.4							
35-49	130	3.7	4	1	2	4	5	7	7
50-69	135	3.3	3	2	2	3	5	6	6
70 +	16	9.0							
SUBTOTAL	1227	3.2	6	1	1	2	5	6	7
GRAND TOTAL	1227	3.2	6	1	1	2	5	6	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	582	2.7	7	1	1	2	3	6	7
18-34	108	1.4		1	1	1	2	2	2
35-49	420	2.1	4	1	1	1	2	5	8
50-69	317	2.7	3	< 1	1	2	3	5	7
70 +	16	3.0							
	1443	2.4	5	1	1	2	3	6	7
	1443	2.4	5	1	1	2	3	6	7

DRG 101: Other Respiratory System Diagnoses w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	919	7.6	100	2	3	5	8	13	20
70-74	830	6.2	22	1	3	5	8	13	16
75-79	507	9.1	178	2	2	5	13	20	28
80-84	521	9.0	100	2	4	6	11	17	20
85 +	605	9.2	128	2	3	7	10	17	22
SUBTOTAL	3383	8.0	99	2	3	6	9	14	20
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	3383	8.0	99	2	3	6	9	14	20

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	270	5.7	20	2	2	4	9	13	15
18-34	405	4.5	15	1	2	3	6	14	14
35-49	580	5.5	13	1	3	5	8	10	12
50-69	1059	6.6	27	1	3	6	8	15	18
70 +	145	5.9	16	2	3	6	7	8	18
	2459	5.9	21	1	2	5	8	13	16
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2459	5.9	21	1	2	5	8	13	16

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	104	5.7	12	1	4	4	9	12	12
18-34	52	5.5	3						
35-49	109	5.7	21	1	3	5	7	8	18
50-69	109	7.3	29	3	3	6	10	10	21
70 +	36	9.0	15						
SUBTOTAL	410	6.4	19	1	4	5	8	12	15
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	410	6.4	19	1	4	5	8	12	15

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	93	6.1	63	<1	1	2	8	23	23
18-34	187	5.3	19	2	2	4	5	12	19
35-49	172	4.6	7	1	3	4	7	8	9
50-69	192	5.3	18	1	2	3	9	10	14
70 +	42	16.2	54						
	686	5.9	31	1	2	4	9	12	20
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	686	5.9	31	1	2	4	9	12	20

Northeastern Region, July 1989 - June 1990

DRG 102: Other Respiratory System Diagnoses w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	233	2.3	3	1	1	2	3	4	8
70-74	217	4.1	7	1	2	3	6	9	9
75-79	166	3.7	4	2	2	3	6	6	7
80-84	176	6.2	21	2	2	5	8	9	18
85 +	217	6.5	24	2	3	5	8	14	19
SUBTOTAL	1009	4.5	14	1	2	3	6	9	12
GRAND TOTAL	1009	4.5	14	1	2	3	6	9	12

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	603	2.1	3	1	1	2	2	4	7
18-34	404	2.4	4	1	1	2	3	4	8
35-49	420	3.0	4	1	1	3	4	6	7
50-69	347	2.8	5	1	1	2	4	6	6
70 +	52	2.1	2						
	1826	2.5	4	1	1	2	3	5	7
	1826	2.5	4	1	1	2	3	5	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	302	3.4	8	1	2	2	5	8	12
18-34	36	3.0	3						
35-49	36	3.3	1						
50-69	63	2.8	4						
70 +	16	6.0							
SUBTOTAL	453	3.4	6	1	2	2	5	6	8
GRAND TOTAL	453	3.4	6	1	2	2	5	6	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	172	2.7	8	1	1	2	4	4	11
18-34	159	2.6	3	< 1	1	2	3	4	8
35-49	104	3.0	3	1	1	3	5	6	6
50-69	67	4.1	12	1	1	3	6	11	11
70 +	10	1.0							
	512	2.9	6	1	1	2	4	6	10
	512	2.9	6	1	1	2	4	6	10

DRG 103: Heart Transplant

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	47	40.3	40						
18-34	16	45.0							
35-49	0								
50-69	0								
70 +	0								
	63	41.5	34						
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	63	41.5	34						

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	16	11.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	16	11.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	16	11.0							

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	0								

DRG 104: Cardiac Valve Procedures w/ Cardiac Cath

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	517	30.5	445	14	17	22	33	58	84
70-74	600	26.2	241	12	14	23	33	43	62
75-79	412	24.4	108	15	18	21	30	43	48
80-84	192	21.8	45	12	18	23	26	30	34
85 +	73	33.7	161						
SUBTOTAL	1793	26.9	254	13	17	22	33	43	58
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	26	9.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	26	9.0							
GRAND TOTAL	1819	26.6	255	12	17	22	33	43	58

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	407	17.3	252	8	10	12	18	39	41
18-34	16	15.0							
35-49	151	30.7	149	16	20	31	40	56	56
50-69	589	22.7	125	12	15	22	27	31	48
70 +	16	27.0							
SUBTOTAL	1179	21.8	187	10	13	18	27	39	48
0-17	16	10.0							
18-34	0								
35-49	0								
50-69	42	12.9	17						
70 +	0								
SUBTOTAL	57	12.1	14						
GRAND TOTAL	1237	21.4	183	10	12	18	25	39	48

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	94	24.3	286	8	15	18	26	60	60
18-34	16	18.0							
35-49	31	18.0	9						
50-69	16	26.0							
70 +	0								
SUBTOTAL	157	22.6	182	10	15	19	26	53	60
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	157	22.6	182	10	15	19	26	53	60

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	219	19.8	110	8	12	14	30	33	41
18-34	0								
35-49	0								
50-69	31	28.5	58						
70 +	0								
SUBTOTAL	251	20.9	112	8	12	21	31	36	41
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	251	20.9	112	8	12	21	31	36	41

Northeastern Region, July 1989 - June 1990

DRG 105: Cardiac Valve Procedures w/o Cardiac Cath

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1090	14.6	79	8	9	12	17	23	33
70-74	881	19.2	254	9	11	13	23	29	62
75-79	678	18.7	171	10	11	15	20	33	46
80-84	240	17.4	58	9	13	15	26	28	34
85 +	46	14.1	59						
SUBTOTAL	2936	17.1	155	9	10	13	20	29	38
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	151	10.9	15	7	8	11	12	21	21
70-74	204	11.6	12	8	9	11	12	18	19
75-79	52	9.9	5						
80-84	16	8.0							
85 +	21	7.0	1						
SUBTOTAL	443	10.8	13	8	8	10	12	18	19
GRAND TOTAL	3379	16.3	141	8	10	13	19	27	35

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	689	8.8	23	5	6	8	10	13	18
18-34	214	9.6	21	6	6	8	11	18	21
35-49	345	12.5	53	7	8	10	13	20	31
50-69	1199	13.2	40	8	9	11	15	20	29
70 +	26	15.8	2						
	2474	11.6	39	6	8	10	14	18	25
0-17	63	6.5	1						
18-34	31	7.0							
35-49	157	8.2	1	7	8	8	9	9	9
50-69	198	10.1	7	7	8	10	11	14	17
70 +	0								
	448	8.7	5	6	7	8	9	11	14
	2922	11.2	35	6	8	9	13	17	22

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	10	6.0							
35-49	63	11.5	3						
50-69	47	11.7	1						
70 +	16	30.0							
SUBTOTAL	136	13.3	41	10	10	11	13	30	30
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	16	6.0							
18-34	0								
35-49	0								
50-69	16	9.0							
70 +	0								
SUBTOTAL	31	7.5	2						
GRAND TOTAL	167	12.2	38	6	9	11	13	14	30

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	188	9.8	7	7	7	10	12	13	13
18-34	0								
35-49	16	8.0							
50-69	31	17.0	4						
70 +	0								
	235	10.6	13	7	7	10	13	15	19
0-17	31	7.5							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	31	7.5							
	266	10.2	12	7	7	9	13	15	19

DRG 106: Coronary Bypass w/ Cardiac Cath

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2716	18.6	83	10	12	17	22	30	33
70-74	2429	18.6	67	11	13	16	22	30	36
75-79	1412	22.6	148	11	14	19	28	37	52
80-84	391	23.1	76	13	16	22	27	40	41
85 +	31	23.5	44						
SUBTOTAL	**6979**	**19.7**	**93**	**10**	**13**	**18**	**23**	**31**	**39**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	307	13.8	15	9	10	13	16	18	24
70-74	218	15.7	31	9	10	16	20	24	26
75-79	78	13.1	11	8	9	13	16	17	17
80-84	26	15.6	9						
85 +	31	19.5	2						
SUBTOTAL	**661**	**14.7**	**21**	**9**	**10**	**14**	**18**	**21**	**24**
GRAND TOTAL	**7640**	**19.3**	**89**	**10**	**13**	**17**	**23**	**31**	**37**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	755	13.6	46	7	9	11	16	23	28
50-69	4457	15.3	43	9	11	14	18	22	26
70 +	230	17.1	46	8	11	17	21	27	30
	5442	**15.1**	**44**	**9**	**10**	**14**	**18**	**23**	**27**
0-17	0								
18-34	0								
35-49	229	12.3	12	8	10	13	14	17	18
50-69	850	14.4	22	9	12	14	17	19	23
70 +	0								
	1079	**14.0**	**21**	**9**	**11**	**14**	**16**	**19**	**22**
	6521	**14.9**	**40**	**9**	**10**	**14**	**18**	**22**	**26**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	16	27.0							
50-69	125	21.6	90	8	16	18	29	37	37
70 +	31	20.0	17						
SUBTOTAL	**172**	**21.8**	**71**	**15**	**16**	**19**	**27**	**36**	**37**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	16	17.0							
70 +	0								
SUBTOTAL	**16**	**17.0**							
GRAND TOTAL	**188**	**21.4**	**67**	**15**	**16**	**19**	**26**	**36**	**37**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	52	10.5	14						
50-69	229	16.0	76	9	13	15	20	22	28
70 +	63	19.5	37						
	343	**15.8**	**33**	**8**	**13**	**15**	**20**	**22**	**28**
0-17	0								
18-34	0								
35-49	36	8.3	1						
50-69	73	14.9	29						
70 +	0								
	109	**12.7**	**30**	**8**	**9**	**10**	**20**	**22**	**22**
	452	**15.0**	**34**	**8**	**10**	**15**	**20**	**22**	**28**

DRG 107: Coronary Bypass w/o Cardiac Cath

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	4147	12.9	68	7	8	10	14	23	31
70-74	2764	13.0	41	8	9	11	15	23	27
75-79	1400	12.9	40	8	9	11	15	21	23
80-84	171	14.7	40	10	10	13	16	20	32
85 +	46	11.2	5						
SUBTOTAL	8529	13.0	54	8	9	11	15	22	28
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	864	8.9	6	7	7	8	10	12	13
70-74	484	10.0	15	7	8	9	11	12	22
75-79	312	10.2	12	7	8	9	11	15	21
80-84	78	13.3	15	9	10	12	15	20	20
85 +	0								
SUBTOTAL	1738	9.7	11	7	8	9	11	13	15
GRAND TOTAL	10267	12.4	48	7	8	10	14	21	26

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	12.0							
18-34	31	7.5							
35-49	1427	10.7	43	6	8	9	12	16	23
50-69	6047	10.8	30	7	8	9	12	16	22
70 +	240	13.0	54	7	8	9	19	24	33
	7761	10.9	34	7	8	9	12	17	22
0-17	0								
18-34	31	7.0							
35-49	506	8.5	5	6	7	8	10	11	13
50-69	1454	8.3	4	6	7	8	9	11	13
70 +	16	9.0							
	2007	8.4	4	6	7	8	9	11	13
	9767	10.4	29	7	8	9	11	15	20

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	141	10.4	7	6	8	11	13	14	14
50-69	245	13.4	41	7	8	12	16	27	27
70 +	16	8.0							
SUBTOTAL	401	12.1	30	7	8	11	14	21	27
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	31	11.0	4						
50-69	47	7.7				-			
70 +	0								
SUBTOTAL	78	9.0	4						
GRAND TOTAL	480	11.6	27	7	8	11	13	20	27

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	6.0							
35-49	99	8.3	1	7	7	8	9	10	10
50-69	338	11.6	29	7	9	10	12	16	17
70 +	16	21.0							
	463	11.1	27	7	9	10	12	16	21
0-17	0								
18-34	16	3.0							
35-49	26	6.6							
50-69	177	11.1	10	8	9	11	13	15	18
70 +	0								
	219	10.4	10	7	8	9	13	15	15
	682	10.9	22	7	8	9	12	15	18

DRG 108: Other Cardiothoracic Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	438	15.0	105	8	8	11	19	29	44
70-74	443	17.8	90	8	10	16	22	33	39
75-79	136	25.7	403	9	16	19	27	79	79
80-84	42	13.0	12						
85 +	0								
SUBTOTAL	1058	17.5	145	8	9	14	20	33	42
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	78	5.2	18						
70-74	21	8.0	1						
75-79	0								
80-84	16	10.0							
85 +	0								
SUBTOTAL	115	7.0	14	1	2	9	10	12	12
GRAND TOTAL	1173	16.5	142	8	9	13	20	29	42

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	3745	13.3	104	5	8	10	16	25	36
18-34	94	9.5	22	4	7	8	11	19	19
35-49	219	10.3	14	8	8	9	10	14	22
50-69	734	14.4	80	8	8	12	17	27	39
70 +	0								
	4791	13.3	95	6	8	10	16	24	36
0-17	1442	6.3	18	2	3	6	8	10	13
18-34	125	5.3	5	2	3	5	7	9	9
35-49	63	6.8	10						
50-69	83	8.0	3	6	6	8	9	11	11
70 +	0								
	1713	6.3	17	2	3	6	8	11	13
	6504	11.4	84	3	7	9	13	22	33

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	423	12.7	94	5	7	9	15	21	25
18-34	31	6.5	21						
35-49	16	6.0							
50-69	68	9.9	3						
70 +	0								
SUBTOTAL	538	11.8	79	5	7	9	14	20	25
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	125	4.6	8	2	2	5	7	10	10
18-34	0								
35-49	16	9.0							
50-69	0								
70 +	0								
SUBTOTAL	141	5.1	9	2	2	5	7	10	10
GRAND TOTAL	679	10.4	72	2	6	8	13	19	21

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1410	14.1	108	6	7	10	17	30	39
18-34	78	8.6	25						
35-49	31	7.0							
50-69	63	18.5	96						
70 +	0								
	1583	13.9	104	6	7	10	16	29	38
0-17	235	5.2	7	2	2	5	7	9	10
18-34	63	3.5	4						
35-49	0								
50-69	0								
70 +	0								
	298	4.8	7	2	2	5	7	9	10
	1880	12.5	100	4	6	9	15	27	38

DRG 110: Major Cardiovascular Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	2760	14.2	78	7	9	12	16	23	31
70-74	2254	15.8	129	7	10	13	21	28	42
75-79	1809	17.5	98	9	11	14	21	28	36
80-84	842	20.4	276	9	11	16	23	40	64
85 +	363	14.2	76	7	9	13	16	23	39
SUBTOTAL	8029	16.0	121	8	10	13	19	28	39
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	8029	16.0	121	8	10	13	19	28	39

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1614	10.1	82	2	5	8	11	23	29
18-34	120	10.6	64	2	5	10	19	99 +	99 +
35-49	370	9.9	23	4	7	9	11	16	18
50-69	3145	14.5	126	7	9	11	15	25	37
70 +	198	20.0	141	8	11	16	24	39	48
	5446	13.0	111	5	8	10	15	25	35
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	5446	13.0	111	5	8	10	15	25	35

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	329	10.5	37	3	6	8	14	19	19
18-34	78	10.4	29						
35-49	63	9.3							
50-69	218	24.1	317	9	11	24	26	32	82
70 +	0								
SUBTOTAL	688	14.7	162	5	8	10	20	25	29
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	688	14.7	162	5	8	10	20	25	29

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	423	10.7	113	3	5	9	12	18	22
18-34	16	1.0							
35-49	119	8.0	1	7	7	8	9	10	10
50-69	251	16.3	209	8	9	13	18	23	69
70 +	73	20.2	74						
	882	12.5	135	4	7	10	14	22	36
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	882	12.5	135	4	7	10	14	22	36

DRG 111: Major Cardiovascular Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	571	9.5	13	6	7	9	11	14	15
70-74	453	9.8	13	6	7	9	11	13	14
75-79	275	9.5	13	6	8	10	11	15	16
80-84	31	12.7	7						
85 +	0								
SUBTOTAL	1329	9.6	13	6	7	9	11	14	16
GRAND TOTAL	1329	9.6	13	6	7	9	11	14	16

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	924	4.5	7	2	2	4	6	8	11
18-34	63	4.5	12						
35-49	176	7.7	7	5	7	7	8	10	14
50-69	868	9.9	13	6	8	9	12	14	17
70 +	26	9.6							
	2057	7.1	16	2	4	7	9	13	14
	2057	7.1	16	2	4	7	9	13	14

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	157	4.3	3	2	2	5	6	7	7
18-34	16	7.0							
35-49	0								
50-69	21	7.5							
70 +	0								
SUBTOTAL	193	4.9	4	2	3	5	7	7	8
GRAND TOTAL	193	4.9	4	2	3	5	7	7	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	219	4.1	6	1	2	3	6	8	8
18-34	16	7.0							
35-49	42	5.6	3						
50-69	26	10.6	4						
70 +	0								
	303	5.0	9	1	2	5	7	8	9
	303	5.0	9	1	2	5	7	8	9

DRG 112: Percutaneous Cardiovascular Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4039	6.8	26	2	3	5	9	14	16
70-74	2523	8.6	41	2	4	7	12	17	19
75-79	1783	9.4	53	2	3	7	13	18	23
80-84	521	10.8	78	2	3	7	18	24	28
85 +	187	7.9	12	4	6	8	11	12	16
SUBTOTAL	9054	8.1	40	2	3	6	11	16	20
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	3037	5.1	17	2	3	3	6	10	14
70-74	1703	5.1	14	2	3	4	7	10	13
75-79	923	5.6	22	1	3	4	7	13	15
80-84	151	9.0	23	3	3	9	13	18	18
85 +	57	3.3							
SUBTOTAL	5871	5.3	17	2	3	4	7	10	14
GRAND TOTAL	14925	7.0	33	2	3	5	9	15	18

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	486	6.4	42	1	2	4	7	17	22
18-34	292	6.1	23	1	2	5	9	14	17
35-49	2406	4.8	15	2	2	4	6	10	11
50-69	6828	5.8	20	2	3	4	8	11	15
70 +	177	9.7	29	4	6	9	12	13	24
	10189	5.6	21	2	2	4	7	11	15
	642	2.9	4	1	2	2	3	6	8
	271	4.7	28	1	2	3	4	11	23
	3468	4.4	11	2	2	3	5	8	10
	7264	4.4	10	2	2	3	6	8	11
	83	5.5	15	2	3	4	6	13	13
	11728	4.3	11	2	2	3	6	8	11
	21917	4.9	16	2	2	4	7	10	13

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	47	3.3	7						
18-34	94	3.0	3	2	2	2	3	7	7
35-49	78	7.8	52						
50-69	104	5.9	11	3	4	5	8	10	14
70 +	0								
SUBTOTAL	323	5.2	22	2	2	4	7	9	17
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	125	2.4	1	1	2	2	3	5	5
18-34	31	6.0	9						
35-49	157	3.6	8	1	2	2	3	9	9
50-69	110	3.9	4	1	3	3	5	8	8
70 +	0								
SUBTOTAL	423	3.5	6	1	2	3	4	9	9
GRAND TOTAL	746	4.2	13	1	2	3	5	9	9

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	157	5.2	18	1	2	3	9	12	13
18-34	31	25.0	264						
35-49	229	6.4	20	1	3	5	11	12	16
50-69	464	7.3	24	2	3	6	10	14	15
70 +	47	11.0	8						
	927	7.5	41	1	2	7	11	14	16
0-17	141	4.6	13	2	2	3	5	13	13
18-34	26	1.6							
35-49	354	4.3	8	2	2	4	5	10	11
50-69	291	3.4	5	1	2	3	5	7	10
70 +	0								
	812	3.9	8	1	2	3	5	8	11
	1739	5.9	29	1	2	4	9	13	14

DRG 113: Amputation for Circ System Disorders except Upper Limb & Toe

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1387	28.2	368	8	14	25	40	70	89
70-74	1106	27.0	340	8	13	23	38	57	76
75-79	1054	29.0	424	9	12	24	41	71	74
80-84	1158	29.1	400	9	15	23	39	63	74
85 +	1089	20.0	280	7	10	15	23	48	60
SUBTOTAL	5794	26.8	373	8	13	21	37	61	77
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	62	16.9	281						
70-74	46	12.7	14						
75-79	10	29.0							
80-84	0								
85 +	26	17.3	110						
SUBTOTAL	145	16.5	159	4	7	12	22	44	44
GRAND TOTAL	5939	26.5	371	8	13	21	37	60	75

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	16.0							
35-49	99	26.4	332	13	15	16	37	64	64
50-69	832	27.6	396	9	13	20	43	59	93
70 +	62	30.3	245						
	1003	27.6	377	10	14	19	43	59	80
	0								
	0								
	0								
	57	10.6	30						
	0								
	57	10.6	30						
	1060	26.6	373	9	13	19	41	59	80

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	89	26.3	164	10	12	26	36	48	48
50-69	186	32.9	401	14	22	24	40	55	86
70 +	26	18.2	12						
SUBTOTAL	301	29.7	318	12	18	24	40	73	94
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	31	13.5	2						
70 +	0								
SUBTOTAL	31	13.5	2						
GRAND TOTAL	332	28.1	311	12	15	24	38	55	86

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	16	98.0							
35-49	26	28.5	90						
50-69	177	35.5	494	9	17	36	61	61	77
70 +	31	40.0	149						
	250	39.2	616	9	21	36	61	77	98
	0								
	0								
	0								
	0								
	0								
	0								
	250	39.2	616	9	21	36	61	77	98

DRG 114: Upper Limb & Toe Amputation for Circ System Disorders

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	525	14.6	213	3	7	11	18	24	42
70-74	358	17.8	221	5	10	13	18	37	42
75-79	352	14.3	202	5	7	11	17	24	88
80-84	223	18.6	265	3	6	13	25	47	47
85 +	88	11.3	149	2	4	7	9	37	37
SUBTOTAL	1546	15.6	220	4	7	11	18	33	47
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	26	4.4	9						
70-74	10	1.0							
75-79	0								
80-84	21	4.5							
85 +	0								
SUBTOTAL	57	3.8	6						
GRAND TOTAL	1603	15.2	217	3	7	11	18	33	47

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	42	8.1	11						
35-49	114	15.6	205	2	3	10	26	32	50
50-69	513	15.6	105	3	8	13	19	33	37
70 +	31	11.0	4						
SUBTOTAL	700	15.0	115	3	8	13	18	32	38
0-17	31	2.0	1						
18-34	0								
35-49	0								
50-69	42	7.7	2						
70 +	0								
SUBTOTAL	73	5.3	10						
GRAND TOTAL	773	14.1	113	3	7	12	17	32	35

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	47	5.7	4						
50-69	36	14.9	119						
70 +	0								
SUBTOTAL	83	9.7	75	3	5	6	8	31	31
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	83	9.7	75	3	5	6	8	31	31

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	16	12.0							
50-69	115	8.7	29	2	5	6	15	16	16
70 +	0								
SUBTOTAL	130	9.1	27	2	5	6	15	16	16
0-17	16	1.0							
18-34	0								
35-49	10	7.0							
50-69	0								
70 +	0								
SUBTOTAL	26	3.4	9						
GRAND TOTAL	156	8.2	28	1	5	6	15	16	16

DRG 115: Perm Cardiac Pacemaker Implant - AMI, Heart Failure or Shock

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	209	17.7	84	6	12	16	24	30	39
70-74	182	13.5	47	4	10	13	19	21	26
75-79	212	17.1	56	8	12	15	18	31	31
80-84	192	16.2	48	8	12	15	19	22	34
85 +	316	17.4	93	8	10	17	22	29	40
SUBTOTAL	1111	16.6	71	7	10	15	21	29	34
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	31	10.0	17						
75-79	10	6.0							
80-84	36	16.0	21						
85 +	0								
SUBTOTAL	78	12.3	30	6	6	14	14	23	23
GRAND TOTAL	1189	16.3	69	6	10	15	20	29	31

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	16	7.0							
50-69	171	14.2	35	7	9	13	20	23	24
70 +	26	8.4							
	213	12.9	35	7	8	10	18	23	23
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	16	12.0							
	16	12.0							
	229	12.9	32	7	8	10	18	23	23

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

W[illegible] INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	10	19.0							
70 +	10	12.0							
	21	15.5	13						
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	21	15.5	13						

DRG 116: Perm Cardiac Pacemaker Implant w/o AMI, Heart Failure or Shock

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1059	9.7	44	3	4	8	14	19	20
70-74	1385	10.7	128	3	4	7	12	19	33
75-79	1833	9.0	43	3	4	7	12	17	21
80-84	2066	10.1	93	3	5	7	13	20	25
85 +	1993	11.5	155	4	5	8	13	21	28
SUBTOTAL	8337	10.2	97	3	5	8	13	19	25
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	540	6.0	27	2	3	4	7	10	20
70-74	774	5.9	25	2	3	4	7	11	16
75-79	860	6.4	23	2	4	6	8	11	13
80-84	871	6.5	25	2	3	4	8	13	16
85 +	829	7.5	58	2	3	5	10	13	18
SUBTOTAL	3874	6.5	32	2	3	5	8	12	16
GRAND TOTAL	12211	9.1	80	3	4	7	11	18	23

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	172	10.4	129	3	3	5	9	29	38
18-34	47	13.3	48						
35-49	26	10.0	6						
50-69	671	8.0	68	3	4	5	10	13	16
70 +	130	13.4	229	5	6	7	13	53	53
SUBTOTAL	1046	9.4	100	3	4	6	10	16	29
0-17	47	6.0	8						
18-34	26	5.8	2						
35-49	63	4.0	17						
50-69	572	5.0	9	2	3	4	7	8	10
70 +	73	5.4	23						
SUBTOTAL	780	5.1	11	2	3	4	7	9	11
GRAND TOTAL	1826	7.5	66	2	4	5	9	13	23

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	31	5.0	4						
18-34	47	3.3							
35-49	0								
50-69	26	5.2	1						
70 +	0								
SUBTOTAL	104	4.3	2	3	3	4	6	7	7
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	16	3.0							
35-49	0								
50-69	26	4.0							
70 +	10	5.0							
SUBTOTAL	52	3.9							
GRAND TOTAL	156	4.2	2	3	3	4	5	7	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	9.0							
18-34	16	2.0							
35-49	16	1.0							
50-69	104	7.8	15	3	4	8	12	13	13
70 +	63	16.0	467						
SUBTOTAL	214	9.4	166	1	3	6	10	13	53
0-17	31	3.5							
18-34	16	14.0							
35-49	16	3.0							
50-69	26	6.6	9						
70 +	63	4.8	5						
SUBTOTAL	151	5.6	13	2	3	4	8	14	14
GRAND TOTAL	365	7.8	106	2	3	4	9	13	14

DRG 117: Cardiac Pacemaker Revision except Device Replacement

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	99	7.1	11	2	6	7	10	12	12
70-74	52	7.2	37						
75-79	125	2.9	2	1	2	3	4	5	5
80-84	83	5.2	5	2	3	6	7	8	8
85 +	109	6.3	8	3	4	6	7	11	11
SUBTOTAL	468	5.5	12	2	3	5	7	10	12
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	78	2.0	1	< 1	< 1	2	3	4	4
70-74	125	3.3	2	2	2	3	4	6	6
75-79	88	4.6	10	1	3	4	5	11	11
80-84	104	3.7	2	3	3	3	4	7	7
85 +	120	7.6	100	2	2	4	6	33	33
SUBTOTAL	515	4.4	30	2	2	3	4	6	11
GRAND TOTAL	983	4.9	22	2	3	4	6	10	11

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	3.0							
18-34	16	3.0							
35-49	16	1.0							
50-69	93	5.2	8	1	3	5	8	9	9
70 +	0								
	140	4.2	7	1	2	3	6	9	9
0-17	16	3.0							
18-34	0								
35-49	10	1.0							
50-69	99	4.6	9	2	2	3	8	10	10
70 +	0								
	125	4.1	9	2	2	3	8	10	10
	265	4.2	8	1	2	3	6	9	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	26	14.0	29						
70 +	10	4.0							
SUBTOTAL	36	11.1	38						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	10	1.0							
50-69	0								
70 +	0								
SUBTOTAL	10	1.0							
GRAND TOTAL	46	8.9	48						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	10	22.0							
	10	22.0							
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	10	22.0							

DRG 118: Cardiac Pacemaker Device Replacement

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	124	3.9	16	1	1	2	7	13	13
70-74	135	5.0	12	1	2	5	6	12	12
75-79	186	5.8	22	1	2	4	11	12	16
80-84	223	5.4	29	1	2	2	7	15	16
85 +	239	5.9	19	1	3	5	7	15	17
SUBTOTAL	908	5.4	21	1	2	4	7	13	16
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	130	3.6	29	1	1	1	3	18	18
70-74	104	1.8	1	1	1	1	3	3	3
75-79	177	1.8	1	< 1	1	2	2	3	4
80-84	135	2.0	1	1	1	2	3	3	3
85 +	213	2.1	2	< 1	1	2	2	3	8
SUBTOTAL	759	2.2	7	1	1	2	3	3	4
GRAND TOTAL	1667	3.9	17	1	1	2	4	11	15

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	16	3.0							
35-49	16	10.0							
50-69	57	2.9	4						
70 +	0								
SUBTOTAL	89	4.2	10	1	2	3	7	10	10
0-17	0								
18-34	16	1.0							
35-49	16	3.0							
50-69	72	1.5		1	1	1	2	2	2
70 +	42	1.0							
SUBTOTAL	145	1.5		< 1	1	1	2	3	3
GRAND TOTAL	234	2.5	6	< 1	1	2	3	7	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	16	2.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	16	2.0							
GRAND TOTAL	16	2.0							

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	16	2.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	16	2.0							
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	16	2.0							

Northeastern Region, July 1989 - June 1990

DRG 119: Vein Ligation & Stripping

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	115	3.3	10	1	1	2	3	4	13
70-74	98	14.9	419	1	2	4	35	55	64
75-79	72	6.1	18	3	3	5	6	16	16
80-84	73	9.0	47	1	6	9	21	99+	99+
85+	10	10.0							
SUBTOTAL	369	8.2	148	1	2	4	9	35	64
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	468	3.6	7	1	2	3	4	7	9
70-74	78	10.9	265	1	1	4	4	43	43
75-79	156	5.7	23	1	1	3	10	14	15
80-84	26	4.8	2						
85+	31	17.3	115						
SUBTOTAL	759	5.4	52	1	2	3	5	11	15
GRAND TOTAL	1128	6.3	85	1	2	3	6	15	35

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	2.0							
18-34	99	2.2		1	2	2	3	3	3
35-49	145	7.3	92	1	1	3	12	32	32
50-69	229	5.7	43	1	2	3	7	15	26
70+	16	4.0							
SUBTOTAL	504	5.3	49	1	2	3	4	14	26
0-17	31	1.0							
18-34	1291	1.7	1	1	1	1	2	3	3
35-49	2155	2.0	4	1	1	2	2	3	4
50-69	1386	3.6	21	1	1	2	4	6	14
70+	16	1.0							
SUBTOTAL	4879	2.3	9	1	1	2	2	4	5
GRAND TOTAL	5383	2.6	13	1	1	2	3	4	6

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	16	3.0							
18-34	0								
35-49	16	8.0							
50-69	31	15.5							
70+	0								
SUBTOTAL	63	10.5	29						
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	52	2.6	1						
35-49	125	3.3	9	1	2	2	6	10	10
50-69	46	2.1	1						
70+	0								
SUBTOTAL	223	2.9	6	1	2	2	2	6	10
GRAND TOTAL	286	4.5	21	1	2	2	6	15	16

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	16	4.0							
50-69	52	9.8	48						
70+	0								
SUBTOTAL	68	8.5	43						
0-17	0								
18-34	182	3.1	10	<1	1	2	3	9	11
35-49	218	2.0	2	1	1	1	3	3	5
50-69	171	3.0	19	1	1	1	2	13	16
70+	0								
SUBTOTAL	572	2.6	10	1	1	1	3	7	11
GRAND TOTAL	639	3.3	17	1	1	2	3	9	13

DRG 120: Other Circulatory System O.R. Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	2549	11.9	212	1	2	7	16	27	41
70-74	681	17.9	303	2	5	13	28	40	57
75-79	632	17.5	214	4	6	12	31	38	54
80-84	488	22.4	349	3	6	18	44	54	64
85 +	478	17.0	175	3	8	15	21	46	52
SUBTOTAL	4827	15.0	248	2	3	10	21	40	50
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	276	11.4	238	1	3	6	14	35	63
70-74	135	11.2	29	3	7	11	14	18	22
75-79	57	7.1	29						
80-84	104	12.6	310	1	1	6	11	53	53
85 +	57	29.6	351						
SUBTOTAL	628	12.8	225	1	3	7	14	41	53
GRAND TOTAL	5455	14.8	246	2	3	10	20	40	51

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	2.0							
18-34	130	7.0	17	2	3	7	11	13	13
35-49	146	15.0	338	< 1	2	12	19	22	76
50-69	644	14.7	73	4	7	14	20	29	36
70 +	57	22.7	269						
SUBTOTAL	1009	13.8	128	2	6	12	19	26	37
0-17	31	20.0	335						
18-34	68	7.6	10						
35-49	10	4.0							
50-69	228	11.6	63	3	5	10	20	24	26
70 +	0								
SUBTOTAL	337	11.3	86	2	4	9	15	24	26
GRAND TOTAL	1346	13.2	118	2	6	11	19	26	37

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	78	11.6	197						
35-49	104	11.8	142	3	3	8	17	35	35
50-69	156	20.3	294	1	4	13	30	37	63
70 +	0								
SUBTOTAL	338	15.7	242	2	3	8	30	37	39
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	31	8.0	37						
50-69	36	21.4	139						
70 +	0								
SUBTOTAL	68	15.2	136						
GRAND TOTAL	406	15.6	224	2	3	9	30	35	39

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	16	5.0							
35-49	47	6.7	37						
50-69	115	16.9	96	1	14	18	24	30	30
70 +	16	25.0							
SUBTOTAL	193	14.1	101	1	4	15	24	25	30
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	193	14.1	101	1	4	15	24	25	30

DRG 121: Circulatory Disorders w/ AMI & C.V. Comp Disch Alive

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	5845	11.2	41	6	7	10	13	19	23
70-74	6129	11.6	52	6	8	10	13	17	25
75-79	6999	11.5	39	6	8	10	13	18	24
80-84	5767	12.1	45	6	8	10	14	20	25
85 +	5846	13.4	95	6	8	11	15	23	31
SUBTOTAL	**30586**	**11.9**	**54**	**6**	**8**	**10**	**14**	**19**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	155	8.2	4	6	7	8	10	11	11
70-74	93	8.1	8	2	8	9	9	12	12
75-79	165	9.5	13	7	7	8	11	16	17
80-84	93	7.1	7	2	5	8	8	12	12
85 +	42	6.6	2						
SUBTOTAL	**548**	**8.3**	**9**	**5**	**7**	**8**	**9**	**12**	**13**
GRAND TOTAL	**31134**	**11.9**	**54**	**6**	**8**	**10**	**14**	**19**	**25**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	36	9.6	9						
35-49	1059	9.2	17	5	7	9	10	14	19
50-69	5039	10.1	42	6	7	9	11	14	17
70 +	571	12.2	59	6	8	10	13	21	25
	6705	**10.1**	**40**	**6**	**7**	**9**	**11**	**14**	**19**
0-17	0								
18-34	0								
35-49	83	7.0	12	1	4	6	11	11	11
50-69	337	8.7	5	7	7	8	9	12	14
70 +	10	1.0							
	430	**8.2**	**8**	**4**	**7**	**8**	**9**	**11**	**14**
	7135	**10.0**	**38**	**6**	**7**	**9**	**11**	**14**	**18**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	145	10.2	19	4	6	10	12	17	17
50-69	430	12.2	58	7	7	10	13	18	28
70 +	203	13.9	108	8	9	11	12	22	48
SUBTOTAL	**778**	**12.3**	**65**	**6**	**8**	**10**	**13**	**18**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	16	15.0							
70 +	0								
SUBTOTAL	**16**	**15.0**							
GRAND TOTAL	**793**	**12.3**	**64**	**6**	**8**	**10**	**13**	**18**	**28**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	16	15.0							
35-49	269	8.7	13	4	6	9	12	12	14
50-69	949	10.1	16	5	7	10	12	16	17
70 +	397	13.4	51	7	8	12	16	27	29
	1630	**10.7**	**27**	**5**	**7**	**10**	**13**	**16**	**18**
0-17	0								
18-34	0								
35-49	16	7.0							
50-69	21	9.0	4						
70 +	0								
	36	**8.1**	**3**						
	1666	**10.7**	**26**	**5**	**7**	**10**	**13**	**16**	**18**

DRG 122: Circulatory Disorders w/ AMI w/o C.V. Comp Disch Alive

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	2768	9.0	19	5	7	9	10	14	19
70-74	2664	9.0	39	4	6	8	11	13	16
75-79	1964	9.5	16	5	7	9	11	14	15
80-84	1521	11.0	94	5	7	9	11	17	32
85 +	1160	11.5	90	5	7	9	13	19	25
SUBTOTAL	10077	9.7	44	5	7	9	11	15	19
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	2694	8.1	9	4	7	8	10	12	13
70-74	2090	8.4	10	5	7	8	10	12	14
75-79	1924	8.3	11	5	7	8	10	12	14
80-84	1380	8.4	12	5	6	8	10	12	13
85 +	665	8.1	20	4	5	8	10	11	16
SUBTOTAL	8753	8.3	11	5	7	8	10	12	14
GRAND TOTAL	18830	9.0	29	5	7	8	10	13	16

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	98	8.6	10	4	7	8	12	13	13
35-49	1016	7.8	21	2	6	8	9	11	13
50-69	3480	8.1	10	4	6	8	10	12	13
70 +	238	9.3	13	4	7	10	12	13	14
	4832	8.1	13	4	6	8	10	12	13
0-17	0								
18-34	176	7.1	6	3	6	8	9	9	10
35-49	2659	7.1	8	4	6	7	9	11	11
50-69	6191	7.9	7	5	6	8	9	11	12
70 +	192	8.5	5	6	7	8	10	12	14
	9218	7.6	7	4	6	8	9	11	12
	14050	7.8	9	4	6	8	9	11	12

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	68	7.5	7						
50-69	296	10.4	65	3	6	9	10	18	40
70 +	31	8.5	6						
SUBTOTAL	394	9.8	52	5	6	8	11	16	18
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	26	5.0							
35-49	249	7.6	12	3	4	7	10	12	14
50-69	114	9.0	9	8	8	9	11	13	13
70 +	0								
SUBTOTAL	389	7.8	11	3	5	8	10	12	14
GRAND TOTAL	783	8.8	32	4	6	8	10	14	16

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	16	7.0							
35-49	347	8.8	49	2	5	7	11	16	17
50-69	689	8.1	14	3	6	8	10	11	15
70 +	83	11.2	53	5	6	8	16	28	28
	1135	8.6	28	3	6	8	10	15	17
0-17	0								
18-34	26	5.4							
35-49	631	7.4	10	3	6	7	9	10	11
50-69	1189	7.7	8	5	6	8	10	11	12
70 +	203	9.1	13	6	6	9	10	12	19
	2049	7.7	9	5	6	8	9	11	12
	3184	8.0	16	4	6	8	10	12	16

DRG 124: Circulatory Disorders except AMI, w/ Card Cath & Complex Diag

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	5142	6.0	51	1	1	4	8	13	18
70-74	3740	7.3	36	1	2	6	10	16	20
75-79	2636	7.6	55	1	2	6	10	16	20
80-84	906	7.6	52	1	2	5	10	19	23
85 +	282	7.6	27	1	3	6	11	15	20
SUBTOTAL	12705	6.9	47	1	2	6	10	15	20
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	2579	3.5	7	1	1	3	5	7	8
70-74	1599	4.0	11	1	1	2	6	10	10
75-79	876	3.8	10	1	2	2	6	7	10
80-84	224	6.1	17	1	2	7	10	11	11
85 +	26	5.8	2						
SUBTOTAL	5303	3.8	9	1	1	3	6	8	10
GRAND TOTAL	18008	6.0	38	1	2	4	8	13	18

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	376	7.7	248	1	2	2	8	14	17
18-34	204	7.2	59	1	1	7	8	11	31
35-49	1539	5.0	19	1	1	4	8	10	14
50-69	6093	5.0	23	1	1	3	7	11	15
70 +	240	4.6	15	1	1	2	8	9	14
SUBTOTAL	8451	5.2	33	1	1	4	7	11	15
0-17	0								
18-34	125	3.1	21	1	1	1	3	4	18
35-49	1537	3.3	12	1	1	2	4	8	11
50-69	4849	3.2	8	1	1	2	5	7	8
70 +	156	5.1	32	1	1	4	5	19	21
SUBTOTAL	6667	3.3	10	1	1	2	5	7	9
GRAND TOTAL	15118	4.4	24	1	1	3	6	9	13

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	110	5.1	49	1	1	3	4	22	22
18-34	42	5.4	16						
35-49	162	10.9	137	2	4	8	10	28	44
50-69	323	6.0	19	1	2	5	9	11	12
70 +	26	24.4	4						
SUBTOTAL	662	7.7	68	1	2	6	9	20	22
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	10	3.0							
35-49	99	3.1	15	1	1	2	3	10	14
50-69	224	2.7	9	1	1	1	3	6	12
70 +	0								
SUBTOTAL	333	2.9	10	1	1	2	3	6	12
GRAND TOTAL	995	6.1	54	1	1	3	8	12	22

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	110	8.9	33	2	4	8	14	19	19
18-34	47	3.3	2						
35-49	255	5.6	17	1	3	5	7	9	15
50-69	391	7.0	17	2	4	6	10	13	15
70 +	78	4.4	6						
SUBTOTAL	881	6.4	19	2	3	5	8	13	15
0-17	31	3.5	2						
18-34	0								
35-49	188	3.8	8	1	2	3	5	8	11
50-69	292	4.6	14	1	1	3	7	12	13
70 +	31	6.5	2						
SUBTOTAL	543	4.4	11	1	2	3	6	9	12
GRAND TOTAL	1424	5.6	17	1	2	5	8	12	14

DRG 125: Circulatory Disorders except AMI w/ Card Cath w/o Complex Diag

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	5104	2.8	10	1	1	2	3	7	8
70-74	3221	2.9	12	1	1	1	3	7	9
75-79	1740	3.2	12	1	1	2	4	8	10
80-84	500	4.3	49	1	1	2	5	9	14
85 +	68	8.8	40						
SUBTOTAL	10633	3.0	13	1	1	2	4	7	9
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	6339	2.1	5	1	1	1	2	4	7
70-74	3949	2.1	5	1	1	1	2	5	7
75-79	1839	2.7	7	1	1	2	3	6	10
80-84	458	2.9	7	1	1	2	3	7	9
85 +	78	1.8	1						
SUBTOTAL	12664	2.2	5	1	1	1	2	5	8
GRAND TOTAL	23297	2.6	9	1	1	1	2	6	9

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1702	2.3	5	1	1	2	2	3	5
18-34	339	3.6	33	1	1	2	2	8	11
35-49	2308	2.4	11	1	1	1	2	6	8
50-69	8289	2.2	8	1	1	1	2	6	8
70 +	157	7.1	185	1	1	2	4	36	47
	12794	2.4	11	1	1	1	2	5	8
0-17	2115	1.5	2	<1	1	1	2	2	3
18-34	620	2.5	15	1	1	1	2	4	10
35-49	6270	2.0	3	1	1	1	2	5	6
50-69	15142	2.0	5	1	1	1	2	5	7
70 +	245	2.0	3	1	1	1	2	6	7
	24392	2.0	4	1	1	1	2	4	7
	37186	2.1	7	1	1	1	2	5	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	501	2.3	6	1	1	2	2	4	5
18-34	57	1.6	1						
35-49	172	2.4	5	1	1	1	4	5	8
50-69	375	3.0	13	1	1	1	4	8	9
70 +	42	2.5	4						
SUBTOTAL	1148	2.5	8	1	1	1	3	5	8
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	580	1.3		1	1	1	2	2	2
18-34	63	1.5							
35-49	438	3.5	23	1	1	2	4	6	20
50-69	485	1.9	3	1	1	1	2	4	6
70 +	31	8.0							
SUBTOTAL	1597	2.2	9	1	1	1	2	4	7
GRAND TOTAL	2745	2.3	8	1	1	1	2	5	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	486	2.8	4	2	2	2	3	5	9
18-34	73	4.1	8						
35-49	177	3.9	18	1	1	2	5	12	13
50-69	423	3.6	15	1	1	1	5	8	10
70 +	31	1.5							
	1190	3.3	10	1	1	2	5	8	10
0-17	376	1.8		1	2	2	2	2	2
18-34	104	4.1	14	1	1	2	6	12	12
35-49	542	2.8	6	1	1	2	4	6	6
50-69	1016	2.8	10	1	1	1	4	6	10
70 +	0								
	2038	2.7	7	1	1	2	3	6	10
	3228	2.9	9	1	1	2	4	6	10

DRG 126: Acute & Subacute Endocarditis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	244	35.6	731	6	17	30	45	93	99
70-74	156	36.7	115	26	30	36	44	57	60
75-79	130	28.1	157	10	21	33	36	44	44
80-84	140	33.7	122	7	28	36	41	45	47
85 +	140	34.8	323	12	19	35	41	74	74
SUBTOTAL	809	34.1	351	10	23	33	41	50	74
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	16	44.0							
70-74	10	28.0							
75-79	36	25.4	128						
80-84	10	29.0							
85 +	0								
SUBTOTAL	72	30.3	117	9	28	29	38	44	44
GRAND TOTAL	882	33.8	332	10	26	33	41	50	74

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	20.0	125						
18-34	209	26.5	184	9	14	29	43	44	45
35-49	130	26.8	163	8	19	30	41	42	42
50-69	140	22.2	289	3	9	16	46	50	50
70 +	0								
SUBTOTAL	510	25.0	208	9	13	22	41	45	48
0-17	10	43.0							
18-34	10	6.0							
35-49	62	21.2	270						
50-69	68	23.3	160						
70 +	16	28.0							
SUBTOTAL	166	23.1	211	6	8	28	31	43	47
GRAND TOTAL	676	24.5	209	8	10	25	41	45	47

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	130	33.4	338	10	17	32	43	71	71
35-49	136	23.8	119	7	14	26	30	44	44
50-69	31	20.0	9						
70 +	0								
SUBTOTAL	297	27.6	230	10	17	26	33	47	71
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	31	22.0	51						
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	31	22.0	51						
GRAND TOTAL	329	27.1	216	14	15	26	33	44	47

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	26	14.2	2						
35-49	63	30.5	1						
50-69	16	51.0							
70 +	0								
SUBTOTAL	104	29.5	131	13	29	30	32	51	51
0-17	0								
18-34	10	15.0							
35-49	16	3.0							
50-69	0								
70 +	0								
SUBTOTAL	26	7.8	36						
GRAND TOTAL	130	25.2	188	3	15	29	31	51	51

DRG 127: Heart Failure & Shock

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	16569	8.5	56	3	4	7	10	16	20
70-74	17101	8.8	61	3	4	7	11	16	22
75-79	19755	8.8	59	3	4	7	11	17	22
80-84	19614	9.2	66	3	5	7	11	17	23
85+	21563	10.3	84	3	5	8	13	20	27
SUBTOTAL	**94603**	**9.2**	**66**	**3**	**5**	**7**	**11**	**17**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2300	5.5	13	2	3	5	7	9	12
70-74	3018	5.4	12	2	3	5	6	10	12
75-79	2906	6.2	17	3	4	5	7	11	14
80-84	2835	6.8	27	2	4	5	8	13	16
85+	4235	6.5	22	2	4	5	8	12	15
SUBTOTAL	**15294**	**6.1**	**19**	**2**	**3**	**5**	**7**	**11**	**14**
GRAND TOTAL	**109897**	**8.7**	**61**	**3**	**4**	**7**	**11**	**16**	**22**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	188	5.3	11	1	3	5	7	8	14
18-34	130	8.5	140	<1	4	5	6	40	40
35-49	1169	7.5	33	2	4	6	10	15	21
50-69	9050	7.9	34	3	4	6	10	14	19
70+	1502	10.6	154	3	5	7	12	19	28
SUBTOTAL	**12039**	**8.1**	**50**	**3**	**4**	**6**	**10**	**15**	**20**
0-17	0								
18-34	0								
35-49	300	3.9	6	2	2	4	5	5	7
50-69	1775	5.2	11	2	3	4	7	10	13
70+	186	4.7	9	2	3	4	5	10	14
SUBTOTAL	**2261**	**5.0**	**10**	**2**	**3**	**4**	**6**	**9**	**13**
GRAND TOTAL	**14300**	**7.6**	**45**	**3**	**4**	**6**	**9**	**14**	**19**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	157	6.6	30	2	3	4	7	18	21
18-34	145	9.4	56	1	6	8	10	29	29
35-49	586	6.8	30	3	3	5	8	12	13
50-69	2163	8.4	34	3	4	7	11	16	20
70+	624	12.4	147	4	6	9	14	22	52
SUBTOTAL	**3675**	**8.8**	**56**	**3**	**4**	**7**	**11**	**16**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	26	2.8	1						
35-49	52	6.6	23						
50-69	357	6.3	17	3	4	5	7	10	13
70+	73	4.7	3						
SUBTOTAL	**508**	**5.9**	**15**	**3**	**4**	**5**	**7**	**10**	**16**
GRAND TOTAL	**4183**	**8.5**	**52**	**3**	**4**	**7**	**11**	**16**	**21**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	89	9.7	43	1	6	7	15	23	23
18-34	182	5.9	7	2	4	6	7	8	12
35-49	484	10.8	122	3	6	8	10	18	42
50-69	2164	8.0	34	3	4	7	10	14	18
70+	1231	11.0	158	4	5	7	12	23	32
SUBTOTAL	**4149**	**9.1**	**83**	**3**	**5**	**7**	**10**	**16**	**24**
0-17	0								
18-34	31	4.7	4						
35-49	119	4.0	6	2	3	3	4	9	9
50-69	552	6.1	13	3	4	5	7	12	15
70+	291	6.7	11	4	5	6	8	13	15
SUBTOTAL	**993**	**6.0**	**12**	**3**	**4**	**5**	**7**	**12**	**13**
GRAND TOTAL	**5142**	**8.5**	**70**	**3**	**4**	**7**	**10**	**15**	**22**

DRG 128: Deep Vein Thrombophlebitis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	821	9.9	19	6	7	9	12	15	16
70-74	746	10.0	37	5	7	9	11	15	28
75-79	604	10.5	65	5	7	8	10	20	24
80-84	391	10.0	24	5	6	8	14	18	18
85 +	331	12.3	133	4	7	10	14	20	22
SUBTOTAL	2893	10.3	48	5	7	9	12	17	21
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	605	8.8	19	6	6	8	10	13	19
70-74	750	7.9	9	4	7	8	10	11	12
75-79	393	10.1	51	5	7	8	12	15	20
80-84	171	9.5	31	4	6	7	14	19	20
85 +	227	8.0	15	4	6	8	9	12	15
SUBTOTAL	2146	8.7	22	4	6	8	10	13	19
GRAND TOTAL	5040	9.6	38	5	7	8	11	15	19

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	21.0							
18-34	98	7.8	9	5	5	7	8	14	14
35-49	295	8.2	13	5	6	8	10	10	20
50-69	901	10.0	53	5	6	8	11	19	21
70 +	93	8.2	12	3	6	7	12	15	15
	1397	9.4	40	5	6	8	10	15	20
0-17	36	8.0	15						
18-34	433	7.4	8	4	6	7	9	11	12
35-49	662	6.9	9	3	5	7	9	11	11
50-69	1028	7.7	9	4	6	7	9	12	13
70 +	31	8.3	2						
	2191	7.4	9	4	6	7	9	11	12
	3588	8.2	22	4	6	7	10	12	15

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	46	11.1	17						
35-49	119	13.2	137	3	7	9	16	17	48
50-69	68	9.3	38						
70 +	0								
SUBTOTAL	233	11.7	87	3	5	10	16	17	18
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	10	11.0							
18-34	62	7.2	3	4	7	7	8	9	9
35-49	140	5.8	9	2	3	5	9	9	11
50-69	51	4.0	4						
70 +	31	13.0	1						
SUBTOTAL	295	6.7	12	2	3	7	9	12	14
GRAND TOTAL	527	8.9	51	3	4	8	12	16	17

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	13.0							
18-34	83	8.2	13	2	7	9	10	13	13
35-49	78	8.4	21						
50-69	193	9.3	14	5	7	8	13	14	15
70 +	16	3.0							
	386	8.8	17	3	6	8	13	14	15
0-17	31	11.5							
18-34	72	3.9	10	1	1	3	7	8	8
35-49	176	7.2	9	4	4	8	9	11	12
50-69	203	7.4	5	3	6	8	8	10	12
70 +	16	10.0							
	498	7.1	10	3	5	8	9	11	12
	884	7.9	13	3	5	8	11	13	14

DRG 129: Cardiac Arrest, Unexplained

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	26	7.6	9						
70-74	26	9.6	4						
75-79	21	12.0	1						
80-84	0								
85 +	10	10.0							
SUBTOTAL	83	9.6	7	4	8	10	11	13	13
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	10	5.0							
70-74	10	4.0							
75-79	10	7.0							
80-84	0								
85 +	0								
SUBTOTAL	31	5.3	2						
GRAND TOTAL	113	8.5	9	4	5	8	11	12	13

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	41	5.5	25						
70 +	0								
	41	5.5	25						
0-17	0								
18-34	0								
35-49	0								
50-69	10	4.0							
70 +	0								
	10	4.0							
	51	5.2	21						

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	10	20.0							
70 +	0								
SUBTOTAL	10	20.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	10	20.0							

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	2.0							
35-49	0								
50-69	16	32.0							
70 +	0								
	26	20.1	224						
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	26	20.1	224						

DRG 130: Peripheral Vascular Disorders w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4111	7.9	43	2	3	7	10	15	19
70-74	3036	8.1	56	2	4	7	10	15	18
75-79	2889	9.2	59	2	4	8	12	16	22
80-84	2174	10.4	88	2	5	8	13	17	27
85 +	2067	12.9	154	4	6	9	14	24	31
SUBTOTAL	14278	9.3	75	2	4	8	12	17	25
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	14278	9.3	75	2	4	8	12	17	25

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	36	43.2	1613						
18-34	250	7.3	10	1	5	8	10	12	13
35-49	1155	8.8	32	2	5	8	11	18	21
50-69	3257	7.8	41	1	4	7	10	14	18
70 +	249	7.2	25	1	3	7	8	17	19
	4947	8.2	57	1	4	7	10	15	19
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4947	8.2	57	1	4	7	10	15	19

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	83	9.3	18	4	6	8	12	16	16
35-49	229	11.3	89	5	6	8	11	25	39
50-69	234	11.5	45	6	7	9	13	23	26
70 +	42	7.3	29						
SUBTOTAL	587	10.8	58	4	7	8	12	23	26
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	587	10.8	58	4	7	8	12	23	26

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	130	7.5	29	1	4	7	7	20	20
35-49	259	9.2	16	4	7	9	11	15	20
50-69	494	9.2	29	2	6	9	12	17	19
70 +	57	6.2	18						
	941	8.8	26	2	6	9	11	17	19
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	941	8.8	26	2	6	9	11	17	19

DRG 131: Peripheral Vascular Disorders w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	2050	6.2	46	1	2	6	8	10	13
70-74	1292	5.9	13	1	2	6	8	10	12
75-79	1276	5.8	16	1	2	6	8	10	14
80-84	1162	7.6	73	1	3	7	9	14	20
85+	799	7.6	26	1	4	7	10	16	17
SUBTOTAL	6579	6.5	37	1	2	6	8	11	15
GRAND TOTAL	6579	6.5	37	1	2	6	8	11	15

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	109	6.1	27	1	1	4	11	14	14
18-34	856	6.1	11	2	4	6	8	10	13
35-49	1505	5.8	10	1	3	6	8	10	12
50-69	3123	5.6	16	1	2	6	8	10	12
70+	177	6.5	27	1	2	7	8	13	19
	5771	5.8	14	1	3	6	8	10	12
	5771	5.8	14	1	3	6	8	10	12

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	21	4.0	4						
18-34	224	7.8	33	1	2	9	10	15	22
35-49	161	9.4	41	2	3	9	16	18	21
50-69	161	3.9	14	<1	1	2	4	11	13
70+	31	5.0	17						
SUBTOTAL	598	6.9	33	1	2	6	10	16	21
GRAND TOTAL	598	6.9	33	1	2	6	10	16	21

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	31	1.5							
18-34	124	6.2	9	<1	5	7	9	9	10
35-49	441	5.9	24	1	2	5	10	13	14
50-69	453	5.2	13	1	2	5	7	11	11
70+	110	4.6	16	1	1	3	9	12	12
	1160	5.4	17	1	2	5	8	11	13
	1160	5.4	17	1	2	5	8	11	13

DRG 132: Atherosclerosis w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	416	7.8	130	1	1	5	8	17	39
70-74	326	5.5	11	1	3	5	8	10	12
75-79	389	4.3	7	1	2	4	7	9	10
80-84	389	6.3	17	2	4	5	8	14	15
85 +	125	8.5	18	4	5	7	12	16	16
SUBTOTAL	1644	6.2	44	1	2	5	8	12	16
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	1644	6.2	44	1	2	5	8	12	16

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	3.0							
18-34	0								
35-49	103	4.3	8	1	1	4	7	8	8
50-69	819	3.8	9	1	2	3	5	8	11
70 +	0								
	938	3.9	9	1	2	3	5	8	9
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	938	3.9	9	1	2	3	5	8	9

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	42	5.4	4						
50-69	99	3.7	3	2	3	3	6	6	6
70 +	0								
SUBTOTAL	140	4.2	4	2	3	3	6	7	7
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	140	4.2	4	2	3	3	6	7	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	10	2.0							
50-69	10	4.0							
70 +	31	7.0	9						
	52	5.4	10						
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	52	5.4	10						

DRG 133: Atherosclerosis w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	254	4.0	13	1	2	3	5	7	16
70-74	187	4.4	7	1	2	3	7	9	9
75-79	276	5.6	44	2	2	4	5	13	30
80-84	139	5.9	14	1	3	5	9	10	15
85 +	93	8.2	15	2	5	7	10	14	14
SUBTOTAL	949	5.2	23	1	2	4	7	10	14
GRAND TOTAL	949	5.2	23	1	2	4	7	10	14

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	26	2.6							
35-49	382	2.9	5	1	1	2	4	6	8
50-69	1197	4.5	11	1	2	3	7	9	11
70 +	52	4.2	3						
	1657	4.1	10	1	1	3	6	9	10
	1657	4.1	10	1	1	3	6	9	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	21	11.0	17						
50-69	52	3.5	6						
70 +	0								
SUBTOTAL	72	5.6	21	1	2	6	7	15	15
GRAND TOTAL	72	5.6	21	1	2	6	7	15	15

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	46	5.1	9						
50-69	176	5.3	9	2	2	7	8	9	10
70 +	31	5.5	2						
	254	5.3	8	2	2	5	7	10	10
	254	5.3	8	2	2	5	7	10	10

DRG 134: Hypertension

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	735	6.3	22	2	3	4	9	14	15
70-74	740	5.3	12	2	2	4	8	11	12
75-79	512	5.8	8	2	3	6	8	10	12
80-84	476	6.3	13	2	4	6	8	10	13
85 +	191	9.9	79	1	3	9	13	26	35
SUBTOTAL	2654	6.2	20	2	3	5	8	12	14
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	419	4.1	5	2	2	4	5	8	9
70-74	429	6.1	85	1	2	4	5	9	18
75-79	331	4.6	7	2	2	4	6	8	9
80-84	342	4.6	6	2	3	4	7	7	8
85 +	176	6.8	21	2	3	5	11	14	15
SUBTOTAL	1697	5.1	29	2	2	4	6	9	11
GRAND TOTAL	4350	5.7	24	2	3	4	8	11	14

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	125	5.1	14	1	3	4	7	14	14
35-49	374	7.2	86	1	2	5	9	10	18
50-69	788	5.4	20	2	3	4	7	8	13
70 +	63	6.0	24						
	1350	5.9	39	2	3	4	7	12	14
0-17	73	1.4	1						
18-34	170	4.1	4	2	3	4	5	8	8
35-49	658	4.0	8	1	2	3	5	9	11
50-69	1102	4.0	7	2	2	3	5	7	8
70 +	36	4.7	5						
	2039	3.9	7	1	2	3	5	8	10
	3389	4.7	21	1	2	3	6	9	12

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	16	1.0							
18-34	46	3.4	1						
35-49	89	5.9	13	1	2	6	7	12	12
50-69	103	4.9	10	2	3	4	6	8	13
70 +	10	7.0							
SUBTOTAL	264	4.8	10	1	2	4	6	8	12
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	31	2.0							
18-34	0								
35-49	78	2.9	2	1	2	3	4	5	5
50-69	57	4.0	3						
70 +	16	4.0							
SUBTOTAL	182	3.2	2	2	2	3	4	5	7
GRAND TOTAL	446	4.2	8	2	2	4	6	7	12

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	36	1.7							
35-49	109	6.2	17	3	3	4	9	13	13
50-69	218	5.0	12	2	2	4	7	9	14
70 +	42	5.6	12						
	405	5.1	13	2	3	4	8	13	13
0-17	0								
18-34	119	4.5	5	2	3	4	6	9	9
35-49	172	2.6	2	1	1	2	3	5	6
50-69	265	3.3	3	2	2	3	4	7	8
70 +	36	5.0	10						
	593	3.4	5	1	2	3	4	7	8
	998	4.1	9	2	2	3	5	9	10

DRG 135: Cardiac Congenital & Valvular Disorders Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	234	6.0	16	2	3	4	9	13	14
70-74	197	14.8	510	2	3	6	12	33	86
75-79	197	12.1	271	3	5	7	8	30	63
80-84	254	7.6	27	2	3	7	9	15	23
85 +	202	12.6	367	2	4	5	10	26	75
SUBTOTAL	1084	10.3	230	2	3	6	10	23	33
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	1084	10.3	230	2	3	6	10	23	33

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	63	1.5	1						
35-49	99	3.8	5	< 1	2	4	5	8	8
50-69	192	7.8	79	2	3	5	8	11	36
70 +	46	4.3	7						
	400	5.4	46	1	2	3	7	9	11
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	400	5.4	46	1	2	3	7	9	11

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	10	32.0							
35-49	10	47.0							
50-69	16	10.0							
70 +	0								
SUBTOTAL	36	26.7	253						
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	36	26.7	253						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	31	2.5	2						
35-49	26	3.2	2						
50-69	16	9.0							
70 +	31	9.5	44						
	104	5.8	25	1	2	4	9	16	16
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	104	5.8	25	1	2	4	9	16	16

DRG 136: Cardiac Congenital & Valvular Disorders Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	57	4.5	4						
70-74	63	3.3	5						
75-79	93	8.1	160	1	2	3	5	36	36
80-84	83	12.5	370	1	4	5	6	62	62
85 +	109	5.4	5	3	4	5	8	9	9
SUBTOTAL	405	7.0	125	1	2	4	6	9	36
GRAND TOTAL	405	7.0	125	1	2	4	6	9	36

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	145	3.0	5	1	1	2	4	5	10
35-49	98	3.6	5	1	2	3	6	7	7
50-69	156	3.7	3	1	2	4	6	6	7
70 +	0								
	399	3.4	5	1	2	3	5	6	7
	399	3.4	5	1	2	3	5	6	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	47	4.3	1						
35-49	21	5.5	7						
50-69	0								
70 +	0								
SUBTOTAL	68	4.7	3						
GRAND TOTAL	68	4.7	3						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	73	4.4	4						
35-49	57	3.8	5						
50-69	26	4.8	1						
70 +	0								
	156	4.2	4	2	2	4	6	7	8
	156	4.2	4	2	2	4	6	7	8

DRG 137: Cardiac Congenital & Valvular Disorders Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	16	4.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	16	4.0							
GRAND TOTAL	16	4.0							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	470	3.1	8	1	1	2	4	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	470	3.1	8	1	1	2	4	6	7
0-17	444	3.1	15	< 1	1	1	3	9	15
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	444	3.1	15	< 1	1	1	3	9	15
	914	3.1	11	< 1	1	2	4	7	15

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	151	8.2	34	2	3	6	11	21	21
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	151	8.2	34	2	3	6	11	21	21
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	214	2.9	16	< 1	1	1	3	11	15
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	214	2.9	16	< 1	1	1	3	11	15
GRAND TOTAL	365	5.1	30	1	1	3	8	14	15

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	172	3.5	2	1	3	3	5	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	172	3.5	2	1	3	3	5	5	6
0-17	110	1.4	1	1	1	1	2	3	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	110	1.4	1	1	1	1	2	3	3
	282	2.7	3	1	1	3	4	5	6

DRG 138: Cardiac Arrhythmia & Conduction Disorders w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	7581	5.5	23	2	3	5	7	10	13
70-74	6905	6.8	53	2	3	5	8	12	19
75-79	7590	6.8	36	2	3	5	8	13	18
80-84	5882	7.6	44	2	4	6	9	15	20
85 +	5153	8.7	88	2	4	6	11	16	23
SUBTOTAL	33112	6.9	47	2	3	5	8	13	18
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	33112	6.9	47	2	3	5	8	13	18

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	146	3.4	4	1	1	3	5	6	6
18-34	697	2.8	6	1	1	2	4	5	6
35-49	1928	3.6	7	1	2	3	5	7	9
50-69	6520	4.7	12	1	2	4	6	9	11
70 +	586	9.6	98	3	3	6	12	21	41
	9877	4.6	17	1	2	4	6	9	12
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	9877	4.6	17	1	2	4	6	9	12

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	94	8.0	54	1	1	9	13	21	21
18-34	104	4.9	3	3	4	5	6	8	8
35-49	197	4.1	11	1	2	3	5	7	12
50-69	466	6.8	31	2	3	5	9	13	17
70 +	177	6.8	22	3	4	5	9	13	18
SUBTOTAL	1037	6.2	26	2	3	5	9	13	17
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	1037	6.2	26	2	3	5	9	13	17

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	8.0	4						
18-34	130	2.6	6	<1	1	2	3	9	9
35-49	260	4.5	6	2	3	5	6	7	11
50-69	1101	5.4	18	2	3	4	7	10	15
70 +	380	5.8	18	2	2	5	9	12	14
	1902	5.2	16	2	2	4	7	10	14
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1902	5.2	16	2	2	4	7	10	14

DRG 139: Cardiac Arrhythmia & Conduction Disorders w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	4172	3.9	12	1	2	3	5	7	8
70-74	3665	4.0	7	1	2	4	5	8	9
75-79	3882	4.8	15	1	2	4	6	9	11
80-84	2409	5.0	15	2	3	4	6	9	11
85 +	2316	6.0	49	2	3	4	7	13	16
SUBTOTAL	16445	4.6	18	1	2	4	6	8	11
GRAND TOTAL	16445	4.6	18	1	2	4	6	8	11

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	438	2.9	5	< 1	1	2	3	5	8
18-34	989	2.7	7	1	1	2	3	6	9
35-49	2810	2.7	3	1	1	2	3	5	7
50-69	6368	3.5	8	1	2	3	4	7	8
70 +	358	4.7	30	1	2	2	5	8	17
	10963	3.2	7	1	1	3	4	6	8
	10963	3.2	7	1	1	3	4	6	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	52	4.4	7						
18-34	151	3.6	5	1	2	2	5	8	8
35-49	166	3.1	2	1	2	3	4	5	5
50-69	119	3.9	16	1	1	4	4	4	16
70 +	89	4.6	2	3	4	4	6	8	8
SUBTOTAL	577	3.7	6	1	2	4	5	6	8
GRAND TOTAL	577	3.7	6	1	2	4	5	5	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	125	4.5	12	1	1	6	8	9	9
18-34	306	2.2	2	< 1	1	2	3	5	5
35-49	373	2.8	3	1	1	2	4	6	6
50-69	1176	3.3	6	1	2	3	4	6	7
70 +	323	4.8	8	2	3	4	6	8	10
	2303	3.4	6	1	2	3	4	6	8
	2303	3.4	6	1	2	3	4	6	8

DRG 140: Angina Pectoris

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	10066	5.3	19	2	3	4	6	9	11
70-74	8104	5.4	26	2	3	4	6	9	12
75-79	8302	5.8	28	2	3	5	7	10	12
80-84	8127	5.8	20	2	3	5	7	11	14
85 +	5765	6.8	56	2	3	5	8	13	16
SUBTOTAL	40364	5.7	28	2	3	5	7	10	13
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	8458	3.9	5	2	2	3	5	7	8
70-74	7447	4.2	7	2	2	4	5	7	9
75-79	6157	4.3	7	2	2	4	5	8	9
80-84	5528	4.5	8	2	3	4	6	8	10
85 +	3098	4.8	15	2	3	4	6	9	11
SUBTOTAL	30689	4.2	7	2	2	4	5	7	9
GRAND TOTAL	71053	5.1	20	2	3	4	6	9	11

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	78	2.5	1	2	2	2	3	4	4
35-49	1319	4.0	6	1	2	3	5	7	10
50-69	6093	4.6	9	2	3	4	6	8	10
70 +	512	5.4	23	1	3	4	6	10	17
SUBTOTAL	8001	4.5	9	2	3	4	6	8	10
0-17	0								
18-34	326	2.8	3	1	2	2	4	6	7
35-49	3461	2.9	3	1	2	2	4	5	7
50-69	11741	3.5	4	1	2	3	4	6	7
70 +	595	3.5	3	1	2	4	4	7	7
SUBTOTAL	16123	3.4	4	1	2	3	4	6	7
GRAND TOTAL	24124	3.7	6	1	2	3	5	7	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	21	3.5							
35-49	338	4.1	5	1	3	4	5	8	8
50-69	1450	4.4	8	2	3	4	5	8	10
70 +	140	5.2	6	4	4	4	6	11	11
SUBTOTAL	1948	4.4	7	2	3	4	5	8	10
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	26	3.2	1						
35-49	637	3.5	4	1	2	3	4	6	8
50-69	1023	3.6	6	1	2	3	4	6	7
70 +	115	4.8	9	2	3	4	5	12	12
SUBTOTAL	1800	3.6	6	1	2	3	4	6	7
GRAND TOTAL	3748	4.0	7	2	2	3	5	7	9

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	52	4.0	2						
35-49	357	4.0	6	1	2	3	5	6	9
50-69	1493	5.9	15	2	3	5	7	12	15
70 +	406	5.3	5	3	4	5	6	8	8
SUBTOTAL	2308	5.4	12	2	3	5	6	10	13
0-17	16	10.0							
18-34	104	3.9	9	2	2	2	6	10	10
35-49	1225	3.4	4	2	2	3	4	6	7
50-69	2986	4.4	9	2	2	3	6	8	11
70 +	432	4.4	6	2	3	3	5	8	9
SUBTOTAL	4762	4.1	8	2	2	3	5	8	9
GRAND TOTAL	7070	4.6	10	2	2	4	6	9	11

DRG 141: Syncope & Collapse w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	2775	5.3	33	2	2	4	6	10	14
70-74	3087	6.0	35	2	2	4	7	12	16
75-79	4097	6.2	28	2	3	5	8	11	16
80-84	3958	6.7	45	2	3	5	8	13	17
85 +	4125	9.6	125	2	4	6	11	20	33
SUBTOTAL	18041	6.9	58	2	3	5	8	13	19
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	18041	6.9	58	2	3	5	8	13	19

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	68	1.8							
18-34	301	3.3	7	1	2	2	3	6	12
35-49	652	2.5	2	1	2	2	3	4	5
50-69	2384	4.3	8	1	2	4	5	8	10
70 +	197	7.1	38	3	4	5	8	9	27
	3601	4.0	10	1	2	3	5	8	10
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3601	4.0	10	1	2	3	5	8	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	47	4.0	8						
18-34	140	3.3	6	1	2	3	3	10	10
35-49	119	3.9	6	<1	2	3	5	7	9
50-69	253	4.2	6	1	2	4	5	7	7
70 +	83	7.1	26	1	3	7	11	15	15
SUBTOTAL	643	4.3	10	1	2	3	5	9	11
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	643	4.3	10	1	2	3	5	9	11

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	2.0							
18-34	104	2.6	3	1	1	2	4	5	6
35-49	296	4.3	12	1	2	3	5	13	13
50-69	556	4.7	8	1	2	5	6	8	10
70 +	307	9.2	148	2	3	6	12	19	58
	1279	5.5	47	1	2	4	6	11	13
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1279	5.5	47	1	2	4	6	11	13

DRG 142: Syncope & Collapse w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	2006	3.8	12	1	2	3	5	7	10
70-74	1801	4.1	9	1	2	4	5	8	10
75-79	2194	4.1	9	2	2	3	5	8	10
80-84	1945	4.8	14	1	3	4	6	8	10
85 +	2213	6.1	77	2	2	4	6	9	20
SUBTOTAL	10159	4.6	26	1	2	3	5	8	11
GRAND TOTAL	10159	4.6	26	1	2	3	5	8	11

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	243	2.3	2	1	1	2	3	4	5
18-34	778	3.0	5	1	1	2	4	5	8
35-49	1574	2.7	3	1	2	2	4	5	7
50-69	2961	3.0	5	1	2	3	4	6	7
70 +	301	3.1	5	1	2	2	4	6	8
SUBTOTAL	5857	2.9	4	1	2	2	4	6	7
GRAND TOTAL	5857	2.9	4	1	2	2	4	6	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	115	2.6	2	1	1	2	3	5	5
18-34	109	2.4	1	< 1	2	2	3	3	5
35-49	31	7.0	19						
50-69	88	3.6	7	1	2	3	4	10	10
70 +	83	3.9	2	3	3	3	4	7	7
SUBTOTAL	425	3.3	6	1	2	3	4	5	7
GRAND TOTAL	425	3.3	6	1	2	3	4	5	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	42	1.8	1						
18-34	234	2.8	3	1	1	2	4	6	7
35-49	312	3.3	9	1	2	2	3	11	12
50-69	581	3.6	7	1	2	3	5	7	11
70 +	296	8.4	226	1	2	3	8	14	70
SUBTOTAL	1465	4.3	55	1	2	3	5	8	11
GRAND TOTAL	1465	4.3	55	1	2	3	5	8	11

DRG 143: Chest Pain

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	3857	3.7	5	2	2	3	4	7	8
70-74	2586	3.9	6	1	2	3	5	7	8
75-79	2027	4.1	8	2	2	3	5	8	9
80-84	1174	4.5	13	2	2	4	5	8	12
85 +	849	6.1	100	2	3	4	6	9	15
SUBTOTAL	10493	4.1	15	2	2	3	5	7	9
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	4536	3.2	12	1	2	3	4	5	6
70-74	3237	2.9	2	1	2	3	4	5	6
75-79	1974	3.1	4	1	2	3	4	6	7
80-84	1414	3.1	5	1	2	3	4	6	6
85 +	942	3.3	5	2	2	3	4	6	8
SUBTOTAL	12102	3.1	7	1	2	3	4	5	6
GRAND TOTAL	22596	3.6	11	1	2	3	4	6	8

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	78	1.6	1						
18-34	543	2.5	3	1	1	2	3	4	5
35-49	2834	2.8	4	1	2	2	3	5	6
50-69	4449	3.1	3	1	2	3	4	6	7
70 +	119	2.4	1	2	2	2	3	4	4
	8023	2.9	4	1	2	2	4	5	6
	93	1.8	2	<1	1	1	2	4	4
	1964	2.0	2	1	1	2	3	3	4
	11324	2.4	2	1	1	2	3	4	5
	12876	2.6	3	1	2	2	3	5	6
	218	2.0	1	1	1	2	2	3	3
	26474	2.5	2	1	1	2	3	4	5
	34497	2.6	3	1	1	2	3	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	16	1.0							
18-34	181	2.4	2	1	1	2	4	4	7
35-49	471	4.2	8	2	2	4	5	9	11
50-69	838	5.3	36	1	2	4	6	8	14
70 +	41	5.5	45						
SUBTOTAL	1547	4.6	24	1	2	3	5	8	11
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	202	2.9	2	1	2	3	3	5	6
35-49	615	3.3	4	1	2	3	4	6	7
50-69	694	3.3	4	1	2	3	4	6	8
70 +	36	3.1	1						
SUBTOTAL	1547	3.2	4	1	2	3	4	6	7
GRAND TOTAL	3094	3.9	15	1	2	3	5	7	9

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	145	2.6	1	2	2	2	3	4	4
35-49	638	3.0	3	1	2	2	4	5	6
50-69	1157	4.0	8	2	2	3	5	7	10
70 +	78	7.9	104	2	2	4	4	28	28
	2018	3.7	10	1	2	3	4	6	9
0-17	0								
18-34	600	2.3	3	1	1	2	3	4	7
35-49	2665	2.7	4	1	1	2	3	5	7
50-69	2162	3.4	5	1	2	3	4	6	7
70 +	230	3.3	2	2	2	3	4	6	7
	5657	2.9	4	1	2	2	4	5	7
	7675	3.1	6	1	2	2	4	6	7

Northeastern Region, July 1989 - June 1990

DRG 144: Other Circulatory System Diagnoses w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	3316	8.2	78	1	3	6	10	16	22
70-74	2040	9.0	87	2	3	6	12	19	27
75-79	1836	8.8	73	2	4	6	10	16	25
80-84	995	9.6	80	2	4	6	12	19	28
85 +	735	9.7	78	3	4	7	12	20	27
SUBTOTAL	8922	8.8	80	2	3	6	11	18	25
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	8922	8.8	80	2	3	6	11	18	25

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	496	5.7	13	1	3	4	9	11	11
18-34	427	6.2	22	2	2	5	8	14	16
35-49	799	6.5	26	2	3	5	8	11	20
50-69	2486	8.3	46	2	3	6	12	18	22
70 +	114	7.6	38	2	3	5	8	13	24
	4322	7.4	37	2	3	6	10	15	20
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4322	7.4	37	2	3	6	10	15	20

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	277	9.1	82	1	4	7	11	16	42
18-34	135	9.7	69	3	4	8	10	31	31
35-49	249	4.8	7	2	2	4	7	9	9
50-69	270	10.2	87	2	3	7	16	31	31
70 +	10	7.0							
SUBTOTAL	941	8.3	65	2	3	7	9	17	31
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	941	8.3	65	2	3	7	9	17	31

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	151	13.0	35	5	7	14	19	21	21
18-34	182	5.0	9	2	3	5	7	11	12
35-49	285	8.0	50	2	3	5	12	17	29
50-69	493	6.9	27	2	4	6	9	12	21
70 +	125	8.1	58	2	4	4	16	25	25
	1236	7.8	39	2	3	6	10	16	21
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1236	7.8	39	2	3	6	10	16	21

DRG 145: Other Circulatory System Diagnoses w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	732	4.9	12	1	2	4	7	10	12
70-74	196	4.0	9	1	2	3	5	8	11
75-79	217	5.3	35	1	1	4	6	8	25
80-84	197	4.6	8	1	3	4	6	9	9
85 +	207	5.5	8	2	4	5	7	10	11
SUBTOTAL	1549	4.9	14	1	2	4	6	9	11
GRAND TOTAL	1549	4.9	14	1	2	4	6	9	11

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	198	5.1	37	1	2	3	4	11	23
18-34	450	2.8	2	1	1	3	4	5	6
35-49	916	3.1	6	1	1	2	4	6	8
50-69	1015	3.7	7	1	2	3	4	7	10
70 +	78	2.7	4	< 1	< 1	1	5	5	5
	2657	3.4	9	1	1	3	4	7	10
	2657	3.4	9	1	1	3	4	7	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	47	1.7	1						
18-34	52	6.1	7						
35-49	52	4.5	8						
50-69	57	5.6	3						
70 +	0								
SUBTOTAL	207	4.5	7	< 1	2	5	7	8	8
GRAND TOTAL	207	4.5	7	< 1	2	5	7	8	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	136	2.0	1	< 1	1	2	2	4	4
18-34	260	3.2	2	1	2	3	4	5	6
35-49	135	4.3	15	1	2	3	4	14	14
50-69	217	2.8	3	1	2	2	4	5	6
70 +	0								
	747	3.1	5	1	2	3	4	5	6
	747	3.1	5	1	2	3	4	5	6

DRG 146: Rectal Resection w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	519	13.7	25	9	11	13	15	19	25
70-74	582	13.8	46	9	10	12	16	19	26
75-79	437	14.6	29	10	11	13	17	21	22
80-84	504	18.2	57	8	12	16	25	29	31
85 +	135	20.3	40	13	15	20	25	29	32
SUBTOTAL	2176	15.4	45	9	11	13	18	25	29
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	2176	15.4	45	9	11	13	18	25	29

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	125	16.0	58	6	7	17	23	26	26
18-34	26	14.5	49						
35-49	171	14.8	57	8	9	13	14	29	30
50-69	802	12.7	54	8	10	11	14	17	20
70 +	42	11.5	2						
	1166	13.4	54	8	10	11	15	20	27
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1166	13.4	54	8	10	11	15	20	27

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	47	7.7	4						
18-34	31	9.5	2						
35-49	16	15.0							
50-69	89	19.0	31	10	15	20	20	29	29
70 +	31	48.0	264						
SUBTOTAL	214	19.1	218	8	9	15	20	32	64
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	214	19.1	218	8	9	15	20	32	64

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	20.0							
18-34	0								
35-49	31	9.5							
50-69	161	11.6	8	8	9	11	13	15	18
70 +	78	18.6	59						
	286	13.7	34	9	10	11	17	23	31
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	286	13.7	34	9	10	11	17	23	31

DRG 147: Rectal Resection w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	224	8.3	13	2	8	9	10	11	15
70-74	212	9.4	20	1	9	10	11	13	19
75-79	171	9.7	8	7	8	11	11	13	14
80-84	104	12.9	47	2	8	13	18	22	24
85 +	73	11.0	47						
SUBTOTAL	784	9.8	24	2	8	10	12	15	19
GRAND TOTAL	784	9.8	24	2	8	10	12	15	19

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	282	9.9	9	6	8	9	12	14	17
18-34	10	8.0							
35-49	109	8.3	10	2	7	9	10	12	12
50-69	270	10.4	9	7	9	9	11	15	19
70 +	31	12.0	4						
	703	9.9	10	7	8	9	12	14	15
	703	9.9	10	7	8	9	12	14	15

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	47	8.3	3						
18-34	0								
35-49	0								
50-69	10	12.0							
70 +	0								
SUBTOTAL	57	9.0	4						
GRAND TOTAL	57	9.0	4						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	47	8.3	1						
18-34	0								
35-49	0								
50-69	72	8.9	7	4	6	10	10	12	12
70 +	0								
	119	8.7	5	6	7	9	10	12	12
	119	8.7	5	6	7	9	10	12	12

DRG 148: Major Small & Large Bowel Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	7373	16.2	140	7	10	13	18	29	43
70-74	7721	16.2	86	8	10	13	20	28	36
75-79	6720	18.0	157	8	10	14	22	32	46
80-84	5424	19.4	165	9	11	15	23	36	48
85 +	4015	21.5	207	9	12	17	26	38	54
SUBTOTAL	31252	17.8	147	8	10	14	21	32	43
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	31252	17.8	147	8	10	14	21	32	43

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	767	12.7	84	6	7	10	16	26	48
18-34	1457	14.8	86	7	9	12	16	27	35
35-49	3123	14.1	102	7	9	11	16	24	32
50-69	9474	14.6	77	8	9	12	17	25	32
70 +	613	17.0	84	9	11	14	22	33	39
	15434	14.5	84	7	9	12	17	25	33
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	15434	14.5	84	7	9	12	17	25	33

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	271	18.6	377	6	10	13	16	85	99 +
18-34	177	13.8	70	7	9	10	15	24	36
35-49	359	16.4	64	8	10	14	20	30	34
50-69	566	19.7	141	10	11	16	21	38	45
70 +	88	16.7	60	7	10	18	22	32	32
SUBTOTAL	1460	17.8	156	9	10	14	21	35	49
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	1460	17.8	156	9	10	14	21	35	49

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	182	16.0	222	5	6	10	20	35	65
18-34	384	14.6	109	6	8	12	17	28	39
35-49	693	15.7	74	9	10	12	20	29	30
50-69	1610	16.6	112	8	10	13	21	26	36
70 +	308	16.9	96	7	10	15	22	35	40
	3177	16.2	108	7	10	13	20	28	36
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3177	16.2	108	7	10	13	20	28	36

DRG 149: Major Small & Large Bowel Procedures w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1404	10.0	13	6	8	9	12	15	16
70-74	1390	10.1	14	6	8	9	12	15	20
75-79	1334	12.0	77	8	9	10	12	17	22
80-84	647	10.6	10	7	8	10	13	15	16
85 +	389	14.8	186	8	9	11	15	26	33
SUBTOTAL	5164	11.0	44	7	8	10	12	15	18
GRAND TOTAL	5164	11.0	44	7	8	10	12	15	18

BLUE CROSS PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	828	7.3	68	2	4	5	8	12	16
18-34	1282	8.9	35	3	6	8	10	15	20
35-49	1489	8.5	22	4	6	8	11	12	16
50-69	3476	9.0	10	6	7	9	10	12	14
70 +	98	9.2	6	4	9	10	11	11	11
	7174	8.7	24	4	7	8	10	12	15
	7174	8.7	24	4	7	8	10	12	15

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	204	12.4	106	4	5	10	14	24	42
18-34	114	6.5	10	2	5	7	10	11	11
35-49	135	7.6	12	1	7	8	8	15	15
50-69	145	10.9	13	6	9	10	15	18	99 +
70 +	10	13.0							
SUBTOTAL	608	9.9	49	4	6	9	11	18	24
GRAND TOTAL	608	9.9	49	4	6	9	11	18	24

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	157	5.1	11	1	3	4	9	10	10
18-34	160	11.0	47	3	7	9	17	19	29
35-49	276	8.5	9	5	7	8	11	12	16
50-69	305	11.1	37	7	8	9	10	27	29
70 +	31	17.0							
	929	9.5	31	3	7	9	11	17	19
	929	9.5	31	3	7	9	11	17	19

DRG 150: Peritoneal Adhesiolysis w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1117	13.9	116	6	8	12	16	23	34
70-74	715	12.7	83	7	8	10	14	28	43
75-79	662	18.5	163	7	11	15	23	35	42
80-84	605	16.6	126	9	11	14	19	28	43
85 +	383	20.6	239	8	11	16	23	37	55
SUBTOTAL	3483	15.8	140	7	9	13	18	28	42
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	3483	15.8	140	7	9	13	18	28	42

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	161	13.5	100	4	4	7	21	27	34
18-34	352	9.3	52	1	5	8	12	20	24
35-49	883	11.8	101	6	7	9	14	18	23
50-69	1188	12.6	71	5	8	11	15	22	29
70 +	78	14.4	35	8	9	14	21	24	24
	2662	12.0	81	5	7	10	15	22	29
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2662	12.0	81	5	7	10	15	22	29

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	110	16.9	52	6	9	16	26	26	26
18-34	135	9.9	20	4	7	9	11	20	20
35-49	42	19.9	110						
50-69	156	16.7	139		7	12	28	39	39
70 +	0								
SUBTOTAL	442	15.0	90	6	8	12	20	28	38
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	442	15.0	90	6	8	12	20	28	38

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	78	8.6	3						
18-34	57	16.8	40						
35-49	109	9.7	53	1	3	8	12	22	24
50-69	265	15.1	51	8	10	12	22	25	30
70 +	26	22.7	64						
	536	13.6	56	7	8	11	22	25	29
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	536	13.6	56	7	8	11	22	25	29

DRG 151: Peritoneal Adhesiolysis w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	510	7.7	16	3	5	7	9	13	15
70-74	337	8.8	33	2	6	8	10	19	20
75-79	301	10.1	9	7	7	11	11	14	16
80-84	109	9.8	67	3	5	7	11	14	33
85 +	31	15.0	1						
SUBTOTAL	1288	8.9	25	3	6	8	11	15	19
GRAND TOTAL	1288	8.9	25	3	6	8	11	15	19

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	187	6.9	6	5	5	6	7	12	12
18-34	662	6.6	21	3	3	5	8	12	19
35-49	1120	6.6	25	3	4	5	8	12	15
50-69	1095	7.2	12	3	5	7	9	11	13
70 +	36	6.9	25						
	3101	6.8	19	3	4	6	8	12	15
	3101	6.8	19	3	4	6	8	12	15

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	42	14.0	55						
18-34	150	3.2	6	< 1	1	3	3	8	8
35-49	124	7.4	7	5	5	6	10	11	12
50-69	93	4.8	7	< 1	2	4	7	8	8
70 +	16	10.0							
SUBTOTAL	425	6.1	22	1	3	5	8	11	12
GRAND TOTAL	425	6.1	22	1	3	5	8	11	12

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	63	7.8	6						
18-34	253	5.7	27	2	3	4	6	10	14
35-49	130	6.8	8	3	5	7	9	11	11
50-69	130	8.2	25	4	5	7	9	18	18
70 +	16	11.0							
	591	6.9	21	3	4	6	9	11	17
	591	6.9	21	3	4	6	9	11	17

DRG 152: Minor Small & Large Bowel Procedures w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	280	11.5	50	5	7	10	13	29	30
70-74	504	10.4	44	3	7	9	12	19	24
75-79	249	12.0	36	4	9	12	15	23	24
80-84	233	9.6	36	2	6	8	15	21	21
85 +	238	11.1	65	4	6	9	13	23	36
SUBTOTAL	1505	10.9	46	4	6	9	13	21	24
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	1505	10.9	46	4	6	9	13	21	24

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	125	9.6	25	4	6	8	15	19	19
18-34	172	7.8	7	5	6	7	9	12	13
35-49	130	5.1	14	1	2	4	6	10	14
50-69	405	9.7	98	2	6	8	10	14	14
70 +	10	9.0							
	842	8.6	57	3	5	8	10	14	16
	0								
	0								
	0								
	0								
	0								
	0								
	842	8.6	57	3	5	8	10	14	16

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	31	28.0	753						
18-34	16	2.0							
35-49	16	9.0							
50-69	26	11.6	4						
70 +	21	9.0							
SUBTOTAL	109	14.1	300	1	2	9	54	99 +	99 +
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	109	14.1	300	1	2	9	54	99 +	99 +

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	6.0							
35-49	52	10.9	21						
50-69	151	9.3	3	7	8	9	11	11	12
70 +	0								
	213	9.5	8	7	8	9	11	13	13
	0								
	0								
	0								
	0								
	0								
	0								
	213	9.5	8	7	8	9	11	13	13

DRG 153: Minor Small & Large Bowel Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	253	6.1	6	3	4	6	8	10	10
70-74	145	9.0	26	5	6	7	9	21	21
75-79	160	7.2	6	3	6	7	9	10	11
80-84	46	8.1	1						
85 +	46	5.4	6						
SUBTOTAL	652	7.1	12	3	5	7	9	10	11
GRAND TOTAL	652	7.1	12	3	5	7	9	10	11

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	266	6.3	7	2	5	7	8	9	11
18-34	233	6.3	11	2	5	6	7	10	15
35-49	295	6.1	9	1	4	7	8	10	10
50-69	607	6.8	9	2	5	7	9	10	12
70 +	0								
	1402	6.5	9	2	5	7	8	10	11
	1402	6.5	9	2	5	7	8	10	11

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	42	6.3	2						
18-34	0								
35-49	10	7.0							
50-69	57	8.9	10						
70 +	0								
SUBTOTAL	109	7.7	8	6	6	7	8	14	14
GRAND TOTAL	109	7.7	8	6	6	7	8	14	14

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	31	5.0	1						
18-34	10	9.0							
35-49	72	6.9	6	3	5	7	9	10	10
50-69	26	6.4	4						
70 +	0								
	140	6.5	5	3	4	7	9	9	10
	140	6.5	5	3	4	7	9	9	10

DRG 154: Stomach, Esophageal & Duodenal Procedures Age >17 w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2260	17.4	159	6	10	14	21	30	45
70-74	1997	20.3	248	7	10	15	26	40	54
75-79	1657	20.7	184	9	11	18	27	44	59
80-84	1082	24.3	304	9	12	20	35	66	96
85 +	849	25.2	378	8	13	19	33	43	71
SUBTOTAL	7845	20.6	238	8	10	16	26	42	59
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	7845	20.6	238	8	10	16	26	42	59

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	400	11.7	35	6	7	10	13	23	24
35-49	1225	13.0	109	5	7	9	15	26	40
50-69	2737	16.3	149	6	9	13	19	33	41
70 +	151	19.2	171	6	9	15	26	51	51
	4514	15.1	132	6	8	11	18	31	41
	0								
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4514	15.1	132	6	8	11	18	31	41

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	187	11.9	25	6	8	11	14	17	24
35-49	249	20.7	350	5	8	14	38	73	99 +
50-69	265	20.4	58	13	15	19	27	31	33
70 +	10	5.0							
SUBTOTAL	711	18.0	167	6	9	15	25	37	39
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	711	18.0	167	6	9	15	25	37	39

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	140	11.2	18	8	8	12	13	21	21
35-49	213	9.4	17	6	7	9	9	16	21
50-69	499	18.2	133	6	10	14	25	33	39
70 +	94	22.3	137	8	13	20	28	44	44
	947	15.6	110	6	9	12	21	31	39
	0								
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	947	15.6	110	6	9	12	21	31	39

DRG 155: Stomach, Esophageal & Duodenal Procedures Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	404	10.6	50	2	6	8	15	24	25
70-74	239	6.8	14	2	4	8	9	12	12
75-79	187	8.6	12	5	6	8	11	13	16
80-84	57	6.6	14						
85 +	89	13.1	32	7	9	10	17	23	23
SUBTOTAL	976	9.3	34	2	5	8	12	17	23
GRAND TOTAL	976	9.3	34	2	5	8	12	17	23

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	0								
18-34	274	6.5	5	4	5	6	8	10	10
35-49	606	7.7	15	4	6	7	9	12	13
50-69	720	8.3	23	4	6	8	10	11	16
70 +	0								
	1600	7.8	17	4	5	7	9	11	13
	1600	7.8	17	4	5	7	9	11	13

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	36	8.7	6						
35-49	57	8.0	30						
50-69	62	10.9	14						
70 +	0								
SUBTOTAL	155	9.3	19	4	5	9	11	18	19
GRAND TOTAL	155	9.3	19	4	5	9	11	18	19

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	0								
18-34	88	8.0	7	3	5	9	10	11	11
35-49	88	6.9	9	2	5	8	9	11	11
50-69	119	8.5	7	5	6	8	11	13	13
70 +	10	21.0							
	306	8.3	13	5	6	8	11	11	13
	306	8.3	13	5	6	8	11	11	13

DRG 156: Stomach, Esophageal & Duodenal Procedures Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	31	12.5	93						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	31	12.5	93						
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	31	12.5	93						

TYPE OF PATIENT	BLUE CROSS PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1017	12.1	205	2	4	5	17	30	36
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1017	12.1	205	2	4	5	17	30	36
0-17	1686	3.7	4	2	3	3	4	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1686	3.7	4	2	3	3	4	6	8
	2703	6.8	96	2	3	4	5	17	29

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	224	17.5	335	4	7	12	25	99 +	99 +
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	224	17.5	335	4	7	12	25	99 +	99 +
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	531	4.4	5	2	3	4	6	7	13
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	531	4.4	5	2	3	4	6	7	13
GRAND TOTAL	755	8.3	139	3	3	5	9	25	99 +

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	266	10.5	65	3	4	8	20	28	99 +
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	266	10.5	65	3	4	8	20	28	99 +
0-17	428	4.1	7	2	3	3	4	8	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	428	4.1	7	2	3	3	4	8	9
	694	6.6	39	2	3	4	8	20	22

DRG 157: Anal & Stomal Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	784	5.5	36	1	2	4	7	10	17
70-74	624	6.8	71	1	2	4	8	15	19
75-79	634	10.2	201	2	3	6	10	22	31
80-84	393	7.3	34	2	4	6	9	14	17
85 +	369	10.5	137	3	4	7	13	17	41
SUBTOTAL	2804	7.8	98	2	3	5	9	17	19
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	2804	7.8	98	2	3	5	9	17	19

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	109	6.5	32	1	2	5	10	18	18
18-34	754	3.3	6	1	2	3	4	7	9
35-49	1160	3.0	7	1	1	2	4	6	7
50-69	1705	4.7	25	1	2	3	6	12	17
70 +	93	6.4	29	1	3	4	14	16	16
	3821	4.0	17	1	1	3	5	9	12
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3821	4.0	17	1	1	3	5	9	12

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	47	25.7	393						
18-34	31	4.5							
35-49	104	3.5	3	1	2	4	4	6	6
50-69	119	7.4	49	1	3	5	9	24	24
70 +	0								
SUBTOTAL	302	8.6	137	1	3	4	8	27	49
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	302	8.6	137	1	3	4	8	27	49

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	7.0	4						
18-34	72	5.2	11	1	2	5	8	10	10
35-49	93	2.6	2	< 1	1	2	3	5	5
50-69	229	6.2	21	2	3	5	8	13	19
70 +	16	26.0							
	442	6.0	30	2	2	5	8	13	19
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	442	6.0	30	2	2	5	8	13	19

DRG 158: Anal & Stomal Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1619	2.4	3	1	1	2	3	5	6
70-74	1083	2.5	5	1	1	2	3	5	6
75-79	576	2.8	6	1	1	2	3	7	8
80-84	271	4.0	6	1	2	4	6	8	10
85 +	302	4.2	20	1	2	2	4	10	19
SUBTOTAL	3851	2.7	6	1	1	2	3	6	8
GRAND TOTAL	3851	2.7	6	1	1	2	3	6	8

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	636	3.7	13	1	1	2	5	9	13
18-34	5018	1.8	2	1	1	1	2	4	4
35-49	7428	1.9	2	1	1	1	2	4	5
50-69	5182	2.2	4	1	1	1	2	4	5
70 +	88	3.6	8	1	2	3	3	11	11
	18351	2.0	3	1	1	1	2	4	5
	18351	2.0	3	1	1	1	2	4	5

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	125	8.0	47	2	3	5	14	22	22
18-34	380	2.1	2	1	1	2	3	3	4
35-49	260	2.1	1	1	1	2	3	4	4
50-69	89	1.7	1	1	1	2	2	3	3
70 +	0								
SUBTOTAL	854	2.9	13	1	1	2	3	4	11
GRAND TOTAL	854	2.9	13	1	1	2	3	4	11

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	110	1.7		< 1	1	2	2	3	3
18-34	518	2.2	4	< 1	1	1	3	4	8
35-49	936	2.1	2	1	1	2	3	4	5
50-69	411	2.7	4	1	1	2	3	6	7
70 +	10	2.0							
	1985	2.2	3	1	1	2	3	4	6
	1985	2.2	3	1	1	2	3	4	6

DRG 159: Hernia Procedures except Inguinal & Femoral Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1193	6.4	23	1	4	5	7	12	16
70-74	803	6.7	24	2	4	5	8	11	16
75-79	662	6.7	26	2	4	6	8	13	15
80-84	467	8.6	26	3	5	7	10	17	20
85 +	255	9.1	45	4	4	7	12	14	21
SUBTOTAL	3380	7.0	27	2	4	6	8	14	18
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	3380	7.0	27	2	4	6	8	14	18

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	104	4.3	7	2	2	3	7	8	9
35-49	489	5.8	13	2	3	5	7	11	15
50-69	1192	5.6	10	2	3	5	8	10	12
70 +	78	5.0	4	2	3	5	7	7	7
	1863	5.6	11	2	3	5	7	10	12
	0								
	0								
	0								
	0								
	0								
	0								
	1863	5.6	11	2	3	5	7	10	12

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	162	6.5	15	2	4	5	11	12	13
50-69	119	6.3	4	4	6	6	7	8	11
70 +	0								
SUBTOTAL	281	6.4	10	2	4	6	8	11	13
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	281	6.4	10	2	4	6	8	11	13

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	78	2.9	2	1	1	4	4	5	5
35-49	93	4.7	3	2	3	5	6	7	7
50-69	307	6.3	30	1	2	6	8	12	14
70 +	16	5.0							
	494	5.4	21	1	2	5	7	11	14
	0								
	0								
	0								
	0								
	0								
	0								
	494	5.4	21	1	2	5	7	11	14

DRG 160: Hernia Procedures except Inguinal & Femoral Age >17 w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1321	3.5	5	1	2	3	5	7	7
70-74	808	4.5	17	1	2	3	6	8	11
75-79	7[illegible]	3.8	5	1	2	4	5	7	8
80-84	390	6.7	22	2	3	6	8	12	13
85 +	83	3.7	7	1	1	4	5	8	8
SUBTOTAL	3342	4.2	11	1	2	4	6	8	9
GRAND TOTAL	3342	4.2	11	1	2	4	6	8	9

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	813	2.6	2	1	1	2	4	5	5
35-49	2364	2.8	3	1	1	2	4	5	6
50-69	3524	3.5	8	1	2	3	4	7	8
70 +	16	3.0							
	6716	3.1	6	1	1	3	4	6	7
	6716	3.1	6	1	1	3	4	6	7

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	99	3.3	5	1	2	2	4	8	8
35-49	234	4.6	8	1	2	4	7	9	9
50-69	166	3.5	5	1	1	3	5	7	8
70 +	0								
SUBTOTAL	499	4.0	7	1	2	3	6	8	9
GRAND TOTAL	499	4.0	7	1	2	3	6	8	9

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	400	2.0	2	1	1	2	3	4	4
35-49	499	2.5	3	1	1	2	3	5	6
50-69	505	3.1	7	1	1	2	4	5	9
70 +	47	2.3	2						
	1451	2.6	4	1	1	2	3	5	6
	1451	2.6	4	1	1	2	3	5	6

DRG 161: Inguinal & Femoral Hernia Procedures Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1661	4.0	11	1	2	3	5	8	10
70-74	1596	3.9	36	1	1	3	5	7	9
75-79	1889	5.6	80	1	2	3	5	12	16
80-84	1400	5.2	25	1	2	4	6	13	21
85 +	1098	6.5	25	1	2	5	9	14	17
SUBTOTAL	7643	5.0	38	1	2	3	6	11	15
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	7643	5.0	38	1	2	3	6	11	15

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	223	1.9	1	1	1	1	3	3	4
35-49	575	2.8	4	1	1	2	4	6	7
50-69	1537	3.5	7	1	1	2	4	8	9
70 +	176	5.1	54	1	2	3	5	6	28
	2511	3.3	10	1	1	2	4	7	9
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2511	3.3	10	1	1	2	4	7	9

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	31	3.0	1						
35-49	21	2.0	1						
50-69	68	7.0	5						
70 +	36	10.0	28						
SUBTOTAL	156	6.2	17	2	3	6	8	12	15
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	156	6.2	17	2	3	6	8	12	15

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	193	2.2	1	1	1	2	3	3	5
35-49	183	2.9	4	< 1	1	3	5	6	6
50-69	553	2.6	8	1	1	1	3	6	9
70 +	297	7.1	364	1	1	1	3	8	87
	1226	3.7	96	1	1	2	3	6	9
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1226	3.7	96	1	1	2	3	6	9

DRG 162: Inguinal & Femoral Hernia Procedures Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2612	2.0	3	1	1	1	2	4	5
70-74	2548	2.1	2	1	1	2	3	4	6
75-79	2108	2.4	7	1	1	2	3	4	6
80-84	1483	2.4	3	1	1	2	3	5	6
85 +	776	2.6	4	1	1	2	4	5	6
SUBTOTAL	9528	2.2	4	1	1	2	3	4	6
GRAND TOTAL	9528	2.2	4	1	1	2	3	4	6

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	0								
18-34	2948	1.5	1	1	1	1	1	2	3
35-49	4334	1.6	1	1	1	1	1	2	3
50-69	6799	1.8	2	1	1	1	1	2	3
70 +	165	2.2	3	1	1	1	1	3	6
SUBTOTAL	14246	1.7	1	1	1	1	1	2	3
GRAND TOTAL	14246	1.7	1	1	1	1	1	2	3

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	109	1.8	1	< 1	1	2	2	2	4
35-49	130	1.4		1	1	1	2	3	3
50-69	83	2.4	5	< 1	1	1	2	7	7
70 +	10	1.0							
SUBTOTAL	331	1.8	2	1	1	1	2	3	4
GRAND TOTAL	331	1.8	2	1	1	1	2	3	4

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	0								
18-34	821	1.5	1	< 1	1	1	2	2	3
35-49	1067	1.3		< 1	1	1	2	2	2
50-69	1621	1.6	1	< 1	1	1	2	3	3
70 +	334	1.6	1	1	1	2	2	2	2
SUBTOTAL	3843	1.5	1	< 1	1	1	2	2	3
GRAND TOTAL	3843	1.5	1	< 1	1	1	2	2	3

DRG 163: Hernia Procedures Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	26	1.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	26	1.0							
GRAND TOTAL	26	1.0							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	547	3.8	66	1	1	1	3	9	47
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	547	3.8	66	1	1	1	3	9	47
0-17	4567	1.3	1	< 1	1	1	1	2	2
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	4567	1.3	1	< 1	1	1	1	2	2
	5115	1.6	8	< 1	1	1	2	2	3

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	161	2.6	4	1	1	2	4	9	99 +
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	161	2.6	4	1	1	2	4	9	99 +
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1417	1.6	1	1	1	1	2	2	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1417	1.6	1	1	1	1	2	2	3
GRAND TOTAL	1578	1.7	2	1	1	1	2	2	5

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	99	14.3	712	1	1	1	10	75	75
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	99	14.3	712	1	1	1	10	75	75
0-17	1422	1.2		< 1	1	1	1	2	2
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1422	1.2		< 1	1	1	1	2	2
	1521	2.0	56	< 1	1	1	1	2	2

DRG 164: Appendectomy w/ Comp.. ated Principal Diag w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	300	9.2	19	4	7	8	11	15	20
70-74	139	10.5	21	6	7	9	15	16	21
75-79	93	10.7	20	3	8	10	14	18	18
80-84	52	9.8	3						
85 +	62	13.2	25						
SUBTOTAL	647	10.1	20	5	7	9	12	18	20
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	647	10.1	20	5	7	9	12	18	20

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	576	10.1	30	4	6	8	13	19	20
18-34	472	8.4	15	4	6	8	10	11	20
35-49	510	10.7	32	5	7	9	13	18	24
50-69	794	10.7	26	7	7	10	13	16	23
70 +	10	9.0							
	2362	10.1	27	5	7	9	12	18	20
	0								
	0								
	0								
	0								
	0								
	0								
	0								
	2362	10.1	27	5	7	9	12	18	20

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	63	11.5	4						
18-34	88	9.7	18	4	7	8	15	15	15
35-49	26	6.6	4						
50-69	41	9.8							
70 +	16	10.0							
SUBTOTAL	233	9.9	10	5	8	10	11	15	15
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	233	9.9	10	5	8	10	11	15	15

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	197	8.3	5	6	7	8	11	11	13
18-34	260	7.3	12	4	5	7	9	11	18
35-49	146	7.9	11	5	5	8	9	16	16
50-69	104	12.6	29	7	8	12	18	22	22
70 +	16	12.0							
	723	8.6	15	5	6	8	10	14	18
	0								
	0								
	0								
	0								
	0								
	0								
	723	8.6	15	5	6	8	10	14	18

DRG 165: Appendectomy w/ Complicated Principal Diag w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	332	7.7	5	5	6	7	9	11	12
70-74	130	9.9	12	7	7	9	12	17	17
75-79	72	8.4	12	4	7	8	8	16	16
80-84	10	7.0							
85 +	10	9.0							
SUBTOTAL	554	8.3	8	5	7	8	9	12	14
GRAND TOTAL	554	8.3	8	5	7	8	9	12	14

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	2474	6.6	9	3	4	6	8	10	12
18-34	1604	6.0	9	3	4	5	7	9	12
35-49	1340	7.1	10	3	5	7	8	12	14
50-69	891	7.8	9	4	6	7	9	12	12
70 +	0								
	6309	6.7	9	3	5	6	8	11	12
	6309	6.7	9	3	5	6	8	11	12

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	446	6.6	10	3	4	6	9	11	11
18-34	109	5.5	4	3	4	4	8	8	8
35-49	36	6.7	3						
50-69	16	6.0							
70 +	0								
SUBTOTAL	606	6.4	9	3	4	6	8	11	11
GRAND TOTAL	606	6.4	9	3	4	6	8	11	11

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	404	7.3	6	4	5	7	10	11	11
18-34	533	5.9	7	3	4	5	8	10	10
35-49	244	7.3	13	2	5	6	9	14	16
50-69	145	7.9	18	4	6	8	8	9	22
70 +	31	7.0	1						
	1357	6.8	10	3	5	7	8	10	12
	1357	6.8	10	3	5	7	8	10	12

DRG 166: Appendectomy w/o Complicated Principal Diag w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	134	7.7	22	4	4	6	9	12	21
70-74	145	9.3	142	4	6	6	7	8	52
75-79	62	8.0	3						
80-84	63	9.3	37						
85 +	42	14.0	22						
SUBTOTAL	445	9.1	63	4	6	7	9	18	19
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	445	9.1	63	4	6	7	9	18	19

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	632	4.4	5	2	3	4	5	8	10
18-34	975	4.8	10	2	3	4	5	8	14
35-49	772	6.2	16	2	3	5	8	10	15
50-69	347	7.0	12	3	4	6	9	13	13
70 +	0								
	2726	5.4	11	3	3	4	7	10	13
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2726	5.4	11	3	3	4	7	10	13

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	191	6.6	18	2	4	6	8	9	20
18-34	192	5.1	5	2	3	5	7	8	9
35-49	42	4.6							
50-69	21	5.0	1						
70 +	16	4.0							
SUBTOTAL	461	5.6	10	3	4	5	7	8	9
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	461	5.6	10	3	4	5	7	8	9

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	234	4.6	3	2	4	4	6	7	9
18-34	546	4.8	6	3	3	4	5	8	10
35-49	207	5.4	4	3	4	5	6	9	9
50-69	68	8.4	36						
70 +	16	12.0							
	1071	5.2	8	3	3	4	6	9	12
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1071	5.2	8	3	3	4	6	9	12

DRG 167: Appendectomy w/o Complicated Principal Diag w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	305	4.8	8	2	3	4	5	8	12
70-74	104	4.0	2	3	3	4	5	7	7
75-79	119	5.3	6	2	3	5	8	8	9
80-84	21	8.0	1						
85 +	31	6.7	6						
SUBTOTAL	580	4.9	7	2	3	4	7	9	9
GRAND TOTAL	580	4.9	7	2	3	4	7	9	9

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	8083	3.2	1	2	2	3	4	5	5
18-34	9265	3.5	2	2	3	3	4	5	6
35-49	3145	3.9	3	2	3	4	5	6	7
50-69	1205	4.5	4	2	3	4	5	7	9
70 +	10	3.0							
	21709	3.5	2	2	3	3	4	5	6
	21709	3.5	2	2	3	3	4	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	854	3.2	1	2	3	3	4	5	5
18-34	585	3.5	2	2	3	3	4	5	5
35-49	119	4.1	2	3	3	4	5	6	7
50-69	36	3.4	1						
70 +	0								
SUBTOTAL	1594	3.4	1	2	3	3	4	5	5
GRAND TOTAL	1594	3.4	1	2	3	3	4	5	5

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1618	3.2	1	2	3	3	4	5	5
18-34	2868	3.4	2	2	3	3	4	5	6
35-49	631	3.8	4	2	3	4	5	5	6
50-69	124	3.8	2	2	3	4	5	5	6
70 +	0								
	5240	3.4	2	2	3	3	4	5	6
	5240	3.4	2	2	3	3	4	5	6

DRG 168: Mouth Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	145	4.5	18	1	1	4	6	10	16
70-74	68	2.7	6						
75-79	98	6.4	31	1	1	6	10	17	17
80-84	52	5.5	61						
85 +	42	1.4							
SUBTOTAL	405	4.5	25	1	1	2	6	10	17
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	405	4.5	25	1	1	2	6	10	17

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	93	2.4	2	1	1	2	2	6	6
18-34	171	4.8	4	1	4	5	5	7	9
35-49	78	7.8	60	3	3	4	6	23	23
50-69	167	5.3	32	1	2	3	7	16	17
70 +	16	1.0							
SUBTOTAL	525	4.9	24	1	2	4	5	9	17
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	525	4.9	24	1	2	4	5	9	17

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	52	5.6	16						
35-49	31	6.0	52						
50-69	47	1.7	1						
70 +	0								
SUBTOTAL	130	4.3	23	1	1	1	6	11	16
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	130	4.3	23	1	1	1	6	11	16

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	2.5	2						
18-34	31	3.7	4						
35-49	0								
50-69	62	8.4	34						
70 +	0								
SUBTOTAL	124	5.7	26	< 1	2	5	6	10	20
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	124	5.7	26	< 1	2	5	6	10	20

DRG 169: Mouth Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	171	1.5		1	1	1	2	2	3
70-74	104	3.8	13	1	1	3	6	9	12
75-79	104	1.6	1	< 1	1	1	2	3	3
80-84	93	4.0	21	1	1	2	3	14	14
85 +	47	3.3	3						
SUBTOTAL	519	2.6	8	1	1	2	3	5	10
GRAND TOTAL	519	2.6	8	1	1	2	3	5	10

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	578	2.2	4	< 1	1	1	3	4	6
18-34	280	2.1	2	1	1	2	2	4	5
35-49	378	2.5	9	< 1	1	1	2	5	8
50-69	634	2.4	3	1	1	2	3	6	7
70 +	42	1.4							
	1911	2.3	4	< 1	1	1	3	5	6
	1911	2.3	4	< 1	1	1	3	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	99	1.5	1	< 1	< 1	1	2	3	3
18-34	36	5.9	21						
35-49	10	1.0							
50-69	0								
70 +	0								
SUBTOTAL	145	2.5	9	< 1	< 1	1	3	11	11
GRAND TOTAL	145	2.5	9	< 1	< 1	1	3	11	11

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	198	2.0	2	1	1	1	3	4	6
18-34	73	1.9	3						
35-49	78	1.6	1	< 1	1	1	2	4	4
50-69	63	1.3							
70 +	0								
	411	1.8	2	< 1	1	1	2	4	5
	411	1.8	2	< 1	1	1	2	4	5

DRG 170: Other Digestive System O.R. Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	691	15.9	158	4	8	13	23	33	45
70-74	529	16.0	142	6	8	11	22	32	50
75-79	400	18.4	223	5	8	17	27	64	99 +
80-84	197	19.1	130	6	11	19	26	34	45
85 +	171	24.2	116	11	15	23	28	43	99 +
SUBTOTAL	1987	17.5	165	5	8	14	26	38	53
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	1987	17.5	165	5	8	14	26	38	53

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	151	10.5	31	6	8	9	17	23	99 +
18-34	317	9.6	49	3	4	6	14	21	23
35-49	327	13.1	242	4	5	8	12	21	51
50-69	702	16.6	166	6	8	14	19	29	40
70 +	46	13.7	7						
	1544	13.8	148	4	6	11	18	27	40
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1544	13.8	148	4	6	11	18	27	40

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	99	9.9	21	5	6	9	17	17	17
35-49	47	13.3	29						
50-69	73	12.7	38						
70 +	10	28.0							
SUBTOTAL	229	12.3	40	6	8	10	17	24	24
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	229	12.3	40	6	8	10	17	24	24

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	7.0							
18-34	62	7.8	14						
35-49	57	17.5	53						
50-69	162	17.3	178	6	7	13	26	33	51
70 +	16	23.0							
	312	15.2	125	6	7	11	23	26	47
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	312	15.2	125	6	7	11	23	26	47

DRG 171: Other Digestive System O.R. Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	103	11.9	337	1	1	4	14	30	65
70-74	62	5.9	14						
75-79	68	8.3	19						
80-84	36	8.7	4						
85 +	10	8.0							
SUBTOTAL	279	9.2	137	1	3	7	11	14	15
GRAND TOTAL	279	9.2	137	1	3	7	11	14	15

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	390	5.7	32	1	2	3	8	16	16
18-34	1068	3.8	8	1	1	3	6	8	10
35-49	508	6.1	36	1	2	5	8	11	15
50-69	410	4.2	10	1	1	3	6	8	11
70 +	0								
	2376	4.7	19	1	2	3	6	9	1.
	2376	4.7	19	.	2	3	6	9	12

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	73	4.6	7						
18-34	150	5.0	12	1	2	4	9	10	10
35-49	10	4.0							
50-69	0								
70 +	0								
SUBTOTAL	233	4.9	10	1	2	4	8	10	10
GRAND TOTAL	233	4.9	10	1	2	4	8	10	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	57	4.1	3						
18-34	160	4.2	5	2	2	4	6	7	8
35-49	78	4.2	9	1	2	3	8	9	9
50-69	57	5.2	3						
70 +	0								
	353	4.3	6	2	2	4	6	8	9
	353	4.3	6	2	2	4	6	8	9

DRG 172: Digestive Malignancy w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1188	10.1	124	2	4	7	12	25	30
70-74	1421	11.9	142	2	5	8	15	24	39
75-79	1067	10.5	78	3	4	8	14	21	30
80-84	1071	9.6	47	3	5	7	14	19	24
85 +	1000	10.7	125	2	4	8	14	20	24
SUBTOTAL	5747	10.6	106	2	4	8	14	21	30
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	5747	10.6	106	2	4	8	14	21	30

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	125	3.8	5	< 1	1	3	5	8	8
18-34	68	4.2	8						
35-49	379	8.5	78	1	3	6	8	28	31
50-69	1559	9.9	97	2	4	7	12	20	36
70 +	135	11.7	45	4	5	9	16	23	23
	2266	9.2	86	1	3	6	11	20	31
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2266	9.2	86	1	3	6	11	20	31

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	10	8.0							
35-49	47	6.7	36						
50-69	119	7.7	10	4	7	8	10	11	12
70 +	21	17.0	26						
SUBTOTAL	197	8.4	26	2	4	8	11	15	19
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	197	8.4	26	2	4	8	11	15	19

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	31	4.5	13						
35-49	136	13.1	61	7	9	12	12	31	31
50-69	438	11.3	215	2	3	6	14	28	47
70 +	115	7.4	60	1	3	5	6	26	26
	719	10.7	157	2	3	7	12	26	31
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	719	10.7	157	2	3	7	12	26	31

DRG 173: Digestive Malignancy w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	177	5.8	36	1	2	3	7	14	22
70-74	186	7.3	40	< 1	1	5	14	16	18
75-79	192	5.4	26	< 1	1	4	5	15	15
80-84	103	9.0	104	< 1	1	5	17	22	34
85 +	254	4.7	24	1	2	3	6	11	20
SUBTOTAL	912	6.1	41	< 1	1	4	9	16	18
GRAND TOTAL	912	6.1	41	< 1	1	4	9	16	18

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	47	1.7	1						
18-34	47	3.7	4						
35-49	104	4.9	20	1	1	4	9	12	14
50-69	420	3.3	7	1	1	2	4	8	10
70 +	46	10.4	42						
	665	4.0	15	1	1	3	5	10	11
	665	4.0	15	1	1	3	5	10	11

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	10	4.0							
50-69	41	3.8	14						
70 +	0								
SUBTOTAL	51	3.8	11						
GRAND TOTAL	51	3.8	11						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	0								
50-69	110	7.0	42	1	2	4	13	20	20
70 +	0								
	110	7.0	42	1	2	4	13	20	20
	110	7.0	42	1	2	4	13	20	20

DRG 174: G.I. Hemorrhage w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	5957	7.4	36	3	4	6	9	15	18
70-74	5427	7.1	29	3	4	6	8	12	17
75-79	6537	7.6	42	3	4	6	9	13	20
80-84	5866	8.1	41	3	4	7	10	14	18
85 +	6587	10.0	131	3	5	7	11	18	28
SUBTOTAL	30374	8.1	59	3	4	6	9	15	20
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	30374	8.1	59	3	4	6	9	15	20

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	302	3.4	6	< 1	2	3	4	6	12
18-34	826	5.3	23	2	3	4	6	8	10
35-49	2092	5.2	10	2	3	5	6	9	12
50-69	5449	6.1	41	2	3	5	7	10	12
70 +	435	6.3	12	3	4	5	8	12	14
	9105	5.8	30	2	3	5	7	10	12
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	9105	5.8	30	2	3	5	7	10	12

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	93	4.0	7	1	2	3	7	8	8
18-34	802	3.6	3	2	2	3	4	6	7
35-49	394	6.9	22	3	4	5	9	12	18
50-69	686	11.3	143	4	5	7	13	27	54
70 +	88	5.9	15	2	2	5	10	12	12
SUBTOTAL	2064	6.9	65	2	3	5	8	13	22
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	2064	6.9	65	2	3	5	8	13	22

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	2.0							
18-34	327	4.1	6	2	2	3	6	8	9
35-49	700	5.3	16	2	3	4	6	9	10
50-69	1430	6.3	24	3	4	5	7	10	14
70 +	511	7.7	27	3	4	6	9	16	22
	3000	6.0	22	2	3	5	7	10	16
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3000	6.0	22	2	3	5	7	10	16

DRG 175: G.I. Hemorrhage w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1223	4.0	4	2	3	4	5	6	7
70-74	1311	5.0	11	2	3	4	6	10	12
75-79	1104	4.7	10	2	3	4	6	7	8
80-84	1091	5.0	10	2	3	4	6	10	12
85 +	1093	6.0	46	2	3	4	7	11	13
SUBTOTAL	5822	4.9	16	2	3	4	6	9	11
GRAND TOTAL	5822	4.9	16	2	3	4	6	9	11

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	369	2.0	1	1	1	2	3	4	4
18-34	926	3.3	5	1	2	3	4	7	8
35-49	1507	3.5	5	1	2	3	4	6	8
50-69	2419	4.3	6	2	3	4	5	7	8
70 +	51	5.4	12						
	5271	3.7	5	1	2	3	5	7	8
	5271	3.7	5	1	2	3	5	7	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	130	2.2	1	1	2	2	3	4	4
18-34	233	3.4	4	1	2	3	4	6	8
35-49	160	4.0	3	2	3	3	5	6	9
50-69	166	6.2	37	2	3	4	7	8	24
70 +	10	2.0							
SUBTOTAL	700	4.0	13	1	2	3	4	7	8
GRAND TOTAL	700	4.0	13	1	2	3	4	7	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	120	1.5		< 1	1	1	2	2	2
18-34	363	3.4	4	2	2	3	4	6	8
35-49	322	4.3	13	2	2	3	4	8	13
50-69	437	4.4	5	2	3	4	5	6	9
70 +	120	11.4	320	1	2	5	8	57	57
	1362	4.5	39	1	2	3	5	6	9
	1362	4.5	39	1	2	3	5	6	9

DRG 176: Complicated Peptic Ulcer

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	466	10.9	144	4	5	7	12	19	55
70-74	290	7.6	30	3	4	6	8	12	27
75-79	414	9.2	94	3	4	6	10	23	34
80-84	311	11.0	57	3	5	8	15	26	26
85 +	331	10.4	52	4	5	8	14	24	30
SUBTOTAL	1812	9.9	84	3	5	7	12	23	27
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	145	7.7	21	3	5	7	9	19	19
70-74	150	6.4	11	3	4	5	8	14	14
75-79	192	5.2	8	1	3	5	7	11	11
80-84	113	10.7	201	3	3	5	8	17	53
85 +	88	5.8	2	4	5	5	7	9	9
SUBTOTAL	689	7.0	46	2	4	6	8	11	17
GRAND TOTAL	2502	9.1	75	3	5	7	10	19	26

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	3.0							
18-34	62	4.8	7						
35-49	197	7.7	45	3	4	5	7	21	23
50-69	478	6.2	21	2	3	5	9	11	13
70 +	0								
SUBTOTAL	753	6.4	26	2	3	5	9	12	19
0-17	72	3.9	8	1	2	2	7	8	8
18-34	135	3.5	1	2	3	4	4	5	5
35-49	274	4.7	7	2	3	5	6	8	10
50-69	207	4.8	3	3	3	4	6	7	9
70 +	16	11.0							
SUBTOTAL	704	4.6	6	2	3	4	6	8	10
GRAND TOTAL	1457	5.5	17	2	3	4	6	10	12

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	31	16.0	175						
35-49	31	11.0	52						
50-69	63	9.8	18						
70 +	0								
SUBTOTAL	125	11.6	71	3	6	8	17	29	29
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	89	4.5	19	1	1	2	6	13	13
18-34	21	5.5	21						
35-49	31	4.0	9						
50-69	31	5.0	3						
70 +	0								
SUBTOTAL	171	4.6	14	1	1	4	7	10	13
GRAND TOTAL	296	7.6	50	1	3	6	8	17	29

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	3.0							
35-49	52	8.7	36						
50-69	57	9.2	42						
70 +	21	2.5	2						
SUBTOTAL	140	7.6	37	1	4	4	10	19	19
0-17	0								
18-34	78	6.0	27	1	3	4	5	16	16
35-49	68	6.1	12						
50-69	0								
70 +	0								
SUBTOTAL	145	6.0	20	3	3	4	6	16	16
GRAND TOTAL	285	6.8	29	1	3	4	10	17	19

DRG 177: Uncomplicated Peptic Ulcer w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	638	5.8	22	2	3	4	7	10	14
70-74	532	6.2	13	2	4	5	8	10	15
75-79	418	6.0	8	3	4	5	7	9	15
80-84	514	8.3	37	3	4	6	10	19	22
85 +	372	7.4	11	3	6	6	11	12	13
SUBTOTAL	2474	6.7	20	3	4	5	8	12	15
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	2474	6.7	20	3	4	5	8	12	15

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	2.0							
18-34	281	4.4	3	3	3	4	6	6	8
35-49	404	5.6	8	2	3	5	7	10	11
50-69	696	5.8	12	2	3	5	7	12	14
70 +	57	7.5	10						
	1449	5.5	9	2	3	5	7	10	12
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1449	5.5	9	2	3	5	7	10	12

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	68	13.7	301						
35-49	57	10.2	13						
50-69	192	5.6	7	3	4	5	6	11	12
70 +	10	3.0							
SUBTOTAL	327	8.0	80	3	4	5	10	12	21
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	327	8.0	80	3	4	5	10	12	21

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	78	3.3		2	3	3	4	4	4
35-49	166	3.8	1	3	3	3	4	6	6
50-69	124	4.8	9	3	3	4	4	12	12
70 +	26	2.6							
	394	3.9	4	2	3	4	4	6	7
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	394	3.9	4	2	3	4	4	6	7

DRG 178: Uncomplicated Peptic Ulcer w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	322	5.5	12	2	4	4	6	11	14
70-74	258	5.7	15	2	3	4	6	12	14
75-79	244	5.0	14	1	3	4	5	9	11
80-84	238	5.3	12	2	3	5	6	13	13
85 +	155	5.9	9	1	4	5	8	10	11
SUBTOTAL	**1216**	**5.4**	**13**	**2**	**3**	**5**	**7**	**11**	**13**
GRAND TOTAL	**1216**	**5.4**	**13**	**2**	**3**	**5**	**7**	**11**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	31	3.0							
18-34	522	3.4	3	2	2	3	4	6	7
35-49	959	3.6	5	1	2	3	4	6	8
50-69	1076	4.1	6	2	2	4	5	8	10
70 +	26	2.4							
	2614	**3.7**	**5**	**2**	**2**	**3**	**5**	**7**	**9**
	2614	**3.7**	**5**	**2**	**2**	**3**	**5**	**7**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	36	4.2	6						
35-49	68	4.1	3						
50-69	140	5.2	4	3	4	5	6	9	9
70 +	16	9.0							
SUBTOTAL	**260**	**5.0**	**5**	**2**	**3**	**4**	**7**	**9**	**9**
GRAND TOTAL	**260**	**5.0**	**5**	**2**	**3**	**4**	**7**	**9**	**9**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	0								
18-34	202	3.0	3	< 1	2	2	4	6	7
35-49	156	4.0	5	1	2	4	6	8	8
50-69	139	3.9	7	2	2	3	4	7	12
70 +	16	5.0							
	512	**3.6**	**5**	**1**	**2**	**3**	**5**	**7**	**8**
	512	**3.6**	**5**	**1**	**2**	**3**	**5**	**7**	**8**

DRG 179: Inflammatory Bowel Disease

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	523	10.7	58	4	5	9	14	21	27
70-74	311	10.7	60	5	6	7	17	21	30
75-79	351	10.9	48	4	6	9	14	27	28
80-84	269	17.4	398	5	7	11	19	30	91
85 +	145	12.5	99	5	6	10	22	55	99 +
SUBTOTAL	**1599**	**12.1**	**123**	**4**	**6**	**9**	**15**	**27**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	217	7.5	10	5	6	6	8	12	15
70-74	88	6.0	7	1	5	7	8	9	9
75-79	109	6.0	11	3	4	5	9	10	13
80-84	52	8.2	5						
85 +	10	19.0							
SUBTOTAL	**476**	**7.2**	**13**	**4**	**5**	**6**	**9**	**12**	**15**
GRAND TOTAL	**2075**	**10.9**	**102**	**4**	**6**	**8**	**14**	**21**	**30**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	329	10.0	84	2	4	7	10	21	28
18-34	1302	8.1	36	3	4	6	10	15	20
35-49	762	8.9	37	3	5	8	11	19	23
50-69	519	11.6	72	3	6	10	16	20	24
70 +	16	6.0							
SUBTOTAL	**2928**	**9.1**	**50**	**3**	**5**	**7**	**11**	**19**	**23**
0-17	265	4.5	10	1	2	4	6	11	11
18-34	1629	7.2	26	3	4	6	8	12	19
35-49	777	6.8	32	2	3	6	8	11	15
50-69	363	7.3	26	2	4	7	9	11	15
70 +	0								
SUBTOTAL	**3034**	**6.9**	**27**	**2**	**3**	**6**	**8**	**11**	**17**
GRAND TOTAL	**5962**	**8.0**	**39**	**3**	**4**	**6**	**9**	**16**	**20**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	47	6.0	3						
18-34	217	7.8	22	3	4	7	9	14	17
35-49	104	7.1	17	4	5	6	8	16	16
50-69	36	7.7	14						
70 +	0								
SUBTOTAL	**405**	**7.4**	**18**	**3**	**4**	**7**	**9**	**14**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	16	4.0							
18-34	145	6.6	6	3	5	7	8	11	11
35-49	41	6.5	7						
50-69	10	3.0							
70 +	0								
SUBTOTAL	**212**	**6.2**	**7**	**3**	**4**	**5**	**8**	**10**	**11**
GRAND TOTAL	**617**	**7.0**	**15**	**3**	**4**	**7**	**8**	**12**	**16**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	125	11.3	114	1	2	9	14	36	36
18-34	302	8.7	72	3	4	6	10	17	20
35-49	145	8.8	12	4	7	8	10	15	15
50-69	120	10.3	36	4	5	5	17	18	18
70 +	10	12.0							
SUBTOTAL	**703**	**9.5**	**61**	**3**	**4**	**8**	**13**	**17**	**20**
0-17	36	6.6	11						
18-34	228	8.1	25	3	4	7	9	17	21
35-49	98	7.7	21	3	4	5	14	14	14
50-69	26	7.4	4						
70 +	0								
SUBTOTAL	**389**	**7.8**	**22**	**3**	**4**	**6**	**9**	**14**	**17**
GRAND TOTAL	**1091**	**8.9**	**47**	**3**	**4**	**7**	**13**	**17**	**20**

DRG 180: G.I. Obstruction w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	2368	8.1	84	2	4	6	10	14	26
70-74	2279	8.0	34	2	4	7	11	15	22
75-79	2122	9.5	127	3	4	7	10	16	25
80-84	2103	9.0	88	3	4	6	10	18	28
85+	2433	8.8	37	3	5	7	11	17	21
SUBTOTAL	11304	8.7	73	3	4	6	10	16	24
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
GRAND TOTAL	11304	8.7	73	3	4	6	10	16	24

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	323	3.8	9	1	2	3	5	6	10
18-34	353	6.4	25	1	3	5	8	13	14
35-49	951	6.5	31	2	3	4	7	16	18
50-69	1988	6.6	33	2	3	5	8	12	15
70+	114	8.4	49	2	4	7	10	14	27
	3729	6.4	31	2	3	5	7	13	17
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	3729	6.4	31	2	3	5	7	13	17

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	177	4.3	10	1	2	4	7	8	11
18-34	93	6.6	18	2	2	6	12	14	14
35-49	140	6.4	11	3	4	6	7	14	14
50-69	374	7.5	23	3	4	7	8	13	19
70+	68	11.9	38						
SUBTOTAL	853	6.9	23	2	3	6	8	14	19
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
GRAND TOTAL	853	6.9	23	2	4	6	8	14	19

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	2	3.3	2						
18-34	83	7.2	12	2	4	7	10	13	13
35-49	83	3.9	8	1	2	2	5	9	9
50-69	333	6.3	19	1	3	6	8	8	17
70+	115	7.5	24	2	2	9	12	14	14
	661	6.1	18	2	3	5	8	13	14
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	661	6.1	18	2	3	5	8	13	14

DRG 181: G.I. Obstruction w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1523	5.1	10	2	3	5	6	9	10
70-74	986	4.8	11	2	3	4	6	9	11
75-79	1117	5.2	11	2	3	5	7	10	11
80-84	1002	6.0	12	2	4	5	7	12	13
85 +	637	6.0	61	2	3	4	6	9	14
SUBTOTAL	**5265**	**5.3**	**17**	**2**	**3**	**5**	**6**	**9**	**11**
GRAND TOTAL	**5265**	**5.3**	**17**	**2**	**3**	**5**	**6**	**9**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	818	2.1	2	1	1	2	2	4	5
18-34	938	3.5	5	1	2	3	5	6	8
35-49	1828	4.3	13	1	2	3	6	7	11
50-69	2064	4.6	6	2	3	4	6	8	10
70 +	73	4.3	3						
	5720	**3.9**	**8**	**1**	**2**	**3**	**5**	**7**	**9**
	5720	**3.9**	**8**	**1**	**2**	**3**	**5**	**7**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	140	3.0	6	1	1	2	6	7	7
18-34	150	3.9	2	2	3	4	5	6	6
35-49	57	3.4	2						
50-69	202	3.6	2	2	3	3	4	6	6
70 +	21	3.5							
SUBTOTAL	**569**	**3.5**	**3**	**1**	**2**	**4**	**4**	**6**	**6**
GRAND TOTAL	**569**	**3.5**	**3**	**1**	**2**	**4**	**4**	**6**	**6**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	219	2.4	2	1	2	2	2	5	6
18-34	233	4.1	15	1	2	3	5	8	8
35-49	259	4.3	8	1	2	4	4	9	12
50-69	421	4.7	6	2	3	4	7	8	9
70 +	89	4.6	6	1	3	4	7	8	8
	1221	**4.1**	**8**	**1**	**2**	**3**	**5**	**8**	**9**
	1221	**4.1**	**8**	**1**	**2**	**3**	**5**	**8**	**9**

DRG 182: Esophagitis, Gastroent & Misc Digest Disorders Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	11671	6.2	28	2	3	5	8	11	15
70-74	9933	7.1	51	2	3	5	9	14	17
75-79	10251	7.4	59	2	3	6	9	13	18
80-84	8755	7.7	51	2	4	6	9	15	20
85 +	8076	8.8	64	3	4	6	11	18	23
SUBTOTAL	48687	7.3	50	2	3	5	9	14	19
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	48687	7.3	50	2	3	5	9	14	19

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	6890	3.8	10	1	2	3	5	8	10
35-49	7938	4.7	17	2	2	4	6	9	11
50-69	11017	5.5	24	2	3	4	7	10	14
70 +	596	11.3	151	3	4	6	14	26	31
SUBTOTAL	26441	4.9	23	1	2	4	6	9	12
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	26441	4.9	23	1	2	4	6	9	12

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	1434	4.7	22	1	2	3	6	8	11
35-49	1429	5.4	18	2	3	4	7	11	15
50-69	1503	6.7	63	2	3	4	7	14	17
70 +	265	7.8	27	3	4	6	9	14	22
SUBTOTAL	4630	5.7	35	2	3	4	7	11	15
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	4630	5.7	35	2	3	4	7	11	15

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2155	3.6	12	1	2	3	5	6	10
35-49	1410	4.1	12	1	2	3	5	8	12
50-69	2073	6.1	44	2	3	5	6	11	17
70 +	421	8.7	42	2	4	7	11	16	26
SUBTOTAL	6059	4.9	27	1	2	4	6	9	13
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	6059	4.9	27	1	2	4	6	9	13

DRG 183: Esophagitis, Gastroent & Misc Digest Disorders Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	5898	4.3	9	1	2	4	6	8	9
70-74	3627	4.5	10	1	2	4	6	8	10
75-79	3110	4.5	10	1	2	4	6	8	10
80-84	2445	5.3	19	1	2	4	7	10	13
85 +	2302	4.8	11	2	3	4	6	9	13
SUBTOTAL	17382	4.6	11	1	2	4	6	8	11
GRAND TOTAL	17382	4.6	11	1	2	4	6	8	11

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	14925	2.7	8	1	1	2	3	5	7
35-49	12847	3.3	7	1	2	3	4	6	8
50-69	11604	4.1	8	1	2	3	5	7	9
70 +	254	4.1	5	2	3	3	5	7	10
	39630	3.3	8	1	2	3	4	6	8
	39630	3.3	8	1	2	3	4	6	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	2373	3.3	8	1	2	2	4	6	8
35-49	905	4.4	9	1	2	3	6	9	11
50-69	558	4.7	7	2	3	4	6	9	11
70 +	140	8.0	41	1	3	8	9	23	23
SUBTOTAL	3977	3.9	10	1	2	3	5	8	10
GRAND TOTAL	3977	3.9	10	1	2	3	5	8	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	4475	2.5	3	1	1	2	3	5	6
35-49	2408	3.3	7	1	2	2	4	6	8
50-69	1629	3.7	6	1	2	3	5	7	8
70 +	166	4.8	13	1	3	4	7	10	13
	8678	3.0	5	1	1	2	4	6	7
	8678	3.0	5	1	1	2	4	6	7

DRG 184: Esophagitis, Gastroent & Misc Digest Disorders Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	46	3.7	2						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	46	3.7	2						
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	46	3.7	2						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	9860	3.2	30	1	2	2	3	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	9860	3.2	30	1	2	2	3	5	7
0-17	13071	2.3	4	1	1	2	3	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	13071	2.3	4	1	1	2	3	4	5
	22931	2.7	15	1	1	2	3	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	3453	4.2	52	1	2	3	4	6	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	3453	4.2	52	1	2	3	4	6	10
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	4717	2.7	6	1	1	2	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	4717	2.7	6	1	1	2	3	5	6
GRAND TOTAL	8170	3.3	26	1	2	2	4	5	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1895	3.2	9	1	1	2	4	6	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1895	3.2	9	1	1	2	4	6	9
0-17	3438	2.4	5	1	1	2	3	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	3438	2.4	5	1	1	2	3	4	6
	5333	2.7	6	1	1	2	3	5	7

DRG 185: Dental & Oral Dis except Extractions & Restorations, Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	151	6.6	18	1	4	6	8	14	14
70-74	99	10.7	63	2	3	6	16	24	24
75-79	78	15.8	105						
80-84	46	10.5	50						
85 +	72	8.3	6	4	6	9	10	11	11
SUBTOTAL	447	9.8	54	3	5	8	14	24	25
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	73	5.2	18						
70-74	62	5.9	47						
75-79	41	4.3	4						
80-84	47	3.3	4						
85 +	16	3.0							
SUBTOTAL	239	4.7	20	1	2	3	5	13	13
GRAND TOTAL	686	5.0	48	2	3	6	11	20	24

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	280	4.0	6	1	2	4	5	7	10
35-49	233	6.2	34	1	2	5	8	13	24
50-69	166	5.9	8	3	4	5	9	10	11
70 +	26	3.8	1						
	706	5.2	16	1	3	4	6	10	11
0-17	0								
18-34	644	2.8	2	1	2	3	4	5	5
35-49	285	3.2	10	< 1	1	2	4	6	13
50-69	322	6.2	47	1	3	5	9	11	11
70 +	16	8.0							
	1267	3.8	17	1	2	3	5	7	11
	1973	4.3	17	1	2	3	5	9	11

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	125	2.5	2	< 1	1	2	4	4	5
35-49	0								
50-69	16	8.0							
70 +	16	8.0							
SUBTOTAL	156	3.6	6	< 1	1	3	5	8	8
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	171	3.1	6	1	1	2	4	7	9
35-49	10	4.0							
50-69	0								
70 +	0								
SUBTOTAL	182	3.1	6	1	1	3	4	7	9
GRAND TOTAL	338	3.4	6	1	1	3	4	8	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	181	5.8	115	< 1	1	2	3	8	40
35-49	68	9.5	89						
50-69	36	2.1	1						
70 +	26	4.0	6						
	311	6.0	91	< 1	1	3	5	26	39
0-17	0								
18-34	518	2.3	1	1	1	2	3	4	4
35-49	160	4.2	10	1	1	4	6	8	12
50-69	10	5.0							
70 +	10	6.0							
	699	2.8	4	1	1	2	4	5	6
	1010	3.8	33	1	1	2	4	6	8

DRG 186: Dental & Oral Dis except Extractions & Restorations, Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	421	2.9	3	1	2	2	4	6	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	421	2.9	3	1	2	2	4	6	6
0-69	784	2.2	5	< 1	1	2	3	4	6
70-74	0								
75-79	0								
80-84	0								
85 +	0								
	784	2.2	5	< 1	1	2	3	4	6
	1204	2.5	4	1	1	2	3	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	270	3.4	5	2	2	3	4	5	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	270	3.4	5	2	2	3	4	5	9
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	364	2.2	1	< 1	1	2	3	4	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	364	2.2	1	< 1	1	2	3	4	4
GRAND TOTAL	634	2.7	3	1	2	2	3	5	5

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	78	2.1	1	< 1	1	2	3	4	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	78	2.1	1	< 1	1	2	3	4	4
0-17	223	2.3	2	< 1	< 1	2	4	4	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	223	2.3	2	< 1	< 1	2	4	4	4
	301	2.3	2	< 1	1	2	3	4	4

DRG 187: Dental Extractions & Restorations

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	218	2.7	8	<1	1	2	2	8	11
70-74	46	5.9	10						
75-79	130	2.2	3	1	1	1	3	6	6
80-84	42	3.6	12						
85 +	52	5.6	31						
SUBTOTAL	488	3.3	11	1	1	2	3	8	11
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	176	1.3		<1	<1	<1	1	2	3
70-74	52	2.1							
75-79	10	1.0							
80-84	10	2.0							
85 +	88	1.1		1	1	1	1	2	2
SUBTOTAL	337	1.4		<1	<1	1	2	2	3
GRAND TOTAL	825	2.5	8	<1	1	1	2	8	10

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	219	1.6		1	1	1	2	2	3
18-34	281	1.8	2	1	1	1	2	4	5
35-49	104	2.6	2	1	1	3	4	4	4
50-69	52	2.1	1						
70 +	0								
SUBTOTAL	656	1.9	1	1	1	1	2	4	4
0-17	1182	1.1	1	<1	<1	<1	1	1	1
18-34	974	1.1		<1	<1	<1	1	1	2
35-49	119	2.1	2	1	1	2	3	4	5
50-69	72	2.5	8	<1	<1	1	1	8	8
70 +	0								
SUBTOTAL	2348	1.2	1	<1	<1	<1	1	1	2
GRAND TOTAL	3004	1.4	1	<1	<1	<1	1	2	4

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	125	1.1		<1	1	1	1	2	2
18-34	162	1.6	4	<1	<1	1	1	2	9
35-49	42	1.8							
50-69	10	1.0							
70 +	0								
SUBTOTAL	339	1.4	2	<1	<1	1	1	2	2
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	683	1.0		<1	<1	<1	1	1	1
18-34	167	1.7	3	<1	<1	1	1	2	7
35-49	10	2.0							
50-69	0								
70 +	0								
SUBTOTAL	861	1.2	1	<1	<1	<1	1	1	2
GRAND TOTAL	1199	1.2	1	<1	<1	<1	1	2	2

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	63	1.0							
18-34	42	2.5	2						
35-49	36	2.4	5						
50-69	0								
70 +	0								
SUBTOTAL	140	1.8	2	<1	<1	1	2	4	6
0-17	318	1.1		<1	<1	<1	1	1	2
18-34	124	1.5	1	<1	<1	1	2	3	3
35-49	16	1.0							
50-69	0								
70 +	0								
SUBTOTAL	458	1.2		<1	<1	<1	1	2	2
GRAND TOTAL	598	1.4	1	<1	<1	<1	1	2	3

DRG 188: Other Digestive System Diagnoses Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	2412	7.4	57	2	3	5	9	14	19
70-74	1843	8.4	106	2	3	5	10	16	28
75-79	2205	8.3	87	2	4	6	9	15	23
80-84	1756	8.9	64	2	4	6	11	18	27
85+	1653	7.8	35	2	3	6	10	19	20
SUBTOTAL	9869	8.1	71	2	3	6	10	17	22
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
GRAND TOTAL	9869	8.1	71	2	3	6	10	17	22

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	513	6.3	51	1	2	4	8	19	24
35-49	1081	5.6	20	1	2	4	8	12	15
50-69	1992	6.6	37	2	3	5	9	13	20
70+	124	9.3	179	2	3	4	9	14	52
	3711	6.4	39	1	2	4	8	13	19
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	3711	6.4	39	1	2	4	8	13	19

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	83	5.5	13	1	3	5	6	12	12
35-49	57	5.6	7						
50-69	166	7.9	20	3	4	7	10	14	18
70+	46	7.8	4						
SUBTOTAL	352	7.0	16	2	5	7	9	12	14
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
GRAND TOTAL	352	7.0	16	2	5	7	9	12	14

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	223	4.9	22	<1	2	3	8	12	12
35-49	182	5.1	11	2	3	4	6	9	15
50-69	354	7.5	25	2	3	7	10	14	17
70+	120	11.8	56	6	6	11	19	27	27
	880	6.9	31	2	3	6	9	14	19
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	880	6.9	31	2	3	6	9	14	19

DRG 189: Other Digestive System Diagnoses Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	780	3.7	10	< 1	1	2	6	8	8
70-74	622	5.0	33	1	1	3	6	11	22
75-79	669	3.9	12	1	2	3	5	7	10
80-84	481	3.0	9	1	1	2	3	6	9
85 +	549	3.7	9	1	1	3	5	8	8
SUBTOTAL	3102	3.9	15	1	1	3	5	8	10
GRAND TOTAL	3102	3.9	15	1	1	3	5	8	10

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1664	2.7	5	1	1	2	3	5	6
35-49	1403	3.2	9	< 1	1	2	4	7	8
50-69	1424	3.9	19	< 1	1	3	5	8	11
70 +	62	2.6	1						
	4553	3.2	11	1	1	2	4	7	8
	4553	3.2	11	1	1	2	4	7	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	244	5.4	62	1	1	2	7	8	34
35-49	130	2.7	4	1	1	2	3	7	7
50-69	119	6.6	40	2	2	3	10	10	24
70 +	57	2.6	1						
SUBTOTAL	550	4.7	39	1	2	2	6	10	10
GRAND TOTAL	550	4.7	39	1	2	2	6	10	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	419	2.3	3	1	1	2	3	5	6
35-49	302	3.6	13	< 1	1	3	5	9	16
50-69	197	2.3	4	< 1	1	1	3	5	7
70 +	36	2.1	1						
	954	2.7	6	< 1	1	2	4	5	7
	954	2.7	6	< 1	1	2	4	5	7

DRG 190: Other Digestive System Diagnoses Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	16	10.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	16	10.0							
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	16	10.0							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	743	5.5	36	1	1	3	8	17	20
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	743	5.5	36	1	1	3	8	17	20
0-17	2622	2.2	5	< 1	1	1	3	4	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2622	2.2	5	< 1	1	1	3	4	7
	3365	2.9	13	< 1	1	2	3	7	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	323	8.9	300	1	2	3	7	17	39
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	323	8.9	300	1	2	3	7	17	39
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	738	2.0	3	< 1	1	1	2	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	738	2.0	3	< 1	1	1	2	5	6
GRAND TOTAL	1061	4.1	104	< 1	1	1	4	7	13

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	130	3.4	3	1	2	3	5	6	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	130	3.4	3	1	2	3	5	6	6
0-17	890	1.8	3	< 1	1	1	2	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	890	1.8	3	< 1	1	1	2	4	5
	1020	2.0	3	< 1	1	1	2	5	6

DRG 191: Pancreas, Liver & Shunt Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1061	19.2	146	8	10	16	25	37	45
70-74	493	19.8	169	8	9	17	26	44	48
75-79	597	20.1	289	7	10	14	22	42	65
80-84	364	25.5	423	10	13	18	26	59	81
85 +	223	25.5	409	7	9	22	32	66	75
SUBTOTAL	2737	20.9	245	8	10	16	25	42	58
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	2737	20.9	245	8	10	16	25	42	58

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	26	13.1	56						
18-34	280	15.5	120	5	7	11	20	29	46
35-49	374	18.0	264	6	8	12	22	39	48
50-69	1099	19.7	216	6	9	16	25	43	54
70 +	42	25.3	246						
	1821	18.7	213	6	9	13	23	41	48
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1821	18.7	213	6	9	13	23	41	48

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	140	26.1	618	5	7	9	52	71	71
35-49	83	17.1	93	7	13	13	18	40	40
50-69	42	26.6	271						
70 +	26	45.5	1117						
SUBTOTAL	291	25.3	513	6	9	17	25	66	71
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	291	25.3	513	6	9	17	25	66	71

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	47	10.3	25						
18-34	130	21.8	210	8	8	16	27	48	48
35-49	156	16.8	58	8	10	16	24	30	30
50-69	282	25.8	374	8	9	22	36	42	88
70 +	63	10.8	10						
	677	20.5	242	8	9	16	28	41	42
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	677	20.5	242	8	9	16	28	41	42

DRG 192: Pancreas, Liver & Shunt Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	51	14.0	45						
70-74	57	9.6	8						
75-79	119	8.7	72	1	1	7	15	24	24
80-84	42	8.9	21						
85 +	10	14.0							
SUBTOTAL	279	10.1	48	1	5	11	14	18	24
GRAND TOTAL	279	10.1	48	1	5	11	14	18	24

TYPE OF PATIENT	BLUE CROSS PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	99	10.0	60	1	5	8	13	26	26
35-49	160	6.9	19	2	4	7	8	13	17
50-69	187	8.8	26	2	3	8	14	15	17
70 +	16	9.0							
	462	8.4	31	1	5	8	12	15	17
	462	8.4	31	1	5	8	12	15	17

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	26	6.4	9						
18-34	0								
35-49	42	10.6	10						
50-69	0								
70 +	10	9.0							
SUBTOTAL	78	9.0	12	4	7	9	11	14	14
GRAND TOTAL	78	9.0	12	4	7	9	11	14	14

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	42	8.1	21						
35-49	52	7.7	13						
50-69	0								
70 +	0								
	93	7.9	17	3	4	9	12	14	14
	93	7.9	17	3	4	9	12	14	14

DRG 193: Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	694	16.9	109	8	10	14	20	29	42
70-74	736	17.0	105	7	10	15	21	31	45
75-79	571	17.7	149	8	11	14	19	30	56
80-84	606	20.5	308	8	10	15	22	50	61
85 +	363	20.5	137	10	12	13	28	37	44
SUBTOTAL	2971	18.2	162	8	10	14	22	36	49
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	2971	18.2	162	8	10	14	22	36	49

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	22.0							
18-34	83	4.6	6	< 1	3	4	7	7	7
35-49	166	18.7	506	7	7	9	18	27	86
50-69	508	14.2	72	6	9	12	18	25	43
70 +	16	66.0							
SUBTOTAL	789	15.3	221	6	7	11	18	25	43
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	789	15.3	221	6	7	11	18	25	43

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	16	25.0							
35-49	26	15.7	64						
50-69	21	15.5							
70 +	16	13.0							
SUBTOTAL	78	17.0	38	6	13	16	22	25	25
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	78	17.0	38	6	13	16	22	25	25

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	26	7.2	1						
50-69	120	18.5	166	1	7	18	37	39	39
70 +	31	10.0							
SUBTOTAL	177	15.3	134	6	8	12	19	37	39
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	177	15.3	134	6	8	12	19	37	39

DRG 194: Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	52	16.5	53						
70-74	130	12.8	57	7	8	10	12	32	32
75-79	103	11.6	75	2	4	10	13	25	30
80-84	62	10.5	53						
85 +	52	8.6	10						
SUBTOTAL	399	12.1	59	2	8	10	13	27	30
GRAND TOTAL	399	12.1	59	2	8	10	13	27	30

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	31	10.0	4						
18-34	42	4.0							
35-49	46	8.1	30						
50-69	88	12.4	214	2	6	7	11	51	51
70 +	0								
	207	9.4	107	2	4	7	11	15	22
	207	9.4	107	2	4	7	11	15	22

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	31	19.5	6						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	31	19.5	6						
GRAND TOTAL	31	19.5	6						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	47	13.7	3						
18-34	0								
35-49	0								
50-69	62	12.7	149						
70 +	0								
	109	13.1	86	3	9	12	16	33	33
	109	13.1	86	3	9	12	16	33	33

DRG 195: Total Cholecystectomy w/ C.D.E. w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	901	10.9	21	6	8	10	14	16	21
70-74	870	11.0	22	7	8	10	13	19	20
75-79	682	12.1	21	8	9	11	14	17	21
80-84	802	15.5	51	8	10	14	19	25	27
85 +	554	19.4	244	9	12	16	20	33	42
SUBTOTAL	3809	13.3	69	7	9	11	15	21	27
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	3809	13.3	69	7	9	11	15	21	27

TYPE OF PATIENT	BLUE CROSS PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	11.0							
18-34	746	8.1	8	5	6	8	9	12	13
35-49	934	9.3	19	6	7	8	10	14	21
50-69	1569	9.9	22	5	7	8	12	18	21
70 +	88	13.8	29	8	11	12	17	24	24
	3352	9.4	19	5	7	8	11	15	19
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3352	9.4	19	5	7	8	11	15	19

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	166	10.2	19	5	7	8	13	17	20
35-49	57	8.5	6						
50-69	119	11.0	23	7	8	9	12	21	21
70 +	26	22.2	1						
SUBTOTAL	367	11.0	27	6	7	9	13	21	21
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	367	11.0	27	6	7	9	13	21	21

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	9.0							
18-34	176	8.9	14	5	6	8	9	15	20
35-49	171	12.4	86	5	6	10	13	19	38
50-69	233	9.2	20	4	7	9	10	16	16
70 +	31	23.5	161						
	627	10.7	54	5	7	9	11	18	36
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	627	10.7	54	5	7	9	11	18	36

DRG 196: Total Cholecystectomy w/ C.D.E. w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	253	11.3	58	5	7	10	11	17	23
70-74	145	9.2	13	5	7	8	12	15	15
75-79	104	9.6	14	5	7	8	14	14	15
80-84	119	9.8	5	8	8	9	11	12	15
85 +	10	8.0							
SUBTOTAL	632	10.2	30	5	7	9	12	15	17
GRAND TOTAL	632	10.2	30	5	7	9	12	15	17

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	424	6.5	7	4	5	7	7	9	13
35-49	325	6.5	5	4	5	6	8	9	11
50-69	435	8.2	8	5	6	7	10	12	14
70 +	16	9.0							
	1199	7.2	8	4	5	7	8	11	13
	1199	7.2	8	4	5	7	8	11	13

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	31	10.0	4						
18-34	52	6.8	3						
35-49	10	11.0							
50-69	21	14.0	4						
70 +	0								
SUBTOTAL	114	9.4	10	7	7	8	12	12	16
GRAND TOTAL	114	9.4	10	7	7	8	12	12	16

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	113	6.5	19	2	4	4	13	13	14
35-49	104	7.0	16	3	5	6	7	16	16
50-69	21	5.5							
70 +	16	13.0							
	253	7.0	18	3	4	5	8	14	16
	253	7.0	18	3	4	5	8	14	16

DRG 197: Total Cholecystectomy w/o C.D.E. w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3786	9.6	33	4	6	8	12	17	21
70-74	2929	10.2	46	4	6	8	12	18	21
75-79	2433	10.6	41	5	7	9	13	17	20
80-84	1289	14.6	112	7	9	11	17	24	41
85 +	777	14.2	54	7	10	12	17	24	26
SUBTOTAL	11214	10.9	52	5	6	9	13	18	23
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	11214	10.9	52	5	6	9	13	18	23

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	52	5.6	1						
18-34	2470	6.3	17	3	4	5	7	10	14
35-49	4209	7.3	30	4	5	6	8	12	17
50-69	6570	8.0	23	4	5	7	9	13	15
70 +	171	10.5	21	5	5	8	15	16	17
	13472	7.5	24	4	5	6	9	12	15
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	13472	7.5	24	4	5	6	9	12	15

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	10	2.0							
18-34	659	6.8	13	4	5	6	8	10	11
35-49	477	10.0	49	5	5	8	11	17	32
50-69	347	10.5	46	4	6	8	16	22	30
70 +	62	14.7	52						
SUBTOTAL	1556	8.9	37	4	5	7	11	16	29
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	1556	8.9	37	4	5	7	11	16	29

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	26	4.6							
18-34	598	7.4	10	4	5	7	9	11	13
35-49	604	8.0	141	4	4	5	7	10	18
50-69	915	8.8	40	4	5	7	10	16	24
70 +	78	12.1	23	8	8	11	12	21	21
	2221	8.3	59	4	5	6	9	15	19
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2221	8.3	59	4	5	6	9	15	19

DRG 198: Total Cholecystectomy w/o C.D.E. w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	3529	5.8	7	3	4	5	7	9	11
70-74	1880	6.2	11	3	4	5	7	11	12
75-79	996	7.2	10	4	5	7	9	10	11
80-84	627	7.4	10	4	5	7	9	11	16
85 +	170	8.4	8	5	6	8	9	13	14
SUBTOTAL	7202	6.3	9	3	4	6	8	10	12
GRAND TOTAL	7202	6.3	9	3	4	6	8	10	12

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	207	4.9	3	3	4	4	6	7	8
18-34	10843	4.5	3	3	3	4	5	7	8
35-49	13211	4.7	4	3	3	4	6	7	8
50-69	10183	5.2	4	3	4	5	6	8	9
70 +	140	7.2	11	4	4	7	8	15	15
	34584	4.8	4	3	3	4	6	7	9
	34584	4.8	4	3	3	4	6	7	9

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	62	6.2	6						
18-34	2118	4.5	3	3	3	4	5	7	8
35-49	713	5.0	5	3	4	4	6	7	9
50-69	493	6.1	7	3	4	6	7	11	13
70 +	104	14.7	254	4	6	10	11	52	52
SUBTOTAL	3491	5.1	15	3	3	4	6	8	9
GRAND TOTAL	3491	5.1	15	3	3	4	6	8	9

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	10	4.0							
18-34	1648	4.6	3	3	3	4	5	7	8
35-49	1344	4.7	3	3	3	4	5	7	9
50-69	950	5.2	5	3	4	5	6	8	11
70 +	26	9.2	2						
	3978	4.8	4	3	4	4	5	7	9
	3978	4.8	4	3	4	4	5	7	9

DRG 199: Hepatobiliary Diagnostic Procedure for Malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	156	20.5	281	4	8	18	24	54	63
70-74	78	12.6	29						
75-79	73	15.1	47						
80-84	26	7.6							
85 +	26	31.5	90						
SUBTOTAL	359	17.5	175	6	8	13	23	33	39
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	83	15.6	30	8	13	14	20	24	24
70-74	78	9.3	58	1	2	8	10	23	23
75-79	0								
80-84	10	22.0							
85 +	0								
SUBTOTAL	171	13.1	55	2	8	13	20	23	24
GRAND TOTAL	531	16.1	140	5	8	13	22	25	39

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	16	8.0							
35-49	46	9.6	11						
50-69	130	8.5	15	4	6	7	11	14	18
70 +	0								
	192	8.7	13	5	7	8	11	14	17
0-17	0								
18-34	0								
35-49	26	16.5	143						
50-69	88	9.7	36	3	7	7	10	24	24
70 +	0								
	114	11.3	67	3	6	7	14	26	26
	306	9.7	35	4	6	8	12	18	26

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	16	6.0							
50-69	36	17.0	139						
70 +	0								
SUBTOTAL	52	13.6	122						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	52	13.6	122						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	16	1.0							
	16	1.0							
	16	1.0							

DRG 200: Hepatobiliary Diagnostic Procedure for Non-malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	68	10.0	59						
70-74	73	20.9	196						
75-79	46	31.5	500						
80-84	10	13.0							
85 +	10	1.0							
SUBTOTAL	207	18.3	278	2	9	12	21	47	62
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	207	18.3	278	2	9	12	21	47	62

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	40.0							
35-49	16	6.0							
50-69	146	9.4	27	2	6	8	12	20	20
70 +	0								
	172	10.9	78	5	6	8	12	20	40
0-17	10	7.0							
18-34	52	3.9	2						
35-49	52	6.8	22						
50-69	47	2.3	4						
70 +	16	7.0							
	177	4.8	12	1	1	5	7	7	13
	349	7.8	54	1	4	6	9	16	20

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	42	13.7	127						
35-49	10	34.0							
50-69	36	29.1	152						
70 +	0								
SUBTOTAL	88	22.4	192	5	5	19	34	43	43
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	10	6.0							
18-34	10	13.0							
35-49	26	3.4	4						
50-69	0								
70 +	0								
SUBTOTAL	46	6.1	17						
GRAND TOTAL	135	16.8	191	5	5	13	28	43	43

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	36	26.9	399						
35-49	42	6.1	26						
50-69	10	14.0							
70 +	0								
	88	15.6	270	1	5	14	15	49	49
0-17	16	4.0							
18-34	42	6.0	6						
35-49	0								
50-69	0								
70 +	0								
	57	5.4	5						
	145	11.6	189	1	4	6	14	49	49

DRG 201: Other Hepatobiliary or Pancreas O.R. Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	290	10.5	77	1	5	8	12	28	32
70-74	197	13.5	190	6	9	10	14	18	52
75-79	192	11.1	38	6	7	9	15	16	27
80-84	83	27.5	598	9	11	16	43	84	84
85 +	36	19.9	182						
SUBTOTAL	799	13.6	180	4	7	10	15	27	40
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	31	1.5							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	31	1.5							
GRAND TOTAL	831	13.1	179	3	7	9	15	27	40

TYPE OF PATIENT	BLUE CROSS PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0		—						
18-34	16	1.0							
35-49	282	7.9	20	3	5	7	11	14	20
50-69	617	10.0	52	4	5	7	13	19	29
70 +	16	7.0							
	930	9.2	43	3	5	7	12	17	22
0-17	31	1.0							
18-34	0								
35-49	57	1.9	4						
50-69	47	1.0							
70 +	0								
	136	1.4	2	< 1	< 1	1	1	1	6
	1066	8.2	44	1	4	7	11	16	21

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	47	4.0	5						
18-34	16	1.0							
35-49	72	10.3	96	1	3	4	16	30	30
50-69	57	8.7	49						
70 +	10	7.0							
SUBTOTAL	203	7.5	58	1	2	4	12	18	25
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	16	1.0							
18-34	16	1.0							
35-49	10	3.0							
50-69	0								
70 +	0								
SUBTOTAL	42	1.5	1						
GRAND TOTAL	244	6.5	54	1	2	3	7	16	21

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	31	8.0							
35-49	162	5.9	23	< 1	2	5	9	12	19
50-69	162	10.7	51	6	7	8	14	27	99 +
70 +	0								
	354	8.3	39	2	5	7	11	23	27
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	354	8.3	39	2	5	7	11	23	27

DRG 202: Cirrhosis & Alcoholic Hepatitis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1066	11.1	117	2	6	8	14	21	27
70-74	471	12.0	107	2	5	10	13	35	36
75-79	411	10.7	30	5	6	9	15	19	21
80-84	285	11.8	88	5	7	9	13	33	34
85 +	72	13.6	23	9	11	12	22	99 +	99 +
SUBTOTAL	2305	11.4	93	3	6	9	14	21	33
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	124	4.0	18	1	1	3	4	14	14
70-74	36	3.6	17						
75-79	42	9.5	10						
80-84	10	1.0							
85 +	0								
SUBTOTAL	212	4.8	21	1	1	3	9	13	14
GRAND TOTAL	2518	10.8	91	2	5	9	13	21	32

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	2.0							
18-34	115	7.6	14	1	4	9	11	12	12
35-49	685	9.5	64	2	4	7	15	23	25
50-69	1259	9.5	60	2	4	7	14	18	28
70 +	31	14.0	51						
	2105	9.5	59	2	4	7	14	21	25
0-17	0								
18-34	21	1.0							
35-49	98	3.0	10	1	1	1	7	9	9
50-69	176	3.7	10	1	1	2	7	8	11
70 +	0								
	295	3.3	10	1	1	1	7	8	9
	2400	8.7	57	1	3	7	12	18	25

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	83	11.3	244	2	3	5	6	51	51
35-49	306	10.0	50	1	5	7	16	20	29
50-69	389	9.4	38	3	4	8	14	16	24
70 +	0								
SUBTOTAL	778	9.8	64	2	4	7	15	17	25
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	21	8.5	32						
50-69	0								
70 +	0								
SUBTOTAL	21	8.5	32						
GRAND TOTAL	798	9.8	64	3	4	7	15	17	25

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	238	6.3	22	2	3	5	9	11	16
35-49	440	7.7	40	2	3	5	9	16	26
50-69	473	12.7	64	5	7	11	15	25	33
70 +	31	9.5	58						
	1183	9.5	54	2	4	8	13	18	26
0-17	31	8.5	31						
18-34	0								
35-49	16	6.0							
50-69	31	2.3	4						
70 +	0								
	78	5.6	22	< 1	1	5	6	14	14
	1261	9.2	53	2	4	7	13	17	26

DRG 203: Malignancy of Hepatobiliary System or Pancreas

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	966	9.6	67	3	5	8	11	17	19
70-74	773	12.1	103	3	6	9	17	26	33
75-79	762	13.3	102	5	7	10	17	26	36
80-84	466	10.6	70	3	6	8	12	24	25
85 +	383	14.7	217	4	7	11	17	27	42
SUBTOTAL	3351	11.7	104	3	6	9	14	23	31
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	348	4.9	13	1	3	5	5	12	14
70-74	186	5.3	16	1	2	5	6	12	14
75-79	276	4.6	13	1	2	4	7	10	10
80-84	255	7.4	40	2	2	7	10	15	26
85 +	52	10.1	50						
SUBTOTAL	1116	5.7	23	1	2	5	7	13	15
GRAND TOTAL	4468	10.2	90	2	5	8	13	20	26

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	42	3.1	3						
35-49	307	6.6	30	2	3	5	8	17	24
50-69	1164	9.9	85	1	4	8	12	21	25
70 +	31	6.5	2						
SUBTOTAL	1545	9.0	73	1	4	7	11	20	24
0-17	16	1.0							
18-34	0								
35-49	140	3.9	10	< 1	1	2	6	8	11
50-69	417	4.7	12	1	2	4	6	11	12
70 +	16	3.0							
SUBTOTAL	588	4.4	11	1	2	4	6	10	12
GRAND TOTAL	2133	7.7	60	1	3	5	10	18	22

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	16	14.0							
18-34	16	4.0							
35-49	36	13.4	58						
50-69	104	11.5	157	1	2	7	16	39	39
70 +	10	12.0							
SUBTOTAL	182	11.5	107	2	4	8	16	21	39
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	47	2.7							
18-34	0								
35-49	10	1.0							
50-69	0								
70 +	0								
SUBTOTAL	57	2.4	1						
GRAND TOTAL	239	9.3	97	1	2	5	14	21	39

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	68	13.9	163						
50-69	250	9.7	30	1	6	10	13	19	21
70 +	31	11.0	17						
SUBTOTAL	349	10.6	56	2	5	10	14	19	21
0-17	16	4.0							
18-34	0								
35-49	16	7.0							
50-69	78	7.0	20						
70 +	0								
SUBTOTAL	110	6.6	15	3	3	6	8	15	15
GRAND TOTAL	459	9.7	50	3	5	8	13	15	21

DRG 204: Disorders of Pancreas except Malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1860	9.4	72	3	5	7	11	15	21
70-74	732	9.7	31	4	6	8	13	17	22
75-79	617	8.8	48	3	5	6	11	15	26
80-84	592	9.6	28	4	6	9	12	17	17
85 +	674	9.4	47	3	5	8	12	17	33
SUBTOTAL	4475	9.4	53	4	5	8	11	16	22
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	612	7.1	31	2	4	5	9	15	23
70-74	378	6.3	21	1	3	5	9	12	14
75-79	259	7.1	94	2	3	5	6	10	44
80-84	238	7.8	26	3	4	6	11	18	19
85 +	160	5.8	13	2	3	6	7	8	17
SUBTOTAL	1648	6.9	37	2	3	5	9	14	18
GRAND TOTAL	6122	8.7	49	3	4	7	11	15	21

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	9.0							
18-34	1025	7.7	61	2	3	6	8	16	23
35-49	1620	8.7	56	3	4	6	10	17	23
50-69	1562	7.6	31	2	4	6	9	15	20
70 +	47	13.3	2						
	4269	8.1	48	2	4	6	10	17	22
0-17	41	6.5	11						
18-34	968	5.9	24	1	3	5	7	14	15
35-49	1347	5.7	20	2	3	4	7	10	15
50-69	1409	6.6	19	2	4	6	7	13	16
70 +	31	4.3							
	3796	6.1	21	2	3	5	7	12	16
	8065	7.2	36	2	4	5	8	15	19

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	513	7.0	12	3	4	6	9	11	12
35-49	943	9.3	61	3	5	6	11	18	29
50-69	233	11.7	104	4	5	7	13	28	28
70 +	46	10.1	4						
SUBTOTAL	1736	8.9	53	3	5	7	10	15	28
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	160	6.0	17	3	3	5	7	12	18
35-49	88	5.6	17	2	3	4	7	14	14
50-69	26	4.6							
70 +	16	18.0							
SUBTOTAL	290	6.4	22	2	3	5	7	14	18
GRAND TOTAL	2026	8.6	50	3	4	6	10	15	25

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	523	7.6	27	2	4	7	9	13	20
35-49	571	12.4	180	4	5	8	13	30	42
50-69	521	9.2	87	3	4	6	11	18	25
70 +	16	5.0							
	1630	9.8	104	3	5	7	11	18	28
0-17	52	5.6	1						
18-34	327	6.1	12	2	4	5	8	10	11
35-49	353	6.4	42	2	3	5	7	13	15
50-69	238	6.7	13	3	3	6	9	14	14
70 +	0								
	970	6.3	23	2	4	5	8	10	14
	2601	8.5	76	3	4	6	9	14	25

DRG 205: Disorders of Liver except Malig, Cirr, Alc Hepa w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS)	1349	9.5	61	3	5	7	12	22	26
70-74	664	10.2	64	3	4	7	14	23	26
75-79	672	14.6	303	3	4	8	14	36	54
80-84	217	10.6	27	5	7	9	15	19	19
85 +	333	9.3	36	3	6	8	12	22	22
SUBTOTAL	3235	10.8	111	3	5	7	13	23	28
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	3235	10.8	111	3	5	7	13	23	28

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	109	5.4	39	2	2	2	7	20	20
18-34	395	6.1	19	1	3	5	8	13	14
35-49	478	6.2	29	1	3	5	7	14	17
50-69	1184	8.4	66	2	4	6	10	16	21
70 +	10	6.0							
	2176	7.3	49	1	3	6	9	14	20
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2176	7.3	49	1	3	6	9	14	20

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS)	89	6.2	22	1	2	7	9	14	14
18-34	171	6.4	39	1	2	4	8	20	20
35-49	234	7.4	29	1	4	5	13	16	19
50-69	191	14.3	485	2	3	7	16	20	85
70 +	16	22.0							
SUBTOTAL	700	9.2	168	1	3	5	13	20	20
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	700	9.2	168	1	3	5	13	20	20

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	47	4.7	15						
18-34	186	4.8	4	2	4	5	6	7	8
35-49	280	9.0	196	1	2	4	7	22	30
50-69	230	5.5	14	1	4	5	7	9	17
70 +	31	8.5	2						
	775	6.7	80	1	3	5	7	11	18
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	775	6.7	80	1	3	5	7	11	18

DRG 206: Disorders of Liver except Malig, Cirr, Alc Hepa w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	192	3.1	12	1	1	1	3	9	12
70-74	88	6.5	27	1	4	5	8	19	19
75-79	135	6.3	69	1	1	3	8	28	28
80-84	52	4.0	5						
85 +	21	9.0	38						
SUBTOTAL	487	5.0	34	1	1	3	8	9	19
GRAND TOTAL	487	5.0	34	1	1	3	8	9	19

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	467	2.6	5	1	1	2	3	5	10
18-34	772	3.0	8	1	1	2	5	7	8
35-49	903	3.2	12	1	1	1	4	7	12
50-69	686	2.8	20	1	1	1	2	5	13
70 +	46	6.8	15						
	2875	3.0	12	1	1	1	4	7	10
	2875	3.0	12	1	1	1	4	7	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	89	3.0	4	1	1	2	5	6	6
18-34	160	7.2	47	1	3	5	8	13	29
35-49	68	3.8	13						
50-69	0								
70 +	0								
SUBTOTAL	317	5.3	31	1	1	4	7	12	13
GRAND TOTAL	317	5.3	31	1	1	4	7	12	13

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	130	4.1	8	2	2	2	6	9	9
18-34	233	4.3	8	2	2	3	6	8	11
35-49	109	2.4	2	1	1	2	4	5	5
50-69	57	4.9	20						
70 +	36	7.1	32						
	570	4.1	11	1	2	3	5	8	11
	570	4.1	11	1	2	3	5	8	11

DRG 207: Disorders of the Biliary Tract w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1690	7.2	24	3	4	6	10	12	14
70-74	1510	8.4	58	3	4	7	10	15	21
75-79	1333	8.3	66	2	4	6	10	16	23
80-84	1328	9.0	39	3	5	8	12	16	23
85 +	1636	10.8	103	3	5	8	13	23	28
SUBTOTAL	7497	8.7	60	3	4	7	11	16	23
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	7497	8.7	60	3	4	7	11	16	23

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	4.0							
18-34	394	5.7	32	1	2	4	7	13	20
35-49	674	6.9	24	2	4	6	8	14	15
50-69	1389	5.4	17	1	3	4	7	11	13
70 +	114	6.7	11	3	3	6	10	12	12
	2587	5.9	21	1	3	5	8	12	14
	0								
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2587	5.9	21	1	3	5	8	12	14

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	31	9.5	44						
18-34	93	3.9	6	2	2	3	4	10	10
35-49	93	6.3	12	< 1	3	6	9	12	12
50-69	161	16.7	217	4	7	11	18	36	55
70 +	52	9.8	50						
SUBTOTAL	431	10.3	122	2	3	7	12	18	31
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	431	10.3	122	2	3	7	12	18	31

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	20.0							
18-34	219	6.0	8	3	4	5	7	11	12
35-49	276	4.7	6	2	3	4	6	7	9
50-69	511	7.6	24	3	4	6	9	15	18
70 +	157	5.8	3	3	4	6	8	8	8
	1178	6.5	17	2	4	6	8	12	15
	0								
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1178	6.5	17	2	4	6	8	12	15

Northeastern Region, July 1989 - June 1990

DRG 208: Disorders of the Biliary Tract w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	999	4.1	11	1	2	3	5	8	11
70-74	599	4.5	9	1	2	4	6	8	11
75-79	595	5.5	33	1	1	4	6	14	23
80-84	582	4.4	10	1	2	3	6	9	10
85 +	627	4.5	14	1	2	4	7	10	14
SUBTOTAL	3733	4.5	15	1	2	4	6	9	13
GRAND TOTAL	3733	4.5	15	1	2	4	6	9	13

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	110	7.1	28	1	2	7	11	17	17
18-34	1346	2.7	5	<1	1	2	3	4	7
35-49	1775	3.1	8	1	1	2	4	6	8
50-69	2225	3.1	5	1	1	2	4	6	7
70 +	78	3.2	2	2	2	3	4	6	6
	5534	3.1	7	1	1	2	4	6	8
	5534	3.1	7	1	1	2	4	6	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	73	8.7	29						
18-34	274	3.2	3	1	2	3	4	6	6
35-49	160	3.8	8	<1	1	3	6	8	10
50-69	140	5.5	36	1	2	3	6	21	21
70 +	16	10.0							
SUBTOTAL	664	4.6	17	1	2	3	6	10	10
GRAND TOTAL	664	4.6	17	1	2	3	6	10	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	42	8.3	16						
18-34	420	3.2	6	1	1	2	4	7	8
35-49	525	4.0	8	1	2	3	6	8	9
50-69	453	3.5	6	1	2	3	4	9	9
70 +	57	4.6	8						
	1496	3.7	8	1	2	3	6	8	9
	1496	3.7	8	1	2	3	6	8	9

DRG 209: Major Joint & Limb Reattachment Procedures

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	6096	13.4	54	8	9	12	15	20	27
70-74	5943	13.5	48	8	10	12	15	21	27
75-79	7309	15.6	125	8	10	13	16	26	34
80-84	5344	16.9	137	9	11	14	18	29	39
85 +	4767	18.7	145	9	11	15	22	34	46
SUBTOTAL	29459	15.5	104	8	10	13	17	26	34
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	4607	10.4	20	7	8	10	12	15	17
70-74	4604	10.5	15	7	8	10	12	15	16
75-79	4197	11.7	28	7	9	11	14	16	18
80-84	2498	11.8	23	7	9	11	14	18	21
85 +	1762	13.5	35	8	9	12	16	23	25
SUBTOTAL	17668	11.2	23	7	8	10	13	16	19
GRAND TOTAL	47127	13.9	78	8	9	12	15	22	29

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	8.0							
18-34	125	9.3	10	6	7	8	10	17	17
35-49	702	11.7	27	7	8	11	13	17	24
50-69	5070	11.9	46	7	9	10	13	17	22
70 +	597	14.6	88	8	10	13	15	18	33
	6511	12.0	48	7	9	10	13	17	23
	42	10.9	10						
	327	7.3	15	2	5	7	10	12	13
	1248	8.4	11	4	6	8	11	13	14
	6270	9.8	18	6	8	9	11	14	16
	275	11.1	4	8	10	12	12	14	15
	8161	9.5	17	6	7	9	11	14	15
	14672	10.6	32	6	8	10	12	15	18

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	10	22.0							
18-34	47	12.3	23						
35-49	0								
50-69	332	14.3	184	6	8	11	14	19	28
70 +	78	14.1	9	10	11	15	17	18	18
SUBTOTAL	467	14.2	136	7	9	12	14	19	28
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	89	7.9	10	2	7	9	9	12	12
35-49	36	11.9	3						
50-69	182	12.1	25	7	9	11	14	18	25
70 +	31	16.0	26						
SUBTOTAL	338	11.3	24	7	9	10	13	18	21
GRAND TOTAL	805	13.0	91	7	9	11	14	19	25

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	8.0							
35-49	0								
50-69	620	13.6	26	8	9	13	16	21	23
70 +	234	15.7	40	9	11	16	17	22	35
	865	14.1	31	9	9	14	16	21	23
0-17	10	1.0							
18-34	31	6.5	2						
35-49	83	9.1	18	2	6	10	12	15	15
50-69	353	8.3	9	6	7	8	10	11	11
70 +	166	11.1	6	8	10	11	13	13	15
	645	8.9	11	5	7	9	11	13	15
	1510	11.9	29	6	8	11	15	18	21

Northeastern Region, July 1989 - June 1990

DRG 210: Hip & Femur Procedures except Major Joint Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1880	17.9	163	7	10	14	23	37	65
70-74	2283	16.8	98	8	10	15	20	28	34
75-79	3768	17.4	124	8	11	15	21	31	44
80-84	4340	18.9	142	9	11	16	25	38	53
85 +	8344	18.8	138	8	11	16	24	33	45
SUBTOTAL	20615	18.3	135	8	11	15	23	33	46
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	20615	18.3	135	8	11	15	23	33	46

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	807	11.3	46	5	6	10	14	20	29
35-49	509	13.6	72	6	8	11	16	27	39
50-69	1318	15.7	142	7	9	12	19	33	40
70 +	452	21.5	190	10	13	18	27	32	41
	3087	15.1	123	6	8	12	18	30	37
	0								
	0								
	0								
	0								
	0								
	0								
	3087	15.1	123	6	8	12	18	30	37

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	192	14.2	115	4	6	15	16	29	45
35-49	42	12.1	18						
50-69	234	16.0	68	7	9	16	23	34	99 +
70 +	125	18.6	89	5	9	20	26	29	36
SUBTOTAL	593	15.7	87	5	9	15	21	31	36
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	593	15.7	87	5	9	15	21	31	36

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	273	12.0	26	5	7	11	16	18	21
35-49	109	18.3	70	7	11	19	24	26	33
50-69	160	14.7	56	6	9	15	16	25	36
70 +	224	27.6	213	9	18	21	42	44	60
	767	18.0	135	7	10	16	21	36	43
	0								
	0								
	0								
	0								
	0								
	0								
	767	18.0	135	7	10	16	21	36	43

DRG 211: Hip & Femur Procedures except Major Joint Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	746	10.1	41	4	6	10	12	17	20
70-74	876	14.0	157	6	8	11	15	22	26
75-79	1361	13.0	57	6	8	11	15	20	30
80-84	1570	13.7	61	7	8	12	17	23	32
85 +	2547	13.8	51	7	9	13	16	22	28
SUBTOTAL	7100	13.3	68	6	8	12	16	22	28
GRAND TOTAL	7100	13.3	68	6	8	12	16	22	28

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	0								
18-34	1158	9.0	59	2	4	7	11	16	30
35-49	783	7.9	85	2	4	6	8	12	16
50-69	1274	8.8	32	3	5	7	12	16	17
70 +	239	14.2	58	5	8	14	17	26	26
	3454	9.0	57	3	5	7	11	16	22
	3454	9.0	57	3	5	7	11	16	22

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	166	9.6	30	5	6	8	12	20	25
35-49	83	6.7	12	3	4	7	8	14	14
50-69	68	8.6	6						
70 +	16	17.0							
SUBTOTAL	332	9.0	24	4	6	8	11	17	20
GRAND TOTAL	332	9.0	24	4	6	8	11	17	20

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	0								
18-34	457	9.7	100	2	4	8	11	15	18
35-49	135	6.8	19	3	4	6	7	13	19
50-69	186	8.4	6	5	6	8	10	11	12
70 +	203	22.3	211	8	13	18	31	39	62
	981	11.6	124	3	5	9	13	22	32
	981	11.6	124	3	5	9	13	22	32

DRG 212: Hip & Femur Procedures except Major Joint Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	62	16.0	28						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	62	16.0	28						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	62	16.0	28						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1153	9.9	98	3	4	7	10	20	35
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1153	9.9	98	3	4	7	10	20	35
0-17	4136	6.2	52	1	3	4	7	12	17
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	4136	6.2	52	1	3	4	7	12	17
	5289	7.0	64	1	3	5	8	15	20

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	449	7.9	33	2	4	6	11	16	23
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	449	7.9	33	2	4	6	11	16	23
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	975	6.7	34	1	3	5	8	15	17
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	975	6.7	34	1	3	5	8	15	17
GRAND TOTAL	1424	7.1	34	2	3	6	9	15	21

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	360	8.0	121	2	3	5	7	11	37
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	360	8.0	121	2	3	5	7	11	37
0-17	1388	6.0	46	2	3	4	6	10	21
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1388	6.0	46	2	3	4	6	10	21
	1747	6.4	62	2	3	5	6	11	21

DRG 213: Amputation for Musculoskeletal System & Conn Tissue Disorders

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	276	15.0	109	7	8	10	18	35	42
70-74	130	16.4	176	4	6	8	27	38	38
75-79	255	17.2	188	6	10	13	16	28	64
80-84	78	17.1	65	8	11	11	23	32	32
85 +	42	9.8	17						
SUBTOTAL	780	15.9	139	6	8	11	21	35	38
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	46	7.9	38						
70-74	26	7.5	49						
75-79	36	9.3	6						
80-84	26	9.6	9						
85 +	21	12.5	32						
SUBTOTAL	155	9.0	28	2	3	7	13	18	18
GRAND TOTAL	935	14.7	127	4	8	11	18	30	38

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	5.0							
18-34	10	13.0							
35-49	63	24.8	121						
50-69	233	14.4	56	5	8	14	20	26	28
70 +	0								
SUBTOTAL	322	15.9	87	5	8	14	22	28	33
0-17	110	5.7	41	1	1	3	9	20	20
18-34	42	3.0	4						
35-49	42	2.4							
50-69	41	13.3	90						
70 +	10	74.0							
SUBTOTAL	244	8.8	234	1	2	3	9	20	27
	566	12.8	162	2	3	9	20	28	29

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	31	12.5	93						
18-34	16	5.0							
35-49	0								
50-69	73	17.5	117						
70 +	10	16.0							
SUBTOTAL	130	14.7	104	3	5	16	22	29	29
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	78	3.4	2						
18-34	10	6.0							
35-49	16	4.0							
50-69	0								
70 +	0								
SUBTOTAL	104	3.7	2	1	3	4	5	5	6
GRAND TOTAL	234	9.8	88	1	3	5	19	27	29

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0	-							
35-49	26	20.7	110						
50-69	31	25.5	248						
70 +	16	72.0							
SUBTOTAL	73	33.8	552						
0-17	31	2.5	2						
18-34	21	4.5	2						
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	52	3.3	3						
	125	21.1	550	1	4	10	41	72	72

Northeastern Region, July 1989 - June 1990

DRG 214: Back & Neck Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1980	10.1	61	4	6	8	12	19	24
70-74	1633	11.9	73	5	6	9	15	24	31
75-79	1002	14.0	111	5	8	10	16	30	38
80-84	572	17.8	309	6	9	11	20	39	51
85 +	115	27.8	443	4	17	22	56	99 +	99 +
SUBTOTAL	5302	12.6	120	4	6	9	15	26	35
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	5302	12.6	120	4	6	9	15	26	35

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1154	11.7	105	6	7	10	12	19	24
18-34	911	10.3	42	4	5	9	12	19	23
35-49	2274	7.7	34	2	4	5	11	17	21
50-69	2203	8.5	50	3	4	6	11	15	22
70 +	140	24.2	791	5	7	10	30	86	86
	6682	9.4	75	3	5	7	11	18	22
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	6682	9.4	75	3	5	7	11	18	22

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	329	14.0	261	6	9	10	14	15	16
18-34	187	13.5	111	4	7	10	20	31	39
35-49	207	11.2	105	4	5	7	14	19	43
50-69	109	9.0	48	2	4	5	11	22	22
70 +	0								
SUBTOTAL	833	12.6	163	4	6	10	14	20	39
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	833	12.6	163	4	6	10	14	20	39

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	345	10.2	28	7	8	9	10	12	19
18-34	291	15.0	148	4	7	12	18	36	47
35-49	224	12.2	47	4	8	11	18	23	23
50-69	198	16.6	85	5	10	16	21	29	39
70 +	10	6.0							
	1067	13.1	81	5	8	10	17	23	36
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1067	13.1	81	5	8	10	17	23	36

DRG 215: Back & Neck Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	2521	6.6	15	3	4	6	8	11	15
70-74	1293	7.4	26	3	4	6	10	12	15
75-79	1113	8.8	34	4	6	7	10	15	19
80-84	399	7.3	22	3	5	6	8	14	19
85 +	166	8.0	23	3	4	6	14	14	16
SUBTOTAL	5492	7.4	23	3	4	6	9	13	16
GRAND TOTAL	5492	7.4	23	3	4	6	9	13	16

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1410	7.6	8	5	6	8	9	10	13
18-34	6508	4.7	11	2	3	4	6	9	11
35-49	12839	4.8	13	2	3	4	6	8	11
50-69	7567	5.6	22	2	3	5	7	9	13
70 +	21	4.5	2						
	28344	5.1	15	2	3	4	6	9	12
	28344	5.1	15	2	3	4	6	9	12

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	266	8.2	4	5	7	8	10	11	12
18-34	473	4.2	6	2	2	4	5	7	10
35-49	566	5.3	13	2	3	4	7	11	13
50-69	83	6.5	7	2	6	7	8	10	10
70 +	10	4.0							
SUBTOTAL	1398	5.6	10	2	3	5	8	10	12
GRAND TOTAL	1398	5.6	10	2	3	5	8	10	12

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	345	8.2	11	6	7	8	9	12	12
18-34	1283	5.0	14	2	3	3	7	10	12
35-49	1418	4.8	15	2	2	4	6	8	9
50-69	539	5.5	14	2	3	5	7	10	15
70 +	0								
	3585	5.3	15	2	3	4	7	9	12
	3585	5.3	15	2	3	4	7	9	12

DRG 216: Biopsies of Musculoskeletal System & Connective Tissue

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	187	21.7	316	2	10	15	36	64	99+
70-74	166	19.4	397	2	9	15	25	89	99+
75-79	172	26.2	370	9	14	23	42	55	67
80-84	136	23.6	175	7	14	26	28	52	52
85+	104	16.7	76	3	8	20	23	28	30
SUBTOTAL	764	21.9	296	3	12	17	32	55	89
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	197	8.8	60	2	2	7	13	22	25
70-74	77	7.2	21	1	2	8	10	14	14
75-79	78	7.5	44	1	2	3	15	16	16
80-84	10	6.0							
85+	26	15.8	36						
SUBTOTAL	389	8.6	50	2	2	7	14	22	23
GRAND TOTAL	1153	17.4	252	2	7	14	24	42	64

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	125	7.3	16	2	4	6	10	15	15
18-34	57	2.5	2						
35-49	16	1.0							
50-69	212	22.4	370	7	10	18	45	71	99+
70+	36	9.6	15						
	447	13.8	252	2	5	9	18	45	71
	626	4.3	15	1	1	3	5	10	15
	224	4.8	28	<1	1	3	4	16	17
	259	2.3	2	<1	1	2	3	5	6
	280	5.7	34	1	1	4	9	15	17
	0								
	1390	4.3	20	1	1	3	5	12	15
	1837	6.6	93	1	2	3	9	16	22

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	31	15.5	44						
18-34	31	9.5	2						
35-49	0								
50-69	16	4.0							
70+	0								
SUBTOTAL	78	10.8	37						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	93	8.0	118	1	2	2	12	31	31
18-34	16	1.0							
35-49	0								
50-69	31	15.0	149						
70+	0								
SUBTOTAL	140	8.8	127	1	2	3	12	31	31
GRAND TOTAL	219	9.5	95	1	2	4	12	27	31

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	63	31.0	694						
18-34	0								
35-49	10	6.0							
50-69	31	13.5	93						
70+	0								
	104	23.3	536	2	4	20	29	73	73
	130	2.3	3	1	1	2	3	6	6
	52	1.6	1						
	0								
	0								
	0								
	182	2.1	2	1	1	1	3	4	6
	286	9.8	300	1	1	2	6	29	73

DRG 217: Wnd Debrid & Skn Grft except Hand,for Muscskelet & Conn Tiss Dis

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	879	28.3	383	8	13	25	39	54	75
70-74	483	28.3	448	6	10	19	42	58	74
75-79	370	29.2	495	8	11	23	45	53	78
80-84	285	30.2	565	8	12	22	38	79	93
85 +	384	23.1	288	5	8	20	40	99 +	99 +
SUBTOTAL	2400	27.8	424	7	11	22	41	60	80
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	338	14.3	136	3	4	10	21	35	38
70-74	213	11.4	70	2	6	8	14	26	29
75-79	88	10.7	54	1	9	9	12	23	23
80-84	67	18.4	348	1	6	14	17	60	60
85 +	57	17.2	106						
SUBTOTAL	764	13.6	129	3	5	10	21	29	35
GRAND TOTAL	3164	24.4	390	5	9	19	38	54	78

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	229	17.4	369	1	2	13	22	54	66
18-34	421	15.6	125	3	8	14	20	25	40
35-49	244	16.9	273	5	7	10	19	53	65
50-69	848	2 .6	558	5	9	15	34	53	82
70 +	99	21.1	153	6	12	22	39	40	40
	1841	20.4	392	3	7	14	23	47	66
	770	6.4	71	1	1	3	8	21	27
	1044	6.9	65	1	2	3	9	19	23
	680	7.5	49	1	2	5	10	19	22
	473	10.0	71	1	3	7	18	24	25
	21	7.5	21						
	2988	7.4	65	1	2	4	10	20	25
	4828	12.4	229	1	2	7	17	28	43

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	47	22.7	213						
18-34	193	31.9	678	8	13	24	40	65	98
35-49	73	28.4	68						
50-69	135	40.7	883	8	14	48	82	99 +	99 +
70 +	0								
SUBTOTAL	448	33.0	622	10	14	24	51	84	99 +
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	109	6.7	42	1	2	4	9	16	19
18-34	240	10.8	159	1	2	6	16	27	48
35-49	73	11.0	164						
50-69	16	9.0							
70 +	0								
SUBTOTAL	438	9.8	128	1	2	6	15	25	40
GRAND TOTAL	886	21.5	513	2	5	14	33	65	98

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	146	23.2	258	5	10	24	46	54	99 +
18-34	255	11.8	115	2	4	8	17	31	32
35-49	208	29.2	337	6	17	27	42	60	60
50-69	203	28.9	683	8	14	15	32	76	83
70 +	0								
	812	22.6	396	4	8	17	32	60	76
0-17	260	4.9	47	1	1	2	5	13	28
18-34	478	7.0	78	1	2	5	7	22	27
35-49	171	7.8	30	1	4	7	11	14	19
50-69	130	6.5	26	< 1	1	5	10	16	16
70 +	0								
	1040	6.6	57	1	1	4	9	14	24
	1851	13.6	268	1	3	7	18	34	49

DRG 218: Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1146	13.2	240	4	6	8	14	22	45
70-74	916	12.1	145	3	4	8	14	27	38
75-79	735	11.8	126	3	5	8	15	27	31
80-84	409	13.5	89	4	6	11	19	29	29
85 +	383	22.5	432	4	7	15	38	57	89
SUBTOTAL	3589	13.7	205	4	5	9	16	30	45
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	3589	13.7	205	4	5	9	16	30	45

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	780	8.3	104	2	3	5	9	16	30
35-49	915	7.9	109	2	4	6	8	12	15
50-69	1471	7.8	37	3	4	6	10	14	21
70 +	209	13.8	72	4	8	13	21	25	25
	3374	8.3	76	3	4	6	10	15	21
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3374	8.3	76	3	4	6	10	15	21

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	224	7.1	43	2	2	6	8	10	29
35-49	93	10.8	30	5	5	13	14	20	20
50-69	104	9.4	80	1	3	4	13	25	25
70 +	21	5.5							
SUBTOTAL	441	8.4	50	2	4	6	10	20	25
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	441	8.4	50	2	4	6	10	20	25

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	338	10.1	57	5	5	8	13	17	34
35-49	213	10.0	69	2	3	6	18	23	23
50-69	291	12.0	35	6	8	10	16	21	22
70 +	57	16.0	75						
	899	11.1	56	3	5	9	16	22	25
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	899	11.1	56	3	5	9	16	22	25

DRG 219: Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	1759	5.5	15	2	3	4	6	10	13
70-74	990	7.0	71	2	3	5	7	12	15
75-79	694	7.7	33	2	4	6	9	15	19
80-84	306	10.6	63	3	4	8	16	18	37
85+	212	10.9	67	3	6	7	16	20	32
SUBTOTAL	3961	6.9	42	2	3	5	8	14	18
GRAND TOTAL	3961	6.9	42	2	3	5	8	14	18

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
0-17	0								
18-34	6692	4.1	18	1	2	3	5	7	10
35-49	5317	4.1	9	2	2	3	5	8	10
50-69	4864	5.3	22	2	3	4	6	9	13
70+	135	12.7	206	3	3	4	17	46	46
	17009	4.5	19	1	2	4	5	8	
	17009	4.5	19		2	4	5	8	1

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	691	4.8	35	1	2	3	5	7	15
35-49	250	4.0	5	1	3	3	6	8	9
50-69	171	9.1	125	2	3	5	7	19	42
70+	16	14.0							
SUBTOTAL	1128	5.4	45	2	2	4	6	9	15
GRAND TOTAL	1128	5.4	45	2	2	4	6	9	15

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
0-17	0								
18-34	2845	4.3	19	1	2	3	5	8	11
35-49	1196	4.2	10	2	2	4	5	8	10
50-69	725	5.9	18	2	3	4	9	10	14
70+	88	6.0	11	3	3	5	7	14	14
	4855	4.6	17	1	2	4	5	9	11
	4855	4.6	17	1	2	4	5	9	11

DRG 220: Lower Extrem & Humer Proc except Hip, Foot, Femur Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	538	5.8	18	2	3	4	7	12	12
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	538	5.8	18	2	3	4	7	12	12
0-17	5601	3.4	18	1	1	3	4	6	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	5601	3.4	18	1	1	3	4	6	9
	6139	3.7	18	1	2	3	4	7	11

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	115	8.2	45	4	4	6	7	19	22
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	115	8.2	45	4	4	6	7	19	22
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	754	4.5	16	2	2	3	5	9	17
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	754	4.5	16	2	2	3	5	9	17
GRAND TOTAL	869	5.0	22	2	2	4	5	9	18

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	73	6.2	10						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	73	6.2	10						
0-17	1462	3.0	14	1	1	2	3	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1462	3.0	14	1	1	2	3	4	6
	1535	3.2	15	1	2	2	3	5	8

DRG 221: Knee Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	217	6.8	56	1	2	5	8	11	15
70-74	156	17.5	225	2	6	13	29	35	56
75-79	72	17.2	173	4	5	13	19	40	40
80-84	83	24.0	470	2	11	17	35	73	73
85 +	52	3.6	23						
SUBTOTAL	579	13.1	218	1	3	7	17	35	40
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	579	13.1	218	1	3	7	17	35	40

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	140	3.3	7	<1	1	3	6	8	8
18-34	447	4.0	4	2	3	4	5	6	8
35-49	244	6.3	80	2	2	3	5	15	38
50-69	239	12.1	230	1	2	4	19	30	57
70 +	21	17.5	164						
SUBTOTAL	1091	6.5	87	1	2	4	6	15	30
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	1091	6.5	87	1	2	4	6	15	30

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	47	7.3	4						
18-34	52	7.1	31						
35-49	10	2.0							
50-69	21	16.5	7						
70 +	0								
SUBTOTAL	130	8.3	29	2	3	7	14	15	19
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	130	8.3	29	2	3	7	14	15	19

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	24.0							
18-34	115	5.0	13	1	3	4	4	10	13
35-49	78	3.2	12						
50-69	16	1.0							
70 +	21	35.5	631						
SUBTOTAL	245	7.9	155	1	1	4	10	24	24
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	245	7.9	155	1	1	4	10	24	24

DRG 222: Knee Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	351	3.6	12	< 1	1	2	5	9	11
70-74	280	5.2	22	< 1	2	3	8	11	15
75-79	187	5.5	48	1	1	2	7	11	26
80-84	140	9.3	34	1	6	9	10	22	22
85 +	57	14.3	106						
SUBTOTAL	1015	5.8	37	< 1	1	3	9	13	20
GRAND TOTAL	1015	5.8	37	< 1	1	3	9	13	20

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	3452	3.0	6	1	2	3	4	4	6
18-34	9054	2.8	3	1	2	3	4	4	5
35-49	2932	2.8	4	< 1	1	2	4	5	7
50-69	1326	3.8	17	< 1	1	2	5	8	12
70 +	36	1.6	1						
	16799	2.9	5	1	1	3	4	5	6
	16799	2.9	5	1	1	3	4	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	130	6.4	43	1	2	3	7	22	22
18-34	233	2.6	4	< 1	1	2	3	6	8
35-49	16	6.0							
50-69	88	10.2	72	1	2	8	21	25	25
70 +	0								
SUBTOTAL	467	5.2	36	1	1	3	6	11	22
GRAND TOTAL	467	5.2	36	1	1	3	6	11	22

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	447	2.1	1	< 1	1	2	3	3	3
18-34	1649	2.6	2	< 1	1	3	3	4	5
35-49	420	3.3	28	< 1	1	2	3	4	6
50-69	275	1.7	3	< 1	< 1	1	1	3	8
70 +	31	3.5	2						
	2823	2.5	6	< 1	1	2	3	4	5
	2823	2.5	6	< 1	1	2	3	4	5

DRG 223: Major Shoulder/Elbow Proc. or Other Upper Extremity Proc w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	441	5.4	33	1	2	4	7	10	10
70-74	233	4.6	13	1	2	3	6	9	9
75-79	151	9.0	131	3	4	5	8	12	50
80-84	171	8.1	19	3	5	8	12	14	16
85 +	114	20.3	268	2	3	18	36	52	52
SUBTOTAL	1110	7.7	85	2	3	5	9	16	18
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	627	2.5	2	1	2	2	3	4	5
70-74	337	3.0	3	1	2	3	4	5	6
75-79	166	3.9	6	2	2	3	6	8	10
80-84	67	2.9	2	1	2	2	4	5	5
85 +	0								
SUBTOTAL	1197	2.9	3	1	2	2	3	5	6
GRAND TOTAL	2307	5.2	48	1	2	3	5	10	16

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	104	6.3	34	1	3	4	8	19	19
18-34	358	4.0	10	1	2	3	4	9	9
35-49	275	5.8	97	1	2	3	6	7	45
50-69	426	5.0	42	1	2	3	5	9	14
70 +	26	8.6	9						
	1189	5.1	44	1	2	4	5	9	14
0-17	145	2.5	4	1	1	2	2	5	9
18-34	690	1.9	1	1	1	1	3	3	4
35-49	1212	2.0	1	1	1	2	3	4	5
50-69	2098	2.6	4	1	2	2	3	4	5
70 +	10	3.0							
	4155	2.3	3	1	1	2	3	4	5
	5344	2.9	13	1	1	2	3	5	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	10	1.0							
18-34	36	8.3	7						
35-49	26	2.6	4						
50-69	36	7.9	23						
70 +	0								
SUBTOTAL	109	6.1	19	1	2	5	8	13	13
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	31	1.5							
18-34	21	3.0	1						
35-49	26	2.0							
50-69	0								
70 +	0								
SUBTOTAL	78	2.1	1	1	2	2	2	4	4
GRAND TOTAL	186	4.4	15	1	2	2	6	12	13

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	2.0							
18-34	52	4.0	4						
35-49	62	3.6	15						
50-69	68	2.6	3						
70 +	16	2.0							
	207	3.2	7	1	2	2	3	5	9
0-17	47	3.3	7						
18-34	171	1.7	1	1	1	1	2	3	4
35-49	31	1.3							
50-69	186	1.7		<1	1	2	2	2	3
70 +	0								
	436	1.8	2	1	1	2	2	3	4
	643	2.3	4	1	1	2	3	4	7

DRG 224: Shoulder, Elbow or Forearm Proc.exc Major Joint Proc. w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	648	2.9	5	1	1	2	4	5	8
70-74	565	2.9	4	1	2	2	4	4	5
75-79	264	5.0	77	2	2	3	5	6	6
80-84	177	7.7	125	1	2	5	8	11	42
85 +	124	3.9	8	1	2	3	4	11	11
SUBTOTAL	1778	3.8	30	1	2	2	4	6	9
GRAND TOTAL	1778	3.8	30	1	2	2	4	6	9

TYPE OF PATIENT	BLUE CROSS PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	2028	2.1	2	1	1	2	3	4	4
18-34	3361	2.1	1	1	1	2	3	4	4
35-49	1900	2.0	1	1	1	2	3	3	4
50-69	1635	2.2	1	1	1	2	3	4	5
70 +	42	9.2	87						
	8966	2.2	2	1	1	2	3	4	4
	8966	2.2	2	1	1	2	3	4	4

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	166	3.1	2	1	2	3	4	5	5
18-34	233	2.6	4	1	1	2	3	7	8
35-49	68	2.2	1						
50-69	62	3.2	4						
70 +	0								
SUBTOTAL	530	2.8	3	1	2	2	4	5	6
GRAND TOTAL	530	2.8	3	1	2	2	4	5	6

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	416	2.3	6	1	1	2	2	3	4
18-34	933	2.3	3	1	1	2	3	4	5
35-49	358	2.6	1	1	2	2	3	4	5
50-69	213	2.6	2	1	1	2	3	5	6
70 +	31	2.5							
	1952	2.4	3	1	1	2	3	4	5
	1952	2.4	3	1	1	2	3	4	5

DRG 225: Foot Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	218	7.6	43	1	2	6	12	22	22
70-74	129	12.9	231	1	3	10	13	51	51
75-79	83	7.4	25	1	2	7	10	16	16
80-84	98	8.6	38	1	5	8	16	19	19
85 +	52	14.1	120						
SUBTOTAL	580	9.5	94	1	2	8	13	20	30
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	747	4.1	20	1	2	3	4	10	14
70-74	476	3.0	7	1	1	2	4	6	7
75-79	227	2.5	4	1	1	2	3	3	4
80-84	150	3.3	10	1	1	2	3	8	12
85 +	78	6.6	25	1	4	5	6	16	16
SUBTOTAL	1678	3.6	14	1	1	2	4	8	12
GRAND TOTAL	2258	5.1	41	1	2	3	6	13	19

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	360	4.0	18	< 1	2	3	4	8	9
18-34	218	6.2	24	1	2	5	9	16	16
35-49	233	5.4	10	1	3	5	9	9	11
50-69	358	6.3	30	1	2	4	9	17	17
70 +	16	11.0							
SUBTOTAL	1185	5.5	22	1	2	4	8	12	16
0-17	2391	2.6	5	1	1	2	3	5	8
18-34	1597	2.4	3	1	1	2	3	5	6
35-49	2135	2.7	5	1	1	2	3	5	5
50-69	2498	2.4	3	1	1	2	3	4	6
70 +	10	1.0							
SUBTOTAL	8632	2.5	4	1	1	2	3	5	6
GRAND TOTAL	9817	2.9	7	1	1	2	3	5	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	94	3.0	3	1	2	3	4	6	6
18-34	16	4.0							
35-49	31	27.5							
50-69	26	12.4	9						
70 +	0								
SUBTOTAL	167	9.1	92	2	2	4	13	27	28
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	568	3.2	5	1	2	2	4	8	8
18-34	177	2.9	2	1	2	3	4	4	6
35-49	57	3.9	2						
50-69	62	6.7	28						
70 +	0								
SUBTOTAL	863	3.5	7	1	2	3	4	8	8
GRAND TOTAL	1030	4.4	25	1	2	3	5	8	14

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	89	2.6	1	< 1	2	2	4	4	4
18-34	10	3.0							
35-49	42	2.1	2						
50-69	36	6.3	5						
70 +	0								
SUBTOTAL	177	3.3	4	1	2	3	4	7	9
0-17	485	2.1	3	1	1	2	3	4	4
18-34	389	2.6	4	1	1	2	3	6	7
35-49	192	1.6	1	< 1	1	1	2	2	3
50-69	177	2.8	8	< 1	1	1	3	6	11
70 +	0								
SUBTOTAL	1243	2.3	4	1	1	2	3	4	7
GRAND TOTAL	1419	2.4	4	1	1	2	3	4	7

DRG 226: Soft Tissue Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	520	10.1	147	1	3	7	13	22	23
70-74	280	13.7	223	4	4	8	11	46	51
75-79	203	15.5	331	4	4	7	21	39	51
80-84	171	6.6	26	2	3	4	9	16	18
85 +	52	11.8	36						
SUBTOTAL	1226	11.4	180	2	4	7	13	23	39
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	1226	11.4	180	2	4	7	13	23	39

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	955	3.7	12	1	2	3	4	6	8
18-34	260	3.9	10	1	2	3	5	10	13
35-49	238	11.9	364	1	2	4	12	44	72
50-69	472	8.7	110	1	2	5	10	27	36
70 +	16	16.0							
	1941	6.0	89	1	2	3	5	12	26
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1941	6.0	89	1	2	3	5	12	26

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	376	3.5	9	1	2	3	4	5	7
18-34	219	5.0	25	< 1	2	4	7	9	12
35-49	63	9.3	42						
50-69	26	2.6							
70 +	0								
SUBTOTAL	683	4.5	20	1	2	3	5	8	16
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	683	4.5	20	1	2	3	5	8	16

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	266	5.7	94	1	2	3	4	6	44
18-34	101	5.5	14	1	2	5	8	11	13
35-49	16	11.0							
50-69	68	5.6	19						
70 +	16	1.0							
	526	5.7	56	1	2	4	6	11	12
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	526	5.7	56	1	2	4	6	11	12

DRG 227: Soft Tissue Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	780	4.0	15	1	2	3	4	7	14
70-74	426	3.5	6	1	2	3	5	6	9
75-79	290	8.6	277	< 1	2	3	6	42	67
80-84	115	4.6	23	1	2	3	5	16	16
85 +	93	5.4	39	2	3	3	5	23	23
SUBTOTAL	1704	4.8	62	1	2	3	5	8	16
GRAND TOTAL	1704	4.8	62	1	2	3	5	8	16

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	2455	2.5	3	1	1	2	3	5	6
18-34	2103	2.6	8	1	1	2	3	5	6
35-49	2767	2.3	3	1	1	2	3	4	5
50-69	2286	2.8	6	1	1	2	3	5	8
70 +	16	7.0							
	9627	2.5	4	1	1	2	3	4	6
	9627	2.5	4	1	1	2	3	4	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	673	2.2	2	< 1	1	2	3	5	5
18-34	370	4.5	25	1	2	3	5	9	15
35-49	83	6.9	57	< 1	2	4	6	25	25
50-69	26	4.8	2						
70 +	0								
SUBTOTAL	1151	3.3	15	< 1	1	2	4	6	9
GRAND TOTAL	1151	3.3	15	< 1	1	2	4	6	9

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	678	2.3	2	1	1	2	3	4	5
18-34	716	2.8	5	< 1	1	2	3	6	7
35-49	390	3.3	6	1	1	2	5	7	8
50-69	307	2.9	10	< 1	1	1	3	7	11
70 +	26	5.0	6						
	2117	2.7	5	1	1	2	3	6	7
	2117	2.7	5	1	1	2	3	6	7

DRG 228: Major Thumb or Joint Proc,or Oth Hand or Wrist Proc w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	270	2.3	2	1	1	2	3	4	5
70-74	156	3.4	12	1	1	2	4	11	12
75-79	125	5.9	56	2	2	4	7	25	25
80-84	109	8.5	188	1	1	2	8	13	49
85 +	26	3.4	4						
SUBTOTAL	**685**	**4.2**	**48**	**1**	**1**	**2**	**4**	**8**	**13**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	438	2.4	7	1	1	2	3	4	6
70-74	171	2.8	9	1	1	1	3	8	10
75-79	115	3.7	10	1	2	3	5	11	11
80-84	0								
85 +	0								
SUBTOTAL	**723**	**2.7**	**8**	**1**	**1**	**2**	**3**	**6**	**10**
GRAND TOTAL	**1409**	**3.5**	**28**	**1**	**1**	**2**	**4**	**8**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	104	5.9	21	< 1	1	8	11	11	11
18-34	155	3.2	6	1	1	2	4	8	9
35-49	135	5.0	15	2	2	3	6	14	14
50-69	243	5.9	52	1	2	2	7	22	22
70 +	10	4.0							
SUBTOTAL	**648**	**5.0**	**29**	**1**	**1**	**3**	**7**	**11**	**14**
0-17	230	2.3	17	< 1	< 1	1	2	3	3
18-34	348	2.5	9	< 1	1	1	2	6	8
35-49	260	1.9	2	1	1	2	2	3	3
50-69	703	1.6	1	1	1	1	2	3	4
70 +	16	1.0							
SUBTOTAL	**1557**	**2.0**	**5**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**2205**	**2.9**	**14**	**1**	**1**	**2**	**3**	**7**	**11**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	47	4.3	6						
18-34	125	2.2	2	< 1	1	2	3	4	5
35-49	10	8.0							
50-69	31	4.0	4						
70 +	0								
SUBTOTAL	**213**	**3.2**	**5**	**< 1**	**1**	**2**	**5**	**7**	**7**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	141	1.3		< 1	< 1	1	2	2	2
18-34	42	1.0							
35-49	26	4.8	12						
50-69	0								
70 +	0								
SUBTOTAL	**209**	**1.7**	**3**	**< 1**	**< 1**	**1**	**2**	**2**	**3**
GRAND TOTAL	**422**	**2.5**	**5**	**< 1**	**1**	**2**	**3**	**6**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	63	4.3	17						
18-34	160	2.4	3	1	1	2	3	6	7
35-49	42	4.0	15						
50-69	62	2.6	8						
70 +	0								
SUBTOTAL	**327**	**3.0**	**9**	**1**	**1**	**2**	**3**	**9**	**10**
0-17	73	1.2							
18-34	68	2.2	5						
35-49	16	1.0							
50-69	52	1.5							
70 +	0								
SUBTOTAL	**208**	**1.6**	**2**	**1**	**1**	**1**	**2**	**2**	**6**
GRAND TOTAL	**535**	**2.5**	**7**	**1**	**1**	**1**	**2**	**6**	**9**

DRG 229: Hand or Wrist Proc, except Major Joint Proc, w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	525	2.0	4	1	1	1	2	4	7
70-74	285	1.7	2	< 1	1	1	2	3	6
75-79	270	2.0	2	< 1	1	1	3	4	6
80-84	72	2.1	2	1	1	1	3	4	4
85 +	16	3.0							
SUBTOTAL	1167	1.9	3	< 1	1	1	2	4	6
GRAND TOTAL	1167	1.9	3	< 1	1	1	2	4	6

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1705	1.3		< 1	1	1	1	2	2
18-34	1504	1.8	3	< 1	1	1	2	3	6
35-49	1072	2.0	5	< 1	1	1	2	3	5
50-69	950	1.6	2	< 1	1	1	2	2	3
70 +	16	3.0							
	5247	1.6	2	< 1	1	1	2	3	4
	5247	1.6	2	< 1	1	1	2	3	4

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	438	1.3	1	< 1	< 1	1	1	2	2
18-34	240	1.7	1	1	1	1	2	3	3
35-49	42	2.5	2						
50-69	42	3.0	12						
70 +	0								
SUBTOTAL	761	1.6	2	< 1	1	1	2	3	4
GRAND TOTAL	761	1.6	2	< 1	1	1	2	3	4

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	547	2.1	2	1	1	1	3	4	5
18-34	844	1.8	2	< 1	1	1	2	4	5
35-49	385	1.7	1	1	1	1	2	3	4
50-69	197	1.8	2	< 1	1	1	2	5	5
70 +	0								
	1973	1.9	2	< 1	1	1	2	4	5
	1973	1.9	2	< 1	1	1	2	4	5

DRG 230: Local Excision & Removal of Int Fix Devices of Hip & Femur

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	88	6.6	17	1	3	7	7	16	16
70-74	72	20.6	306	3	4	8	35	45	45
75-79	36	14.1	84						
80-84	46	3.2	3						
85 +	72	21.8	542	4	8	10	19	65	65
SUBTOTAL	**316**	**13.6**	**263**	**3**	**4**	**8**	**16**	**44**	**59**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	162	3.1	2	1	2	2	4	5	6
70-74	93	4.8	16	1	2	3	5	13	13
75-79	26	2.6	4						
80-84	98	2.2	1	1	1	2	3	4	4
85 +	93	3.9	9	< 1	1	4	7	8	8
SUBTOTAL	**472**	**3.4**	**7**	**1**	**1**	**3**	**5**	**7**	**8**
GRAND TOTAL	**788**	**7.5**	**135**	**1**	**2**	**4**	**7**	**16**	**35**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	444	2.0	3	< 1	1	1	2	3	5
18-34	68	4.5	36						
35-49	78	8.0	160	1	1	2	3	33	33
50-69	52	1.8	1						
70 +	0								
	641	**3.0**	**29**	**< 1**	**1**	**1**	**2**	**5**	**10**
0-17	1683	2.2	14	1	1	1	2	3	5
18-34	1103	1.8	2	1	1	1	2	3	4
35-49	447	2.5	7	1	1	1	3	4	10
50-69	207	2.6	7	1	1	2	3	5	8
70 +	10	1.0							
	3451	**2.1**	**9**	**1**	**1**	**1**	**2**	**4**	**5**
	4091	**2.3**	**12**	**1**	**1**	**1**	**2**	**4**	**5**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	78	3.2	1						
18-34	47	5.0	25						
35-49	0								
50-69	16	5.0							
70 +	0								
SUBTOTAL	**141**	**4.0**	**10**	**1**	**2**	**3**	**5**	**12**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	423	3.4	49	< 1	1	2	3	6	9
18-34	162	2.5	1	1	1	2	4	4	4
35-49	46	2.5	2						
50-69	26	2.4							
70 +	0								
SUBTOTAL	**656**	**3.1**	**32**	**< 1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**798**	**3.2**	**28**	**1**	**1**	**2**	**3**	**5**	**9**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	89	1.5	1	1	1	1	2	3	3
18-34	10	3.0							
35-49	16	2.0							
50-69	0								
70 +	16	15.0							
	130	**3.3**	**19**	**1**	**1**	**2**	**3**	**15**	**15**
0-17	375	5.8	252	1	1	2	3	11	19
18-34	301	4.0	94	< 1	1	1	2	4	45
35-49	57	1.3							
50-69	62	1.3							
70 +	0								
	795	**4.5**	**157**	**1**	**1**	**1**	**2**	**4**	**19**
	926	**4.3**	**138**	**1**	**1**	**1**	**2**	**5**	**15**

DRG 231: Local Excision & Removal of Int Fix Devices except Hip & Femur

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	339	8.6	158	1	2	4	9	13	39
70-74	130	4.9	26	1	2	3	4	18	18
75-79	151	9.6	49	2	5	7	14	22	23
80-84	78	12.8	105	3	5	8	27	27	27
85 +	31	18.0	130						
SUBTOTAL	728	9.0	113	1	3	5	9	23	33
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	701	3.0	11	1	1	2	4	7	7
70-74	332	2.1	2	1	1	2	3	4	5
75-79	233	3.8	5	1	2	3	5	7	8
80-84	104	1.8	2	1	1	1	2	4	5
85 +	68	3.0	6						
SUBTOTAL	1438	2.8	7	1	1	2	4	6	7
GRAND TOTAL	2166	4.9	51	1	1	3	5	9	20

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	365	4.5	17	< 1	1	2	7	10	13
18-34	233	2.5	3	1	1	2	4	4	7
35-49	302	7.6	71	1	2	4	8	25	28
50-69	343	7.7	52	1	2	4	11	20	23
70 +	0								
	1243	5.7	42	1	1	3	7	14	24
	365	4.5	17	< 1	1	2	7	10	13
	2063	2.5	15	< 1	1	1	3	4	7
	2845	2.2	6	< 1	1	1	2	4	6
	2269	2.4	6	1	1	2	3	4	6
	1932	2.5	5	1	1	2	3	5	7
	47	6.0	33						
	9158	2.4	8	< 1	1	2	3	4	7
	10401	2.8	13	< 1	1	2	3	5	9

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	167	11.2	174	1	2	5	16	25	45
18-34	94	5.0	26	1	1	3	8	15	15
35-49	16	1.0							
50-69	16	2.0							
70 +	0								
SUBTOTAL	292	8.2	121	1	1	3	14	25	45
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	422	4.0	51	< 1	1	1	4	6	23
18-34	416	2.7	8	< 1	1	1	3	6	7
35-49	89	2.0	1	1	1	2	3	3	3
50-69	83	4.8	36	1	1	2	4	17	17
70 +	0								
SUBTOTAL	1009	3.3	28	< 1	1	2	3	6	15
GRAND TOTAL	1302	4.4	53	< 1	1	2	4	14	17

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	94	12.3	460	1	2	3	4	60	60
18-34	73	4.4	16						
35-49	73	4.1	18						
50-69	42	8.2	45						
70 +	10	4.0							
	292	7.4	175	1	1	3	6	13	60
	658	2.9	14	< 1	1	1	3	8	9
	945	2.5	6	< 1	1	2	3	5	7
	401	2.1	2	1	1	2	2	5	5
	212	2.2	2	< 1	1	2	2	4	7
	16	2.0							
	2232	2.5	7	< 1	1	2	3	6	8
	2523	3.1	29	< 1	1	2	3	6	9

DRG 232: Arthroscopy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	47	14.7	134						
70-74	26	28.1	305						
75-79	16	1.0							
80-84	0								
85 +	0								
SUBTOTAL	89	16.2	242	< 1	1	14	29	42	42
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	16	3.0							
70-74	16	2.0							
75-79	0								
80-84	10	1.0							
85 +	10	15.0							
SUBTOTAL	52	4.7	27						
GRAND TOTAL	140	11.9	193	< 1	1	3	15	42	42

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	10	1.0							
50-69	31	10.5							
70 +	0								
	42	8.2	17						
0-17	234	1.8	2	< 1	< 1	1	2	3	6
18-34	749	1.3		< 1	1	1	1	2	3
35-49	347	2.9	18	< 1	1	1	3	4	8
50-69	160	2.1	3	1	1	2	2	3	8
70 +	0								
	1491	1.9	5	< 1	1	1	2	3	4
	1532	2.0	7	< 1	1	1	2	3	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	16	4.0							
18-34	31	2.0	1						
35-49	16	3.0							
50-69	0								
70 +	0								
SUBTOTAL	63	2.8	1						
GRAND TOTAL	63	2.8	1						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	16	8.0							
35-49	0								
50-69	0								
70 +	0								
	16	8.0							
0-17	83	5.1	67	< 1	< 1	< 1	2	22	22
18-34	218	2.1	4	< 1	1	1	2	5	8
35-49	83	3.8	30	< 1	< 1	1	2	15	15
50-69	26	1.0							
70 +	0								
	411	3.0	23	< 1	< 1	1	2	8	15
	426	3.2	23	< 1	< 1	1	2	8	15

DRG 233: Other Musculoskelet Sys & Conn Tiss O.R. Proc w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	390	15.7	364	3	5	9	18	34	39
70-74	358	13.3	81	6	7	12	17	21	36
75-79	383	12.8	102	4	6	10	14	27	40
80-84	229	15.3	156	3	6	12	28	37	42
85 +	129	15.6	178	4	4	12	16	39	46
SUBTOTAL	1488	14.3	182	3	6	10	17	34	40
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	1488	14.3	182	3	6	10	17	34	40

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	219	6.9	18	3	4	6	8	10	20
18-34	296	9.7	121	2	3	4	10	28	44
35-49	332	11.1	58	2	5	10	16	23	25
50-69	478	15.7	212	3	5	12	17	42	53
70 +	36	20.6	69						
	1362	12.0	132	3	4	8	15	26	38
	0								
	0								
	0								
	0								
	0								
	0								
	1362	12.0	132	3	4	8	15	26	38

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	47	6.0	1						
18-34	31	6.5	2						
35-49	0								
50-69	36	24.3	3						
70 +	0								
SUBTOTAL	115	11.9	73	5	5	7	22	26	26
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	115	11.9	73	5	5	7	22	26	26

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	78	5.6	6						
18-34	103	7.9	24	2	3	7	13	15	15
35-49	31	13.5	58						
50-69	47	18.0	19						
70 +	0								
	260	9.7	42	3	5	7	13	21	22
	0								
	0								
	0								
	0								
	0								
	0								
	260	9.7	42	3	5	7	13	21	22

DRG 234: Other Musculoskelet Sys & Conn Tiss O.R. Proc w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	270	5.4	17	1	1	7	8	11	13
70-74	349	5.2	12	1	3	4	8	10	12
75-79	276	8.4	31	2	3	8	10	15	23
80-84	89	8.4	31	1	2	12	13	15	15
85 +	156	8.9	14	3	5	10	12	13	14
SUBTOTAL	1138	6.8	22	1	3	6	10	13	15
GRAND TOTAL	1138	6.8	22	1	3	6	10	13	15

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1264	3.1	4	1	2	3	4	6	7
18-34	1177	3.5	17	1	1	2	3	8	10
35-49	861	3.4	15	1	1	2	4	5	9
50-69	985	6.3	66	1	1	4	8	13	17
70 +	42	10.1	16						
	4329	4.1	26	1	2	3	4	9	11
	4329	4.1	26	1	2	3	4	9	11

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	266	5.4	9	2	3	4	5	6	16
18-34	172	3.7	3	1	3	4	4	5	8
35-49	21	4.0	9						
50-69	0								
70 +	10	12.0							
SUBTOTAL	468	4.3	8	1	3	4	5	7	12
GRAND TOTAL	468	4.3	8	1	3	4	5	7	12

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	271	2.5	1	1	2	2	3	5	5
18-34	358	3.3	12	1	1	3	4	5	6
35-49	104	2.3	1	< 1	1	2	3	4	4
50-69	67	4.1	8	< 1	1	3	7	9	9
70 +	16	11.0							
	815	3.1	8	1	1	2	4	5	9
	815	3.1	8	1	1	2	4	5	9

DRG 235: Fractures of Femur

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	98	9.6	49	2	5	8	12	24	24
70-74	140	19.0	92	8	9	15	28	30	40
75-79	119	19.0	467	2	3	12	26	42	78
80-84	124	21.4	367	4	5	9	36	50	60
85 +	249	26.0	685	4	5	17	45	82	91
SUBTOTAL	730	20.5	422	4	7	13	27	50	74
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	98	20.8	369	6	10	12	27	62	62
70-74	57	15.0	60						
75-79	83	14.5	240	1	4	10	25	99 +	99 +
80-84	78	13.4	41	7	7	15	21	22	22
85 +	171	9.6	102	3	5	5	7	26	40
SUBTOTAL	487	13.9	180	4	5	10	20	27	62
GRAND TOTAL	1217	17.9	335	4	6	11	24	48	71

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	125	24.4	531	2	3	14	49	52	66
18-34	0								
35-49	0								
50-69	62	24.5	699						
70 +	16	13.0							
SUBTOTAL	213	23.6	547	2	9	14	47	52	66
0-17	1451	12.6	153	1	2	7	22	29	34
18-34	52	2.8	5						
35-49	10	7.0							
50-69	31	9.0	9						
70 +	21	21.5	192						
SUBTOTAL	1564	12.2	149	1	2	7	21	29	35
GRAND TOTAL	1777	13.6	210	1	2	8	22	30	44

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	31	20.3	67						
18-34	10	87.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	41	37.0	904						
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	244	14.9	180	2	3	11	22	43	45
18-34	0								
35-49	0								
50-69	10	92.0							
70 +	0								
SUBTOTAL	255	18.0	404	2	5	11	24	44	45
GRAND TOTAL	296	20.6	514	2	5	15	24	45	87

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	68	15.6	84						
18-34	21	3.5	2						
35-49	16	6.0							
50-69	10	51.0							
70 +	0								
SUBTOTAL	114	15.3	203	5	6	9	21	33	51
0-17	338	7.6	83	1	2	3	11	16	32
18-34	26	1.8	1						
35-49	0								
50-69	31	6.5	31						
70 +	0								
SUBTOTAL	395	7.1	76	1	2	3	11	16	32
GRAND TOTAL	509	9.0	115	1	2	4	12	21	37

DRG 236: Fractures of Hip & Pelvis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	658	15.7	140	4	7	12	19	37	42
70-74	744	16.0	195	6	8	10	17	35	38
75-79	864	16.8	300	4	7	11	19	31	49
80-84	1635	16.2	135	6	9	14	21	29	39
85 +	2403	15.8	172	5	7	12	19	32	47
SUBTOTAL	6303	16.1	179	5	8	13	19	32	43
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	274	8.2	13	3	6	8	11	14	14
70-74	456	8.5	23	4	5	8	11	17	18
75-79	492	9.3	45	2	5	8	12	18	29
80-84	745	11.9	139	4	5	8	14	21	45
85 +	1336	10.7	107	2	5	8	13	22	33
SUBTOTAL	3303	10.3	87	3	5	8	12	18	30
GRAND TOTAL	9606	14.1	155	4	7	11	17	28	39

TYPE OF PATIENT	BLUE CROSS PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	140	4.1	8	1	2	3	6	9	10
18-34	397	11.7	102	2	5	7	16	29	36
35-49	224	15.3	310	5	7	9	13	47	67
50-69	405	19.5	374	4	8	11	25	43	47
70 +	160	18.2	37	12	13	18	21	29	29
	1126	15.2	245	3	6	10	18	32	47
	296	5.3	37	2	2	3	6	9	17
	352	8.7	167	1	2	4	6	26	41
	223	5.0	15	2	3	4	6	6	18
	580	9.3	50	3	5	7	13	17	26
	160	11.5	49	4	6	11	14	17	32
	1611	8.0	73	2	3	5	11	17	26
	2737	11.0	[illegible]	2	3	6	13	26	38

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	78	10.2	26						
35-49	68	15.1	198						
50-69	83	16.7	96	1	12	18	22	31	31
70 +	31	22.0	261						
SUBTOTAL	259	15.0	133	2	6	13	27	44	99 +
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	31	13.0	51						
18-34	21	9.0	1						
35-49	10	5.0							
50-69	26	23.4	30						
70 +	21	12.0	4						
SUBTOTAL	109	13.8	57	6	8	10	19	20	30
GRAND TOTAL	368	14.6	111	2	6	13	22	33	99 +

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	47	5.3	2						
18-34	129	10.7	128	1	6	7	10	20	46
35-49	67	6.6	12	3	4	5	10	13	13
50-69	57	48.9	848						
70 +	114	12.7	76	1	9	10	17	18	35
	414	15.2	364	1	5	7	15	43	63
	88	3.8	11	1	2	3	4	12	12
	155	3.8	4	2	2	3	5	8	8
	67	4.7	20	1	1	3	7	14	14
	119	8.1	49	1	3	4	13	23	23
	83	14.9	56	6	8	13	22	27	27
	513	6.7	42	1	2	4	8	15	23
	927	10.5	203	1	3	6	11	23	37

DRG 237: Sprains, Strains, & Dislocations of Hip, Pelvis & Thigh

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	36	9.5	76						
70-74	31	6.3	18						
75-79	51	4.6	6						
80-84	41	7.5	11						
85 +	46	12.9	81						
SUBTOTAL	206	8.2	46	2	3	8	12	29	99 +
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	16	4.0							
70-74	21	8.5	2						
75-79	42	6.5	8						
80-84	47	4.3	3						
85 +	52	8.2	31						
SUBTOTAL	177	6.4	15	2	4	6	7	11	16
GRAND TOTAL	383	7.4	32	2	4	6	10	16	29

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	7.0							
18-34	10	3.0							
35-49	16	4.0							
50-69	31	12.0	54						
70 +	0								
SUBTOTAL	67	8.0	40	2	3	4	15	19	19
0-17	192	4.1	13	1	2	4	5	6	15
18-34	177	4.7	6	3	3	4	6	11	11
35-49	52	7.4	18						
50-69	31	4.7	6						
70 +	0								
SUBTOTAL	451	4.8	12	1	3	4	6	11	13
GRAND TOTAL	518	5.2	16	2	3	4	6	12	15

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	10	7.0							
18-34	16	6.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	26	6.4							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	26	5.4	30						
18-34	0								
35-49	16	1.0							
50-69	0								
70 +	0								
SUBTOTAL	42	3.7	23						
GRAND TOTAL	68	4.7	16						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	6.0							
35-49	26	11.8	16						
50-69	0								
70 +	0								
SUBTOTAL	36	10.2	18						
0-17	42	1.0							
18-34	57	3.7	2						
35-49	16	3.0							
50-69	10	3.0							
70 +	0								
SUBTOTAL	125	2.7	3	1	1	3	3	6	6
GRAND TOTAL	161	4.4	16	1	1	3	6	10	15

DRG 238: Osteomyelitis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	264	16.7	156	5	9	12	22	35	51
70-74	249	14.6	98	4	7	11	21	31	38
75-79	156	19.0	166	5	7	16	21	43	44
80-84	155	18.5	285	7	8	11	19	47	67
85 +	119	19.7	133	5	15	22	25	99 +	99 +
SUBTOTAL	943	17.2	164	5	8	14	22	43	51
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	52	15.9	21						
70-74	88	16.6	204	4	5	11	33	41	41
75-79	31	17.7	69						
80-84	98	12.8	65	5	6	13	17	27	33
85 +	57	5.7	6						
SUBTOTAL	326	13.6	101	5	5	11	17	33	35
GRAND TOTAL	1269	16.3	150	5	7	13	21	38	47

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	99	15.9	80	6	7	10	26	27	27
18-34	68	10.1	30						
35-49	171	16.3	189	5	6	8	31	38	41
50-69	249	19.1	176	4	9	18	27	45	50
70 +	16	6.0							
SUBTOTAL	602	16.4	153	5	7	11	26	34	41
0-17	498	9.4	33	2	4	10	13	18	20
18-34	78	6.3	7	4	4	5	7	12	12
35-49	119	11.1	155	1	3	7	11	20	47
50-69	135	14.3	89	5	6	13	21	22	38
70 +	0								
SUBTOTAL	829	10.2	62	2	4	9	13	20	22
GRAND TOTAL	1432	12.8	109	3	6	10	18	27	38

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	31	9.0	37						
18-34	47	25.0	88						
35-49	31	5.5	6						
50-69	31	13.7	40						
70 +	0								
SUBTOTAL	140	14.6	109	3	7	12	22	33	33
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	151	15.3	106	6	8	12	20	33	33
18-34	16	19.0							
35-49	31	5.0	4						
50-69	42	19.9	397						
70 +	0								
SUBTOTAL	239	15.0	153	2	7	9	20	33	45
GRAND TOTAL	380	14.9	137	3	7	12	20	33	33

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	47	6.7	7						
18-34	16	5.0							
35-49	31	10.0	17						
50-69	157	16.2	103	5	5	15	27	31	33
70 +	31	7.0	37						
SUBTOTAL	282	12.3	85	3	5	9	15	29	33
0-17	52	9.4	23						
18-34	36	7.8	21						
35-49	21	5.5	13						
50-69	36	11.9	70						
70 +	0								
SUBTOTAL	145	9.1	36	2	3	8	15	21	21
GRAND TOTAL	427	11.2	70	3	5	9	15	27	29

DRG 239: Pathological Fractures & Musculoskeletal & Conn Tiss Malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2057	14.3	216	4	6	9	17	28	58
70-74	1857	13.8	124	4	6	10	17	32	44
75-79	1974	12.9	138	4	6	9	17	25	32
80-84	1674	16.6	279	5	7	11	19	31	57
85 +	1558	15.4	188	4	6	11	20	33	43
SUBTOTAL	9120	14.5	189	4	6	10	18	31	43
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	662	6.5	25	1	3	6	9	12	17
70-74	622	7.9	37	3	4	6	9	14	24
75-79	970	9.7	69	3	4	7	14	17	23
80-84	872	11.1	131	3	4	7	12	20	37
85 +	865	10.7	75	3	5	9	14	20	25
SUBTOTAL	3991	9.4	74	3	4	7	12	18	24
GRAND TOTAL	13110	13.0	159	3	6	9	16	27	38

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	454	6.4	98	1	2	3	5	20	20
18-34	183	4.1	17	1	1	2	6	12	13
35-49	302	11.7	64	3	4	9	21	24	26
50-69	1433	10.8	85	3	4	7	15	22	34
70 +	171	19.8	117	10	13	17	21	46	47
SUBTOTAL	2543	10.3	94	2	3	7	15	21	28
0-17	1269	4.1	20	2	2	4	4	5	6
18-34	146	2.6	10	1	1	1	2	11	11
35-49	260	9.5	67	1	4	7	13	23	29
50-69	701	8.0	64	2	3	6	10	16	22
70 +	21	5.5	2						
SUBTOTAL	2397	5.7	42	1	2	4	6	11	22
GRAND TOTAL	4940	8.1	74	2	3	5	10	20	24

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	31	7.0	9						
18-34	63	6.3	28						
35-49	156	12.9	170	1	4	10	18	27	51
50-69	166	14.7	127	3	6	12	23	24	40
70 +	0								
SUBTOTAL	416	12.2	129	1	4	7	20	24	40
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	63	2.0	1						
18-34	31	6.0	9						
35-49	0								
50-69	42	4.5	13						
70 +	10	20.0							
SUBTOTAL	146	4.8	26	1	2	3	9	9	20
GRAND TOTAL	562	10.3	112	1	3	6	18	24	27

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	157	3.2	1	1	3	3	4	5	5
18-34	42	8.3	16						
35-49	31	39.5	899						
50-69	234	11.8	76	2	4	10	17	25	32
70 +	110	14.9	76	5	6	16	21	31	31
SUBTOTAL	574	11.3	159	2	3	7	13	25	32
0-17	423	3.1	1	2	2	3	4	5	5
18-34	42	3.6	3						
35-49	26	22.7	322						
50-69	93	9.5	42	1	1	12	15	16	16
70 +	42	11.3	116						
SUBTOTAL	626	5.5	49	2	2	3	5	15	25
GRAND TOTAL	1199	8.3	110	2	3	4	10	21	31

DRG 240: Connective Tissue Disorders w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	722	12.0	88	4	5	10	18	28	38
70-74	586	11.8	186	2	5	7	13	20	49
75-79	591	12.9	186	3	6	9	16	20	31
80-84	363	10.0	50	3	5	9	12	20	22
85+	186	14.7	150	3	4	14	20	34	45
SUBTOTAL	2448	12.1	135	3	5	9	16	23	34
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
GRAND TOTAL	2448	12.1	135	3	5	9	16	23	34

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	235	6.9	34	2	2	4	9	14	24
18-34	386	7.9	47	2	3	6	10	13	22
35-49	551	7.4	70	1	3	5	9	16	24
50-69	640	11.2	83	1	4	8	17	26	29
70+	31	9.5	2						
SUBTOTAL	1844	8.8	67	1	3	6	11	20	26
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
GRAND TOTAL	1844	8.8	67	1	3	6	11	20	26

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	110	8.6	58	<1	3	5	17	23	23
18-34	345	5.7	19	2	2	5	8	10	11
35-49	42	25.1	81						
50-69	104	10.9	108	2	5	7	14	19	39
70+	0								
SUBTOTAL	600	8.5	70	2	2	5	10	20	25
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
GRAND TOTAL	600	8.5	70	2	2	5	10	20	25

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	120	2.9	7	<1	<1	<1	4	5	10
18-34	193	7.1	24	2	3	6	9	11	20
35-49	136	7.1	15	2	5	6	7	15	15
50-69	78	12.6	23						
70+	0								
SUBTOTAL	527	7.0	26	<1	3	6	10	15	18
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
GRAND TOTAL	527	7.0	26	<1	3	6	10	15	18

DRG 241: Connective Tissue Disorders w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	478	6.1	26	1	2	5	8	13	19
70-74	165	4.8	10	2	2	4	7	8	12
75-79	176	8.8	44	3	4	8	9	18	25
80-84	103	5.6	38	1	3	3	7	12	23
85 +	52	7.9	26						
SUBTOTAL	975	6.4	30	1	3	5	8	13	19
GRAND TOTAL	975	6.4	30	1	3	5	8	13	19

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1282	3.2	8	< 1	1	2	4	7	9
18-34	364	6.7	28	2	3	5	7	17	18
35-49	531	5.6	16	1	2	4	8	10	13
50-69	602	7.1	63	1	2	4	8	18	25
70 +	0								
	2779	4.9	27	1	1	3	6	11	17
	2779	4.9	27	1	1	3	6	11	17

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	318	5.4	28	< 1	1	2	8	12	18
18-34	167	4.7	12	2	2	4	7	9	13
35-49	73	5.7	13						
50-69	88	6.0	12	2	2	7	9	12	12
70 +	0								
SUBTOTAL	646	5.3	20	< 1	2	4	8	12	13
GRAND TOTAL	646	5.3	20	< 1	2	4	8	12	13

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	365	2.9	4	< 1	1	2	4	6	6
18-34	104	5.2	18	1	2	4	6	14	14
35-49	125	8.0	35	3	4	5	13	20	20
50-69	42	3.1	1						
70 +	0								
	636	4.3	16	< 1	2	3	5	11	14
	636	4.3	16	< 1	2	3	5	11	14

DRG 242: Septic Arthritis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	89	15.1	203	4	5	11	13	45	45
70-74	10	2.0							
75-79	73	14.3	100						
80-84	26	32.2	398						
85 +	93	16.0	77	4	10	14	20	32	32
SUBTOTAL	291	16.3	176	4	5	13	21	45	48
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	42	12.9	73						
70-74	42	7.9	3						
75-79	0								
80-84	42	11.0	105						
85 +	0								
SUBTOTAL	125	10.6	63	2	4	8	23	24	24
GRAND TOTAL	416	14.6	149	4	5	10	21	32	45

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	62	21.6	178						
18-34	0								
35-49	104	7.7	30	2	3	5	14	15	16
50-69	78	24.9	538	5	9	12	42	65	65
70 +	0								
	244	16.7	290	2	5	12	16	43	65
0-17	301	6.7	25	1	3	5	10	13	21
18-34	192	4.8	5	2	3	5	6	7	10
35-49	46	7.3	33						
50-69	31	21.5	75						
70 +	0								
	571	6.9	35	2	3	5	10	13	21
	815	9.8	131	2	4	6	12	21	42

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	16	11.0							
18-34	26	13.4	20						
35-49	94	13.8	201	< 1	6	9	14	44	44
50-69	16	21.0							
70 +	0								
SUBTOTAL	151	14.2	134	< 1	7	11	17	44	44
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	73	9.4	11						
18-34	16	6.0							
35-49	0								
50-69	16	12.0							
70 +	0								
SUBTOTAL	104	9.3	10	5	6	10	12	13	13
GRAND TOTAL	256	12.2	89	5	6	11	13	21	44

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	11.0							
18-34	0								
35-49	0								
50-69	16	18.0							
70 +	16	28.0							
	42	20.0	47						
0-17	0								
18-34	21	6.5	7						
35-49	46	8.0	5						
50-69	16	5.0							
70 +	0								
	83	7.1	6	4	5	6	9	11	11
	124	11.4	57	5	6	10	18	28	28

DRG 243: Medical Back Problems

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	2361	8.5	51	2	4	7	10	17	21
70-74	2057	8.7	60	2	4	7	11	17	19
75-79	2125	9.3	48	3	5	8	12	19	23
80-84	2188	11.7	99	3	5	9	15	25	33
85 +	1965	11.8	171	3	5	9	13	22	40
SUBTOTAL	**10696**	**10.0**	**86**	**3**	**5**	**8**	**12**	**19**	**26**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	3491	4.4	17	1	1	3	6	9	12
70-74	2411	5.1	16	1	2	4	7	11	13
75-79	2052	6.7	36	1	2	5	9	15	17
80-84	1375	6.3	17	1	3	6	9	12	14
85 +	1533	8.8	44	2	5	7	11	17	25
SUBTOTAL	**10862**	**5.9**	**26**	**1**	**2**	**5**	**8**	**12**	**15**
GRAND TOTAL	**21558**	**7.9**	**60**	**1**	**3**	**6**	**10**	**16**	**21**

BLUE CROSS PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	265	4.1	10	<1	1	3	6	10	11
18-34	963	5.4	17	2	3	5	6	10	14
35-49	1391	5.4	23	1	1	4	8	13	15
50-69	2249	6.9	39	1	3	5	9	13	20
70 +	176	8.0	26	2	5	7	12	16	20
SUBTOTAL	**5045**	**6.1**	**29**	**1**	**2**	**5**	**8**	**13**	**16**
0-17	1562	2.2	12	<1	<1	1	2	5	7
18-34	5746	3.5	9	1	1	3	5	7	9
35-49	10344	4.0	19	1	1	3	5	9	12
50-69	7706	4.4	19	1	1	3	6	9	12
70 +	291	6.0	18	1	2	5	9	13	16
SUBTOTAL	**25648**	**3.9**	**16**	**1**	**1**	**3**	**5**	**8**	**11**
GRAND TOTAL	**30694**	**4.3**	**19**	**1**	**1**	**3**	**6**	**9**	**12**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	104	3.7	9	1	1	2	6	7	10
18-34	255	6.2	35	2	3	4	8	15	26
35-49	197	7.5	14	1	5	8	11	12	12
50-69	192	6.8	13	2	4	6	11	12	13
70 +	26	16.9	81						
SUBTOTAL	**773**	**6.7**	**27**	**2**	**3**	**6**	**9**	**12**	**15**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	156	1.8	2	<1	<1	1	2	4	6
18-34	601	4.3	14	1	2	4	5	7	11
35-49	716	5.7	68	1	1	4	7	10	16
50-69	186	5.2	18	1	2	4	6	14	15
70 +	0								
SUBTOTAL	**1659**	**4.8**	**38**	**1**	**1**	**3**	**6**	**8**	**15**
GRAND TOTAL	**2432**	**5.4**	**35**	**1**	**2**	**4**	**7**	**11**	**15**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	2.0	1						
18-34	461	3.9	6	1	2	4	6	7	8
35-49	275	10.7	133	2	4	6	13	32	47
50-69	394	6.3	15	1	3	6	8	12	13
70 +	93	5.1	5	2	4	5	6	10	10
SUBTOTAL	**1254**	**6.2**	**43**	**1**	**2**	**5**	**7**	**12**	**16**
0-17	463	2.5	8	<1	<1	1	3	6	8
18-34	1959	3.7	10	1	1	3	5	7	10
35-49	1396	4.6	30	1	1	2	6	10	15
50-69	739	3.8	11	1	1	2	5	9	10
70 +	109	11.8	95	4	4	8	20	32	32
SUBTOTAL	**4666**	**4.1**	**20**	**1**	**1**	**3**	**5**	**9**	**11**
GRAND TOTAL	**5921**	**4.5**	**25**	**1**	**1**	**3**	**6**	**9**	**12**

Northeastern Region, July 1989 - June 1990

DRG 244: Bone Diseases & Specific Arthropathies w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	543	10.4	56	2	5	9	12	18	23
70-74	539	11.3	247	3	4	9	12	15	22
75-79	585	9.3	66	3	4	7	11	19	43
80-84	642	10.4	104	3	5	7	11	26	30
85 +	508	13.8	261	3	5	8	17	32	53
SUBTOTAL	2817	10.9	145	3	5	8	12	23	32
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	2817	10.9	145	3	5	8	12	23	32

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	9.0							
18-34	31	7.5	6						
35-49	114	6.6	17	< 1	3	4	11	12	12
50-69	347	5.7	22	1	2	5	8	12	12
70 +	83	4.9	8	1	3	4	8	9	9
	591	5.9	18	1	3	5	9	12	12
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	591	5.9	18	1	3	5	9	12	12

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	47	3.0	2						
18-34	0								
35-49	0								
50-69	31	6.7	21						
70 +	26	8.0	6						
SUBTOTAL	104	5.3	13	1	2	4	7	11	12
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	104	5.3	13	1	2	4	7	11	12

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	63	7.0	2						
70 +	57	7.0	31						
	120	7.0	15	1	5	8	12	12	12
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	120	7.0	15	1	5	8	12	12	12

DRG 245: Bone Diseases & Specific Arthropathies w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	337	4.4	11	1	1	3	7	9	11
70-74	384	5.2	22	< 1	1	4	9	11	12
75-79	285	6.3	14	1	4	5	10	11	14
80-84	270	6.3	23	2	3	5	7	12	22
85 +	367	11.3	301	2	4	6	14	21	25
SUBTOTAL	1643	6.8	87	1	2	5	9	12	16
GRAND TOTAL	1643	6.8	87	1	2	5	9	12	16

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	374	3.0	6	< 1	< 1	2	4	6	8
18-34	207	3.9	10	< 1	2	3	6	9	11
35-49	140	2.9	3	1	1	3	3	7	7
50-69	606	4.5	18	1	2	3	6	10	11
70 +	0								
	1328	3.8	12	< 1	1	3	5	9	10
	1328	3.8	12	< 1	1	3	5	9	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	193	4.4	9	< 1	2	4	6	8	11
18-34	16	5.0							
35-49	26	2.2	2						
50-69	31	2.7	2						
70 +	0								
SUBTOTAL	265	4.0	8	< 1	1	4	5	8	11
GRAND TOTAL	265	4.0	8	< 1	1	4	5	8	11

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	167	2.2	2	1	1	2	3	3	7
18-34	89	3.4	2	2	2	3	5	5	5
35-49	52	4.2	8						
50-69	120	6.6	30	< 1	< 1	7	9	18	18
70 +	31	2.5	2						
	459	3.8	13	< 1	1	3	5	9	9
	459	3.8	13	< 1	1	3	5	9	9

DRG 246: Non-specific Arthropathies

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	21	11.0	1						
70-74	31	8.3	28						
75-79	51	4.6	28						
80-84	26	9.9	56						
85 +	21	11.5	76						
SUBTOTAL	149	8.1	42	2	2	4	12	19	20
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	52	6.8	28						
70-74	26	5.2	1						
75-79	16	3.0							
80-84	36	2.1	1						
85 +	57	3.9	24						
SUBTOTAL	186	4.5	18	1	2	3	6	14	14
GRAND TOTAL	336	6.1	32	1	2	3	12	14	19

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	12.0							
18-34	10	5.0							
35-49	31	4.0							
50-69	62	7.3	6						
70 +	0								
SUBTOTAL	119	6.9	9	4	4	6	10	12	12
0-17	57	7.5	27						
18-34	93	6.4	24	1	2	5	13	14	14
35-49	46	2.8							
50-69	88	4.2	6	< 1	3	3	7	9	9
70 +	0								
SUBTOTAL	285	5.4	18	2	2	3	7	14	14
GRAND TOTAL	405	5.8	16	2	3	4	9	13	14

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	31	3.0							
18-34	26	2.6	4						
35-49	0								
50-69	16	1.0							
70 +	0								
SUBTOTAL	73	2.4	2						
GRAND TOTAL	73	2.4	2						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	10	5.0							
70 +	16	15.0							
SUBTOTAL	26	11.0	25						
0-17	16	10.0							
18-34	10	7.0							
35-49	26	6.6							
50-69	21	6.5	7						
70 +	0								
SUBTOTAL	72	7.4	4	4	6	7	9	10	10
GRAND TOTAL	98	8.3	12	4	6	7	10	15	15

DRG 247: Signs & Symptoms of Musculoskeletal System & Conn Tissue

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	389	4.9	9	2	2	4	7	9	12
70-74	150	5.6	10	2	3	5	8	12	12
75-79	207	8.9	158	2	3	6	9	11	28
80-84	135	5.8	6	2	5	5	8	9	10
85 +	165	8.4	26	3	5	7	11	17	20
SUBTOTAL	1046	6.5	44	2	3	5	8	11	15
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	352	4.3	24	1	2	3	5	8	12
70-74	229	3.5	7	1	2	3	5	9	9
75-79	114	3.0	11	1	1	2	3	5	13
80-84	212	5.4	15	2	3	5	7	11	16
85 +	139	4.9	42	< 1	1	3	4	22	22
SUBTOTAL	1047	4.3	20	1	2	3	5	10	13
GRAND TOTAL	2093	5.4	33	1	2	4	7	11	13

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	25.5	477						
18-34	93	5.5	17	2	2	3	9	13	13
35-49	171	4.7	14	1	1	4	7	12	13
50-69	265	3.4	5	1	2	3	4	8	8
70 +	36	11.1	25						
	597	5.7	60	1	2	4	7	12	13
	390	3.1	8	1	1	2	4	5	9
	420	2.1	3	1	1	2	2	4	5
	602	2.9	7	1	1	2	4	5	7
	539	3.4	8	1	1	2	5	7	10
	10	8.0							
	1962	2.9	7	1	1	2	4	6	9
	2559	3.6	21	1	1	2	4	8	10

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	31	11.0	84						
35-49	0								
50-69	72	1.4		< 1	1	1	2	2	2
70 +	0								
SUBTOTAL	104	4.3	44	< 1	1	2	2	20	20
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	83	3.2	3	< 1	< 1	3	5	6	6
18-34	63	3.5	3						
35-49	68	2.5	1						
50-69	52	3.8	7						
70 +	16	1.0							
SUBTOTAL	281	3.1	4	1	1	3	4	5	6
GRAND TOTAL	385	3.4	15	< 1	1	3	3	6	9

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	3.0							
18-34	26	2.8	2						
35-49	10	2.0							
50-69	36	3.1	2						
70 +	10	24.0							
	98	5.1	43	1	2	3	4	18	24
	99	1.3	1	< 1	1	1	1	3	3
	146	2.5	3	< 1	< 1	2	4	5	5
	119	5.3	19	1	1	5	11	12	12
	114	3.4	17	1	2	2	3	4	16
	16	2.0							
	494	3.1	11	< 1	1	2	4	7	12
	592	3.5	17	< 1	1	2	4	7	12

Northeastern Region, July 1989 - June 1990

DRG 248: Tendonitis, Myositis & Bursitis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	295	5.7	22	1	3	5	8	18	95
70-74	77	14.7	373	1	1	4	18	61	61
75-79	83	8.5	38	< 1	4	6	11	20	20
80-84	109	8.1	17	4	5	7	10	16	16
85 +	72	8.0	41	4	4	6	8	23	23
SUBTOTAL	637	7.8	75	2	3	5	11	18	23
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	165	3.1	6	1	1	3	5	5	10
70-74	249	3.9	13	1	2	3	5	8	16
75-79	72	2.8	3	1	1	2	5	6	6
80-84	119	7.0	33	2	3	6	7	19	19
85 +	88	6.3	16	2	4	5	7	16	16
SUBTOTAL	693	4.5	16	1	2	3	6	8	16
GRAND TOTAL	1330	6.1	47	1	2	4	7	16	19

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	52	5.6	9						
18-34	140	6.5	14	2	2	7	10	12	12
35-49	114	6.4	33	1	2	5	9	19	19
50-69	254	4.6	10	< 1	2	4	6	12	12
70 +	10	3.0							
SUBTOTAL	570	5.5	16	1	2	4	7	12	12
0-17	374	2.9	7	1	1	2	4	4	7
18-34	270	3.4	4	1	2	3	5	6	6
35-49	729	3.1	4	1	2	2	4	6	7
50-69	553	3.6	14	1	2	2	5	6	9
70 +	0								
SUBTOTAL	1926	3.2	8	1	2	2	4	6	7
GRAND TOTAL	2496	3.8	10	1	2	3	5	7	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	16	11.0							
18-34	16	5.0							
35-49	42	5.2	6						
50-69	47	10.7	18						
70 +	10	5.0							
SUBTOTAL	130	7.8	16	3	5	5	11	15	15
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	93	2.4	1	1	2	2	3	4	4
18-34	52	6.8	10						
35-49	46	4.0	3						
50-69	31	5.0	1						
70 +	0								
SUBTOTAL	223	4.1	7	2	2	4	6	7	11
GRAND TOTAL	353	5.5	13	2	3	4	7	11	12

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	104	7.8	25	3	4	5	14	16	16
18-34	31	3.3	2						
35-49	26	5.0	6						
50-69	57	5.1	8						
70 +	31	12.5	13						
SUBTOTAL	250	6.9	22	2	3	5	9	16	16
0-17	57	5.2	7						
18-34	156	3.7	3	1	3	4	5	6	7
35-49	115	4.4	5	2	2	4	7	8	8
50-69	135	1.4		1	1	1	2	2	2
70 +	0								
SUBTOTAL	463	3.4	5	1	2	3	5	7	8
GRAND TOTAL	712	4.6	14	1	2	4	6	9	14

DRG 249: Aftercare, Musculoskeletal System & Connective Tissue

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	115	4.5	9	< 1	1	4	8	8	8
70-74	98	11.8	112	2	5	7	15	34	37
75-79	244	8.6	104	2	3	4	8	22	32
80-84	124	8.1	12	5	5	8	12	12	14
85 +	124	13.9	81	6	7	10	20	26	34
SUBTOTAL	704	9.2	78	2	3	7	12	22	32
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	333	3.9	9	1	2	3	5	7	8
70-74	233	5.2	17	1	2	3	6	11	15
75-79	258	4.3	18	1	1	2	7	11	12
80-84	198	6.2	23	1	2	6	8	9	20
85 +	223	8.0	189	2	2	3	8	14	28
SUBTOTAL	1245	5.3	49	1	2	3	6	11	15
GRAND TOTAL	1950	6.7	63	1	2	4	8	15	20

TYPE OF PATIENT	BLUE CROSS PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	224	2.3	3	< 1	< 1	2	3	5	6
18-34	31	6.0	26						
35-49	16	1.0							
50-69	145	3.9	13	1	1	3	5	11	11
70 +	0								
	417	3.1	9	< 1	< 1	2	4	9	11
	814	1.7	3	< 1	< 1	< 1	2	4	5
	145	3.4	7	< 1	1	2	5	7	9
	83	4.7	15	< 1	2	5	5	12	12
	343	5.6	48	1	1	3	7	15	19
	16	2.0							
	1400	3.0	18	< 1	< 1	1	3	7	10
	1817	3.0	16	< 1	< 1	1	4	8	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	204	10.0	318	< 1	1	5	7	21	69
18-34	10	8.0							
35-49	0								
50-69	31	10.0							
70 +	0								
SUBTOTAL	245	9.9	264	< 1	1	5	10	21	69
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	245	2.9	5	< 1	< 1	3	4	7	8
18-34	94	2.0	1	< 1	< 1	2	3	4	4
35-49	26	2.6							
50-69	31	2.7	3						
70 +	0								
SUBTOTAL	396	2.7	4	< 1	< 1	2	4	5	7
GRAND TOTAL	641	5.4	116	< 1	1	3	5	8	14

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	47	3.0	2						
18-34	16	12.0							
35-49	0								
50-69	0								
70 +	149	14.1	190	3	5	9	16	50	50
	212	11.5	155	1	4	8	13	25	50
0-17	318	1.8	4	< 1	< 1	< 1	1	5	7
18-34	72	2.4	6	< 1	< 1	1	4	8	8
35-49	36	7.9	41						
50-69	21	2.0	1						
70 +	62	8.3	58						
	510	3.1	19	< 1	< 1	< 1	4	9	15
	721	5.6	74	< 1	< 1	1	7	15	19

DRG 250: Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	181	4.8	9	1	3	4	6	11	11
70-74	93	5.2	10	2	3	4	5	13	13
75-79	114	22.2	660	3	4	12	44	77	77
80-84	109	10.7	114	6	6	7	11	11	43
85 +	160	14.6	342	1	3	5	20	46	62
SUBTOTAL	658	11.2	260	1	4	6	11	36	44
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	658	11.2	260	1	4	6	11	36	44

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	281	3.1	5	1	2	2	3	5	7
35-49	150	3.6	6	1	2	2	6	8	8
50-69	202	4.2	6	2	2	2	6	9	9
70 +	26	5.6	4						
	659	3.6	6	1	2	2	5	7	8
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	659	3.6	6	1	2	2	5	7	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	62	9.3	26						
35-49	26	4.8	12						
50-69	0								
70 +	0								
SUBTOTAL	88	8.0	26	2	2	8	12	18	18
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	88	8.0	26	2	2	8	12	18	18

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	57	2.5	1						
35-49	72	4.1	9	1	2	3	8	9	9
50-69	26	5.0							
70 +	26	13.8	36						
	182	5.1	22	1	2	4	8	9	21
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	182	5.1	22	1	2	4	8	9	21

DRG 251: Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	322	2.9	4	1	1	2	4	5	7
70-74	155	1.7	1	1	1	1	2	2	5
75-79	228	3.3	9	1	2	2	3	7	9
80-84	98	5.4	13	2	2	5	6	12	14
85 +	253	4.8	6	1	3	5	7	9	9
SUBTOTAL	1056	3.5	7	1	2	2	5	7	9
GRAND TOTAL	1056	3.5	7	1	2	2	5	7	9

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	534	1.8	1	1	1	1	2	3	4
35-49	529	2.3	2	1	1	2	3	4	4
50-69	461	2.2	3	1	1	1	3	4	7
70 +	26	2.2	1						
	1551	2.1	2	1	1	2	3	4	4
	1551	2.1	2	1	1	2	3	4	4

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	109	2.2		1	2	2	3	3	3
35-49	73	5.1	39						
50-69	0								
70 +	10	5.0							
SUBTOTAL	192	3.5	17	1	2	2	3	5	17
GRAND TOTAL	192	3.5	17	1	2	2	3	5	17

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	347	2.0	2	1	1	1	2	5	5
35-49	145	1.7	1	1	1	1	2	3	5
50-69	78	2.2	2	1	1	1	3	5	5
70 +	16	4.0							
	586	2.0	2	1	1	1	3	4	5
	586	2.0	2	1	1	1	3	4	5

DRG 252: Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	93	4.2	16	1	2	2	10	11	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	93	4.2	16	1	2	2	10	11	11
0-17	3748	1.3	5	< 1	1	1	1	2	2
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	3748	1.3	5	< 1	1	1	1	2	2
	3842	1.4	6	< 1	1	1	1	2	2

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	546	1.5	1	1	1	1	2	2	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	546	1.5	1	1	1	1	2	2	3
GRAND TOTAL	546	1.5	1	1	1	1	2	2	3

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	2.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	10	2.0							
0-17	967	1.6	2	< 1	1	1	2	3	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	967	1.6	2	< 1	1	1	2	3	4
	977	1.6	2	< 1	1	1	2	3	4

DRG 253: Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age >17 w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	731	11.6	227	2	3	7	15	26	30
70-74	506	11.9	248	2	4	8	13	19	62
75-79	751	13.9	195	3	7	10	16	27	43
80-84	569	13.6	134	4	5	9	20	33	37
85 +	1044	13.0	122	3	5	9	19	27	28
SUBTOTAL	3602	12.8	179	2	4	9	16	27	37
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	3602	12.8	179	2	4	9	16	27	37

BLUE CROSS PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	513	5.4	50	1	2	3	5	12	17
35-49	228	4.1	8	1	2	3	6	8	9
50-69	652	6.2	29	1	3	5	8	11	12
70 +	119	12.0	51	5	7	11	20	99 +	99 +
	1512	6.1	38	1	2	4	8	12	20
	0								
	0								
	0								
	0								
	0								
	0								
	1512	6.1	38	1	2	4	8	12	20

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	177	5.0	16	1	2	4	6	13	14
35-49	46	3.3	4						
50-69	119	7.0	13	3	4	7	8	12	14
70 +	10	65.0							
SUBTOTAL	353	7.2	115	2	3	4	7	14	14
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	353	7.2	115	2	3	4	7	14	14

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	347	6.9	127	1	2	3	7	13	15
35-49	124	5.0	18	< 1	2	3	7	3	17
50-69	155	8.2	52	2	4	7	11	11	32
70 +	135	17.7	167	4	10	15	24	27	54
	761	8.8	119	1	2	5	10	18	27
	0								
	0								
	0								
	0								
	0								
	0								
	761	8.8	119	1	2	5	10	18	27

DRG 254: Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	813	4.6	23	1	2	3	6	10	15
70-74	803	5.5	23	1	2	4	8	12	17
75-79	684	8.0	146	1	2	4	9	16	21
80-84	678	9.5	87	2	3	6	13	22	32
85 +	842	6.2	25	1	2	5	9	13	19
SUBTOTAL	3820	6.6	60	1	2	4	9	16	21
GRAND TOTAL	3820	6.6	60	1	2	4	9	16	21

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	0								
18-34	2047	3.2	11	1	1	2	4	6	6
35-49	1507	3.6	16	1	1	3	4	7	9
50-69	1450	3.3	8	1	1	2	4	6	10
70 +	119	10.0	129	3	4	6	13	38	38
SUBTOTAL	5123	3.5	15	1	1	2	4	6	9
GRAND TOTAL	5123	3.5	15	1	1	2	4	6	9

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	104	5.0	6	3	3	4	6	10	10
35-49	176	4.4	12	1	1	3	9	9	11
50-69	72	3.6	1	3	3	3	4	6	6
70 +	26	10.4	4						
SUBTOTAL	378	4.8	10	1	3	4	6	10	11
GRAND TOTAL	378	4.8	10	1	3	4	6	10	11

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	0								
18-34	973	2.6	5	<1	1	2	4	5	6
35-49	497	3.9	8	1	2	3	5	9	10
50-69	358	4.0	13	1	1	2	6	10	13
70 +	78	6.6	57	1	2	2	7	21	21
SUBTOTAL	1905	3.4	10	1	1	2	5	7	10
GRAND TOTAL	1905	3.4	10	1	1	2	5	7	10

DRG 255: Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	10	1.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	10	1.0							
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	10	1.0							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	243	3.0	23	1	1	2	3	4	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	243	3.0	23	1	1	2	3	4	4
0-17	3586	2.5	11	1	1	1	3	4	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	3586	2.5	11	1	1	1	3	4	7
	3829	2.5	12	1	1	1	3	4	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	57	9.3	31						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	57	9.3	31						
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	400	2.9	10	1	1	2	3	7	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	400	2.9	10	1	1	2	3	7	11
GRAND TOTAL	458	3.7	17	1	1	2	5	12	13

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	83	4.8	8	2	2	6	7	9	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	83	4.8	8	2	2	6	7	9	9
0-17	1378	2.5	7	1	1	2	2	5	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1378	2.5	7	1	1	2	2	5	9
	1462	2.6	8	1	1	2	3	5	9

DRG 256: Other Musculoskeletal System & Connective Tissue Diagnoses

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	280	5.1	7	2	3	5	7	9	11
70-74	171	6.1	29	2	2	4	6	17	19
75-79	104	4.2	2	2	3	4	5	6	6
80-84	135	12.8	208	4	5	8	14	32	56
85 +	165	7.5	39	2	2	6	12	14	22
SUBTOTAL	854	6.9	56	2	3	5	8	14	19
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	378	3.5	8	1	2	2	4	9	9
70-74	171	3.8	4	2	2	4	5	5	8
75-79	78	4.0	10	1	2	2	4	10	10
80-84	130	5.1	37	2	2	3	3	21	21
85 +	109	7.7	59	1	4	4	13	24	24
SUBTOTAL	866	4.3	20	1	2	3	5	9	13
GRAND TOTAL	1720	5.6	39	1	2	4	7	11	17

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	110	4.0	18	< 1	1	2	5	14	14
18-34	125	3.5	8	1	1	2	7	8	8
35-49	259	3.6	9	1	2	2	4	10	11
50-69	290	4.2	9	1	1	4	6	8	10
70 +	10	5.0							
SUBTOTAL	793	3.9	10	1	2	2	5	8	11
0-17	1847	1.8	7	< 1	< 1	1	2	3	4
18-34	466	2.2	4	1	1	1	3	5	9
35-49	539	2.5	2	1	2	2	3	4	5
50-69	611	3.4	11	1	1	2	5	7	9
70 +	0								
SUBTOTAL	3462	2.3	7	< 1	1	1	3	4	6
GRAND TOTAL	4256	2.6	8	< 1	1	2	3	5	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	94	3.5	11	< 1	1	3	5	10	10
18-34	46	6.2	19						
35-49	21	2.5							
50-69	31	4.7	3						
70 +	0								
SUBTOTAL	192	4.2	12	1	2	3	5	10	11
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	569	1.6	5	< 1	< 1	1	1	2	9
18-34	103	2.0	4	< 1	1	1	2	5	7
35-49	31	4.7	4						
50-69	21	2.5							
70 +	10	4.0							
SUBTOTAL	734	1.9	5	< 1	< 1	1	1	4	7
GRAND TOTAL	926	2.4	7	< 1	1	1	2	7	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	83	7.9	64	< 1	1	4	12	22	22
18-34	93	2.9	2	1	2	3	4	5	5
35-49	57	2.5	1						
50-69	73	6.4	29						
70 +	0								
SUBTOTAL	306	5.0	30	1	2	3	5	16	22
0-17	480	2.6	25	< 1	< 1	1	1	3	15
18-34	156	2.1	2	1	1	2	2	5	6
35-49	182	5.2	86	< 1	1	2	4	5	35
50-69	171	3.6	13	1	1	2	4	6	14
70 +	31	7.5	21						
SUBTOTAL	1021	3.3	32	< 1	< 1	1	3	6	14
GRAND TOTAL	1327	3.7	32	< 1	1	2	4	12	15

DRG 257: Total Mastectomy for Malignancy w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1626	7.0	50	3	4	5	8	11	17
70-74	1580	6.5	67	3	4	5	7	9	12
75-79	1353	5.8	14	3	4	5	6	8	10
80-84	1021	6.9	29	3	4	6	8	10	14
85 +	648	6.8	27	3	4	6	8	12	17
SUBTOTAL	6228	6.6	41	3	4	5	7	10	14
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	6228	6.6	41	3	4	5	7	10	14

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	207	4.5	5	3	3	4	6	7	8
35-49	1506	4.9	4	3	4	5	6	7	8
50-69	2716	5.3	5	3	4	5	6	8	9
70 +	109	6.6	3	5	5	6	8	8	10
	4538	5.1	5	3	4	5	6	8	9
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4538	5.1	5	3	4	5	6	8	9

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	93	6.3	7	2	4	6	9	10	10
50-69	62	5.1	3						
70 +	46	37.5	1908						
SUBTOTAL	202	13.1	614	4	4	6	9	10	98
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	202	13.1	614	4	4	6	9	10	98

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	162	4.7	2	3	4	5	6	7	7
50-69	469	6.6	19	3	4	6	7	11	11
70 +	104	6.7	27	2	3	5	8	18	18
	735	6.2	17	3	4	5	7	10	11
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	735	6.2	17	3	4	5	7	10	11

DRG 258: Total Mastectomy for Malignancy w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	1830	4.7	3	3	4	4	6	7	8
70-74	1819	4.4	3	2	3	4	6	7	8
75-79	1207	5.2	6	3	4	5	6	8	10
80-84	761	5.2	5	2	3	5	6	9	9
85 +	238	6.0	16	2	4	5	9	12	16
SUBTOTAL	5855	4.9	5	3	3	4	6	7	9
GRAND TOTAL	5855	4.9	5	3	3	4	6	7	9

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	171	4.2	3	1	3	4	5	7	7
35-49	2147	4.1	3	2	3	4	5	6	7
50-69	3587	4.2	3	2	3	4	5	6	8
70 +	67	4.7	2	3	4	5	5	7	7
	5971	4.2	3	2	3	4	5	7	8
	5971	4.2	3	2	3	4	5	7	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	47	6.0	5						
35-49	52	3.7	1						
50-69	78	5.0	7	2	3	4	5	10	10
70 +	10	4.0							
SUBTOTAL	187	4.8	5	3	4	4	5	9	10
GRAND TOTAL	187	4.8	5	3	4	4	5	9	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	47	4.0	3						
35-49	218	4.2	2	3	3	4	5	6	7
50-69	479	4.6	3	3	3	4	6	7	7
70 +	73	3.6	1						
	817	4.4	3	3	3	4	6	7	7
	817	4.4	3	3	3	4	6	7	7

DRG 259: Subtotal Mastectomy for Malignancy w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	301	4.3	8	1	3	4	5	7	14
70-74	306	8.6	128	1	3	4	10	33	48
75-79	203	5.8	42	<1	3	3	5	16	24
80-84	186	6.5	65	2	3	3	7	9	32
85+	115	7.5	34	1	1	6	15	17	17
SUBTOTAL	1110	6.5	62	1	3	4	7	15	29
2.PATIENTS W/OUT CCs	—								
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
GRAND TOTAL	1110	6.5	62	1	3	4	7	15	29

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	52	2.5	1						
35-49	364	3.0	5	1	1	3	3	5	6
50-69	670	4.3	9	1	2	4	5	8	11
70+	47	3.7	1						
	1133	3.8	8	1	2	3	4	7	11
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	1133	3.8	8	1	2	3	4	7	11

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	10	4.0							
50-69	0								
70+	0								
SUBTOTAL	10	4.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
GRAND TOTAL	10	4.0							

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	125	2.1	1	<1	1	2	3	4	4
50-69	193	4.2	33	<1	2	3	4	4	23
70+	31	7.5	31						
	350	3.7	23	<1	1	3	4	4	13
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	350	3.7	23	<1	1	3	4	4	13

DRG 260: Subtotal Mastectomy for Malignancy w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	847	3.4	20	1	1	2	4	6	7
70-74	410	2.4	2	< 1	1	2	3	4	5
75-79	343	2.5	2	< 1	1	2	3	5	5
80-84	140	2.4	3	1	1	2	3	7	7
85 +	187	2.6	2	1	1	2	3	5	5
SUBTOTAL	1926	2.9	10	1	1	2	3	5	6
GRAND TOTAL	1926	2.9	10	1	1	2	3	5	6

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	109	2.5	3	< 1	1	2	3	6	6
35-49	903	2.6	2	1	1	3	3	4	7
50-69	1525	2.5	2	1	1	2	3	4	5
70 +	10	1.0							
	2548	2.5	2	1	1	2	3	4	6
	2548	2.5	2	1	1	2	3	4	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	16	1.0							
50-69	21	2.0	1						
70 +	42	4.2							
SUBTOTAL	78	3.0	2	1	1	4	4	5	5
GRAND TOTAL	78	3.0	2	1	1	4	4	5	5

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	16	1.0							
35-49	198	2.1	3	< 1	< 1	1	2	5	6
50-69	370	1.9	2	< 1	< 1	1	3	4	5
70 +	16	1.0							
	599	1.9	2	< 1	< 1	1	2	4	5
	599	1.9	2	< 1	< 1	1	2	4	5

DRG 261: Breast Proc for Non-malignancy except Biopsy & Local Excision

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	88	2.7	2	<1	1	2	4	5	5
70-74	104	4.2	12	1	2	3	4	12	12
75-79	10	6.0							
80-84	16	1.0							
85 +	0								
SUBTOTAL	218	3.4	8	1	1	3	4	6	12
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	405	1.9	2	1	1	2	2	3	3
70-74	145	2.4	2	<1	1	2	3	5	6
75-79	46	1.8	1						
80-84	31	6.0	1						
85 +	31	2.0	1						
SUBTOTAL	660	2.2	3	1	1	2	3	5	6
GRAND TOTAL	878	2.5	4	1	1	2	3	5	7

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	2.0							
18-34	260	2.1	1	1	1	2	3	4	4
35-49	245	2.3	2	1	1	2	3	3	6
50-69	83	2.2	1	1	1	2	3	4	4
70 +	0								
	604	2.2	1	1	1	2	3	3	4
	609	1.8	1	1	1	1	2	3	3
	2590	1.9	1	1	1	2	2	3	3
	1990	2.1	2	1	1	2	3	4	5
	1142	1.9	1	1	1	2	2	3	4
	16	2.0							
	6348	2.0	1	1	1	2	2	3	4
	6952	2.0	1	1	1	2	2	3	4

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	47	1.7	1						
18-34	245	2.0	1	1	1	2	2	4	4
35-49	42	2.8	1						
50-69	47	1.3							
70 +	0								
SUBTOTAL	381	2.0	1	1	1	2	2	4	4
GRAND TOTAL	381	2.0	1	1	1	2	2	4	4

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	1.0							
35-49	31	2.5	2						
50-69	16	2.0							
70 +	0								
	57	2.1	2						
0-17	31	1.5							
18-34	208	1.4		1	1	1	2	2	3
35-49	141	1.0		1	1	1	1	1	1
50-69	156	2.7	6	<1	1	1	6	7	7
70 +	10	1.0							
	546	1.6	2	1	1	1	2	3	7
	604	1.7	2	1	1	1	2	3	7

DRG 262: Breast Biopsy & Local Excision for Non-malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	68	5.8	29						
70-74	31	3.5	2						
75-79	104	4.6	52	1	1	2	4	9	26
80-84	47	3.0	5						
85 +	0								
SUBTOTAL	250	4.5	32	1	1	2	5	14	14
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	182	1.3		< 1	< 1	1	2	2	2
70-74	182	1.7	2	< 1	1	1	2	3	6
75-79	47	1.0							
80-84	104	1.9	1	1	1	2	3	3	3
85 +	31	1.0							
SUBTOTAL	545	1.5	1	< 1	1	1	2	3	3
GRAND TOTAL	795	2.5	13	< 1	1	1	2	5	6

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	57	3.2	6						
35-49	36	1.4							
50-69	115	5.3	13	1	2	4	10	11	11
70 +	0								
	208	4.1	11	< 1	2	2	6	10	11
	42	1.0							
	218	1.8	3	< 1	< 1	1	2	4	7
	419	1.9	5	< 1	< 1	1	2	3	5
	645	1.4	1	< 1	< 1	1	2	2	3
	10	2.0							
	1333	1.6	3	< 1	< 1	1	2	3	5
	1541	2.0	4	< 1	< 1	1	2	4	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	26	2.0							
50-69	31	4.5	6						
70 +	0								
SUBTOTAL	57	3.4	5						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	31	1.0							
50-69	31	1.5							
70 +	0								
SUBTOTAL	63	1.3							
GRAND TOTAL	120	2.3	4	< 1	< 1	2	2	7	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	16	6.0							
50-69	78	1.0							
70 +	0								
	94	1.8	4	1	1	1	1	6	6
	0								
	104	1.8	6	< 1	< 1	< 1	1	2	9
	448	1.1		< 1	< 1	< 1	1	1	1
	433	1.2	1	< 1	< 1	1	1	1	2
	63	1.3							
	1048	1.2	1	< 1	< 1	1	1	1	2
	1142	1.3	1	< 1	< 1	1	1	1	3

DRG 263: Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1772	26.6	474	5	11	21	40	77	99+
70-74	790	28.8	588	7	11	19	48	85	99+
75-79	893	23.5	337	6	12	19	34	67	78
80-84	804	22.3	303	6	9	21	37	85	99+
85+	856	22.8	269	6	11	20	35	52	69
SUBTOTAL	5114	25.1	412	6	11	20	38	75	99+
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
GRAND TOTAL	5114	25.1	412	6	11	20	38	75	99+

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	83	8.8	61	2	2	5	15	25	25
18-34	321	23.6	357	6	9	14	34	38	58
35-49	426	16.4	271	4	7	11	20	31	38
50-69	903	19.6	259	5	9	15	28	41	56
70+	63	16.5	145						
SUBTOTAL	1796	19.0	276	4	8	14	28	36	54
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
GRAND TOTAL	1796	19.0	276	4	8	14	28	36	54

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	31	23.5							
18-34	182	26.4	441	10	11	25	32	88	99+
35-49	72	20.4	109	8	11	18	34	99+	99+
50-69	203	31.6	645	7	10	29	43	62	95
70+	0								
SUBTOTAL	488	27.5	463	8	11	24	37	88	99+
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
GRAND TOTAL	488	27.5	463	8	11	24	37	88	99+

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	3.0							
18-34	16	4.0							
35-49	57	27.1	482						
50-69	72	8.8	15	4	6	7	11	16	16
70+	31	17.5	137						
SUBTOTAL	192	14.8	250	4	6	10	16	29	62
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
GRAND TOTAL	192	14.8	250	4	6	10	16	29	62

DRG 264: Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	411	14.1	138	3	7	9	18	36	37
70-74	166	14.6	120	6	7	9	22	27	48
75-79	212	13.1	96	4	7	11	15	20	38
80-84	202	13.2	72	2	8	10	23	27	27
85 +	232	16.0	193	2	5	13	27	40	44
SUBTOTAL	1224	14.2	128	3	7	10	20	35	40
GRAND TOTAL	1224	14.2	128	3	7	10	20	35	40

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	57	7.1	37						
18-34	160	12.0	193	2	4	8	12	33	51
35-49	255	12.6	72	5	7	9	17	22	23
50-69	393	12.3	105	2	5	10	16	31	35
70 +	10	10.0							
	875	12.0	107	2	5	9	16	23	35
	875	12.0	107	2	5	9	16	23	35

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	31	3.5	2						
35-49	26	15.7	110						
50-69	10	19.0							
70 +	0								
SUBTOTAL	68	10.5	87						
GRAND TOTAL	68	10.5	87						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	16	4.0							
18-34	52	5.3	2						
35-49	26	11.9	100						
50-69	10	12.0							
70 +	0								
	104	7.4	36	4	4	4	7	15	24
	104	7.4	36	4	4	4	7	15	24

DRG 265: Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	280	7.9	29	2	4	6	11	15	20
70-74	286	9.0	63	2	4	7	14	21	32
75-79	207	9.0	55	1	3	6	13	17	28
80-84	244	12.7	158	2	4	8	16	24	53
85 +	212	7.9	54	1	2	7	10	14	17
SUBTOTAL	1230	9.3	74	2	3	7	13	20	28
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	1230	9.3	74	2	3	7	13	20	28

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	136	11.4	131	1	2	3	22	33	33
18-34	187	11.9	286	2	3	4	8	45	53
35-49	354	8.7	50	2	3	6	13	19	24
50-69	458	8.4	31	3	4	8	11	17	22
70 +	57	10.8	91						
	1192	9.5	93	2	3	6	12	22	26
	0								
	0								
	0								
	0								
	0								
	0								
	1192	9.5	93	2	3	6	12	22	26

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	26	1.0							
18-34	94	15.2	214	2	6	10	17	46	46
35-49	52	22.7	287						
50-69	52	7.4	30						
70 +	0								
SUBTOTAL	224	13.5	210	1	2	8	15	46	48
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	224	13.5	210	1	2	8	15	46	48

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	23.0	264						
18-34	170	7.9	76	1	2	5	11	26	28
35-49	47	6.7	17						
50-69	94	14.8	126	1	4	9	29	29	29
70 +	0								
	343	11.0	122	1	2	7	17	29	29
	0								
	0								
	0								
	0								
	0								
	0								
	343	11.0	122	1	2	7	17	29	29

DRG 266: Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	281	2.6	5	1	1	2	4	8	8
70-74	332	4.3	11	1	2	3	6	9	10
75-79	390	3.7	11	1	2	2	4	9	10
80-84	150	2.9	7	1	1	2	3	10	10
85 +	207	3.7	11	1	1	2	7	9	10
SUBTOTAL	1361	3.5	10	1	1	2	5	8	10
GRAND TOTAL	1361	3.5	10	1	1	2	5	8	10

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	827	3.4	19	1	1	2	3	9	14
18-34	1004	3.4	13	1	1	2	4	8	11
35-49	1148	3.7	10	1	1	2	5	8	10
50-69	999	4.5	17	1	1	3	6	10	11
70 +	57	10.1	101						
SUBTOTAL	4035	3.8	16	1	1	2	5	9	11
GRAND TOTAL	4035	3.8	16	1	1	2	5	9	11

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	99	4.2	6	1	2	3	7	8	8
18-34	145	4.3	18	1	2	2	6	15	15
35-49	31	3.5	2						
50-69	46	1.9	3						
70 +	0								
SUBTOTAL	322	3.8	11	1	2	3	5	7	11
GRAND TOTAL	322	3.8	11	1	2	3	5	7	11

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	187	4.0	7	1	1	4	6	6	10
18-34	343	4.2	13	1	2	2	7	11	12
35-49	160	5.2	17	< 1	1	6	8	12	14
50-69	73	5.5	30						
70 +	0								
SUBTOTAL	764	4.5	14	1	1	3	6	11	12
GRAND TOTAL	764	4.5	14	1	1	3	6	11	12

DRG 267: Perianal & Pilonidal Procedures

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	26	6.2	1						
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	26	6.2	1						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	72	1.7		1	1	2	2	3	3
70-74	10	1.0							
75-79	0								
80-84	0								
85 +	10	2.0							
SUBTOTAL	93	1.7		1	1	2	2	3	3
GRAND TOTAL	119	2.7	4	1	1	2	3	7	7

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	72	1.5	1	1	1	1	2	3	3
35-49	36	3.8	16						
50-69	42	3.0							
70 +	0								
SUBTOTAL	150	2.5	5	1	1	2	3	3	10
0-17	493	1.7	1	1	1	1	2	3	5
18-34	2266	1.5	1	1	1	1	2	3	3
35-49	514	1.6	1	1	1	1	2	2	3
50-69	166	2.3	3	1	1	2	3	3	7
70 +	0								
SUBTOTAL	3440	1.6	1	1	1	1	2		3
GRAND TOTAL	3590	1.6		1	1	1	2		3

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	31	4.7	7						
35-49	10	26.0							
50-69	0								
70 +	0								
SUBTOTAL	41	10.0	93						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	16	1.0							
18-34	130	2.4	5	1	1	1	3	8	8
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	145	2.2	5	1	1	1	3	8	8
GRAND TOTAL	186	3.9	34	1	1	1	3	8	26

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VAR.-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	26	4.2	16						
35-49	0								
50-69	16	8.0							
70 +	0								
SUBTOTAL	42	5.6	13						
0-17	78	1.2							
18-34	499	1.7	2	<1	1	1	2	3	6
35-49	31	1.0							
50-69	16	1.0							
70 +	0								
SUBTOTAL	624	1.6	2	<1	1	1	2	3	6
GRAND TOTAL	666	1.8	4	<1	1	1	2	3	8

DRG 268: Skin, Subcutaneous Tissue & Breast Plastic Procedures

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	31	2.0	1						
70-74	0								
75-79	16	18.0							
80-84	0								
85 +	57	3.8	7						
SUBTOTAL	104	5.4	33	1	2	3	8	18	18
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	140	1.7	1	1	1	1	2	3	3
70-74	52	1.8	3						
75-79	73	2.2	2						
80-84	63	1.8	1						
85 +	78	1.3		1	1	1	2	2	2
SUBTOTAL	406	1.7	1	1	1	1	2	3	5
GRAND TOTAL	510	2.5	10	1	1	2	3	5	8

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	3.0							
18-34	162	2.4	3	< 1	1	2	4	5	7
35-49	109	5.2	39	1	1	3	4	20	20
50-69	47	5.7	28						
70 +	0								
	333	3.8	20	1	1	3	4	7	13
	177	2.6	2	1	1	2	4	4	5
	271	2.0	3	< 1	1	1	2	5	7
	277	2.2	2	< 1	1	2	3	5	5
	453	1.8	6	1	1	1	2	2	4
	0								
	1177	2.1	4	1	1	1	2	4	5
	1511	2.5	8	1	1	1	3	5	5

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	10	7.0							
18-34	10	1.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	21	4.0	9						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	47	3.7	6						
18-34	63	3.3	1						
35-49	31	3.0							
50-69	0								
70 +	0								
SUBTOTAL	141	3.3	2	2	2	3	3	7	7
GRAND TOTAL	162	3.4	3	2	2	3	5	7	7

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	25	1.6							
18-34	31	2.5	2						
35-49	10	6.0							
50-69	16	3.0							
70 +	0								
	83	2.7	3	< 1	1	2	4	6	6
	10	1.0							
	140	1.9	1	1	1	1	3	3	4
	115	1.5		1	1	1	2	2	2
	329	1.2		1	1	1	1	2	2
	78	1.0							
	672	1.4	1	1	1	1	2	2	3
	755	1.5	1	1	1	1	2	3	3

DRG 269: Other Skin, Subcut Tiss & Breast Proc w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	785	11.3	114	1	4	8	14	26	41
70-74	582	11.0	90	1	3	10	17	20	28
75-79	369	15.5	136	2	7	13	19	27	38
80-84	291	18.6	274	2	6	13	26	52	63
85 +	202	16.1	356	1	2	4	34	48	56
SUBTOTAL	2228	13.3	162	1	4	9	18	28	43
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	2228	13.3	162	1	4	9	18	28	43

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	214	5.9	18	1	2	4	8	13	14
18-34	301	7.6	91	2	3	5	8	14	45
35-49	347	7.5	52	1	2	5	11	15	28
50-69	801	8.1	96	2	3	5	9	18	22
70 +	52	8.0	20						
	1715	7.6	75	1	3	5	9	15	20
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1715	7.6	75	1	3	5	9	15	20

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	68	15.8	194						
18-34	125	5.3	26	< 1	2	4	6	18	18
35-49	140	6.8	30	3	3	4	11	18	18
50-69	83	15.7	668	1	2	12	12	99 +	99 +
70 +	31	16.0	66						
SUBTOTAL	447	10.1	196	2	3	5	13	24	39
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	447	10.1	196	2	3	5	13	24	39

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	2.0							
18-34	130	9.9	244	1	2	4	5	51	51
35-49	130	6.4	43	1	1	4	6	22	22
50-69	167	7.8	29	2	2	8	13	16	16
70 +	0								
	443	7.8	98	1	2	5	10	16	22
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	443	7.8	98	1	2	5	10	16	22

DRG 270: Other Skin, Subcut Tiss & Breast Proc w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	864	3.6	11	< 1	1	3	4	8	10
70-74	561	3.3	11	< 1	1	2	4	7	9
75-79	353	5.0	30	< 1	1	3	7	15	15
80-84	229	4.0	10	< 1	1	2	7	8	10
85 +	98	9.7	68	< 1	< 1	7	15	25	25
SUBTOTAL	2105	4.1	18	< 1	1	3	5	9	14
GRAND TOTAL	2105	4.1	18	< 1	1	3	5	9	14

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1145	2.6	7	< 1	1	1	3	6	8
18-34	1203	2.7	8	< 1	1	1	3	6	8
35-49	1656	2.5	6	< 1	1	2	3	5	8
50-69	1720	2.9	8	< 1	1	2	4	6	9
70 +	57	2.1	3						
	5781	2.7	7	< 1	1	2	3	6	8
	5781	2.7	7	< 1	1	2	3	6	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	230	3.1	9	1	1	2	3	9	11
18-34	177	2.1	2	< 1	1	2	3	4	5
35-49	140	3.6	4	2	2	2	5	7	7
50-69	83	4.1	23	< 1	1	2	3	14	14
70 +	0								
SUBTOTAL	630	3.1	8	1	1	2	4	7	10
GRAND TOTAL	630	3.1	8	1	1	2	4	7	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	359	2.1	2	< 1	1	1	3	4	5
18-34	462	3.0	5	1	1	2	5	6	8
35-49	218	2.9	11	< 1	1	1	4	8	8
50-69	286	2.4	2	< 1	1	2	3	4	6
70 +	31	1.0							
	1357	2.6	5	< 1	1	2	4	5	7
	1357	2.6	5	< 1	1	2	4	5	7

DRG 271: Skin Ulcers

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	775	10.7	56	4	6	9	13	26	30
70-74	452	12.5	182	2	5	10	13	29	68
75-79	606	14.5	174	4	6	12	18	29	45
80-84	555	17.4	437	4	6	12	17	66	99
85 +	761	17.7	345	4	7	10	20	60	67
SUBTOTAL	3150	14.6	242	4	6	10	16	30	67
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	140	11.1	19	7	7	10	13	18	20
70-74	151	10.9	78	1	6	8	12	33	33
75-79	109	3.8	9	1	1	2	7	8	9
80-84	181	12.1	83	4	6	9	14	26	39
85 +	130	10.5	54	2	6	9	14	27	27
SUBTOTAL	710	10.1	60	2	5	8	13	20	27
GRAND TOTAL	3860	13.7	211	4	6	10	15	29	60

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	47	7.3	32						
18-34	52	18.1	128						
35-49	124	9.6	12	6	7	8	13	13	14
50-69	337	9.2	37	4	6	7	10	17	22
70 +	26	9.2	16						
SUBTOTAL	586	9.9	45	4	6	8	13	17	29
0-17	0								
18-34	31	9.0	9						
35-49	41	22.0	262						
50-69	114	12.0	71	2	4	9	21	23	24
70 +	31	10.0	4						
SUBTOTAL	217	13.2	107	4	6	8	21	24	32
	803	10.8	64	4	6	8	14	22	29

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	110	18.1	283	1	5	14	43	99 +	99 +
18-34	42	5.1	3						
35-49	57	7.5	25						
50-69	41	8.8	37						
70 +	0								
SUBTOTAL	250	12.0	167	3	4	7	17	49	99 +
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	31	4.5	6						
18-34	16	1.0							
35-49	0								
50-69	42	14.9	70						
70 +	0								
SUBTOTAL	89	8.8	70	< 1	1	7	17	22	22
GRAND TOTAL	338	11.1	143	1	4	7	17	37	49

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	26	13.5	90						
35-49	21	15.0	85						
50-69	26	11.2	16						
70 +	31	22.5	31						
SUBTOTAL	104	15.9	72	5	8	17	23	28	28
0-17	0								
18-34	31	6.5	13						
35-49	16	8.0							
50-69	47	7.3	34						
70 +	0								
SUBTOTAL	94	7.2	21	1	3	7	10	15	15
	198	11.8	67	2	6	10	17	24	28

DRG 272: Major Skin Disorders w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	661	12.8	61	2	6	13	20	23	26
70-74	342	11.3	74	4	5	8	15	21	28
75-79	327	13.6	115	4	6	10	19	22	38
80-84	270	7.7	22	3	3	8	11	11	16
85 +	265	18.0	413	4	7	10	18	61	80
SUBTOTAL	1866	12.7	125	3	6	10	17	23	28
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	1866	12.7	125	3	6	10	17	23	28

TYPE OF PATIENT	BLUE CROSS PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	94	8.0	28	3	4	7	8	19	19
18-34	172	10.5	30	4	7	9	14	15	23
35-49	177	11.0	33	5	5	9	16	17	23
50-69	448	10.0	40	3	6	10	15	20	23
70 +	0								
	890	10.1	36	3	6	9	15	19	23
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	890	10.1	36	3	6	9	15	19	23

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	31	3.0							
18-34	31	12.5	21						
35-49	63	21.0	12						
50-69	115	10.8	32	1	8	10	12	19	20
70 +	16	24.0							
SUBTOTAL	256	13.4	57	3	8	12	20	24	25
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	256	13.4	57	3	8	12	20	24	25

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	47	2.7							
18-34	31	5.0	9						
35-49	16	4.0							
50-69	16	3.0							
70 +	0								
	110	3.6	4	2	2	3	4	8	8
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	110	3.6	4	2	2	3	4	8	8

DRG 273: Major Skin Disorders w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	271	9.1	67	2	3	5	12	24	24
70-74	135	7.0	11	4	4	6	10	13	13
75-79	171	8.2	15	3	5	7	11	12	16
80-84	41	7.3	29						
85 +	104	8.2	41	2	4	6	10	22	22
SUBTOTAL	722	8.3	39	2	3	7	11	17	22
GRAND TOTAL	722	8.3	39	2	3	7	11	17	22

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	349	4.7	13	1	3	3	6	8	12
18-34	376	10.4	47	2	3	11	18	19	21
35-49	433	12.9	46	3	6	14	19	23	23
50-69	381	11.5	60	2	4	10	19	21	21
70 +	0								
	1538	10.1	52	2	3	7	17	21	23
	1538	10.1	52	2	3	7	17	21	23

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	89	5.6	14	1	3	4	9	13	13
18-34	125	15.4	33	7	10	15	20	24	24
35-49	78	9.8	35						
50-69	89	7.6	18	3	5	7	8	16	16
70 +	16	11.0							
SUBTOTAL	397	10.2	39	3	5	9	15	20	21
GRAND TOTAL	397	10.2	39	3	5	9	15	20	21

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	68	4.2	10						
18-34	73	5.0	6						
35-49	42	11.1	44						
50-69	42	6.1	2						
70 +	0								
	224	6.1	19	1	3	5	8	10	19
	224	6.1	19	1	3	5	8	10	19

DRG 274: Malignant Breast Disorders w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	211	10.9	159	2	5	6	11	20	51
70-74	139	14.2	43	5	6	17	19	23	23
75-79	51	10.4	21						
80-84	155	10.1	68	3	5	7	10	30	31
85 +	31	4.3	2						
SUBTOTAL	588	11.1	92	3	5	7	16	20	31
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	588	11.1	92	3	5	7	16	20	31

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	192	7.7	17	1	5	8	9	13	16
50-69	270	9.9	88	3	4	7	14	14	31
70 +	0								
	461	9.0	60	2	4	8	11	14	31
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	461	9.0	60	2	4	8	11	14	31

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	26	11.2	36						
50-69	68	9.0	137						
70 +	0								
	93	9.7	109	1	2	5	16	30	30
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	93	9.7	109	1	2	5	16	30	30

DRG 275: Malignant Breast Disorders w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	73	9.4	174						
70-74	21	6.5	13						
75-79	109	2.8	5	< 1	1	2	5	5	8
80-84	16	1.0							
85 +	0								
SUBTOTAL	218	5.2	72	< 1	1	2	5	10	34
GRAND TOTAL	218	5.2	72	< 1	1	2	5	10	34

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	10	4.0							
35-49	92	2.3	1	1	2	2	3	4	4
50-69	165	4.5	5	3	3	4	6	8	8
70 +	0								
	267	3.7	4	1	2	3	4	8	8
	267	3.7	4	1	2	3	4	8	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	10	4.0							
50-69	10	7.0							
70 +	0								
SUBTOTAL	21	5.5	2						
GRAND TOTAL	21	5.5	2						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	0								
50-69	16	1.0							
70 +	16	4.0							
	31	2.5	2						
	31	2.5	2						

DRG 276: Non-maligant Breast Disorders

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	115	5.6	15	2	2	5	11	11	11
70-74	0								
75-79	10	9.0							
80-84	16	2.0							
85 +	36	8.3	8						
SUBTOTAL	177	6.0	14	2	2	6	10	11	11
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	78	2.9	4	<1	<1	3	4	6	6
70-74	47	1.0							
75-79	16	1.0							
80-84	0								
85 +	0								
SUBTOTAL	140	2.0	3	<1	<1	1	3	6	6
GRAND TOTAL	317	4.2	13	<1	1	3	7	10	11

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	1.0							
18-34	16	4.0							
35-49	16	6.0							
50-69	52	4.8	5						
70 +	0								
	99	4.3	5	<1	1	5	6	7	8
	130	4.5	4	3	3	4	5	9	9
	217	2.7	3	1	1	2	4	6	6
	228	4.2	5	1	3	4	7	7	8
	202	3.8	6	<1	2	3	6	7	8
	0								
	778	3.7	5	1	2	3	5	7	8
	876	3.8	5	1	2	4	5	7	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	16	2.0							
18-34	16	6.0							
35-49	16	3.0							
50-69	0								
70 +	0								
SUBTOTAL	47	3.7	3						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	26	2.6	4						
35-49	10	6.0							
50-69	0								
70 +	0								
SUBTOTAL	36	3.6	5						
GRAND TOTAL	83	3.6	4	1	2	3	6	6	6

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	16	7.0							
35-49	0								
50-69	31	4.0	9						
70 +	0								
	47	5.0	8						
	0								
	104	3.6	5	<1	1	4	6	7	7
	120	3.3	7	<1	<1	1	6	7	7
	0								
	10	1.0							
	234	3.3	6	<1	<1	2	6	7	7
	282	3.6	7	<1	<1	3	6	7	7

DRG 277: Cellulitis Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	4041	10.2	100	4	5	8	11	18	27
70-74	2193	9.7	82	4	5	8	11	16	23
75-79	2546	9.8	102	4	6	8	12	16	33
80-84	2134	11.5	99	4	6	8	14	27	39
85 +	2392	12.4	121	4	6	9	14	23	34
SUBTOTAL	13307	10.7	102	4	5	8	12	19	34
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	13307	10.7	102	4	5	8	12	19	34

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1135	5.7	14	2	3	5	7	11	13
35-49	1679	6.9	29	3	4	5	8	14	17
50-69	3136	7.7	30	3	4	7	9	12	16
70 +	145	8.3	16	4	5	7	13	15	15
	6096	7.1	27	3	4	6	8	13	16
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	6096	7.1	27	3	4	6	8	13	16

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	587	8.7	72	2	4	6	10	19	23
35-49	765	9.1	52	3	5	8	11	19	21
50-69	705	8.1	32	3	4	7	11	19	21
70 +	99	31.1	1149	7	8	9	77	84	84
SUBTOTAL	2156	9.7	123	3	4	7	11	20	29
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	2156	9.7	123	3	4	7	11	20	29

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	639	6.4	16	2	3	6	9	13	14
35-49	649	8.4	129	3	4	7	9	12	14
50-69	806	8.3	26	4	5	7	10	12	16
70 +	99	9.8	31	3	4	7	18	18	18
	2193	7.9	55	3	4	7	9	13	16
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2193	7.9	55	3	4	7	9	13	16

DRG 278: Cellulitis Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	1883	6.3	14	3	4	6	7	11	15
70-74	1140	7.7	95	3	4	6	8	13	17
75-79	1068	6.7	21	3	4	6	7	12	16
80-84	866	8.2	44	3	4	6	10	15	17
85 +	978	9.5	145	4	5	7	11	14	17
SUBTOTAL	5935	7.5	58	3	4	6	8	13	17
GRAND TOTAL	5935	7.5	58	3	4	6	8	13	17

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	3299	3.9	7	2	2	3	5	7	9
35-49	2942	4.7	10	2	3	4	6	8	10
50-69	3887	5.7	13	2	3	5	7	10	14
70 +	83	5.7	7	2	4	6	7	11	11
	10211	4.8	11	2	3	4	6	9	11
	10211	4.8	11	2	3	4	6	9	11

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	508	4.2	6	2	3	4	5	7	10
35-49	432	6.5	15	2	3	6	9	11	15
50-69	275	6.2	10	2	3	6	9	10	11
70 +	31	5.5							
SUBTOTAL	1247	5.5	10	2	3	4	7	10	11
GRAND TOTAL	1247	5.5	10	2	3	4	7	10	11

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1194	3.8	6	2	2	3	5	6	9
35-49	908	4.6	8	2	2	3	7	9	10
50-69	624	5.3	8	2	3	4	7	10	11
70 +	156	6.5	11	3	4	7	7	9	17
	2882	4.5	8	2	2	4	6	9	10
	2882	4.5	8	2	2	4	6	9	10

DRG 279: Cellulitis Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	764	5.4	50	2	2	4	5	9	12
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	764	5.4	50	2	2	4	5	9	12
0-17	2875	3.6	5	1	2	3	5	7	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2875	3.6	5	1	2	3	5	7	7
	3638	4.0	15	1	2	3	5	7	9

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	437	8.8	206	1	2	5	7	13	58
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	437	8.8	206	1	2	5	7	13	58
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	1208	4.4	11	2	2	3	5	8	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1208	4.4	11	2	2	3	5	8	10
GRAND TOTAL	1645	5.6	67	2	2	4	6	9	13

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	188	4.2	7	2	2	4	5	8	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	188	4.2	7	2	2	4	5	8	10
0-17	1239	4.0	8	1	2	3	5	8	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1239	4.0	8	1	2	3	5	8	10
	1427	4.0	7	1	2	3	5	8	10

DRG 280: Trauma to the Skin, Subcut Tiss & Breast Age >17 w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	315	6.6	83	1	2	4	7	13	15
70-74	268	7.5	58	2	3	5	7	22	25
75-79	388	14.8	301	3	5	7	20	40	51
80-84	590	9.2	103	3	4	7	11	16	33
85 +	1113	10.1	85	2	4	7	13	19	26
SUBTOTAL	2674	9.9	123	2	4	6	12	19	29
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	2674	9.9	123	2	4	6	12	19	29

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	893	2.6	9	1	1	2	3	5	9
35-49	414	3.3	3	1	2	3	4	6	6
50-69	480	3.9	12	1	1	3	5	9	12
70 +	119	4.0	4	1	3	4	6	7	7
	1906	3.2	8	1	1	2	4	6	9
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1906	3.2	8	1	1	2	4	6	9

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	233	2.7	4	1	1	2	3	7	7
35-49	36	3.7	5						
50-69	16	9.0							
70 +	10	4.0							
SUBTOTAL	296	3.2	6	1	1	2	4	7	9
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	296	3.2	6	1	1	2	4	7	9

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	755	3.0	19	1	1	2	3	5	10
35-49	305	2.6	3	1	1	2	3	6	7
50-69	125	11.9	261	1	1	5	37	42	42
70 +	88	6.9	40	1	2	4	15	18	18
	1274	4.0	48	1	1	2	3	7	15
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1274	4.0	48	1	1	2	3	7	15

DRG 281: Trauma to the Skin, Subcut Tiss & Breast Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	342	4.9	73	1	1	2	4	10	18
70-74	217	3.5	7	1	2	2	5	8	9
75-79	398	4.5	10	1	2	3	7	10	10
80-84	409	6.8	201	2	2	4	6	8	12
85+	803	7.5	50	2	3	5	9	16	22
SUBTOTAL	2168	6.0	72	1	2	4	7	12	17
GRAND TOTAL	2168	6.0	72	1	2	4	7	12	17

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	0								
18-34	2056	2.2	6	1	1	1	2	4	6
35-49	700	2.9	20	1	1	2	3	5	8
50-69	742	2.7	5	1	1	2	4	6	7
70+	208	2.5	3	1	2	2	3	5	7
	3706	2.5	8	1	1	2	3	5	7
	3706	2.5	8	1	1	2	3	5	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	265	2.3	3	1	1	2	3	4	5
35-49	62	3.3	3						
50-69	42	4.9	1						
70+	0								
SUBTOTAL	369	2.8	3	1	1	2	4	6	6
GRAND TOTAL	369	2.8	3	1	1	2	4	6	6

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	0								
18-34	1640	2.0	3	<1	1	1	2	4	5
35-49	487	2.6	7	1	1	2	3	4	8
50-69	300	3.9	23	1	1	2	4	10	20
70+	46	2.8	5						
	2474	2.3	7	<1	1	2	2	4	6
	2474	2.3	7	<1	1	2	2	4	6

DRG 282: Trauma to the Skin, Subcut Tiss & Breast Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	284	2.3	5	< 1	1	1	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	284	2.3	5	< 1	1	1	3	5	6
0-17	1627	1.9	4	< 1	1	1	2	4	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1627	1.9	4	< 1	1	1	2	4	7
	1911	2.0	4	< 1	1	1	2	4	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	83	4.4	8	2	2	3	7	9	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	83	4.4	8	2	2	3	7	9	9
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	578	2.4	3	1	1	2	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	578	2.4	3	1	1	2	3	5	6
GRAND TOTAL	661	2.6	4	1	1	2	4	6	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	46	2.2	2						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	46	2.2	2						
0-17	581	1.6	1	< 1	1	1	2	3	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	581	1.6	1	< 1	1	1	2	3	3
	628	1.6	1	< 1	1	1	2	3	3

DRG 283: Minor Skin Disorders w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	493	7.8	36	2	4	7	10	19	24
70-74	213	5.3	13	2	3	4	8	12	12
75-79	326	8.0	44	2	3	7	10	12	21
80-84	306	7.0	14	2	5	7	8	12	14
85 +	357	5.9	11	1	4	5	7	10	13
SUBTOTAL	1696	7.0	26	2	4	6	9	12	17
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	1696	7.0	26	2	4	6	9	12	17

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	250	6.5	25	1	2	5	10	16	17
18-34	198	3.6	4	1	2	3	5	5	9
35-49	327	4.0	4	2	3	4	5	8	8
50-69	437	7.5	54	2	3	6	8	14	18
70 +	73	10.9	48						
SUBTOTAL	1285	6.0	32	1	3	4	7	13	17
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	1285	6.0	32	1	3	4	7	13	17

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	130	5.3	8	3	3	5	6	12	12
18-34	26	17.1	155						
35-49	68	5.4	2						
50-69	31	9.5	6						
70 +	16	7.0							
SUBTOTAL	271	7.0	32	3	4	6	7	12	27
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	271	7.0	32	3	4	6	7	12	27

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	63	18.5	559						
18-34	63	8.5	15						
35-49	109	8.9	110	2	2	4	12	33	33
50-69	125	5.0	16.9	<1	2	4	10	12	12
70 +	0								
SUBTOTAL	360	9.1	159	2	2	4	11	14	33
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	360	9.1	159	2	2	4	11	14	33

DRG 284: Minor Skin Disorders w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	270	7.2	24	< 1	2	7	10	14	16
70-74	280	4.6	9	< 1	2	5	7	10	11
75-79	156	4.4	4	1	3	4	5	8	9
80-84	140	4.4	13	< 1	< 1	3	8	10	10
85 +	93	5.2	11	1	2	6	8	9	9
SUBTOTAL	940	5.4	15	< 1	2	5	8	10	13
GRAND TOTAL	940	5.4	15	< 1	2	5	8	10	13

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	744	3.1	8	1	1	2	4	6	9
18-34	557	3.9	9	1	1	3	5	7	10
35-49	651	3.9	7	< 1	2	3	6	8	10
50-69	353	5.6	14	< 1	3	6	7	9	15
70 +	31	5.0	9						
	2336	3.9	10	1	1	3	5	8	10
	2336	3.9	10	1	1	3	5	8	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	229	6.1	58	1	2	4	7	15	31
18-34	171	6.1	14	1	2	7	10	11	12
35-49	99	6.2	14	1	3	7	7	13	13
50-69	57	6.2	31						
70 +	0								
SUBTOTAL	557	6.1	34	1	2	4	7	13	15
GRAND TOTAL	557	6.1	34	1	2	4	7	13	15

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	203	3.5	31	< 1	1	2	2	7	22
18-34	198	3.0	3	1	2	3	4	5	7
35-49	125	3.9	3	1		4	5	7	7
50-69	57	9.0	52						
70 +	0								
	583	4.0	20	1	2	3	5	7	7
	583	4.0	20	1	2	3	5	7	7

DRG 285: Amputat of Lower Limb for Endocrine, Nutrit,& Metabol Disorders

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	333	27.6	542	10	13	18	36	56	73
70-74	151	16.7	137	6	11	15	19	46	46
75-79	156	14.1	128	5	8	12	15	47	99 +
80-84	135	25.4	688	2	9	14	43	86	86
85 +	36	9.0	13						
SUBTOTAL	811	21.8	426	6	10	15	26	53	86
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	10	12.0							
75-79	0								
80-84	10	15.0							
85 +	0								
SUBTOTAL	21	13.5	2						
GRAND TOTAL	832	21.6	417	6	10	15	25	53	76

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	47	22.0	299						
35-49	57	34.5	953						
50-69	370	16.6	199	6	8	12	23	35	37
70 +	0								
	474	19.3	332	4	9	13	23	37	68
0-17	0								
18-34	0								
35-49	0								
50-69	10	1.0							
70 +	0								
	10	1.0							
	484	18.9	332	4	8	13	23	37	68

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	10	10.0							
35-49	16	5.0							
50-69	26	13.6	30						
70 +	31	29.5	393						
SUBTOTAL	83	17.5	250	5	7	10	18	49	49
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	10	16.0							
70 +	0								
SUBTOTAL	10	16.0							
GRAND TOTAL	93	17.4	223	5	7	10	18	49	49

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	26	65.7	1362						
50-69	31	29.0	84						
70 +	0								
	57	45.6	988						
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	57	45.6	988						

DRG 286: Adrenal & Pituitary Procedures

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	78	10.4	51						
70-74	26	10.4	9						
75-79	31	7.0	17						
80-84	16	11.0							
85 +	0								
SUBTOTAL	151	9.8	33	3	6	8	11	24	24
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	26	4.2	1						
70-74	31	11.0	1						
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	57	7.9	13						
GRAND TOTAL	209	9.3	28	3	5	10	11	14	24

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	78	12.8	151						
18-34	104	5.8	6	3	4	5	10	99 +	99 +
35-49	229	12.5	79	6	6	8	14	31	32
50-69	162	10.2	19	7	8	9	11	15	25
70 +	16	5.0							
	609	10.5	62	5	6	8	12	31	37
0-17	16	7.0							
18-34	57	3.7							
35-49	31	7.5	2						
50-69	78	11.4	26						
70 +	0								
	183	7.9	22	4	4	8	9	12	21
	792	9.9	54	4	6	8	11	24	32

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	10	56.0							
50-69	0								
70 +	0								
SUBTOTAL	10	56.0							
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	10	56.0							

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	47	14.0	91						
18-34	16	5.0							
35-49	0								
50-69	26	14.0	25						
70 +	0								
	89	12.4	67	5	5	10	20	27	27
0-17	0								
18-34	0								
35-49	16	11.0							
50-69	26	28.9	195						
70 +	0								
	42	22.2	197						
	130	15.5	128	5	10	11	20	40	40

DRG 287: Skin Grafts & Wound Debrid for Endoc, Nutrit & Metab Disorders

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	613	16.4	206	5	7	11	22	32	41
70-74	192	16.8	100	8	10	16	22	28	42
75-79	186	18.3	236	6	7	11	21	43	49
80-84	125	18.4	156	9	10	18	20	25	54
85 +	160	30.1	695	5	10	20	33	78	92
SUBTOTAL	1277	18.7	270	5	8	13	22	41	54
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	26	27.3	120						
70-74	10	4.0							
75-79	0								
80-84	0								
85 +	10	55.0							
SUBTOTAL	46	28.3	361						
GRAND TOTAL	1323	19.0	276	5	8	13	22	42	55

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	30.0							
18-34	52	14.3	147						
35-49	297	10.0	32	5	6	10	11	15	29
50-69	738	17.5	223	4	9	13	25	42	82
70 +	16	13.0							
SUBTOTAL	1117	15.5	176	5	8	11	19	39	47
0-17	16	3.0							
18-34	0								
35-49	10	3.0							
50-69	10	26.0							
70 +	0								
SUBTOTAL	36	9.5	111						
GRAND TOTAL	1154	15.3	175	4	7	11	19	38	44

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	16	42.0							
35-49	89	23.8	185	4	[illegible]	20	35	45	45
50-69	114	12.9	41	5	6	14	20	23	23
70 +	26	19.7	64						
SUBTOTAL	244	19.5	152	4	10	17	26	42	45
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	244	19.5	152	4	10	17	26	42	45

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	57	21.5	196						
50-69	136	10.6	19	3	9	11	15	16	16
70 +	0								
SUBTOTAL	193	13.8	96	4	9	11	15	34	34
0-17	16	1.0							
18-34	0								
35-49	0								
50-69	10	3.0							
70 +	0								
SUBTOTAL	26	1.8	1						
GRAND TOTAL	219	12.4	100	3	4	10	15	34	34

DRG 288: O.R. Procedures for Obesity

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	31	14.5	75						
70-74	16	29.0							
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	47	19.3	97						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	78	4.0	3						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	78	4.0	3						
GRAND TOTAL	125	9.8	93	2	3	6	19	29	29

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	103	8.2	39	4	5	6	9	12	26
35-49	187	8.5	31	5	5	7	9	11	30
50-69	46	4.6	1						
70 +	0								
	337	7.9	31	4	5	6	9	11	26
0-17	0								
18-34	239	4.0	3	1	3	4	5	6	7
35-49	370	4.5	8	1	2	4	6	8	8
50-69	104	3.7	6	1	2	3	4	7	9
70 +	0								
	713	4.2	6	1	3	4	6	7	8
	1050	5.4	17	2	3	5	6	9	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	26	8.0	6						
35-49	104	10.1	25	4	6	9	11	20	20
50-69	0								
70 +	0								
SUBTOTAL	130	9.7	22	4	6	9	10	20	20
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	73	4.1	3						
35-49	93	6.0	6	2	4	6	9	9	9
50-69	10	7.0							
70 +	0								
SUBTOTAL	177	5.3	5	2	3	4	7	9	9
GRAND TOTAL	307	7.2	17	3	4	6	9	10	20

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	36	10.7	63						
35-49	16	2.0	-						
50-69	0								
70 +	0								
	52	8.1	60						
0-17	0								
18-34	31	2.5	2						
35-49	125	3.6	3	1	2	5	5	5	6
50-69	47	1.3							
70 +	0								
	203	2.9	3	1	1	2	5	5	6
	255	3.9	19	1	2	2	5	7	7

DRG 289: Parathyroid Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	161	6.6	13	3	4	5	10	12	13
70-74	78	9.6	40	2	3	6	16	17	17
75-79	26	5.8	2						
80-84	0								
85 +	16	28.0							
SUBTOTAL	280	8.5	43	3	4	6	12	17	28
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	203	3.6	4	2	2	3	4	6	9
70-74	99	4.8	13	2	3	3	4	13	13
75-79	57	7.8	49						
80-84	16	6.0							
85 +	0								
SUBTOTAL	375	4.7	15	2	3	4	5	9	13
GRAND TOTAL	655	6.3	31	2	3	4	8	15	17

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	47	2.3							
35-49	57	5.3	6						
50-69	136	4.1	4	2	2	4	5	7	7
70 +	0								
SUBTOTAL	240	4.0	4	2	2	3	5	7	9
0-17	0								
18-34	52	2.8	1						
35-49	218	3.2	3	1	2	3	4	7	7
50-69	412	3.4	3	2	2	3	4	5	7
70 +	0								
SUBTOTAL	682	3.3	3	2	2	3	4	5	7
GRAND TOTAL	922	3.5	4	2	2	3	4	7	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	10	9.0							
35-49	0								
50-69	16	8.0							
70 +	0								
SUBTOTAL	26	8.4							
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	42	3.1	3						
50-69	16	2.0							
70 +	0								
SUBTOTAL	57	2.8	2						
GRAND TOTAL	83	4.6	8	1	2	4	8	9	9

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	31	3.0	1						
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	31	3.0	1						
0-17	0								
18-34	10	2.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	10	2.0							
GRAND TOTAL	42	2.8	1						

DRG 290: Thyroid Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	218	3.5	2	2	2	3	5	6	6
70-74	135	12.5	169	4	4	9	11	45	45
75-79	135	11.0	310	2	3	3	7	40	62
80-84	10	5.0							
85 +	26	3.6	4						
SUBTOTAL	524	7.8	141	2	3	4	6	11	41
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	588	3.0	1	2	2	3	3	5	6
70-74	338	3.5	2	2	2	3	4	6	6
75-79	270	2.9	2	1	2	3	3	5	5
80-84	115	4.7	4	2	2	5	6	8	8
85 +	26	5.0	6						
SUBTOTAL	1336	3.3	2	2	2	3	4	5	6
GRAND TOTAL	1860	4.6	45	2	2	3	5	6	9

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	42	1.4							
18-34	229	3.3	2	2	2	3	4	5	7
35-49	386	3.3	3	2	2	3	3	6	6
50-69	328	4.4	13	2	2	3	4	8	12
70 +	26	7.2	12						
	1010	3.7	7	2	2	3	4	7	10
0-17	140	2.8	9	1	1	2	2	11	11
18-34	1514	2.5	1	2	2	2	3	4	4
35-49	2598	2.4	1	1	2	2	3	4	4
50-69	1843	2.6	2	1	2	2	3	4	5
70 +	10	2.0							
	6106	2.5	1	1	2	2	3	4	4
	7116	2.6	2	1	2	2	3	4	5

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	26	4.8	12						
35-49	16	4.0							
50-69	62	4.2	7						
70 +	0								
SUBTOTAL	104	4.3	7	2	2	3	4	9	10
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	68	3.9	4						
35-49	57	3.1	1						
50-69	63	2.5	1						
70 +	0								
SUBTOTAL	187	3.2	2	2	2	3	4	4	8
GRAND TOTAL	291	3.6	4	2	2	3	4	8	9

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	10	3.0							
50-69	31	4.5	6						
70 +	0								
	42	4.1	5						
0-17	16	1.0							
18-34	187	2.1		1	2	2	3	3	3
35-49	255	2.0	1	1	1	2	2	4	4
50-69	47	3.0	1						
70 +	10	2.0							
	515	2.1	1	1	2	2	2	3	4
	557	2.2	1	1	2	2	3	4	4

DRG 291: Thyroglossal Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	10	3.0							
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	10	3.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	10	1.0							
70-74	36	1.7							
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	46	1.6							
GRAND TOTAL	57	1.8	1						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	10	1.0							
50-69	0								
70 +	0								
	10	1.0							
0-17	532	1.3		1	1	1	1	2	2
18-34	171	1.5	1	1	1	1	2	2	4
35-49	78	1.5		1	1	2	2	2	2
50-69	68	2.2							
70 +	0								
	848	1.4	1	1	1	1	2	2	2
	859	1.4	1	1	1	1	2	2	2

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	94	1.3		1	1	1	2	2	2
18-34	26	1.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	120	1.3		1	1	1	2	2	2
GRAND TOTAL	120	1.3		1	1	1	2	2	2

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	52	1.0							
18-34	31	2.0	1						
35-49	10	1.0							
50-69	0								
70 +	0								
	93	1.3	1	1	1	1	1	3	3
	93	1.3	1	1	1	1	1	3	3

DRG 292: Other Endocrine, Nutrit & Metab O.R. Proc w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	291	15.5	87	6	7	13	22	26	42
70-74	182	19.8	355	2	8	13	22	60	67
75-79	171	18.4	263	2	5	14	21	42	51
80-84	57	17.9	124						
85 +	93	21.7	81	13	15	30	31	99 +	99 +
SUBTOTAL	795	18.0	192	5	8	15	24	42	60
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	795	18.0	192	5	8	15	24	42	60

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	47	19.0	1						
18-34	57	9.5	13						
35-49	115	7.9	40	3	4	7	10	10	25
50-69	254	13.7	151	1	3	10	21	27	44
70 +	16	19.0							
	488	12.5	101	2	4	10	19	24	27
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	488	12.5	101	2	4	10	19	24	27

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	16	29.0							
35-49	42	58.9	1570						
50-69	42	11.8	3						
70 +	16	20.0							
SUBTOTAL	115	32.4	1000	10	10	20	29	98	98
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	115	32.4	1000	10	10	20	29	98	98

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	39.5	354						
18-34	0								
35-49	16	6.0							
50-69	16	11.0							
70 +	0								
	63	24.0	421						
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	63	24.0	421						

DRG 293: Other Endocrine, Nutrit & Metab O.R. Proc w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	57	3.5	12						
70-74	21	4.5							
75-79	0								
80-84	36	5.6	6						
85 +	42	16.7	59						
SUBTOTAL	155	7.7	52	1	3	5	8	23	23
GRAND TOTAL	155	7.7	52	1	3	5	8	23	23

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	57	5.9	13						
18-34	26	1.0							
35-49	21	1.5							
50-69	89	3.1	7	1	1	1	6	7	7
70 +	0	—							
	192	3.5	10	1	1	1	6	8	10
	192	3.5	10	1	1	1	6	8	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	31	2.5							
18-34	0								
35-49	0								
50-69	0								
70 +	16	3.0							
SUBTOTAL	47	2.7							
GRAND TOTAL	47	2.7							

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	78	3.0	2						
18-34	31	1.0							
35-49	0								
50-69	16	1.0							
70 +	0								
	125	2.3	2	< 1	< 1	2	4	5	5
	125	2.3	2	< 1	< 1	2	4	5	5

Northeastern Region, July 1989 - June 1990

DRG 294: Diabetes Age >35

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	3262	8.9	59	3	5	7	11	16	26
70-74	1937	9.8	79	4	5	8	11	18	27
75-79	1848	8.9	68	4	5	7	10	14	21
80-84	1537	11.5	106	3	5	8	14	23	33
85+	915	11.3	111	4	6	9	12	20	37
SUBTOTAL	9499	9.8	78	3	5	7	11	18	28
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	1491	6.0	14	2	4	5	7	10	12
70-74	1185	6.7	26	3	4	5	8	13	14
75-79	881	6.6	13	2	4	6	9	12	13
80-84	553	7.2	16	3	4	6	9	13	15
85+	325	7.3	14	3	4	6	10	14	15
SUBTOTAL	4435	6.6	17	2	4	6	8	11	14
GRAND TOTAL	13934	8.7	61	3	4	7	10	16	22

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	1784	7.0	32	2	4	6	9	12	16
50-69	2648	7.9	72	3	4	6	9	15	19
70+	88	7.1	17	1	6	7	9	14	14
	4520	7.6	55	3	4	6	9	14	19
0-17	0								
18-34	0								
35-49	1476	4.8	9	2	3	4	6	8	9
50-69	2237	5.6	11	2	3	5	7	9	10
70+	42	8.5	1						
	3754	5.3	10	2	3	5	7	9	10
	8274	6.5	36	2	3	5	8	11	16

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	675	6.9	23	2	3	6	9	12	14
50-69	689	10.3	76	3	5	7	13	20	26
70+	98	10.0	34	4	5	7	15	20	20
SUBTOTAL	1463	8.7	51	3	4	7	10	19	22
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	446	6.3	11	3	4	6	8	12	12
50-69	372	9.9	85	3	4	7	9	26	31
70+	10	3.0							
SUBTOTAL	829	7.8	48	3	4	6	9	12	26
GRAND TOTAL	2292	8.4	50	3	4	7	9	16	22

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	786	6.2	13	2	4	5	8	11	13
50-69	1083	7.5	26	4	5	6	10	15	20
70+	47	20.0	434						
	1915	7.3	35	3	4	6	8	14	18
0-17	0								
18-34	0								
35-49	368	4.1	5	2	2	4	6	7	9
50-69	354	5.7	12	2	3	5	7	11	14
70+	26	6.2	12						
	748	5.0	9	2	3	4	6	9	11
	2663	6.6	29	2	4	5	8	13	15

DRG 295: Diabetes Age 0-35

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	250	6.4	56	1	3	5	7	8	34
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	250	6.4	56	1	3	5	7	8	34
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	146	4.9	3	3	3	5	6	8	8
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	146	4.9	3	3	3	5	6	8	8
GRAND TOTAL	396	5.8	37	2	3	5	6	8	8

TYPE OF PATIENT	BLUE CROSS PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1066	4.0	7	1	2	3	6	8	9
18-34	1572	5.0	10	2	3	4	6	10	12
35-49	119	5.6	9	4	4	5	6	7	15
50-69	0								
70 +	0								
	2757	4.7	9	2	2	4	6	8	11
	2898	4.6	10	1	2	4	6	8	9
	1755	3.6	5	2	2	3	5	7	7
	83	4.3	3	2	4	4	5	8	8
	0								
	0								
	4736	4.2	8	1	2	4	6	7	9
	7492	4.4	9	2	2	4	6	8	9

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	240	5.7	27	2	4	5	6	7	24
18-34	753	6.9	31	2	4	6	9	11	15
35-49	31	6.5	2						
50-69	0								
70 +	0								
SUBTOTAL	1024	6.6	29	2	4	5	8	11	15
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	589	6.5	48	2	3	5	7	10	23
18-34	534	4.4	4	2	3	4	5	7	7
35-49	68	5.8	11						
50-69	0								
70 +	0								
SUBTOTAL	1190	5.5	28	2	3	4	7	9	10
GRAND TOTAL	2215	6.0	29	2	3	5	7	10	15

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	407	4.2	5	2	2	4	5	8	9
18-34	721	6.1	17	2	3	6	8	10	12
35-49	57	5.6	9						
50-69	0								
70 +	0								
	1185	5.4	13	2	3	5	7	9	10
	546	4.7	9	1	2	4	7	8	8
	673	4.4	6	2	3	4	5	7	10
	46	6.3	19						
	0								
	0								
	1265	4.6	8	2	3	4	6	8	12
	2450	5.0	11	2	3	4	7	9	11

DRG 296: Nutritional & Misc Metabolic Disorders Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	6158	8.9	88	2	4	6	10	19	27
70-74	4764	9.3	88	2	4	7	11	18	27
75-79	5806	10.2	126	3	4	7	12	20	36
80-84	5697	12.6	168	3	5	8	15	26	46
85 +	7195	12.6	183	3	5	9	15	27	41
SUBTOTAL	29620	10.8	137	3	4	7	13	22	34
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	29620	10.8	137	3	4	7	13	22	34

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2028	10.0	64	2	3	9	15	21	23
35-49	1829	6.8	27	2	3	5	9	15	18
50-69	3656	7.7	60	2	3	5	10	15	19
70 +	332	7.1	27	3	3	5	10	13	16
	7845	8.0	53	2	3	5	11	17	21
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	7845	8.0	53	2	3	5	11	17	21

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	631	9.5	51	2	4	9	13	21	24
35-49	627	6.4	26	2	3	5	8	12	20
50-69	942	7.9	44	2	4	6	10	16	26
70 +	312	12.5	94	3	5	11	16	28	35
SUBTOTAL	2512	8.5	51	2	4	6	11	19	25
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	2512	8.5	51	2	4	6	11	19	25

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	505	8.4	31	2	3	8	12	18	18
35-49	296	9.4	148	2	3	5	12	22	23
50-69	988	9.4	120	3	4	5	10	23	26
70 +	359	12.0	66	3	5	11	18	25	27
	2148	9.6	95	2	4	7	12	20	25
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2148	9.6	95	2	4	7	12	20	25

DRG 297: Nutritional & Misc Metabolic Disorders Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	1512	5.7	35	2	2	3	6	12	20
70-74	1213	4.8	9	2	3	4	6	9	11
75-79	1805	5.7	37	2	3	4	7	11	15
80-84	1693	6.9	37	2	3	5	9	12	20
85+	2180	6.5	30	2	3	5	8	13	19
SUBTOTAL	8404	6.0	31	2	3	4	8	12	15
GRAND TOTAL	8404	6.0	31	2	3	4	8	12	15

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
0-17	0								
18-34	2252	6.2	41	1	2	3	9	16	18
35-49	1275	4.7	31	1	2	3	5	10	13
50-69	1624	5.1	58	1	2	3	5	10	13
70+	160	4.0	9	1	2	3	5	6	14
SUBTOTAL	5310	5.4	44	1	2	3	6	13	17
GRAND TOTAL	5310	5.4	44	1	2	3	6	13	17

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	624	8.4	44	1	2	7	14	18	21
35-49	155	11.6	583	<1	1	4	7	75	83
50-69	156	4.1	7	2	2	3	6	7	11
70+	89	8.8	10	3	8	10	10	13	13
SUBTOTAL	1023	8.3	121	1	2	6	11	16	19
GRAND TOTAL	1023	8.3	121	1	2	6	11	16	19

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
0-17	0								
18-34	554	5.1	34	1	1	3	5	14	19
35-49	291	5.0	21	2	2	3	5	14	19
50-69	217	6.8	64	1	2	3	7	25	26
70+	136	16.3	240	2	4	9	28	49	49
SUBTOTAL	1197	6.6	72	1	2	3	8	19	27
GRAND TOTAL	1197	6.6	72	1	2	3	8	19	27

DRG 298: Nutritional & Misc Metabolic Disorders Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	68	17.2	173						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	68	17.2	173						
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	68	17.2	173						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	3204	7.2	71	1	2	4	11	15	19
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	3204	7.2	71	1	2	4	11	15	19
0-17	8930	3.9	24	1	1	2	4	10	14
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	8930	3.9	24	1	1	2	4	10	14
GRAND TOTAL	12134	4.8	39	1	2	3	5	13	15

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	1593	8.5	87	2	3	5	12	17	35
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1593	8.5	87	2	3	5	12	17	35
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	3848	4.9	37	1	2	3	5	11	14
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	3848	4.9	37	1	2	3	5	11	14
GRAND TOTAL	5442	6.0	54	1	2	3	7	14	17

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	625	5.7	27	1	1	4	9	12	19
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	625	5.7	27	1	1	4	9	12	19
0-17	1565	3.9	20	1	2	2	4	8	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1565	3.9	20	1	2	2	4	8	11
GRAND TOTAL	2190	4.4	22	1	1	3	5	9	12

DRG 299: Inborn Errors of Metabolism

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	67	14.5	239	4	5	6	24	47	47
70-74	10	2.0							
75-79	10	20.0							
80-84	10	2.0							
85 +	0								
SUBTOTAL	98	12.5	195	2	4	6	20	40	47
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	68	6.5	17						
70-74	68	1.9	2						
75-79	10	3.0							
80-84	0								
85 +	0								
SUBTOTAL	145	4.1	14	1	1	4	5	14	14
GRAND TOTAL	243	7.5	103	1	2	4	6	20	24

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	177	6.6	21	3	3	6	8	10	19
18-34	78	4.0	3	< 1	3	4	6	6	6
35-49	73	6.4	60						
50-69	47	7.0	33						
70 +	0								
	375	6.1	27	2	3	4	7	15	19
0-17	265	5.6	25	1	2	3	9	15	16
18-34	88	3.2	13	< 1	1	1	2	10	10
35-49	103	3.2	8	1	1	1	5	7	10
50-69	57	1.2							
70 +	0								
	513	4.2	19	1	1	2	5	12	15
	888	5.0	23	1	1	3	6	14	16

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	47	19.0	144						
18-34	16	3.0							
35-49	16	19.0							
50-69	0								
70 +	0								
SUBTOTAL	78	15.8	127						
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	57	17.7	149						
18-34	16	6.0							
35-49	0								
50-69	10	5.0							
70 +	0								
SUBTOTAL	83	13.9	134	3	5	7	26	31	31
GRAND TOTAL	162	14.8	131	3	4	7	26	32	33

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	47	13.7	126						
18-34	16	4.0							
35-49	31	4.0	9						
50-69	26	3.4	4						
70 +	0								
	120	7.7	75	1	1	5	12	28	28
0-17	266	1.8	2	1	1	2	2	2	7
18-34	26	4.0	6						
35-49	10	1.0							
50-69	10	1.0							
70 +	0								
	313	1.9	3	1	1	2	2	2	7
	433	3.5	29	1	1	2	2	7	12

DRG 300: Endocrine Disorders w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	570	8.5	41	3	4	7	10	16	22
70-74	321	10.8	85	5	6	8	11	20	32
75-79	414	10.4	66	3	5	9	14	18	26
80-84	416	13.4	70	4	8	10	18	26	31
85+	352	12.9	133	4	6	10	14	29	38
SUBTOTAL	2072	10.9	78	4	5	8	14	22	30
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
GRAND TOTAL	2072	10.9	78	4	5	8	14	22	30

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	475	5.1	27	1	1	3	7	13	15
18-34	57	2.1	1						
35-49	301	4.4	7	1	2	4	6	7	8
50-69	431	9.0	38	3	4	8	13	17	21
70+	16	8.0							
	1280	6.2	29	1	2	5	8	14	17
	0								
	0								
	0								
	0								
	0								
	0								
	0								
	1280	6.2	29	1	2	5	8	14	17

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	36	.6	2						
18-34	0								
35-49	36	25.4	86						
50-69	62	8.1	21						
70+	0								
SUBTOTAL	135	11.3	112	2	4	6	16	27	38
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
GRAND TOTAL	135	11.3	112	2	4	6	16	27	38

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	63	10.0	116						
18-34	36	2.7							
35-49	47	6.7	36						
50-69	47	13.0	1						
70+	10	10.0							
	203	8.6	56	2	3	8	13	15	28
	0								
	0								
	0								
	0								
	0								
	0								
	203	8.6	56	2	3	8	13	15	28

DRG 301: Endocrine Disorders w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	99	4.6	10	1	2	3	6	11	11
70-74	52	8.0	16						
75-79	68	4.0	14						
80-84	10	5.0							
85 +	68	6.3	7						
SUBTOTAL	296	5.5	13	1	2	5	7	11	12
GRAND TOTAL	296	5.5	13	1	2	5	7	11	12

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1299	1.7	1	1	1	1	2	2	3
18-34	249	4.8	17	1	2	3	7	11	16
35-49	300	3.2	4	< 1	2	3	4	5	8
50-69	285	4.0	7	2	2	3	5	7	11
70 +	16	1.0							
	2150	2.5	6	1	1	2	3	5	8
	2150	2.5	6	1	1	2	3	5	8

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	83	2.3	2	< 1	< 1	2	3	5	5
18-34	52	3.1	4						
35-49	31	4.0	4					—	
50-69	21	4.0	9						
70 +	0								
SUBTOTAL	187	3.0	4	< 1	1	2	5	6	7
GRAND TOTAL	187	3.0	4	< 1	1	2	5	6	7

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	799	1.1	1	1	1	1	1	1	1
18-34	172	2.6	5	1	1	1	4	5	9
35-49	62	7.7	9						
50-69	26	8.4	9						
70 +	16	11.0							
	1075	2.1	7	1	1	1	1	6	9
	1075	2.1	7	1	1	1	1	6	9

DRG 302: Kidney Transplant

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	611	22.1	187	11	12	19	26	41	52
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	611	22.1	187	11	12	19	26	41	52
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	31	12.5	2						
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	31	12.5	2						
GRAND TOTAL	642	21.6	182	11	12	19	25	37	48

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	63	30.3	226						
18-34	110	18.6	31	13	14	17	19	31	31
35-49	47	15.7	11						
50-69	31	16.0							
70+	0								
	251	20.6	104	13	15	17	25	31	55
0-17	16	18.0							
18-34	16	14.0							
35-49	16	12.0							
50-69	0								
70+	0								
	47	14.7	6						
	298	19.7	93	12	14	17	20	31	55

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	16	25.0							
18-34	47	22.7	21						
35-49	16	22.0							
50-69	0								
70+	0								
SUBTOTAL	78	23.0	13						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
GRAND TOTAL	78	23.0	13						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	16	12.0							
35-49	0								
50-69	16	12.0							
70+	0								
	31	12.0							
0-17	0								
18-34	0								
35-49	16	11.0							
50-69	0								
70+	0								
	16	11.0							
	47	11.7							

DRG 303: Kidney, Ureter & Major Bladder Procedures for Neoplasm

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	975	16.2	106	8	10	14	18	25	36
70-74	801	15.4	90	7	9	13	18	32	42
75-79	793	18.8	205	8	11	15	22	33	45
80-84	343	14.9	89	7	9	12	15	30	42
85 +	93	14.1	4	9	14	14	15	17	17
SUBTOTAL	3006	16.5	125	8	10	14	18	30	42
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	394	9.0	12	5	8	9	10	15	16
70-74	275	10.0	6	7	9	9	12	14	14
75-79	187	12.9	36	8	8	9	20	23	24
80-84	135	12.1	10	8	9	12	14	15	19
85 +	26	12.2	2						
SUBTOTAL	1017	10.5	17	7	8	9	12	15	20
GRAND TOTAL	4023	15.0	104	7	9	12	17	25	36

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	63	10.5	9						
18-34	72	9.4	7	5	7	10	11	13	13
35-49	344	9.9	22	7	7	8	11	14	14
50-69	888	12.5	53	7	8	10	14	25	32
70 +	78	11.8	9						
	1445	11.6	41	7	8	10	13	17	28
0-17	31	8.0	1						
18-34	47	10.3	2						
35-49	161	8.3	6	6	6	7	11	11	12
50-69	664	9.7	16	5	7	9	12	14	16
70 +	0								
	903	9.4	13	5	7	9	12	14	14
	2348	10.8	31	6	8	9	13	16	24

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	57	11.3	10						
35-49	26	11.4	9						
50-69	52	12.2	20						
70 +	10	16.0							
SUBTOTAL	145	12.0	14	7	9	11	16	17	17
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	16	17.0							
18-34	0								
35-49	16	9.0							
50-69	16	6.0							
70 +	0								
SUBTOTAL	47	10.7	22						
GRAND TOTAL	192	11.6	16	7	9	9	16	17	17

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	9.0							
18-34	16	6.0							
35-49	16	21.0							
50-69	271	15.8	184	8	8	12	18	28	65
70 +	16	37.0							
	333	16.3	178	7	8	12	18	28	37
0-17	0								
18-34	0								
35-49	36	7.0	5						
50-69	72	11.2	26	7	8	10	12	23	23
70 +	0								
	109	9.8	23	7	7	8	11	12	23
	442	14.7	148	7	8	10	18	28	37

DRG 304: Kidney, Ureter & Major Bladder Proc for Non-neopl w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1302	12.4	119	5	6	10	14	22	32
70-74	711	13.5	137	4	6	10	16	27	37
75-79	577	13.5	111	3	7	11	20	28	38
80-84	307	20.9	220	7	11	17	27	53	58
85 +	166	24.5	552	5	9	15	33	72	76
SUBTOTAL	3064	14.4	167	4	7	10	17	28	41
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	3064	14.4	167	4	7	10	17	28	41

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1278	9.0	36	4	5	7	12	19	23
18-34	619	8.5	31	2	5	8	11	16	19
35-49	838	8.9	46	2	5	7	11	16	25
50-69	1221	11.8	50	5	8	10	14	21	28
70 +	52	13.0	23						
	4009	9.8	43	3	5	9	12	19	24
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4009	9.8	43	3	5	9	12	19	24

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	303	10.8	132	4	5	7	13	21	56
18-34	83	9.0	24	6	6	7	8	19	19
35-49	115	11.8	109	1	7	10	11	36	36
50-69	83	7.9	3	5	6	9	9	10	10
70 +	0								
SUBTOTAL	584	10.3	95	4	6	8	11	19	36
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	584	10.3	95	4	6	8	11	19	36

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	371	10.4	25	5	6	11	13	17	19
18-34	208	8.8	11	5	6	10	11	15	15
35-49	187	7.0	9	3	5	7	9	10	13
50-69	109	10.3	7	8	9	10	12	15	15
70 +	31	8.5	21						
	907	9.2	18	4	6	9	12	15	17
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	907	9.2	18	4	6	9	12	15	17

DRG 305: Kidney, Ureter & Major Bladder Proc for Non-neopl w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	593	6.3	14	2	4	6	9	11	13
70-74	286	6.2	9	2	3	7	8	9	12
75-79	171	5.8	9	3	4	5	6	9	15
80-84	136	8.8	11	6	6	7	11	14	16
85 +	72	8.6	25	1	6	9	14	15	15
SUBTOTAL	1258	6.6	14	2	4	6	9	11	14
GRAND TOTAL	1258	6.6	14	2	4	6	9	11	14

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	3179	6.5	15	3	4	5	8	10	12
18-34	1048	5.5	9	1	3	5	8	10	11
35-49	1128	5.8	19	1	3	5	8	11	13
50-69	1344	6.3	17	1	3	6	8	12	15
70 +	10	11.0							
	6709	6.2	15	2	4	5	8	11	13
	6709	6.2	15	2	4	5	8	11	13

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	512	6.9	39	3	4	5	7	10	16
18-34	99	6.6	8	2	3	7	9	10	10
35-49	47	4.3	4						
50-69	57	8.5	48						
70 +	0								
SUBTOTAL	715	6.8	34	3	4	5	8	10	16
GRAND TOTAL	715	6.8	34	3	4	5	8	10	16

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	888	6.4	13	4	5	5	7	9	14
18-34	213	5.1	5	2	3	6	7	7	9
35-49	135	6.3	4	4	5	6	8	9	9
50-69	73	7.5	23						
70 +	0								
	1309	6.2	11	3	4	5	7	9	11
	1309	6.2	11	3	4	5	7	9	11

DRG 306: Prostatectomy w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	784	8.2	51	4	5	7	10	12	13
70-74	1070	8.9	86	3	5	6	10	15	19
75-79	913	9.8	45	3	5	9	14	17	20
80-84	795	12.4	121	4	5	8	15	28	38
85 +	436	11.9	93	4	6	10	15	20	24
SUBTOTAL	3997	10.0	80	4	5	7	12	18	22
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	3997	10.0	80	4	5	7	12	18	22

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	26	9.4	30						
50-69	712	7.6	25	3	4	6	9	17	20
70 +	16	7.0							
	754	7.7	24	3	4	6	9	16	20
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	754	7.7	24	3	4	6	9	16	20

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	26	3.4	4						
70 +	26	2.8	1						
	52	3.1	3						
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	52	3.1	3						

DRG 307: Prostatectomy w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	442	5.9	10	4	4	5	7	10	14
70-74	394	4.9	3	2	4	5	6	8	8
75-79	316	5.8	15	3	3	5	6	8	16
80-84	207	4.9	6	1	3	5	7	8	8
85 +	83	5.1	4	3	3	4	5	9	9
SUBTOTAL	1442	5.4	9	3	4	5	6	8	10
GRAND TOTAL	1442	5.4	9	3	4	5	6	8	10

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	10	3.0							
35-49	26	10.8	16						
50-69	804	5.4	6	3	4	5	6	8	10
70 +	68	4.0	3						
	908	5.4	7	3	4	5	6	9	13
	908	5.4	7	3	4	5	6	9	13

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	10	3.0							
70 +	0								
SUBTOTAL	10	3.0							
GRAND TOTAL	10	3.0							

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	0								
50-69	42	3.5	1						
70 +	31	4.5							
	73	3.9	1						
	73	3.9	1						

DRG 308: Minor Bladder Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	592	10.8	152	2	4	7	15	21	40
70-74	545	6.8	47	2	3	4	8	15	22
75-79	425	9.7	107	1	2	6	14	25	37
80-84	466	11.8	109	2	6	8	13	32	33
85 +	373	11.3	41	5	6	9	15	21	22
SUBTOTAL	2402	10.0	98	2	3	7	13	22	32
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	2402	10.0	98	2	3	7	13	22	32

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	261	10.5	37	3	6	9	13	18	26
18-34	146	10.5	69	2	5	8	14	26	26
35-49	109	12.1	49	2	8	12	19	23	23
50-69	473	8.0	25	3	4	7	12	15	18
70 +	73	9.5	55						
	1062	9.5	41	2	5	8	14	18	23
	0								
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1062	9.5	41	2	5	8	14	18	23

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	115	12.5	27	7	11	13	15	17	21
18-34	36	15.5	87						
35-49	26	4.0							
50-69	0								
70 +	0								
SUBTOTAL	177	11.9	47	4	7	13	15	21	26
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	177	11.9	47	4	7	13	15	21	26

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	10.0	1						
18-34	31	6.0	1						
35-49	42	9.8	3						
50-69	73	10.1	74						
70 +	16	12.0							
	193	9.5	32	5	6	9	11	12	26
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	193	9.5	32	5	6	9	11	12	26

DRG 309: Minor Bladder Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	312	5.0	10	2	2	4	8	10	11
70-74	286	5.8	21	1	2	5	9	14	17
75-79	337	6.5	18	1	3	5	9	11	12
80-84	109	5.1	20	1	2	4	6	13	13
85 +	125	6.3	12	1	3	6	8	13	13
SUBTOTAL	1169	5.8	16	1	2	5	9	11	13
GRAND TOTAL	1169	5.8	16	1	2	5	9	11	13

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	235	6.6	41	1	2	4	9	20	22
18-34	99	10.0	57	<1	2	8	17	23	23
35-49	203	3.4	4	1	2	3	5	6	8
50-69	425	4.5	11	1	1	4	6	9	11
70 +	16	2.0							
	977	5.3	25	1	2	4	7	11	17
	977	5.3	25	1	2	4	7	11	17

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	47	3.0	5						
18-34	16	3.0							
35-49	10	5.0							
50-69	10	2.0							
70 +	10	12.0							
SUBTOTAL	93	4.1	11	1	2	3	6	12	12
GRAND TOTAL	93	4.1	11	1	2	3	6	12	12

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	94	12.2	223	1	5	7	8	45	45
18-34	16	8.0							
35-49	31	3.0	1						
50-69	31	2.5	2						
70 +	47	3.0	3						
	219	7.2	116	1	2	4	7	8	45
	219	7.2	116	1	2	4	7	8	45

DRG 310: Transurethral Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	2486	5.0	24	1	2	4	6	10	18
70-74	2320	5.0	27	1	2	3	6	11	16
75-79	2332	5.9	41	1	2	4	7	11	21
80-84	2001	5.9	30	1	3	4	7	12	17
85 +	1516	8.2	127	2	3	5	9	19	25
SUBTOTAL	10655	5.8	45	1	2	4	7	12	19
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	10655	5.8	45	1	2	4	7	12	19

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	42	8.5	26						
18-34	472	3.8	4	1	2	4	5	7	9
35-49	1033	3.4	4	1	2	3	5	6	7
50-69	2356	4.1	11	1	2	3	6	8	10
70 +	171	3.8	5	1	2	3	5	6	8
	4074	3.9	9	1	2	3	5	7	9
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4074	3.9	9	1	2	3	5	7	9

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	31	2.0	1						
18-34	21	4.0	1						
35-49	26	2.2	2						
50-69	98	4.6	15	< 1	1	3	6	12	12
70 +	83	7.1	60	< 1	3	4	5	23	23
SUBTOTAL	259	4.8	29	< 1	1	3	5	12	23
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	259	4.8	29	< 1	1	3	5	12	23

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	62	4.5	5						
35-49	62	5.1	21						
50-69	536	5.3	48	1	2	3	6	13	20
70 +	94	2.5	1	< 1	2	2	4	4	4
	754	4.9	38	1	2	3	6	10	15
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	754	4.9	38	1	2	3	6	10	15

DRG 311: Transurethral Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2010	2.8	4	1	1	2	4	5	7
70-74	2025	2.8	3	1	1	2	4	5	6
75-79	1457	3.2	9	1	2	3	4	5	7
80-84	955	2.9	3	1	1	2	4	5	6
85 +	737	4.1	7	1	2	3	6	8	9
SUBTOTAL	7184	3.0	5	1	1	2	4	6	7
GRAND TOTAL	7184	3.0	5	1	1	2	4	6	7

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	73	1.4							
18-34	1327	2.7	4	1	1	2	3	6	7
35-49	2723	2.6	4	1	1	2	3	5	6
50-69	3484	2.8	3	1	1	2	4	5	6
70 +	176	2.0	1	1	1	1	3	3	4
	7782	2.7	3	1	1	2	4	5	6
	7782	2.7	3	1	1	2	4	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	104	2.4	1	1	2	2	3	4	4
35-49	67	2.2	2	< 1	1	2	3	5	5
50-69	89	2.4	1	1	1	3	3	4	4
70 +	41	2.8	1						
SUBTOTAL	300	2.4	1	< 1	1	2	3	4	4
GRAND TOTAL	300	2.4	1	< 1	1	2	3	4	4

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	16	2.0							
18-34	296	3.2	5	1	2	3	4	6	11
35-49	239	2.9	8	< 1	1	2	4	8	11
50-69	557	2.0	2	< 1	1	2	2	4	5
70 +	157	2.5	1	2	2	2	3	4	4
	1264	2.5	4	1	1	2	4	5	6
	1264	2.5	4	1	1	2	4	5	6

Northeastern Region, July 1989 - June 1990

DRG 312: Urethral Procedures, Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	130	8.3	119	1	2	3	9	36	36
70-74	187	4.1	15	1	2	3	5	7	18
75-79	135	2.6	2	1	1	3	4	4	4
80-84	125	7.6	29	1	3	6	11	17	18
85+	135	3.6	9	1	2	2	4	9	11
SUBTOTAL	711	5.1	37	1	2	3	6	11	18
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
GRAND TOTAL	711	5.1	37	1	2	3	6	11	18

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	161	7.6	52	<1	1	3	11	19	23
35-49	68	5.8	11						
50-69	46	1.9	1						
70+	10	7.0							
	285	6.2	36	1	2	4	11	17	23
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	285	6.2	36	1	2	4	11	17	23

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	26	4.4	4						
70+	0								
SUBTOTAL	26	4.4	4						
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
GRAND TOTAL	26	4.4	4						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	21	2.0	1						
35-49	16	9.0							
50-69	63	2.0	2						
70+	31	1.5							
	130	2.7	6	<1	1	2	3	9	9
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	130	2.7	6	<1	1	2	3	9	9

DRG 313: Urethral Procedures, Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	219	3.0	7	1	1	2	4	6	11
70-74	166	2.1	1	<1	1	2	3	4	4
75-79	161	2.9	9	<1	1	1	5	8	10
80-84	99	5.3	11	1	2	4	8	11	11
85 +	119	3.3	6	1	1	2	5	7	7
SUBTOTAL	764	3.1	8	1	1	2	4	7	10
GRAND TOTAL	764	3.1	8	1	1	2	4	7	10

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	323	2.8	13	<1	1	2	2	4	10
35-49	233	1.7	1	<1	1	1	2	3	4
50-69	198	3.1	11	1	1	2	4	10	12
70 +	0								
	754	2.5	9	<1	1	2	2	4	10
	754	2.5	9	<1	1	2	2	4	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	10	3.0							
50-69	0								
70 +	0								
SUBTOTAL	10	3.0							
GRAND TOTAL	10	3.0							

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	52	1.3							
35-49	89	1.7	1	1	1	2	2	3	3
50-69	73	2.5	6						
70 +	16	2.0							
	229	1.9	2	1	1	1	2	3	7
	229	1.9	2	1	1	1	2	3	7

DRG 314: Urethral Procedures, Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	110	6.9	51	1	2	2	14	21	21
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	110	6.9	51	1	2	2	14	21	21
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
0-17	277	3.5	26	< 1	< 1	1	3	10	22
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	277	3.5	26	< 1	< 1	1	3	10	22
	386	4.4	36	< 1	< 1	2	3	14	21

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	16	1.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	16	1.0							
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	78	4.2	25						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	78	4.2	25						
GRAND TOTAL	94	3.7	22	< 1	1	2	3	14	14

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	78	4.4	18						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	78	4.4	18						
0-17	16	1.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	16	1.0							
	94	3.8	17	< 1	< 1	1	8	11	11

DRG 315: Other Kidney & Urinary Tract O.R. Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1499	11.0	131	1	3	6	17	29	40
70-74	639	16.8	280	1	5	11	31	45	68
75-79	608	17.4	260	1	5	14	25	41	53
80-84	245	30.0	612	4	11	21	38	77	77
85 +	155	22.4	148	10	12	21	28	56	99 +
SUBTOTAL	3146	15.5	253	1	4	10	23	39	53
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	844	3.3	7	1	1	2	4	7	10
70-74	260	2.4	2	1	1	2	3	4	6
75-79	135	6.2	29	1	2	5	8	18	18
80-84	57	14.3	222						
85 +	31	10.5	93						
SUBTOTAL	1328	4.0	26	1	1	2	5	8	13
GRAND TOTAL	4474	12.1	213	1	2	6	17	35	47

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	63	5.5	31						
18-34	344	5.7	27	2	2	4	6	13	15
35-49	448	7.7	65	1	2	7	9	15	17
50-69	1072	12.0	98	1	4	10	19	27	29
70 +	16	7.0							
	1942	9.7	82	1	3	7	13	24	28
0-17	89	2.9	2	1	2	3	4	5	5
18-34	166	9.2	40	3	5	8	13	20	21
35-49	323	2.6	4	1	1	2	4	6	6
50-69	557	4.1	29	1	1	3	4	[illegible]	[illegible]
70 +	52	4.2	[illegible]						
	1187	4.3	[illegible]	1	1	3	5	[illegible]	[illegible]
	3129	7.6	67	1	2	4	11	21	26

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	78	7.2	50						
18-34	99	19.9	61	8	16	21	27	29	29
35-49	219	16.6	261	1	5	13	23	45	54
50-69	208	15.0	200	1	7	11	20	54	99 +
70 +	10	34.0							
SUBTOTAL	614	15.7	194	1	5	15	21	40	54
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	47	2.3	2						
18-34	57	6.1	8						
35-49	31	3.5	6						
50-69	47	5.3	30						
70 +	0								
SUBTOTAL	183	4.5	14	1	1	4	6	10	13
GRAND TOTAL	797	13.1	175	1	3	10	19	34	54

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	43.0							
18-34	89	15.2	42	6	11	16	23	23	23
35-49	31	22.0	4						
50-69	469	11.8	114	1	2	9	18	28	37
70 +	42	18.7	70						
	646	14.0	121	1	6	11	22	28	37
0-17	31	3.0	4						
18-34	57	5.8	27						
35-49	31	5.5	13						
50-69	110	6.9	40	1	2	4	15	18	18
70 +	16	8.0							
	245	6.0	28	1	2	4	9	15	18
	892	11.8	108	1	3	9	18	26	37

DRG 316: Renal Failure

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1791	8.0	58	1	4	6	11	15	21
70-74	855	11.6	99	3	5	9	15	21	30
75-79	886	12.1	166	4	6	8	14	19	38
80-84	902	12.7	69	4	6	10	18	24	32
85 +	818	11.2	115	3	6	8	13	24	45
SUBTOTAL	5251	10.6	97	3	5	8	14	21	31
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	286	2.7	5	<1	1	2	3	6	10
70-74	140	11.3	190	1	3	5	16	39	46
75-79	135	4.4	25	1	2	4	4	5	21
80-84	83	8.1	33	2	5	8	8	22	22
85 +	88	3.4	2	<1	2	4	4	6	6
SUBTOTAL	731	5.4	58	1	2	3	6	10	21
GRAND TOTAL	5982	10.0	95	2	4	7	13	21	30

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	136	4.3	11	1	2	3	5	11	11
18-34	224	6.0	15	<1	3	5	9	13	13
35-49	364	6.9	12	2	4	6	9	12	12
50-69	810	8.6	57	2	3	5	13	20	24
70 +	135	10.0	17	4	6	10	15	15	15
SUBTOTAL	1668	7.6	37	2	3	6	10	15	20
0-17	63	3.3	3						
18-34	73	6.3	13						
35-49	114	4.3	14	1	1	4	5	9	13
50-69	255	6.6	53	1	2	3	8	16	27
70 +	26	9.5	49						
SUBTOTAL	530	5.8	35	1	2	3	7	13	16
	2198	7.2	37	1	3	5	10	15	20

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	63	5.8	37						
18-34	78	2.4	3						
35-49	125	8.5	47	1	4	6	17	18	18
50-69	207	13.6	130	4	6	9	17	30	37
70 +	31	22.0	299						
SUBTOTAL	505	10.1	114	1	2	6	16	22	39
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	47	4.7	11						
18-34	68	3.2	1						
35-49	0								
50-69	21	2.0	1						
70 +	0								
SUBTOTAL	135	3.5	5	1	2	3	4	9	9
GRAND TOTAL	640	8.7	98	1	2	5	13	18	34

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	99	4.5	4	2	2	4	6	7	7
35-49	89	10.0	40	3	4	10	11	22	22
50-69	256	11.2	86	2	4	8	14	28	34
70 +	47	30.0	558						
SUBTOTAL	490	11.5	148	2	4	8	13	22	34
0-17	63	1.8	2						
18-34	57	3.9	19						
35-49	42	7.4	47						
50-69	36	2.3	2						
70 +	0								
SUBTOTAL	198	3.7	21	1	1	1	4	11	16
	688	9.2	124	1	2	6	12	22	28

DRG 317: Admit for Renal Dialysis

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	130	3.2	6	< 1	1	3	4	9	9
70-74	36	7.5	34						
75-79	78	3.8	14						
80-84	0								
85 +	31	1.5							
SUBTOTAL	276	3.7	14	< 1	1	2	4	10	14
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	276	3.7	14	< 1	1	2	4	10	14

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	214	1.4	1	< 1	< 1	< 1	1	4	4
50-69	63	2.8	9						
70 +	0								
	277	1.7	3	< 1	< 1	< 1	1	4	8
0-17	0								
18-34	0								
35-49	125	1.0		< 1	< 1	< 1	< 1	< 1	< 1
50-69	0								
70 +	0								
	125	1.0		< 1	< 1	< 1	< 1	< 1	< 1
	402	1.5	2	< 1	< 1	< 1	1	4	5

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	47	1.0							
35-49	94	1.0		< 1	< 1	< 1	1	1	1
50-69	345	1.0		< 1	< 1	< 1	1	1	1
70 +	0								
SUBTOTAL	486	1.0		< 1	< 1	< 1	1	1	1
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	78	1.0							
50-69	16	1.0							
70 +	0								
SUBTOTAL	94	1.0		< 1	< 1	< 1	1	1	1
GRAND TOTAL	580	1.0		< 1	< 1	< 1	1	1	1

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	0								

DRG 318: Kidney & Urinary Tract Neoplasms w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	290	9.0	95	1	2	5	12	23	31
70-74	358	9.0	60	3	4	5	10	20	21
75-79	244	11.0	62	2	4	7	18	23	23
80-84	269	13.3	104	3	5	10	19	25	44
85 +	238	6.9	56	1	2	4	10	23	28
SUBTOTAL	1398	9.8	80	2	4	7	14	22	26
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	1398	9.8	80	2	4	7	14	22	26

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	6.0							
18-34	31	3.0							
35-49	166	5.8	11	2	4	6	7	7	14
50-69	307	8.3	55	1	2	7	10	19	31
70 +	31	7.0							
	552	7.1	36	2	3	6	8	14	19
	0								
	0								
	0								
	0								
	0								
	0								
	0								
	552	7.1	36	2	3	6	8	14	19

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	31	3.5							
18-34	0								
35-49	10	1.0							
50-69	10	5.0							
70 +	0								
SUBTOTAL	52	3.3	2						
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	52	3.3	2						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	16	18.0							
35-49	16	27.0							
50-69	73	8.4	28						
70 +	42	3.9	1						
	146	10.2	64	< 1	4	7	14	27	27
	0								
	0								
	0								
	0								
	0								
	0								
	146	10.2	64	< 1	4	7	14	27	27

DRG 319: Kidney & Urinary Tract Neoplasms w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	36	1.4							
70-74	62	3.4	8						
75-79	41	2.3	3						
80-84	46	8.1	57						
85 +	26	13.3	72						
SUBTOTAL	212	5.1	38	< 1	1	2	5	18	20
GRAND TOTAL	212	5.1	38	< 1	1	2	5	18	20

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	125	3.3		3	3	3	3	4	4
18-34	10	6.0							
35-49	57	2.9	2						
50-69	129	2.8	10	1	1	1	2	7	12
70 +	0								
	321	3.1	5	1	1	3	4	5	7
	321	3.1	5	1	1	3	4	5	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	63	3.8	1						
18-34	0								
35-49	0								
50-69	10	1.0							
70 +	0								
SUBTOTAL	73	3.4	2						
GRAND TOTAL	73	3.4	2						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	16	2.0							
18-34	0								
35-49	0								
50-69	36	1.9	1						
70 +	0								
	52	1.9							
	52	1.9							

DRG 320: Kidney & Urinary Tract Infections Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	4068	9.3	74	3	5	7	11	18	31
70-74	3124	9.4	70	3	5	7	11	17	24
75-79	3978	8.7	67	3	4	7	10	18	24
80-84	4575	11.0	110	4	5	8	13	21	34
85 +	6149	10.4	91	4	6	8	12	19	27
SUBTOTAL	21895	9.9	85	3	5	7	12	18	27
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	21895	9.9	85	3	5	7	12	18	27

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1635	4.8	6	2	3	4	6	8	9
35-49	1402	5.8	16	2	3	5	7	10	12
50-69	2701	7.1	45	3	4	6	8	11	15
70 +	202	8.7	34	1	4	8	13	17	20
SUBTOTAL	5939	6.2	28	3	4	5	7	10	13
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	5939	6.2	28	3	4	5	7	10	13

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	827	5.2	8	2	3	5	6	10	11
35-49	486	8.1	111	2	4	6	8	9	24
50-69	414	8.0	49	3	4	6	9	12	16
70 +	406	13.2	76	4	5	10	20	25	25
SUBTOTAL	2134	7.9	60	2	4	6	9	14	22
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	2134	7.9	60	2	4	6	9	14	22

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	561	6.3	19	2	4	5	7	13	17
35-49	249	6.9	9	4	4	6	8	10	11
50-69	593	9.8	128	3	3	6	10	24	43
70 +	354	13.6	307	3	6	9	14	21	38
SUBTOTAL	1758	9.0	120	3	4	6	9	16	24
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	1758	9.0	120	3	4	6	9	16	24

DRG 321: Kidney & Urinary Tract Infections Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1005	5.6	11	3	4	5	7	9	10
70-74	848	6.1	20	3	4	6	7	10	13
75-79	1187	7.4	22	3	4	6	9	14	16
80-84	1238	7.4	37	3	4	6	8	12	17
85 +	1027	7.6	25	3	4	6	9	14	21
SUBTOTAL	5305	6.9	24	3	4	6	8	12	16
GRAND TOTAL	5305	6.9	24	3	4	6	8	12	16

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	4088	3.7	3	2	2	3	5	6	7
35-49	2123	4.2	10	1	2	4	5	7	9
50-69	1853	5.1	9	2	3	5	7	9	10
70 +	10	5.0							
	8074	4.2	7	2	3	4	5	7	8
	8074	4.2	7	2	3	4	5	7	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	1009	3.9	5	2	2	4	5	6	7
35-49	249	6.5	29	2	3	5	9	11	24
50-69	212	9.7	234	3	4	6	8	10	63
70 +	83	7.3	19	<1	5	7	10	16	16
SUBTOTAL	1553	5.3	45	2	3	4	6	9	11
GRAND TOTAL	1553	5.3	45	2	3	4	6	9	11

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1789	4.4	5	2	3	4	5	7	8
35-49	493	4.8	5	2	3	5	6	7	9
50-69	250	5.3	7	2	3	5	6	8	13
70 +	83	8.6	14	3	7	9	11	14	14
	2615	4.7	6	2	3	4	6	7	9
—	2615	4.7	6	2	3	4	6	7	9

DRG 322: Kidney & Urinary Tract Infections Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	26	10.8	1						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	26	10.8	1						
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	16	6.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	16	6.0							
GRAND TOTAL	42	9.0	6						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1225	4.6	5	2	3	4	6	8	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1225	4.6	5	2	3	4	6	8	9
	3235	4.0	5	1	2	4	5	7	8
	4460	4.2	5	2	3	4	5	7	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	692	6.6	27	2	3	5	8	14	19
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	692	6.6	27	2	3	5	8	14	19
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	1400	4.5	6	2	3	4	6	8	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1400	4.5	6	2	3	4	6	8	9
GRAND TOTAL	2092	5.2	14	2	3	4	6	9	11

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	265	5.5	17	2	2	5	6	15	16
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	265	5.5	17	2	2	5	6	15	16
	930	3.9	6	1	2	3	5	7	8
	1196	4.2	9	1	2	4	6	7	10

DRG 323: Urinary Stones w/ CC, &/or ESW Lithotripsy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2111	4.9	40	1	2	3	6	8	12
70-74	1036	5.0	53	1	2	3	6	10	11
75-79	840	5.7	36	1	2	4	8	11	17
80-84	409	6.6	42	2	3	5	7	16	18
85 +	227	6.0	29	2	3	4	7	13	22
SUBTOTAL	**4623**	**5.3**	**42**	**1**	**2**	**3**	**6**	**10**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	218	1.6	1	< 1	1	1	2	3	5
70-74	36	1.6	1						
75-79	109	2.3	3	1	1	2	2	6	6
80-84	26	1.0							
85 +	42	2.1	1						
SUBTOTAL	**431**	**1.8**	**2**	**1**	**1**	**1**	**2**	**3**	**5**
GRAND TOTAL	**5054**	**5.0**	**40**	**1**	**2**	**3**	**6**	**10**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	162	3.5	12	1	1	2	5	8	13
18-34	2238	2.6	3	1	1	2	3	5	6
35-49	3727	2.9	26	1	1	2	4	5	6
50-69	3568	3.7	10	1	2	3	5	7	8
70 +	83	8.8	128	2	2	3	6	32	32
SUBTOTAL	**9778**	**3.2**	**16**	**1**	**1**	**2**	**4**	**6**	**7**
0-17	0								
18-34	172	1.6	1	1	1	1	2	3	4
35-49	223	1.6	1	1	1	1	2	3	3
50-69	233	1.3	1	< 1	1	1	1	2	4
70 +	26	1.0							
SUBTOTAL	**654**	**1.5**	**1**	**< 1**	**1**	**1**	**1**	**3**	**4**
GRAND TOTAL	**10432**	**3.1**	**15**	**1**	**1**	**2**	**4**	**6**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	47	1.7	1						
18-34	291	3.7	11	1	1	3	4	8	15
35-49	239	4.6	8	1	2	4	7	9	9
50-69	197	5.9	58	1	1	3	6	13	29
70 +	0								
SUBTOTAL	**774**	**4.4**	**23**	**1**	**1**	**3**	**4**	**9**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	16	1.0							
35-49	26	2.2	1						
50-69	10	1.0							
70 +	0								
SUBTOTAL	**52**	**1.6**	**1**						
GRAND TOTAL	**826**	**4.2**	**22**	**1**	**1**	**3**	**4**	**9**	**13**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	42	2.1	1						
18-34	945	2.9	5	1	1	2	4	7	8
35-49	889	2.9	6	1	1	2	3	6	7
50-69	688	4.0	11	1	2	3	6	9	11
70 +	47	3.0	5						
SUBTOTAL	**2610**	**3.2**	**7**	**1**	**1**	**2**	**4**	**7**	**9**
0-17	0								
18-34	52	1.4	1						
35-49	16	1.0							
50-69	0								
70 +	10	2.0							
SUBTOTAL	**78**	**1.4**	**1**	**1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**2688**	**3.1**	**7**	**1**	**1**	**2**	**4**	**7**	**9**

DRG 324: Urinary Stones w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	1715	2.5	4	1	1	2	3	5	7
70-74	1188	3.0	15	1	1	2	4	6	7
75-79	498	3.2	7	1	2	3	4	4	11
80-84	352	3.3	6	1	2	3	4	9	9
85 +	135	3.0	7	1	1	2	3	10	10
SUBTOTAL	**3887**	**2.9**	**8**	**1**	**1**	**2**	**4**	**5**	**7**
GRAND TOTAL	**3887**	**2.9**	**8**	**1**	**1**	**2**	**4**	**5**	**7**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	358	2.6	5	1	1	2	3	6	6
18-34	5900	2.1	3	1	1	2	2	4	5
35-49	9327	2.1	2	1	1	2	3	4	5
50-69	6123	2.2	2	1	1	2	3	4	5
70 +	72	4.4	7	1	1	5	6	9	9
21780	**2.1**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	
21780	**2.1**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	26	2.4							
18-34	529	2.4	2	1	1	2	3	4	5
35-49	192	2.8	5	1	1	2	3	6	9
50-69	99	2.7	2	1	1	3	4	4	4
70 +	16	4.0							
SUBTOTAL	**862**	**2.6**	**3**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**862**	**2.6**	**3**	**1**	**1**	**2**	**3**	**4**	**6**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	31	2.0	1						
18-34	1744	2.2	3	1	1	2	3	4	5
35-49	1184	2.2	2	1	1	2	3	4	6
50-69	669	2.6	4	1	1	2	3	5	6
70 +	31	6.0	9						
3661	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**6**	
3661	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**6**	

DRG 325: Kidney & Urinary Tract Signs & Symptoms Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	390	6.0	23	2	2	4	9	13	16
70-74	404	5.1	8	2	3	5	6	8	10
75-79	462	5.8	29	2	2	4	7	10	24
80-84	591	7.1	39	2	2	5	10	15	23
85 +	471	10.5	82	3	4	7	16	19	30
SUBTOTAL	2318	7.0	41	2	3	5	8	15	19
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	2318	7.0	41	2	3	5	8	15	19

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	166	2.2	4	1	1	2	3	3	9
35-49	176	5.4	21	2	2	3	12	12	14
50-69	420	5.1	41	1	2	4	5	10	16
70 +	36	18.7	661						
	799	5.2	66	1	2	3	5	12	16
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	799	5.2	66	1	2	3	5	12	16

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	10	9.0							
35-49	26	4.6							
50-69	68	7.3	14						
70 +	10	9.0							
SUBTOTAL	114	7.0	10	3	4	8	9	12	12
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	114	7.0	10	3	4	8	9	12	12

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	21	4.0	1						
35-49	31	3.0	1						
50-69	83	4.2	3	1	3	4	5	7	7
70 +	47	7.0	33						
	182	4.7	12	2	3	4	5	7	15
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	182	4.7	12	2	3	4	5	7	15

Northeastern Region, July 1989 - June 1990

DRG 326: Kidney & Urinary Tract Signs & Symptoms Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	326	3.7	5	1	2	4	4	7	8
70-74	260	3.9	6	1	2	3	5	8	10
75-79	228	2.8	5	1	1	2	4	7	7
80-84	218	4.4	5	2	3	4	6	8	8
85 +	217	4.1	15	1	2	3	5	6	17
SUBTOTAL	1250	3.8	7	1	2	3	5	7	9
GRAND TOTAL	1250	3.8	7	1	2	3	5	7	9

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	270	2.2	4	< 1	1	1	2	5	7
35-49	280	2.0	2	1	1	1	3	4	6
50-69	436	3.1	7	1	1	2	4	8	9
70 +	10	5.0							
	996	2.6	5	1	1	2	3	6	8
	996	2.6	5	1	1	2	3	6	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	52	2.5	1						
35-49	31	3.0	1						
50-69	10	9.0							
70 +	0								
SUBTOTAL	93	3.4	5	1	2	3	4	9	9
GRAND TOTAL	93	3.4	5	1	2	3	4	9	9

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	104	1.5	1	< 1	< 1	1	2	3	3
35-49	31	1.0							
50-69	109	4.1	6	2	2	4	5	9	9
70 +	16	3.0							
	260	2.6	4	< 1	1	2	3	5	9
	260	2.6	4	< 1	1	2	3	5	9

DRG 327: Kidney & Urinary Tract Signs & Symptoms Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	63	2.8	2						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	63	2.8	2						
0-17	277	3.5	33	< 1	1	2	3	8	26
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	277	3.5	33	< 1	1	2	3	8	26
	339	3.4	28	< 1	1	2	3	5	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	31	5.5	13						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	31	5.5	13						
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	125	3.0	2	< 1	2	3	4	6	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	125	3.0	2	< 1	2	3	4	6	6
GRAND TOTAL	156	3.5	5	< 1	2	3	4	8	9

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	4.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	16	4.0							
0-17	136	1.8	2	< 1	< 1	< 1	2	4	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	136	1.8	2	< 1	< 1	< 1	2	4	4
	151	2.0	2	< 1	< 1	< 1	4	4	4

DRG 328: Urethral Stricture Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	47	2.3	1						
70-74	68	3.1	5						
75-79	83	3.9	7	1	2	3	4	10	10
80-84	83	4.9	12	1	1	3	7	11	11
85 +	68	5.1	4						
SUBTOTAL	348	4.0	7	1	2	3	6	7	10
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	348	4.0	7	1	2	3	6	7	10

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	42	2.0	3						
35-49	21	2.0	1						
50-69	88	5.5	17	1	2	6	10	11	11
70 +	0								
	150	4.1	14	1	1	2	6	11	11
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	150	4.1	14	1	1	2	6	11	11

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	16	9.0							
35-49	0								
50-69	0								
70 +	10	5.0							
SUBTOTAL	26	7.4	4						
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	26	7.4	4						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	10	2.0							
50-69	0								
70 +	31	1.0							
	42	1.2							
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	42	1.2							

DRG 329: Urethral Stricture Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	26	8.5	49						
70-74	26	1.4							
75-79	31	1.5							
80-84	16	3.0							
85 +	16	2.0							
SUBTOTAL	115	3.3	19	1	1	2	3	3	17
GRAND TOTAL	115	3.3	19	1	1	2	3	3	17

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	0								
18-34	78	4.2	11	< 1	< 1	4	5	10	10
35-49	51	1.0							
50-69	78	2.0	2	< 1	1	1	2	5	5
70 +	0								
SUBTOTAL	207	2.6	7	< 1	< 1	1	4	5	10
GRAND TOTAL	207	2.6	7	< 1	< 1	1	4	5	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	26	3.4	4						
35-49	26	5.6							
50-69	26	7.1							
70 +	26	10.0							
SUBTOTAL	52	5.7	10						
GRAND TOTAL	52	5.7	10						

DRG 330: Urethral Stricture Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	110	2.9	5	< 1	< 1	2	5	7	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	110	2.9	5	< 1	< 1	2	5	7	7
	110	2.9	5	< 1	< 1	2	5	7	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	10	1.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	10	1.0							
GRAND TOTAL	10	1.0							

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	26	1.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	26	1.0							
	26	1.0							

DRG 331: Other Kidney & Urinary Tract Diagnoses Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1807	7.6	101	1	3	5	10	15	18
70-74	819	6.8	31	2	3	5	8	15	16
75-79	1114	7.6	74	2	3	5	9	15	17
80-84	736	10.4	63	2	3	10	14	22	26
85+	638	10.4	144	3	4	7	14	19	28
SUBTOTAL	5114	8.2	86	2	3	6	11	16	21
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
GRAND TOTAL	5114	8.2	86	2	3	6	11	16	21

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	629	5.5	32	1	2	4	6	10	17
35-49	826	4.9	25	1	2	3	6	10	12
50-69	1413	5.8	46	1	2	3	7	12	16
70+	42	2.7	2						
	2910	5.4	36	1	2	3	7	12	16
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	2910	5.4	36	1	2	3	7	12	16

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	89	7.2	25	2	2	5	13	14	14
35-49	119	4.7	7	2	2	6	7	8	9
50-69	171	6.9	41	2	3	4	9	17	23
70+	31	10.0	51						
SUBTOTAL	411	6.6	30	2	2	5	9	17	17
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
GRAND TOTAL	411	6.6	30	2	2	5	9	17	17

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	249	4.0	25	1	1	2	4	11	21
35-49	130	4.6	11	1	1	3	8	10	10
50-69	234	8.4	55	3	5	6	11	15	33
70+	73	3.3	4						
	686	5.5	35	1	2	4	7	11	15
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	686	5.5	35	1	2	4	7	11	15

DRG 332: Other Kidney & Urinary Tract Diagnoses Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	692	4.1	18	1	2	3	5	9	11
70-74	416	2.9	5	1	1	2	4	7	9
75-79	472	2.7	4	1	1	2	4	5	7
80-84	145	3.2	5	1	1	4	4	5	9
85 +	98	9.7	141	1	3	4	10	36	36
SUBTOTAL	1823	3.7	19	1	1	2	4	8	9
GRAND TOTAL	1823	3.7	19	1	1	2	4	8	9

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	866	2.5	4	1	1	2	3	5	8
35-49	930	2.9	8	1	1	2	3	6	11
50-69	1117	3.4	11	1	1	2	4	8	10
70 +	26	5.2	12						
	2939	3.0	8	1	1	2	3	7	10
	2939	3.0	8	1	1	2	3	7	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	109	3.6	8	1	2	2	6	9	9
35-49	42	4.2	3						
50-69	36	5.3	5						
70 +	16	2.0							
SUBTOTAL	203	3.9	6	1	2	2	6	7	9
GRAND TOTAL	203	3.9	6	1	2	2	6	7	9

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	348	2.4	5	1	1	1	4	6	6
35-49	119	4.5	7	1	2	4	7	9	9
50-69	151	2.7	6	1	1	2	4	7	9
70 +	16	1.0							
	634	2.8	6	1	1	1	4	6	9
	634	2.8	6	1	1	1	4	6	9

DRG 333: Other Kidney & Urinary Tract Diagnoses Age 0-17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	16	13.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	16	13.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	16	9.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	16	9.0							
GRAND TOTAL	31	11.0	4						

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	666	4.5	16	1	2	3	6	10	14
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	666	4.5	16	1	2	3	6	10	14
0-17	916	3.2	13	< 1	1	2	3	6	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	916	3.2	13	< 1	1	2	3	6	9
	1583	3.7	15	1	1	2	4	9	13

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	157	6.6	82	< 1	1	4	7	25	32
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	157	6.6	82	< 1	1	4	7	25	32
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	219	1.9	3	< 1	< 1	1	2	3	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	219	1.9	3	< 1	< 1	1	2	3	8
GRAND TOTAL	376	3.9	41	< 1	1	2	4	8	11

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	255	4.2	29	< 1	1	2	3	11	21
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	255	4.2	29	< 1	1	2	3	11	21
0-17	261	2.4	3	< 1	1	2	3	4	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	261	2.4	3	< 1	1	2	3	4	8
	516	3.3	16	< 1	1	2	3	8	11

DRG 334: Major Male Pelvic Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1049	11.2	35	7	8	10	12	17	21
70-74	910	12.0	35	7	8	10	13	21	25
75-79	504	15.2	95	8	9	12	17	22	41
80-84	280	13.2	16	8	9	13	16	18	20
85 +	62	15.6	34						
SUBTOTAL	2805	12.5	46	7	9	10	14	20	24
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	2805	12.5	46	7	9	10	14	20	24

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	47	9.0	17						
35-49	47	6.7	2						
50-69	925	12.0	32	7	8	10	14	20	21
70 +	52	18.6	28						
	1071	11.9	33	7	8	10	14	20	23
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1071	11.9	33	7	8	10	14	20	23

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	26	16.5	49						
70 +	10	15.0							
SUBTOTAL	36	16.0	35						
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	36	16.0	35						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	16	17.0							
35-49	0								
50-69	350	10.2	17	7	8	8	13	17	18
70 +	57	10.5	22						
	423	10.5	19	7	8	8	14	18	18
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	423	10.5	19	7	8	8	14	18	18

DRG 335: Major Male Pelvic Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	733	8.3	7	6	6	8	10	12	13
70-74	368	8.7	7	6	6	9	10	12	12
75-79	166	10.3	5	8	9	9	12	14	15
80-84	78	10.0	6	7	7	10	13	13	13
85 +	21	15.5							
SUBTOTAL	1365	8.9	8	6	7	8	10	13	15
GRAND TOTAL	1365	8.9	8	6	7	8	10	13	15

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	57	3.3	4						
18-34	26	8.0							
35-49	16	8.0							
50-69	936	9.2	16	7	7	8	10	12	17
70 +	68	9.2	14						
	1103	8.8	16	6	7	8	9	12	16
	1103	8.8	16	6	7	8	9	12	16

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	16	2.0							
18-34	0								
35-49	16	20.0							
50-69	0								
70 +	0								
SUBTOTAL	31	11.0	84						
GRAND TOTAL	31	11.0	84						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	10	17.0							
35-49	0								
50-69	46	6.6	4						
70 +	0								
	57	8.4	20						
	57	8.4	20						

DRG 336: Transurethral Prostatectomy w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3959	6.5	46	3	4	5	7	11	16
70-74	5320	6.7	29	3	4	5	8	12	17
75-79	4904	7.7	62	3	4	5	8	14	20
80-84	3822	7.6	34	3	4	6	9	14	17
85 +	2214	9.8	94	3	4	7	12	19	24
SUBTOTAL	20219	7.4	49	3	4	5	8	14	19
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	20219	7.4	49	3	4	5	8	14	19

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	3342	5.9	10	3	4	5	7	10	12
70 +	499	6.3	30	3	4	5	7	10	23
	3841	5.9	13	3	4	5	7	10	12
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3841	5.9	13	3	4	5	7	10	12

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	63	12.3	64						
70 +	62	9.6	51						
SUBTOTAL	125	10.9	59	4	5	6	17	24	24
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	125	10.9	59	4	5	6	17	24	24

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	6.0							
18-34	0								
35-49	0								
50-69	986	5.6	8	3	4	5	6	9	11
70 +	407	8.0	32	4	5	5	10	17	22
	1409	6.3	16	3	4	5	7	11	14
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1409	6.3	16	3	4	5	7	11	14

DRG 337: Transurethral Prostatectomy w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	5548	4.3	2	3	3	4	5	6	7
70-74	5715	4.6	6	3	3	4	5	7	8
75-79	4708	5.1	5	3	4	5	6	7	9
80-84	2727	5.5	31	3	4	5	6	8	10
85 +	1036	6.1	12	3	4	5	7	9	13
SUBTOTAL	19733	4.8	9	3	3	4	6	7	9
GRAND TOTAL	19733	4.8	9	3	3	4	6	7	9

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	16	1.0							
18-34	21	2.0	1						
35-49	109	4.4	3	3	3	4	5	5	9
50-69	7157	4.3	3	3	3	4	5	7	7
70 +	498	4.4	6	2	3	4	5	8	9
SUBTOTAL	7799	4.3	3	3	3	4	5	7	7
GRAND TOTAL	7799	4.3	3	3	3	4	5	7	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	162	5.7	3	4	5	5	6	9	9
70 +	156	7.3	37	4	5	5	6	21	25
SUBTOTAL	318	6.5	20	4	5	5	6	9	18
GRAND TOTAL	318	6.5	20	4	5	5	6	9	18

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	0								
18-34	0								
35-49	0								
50-69	760	3.8	2	2	3	4	5	5	6
70 +	188	5.0	7	2	3	5	7	9	9
SUBTOTAL	948	4.0	3	2	3	4	5	6	8
GRAND TOTAL	948	4.0	3	2	3	4	5	6	8

DRG 338: Testes Procedures, for Malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	343	9.2	195	1	2	3	11	27	40
70-74	442	7.4	114	1	2	4	10	21	55
75-79	727	6.2	37	1	2	3	9	17	19
80-84	302	9.9	172	1	1	5	12	24	54
85 +	208	6.5	38	1	2	4	10	15	22
SUBTOTAL	2021	7.6	103	1	2	4	9	19	27
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	177	2.3	3	<1	1	2	3	3	7
70-74	203	2.5	3	<1	2	2	2	4	8
75-79	245	1.8	1	1	1	2	3	3	4
80-84	140	1.4		1	1	1	2	3	3
85 +	93	2.7	5	<1	1	2	4	7	7
SUBTOTAL	858	2.1	2	1	1	2	2	4	7
GRAND TOTAL	2878	5.9	79	1	1	2	7	17	22

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	83	5.3	23	1	1	5	7	14	14
35-49	94	5.7	10	1	3	4	8	10	10
50-69	307	7.6	53	1	2	6	11	21	29
70 +	10	2.0							
	494	6.7	40	1	2	5	8	14	21
	26	1.6							
	492	1.7	1	1	1	1	1	2	3	3
	275	1.6	1	1	1	1	1	2	3	3
	57	1.3							
	47	1.3							
	897	1.6	1	1	1	1	1	2	3	3
	1391	3.4	21	1	1	2	3	8	13

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	16	3.0							
35-49	0								
50-69	31	3.0	4						
70 +	0								
SUBTOTAL	47	3.0	3						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	31	1.5							
35-49	16	4.0							
50-69	0								
70 +	0								
SUBTOTAL	47	2.3	2						
GRAND TOTAL	94	2.7	2	1	1	3	4	5	5

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	1.0							
35-49	10	4.0							
50-69	31	18.0	299						
70 +	16	8.0							
	68	11.0	184						
0-17	10	1.0							
18-34	130	1.9	1	1	1	1	1	3	3	4
35-49	30	1.0							
50-69	16	1.0							
70 +	16	1.0							
	207	1.6	1	1	1	1	1	2	3	3
	275	3.9	62	1	1	1	3	8	35

DRG 339: Testes Procedures, Non-malignancy Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	93	5.2	17	1	2	3	8	13	13
70-74	36	3.7	5						
75-79	73	2.8	2						
80-84	31	7.3	22						
85+	31	8.5	2						
SUBTOTAL	265	5.0	14	1	2	3	7	10	13
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	119	2.7	3	1	1	2	3	5	7
70-74	203	2.0	1	1	1	2	3	4	4
75-79	171	2.8	4	1	1	2	4	5	8
80-84	42	2.0	1						
85+	26	1.0							
SUBTOTAL	560	2.3	3	1	1	2	3	4	5
GRAND TOTAL	825	3.2	8	1	1	2	4	7	10

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	31	2.0	1						
35-49	130	3.2	11	1	1	1	5	11	11
50-69	140	4.0	9	1	2	3	5	11	11
70+	0								
	302	3.5	9	1	1	2	5	11	11
0-17	0								
18-34	1595	1.5	1	1	1	1	2	3	3
35-49	925	1.8	2	1	1	1	2	4	4
50-69	758	2.0	3	1	1	1	3	4	5
70+	26	1.4							
	3304	1.7	2	1	1	1	2	3	4
	3606	1.9	3	1	1	1	2	4	5

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	26	2.0							
35-49	0								
50-69	0								
70+	10	9.0							
SUBTOTAL	36	4.0	10						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	72	1.4		1	1	1	2	2	2
35-49	57	1.5	1						
50-69	26	1.0							
70+	0								
SUBTOTAL	156	1.4		1	1	1	2	3	3
GRAND TOTAL	192	1.9	3	1	1	1	2	3	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	2.0							
35-49	16	3.0							
50-69	16	2.0							
70+	16	2.0							
	57	2.3							
0-17	0								
18-34	523	1.5	1	<1	1	1	2	2	3
35-49	224	1.6	1	1	1	1	2	2	4
50-69	151	2.3	5	1	1	2	2	9	9
70+	16	8.0							
	914	1.7	2	1	1	1	2	3	4
	972	1.8	2	1	1	1	2	3	4

DRG 340: Testes Procedures, Non-malignancy Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	16	2.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	16	2.0							
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	16	2.0							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	198	2.3	3	1	1	1	4	4	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	198	2.3	3	1	1	1	4	4	7
0-17	3070	1.4	1	< 1	1	1	1	2	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	3070	1.4	1	< 1	1	1	1	2	3
	3268	1.4	1	< 1	1	1	1	2	3

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	63	2.0	1						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	63	2.0	1						
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	484	1.4		< 1	1	1	2	2	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	484	1.4		< 1	1	1	2	2	3
GRAND TOTAL	546	1.5		1	1	1	2	3	3

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
						–			
0-17	31	3.5							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	31	3.5							
0-17	984	1.2		< 1	1	1	1	2	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	984	1.2		< 1	1	1	1	2	3
	1016	1.3	1	< 1	1	1	1	3	3

DRG 341: Penis Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	202	3.7	6	1	2	3	4	9	9
70-74	249	5.3	8	2	3	5	7	9	13
75-79	161	5.8	24	2	3	5	6	12	20
80-84	140	7.9	15	4	5	7	12	14	14
85 +	42	10.9	52						
SUBTOTAL	793	5.7	17	2	3	5	7	10	14
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	456	3.7	5	1	2	4	5	6	8
70-74	285	4.9	2	3	4	5	6	7	7
75-79	166	4.0	3	2	3	3	6	7	7
80-84	109	4.7	22	1	1	4	5	6	18
85 +	31	3.3	1						
SUBTOTAL	1048	4.2	6	1	3	4	6	7	7
GRAND TOTAL	1841	4.8	11	2	3	4	6	8	10

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	193	8.2	62	1	2	5	11	12	31
18-34	21	4.5							
35-49	98	3.4	2	2	2	3	4	6	6
50-69	352	2.8	3	1	1	2	4	5	6
70 +	16	4.0							
SUBTOTAL	679	4.5	25	1	2	3	5	9	12
0-17	2202	3.7	14	1	1	2	6	8	10
18-34	104	11.1	39	3	5	15	16	17	17
35-49	244	2.9	5	1	1	2	5	7	7
50-69	913	3.2	7	1	1	3	4	5	6
70 +	42	3.5	2						
SUBTOTAL	3504	3.7	14	1	1	2	5	8	11
GRAND TOTAL	4183	3.8	16	1	1	2	5	8	12

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	21	12.0	38						
50-69	16	6.0							
70 +	0								
SUBTOTAL	36	9.4	30						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	355	2.8	13	1	1	1	4	6	8
18-34	10	3.0							
35-49	0								
50-69	31	5.0	1						
70 +	16	5.0							
SUBTOTAL	412	3.1	12	1	1	1	5	6	8
GRAND TOTAL	448	3.6	16	1	1	1	5	6	17

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	47	13.3	198						
18-34	0								
35-49	0								
50-69	16	4.0							
70 +	0								
SUBTOTAL	63	11.0	164						
0-17	736	3.9	16	1	1	2	6	11	13
18-34	42	1.6							
35-49	0								
50-69	83	2.2	2	1	1	2	4	5	5
70 +	16	3.0							
SUBTOTAL	877	3.6	14	1	1	2	5	10	13
GRAND TOTAL	940	4.1	27	1	1	2	5	11	13

DRG 342: Circumcision Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	42	9.9	91						
70-74	21	3.5	7						
75-79	62	4.0	22						
80-84	21	2.0	1						
85 +	10	1.0							
SUBTOTAL	155	5.1	43	<1	1	2	6	21	22
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	31	2.5	2						
70-74	0								
75-79	10	1.0							
80-84	16	1.0							
85 +	10	2.0							
SUBTOTAL	68	1.8	2						
GRAND TOTAL	223	4.1	33	1	1	2	4	12	22

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	47	2.3	1						
70 +	0								
	47	2.3	1						
0-17	0								
18-34	31	1.0							
35-49	36	1.4							
50-69	68	1.2							
70 +	0								
	135	1.2		<1	1	1	1	2	2
	182	1.5	1	<1	1	1	2	3	3

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	16	3.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	16	3.0							
GRAND TOTAL	16	3.0							

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	26	7.0	25						
70 +	16	8.0							
	42	7.4	15						
0-17	0								
18-34	42	1.0							
35-49	16	1.0							
50-69	10	1.0							
70 +	0								
	68	1.0							
	109	3.4	16	<1	<1	<1	8	11	11

DRG 343: Circumcision Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	94	1.3		< 1	< 1	1	2	2	2
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	94	1.3		< 1	< 1	1	2	2	2
	365	1.1		< 1	< 1	< 1	1	1	2
	459	1.2		< 1	< 1	< 1	1	2	2

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	31	1.5							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	31	1.5							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	46	2.0	2						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	46	2.0	2						
GRAND TOTAL	78	1.8	1	< 1	< 1	1	2	4	4

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	47	1.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	47	1.0							
	78	1.5	1	< 1	< 1	< 1	2	3	3
	78	1.5	1	< 1	< 1	< 1	2	3	3
	125	1.3		< 1	< 1	< 1	1	3	3

DRG 344: Other Male Reproductive System O.R. Procedures for Malignancy

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	72	5.1	2	2	4	6	6	7	7
70-74	130	7.0	10	3	5	6	9	12	12
75-79	109	7.2	29	2	2	5	13	16	16
80-84	41	14.0	235						
85 +	47	6.7	6						
SUBTOTAL	400	7.4	41	2	4	6	10	13	16
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	78	4.4	1	3	3	5	5	6	6
70-74	130	4.8	5	1	3	5	6	8	8
75-79	36	6.9	2						
80-84	21	4.0							
85 +	10	1.0							
SUBTOTAL	275	4.7	4	1	3	5	6	8	8
GRAND TOTAL	675	6.3	28	2	4	5	7	12	16

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	16	9.0							
35-49	10	3.0							
50-69	187	5.3	5	3	4	5	7	9	10
70 +	16	5.0							
	229	5.5	5	3	4	5	8	9	10
0-17	0								
18-34	26	8.4	9						
35-49	16	11.0							
50-69	172	4.7	5	1	4	6	6	7	7
70 +	10	3.0							
	224	5.5	9	1	4	6	7	11	11
	452	5.5	7	2	4	5	7	9	11

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	10	1.0							
SUBTOTAL	10	1.0							
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	10	1.0							

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	10	6.0							
70 +	0								
	10	6.0							
0-17	0								
18-34	16	6.0							
35-49	0								
50-69	0								
70 +	16	2.0							
	31	4.0	4						
	42	4.5	4						

DRG 345: Other Male Reproductive System O.R. Proc except for Malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	42	7.1	25						
70-74	83	7.4	62	1	1	4	8	25	25
75-79	135	5.6	7	2	4	5	6	10	11
80-84	16	5.0							
85 +	82	10.0	193	1	3	6	7	46	46
SUBTOTAL	357	7.2	67	1	3	5	8	12	25
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	52	2.5	5						
70-74	83	6.2	44	1	1	3	12	18	18
75-79	88	2.6	2	1	2	2	3	5	5
80-84	31	3.5							
85 +	36	5.6	12						
SUBTOTAL	290	4.1	18	1	1	3	4	11	18
GRAND TOTAL	647	5.8	47	1	2	4	7	12	18

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	93	4.7	13	1	2	5	5	12	12
70 +	0								
	93	4.7	13	1	2	5	5	12	12
0-17	0								
18-34	16	8.0							
35-49	52	4.0	21						
50-69	145	2.2	1	1	1	2	3	4	4
70 +	0								
	212	3.1	8	1	1	2	3	8	11
	306	3.6	10	1	1	2	5	11	12

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	16	19.0							
70 +	0								
SUBTOTAL	16	19.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	10	1.0							
35-49	0								
50-69	0								
70 +	16	2.0							
SUBTOTAL	26	1.6							
GRAND TOTAL	42	8.2	73						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	26	4.6	4						
70 +	0								
	26	4.6	4						
0-17	0								
18-34	0								
35-49	16	3.0							
50-69	26	2.6							
70 +	0								
	42	2.8							
	68	3.5	2						

DRG 346: Malignancy, Male Reproductive System, w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	270	11.9	235	1	2	5	16	29	55
70-74	327	9.5	159	2	3	7	10	22	23
75-79	461	10.8	85	1	4	6	19	25	27
80-84	259	6.7	20	2	3	7	10	14	16
85 +	207	10.3	32	5	7	8	15	19	21
SUBTOTAL	1524	9.9	112	1	3	7	14	21	27
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	1524	9.9	112	1	3	7	14	21	27

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	63	2.8	1						
18-34	31	1.5							
35-49	10	21.0							
50-69	321	5.3	15	1	2	5	6	11	16
70 +	40	5.9	4						
	472	5.1	18	1	2	4	6	9	16
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	472	5.1	18	1	2	4	6	9	16

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	16	3.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	16	3.0							
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	16	3.0							

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	5.0							
35-49	16	5.0							
50-69	16	14.0							
70 +	16	34.0							
	57	15.4	147						
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	57	15.4	147						

DRG 347: Malignancy, Male Reproductive System, w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	42	1.8	1						
70-74	83	3.2	13	< 1	1	1	5	10	10
75-79	36	2.1	1						
80-84	78	4.2	22	< 1	1	1	6	13	13
85 +	42	1.8							
SUBTOTAL	280	2.9	11	< 1	1	1	3	10	13
GRAND TOTAL	280	2.9	11	< 1	1	1	3	10	13

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	16	3.0							
18-34	26	1.0							
35-49	0								
50-69	165	3.2	9	1	1	2	5	6	13
70 +	10	1.0							
	217	2.8	8	< 1	1	2	3	5	6
	217	2.8	8	< 1	1	2	3	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	16	4.0							
35-49	0								
50-69	31	1.5							
70 +	0								
	47	2.3	2						
	47	2.3	2						

DRG 348: Benign Prostatic Hypertrophy w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	286	4.0	36	1	2	3	5	5	5
70-74	239	6.8	69	1	2	4	7	18	34
75-79	273	4.7	18	1	2	3	6	12	12
80-84	192	4.8	28	1	1	2	6	15	18
85 +	218	5.7	14	1	3	6	9	12	12
SUBTOTAL	1208	5.2	34	1	2	4	6	12	18
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	1208	5.2	34	1	2	4	6	12	18

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	151	4.5	10	< 1	2	4	6	7	14
70 +	10	11.0							
	161	5.0	12	1	2	4	6	11	14
	0								
	0								
	0								
	0								
	0								
	0								
	0								
	161	5.0	12	1	2	4	6	11	14

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	10	2.0							
70 +	16	9.0							
SUBTOTAL	26	6.2	12						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	26	6.2	12						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	26	7.2	1						
70 +	0								
	26	7.2	1						
	0								
	0								
	0								
	0								
	0								
	0								
	26	7.2	1						

DRG 349: Benign Prostatic Hypertrophy w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	197	1.8	1	1	1	1	3	3	4
70-74	182	1.6	1	1	1	1	2	4	4
75-79	135	1.9	2	< 1	1	1	2	4	4
80-84	119	13.6	664	< 1	1	2	9	36	91
85 +	47	3.7	3						
SUBTOTAL	680	4.0	136	< 1	1	1	3	5	9
GRAND TOTAL	680	4.0	136	< 1	1	1	3	5	9

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	16	3.0							
50-69	276	2.3	3	1	1	2	3	5	7
70 +	10	2.0							
	302	2.3	3	1	1	2	3	5	7
	302	2.3	3	1	1	2	3	5	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	36	1.6	1						
70 +	0								
SUBTOTAL	36	1.6	1						
GRAND TOTAL	36	1.6	1						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	16	1.0							
50-69	73	2.5	6						
70 +	0								
	89	2.2	5	< 1	1	1	2	7	7
	89	2.2	5	< 1	1	1	2	7	7

DRG 350: Inflammation of the Male Reproductive System

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	467	7.7	35	3	4	6	8	15	23
70-74	212	7.4	20	2	4	7	9	12	17
75-79	254	6.8	17	3	4	6	8	12	12
80-84	36	9.0	15						
85 +	93	7.2	20	2	4	6	8	17	17
SUBTOTAL	1062	7.4	26	3	4	6	9	14	19
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	223	4.6	9	1	2	4	7	10	10
70-74	52	6.7	16						
75-79	68	4.2	4						
80-84	26	6.2	12						
85 +	26	6.6	9						
SUBTOTAL	394	5.0	10	1	2	5	7	10	10
GRAND TOTAL	1457	6.8	23	2	3	6	8	12	17

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	119	2.4	1	< 1	1	2	3	4	5
18-34	207	4.2	2	2	3	4	5	6	8
35-49	160	4.8	6	2	3	5	5	8	11
50-69	545	6.1	27	2	4	5	8	9	12
70 +	0								
SUBTOTAL	1033	5.1	17	2	3	5	6	7	11
0-17	165	2.9	4	1	2	2	3	5	10
18-34	388	3.3	2	2	2	3	4	5	8
35-49	540	3.9	4	2	3	4	5	6	7
50-69	488	4.7	5	2	3	5	7	7	9
70 +	10	6.0							
SUBTOTAL	1591	3.9	4	2	2	4	5	7	8
GRAND TOTAL	2624	4.4	10	2	3	4	5	7	9

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	16	1.0							
18-34	57	5.2	4						
35-49	16	4.0							
50-69	26	5.2	16						
70 +	0								
SUBTOTAL	115	4.4	8	< 1	2	4	5	9	10
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	94	2.3	1	1	2	2	3	4	4
18-34	63	3.3	2						
35-49	63	8.5	32						
50-69	52	4.5	8						
70 +	0								
SUBTOTAL	271	4.4	15	1	2	3	5	10	17
GRAND TOTAL	386	4.4	13	1	2	3	5	10	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	42	4.5	1						
18-34	42	4.3	3						
35-49	39	4.6	11	1	2	3	8	10	10
50-69	130	4.8	2	3	3	5	6	7	7
70 +	0								
SUBTOTAL	322	4.6	4	3	3	4	6	8	9
0-17	68	2.8	2						
18-34	306	3.5	7	1	1	3	5	6	12
35-49	177	4.7	12	1	3	4	5	8	14
50-69	114	4.7	4	1	5	5	6	7	7
70 +	0								
SUBTOTAL	664	3.9	8	1	2	4	5	6	8
GRAND TOTAL	986	4.2	7	1	2	4	5	7	8

DRG 351: Sterilization, Male

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	72	1.0		< 1	< 1	< 1	< 1	1	1
35-49	31	1.0							
50-69	0								
70 +	0								
	103	1.0		< 1	< 1	< 1	< 1	1	1
	103	1.0		< 1	< 1	< 1	< 1	1	1

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	51	1.4	1						
50-69	0								
70 +	0								
	51	1.4	1						
	51	1.4	1						

DRG 352: Other Male Reproductive System Diagnoses

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	72	3.3	3	1	2	3	4	6	6
70-74	26	6.0	6						
75-79	10	3.0							
80-84	36	5.4	5						
85 +	10	3.0							
SUBTOTAL	155	4.2	5	2	3	4	6	8	9
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	62	1.3	1	1	1	1	1	3	3
70-74	88	1.4		1	1	1	1	3	3
75-79	31	2.3							
80-84	10	1.0							
85 +	0								
SUBTOTAL	190	1.5	1	1	1	1	2	3	3
GRAND TOTAL	345	2.7	4	1	1	2	3	6	8

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	57	2.1	2						
18-34	26	2.2	1						
35-49	0								
50-69	67	2.8	9	< 1	1	1	2	8	8
70 +	0								
	150	2.4	5	< 1	1	1	3	8	8
0-17	140	1.2		< 1	1	1	1	2	2
18-34	285	1.6	1	< 1	1	1	2	3	3
35-49	103	1.3		1	1	1	1	2	3
50-69	144	1.3		1	1	1	2	2	3
70 +	21	2.0							
	692	1.4		< 1	1	1	2	3	3
	842	1.6	1	< 1	1	1	2	3	3

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	16	16.0							
18-34	0								
35-49	0								
50-69	16	5.0							
70 +	0								
SUBTOTAL	31	10.5	31						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	109	2.0	2	< 1	1	1	2	5	5
18-34	16	6.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	125	2.5	4	< 1	1	1	5	6	6
GRAND TOTAL	156	4.1	19	< 1	1	2	5	14	16

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	16	13.0							
35-49	0								
50-69	0								
70 +	0								
	16	13.0							
0-17	31	2.5	2						
18-34	57	1.4	1						
35-49	31	9.0	51						
50-69	16	1.0							
70 +	0								
	135	3.4	22	< 1	< 1	1	3	16	16
	151	4.4	29	< 1	1	1	4	16	16

DRG 353: Pelvic Evisceration, Radical Hysterectomy & Radical Vulvectomy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	115	18.1	65	7	8	20	21	32	32
70-74	42	5.4							
75-79	89	12.3	26	8	9	10	14	25	25
80-84	47	16.7	11						
85 +	78	17.6	70						
SUBTOTAL	370	15.0	59	6	9	13	21	25	32
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	10	6.0							
70-74	26	4.6	4						
75-79	16	7.0							
80-84	16	4.0							
85 +	16	8.0							
SUBTOTAL	83	5.7	3	3	4	6	7	8	8
GRAND TOTAL	453	13.3	62	5	7	12	20	25	32

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	89	11.0	42	5	6	8	15	23	23
35-49	229	8.6	9	6	7	8	10	15	15
50-69	198	14.8	114	6	9	15	16	23	47
70 +	0								
SUBTOTAL	516	11.4	63	6	7	9	15	16	23
0-17	0								
18-34	104	6.6	4	4	4	8	8	9	9
35-49	156	8.9	13	4	7	9	10	15	16
50-69	57	5.6	3						
70 +	0								
SUBTOTAL	318	7.5	10	4	4	8	9	12	15
	834	9.9	46	4	6	8	11	16	23

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	47	15.3	45						
35-49	0								
50-69	16	7.0							
70 +	0								
SUBTOTAL	63	13.3	46						
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	47	9.3	2						
35-49	31	9.5	2						
50-69	0								
70 +	0								
SUBTOTAL	78	9.4	2						
GRAND TOTAL	141	11.1	25	7	8	9	11	24	24

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	16	8.0							
35-49	57	12.3	18						
50-69	78	15.8	42						
70 +	0								
SUBTOTAL	151	13.7	35	7	8	15	19	22	22
0-17	0								
18-34	16	15.0							
35-49	0								
50-69	10	4.0							
70 +	16	14.0							
SUBTOTAL	42	11.9	21						
	193	13.3	32	7	8	14	17	22	22

Northeastern Region, July 1989 - June 1990

DRG 354: Uterine, Adnexa Proc for Non-ovarian/Adnexal Malig w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	805	8.9	25	5	6	7	10	15	20
70-74	613	7.7	10	5	5	7	9	13	14
75-79	551	10.4	55	5	6	8	13	21	23
80-84	318	11.3	73	5	7	8	11	26	35
85 +	83	9.0	14	6	6	8	10	18	18
SUBTOTAL	2370	9.3	35	5	6	7	10	15	21
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	2370	9.3	35	5	6	7	10	15	21

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	162	5.8	1	4	5	6	7	7	7
35-49	702	7.8	13	5	5	7	9	13	15
50-69	1015	7.4	13	5	5	6	9	12	14
70 +	16	7.0							
	1894	7.4	12	5	5	6	8	12	14
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1894	7.4	12	5	5	6	8	12	14

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	36	7.0	4						
35-49	104	7.6	8	5	6	6	10	13	13
50-69	68	9.0	21						
70 +	0								
SUBTOTAL	208	7.9	12	5	6	7	10	13	17
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	208	7.9	12	5	6	7	10	13	17

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	120	8.4	36	5	5	5	13	22	22
50-69	109	8.9	23	6	6	7	8	14	21
70 +	31	9.5	13						
	260	8.7	28	5	5	7	13	17	22
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	260	8.7	28	5	5	7	13	17	22

DRG 355: Uterine, Adnexa Proc for Non-ovarian/Adnexal Malig w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	580	6.2	5	4	5	5	7	9	11
70-74	488	5.9	3	4	4	6	7	8	9
75-79	264	6.2	3	4	5	6	7	8	11
80-84	150	6.7	2	5	6	7	7	8	11
85+	78	6.0	1	5	5	6	6	8	8
SUBTOTAL	1561	6.1	3	4	5	6	7	8	10
GRAND TOTAL	1561	6.1	3	4	5	6	7	8	10

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	0								
18-34	497	4.5	3	2	4	4	5	6	9
35-49	1395	4.6	1	3	4	4	5	6	7
50-69	1421	5.3	3	4	4	5	6	7	8
70+	10	4.0							
	3323	4.9	2	3	4	5	6	7	8
	3323	4.9	2	3	4	5	6	7	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	36	4.1	1						
35-49	67	4.6	1	3	4	5	5	6	6
50-69	47	6.3	2						
70+	0								
SUBTOTAL	150	5.0	2	3	4	5	6	8	8
GRAND TOTAL	150	5.0	2	3	4	5	6	8	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	0								
18-34	140	4.8	1	3	4	5	5	7	7
35-49	125	4.8	1	3	4	5	6	6	6
50-69	36	4.9	1						
70+	16	5.0							
	317	4.8	1	3	4	5	6	6	7
	317	4.8	1	3	4	5	6	6	7

DRG 356: Female Reproductive System Reconstructive Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	388	6.9	8	4	5	7	9	10	13
70-74	372	5.4	5	4	4	5	7	8	9
75-79	332	7.1	12	4	5	6	8	14	15
80-84	166	7.0	3	4	5	7	9	9	9
85 +	31	8.0	26						
SUBTOTAL	1289	6.6	8	4	4	6	8	9	13
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	922	4.2	3	2	3	4	5	6	7
70-74	777	4.3	4	2	3	4	6	7	8
75-79	539	4.8	5	2	4	5	6	7	8
80-84	233	5.4	6	2	3	5	6	9	10
85 +	83	5.6	4	3	4	5	7	10	10
SUBTOTAL	2554	4.5	4	2	3	4	6	7	8
GRAND TOTAL	3843	5.2	6	2	4	5	6	8	9

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	2.0							
18-34	94	7.8	25	3	4	6	9	18	18
35-49	311	5.2	7	2	4	5	7	7	12
50-69	866	6.2	7	3	5	6	8	10	10
70 +	10	8.0							
SUBTOTAL	1297	6.0	9	3	4	6	7	10	11
0-17	16	6.0							
18-34	394	5.0	12	3	3	4	5	7	11
35-49	1776	4.0	3	2	3	4	5	6	7
50-69	2909	4.5	4	2	3	4	6	7	8
70 +	10	4.0							
SUBTOTAL	5105	4.4	4	2	3	4	5	7	8
GRAND TOTAL	6402	4.7	6	2	3	4	6	8	9

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	21	5.0	1						
35-49	52	4.7	2						
50-69	68	4.6	2						
70 +	0								
SUBTOTAL	140	4.7	2	3	4	4	6	7	7
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	88	4.7	3	3	4	4	5	9	9
35-49	129	4.6	2	3	3	5	6	7	7
50-69	78	4.6	5	1	2	5	6	8	8
70 +	0								
SUBTOTAL	295	4.6	3	2	3	5	6	7	8
GRAND TOTAL	434	4.7	3	3	3	4	6	7	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	16	10.0							
35-49	78	4.0	1	2	3	4	5	5	5
50-69	42	5.5	2						
70 +	0								
SUBTOTAL	135	5.2	5	3	4	5	5	10	10
0-17	0								
18-34	16	13.0							
35-49	89	5.1	2	3	4	5	6	7	7
50-69	191	4.4	2	3	3	4	5	7	8
70 +	0								
SUBTOTAL	296	5.1	6	3	3	5	6	8	13
GRAND TOTAL	431	5.1	5	3	3	5	5	8	10

DRG 357: Uterine & Adnexa Proc for Ovarian or Adnexal Malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	562	13.2	98	6	7	11	15	23	28
70-74	245	18.5	144	7	9	13	26	38	46
75-79	265	18.5	145	8	9	15	24	40	40
80-84	249	17.3	101	7	10	15	22	38	38
85 +	83	19.6	350	8	10	11	18	68	68
SUBTOTAL	1404	16.2	136	7	8	12	21	33	40
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	98	5.7	3	3	4	6	7	8	8
70-74	78	7.6	13	3	5	7	8	14	14
75-79	52	9.1	44						
80-84	21	9.5	7						
85 +	10	6.0							
SUBTOTAL	258	7.3	16	4	5	6	8	14	19
GRAND TOTAL	1662	14.8	128	6	7	11	18	31	38

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	8.0							
18-34	89	9.5	3	7	7	10	11	12	12
35-49	505	8.9	13	5	6	8	11	14	15
50-69	697	11.4	34	5	7	10	15	18	23
70 +	31	13.0	17						
SUBTOTAL	1337	10.3	25	5	7	9	13	17	18
0-17	16	6.0							
18-34	162	4.6	1	4	4	5	5	6	6
35-49	352	5.8	8	4	4	5	7	10	11
50-69	269	6.9	7	4	5	7	8	10	14
70 +	0								
SUBTOTAL	798	5.9	7	4	4	5	7	10	11
	2135	8.7	23	4	5	8	11	15	17

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	16	9.0							
18-34	31	34.0	753						
35-49	26	10.4	9						
50-69	16	7.0							
70 +	16	10.0							
SUBTOTAL	104	16.7	354	7	7	9	11	61	61
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	10	6.0							
18-34	10	4.0							
35-49	0								
50-69	16	8.0							
70 +	0								
SUBTOTAL	36	6.3	3						
GRAND TOTAL	140	14.0	284	6	7	8	10	61	61

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	46	9.4	12						
35-49	94	9.8	15	6	7	9	10	18	18
50-69	42	13.4	47						
70 +	10	28.0							
SUBTOTAL	192	11.5	38	6	7	9	14	22	27
0-17	0								
18-34	62	4.1							
35-49	73	5.7	1						
50-69	10	3.0							
70 +	0								
SUBTOTAL	145	4.8	2	3	4	5	5	7	7
	338	8.6	33	4	5	7	9	18	22

DRG 358: Uterine & Adnexa Proc for Non-malignancy w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1385	6.5	9	4	5	6	8	10	11
70-74	1297	7.5	14	4	5	6	9	14	16
75-79	862	8.2	22	4	5	7	9	14	19
80-84	601	8.4	19	4	6	8	10	14	18
85 +	119	12.4	52	6	6	10	14	29	29
SUBTOTAL	4264	7.6	17	4	5	6	9	12	17
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	4264	7.6	17	4	5	6	9	12	17

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	276	4.7	4	2	3	4	6	7	8
18-34	4738	5.2	5	3	4	5	6	7	9
35-49	12756	5.8	8	4	4	5	6	9	11
50-69	3551	6.8	12	4	5	6	8	11	13
70 +	42	8.0	6						
	21362	5.8	8	3	4	5	7	9	11
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	21362	5.8	8	3	4	5	7	9	11

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	42	3.8							
18-34	528	5.2	4	3	4	5	6	7	8
35-49	431	6.7	6	4	5	6	7	10	12
50-69	120	7.7	14	4	5	6	12	15	15
70 +	16	2.0							
SUBTOTAL	1136	6.0	7	4	4	6	7	9	12
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	1136	6.0	7	4	4	6	7	9	12

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	57	4.0							
18-34	737	5.5	14	2	4	5	6	9	14
35-49	2078	6.6	14	4	5	6	8	10	12
50-69	500	7.5	30	4	5	6	8	13	14
70 +	26	4.6	20						
	3398	6.4	16	3	4	5	7	10	13
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3398	6.4	16	3	4	5	7	10	13

DRG 359: Uterine & Adnexa Proc for Non-malignancy w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2394	5.2	3	3	4	5	6	8	8
70-74	1711	5.4	3	3	4	5	6	7	8
75-79	819	6.0	5	4	5	6	7	9	10
80-84	415	7.0	13	4	5	6	8	10	13
85 +	114	7.5	3	4	7	8	9	9	10
SUBTOTAL	5452	5.6	5	3	4	5	7	8	9
GRAND TOTAL	5452	5.6	5	3	4	5	7	8	9

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	638	4.2	3	3	3	4	5	5	7
18-34	18912	3.8	3	2	3	4	5	5	6
35-49	33243	4.5	3	3	4	4	5	6	7
50-69	9290	5.0	3	3	4	5	6	7	8
70 +	140	5.0	3	2	4	6	6	7	7
	62224	4.4	3	3	4	4	5	6	7
	62224	4.4	3	3	4	4	5	6	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	125	3.5	2	2	3	3	4	7	7
18-34	1841	4.0	3	2	3	4	5	6	7
35-49	1004	4.9	3	3	4	5	6	7	8
50-69	223	5.3	3	4	4	5	6	7	10
70 +	16	6.0							
SUBTOTAL	3208	4.4	3	2	3	4	5	6	7
GRAND TOTAL	3208	4.4	3	2	3	4	5	6	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	207	4.1	1	2	3	4	5	6	6
18-34	2153	4.1	5	2	3	4	5	7	9
35-49	2515	4.6	5	3	3	4	5	6	7
50-69	686	4.8	3	3	4	5	6	7	8
70 +	16	7.0							
	5577	4.4	5	2	3	4	5	6	8
	5577	4.4	5	2	3	4	5	6	8

DRG 360: Vagina, Cervix & Vulva Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	115	5.4	18	1	3	4	10	14	14
70-74	145	5.5	15	2	3	5	6	15	15
75-79	182	9.1	79	3	4	5	9	28	33
80-84	115	5.7	11	2	2	7	7	12	12
85 +	41	6.3	1						
SUBTOTAL	597	6.6	36	2	3	5	8	12	15
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	468	3.5	4	1	2	3	5	6	7
70-74	229	3.8	4	1	2	3	5	7	8
75-79	212	3.9	4	2	2	3	5	6	8
80-84	150	3.8	6	1	2	2	7	7	8
85 +	78	9.8	88						
SUBTOTAL	1138	4.1	12	1	2	4	5	7	8
GRAND TOTAL	1734	5.0	22	1	2	4	6	8	12

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	3.0							
18-34	62	2.4	6						
35-49	104	17.9	564	3	4	6	7	69	69
50-69	244	5.7	7	2	4	6	7	10	10
70 +	26	4.6							
	447	7.9	167	2	3	5	7	10	38
0-17	182	4.6	48	< 1	1	2	5	8	26
18-34	815	2.0	3	< 1	1	1	2	4	6
35-49	936	2.5	5	< 1	1	1	4	5	7
50-69	679	3.6	4	< 1	2	4	5	6	7
70 +	10	4.0							
	2622	2.8	8	< 1	1	2	4	5	7
	3069	3.5	34	< 1	1	2	4	6	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	16	1.0							
35-49	0								
50-69	26	3.4	4						
70 +	0								
SUBTOTAL	42	2.5	4						
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	16	4.0							
18-34	93	4.2	31	< 1	1	1	5	16	16
35-49	57	3.4	8						
50-69	26	3.2	2						
70 +	16	8.0							
SUBTOTAL	208	4.1	18	1	1	2	5	8	16
GRAND TOTAL	250	3.8	16	1	1	2	5	8	16

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	21	3.5	2						
18-34	42	3.0	4						
35-49	57	2.7	9						
50-69	57	1.5	1						
70 +	0								
	177	2.5	5	< 1	1	1	3	6	9
0-17	73	1.5	1						
18-34	255	2.1	5	< 1	1	1	2	4	10
35-49	115	2.2	6	< 1	1	1	2	8	8
50-69	68	3.7	2						
70 +	0								
	510	2.2	4	< 1	1	1	3	5	8
	686	2.3	4	< 1	1	1	3	5	8

DRG 361: Laparoscopy & Incisional Tubal Interruption

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	21	5.0	17						
70-74	0								
75-79	52	6.2	22						
80-84	0								
85 +	26	16.7	168						
SUBTOTAL	98	8.7	81	1	1	9	12	27	27
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	93	4.2	26	< 1	1	2	5	15	15
70-74	0								
75-79	26	1.6							
80-84	10	1.0							
85 +	0								
SUBTOTAL	130	3.4	20	1	1	1	2	15	15
GRAND TOTAL	228	5.7	53	1	1	2	10	15	27

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	3.5	2						
18-34	426	3.4	8	1	*	3	4	8	12
35-49	219	3.1	5	1		2	4	7	8
50-69	26	3.6							
70 +	0								
	702	3.3	7	1	2	3	4	7	8
	233	2.2	2	1	1	2	2	5	5
	3470	2.3	4	< 1	1	1	3	5	6
	1492	2.2	4	< 1	1	1	3	5	7
	114	2.2	3	1	1	2	2	5	6
	0								
	5309	2.3	4	< 1	1	1	3	5	6
	6011	2.4	4	< 1	1	2	3	5	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	68	3.5	5						
35-49	16	6.0							
50-69	0								
70 +	0								
SUBTOTAL	83	4.0	5	1	1	4	6	7	7
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	57	1.5							
18-34	615	2.3	2	< 1	1	2	3	4	6
35-49	78	3.3	4	< 1	2	3	4	8	8
50-69	0								
70 +	0								
SUBTOTAL	751	2.4	2	< 1	1	2	3	4	6
GRAND TOTAL	834	2.5	3	< 1	1	2	4	5	6

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	156	2.3	2	1	1	2	3	5	5
35-49	89	2.1	2	1	1	1	3	5	5
50-69	0								
70 +	0								
	245	2.2	2	1	1	2	3	5	5
	31	1.0							
	1055	1.7	2	< 1	1	1	2	4	4
	645	1.8	3	< 1	1	1	2	3	5
	31	1.0							
	0								
	1763	1.7	2	< 1	1	1	2	3	5
	2008	1.7	2	< 1	1	1	2	4	5

DRG 362: Endoscopic Tubal Interruption

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	21	1.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	21	1.0							
GRAND TOTAL	21	1.0							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	1.0							
35-49	21	1.0							
50-69	0								
70 +	0								
	31	1.0							
0-17	0								
18-34	166	1.2		< 1	< 1	< 1	1	2	3
35-49	170	1.0		< 1	< 1	< 1	1	1	1
50-69	0								
70 +	0								
	336	1.1		< 1	< 1	< 1	1	1	2
	367	1.1		< 1	< 1	< 1	1	1	2

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	36	1.6	1						
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	36	1.6	1						
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	21	1.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	21	1.0							
GRAND TOTAL	57	1.4	1						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	10	1.0							
50-69	0								
70 +	0								
	10	1.0							
0-17	0								
18-34	26	1.0							
35-49	42	1.0							
50-69	0								
70 +	0								
	68	1.0							
	78	1.0		< 1	< 1	1	1	1	1

DRG 363: D&C, Conization & Radio-implant, for Malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	140	6.7	141	1	2	3	4	88	99+
70-74	62	5.3	56						
75-79	31	5.5	21						
80-84	83	4.2	9	1	1	3	8	9	9
85+	83	7.1	28	3	3	4	13	16	16
SUBTOTAL	400	6.0	68	1	2	3	8	21	40
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	234	2.1	1	1	1	2	3	3	3
70-74	83	2.1	1	1	1	3	3	3	3
75-79	46	3.3	4						
80-84	46	3.0	3						
85+	93	5.4	18	2	2	3	6	14	14
SUBTOTAL	504	2.9	6	1	2	2	3	6	6
GRAND TOTAL	904	4.3	36	1	2	3	4	10	16

TYPE OF PATIENT	BLUE CROSS PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	31	3.5	44						
35-49	146	3.5	12	1	1	3	4	13	13
50-69	218	4.9	19	<1	3	4	4	14	14
70+	0								
	396	4.8	21	1	2	3	4	14	16
0-17	0								
18-34	234	1.4	1	<1	<1	1	2	3	3
35-49	260	2.2	3	<1	1	2	3	5	7
50-69	323	2.2	1	1	1	2	3	4	4
70+	0								
	817	2.0	2	<1	1	2	2	4	4
	1212	2.9	9	<1	1	2	3	4	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	47	4.0	1						
35-49	47	4.3							
50-69	68	8.3	27						
70+	0								
SUBTOTAL	162	5.9	16	2	4	5	5	13	14
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	73	2.5	1						
35-49	31	4.0							
50-69	89	2.4	2	1	1	2	4	4	4
70+	0								
SUBTOTAL	193	2.7	2	1	2	2	4	4	4
GRAND TOTAL	354	4.2	11	1	2	4	4	10	13

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	16	4.0							
35-49	42	3.4	2						
50-69	42	1.5	1						
70+	0								
	99	2.7	2	1	1	3	4	5	5
0-17	0								
18-34	99	1.0		<1	1	1	1	1	1
35-49	136	1.2		1	1	1	1	2	2
50-69	47	1.3							
70+	31	2.0							
	313	1.3		1	1	1	1	2	2
	412	1.6	1	1	1	1	2	3	4

DRG 364: D&C, Conization except for Malignancy

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	130	2.2	2	1	1	2	2	3	7
70-74	62	3.3	8						
75-79	78	5.4	37	1	1	1	9	19	19
80-84	88	8.9	201	1	1	2	7	39	39
85 +	42	13.2	50						
SUBTOTAL	400	5.6	71	1	1	2	7	19	21
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	223	2.1	4	< 1	1	1	2	3	6
70-74	57	1.8	2						
75-79	57	1.8	2						
80-84	52	1.5							
85 +	16	3.0							
SUBTOTAL	405	2.0	3	< 1	1	1	2	4	5
GRAND TOTAL	805	3.8	40	1	1	2	3	8	19

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	2.3	2						
18-34	181	1.8	1	< 1	1	1	2	3	5
35-49	835	1.7	2	< 1	1	1	2	3	5
50-69	145	1.9	1	1	1	2	3	4	4
70 +	0								
	1193	1.8	2	< 1	1	1	2	3	4
	36	2.1	1						
	726	1.3	1	< 1	< 1	1	1	2	3
	1716	1.3	1	< 1	< 1	1	1	2	3
	642	1.1		< 1	< 1	< 1	1	1	2
	16	2.0							
	3137	1.3	1	< 1	< 1	1	1	2	3
	4329	1.4	1	< 1	< 1	1	1	3	3

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	10	3.0							
18-34	78	2.0	1	1	1	1	3	4	4
35-49	36	3.1	2						
50-69	16	2.0							
70 +	0								
SUBTOTAL	140	2.4	2	1	1	2	3	4	5
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	135	2.0	3	< 1	1	1	2	7	7
35-49	78	3.6	23	< 1	< 1	1	2	13	13
50-69	16	2.0							
70 +	0								
SUBTOTAL	228	2.6	10	< 1	1	1	2	7	13
GRAND TOTAL	368	2.5	7	< 1	1	2	2	5	7

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	73	1.9	1						
35-49	406	1.6	1	< 1	1	1	2	3	3
50-69	136	1.1		1	1	1	1	2	2
70 +	0								
	615	1.6	1	1	1	1	2	3	3
0-17	0								
18-34	276	1.3	1	< 1	1	1	1	2	2
35-49	599	1.4	2	< 1	< 1	1	1	2	5
50-69	213	1.1		< 1	< 1	1	1	1	2
70 +	0								
	1088	1.3	1	< 1	< 1	1	1	2	4
	1703	1.4	1	< 1	1	1	1	2	3

DRG 365: Other Female Reproductive System O.R. Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	103	11.3	67	4	5	10	20	25	26
70-74	156	13.2	50	5	8	13	20	26	26
75-79	57	14.8	183						
80-84	26	13.9	56						
85 +	0								
SUBTOTAL	342	12.9	78	5	7	9	20	26	26
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	52	3.0	1						
70-74	31	8.0	4						
75-79	10	5.0							
80-84	0								
85 +	0								
SUBTOTAL	93	4.9	7	2	2	4	6	10	10
GRAND TOTAL	435	11.2	74	4	5	8	14	24	26

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	52	2.9	2						
18-34	166	5.2	6	2	4	4	7	8	12
35-49	187	6.3	17	3	3	5	8	13	17
50-69	193	10.0	72	3	5	6	12	18	34
70 +	0								
	598	6.9	36	2	4	5	8	15	18
0-17	46	8.1	36						
18-34	389	4.0	3	2	3	3	5	6	9
35-49	326	3.8	7	1	2	3	4	6	9
50-69	136	5.1	2	4	4	5	6	8	8
70 +	0								
	897	4.3	7	2	3	4	5	8	9
	1495	5.3	20	2	3	4	6	9	14

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	10	19.0							
18-34	88	6.4	5	3	5	6	9	9	9
35-49	36	7.9	1						
50-69	0								
70 +	16	10.0							
SUBTOTAL	150	8.0	13	5	5	8	9	10	19
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	41	5.0	10						
35-49	16	9.0							
50-69	10	4.0							
70 +	16	12.0							
SUBTOTAL	83	7.0	14	1	4	9	9	12	12
GRAND TOTAL	233	7.6	14	3	5	8	9	12	12

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	89	10.1	138	2	4	5	7	35	35
35-49	31	13.0	17						
50-69	47	7.0	35						
70 +	0								
	167	9.8	90	2	4	6	15	17	35
0-17	16	6.0							
18-34	36	2.4							
35-49	31	5.0	1						
50-69	42	2.4	2						
70 +	0								
	125	3.5	3	1	2	3	5	6	6
	292	7.1	62	1	2	5	7	17	35

Northeastern Region, July 1989 - June 1990

DRG 366: Malignancy, Female Reproductive System w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	176	10.1	75	2	3	6	19	22	28
70-74	228	7.0	38	1	2	4	9	12	16
75-79	160	9.5	60	2	3	9	10	20	32
80-84	99	11.9	66	3	9	9	16	28	28
85 +	177	9.1	150	1	2	2	11	25	41
SUBTOTAL	840	9.1	79	2	2	7	11	22	28
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	840	9.1	79	2	2	7	11	22	28

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	3.0							
18-34	63	14.5	94						
35-49	135	6.9	20	2	3	5	12	15	15
50-69	327	8.4	54	2	3	6	10	16	27
70 +	16	9.0							
	555	8.6	53	2	3	6	12	16	29
	0								
	0								
	0								
	0								
	0								
	0								
	555	8.6	53	2	3	6	12	16	29

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	83	6.6	28	1	2	6	9	16	16
35-49	16	8.0							
50-69	68	6.9	40						
70 +	0								
SUBTOTAL	166	6.9	30	2	2	6	9	16	18
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	166	6.9	30	2	2	6	9	16	18

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	11.0							
18-34	16	16.0							
35-49	0								
50-69	57	11.7	119						
70 +	0								
	89	12.3	80	1	6	11	16	29	29
	0								
	0								
	0								
	0								
	0								
	0								
	89	12.3	80	1	6	11	16	29	29

DRG 367: Malignancy, Female Reproductive System w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	57	2.1							
70-74	41	2.3	1						
75-79	63	2.8	4						
80-84	63	3.3	5						
85+	31	19.5	161						
SUBTOTAL	255	4.7	53	1	1	2	5	7	32
GRAND TOTAL	255	4.7	53	1	1	2	5	7	32

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	47	4.0							
18-34	129	3.9	1	3	3	4	4	5	5
35-49	113	2.2	3	<1	1	1	4	5	5
50-69	165	2.5	12	1	1	1	2	3	18
70+	51	1.0							
	506	2.8	7	1	1	2	4	5	5
	506	2.8	7	1	1	2	4	5	5

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	47	3.0	2						
18-34	10	1.0							
35-49	10	1.0							
50-69	0								
70+	0								
SUBTOTAL	68	2.4	2						
GRAND TOTAL	68	2.4	2						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	0								
18-34	10	4.0							
35-49	16	2.0							
50-69	10	1.0							
70+	0								
	36	2.3	1						
	36	2.3	1						

DRG 368: Infections, Female Reproductive System

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	16	6.0							
70-74	21	11.5							
75-79	10	9.0							
80-84	31	10.5	6						
85 +	21	3.0							
SUBTOTAL	98	8.3	13	3	6	8	12	13	13
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	52	4.5	14						
70-74	31	10.5	13						
75-79	0								
80-84	0								
85 +	36	5.3	3						
SUBTOTAL	119	6.3	17	1	3	7	10	14	14
GRAND TOTAL	218	7.2	16	2	3	7	10	13	14

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	99	3.0	1	1	2	3	4	4	4
18-34	357	4.0	4	2	2	3	5	7	8
35-49	166	5.5	13	2	4	5	7	7	15
50-69	31	5.7	1						
70 +	0								
SUBTOTAL	653	4.3	6	2	2	4	5	7	8
0-17	420	4.5	5	2	3	4	6	8	8
18-34	2910	4.0	4	2	3	4	5	7	8
35-49	782	4.7	8	2	3	4	5	9	10
50-69	109	6.0	13	3	3	5	8	11	14
70 +	0								
SUBTOTAL	4221	4.2	5	2	3	4	5	7	9
GRAND TOTAL	4874	4.2	5	2	3	4	5	7	9

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	63	3.5	1						
18-34	280	5.2	6	3	3	4	7	8	10
35-49	36	5.0	2						
50-69	0								
70 +	0								
SUBTOTAL	379	4.9	5	3	3	4	6	8	10
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	396	4.6	4	3	4	4	5	7	10
18-34	1267	4.5	6	2	3	4	5	7	9
35-49	129	4.7	3	3	4	4	5	8	9
50-69	0								
70 +	0								
SUBTOTAL	1792	4.5	6	2	3	4	5	7	9
GRAND TOTAL	2171	4.6	5	2	3	4	5	8	10

TYPE OF PATIENT	NC INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	52	3.8	3						
18-34	385	4.2	3	2	3	4	5	7	7
35-49	120	7.6	9	3	5	7	10	13	13
50-69	16	5.0							
70 +	0								
SUBTOTAL	572	4.9	6	2	3	5	6	8	10
0-17	198	4.6	10	2	2	4	5	10	12
18-34	2033	4.1	4	2	3	4	5	6	8
35-49	353	5.7	14	2	3	4	8	11	13
50-69	0								
70 +	16	15.0							
SUBTOTAL	2600	4.4	7	2	3	4	5	7	10
GRAND TOTAL	3172	4.5	7	2	3	4	5	7	10

DRG 369: Menstrual & Other Female Reproductive System Disorders

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	83	6.8	34	1	2	5	15	15	15
70-74	36	3.1	2						
75-79	68	4.4	6						
80-84	10	15.0							
85 +	88	7.0	10	3	5	6	8	13	13
SUBTOTAL	285	6.1	19	1	3	5	8	15	99 +
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	135	1.8	1	< 1	< 1	1	3	3	4
70-74	62	3.2	5						
75-79	57	3.3	2						
80-84	72	5.4	20	1	2	4	7	15	15
85 +	10	5.0							
SUBTOTAL	336	3.2	8	< 1	1	2	4	6	7
GRAND TOTAL	621	4.5	15	1	2	3	6	13	15

TYPE OF PATIENT	BLUE CROSS PRIVATE INSURANCE TOTAL PATIENTS	AVG STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	192	5.9	101	1	1	3	5	7	39
18-34	655	3.5	17	1	1	2	4	6	8
35-49	410	3.3	9	1	1	2	4	8	12
50-69	124	5.6	13	1	3	5	10	12	12
70 +	0								
	1381	4.0	27	1	1	3	4	7	12
0-17	933	1.7	1	1	1	1	2	3	3
18-34	3226	2.1	2	1	1	2	3	4	5
35-49	1578	2.7	3	1	1	2	4	5	6
50-69	325	2.9	7	1	1	2	4	5	5
70 +	0								
	6063	2.3	3	1	1	2	3	4	5
	7444	2.6	8	1	1	2	3	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	10	4.0							
18-34	57	8.4	31						
35-49	68	5.4	10						
50-69	0								
70 +	0								
SUBTOTAL	135	6.5	20	3	3	6	8	17	17
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	161	1.8	1	1	1	2	2	3	3
18-34	518	2.0	2	< 1	1	1	2	4	5
35-49	72	1.7	1	< 1	1	1	3	4	4
50-69	10	7.0							
70 +	0								
SUBTOTAL	761	2.0	2	1	1	2	3	4	5
GRAND TOTAL	896	2.7	7	1	1	2	3	6	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	203	2.4	2	< 1	2	2	3	3	6
35-49	140	2.9	3	1	1	2	4	6	6
50-69	47	2.0	1						
70 +	0								
	391	2.5	2	1	2	2	3	5	6
0-17	245	2.0	2	< 1	1	2	3	4	5
18-34	991	2.6	6	< 1	1	2	3	5	7
35-49	380	2.7	5	1	1	1	3	6	7
50-69	83	3.1	9	< 1	1	2	3	9	9
70 +	0								
	1699	2.6	6	< 1	1	2	3	5	7
	2090	2.6	5	< 1	1	2	3	5	7

DRG 370: Cesarean Section w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	140	9.9	112	4	5	5	7	38	38
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	140	9.9	112	4	5	5	7	38	38
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	140	9.9	112	4	5	5	7	38	38

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	535	6.4	11	4	4	5	7	10	13
18-34	26316	6.2	34	4	4	5	6	8	11
35-49	5309	6.7	33	4	5	5	6	10	14
50-69	0								
70 +	0								
	32161	6.3	34	4	4	5	6	8	12
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	32161	6.3	34	4	4	5	6	8	12

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	555	6.7	14	4	4	6	8	10	12
18-34	6616	6.1	11	4	4	5	6	9	13
35-49	432	8.1	53	4	5	6	8	15	16
50-69	0								
70 +	0								
SUBTOTAL	7604	6.2	14	4	4	5	6	9	13
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	7604	6.2	14	4	4	5	6	9	13

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	192	8.5	11	4	6	7	11	13	15
18-34	7412	5.7	8	4	4	5	6	9	11
35-49	1232	6.0	10	4	4	5	6	9	11
50-69	0								
70 +	0								
	8836	5.8	9	4	4	5	6	9	11
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	8836	5.8	9	4	4	5	6	9	11

DRG 371: Cesarean Section w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	186	4.6	1	4	4	4	5	6	6
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	186	4.6	1	4	4	4	5	6	6
GRAND TOTAL	186	4.6	1	4	4	4	5	6	6

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	586	4.4	1	3	4	4	5	6	6
18-34	96130	4.7	6	3	4	4	5	6	6
35-49	18026	4.9	6	4	4	5	5	6	7
50-69	10	4.0							
70 +	0								
	114751	4.7	6	3	4	4	5	6	6
	114751	4.7	6	3	4	4	5	6	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	797	5.2	7	3	4	5	6	7	13
18-34	15039	4.8	10	3	4	4	5	6	7
35-49	919	4.9	6	3	4	5	5	6	8
50-69	0								
70 +	0								
SUBTOTAL	16755	4.9	10	3	4	4	5	6	7
GRAND TOTAL	16755	4.9	10	3	4	4	5	6	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	192	4.5		3	4	5	5	5	5
18-34	14689	4.6	6	3	4	4	5	6	6
35-49	2065	4.6	3	3	4	4	5	6	7
50-69	0								
70 +	0								
	16946	4.6	6	3	4	4	5	6	6
	16946	4.6	6	3	4	4	5	6	6

DRG 372: Vaginal Delivery w/ Complicating Diagnoses

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	52	2.9	1						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	52	2.9	1						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	52	2.9	1						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	259	3.9	6	2	3	4	6	10	12
18-34	11400	3.7	17	2	2	3	4	5	7
35-49	1891	3.5	4	2	2	3	4	6	8
50-69	0								
70 +	0								
	13550	3.7	15	2	2	3	4	6	7
	481	3.2	2	2	2	3	3	6	7
	18252	3.1	4	2	2	3	3	4	6
	2361	3.3	11	2	2	3	3	4	5
	0								
	0								
	21095	3.1	5	2	2	3	3	4	6
	34645	3.3	9	2	2	3	3	5	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	312	4.1	3	2	3	4	5	6	8
18-34	3225	3.9	13	2	2	3	4	6	9
35-49	115	2.8		2	2	3	3	4	4
50-69	0								
70 +	0								
SUBTOTAL	3652	3.9	12	2	2	3	4	6	8
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	561	3.0	2	2	2	3	3	4	5
18-34	4524	2.9	3	2	2	3	3	4	5
35-49	192	2.4	1	2	2	2	3	3	4
50-69	0								
70 +	0								
SUBTOTAL	5278	2.9	3	2	2	3	3	4	5
GRAND TOTAL	8930	3.3	7	2	2	3	4	5	6

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	135	4.0	5	1	3	3	5	9	9
18-34	2492	3.8	11	2	2	3	4	7	9
35-49	386	3.8	8	2	2	3	4	7	7
50-69	0								
70 +	0								
	3012	3.8	10	2	2	3	4	7	9
0-17	249	3.1	2	1	2	3	4	5	7
18-34	3404	2.9	2	2	2	3	3	4	5
35-49	302	2.6	1	2	2	2	3	4	4
50-69	0								
70 +	0								
	3955	2.9	2	2	2	3	3	4	5
	6967	3.3	6	2	2	3	4	5	7

DRG 373: Vaginal Delivery w/o Complicating Diagnoses

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	119	4.2	3	2	3	4	5	8	8
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	119	4.2	3	2	3	4	5	8	8
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	530	2.7	1	2	2	3	3	3	4
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	530	2.7	1	2	2	3	3	3	4
GRAND TOTAL	649	3.0	1	2	2	3	3	4	5

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	468	2.6	1	2	2	3	3	3	4
18-34	17576	3.1	6	2	2	3	3	4	5
35-49	2724	3.5	42	2	2	3	3	5	5
50-69	0								
70 +	0								
SUBTOTAL	20768	3.1	11	2	2	3	3	4	5
0-17	4697	2.4	1	2	2	2	3	3	4
18-34	316002	2.5	1	2	2	2	3	3	4
35-49	41927	2.6	4	2	2	2	3	3	4
50-69	31	3.0	1						
70 +	0								
SUBTOTAL	362658	2.5	1	2	2	2	3	3	4
GRAND TOTAL	383426	2.5	2	2	2	2	3	3	4

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	646	2.9	1	2	2	3	3	4	4
18-34	6905	2.9	4	2	2	3	3	4	5
35-49	271	4.4	20	1	2	3	5	15	17
50-69	0								
70 +	0								
SUBTOTAL	7822	2.9	4	2	2	3	3	4	5
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	4844	2.6	1	2	2	2	3	4	4
18-34	56491	2.4	1	1	2	2	3	3	4
35-49	1724	2.5	1	2	2	2	3	4	4
50-69	16	2.0							
70 +	0								
SUBTOTAL	63076	2.4	1	1	2	2	3	3	4
GRAND TOTAL	70897	2.4	2	1	2	2	3	3	4

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	339	2.4		2	2	2	3	3	4
18-34	7076	2.7	2	2	2	2	3	3	5
35-49	552	2.7	2	2	2	2	3	4	7
50-69	0								
70 +	0								
SUBTOTAL	7967	2.6	2	2	2	2	3	4	4
0-17	2401	2.4	1	1	2	2	3	3	4
18-34	67592	2.3	1	1	2	2	3	3	3
35-49	6481	2.3	1	1	2	2	3	3	4
50-69	0								
70 +	0								
SUBTOTAL	76473	2.3	1	1	2	2	3	3	3
GRAND TOTAL	84440	2.3	1	1	2	2	3	3	4

DRG 374: Vaginal Delivery w/ Sterilization &/or D&C

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	21	6.0	4						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	21	6.0	4						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	31	3.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	31	3.0							
GRAND TOTAL	52	4.2	4						

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1449	3.9	6	2	3	3	4	6	8
35-49	358	4.0	4	3	3	3	5	6	7
50-69	0								
70 +	0								
SUBTOTAL	1807	3.9	6	2	3	3	4	6	8
0-17	0								
18-34	12252	2.9	1	2	2	3	3	4	4
35-49	3116	3.0	1	2	3	3	3	4	4
50-69	0								
70 +	0								
SUBTOTAL	15368	2.9	1	2	2	3	3	4	4
GRAND TOTAL	17175	3.0	2	2	2	3	3	4	5

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	1055	3.3	1	2	3	3	4	4	5
35-49	83	17.2	633	4	4	5	9	69	69
50-69	0								
70 +	0								
SUBTOTAL	1138	4.3	60	2	3	3	4	5	6
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	10	2.0							
18-34	5152	2.8	1	2	2	3	3	4	4
35-49	352	3.4	3	2	2	3	4	5	8
50-69	0								
70 +	0								
SUBTOTAL	5515	2.8	1	2	2	3	3	4	4
GRAND TOTAL	6653	3.1	11	2	2	3	3	4	5

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	692	3.5	3	2	3	3	4	5	9
35-49	157	5.2	29	2	3	3	5	18	21
50-69	0								
70 +	0								
SUBTOTAL	849	3.8	9	2	3	3	4	5	10
0-17	16	2.0							
18-34	3033	2.8	2	2	2	3	3	4	4
35-49	953	2.9	1	2	2	3	3	4	4
50-69	16	3.0							
70 +	0								
SUBTOTAL	4017	2.9	2	2	2	3	3	4	4
GRAND TOTAL	4866	3.0	3	2	2	3	3	4	4

DRG 375: Vaginal Delivery w/ O.R. Proc except Steril &/or D&C

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	42	5.2	7						
35-49	16	4.0							
50-69	0								
70 +	0								
	57	4.9	5						
0-17	10	2.0							
18-34	187	2.9	3	2	2	3	3	5	9
35-49	0								
50-69	0								
70 +	0								
	197	2.9	3	2	2	3	3	4	7
	255	3.3	4	2	2	3	3	8	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	16	16.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	16	16.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	21	2.5							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	21	2.5							
GRAND TOTAL	36	8.3	46						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	73	2.4							
35-49	0								
50-69	0								
70 +	0								
	73	2.4							
	73	2.4							

DRG 376: Postpartum & Post Abortion Diagnoses w/o O.R. Procedure

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	16	1.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	16	1.0							
GRAND TOTAL	16	1.0							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	77	3.9	4	2	2	3	5	8	8
18-34	976	3.9	28	1	2	3	4	6	9
35-49	130	4.2	18	1	2	2	6	9	16
50-69	0								
70 +	0								
	1183	4.0	25	1	2	3	4	7	9
	104	4.0	3	2	3	3	5	6	8
	2527	2.7	2	1	2	2	3	4	5
	291	4.0	17	1	2	2	5	7	7
	0								
	0								
	2922	2.9	4	1	2	2	4	5	6
	4104	3.2	10	1	2	3	4	5	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	78	3.8	5						
18-34	488	3.7	3	2	2	3	5	6	8
35-49	31	10.5	75						
50-69	0								
70 +	0								
SUBTOTAL	598	4.1	9	2	2	3	5	8	8
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	73	3.7	3						
18-34	1001	3.1	5	1	2	3	4	6	7
35-49	42	4.9	1						
50-69	0								
70 +	0								
SUBTOTAL	1115	3.2	5	1	2	3	4	6	7
GRAND TOTAL	1713	3.5	6	1	2	3	4	7	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	11.0	17						
18-34	395	3.3	6	1	2	3	4	6	8
35-49	16	3.0							
50-69	0								
70 +	0								
	442	3.9	10	1	2	3	4	6	11
	26	2.2	1						
	785	3.7	14	1	2	3	5	7	9
	109	3.6	4	1	2	4	5	7	7
	0								
	0								
	920	3.6	12	1	2	3	5	7	9
	1362	3.7	11	1	2	3	4	7	10

DRG 377: Postpartum & Post Abortion Diagnoses w/ O.R. Procedure

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	21	1.5							
18-34	576	3.4	8	1	1	2	5	7	9
35-49	68	3.8	21						
50-69	0								
70 +	0								
	664	3.4	9	1	1	2	5	7	9
0-17	10	12.0							
18-34	809	2.1	4	< 1	1	1	3	4	7
35-49	223	1.3	1	< 1	1	1	1	2	4
50-69	0								
70 +	0								
	1043	2.1	4	< 1	1	1	2	4	6
	1707	2.6	6	1	1	1	3	6	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	42	5.1	6						
18-34	265	4.0	11	1	2	2	5	11	13
35-49	16	1.0							
50-69	0								
70 +	0								
SUBTOTAL	323	4.0	11	1	2	2	6	8	12
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	16	1.0							
18-34	176	2.2	3	1	1	1	3	4	7
35-49	10	2.0							
50-69	0								
70 +	0								
SUBTOTAL	202	2.1	3	1	1	1	3	4	7
GRAND TOTAL	525	3.3	9	1	1	2	4	7	11

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	26	4.4							
18-34	187	3.5	14	1	1	2	5	7	14
35-49	10	2.0							
50-69	0								
70 +	0								
	224	3.5	12	1	1	2	5	7	14
0-17	26	1.4							
18-34	239	2.3	3	< 1	1	2	4	4	7
35-49	73	3.6	12						
50-69	0								
70 +	0								
	338	2.5	5	< 1	1	2	3	4	7
	561	2.9	8	< 1	1	2	4	7	10

DRG 378: Ectopic Pregnancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	16	4.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	16	4.0							
GRAND TOTAL	16	4.0							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	3.0							
18-34	1549	4.2	3	2	3	4	5	6	7
35-49	473	4.4	3	3	3	4	5	6	7
50-69	0								
70 +	0								
	2053	4.2	3	2	3	4	5	6	7
0-17	72	2.1	2	1	1	1	4	5	5
18-34	5085	3.2	2	1	2	3	4	5	5
35-49	1389	3.1	3	1	2	3	4	5	6
50-69	10	4.0							
70 +	0								
	6557	3.2	2	1	2	3	4	5	5
	8610	3.4	3	1	2	3	4	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	26	5.6							
18-34	367	4.6	2	3	4	4	5	7	7
35-49	31	3.0	1						
50-69	0								
70 +	0								
SUBTOTAL	425	4.6	2	3	4	4	5	6	7
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	42	3.0							
18-34	1108	3.2	1	1	2	3	4	5	6
35-49	73	4.6							
50-69	0								
70 +	0								
SUBTOTAL	1222	3.3	2	1	2	3	4	5	6
GRAND TOTAL	1647	3.6	3	1	3	4	5	5	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	727	4.3	4	2	3	4	5	6	7
35-49	313	6.2	7	3	4	6	8	10	12
50-69	0								
70 +	0								
	1040	4.9	5	2	3	5	6	8	9
0-17	31	2.0							
18-34	1925	3.2	3	1	2	3	4	5	6
35-49	301	3.3	2	1	2	4	4	5	6
50-69	0								
70 +	0								
	2257	3.2	3	1	2	3	4	5	6
	3297	3.8	4	1	2	4	5	6	7

DRG 379: Threatened Abortion

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	83	2.5	4	< 1	< 1	1	4	6	6
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	83	2.5	4	< 1	< 1	1	4	6	6
GRAND TOTAL	83	2.5	4	< 1	< 1	1	4	6	6

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	140	6.9	71	< 1	1	2	6	25	25
18-34	3170	4.7	58	< 1	1	2	5	10	16
35-49	433	7.8	175	1	2	3	6	35	37
50-69	0								
70 +	0								
	3743	5.1	73	< 1	1	2	5	11	23
0-17	545	3.1	13	< 1	< 1	1	3	9	13
18-34	15773	2.6	14	< 1	1	1	3	5	8
35-49	1794	3.4	27	< 1	1	2	3	9	11
50-69	16	6.0							
70 +	0								
	18129	2.7	15	< 1	1	1	3	5	9
	21872	3.1	26	< 1	1	1	3	6	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	177	1.9	1	1	1	2	2	3	4
18-34	1776	3.6	43	< 1	1	2	3	6	15
35-49	151	8.9	67	1	2	7	12	26	26
50-69	0								
70 +	0								
SUBTOTAL	2104	3.9	44	< 1	1	2	3	7	16
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	636	1.5	1	< 1	< 1	1	2	3	4
18-34	5855	2.0	3	< 1	< 1	1	2	4	6
35-49	162	2.0	1	< 1	1	2	3	3	3
50-69	0								
70 +	0								
SUBTOTAL	6653	1.9	3	< 1	< 1	1	2	4	6
GRAND TOTAL	8757	2.4	14	< 1	< 1	1	3	5	6

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	89	2.3	2	< 1	1	1	4	4	4
18-34	1427	3.7	19	1	1	3	4	7	10
35-49	183	4.3	6	1	3	4	5	7	10
50-69	0								
70 +	0								
	1698	3.7	17	1	1	3	4	7	10
0-17	344	1.3		< 1	< 1	1	1	2	2
18-34	5029	2.3	15	< 1	< 1	1	3	4	6
35-49	292	2.9	6	< 1	1	2	5	6	10
50-69	0								
70 +	0								
	5665	2.3	14	< 1	< 1	1	3	4	6
	7363	2.6	15	< 1	< 1	1	3	5	7

DRG 380: Abortion w/o D&C

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	31	5.5	21						
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	31	5.5	21						
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
GRAND TOTAL	31	5.5	21						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	360	2.3	4	1	1	1	2	4	8
35-49	104	2.0	1	1	1	2	3	3	4
50-69	0								
70+	0								
	464	2.2	3	1	1	2	3	4	8
	339	1.5		1	1	1	2	2	2
	2759	1.5	2	<1	1	1	2	2	3
	786	1.5	1	<1	1	1	2	2	3
	16	1.0							
	0								
	3900	1.5	1	<1	1	1	2	2	3
	4364	1.6	2	<1	1	1	2	2	3

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	16	5.0							
18-34	115	2.1	1	1	1	2	3	3	5
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	130	2.4	2	1	1	2	3	5	5
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	83	1.6	1	1	1	1	2	3	3
18-34	556	1.7	1	<1	1	2	2	3	3
35-49	36	1.0							
50-69	0								
70+	0								
SUBTOTAL	675	1.6	1	<1	1	1	2	3	3
GRAND TOTAL	806	1.8	1	<1	1	1	2	3	3

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	21	5.0	17						
18-34	136	3.3	29	1	1	1	2	18	18
35-49	31	3.5							
50-69	0								
70+	0								
	187	3.5	23	1	1	1	3	9	18
0-17	52	1.0							
18-34	961	1.5	2	<1	1	1	1	2	3
35-49	213	1.7	1	<1	1	1	2	2	5
50-69	0								
70+	0								
	1226	1.5	2	<1	1	1	2	2	3
	1414	1.8	5	<1	1	1	2	3	5

DRG 381: Abortion w/ D&C, Aspiration Curettage or Hysterotomy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	31	2.0	1						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	31	2.0	1						
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	36	1.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	36	1.0							
GRAND TOTAL	68	1.5	1						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	1.0							
18-34	842	1.9	2	1	1	1	2	3	5
35-49	318	1.5	2	< 1	< 1	1	1	4	5
50-69	0								
70 +	0								
	1175	1.8	2	< 1	1	1	2	3	5
	346	1.2		< 1	< 1	1	1	2	3
	12868	1.2		< 1	< 1	1	1	2	2
	3265	1.2		< 1	< 1	1	1	2	2
	0								
	0								
	16479	1.2		< 1	< 1	1	1	2	2
	17654	1.2	1	< 1	< 1	1	1	2	3

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	47	4.3	6						
18-34	375	2.4	9	< 1	1	1	2	5	7
35-49	73	4.3	32						
50-69	0								
70 +	0								
SUBTOTAL	495	2.9	13	< 1	1	2	3	7	7
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	213	1.5	1	< 1	1	1	2	2	2
18-34	2495	1.2		< 1	< 1	1	1	2	2
35-49	271	1.1		< 1	< 1	1	1	1	2
50-69	0								
70 +	0								
SUBTOTAL	2979	1.2		< 1	< 1	1	1	2	2
GRAND TOTAL	3474	1.5	3	< 1	< 1	1	1	2	3

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	26	2.2	1						
18-34	714	1.9	2	< 1	1	1	2	4	4
35-49	183	1.0		< 1	1	1	1	1	1
50-69	0								
70 +	0								
	922	1.7	1	< 1	1	1	2	4	4
	347	1.1		< 1	< 1	1	1	2	2
	6636	1.2		< 1	< 1	1	1	2	2
	1621	1.1		< 1	< 1	1	1	1	2
	0								
	0								
	8605	1.2		< 1	< 1	1	1	2	2
	9528	1.2		< 1	< 1	1	1	2	3

Northeastern Region, July 1989 - June 1990

DRG 382: False Labor

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	42	1.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	42	1.0							
GRAND TOTAL	42	1.0							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	1.0							
18-34	422	1.6	3	< 1	< 1	1	1	3	4
35-49	94	3.8	26	< 1	< 1	1	4	15	15
50-69	0								
70 +	0								
	526	2.0	8	< 1	< 1	1	1	4	10
0-17	421	1.0		< 1	< 1	< 1	< 1	1	1
18-34	12378	1.1		< 1	< 1	< 1	1	1	1
35-49	1515	1.0		< 1	< 1	< 1	< 1	1	1
50-69	0								
70 +	0								
	14314	1.1		< 1	< 1	< 1	1	1	1
	14841	1.1	1	< 1	< 1	< 1	1	1	1

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	89	1.0		< 1	< 1	< 1	1	1	1
18-34	498	1.0		< 1	< 1	< 1	1	1	1
35-49	26	2.6							
50-69	0								
70 +	0								
SUBTOTAL	613	1.1		< 1	< 1	< 1	1	1	2
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	755	1.1		< 1	< 1	< 1	1	1	1
18-34	5277	1.0		< 1	< 1	< 1	1	1	1
35-49	73	1.0							
50-69	0								
70 +	0								
SUBTOTAL	6106	1.0		< 1	< 1	< 1	1	1	1
GRAND TOTAL	6718	1.0		< 1	< 1	< 1	1	1	1

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	1.0							
18-34	83	1.4	1	< 1	< 1	1	1	3	3
35-49	0								
50-69	0								
70 +	0								
	99	1.3	1	< 1	< 1	1	1	3	3
0-17	156	1.0		< 1	< 1	< 1	1	1	1
18-34	2386	1.0		< 1	< 1	< 1	1	1	1
35-49	219	1.0		< 1	< 1	< 1	< 1	< 1	1
50-69	0								
70 +	0								
	2761	1.0		< 1	< 1	< 1	1	1	1
	2859	1.1		< 1	< 1	< 1	1	1	1

DRG 383: Other Antepartum Diagnoses w/ Medical Complications

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	47	4.3	6						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	47	4.3	6						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	36	5.3	12						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	36	5.3	12						
GRAND TOTAL	83	4.8	9	< 1	1	6	6	9	9

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	531	2.2	15	< 1	< 1	1	2	3	4
18-34	8904	3.4	24	< 1	1	2	4	7	9
35-49	1354	3.9	9	1	2	3	5	7	9
50-69	0								
70 +	0								
	10789	3.4	21	< 1	1	2	4	7	9
0-17	508	2.0	1	< 1	1	2	3	4	4
18-34	16167	2.9	14	< 1	1	2	4	5	7
35-49	1820	3.2	9	< 1	1	2	4	7	8
50-69	0								
70 +	0								
	18495	2.9	13	< 1	1	2	4	5	7
	29284	3.1	16	< 1	1	2	4	6	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	553	2.6	4	< 1	< 1	1	4	6	6
18-34	5006	2.9	13	< 1	< 1	2	3	6	8
35-49	417	2.8	3	< 1	1	2	4	5	7
50-69	0								
70 +	0								
SUBTOTAL	5975	2.9	11	< 1	< 1	2	4	6	8
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	957	1.8	2	< 1	< 1	1	2	4	5
18-34	6400	2.1	5	< 1	< 1	1	2	4	5
35-49	396	2.1	3	< 1	< 1	1	2	4	6
50-69	0								
70 +	0								
SUBTOTAL	7753	2.1	4	< 1	< 1	1	2	4	5
GRAND TOTAL	13729	2.4	8	< 1	< 1	1	3	5	6

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	93	3.9	9	< 1	< 1	4	7	9	9
18-34	2351	3.6	15	< 1	1	3	4	7	8
35-49	183	4.4	14	< 1	2	2	7	8	16
50-69	0								
70 +	0								
	2627	3.7	15	< 1	1	3	5	7	8
0-17	244	1.4		< 1	< 1	1	1	3	3
18-34	4197	2.6	5	< 1	1	2	3	5	7
35-49	292	3.0	7	< 1	1	2	5	6	11
50-69	0								
70 +	0								
	4733	2.6	5	< 1	1	2	3	5	7
	7360	3.0	9	< 1	1	2	4	6	8

DRG 384: Other Antepartum Diagnoses w/o Medical Complications

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	31	1.5							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	31	1.5							
GRAND TOTAL	31	1.5							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	73	1.4							
18-34	1217	3.8	19	<1	1	3	4	8	10
35-49	177	3.9	8	<1	2	3	6	6	11
50-69	0								
70 +	0								
	1467	3.7	17	<1	1	2	4	8	10
	343	1.3	1	<1	<1	<1	1	2	3
	12600	1.9	4	<1	<1	1	2	4	5
	2604	2.0	7	<1	<1	1	2	4	5
	0								
	0								
	15546	1.9	5	<1	<1	1	2	4	5
	17013	2.1	6	<1	<1	1	2	4	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	31	1.5							
18-34	416	3.0	15	<1	<1	1	3	5	13
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	447	2.9	14	<1	<1	1	3	5	13
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	370	1.3		<1	<1	<1	1	2	3
18-34	3753	1.7	2	<1	<1	1	2	4	5
35-49	255	1.6	2	<1	<1	1	2	3	6
50-69	0								
70 +	0								
SUBTOTAL	4377	1.6	2	<1	<1	1	2	3	5
GRAND TOTAL	4825	1.8	3	<1	<1	1	2	4	5

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	2.0							
18-34	250	3.4	9	<1	1	3	4	10	11
35-49	0								
50-69	0								
70 +	0								
	266	3.3	9	<1	1	2	4	10	11
	115	1.1		<1	<1	1	1	2	2
	3172	2.0	4	<1	<1	1	2	4	6
	475	1.9	1	<1	1	2	2	3	5
	0								
	0								
	3762	1.9	4	<1	<1	1	2	4	6
	4028	2.0	4	<1	<1	1	2	4	6

DRG 386: Extreme Immaturity or Respiratory Distress Syndrome, Neonate

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	439	80.0	193	64	78	89	99 +	99 +	99 +
1000-1499	935	54.4	255	39	48	56	67	86	99 +
1500-1749	564	38.9	191	27	31	39	44	54	75
1750-2499	1558	21.3	193	8	12	18	26	39	50
2500 +	1135	9.1	57	2	4	8	10	18	30
	4630	32.7	665	6	11	27	55	84	99 +
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	26	4.2	1						
	26	4.2	1						
	4656	32.5	665	6	11	27	54	84	99 +

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999 (GMS.)	172	74.1	249	54	73	89	99 +	99 +	99 +
1000-1499	230	58.8	503	29	46	72	87	99 +	99 +
1500-1749	89	42.4	88	30	31	43	49	57	57
1750-2499	292	24.9	104	10	20	24	31	41	47
2500 +	223	5.4	7	2	3	5	7	10	10
SUBTOTAL	1006	38.3	806	5	16	41	78	99 +	99 +
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	0								
GRAND TOTAL	1006	38.3	806	5	16	41	78	99 +	99 +

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	219	49.1	303	16	40	58	61	99 +	99 +
1500-1749	110	36.6	235	8	29	38	50	59	59
1750-2499	214	20.6	140	8	13	22	25	34	51
2500 +	218	12.1	171	4	6	8	23	53	99 +
	761	28.7	435	6	10	25	53	61	99 +
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	10	4.0							
2500 +	0								
	10	4.0							
	772	28.4	437	6	9	25	51	61	99 +

DRG 387: Prematurity w/ Major Problems

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	89	64.4	331	44	48	56	84	91	91
1000-1499	626	43.3	291	24	30	43	54	73	78
1500-1749	715	28.3	125	17	21	24	35	46	50
1750-2499	2973	10.7	50	4	6	9	14	18	22
2500 +	2303	7.7	40	3	4	6	8	15	20
	6706	15.3	233	4	5	9	19	35	50
1-999	0								
1000-1499	31	46.5	31						
1500-1749	63	19.3	37						
1750-2499	635	11.9	63	3	5	12	16	25	29
2500 +	431	5.0	5	2	3	5	6	7	10
	1161	10.7	90	3	4	6	15	21	30
	7867	14.6	215	4	5	9	18	34	49

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999 (GMS.)	31	49.5							
1000-1499	214	56.1	407	33	41	61	73	94	99 +
1500-1749	230	26.9	108	14	19	26	36	44	44
1750-2499	1257	14.3	100	4	7	13	17	28	38
2500 +	514	7.5	38	2	4	5	10	14	17
SUBTOTAL	2246	18.5	307	3	6	13	24	44	61
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	0								
1000-1499	63	50.8	290						
1500-1749	104	20.6	27	12	18	23	25	25	25
1750-2499	266	14.8	90	4	7	15	19	32	33
2500 +	89	9.0	79	4	4	5	6	28	28
SUBTOTAL	522	19.3	247	4	6	17	25	33	62
GRAND TOTAL	2768	18.6	296	4	6	13	25	44	62

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	115	40.9	83	33	36	44	50	99 +	99 +
1500-1749	89	23.9	58	11	18	26	31	32	32
1750-2499	845	11.4	44	4	7	10	15	20	26
2500 +	700	7.4	52	2	4	5	8	12	17
	1747	12.3	121	3	5	9	15	29	44
1-999	0								
1000-1499	31	48.5	477						
1500-1749	0								
1750-2499	230	12.3	51	4	7	11	17	24	25
2500 +	104	4.8	8	1	3	4	6	10	10
	365	13.2	202	3	4	10	17	25	27
	2112	12.5	135	3	5	9	15	29	44

DRG 388: Prematurity w/o Major Problems

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	16	32.0							
1500-1749	0								
1750-2499	166	13.1	27	5	9	15	17	19	19
2500 +	67	14.0	231	2	4	7	10	41	41
SUBTOTAL	249	14.5	100	4	6	15	17	32	41
1-999	0								
1000-1499	89	22.0	64	12	13	23	24	36	36
1500-1749	124	16.1	31	11	11	15	19	27	27
1750-2499	3431	6.2	26	2	3	5	7	14	17
2500 +	3289	3.8	9	2	2	3	5	6	7
SUBTOTAL	6933	5.4	25	2	3	4	6	11	15
GRAND TOTAL	7182	5.7	31	2	3	4	6	13	17

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	10	10.0							
1750-2499	16	12.0							
2500 +	0								
SUBTOTAL	26	11.2	1						
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	57	24.1	48						
1750-2499	1036	6.9	35	2	3	4	9	16	20
2500 +	1028	3.3	7	2	2	2	4	7	8
SUBTOTAL	2121	5.7	34	2	2	3	7	13	17
GRAND TOTAL	2147	5.7	34	2	2	3	7	13	17

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	26	18.1	155						
2500 +	31	5.0	1						
SUBTOTAL	57	11.0	113						
1-999	0								
1000-1499	63	24.5	4						
1500-1749	89	18.8	17	11	16	22	22	23	23
1750-2499	1493	5.9	23	2	2	4	8	12	17
2500 +	1137	3.9	29	2	2	3	5	6	6
SUBTOTAL	2782	5.9	40	2	2	4	6	13	22
GRAND TOTAL	2838	6.0	41	2	2	4	6	13	22

DRG 389: Full Term Neonate w/ Major Problems

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	16	8.0							
SUBTOTAL	16	8.0							
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	0								
GRAND TOTAL	16	8.0							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	16	47.0							
1000-1499	31	15.5	31						
1500-1749	47	22.3	30						
1750-2499	854	8.6	69	3	4	5	12	23	50
2500 +	21249	4.9	18	2	3	4	5	8	11
SUBTOTAL	22197	5.1	23	2	3	4	5	9	13
1-999	0								
1000-1499	0								
1500-1749	16	9.0							
1750-2499	249	6.2	79	1	2	4	5	16	38
2500 +	5878	3.7	4	2	2	3	4	6	8
SUBTOTAL	6143	3.8	8	2	2	3	5	6	8
GRAND TOTAL	28340	4.8	20	2	3	4	5	8	12

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	16	35.0							
1500-1749	0								
1750-2499	302	16.0	381	2	4	5	19	51	65
2500 +	3988	5.9	35	2	3	4	7	11	17
SUBTOTAL	4305	6.7	68	2	3	4	7	12	21
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	156	5.5	8	2	4	5	6	11	12
2500 +	2160	5.3	36	2	2	4	5	8	22
SUBTOTAL	2316	5.3	34	2	3	4	5	8	15
GRAND TOTAL	6621	6.2	57	2	3	4	6	12	20

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	306	5.1	6	2	3	5	7	8	10
2500 +	6974	5.0	17	2	3	4	6	8	11
SUBTOTAL	7280	5.0	17	2	3	4	6	8	11
1-999	0								
1000-1499	0								
1500-1749	10	5.0							
1750-2499	57	3.6	1						
2500 +	1825	4.2	16	2	2	4	5	7	10
SUBTOTAL	1892	4.2	16	2	2	4	5	7	10
GRAND TOTAL	9173	4.8	16	2	3	4	6	8	10

DRG 390: Neonate w/ Other Significant Problems

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	41	2.3	1						
SUBTOTAL	41	2.3	1						
GRAND TOTAL	41	2.3	1						

BLUE CROSS PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	72	3.6	6	2	2	2	4	8	8
2500 +	1587	3.7	7	2	2	3	4	5	6
	1659	3.7	7	2	2	3	4	5	6
1-999	0								
1000-1499	0								
1500-1749	42	16.5	22						
1750-2499	2249	4.0	8	2	2	3	5	6	8
2500 +	54953	3.2	3	2	2	3	4	5	5
	57244	3.2	3	2	2	3	4	5	6
	58903	3.2	3	2	2	3	4	5	6

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	46	14.1	249						
2500 +	477	3.4	2	2	2	3	4	6	6
SUBTOTAL	523	4.4	33	2	2	3	4	6	7
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	52	16.7	61						
1750-2499	1197	3.9	8	2	2	3	4	7	9
2500 +	13783	3.2	7	2	2	3	4	5	6
SUBTOTAL	15033	3.3	8	2	2	3	4	5	7
GRAND TOTAL	15556	3.4	9	2	2	3	4	5	7

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	31	11.5	44						
2500 +	389	4.0	10	2	2	3	5	5	7
	420	4.5	17	2	2	3	5	7	18
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	1302	4.4	8	2	2	4	5	8	10
2500 +	21628	3.5	4	2	2	3	4	5	7
	22930	3.5	4	2	2	3	4	6	7
	23350	3.5	4	2	2	3	4	6	7

DRG 391: Normal Newborn

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	10	2.0							
2500 +	83	3.0	2	1	2	3	5	5	5
SUBTOTAL	93	2.9	2	1	2	2	5	5	5
GRAND TOTAL	93	2.9	2	1	2	2	5	5	5

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
0									
1-999	0								
1000-1499	10	14.0							
1500-1749	10	17.0							
1750-2499	3361	3.3	2	2	2	3	4	5	6
2500 +	310594	2.8	1	2	2	2	3	4	5
	313976	2.8	1	2	2	2	3	4	5
	313976	2.8	1	2	2	2	3	4	5

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	1439	2.9	2	2	2	2	4	5	6
2500 +	53759	2.6	2	1	2	2	3	4	5
SUBTOTAL	55198	2.6	2	1	2	2	3	4	5
GRAND TOTAL	55198	2.6	2	1	2	2	3	4	5

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
0									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	2432	3.2	3	2	2	3	4	5	6
2500 +	117583	2.8	2	2	2	2	3	4	5
	120015	2.8	2	2	2	2	3	4	5
	120015	2.8	2	2	2	2	3	4	5

DRG 392: Splenectomy Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	83	16.8	143	8	10	11	16	41	41
70-74	93	18.2	187	7	7	14	21	51	51
75-79	42	11.1	29						
80-84	10	18.0							
85 +	0								
SUBTOTAL	228	16.4	139	7	8	11	20	41	41
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	47	7.7							
70-74	21	4.0	1						
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	68	6.6	3						
GRAND TOTAL	296	14.2	125	7	7	9	18	27	41

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	208	9.4	22	5	6	8	12	16	21
35-49	156	8.9	13	5	6	8	13	15	15
50-69	115	8.6	7	5	6	9	12	13	13
70 +	0								
	479	9.1	15	5	6	8	12	14	16
0-17	0								
18-34	306	6.7	4	4	5	6	8	9	12
35-49	125	7.7	1	6	7	8	8	9	9
50-69	68	6.5	2						
70 +	0								
	498	6.9	3	5	6	7	8	9	9
	977	8.0	10	5	6	7	9	13	14

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	16	6.0							
35-49	10	18.0							
50-69	0								
70 +	0								
SUBTOTAL	26	10.8	36						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	42	6.2	1						
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	42	6.2	1						
GRAND TOTAL	68	8.0	19						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	57	6.5	1						
35-49	26	24.7	110						
50-69	16	11.0							
70 +	0								
	99	12.0	89	6	6	8	12	33	33
0-17	0								
18-34	93	8.5	26	3	4	8	9	19	19
35-49	10	8.0							
50-69	0								
70 +	0								
	104	8.4	24	4	5	8	9	19	19
	203	10.2	58	4	6	8	11	19	33

DRG 393: Splenectomy Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	89	8.9	13	5	6	9	9	16	16
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	89	8.9	13	5	6	9	9	16	16
0-17	197	6.1	4	4	5	6	6	9	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	197	6.1	4	4	5	6	6	9	10
	286	7.0	8	4	5	6	9	9	16

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	31	6.5	2						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	31	6.5	2						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	94	6.0	4	4	5	5	6	10	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	94	6.0	4	4	5	5	6	10	10
GRAND TOTAL	125	6.1	3	4	5	6	8	10	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	3.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	16	3.0							
0-17	63	5.3	2						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	63	5.3	2						
	78	4.8	3						

DRG 394: Other O.R. Procedures of the Blood And Blood Forming Organs

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	125	12.7	628	1	1	6	8	13	95
70-74	78	9.8	34	2	2	11	14	17	17
75-79	99	23.7	700	1	3	9	33	79	79
80-84	21	1.5							
85 +	21	6.5							
SUBTOTAL	343	14.1	480	1	2	7	14	33	79
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	98	5.4	29	1	1	3	10	16	16
70-74	93	2.5	1	1	2	2	4	4	4
75-79	68	3.0	11						
80-84	10	1.0							
85 +	16	2.0							
SUBTOTAL	285	3.5	15	1	1	2	4	9	16
GRAND TOTAL	628	9.3	297	1	1	3	9	16	33

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	78	13.9	234	2	3	7	14	43	43
18-34	78	11.2	117						
35-49	166	6.4	26	1	2	5	11	12	17
50-69	124	13.1	633	1	1	3	9	24	93
70 +	16	1.0							
	463	10.1	250	1	1	4	12	24	43
0-17	542	3.6	21	1	1	1	5	9	16
18-34	416	2.2	2	1	1	2	3	4	6
35-49	259	1.9	3	1	1	1	2	5	5
50-69	244	1.9	1	1	1	1	2	4	4
70 +	0								
	1461	2.6	10	1	1	1	3	5	7
	1923	4.4	78	1	1	2	4	9	17

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	73	15.6	263	1	2	27	40	99 +	99 +
18-34	42	9.3	40						
35-49	16	2.0							
50-69	0								
70 +	16	16.0							
SUBTOTAL	146	12.4	163	2	2	7	27	58	99 +
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	83	5.1	14	1	1	5	9	10	10
18-34	31	1.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	115	4.0	13	1	1	2	9	10	10
GRAND TOTAL	260	8.7	114	1	2	3	16	40	99 +

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	47	9.3	41						
18-34	10	6.0							
35-49	57	8.9	29						
50-69	31	16.5	248						
70 +	0								
	146	10.5	87	1	3	7	15	32	32
0-17	151	3.4	9	< 1	< 1	1	7	9	9
18-34	46	2.3	6						
35-49	42	1.0							
50-69	57	3.2	13						
70 +	0								
	297	2.8	9	< 1	1	1	4	9	9
	443	5.4	47	< 1	1	1	7	15	18

DRG 395: Red Blood Cell Disorders Age >17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	2237	7.5	81	1	2	5	10	16	27
70-74	2100	6.6	62	1	2	4	8	14	22
75-79	2186	6.6	58	1	2	4	8	15	21
80-84	2479	7.1	42	2	3	6	9	14	19
85 +	2201	8.2	118	2	3	5	9	18	21
SUBTOTAL	11204	7.2	72	1	2	5	9	15	21
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	566	6.7	28	1	3	6	7	13	17
70-74	558	5.9	23	1	2	5	8	11	17
75-79	716	5.6	28	1	1	4	8	11	14
80-84	637	5.0	26	1	2	3	8	10	12
85 +	799	9.4	82	1	4	7	11	20	27
SUBTOTAL	3275	6.6	42	1	2	5	9	14	21
GRAND TOTAL	14479	7.1	65	1	2	5	9	15	21

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	442	5.7	25	<1	2	5	7	13	18
35-49	559	4.8	15	1	2	3	7	11	13
50-69	2201	5.1	27	1	1	3	7	11	14
70 +	98	3.8	6	1	2	3	7	8	8
	3300	5.1	24	1	2	3	7	11	14
0-17	0								
18-34	680	5.6	33	1	2	4	6	13	18
35-49	577	4.1	8	1	2	3	5	8	9
50-69	695	3.7	6	1	1	3	6	7	8
70 +	72	4.6	13	1	2	5	6	12	12
	2024	4.5	17	1	2	3	5	9	12
	5324	4.8	21	1	2	3	6	10	13

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	313	7.1	30	2	3	5	11	19	20
35-49	166	5.8	27	1	1	4	13	13	15
50-69	280	6.8	42	2	2	6	7	17	28
70 +	114	12.1	198	2	6	8	11	14	55
SUBTOTAL	873	7.4	58	1	2	5	10	15	19
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	395	6.0	35	1	2	5	7	11	14
35-49	89	5.0	12	2	2	4	5	12	12
50-69	31	5.0	4						
70 +	57	5.6	4						
SUBTOTAL	572	5.8	27	1	2	5	7	11	14
GRAND TOTAL	1445	6.8	47	1	2	5	8	13	19

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	177	6.7	16	2	4	7	10	11	15
35-49	386	6.5	20	2	3	6	9	11	14
50-69	521	7.3	40	1	2	5	11	17	21
70 +	183	6.4	22	1	2	4	8	14	14
	1267	6.8	28	1	2	6	10	14	18
0-17	0								
18-34	515	5.7	12	2	3	5	8	10	12
35-49	412	5.2	19	1	2	4	7	12	14
50-69	287	2.3	3	<1	<1	2	3	4	6
70 +	110	4.3	8	1	2	3	8	8	8
	1324	4.7	14	1	2	4	6	10	12
	2591	5.7	22	1	2	4	8	12	15

DRG 396: Red Blood Cell Disorders Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	16	1.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	16	1.0							
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	16	3.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	16	3.0							
GRAND TOTAL	31	2.0	1						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	840	5.2	35	< 1	1	2	8	11	17
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	840	5.2	35	< 1	1	2	8	11	17
	729	2.8	5	1	1	2	4	6	7
	1570	4.1	22	< 1	1	2	5	10	15

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	449	5.4	8	2	4	5	6	8	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	449	5.4	8	2	4	5	6	8	11
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	913	3.4	4	1	2	3	4	7	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	913	3.4	4	1	2	3	4	7	7
GRAND TOTAL	1362	4.0	6	1	2	4	5	7	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	292	4.3	14	1	1	3	7	8	12
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	292	4.3	14	1	1	3	7	8	12
0-17	470	3.3	10	< 1	1	3	4	7	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	470	3.3	10	< 1	1	3	4	7	10
	761	3.7	11	1	1	3	5	8	12

DRG 397: Coagulation Disorders

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	410	6.2	16	2	3	5	10	12	13
70-74	364	8.2	34	2	4	8	12	15	21
75-79	451	8.5	83	1	3	5	10	15	22
80-84	247	8.3	15	3	5	8	12	14	14
85 +	182	12.9	87	2	4	11	18	26	31
SUBTOTAL	1653	8.3	49	2	4	7	11	14	22
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	104	7.9	20	< 1	7	7	9	17	17
70-74	114	8.8	19	3	3	10	10	16	16
75-79	140	3.8	9	< 1	2	3	5	6	13
80-84	57	6.4	13						
85 +	46	4.8	10						
SUBTOTAL	461	6.4	19	1	3	5	10	12	16
GRAND TOTAL	2115	7.9	43	2	3	7	10	14	19

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	657	4.0	42	< 1	1	3	4	7	7
18-34	312	5.5	20	< 1	2	4	8	14	17
35-49	271	6.2	53	1	2	5	6	9	33
50-69	587	6.9	35	1	3	6	8	16	20
70 +	62	5.9	2						
	1889	5.5	38	1	2	4	7	11	16
0-17	894	2.8	4	1	2	2	3	5	8
18-34	354	4.4	12	1	2	4	5	11	14
35-49	264	3.7	7	1	1	3	5	8	8
50-69	291	4.3	8	1	2	4	5	7	7
70 +	0								
	1803	3.5	7	1	2	3	4	7	9
	3692	4.5	24	1	2	3	6	8	14

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	193	6.1	38	< 1	1	2	12	16	18
18-34	151	16.9	126	7	10	13	22	46	46
35-49	0								
50-69	62	5.2	4						
70 +	0								
SUBTOTAL	406	10.0	94	< 1	2	7	13	22	24
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	589	3.3	6	1	2	3	4	7	8
18-34	78	7.8	31						
35-49	0								
50-69	47	3.7	2						
70 +	0								
SUBTOTAL	714	3.9	10	1	2	3	5	8	11
GRAND TOTAL	1121	6.1	49	1	2	3	7	13	18

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	188	3.8	13	< 1	1	2	6	7	13
18-34	57	5.3	4						
35-49	89	8.9	10	2	7	10	11	13	13
50-69	78	7.4	2						
70 +	31	6.5							
	444	5.8	12	1	2	6	8	11	13
0-17	276	2.4	2	< 1	2	2	3	4	7
18-34	42	3.7	9						
35-49	68	5.2	6						
50-69	94	12.0	64	2	6	9	14	27	27
70 +	0								
	479	4.8	29	1	2	2	6	9	14
	923	5.3	21	1	2	4	7	11	14

DRG 398: Reticuloendothelial & Immunity Disorders w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	815	9.0	38	3	5	8	11	16	21
70-74	559	8.5	101	2	4	6	11	15	18
75-79	670	9.6	56	3	4	8	12	21	27
80-84	431	12.4	226	5	5	8	11	22	36
85 +	170	11.5	139	4	5	6	10	34	44
SUBTOTAL	2645	9.8	95	3	5	7	11	17	26
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	2645	9.8	95	3	5	7	11	17	26

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1659	6.6	23	2	3	5	9	12	17
18-34	544	5.1	33	<1	<1	3	6	9	11
35-49	680	7.9	85	2	4	6	9	13	20
50-69	1128	7.8	29	3	4	7	10	14	16
70 +	63	12.0	20						
SUBTOTAL	4074	7.1	38	2	3	6	9	13	17
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	4074	7.1	38	2	3	6	9	13	17

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	454	5.6	18	2	3	4	8	12	12
18-34	78	4.4	3	2	4	4	5	7	7
35-49	104	6.3	38	1	2	4	7	12	23
50-69	52	6.3	4						
70 +	16	4.0							
SUBTOTAL	703	5.6	18	2	3	4	7	11	12
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	703	5.6	18	2	3	4	7	11	12

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	470	8.2	71	2	2	5	10	23	25
18-34	177	7.4	32	2	4	5	11	16	20
35-49	78	5.3	10	1	2	7	8	10	10
50-69	136	4.8	13	2	3	3	6	14	14
70 +	47	16.0	13						
SUBTOTAL	907	7.7	52	2	3	5	10	16	23
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	907	7.7	52	2	3	5	10	16	23

DRG 399: Reticuloendothelial & Immunity Disorders w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	213	4.4	8	1	2	5	6	9	9
70-74	115	5.6	24	< 1	2	4	11	15	15
75-79	83	6.4	40	2	3	3	7	19	19
80-84	31	2.3	2						
85 +	78	9.5	31	3	4	10	11	19	19
SUBTOTAL	519	5.6	23	1	2	4	9	11	19
GRAND TOTAL	519	5.6	23	1	2	4	9	11	19

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1875	4.8	10	1	3	4	7	10	10
18-34	528	4.7	19	1	2	4	7	9	11
35-49	218	5.3	11	3	3	4	7	8	15
50-69	223	4.8	18	1	1	3	6	14	14
70 +	26	6.4	4						
	2870	4.8	12	1	3	4	7	10	11
	2870	4.8	12	1	3	4	7	10	11

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	417	3.6	10	1	2	4	6	11	11
18-34	42	3.0	1						
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	459	4.4	9	1	2	4	6	11	11
GRAND TOTAL	459	4.4	9	1	2	4	6	11	11

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	485	4.3	4	2	3	4	5	7	10
18-34	151	6.2	25	< 1	2	5	9	16	16
35-49	16	4.0							
50-69	73	6.4	13						
70 +	16	6.0							
	740	4.9	10	2	3	4	6	9	13
	740	4.9	10	2	3	4	6	9	13

DRG 400: Lymphoma & Leukemia w/ Major O.R. Procedure

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	343	15.3	133	5	6	11	22	36	39
70-74	265	17.7	137	5	10	17	32	41	99+
75-79	270	19.1	167	8	10	17	22	40	50
80-84	151	22.6	312	6	10	12	32	64	64
85+	68	22.6	508						
SUBTOTAL	1095	18.3	196	5	9	13	24	39	50
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	234	5.9	17	1	3	4	9	13	15
70-74	83	5.1	8	1	3	5	6	10	10
75-79	88	9.6	71	3	3	7	10	27	27
80-84	68	7.9	18						
85+	31	8.5	21						
SUBTOTAL	505	6.9	28	2	3	5	9	13	15
GRAND TOTAL	1600	14.7	171	3	6	10	20	36	41

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	157	7.9	26	2	5	6	15	16	99+
18-34	93	7.8	4	6	6	7	8	12	12
35-49	329	10.9	95	4	6	9	11	18	38
50-69	654	13.1	142	3	6	11	15	26	34
70+	16	3.0							
SUBTOTAL	1249	11.4	108	3	6	9	14	22	43
0-17	63	7.8	14						
18-34	412	5.2	7	1	3	5	7	9	9
35-49	421	5.8	13	1	4	6	7	9	11
50-69	421	4.7	9	1	2	4	7	10	10
70+	16	3.0							
SUBTOTAL	1332	5.3	11	1	3	5	7	9	11
GRAND TOTAL	2581	8.3	67	2	4	7	10	16	22

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	16	95.0							
18-34	62	5.7	13						
35-49	16	2.0							
50-69	36	11.4	18						
70+	10	14.0							
SUBTOTAL	140	17.4	787	1	4	8	14	95	95
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	16	6.0							
18-34	26	5.6	9						
35-49	16	8.0							
50-69	63	12.3	147						
70+	0								
SUBTOTAL	120	9.4	87	4	5	7	8	33	33
GRAND TOTAL	260	13.7	478	2	4	7	10	33	95

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	78	14.6	34						
18-34	47	7.7	21						
35-49	89	7.5	20	4	5	5	11	16	16
50-69	78	15.6	92						
70+	0								
SUBTOTAL	292	11.6	57	4	5	10	18	25	26
0-17	31	5.5	6						
18-34	124	8.7	55	1	5	7	12	26	26
35-49	89	6.1	32	2	3	4	5	18	18
50-69	10	5.0							
70+	16	1.0							
SUBTOTAL	270	6.9	40	1	3	5	8	18	26
GRAND TOTAL	562	9.3	54	3	4	6	14	24	26

DRG 401: Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	364	12.4	122	2	3	10	17	27	38
70-74	271	12.0	59	2	6	11	19	21	30
75-79	301	16.3	282	2	6	8	20	53	58
80-84	203	14.8	212	1	4	12	19	25	58
85 +	124	14.1	86	6	8	9	19	28	32
SUBTOTAL	1263	13.8	160	2	6	10	19	28	42
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	1263	13.8	160	2	6	10	19	28	42

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	47	14.7	303						
18-34	120	8.8	11	6	7	9	13	13	13
35-49	239	12.8	180	1	3	7	26	38	40
50-69	426	11.0	78	2	4	8	18	25	26
70 +	10	1.0							
	843	11.3	112	2	3	8	13	26	38
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	843	11.3	112	2	3	8	13	26	38

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	42	8.1	21						
50-69	47	29.0	1014						
70 +	0								
SUBTOTAL	89	19.2	652	1	4	13	14	73	73
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	89	19.2	652	1	4	13	14	73	73

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	63	10.0	87						
35-49	89	13.2	101	2	7	10	18	32	32
50-69	162	7.8	29	2	4	7	13	17	18
70 +	0								
	313	9.8	66	2	4	7	13	26	31
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	313	9.8	66	2	4	7	13	26	31

DRG 402: Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	186	4.8	12	2	2	3	8	10	13
70-74	208	6.2	40	1	2	3	10	18	19
75-79	1	6.3	25	1	3	4	10	15	19
80-84	93	4.8	18	< 1	1	2	7	13	13
85 +	21	4.5	13						
SUBTOTAL	690	5.6	25	1	2	3	8	13	18
GRAND TOTAL	690	5.6	25	1	2	3	8	13	18

TYPE OF PATIENT	BLUE CROSS PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	89	2.4	1	1	1	1	3	3	4	4
18-34	234	3.4	10	< 1	1	1	3	6	9	12
35-49	302	4.8	15	1	2	3	4	7	10	15
50-69	546	5.8	29	1	2	3	4	8	15	18
70 +	31	2.5								
	1201	4.7	20	1	2	3	5	12	15
	1201	4.7	20	1	2	3	5	12	15

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	16	4.0							
18-34	16	1.0							
35-49	26	12.4	4						
50-69	16	2.0							
70 +	0								
SUBTOTAL	73	5.9	26						
GRAND TOTAL	73	5.9	26						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	16	3.0							
18-34	42	2.9	6						
35-49	47	4.0	5						
50-69	99	2.4	3	< 1	1	1	4	5	5
70 +	0								
	203	2.9	4	< 1	1	3	5	6	6
	203	2.9	4	< 1	1	3	5	6	6

DRG 403: Lymphoma & Non-acute Leukemia w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1249	14.3	230	4	5	10	17	30	48
70-74	1111	12.6	171	3	5	9	15	24	39
75-79	973	17.0	338	5	7	11	18	30	66
80-84	967	13.0	99	4	7	10	16	22	30
85 +	623	13.3	161	3	5	9	18	31	52
SUBTOTAL	4922	14.1	206	3	6	10	17	28	39
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	4922	14.1	206	3	6	10	17	28	39

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	63	12.3	174						
18-34	250	5.1	14	1	2	5	6	14	14
35-49	735	10.4	108	2	3	8	12	38	39
50-69	1395	12.4	108	3	5	9	17	28	34
70 +	103	9.4	39	3	4	6	16	18	21
SUBTOTAL	2545	11.0	102	2	4	7	15	28	38
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	2545	11.0	102	2	4	7	15	28	38

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	104	4.3	14	1	1	3	7	10	10
35-49	78	15.0	101						
50-69	140	24.3	425	6	10	11	49	57	60
70 +	16	14.0							
SUBTOTAL	339	15.5	274	1	6	10	16	49	57
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	339	15.5	274	1	6	10	16	49	57

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	94	9.5	215	2	2	3	5	42	42
18-34	47	6.0	27						
35-49	198	7.6	37	2	3	6	9	18	22
50-69	376	16.6	133	2	9	14	25	28	33
70 +	26	7.4	9						
SUBTOTAL	741	12.3	126	2	3	9	20	26	33
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	741	12.3	126	2	3	9	20	26	33

DRG 404: Lymphoma & Non-acute Leukemia w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	323	7.8	34	3	4	6	9	14	19
70-74	312	8.1	33	1	4	6	13	16	17
75-79	255	5.1	12	1	2	4	8	11	11
80-84	186	9.2	73	2	5	6	11	16	40
85 +	125	9.9	80	2	3	8	12	31	31
SUBTOTAL	1200	7.7	42	2	3	6	11	15	17
GRAND TOTAL	1200	7.7	42	2	3	6	11	15	17

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	141	4.1	14	1	2	2	5	14	14
18-34	286	3.2	11	1	1	2	4	5	16
35-49	354	4.1	16	1	1	3	6	8	10
50-69	826	6.3	36	1	3	4	8	12	22
70 +	26	8.0							
	1633	5.1	26	1	2	3	7	11	16
	1633	5.1	26	1	2	3	7	11	16

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	42	7.8	35						
35-49	31	1.5							
50-69	57	10.8	23						
70 +	0								
SUBTOTAL	130	7.6	35	1	2	6	11	18	18
GRAND TOTAL	130	7.6	35	1	2	6	11	18	18

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	63	2.3	2						
18-34	16	2.0							
35-49	16	6.0							
50-69	115	8.6	58	3	3	5	18	23	23
70 +	16	14.0							
	224	6.5	43	1	2	4	8	18	23
	224	6.5	43	1	2	4	8	18	23

DRG 405: Acute Leukemia w/o Major O.R. Procedure Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0	—							
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	987	15.8	206	2	4	11	24	35	41
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	987	15.8	206	2	4	11	24	35	41
0-17	548	4.1	31	2	2	3	4	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	548	4.1	31	2	2	3	4	6	8
	1536	11.6	175	2	3	6	17	34	41

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	235	17.8	314	2	4	9	29	50	59
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	235	17.8	314	2	4	9	29	50	59
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	125	4.9	12	< 1	2	4	8	11	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	125	4.9	12	< 1	2	4	8	11	11
GRAND TOTAL	360	13.3	247	2	3	8	15	39	50

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	157	16.0	208	1	3	11	25	40	48
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	157	16.0	208	1	3	11	25	40	48
0-17	407	5.4	61	1	2	4	5	9	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	407	5.4	61	1	2	4	5	9	9
	564	8.4	124	1	2	4	9	25	43

DRG 406: Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R.Proc w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	255	11.8	116	2	5	7	14	36	39
70-74	281	18.0	96	7	9	16	27	29	37
75-79	140	13.1	166	2	4	11	15	46	46
80-84	93	21.7	213	7	10	16	37	48	48
85 +	83	21.2	89	9	13	23	31	33	33
SUBTOTAL	853	16.1	139	4	7	12	23	36	39
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	853	16.1	139	4	7	12	23	36	39

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	42	7.9	7						
35-49	208	9.7	25	4	7	8	12	18	19
50-69	422	10.4	57	4	6	8	16	20	40
70 +	31	34.5	6						
	703	11.1	68	4	6	8	15	23	37
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	703	11.1	68	4	6	8	15	23	37

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	10	43.0							
70 +	0								
SUBTOTAL	10	43.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	10	43.0							

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	16	27.0							
35-49	16	30.0							
50-69	31	26.5							
70 +	0								
	63	27.5	2						
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	63	27.5	2						

DRG 407: Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R.Proc w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	110	4.7	15	1	1	3	8	11	11
70-74	10	8.0							
75-79	16	13.0							
80-84	63	9.5	4						
85 +	0								
SUBTOTAL	198	7.1	18	1	3	8	11	12	13
GRAND TOTAL	198	7.1	18	1	3	8	11	12	13

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	42	7.0	22						
18-34	26	7.0							
35-49	98	5.5	9	1	2	5	8	9	10
50-69	254	8.0	22	2	6	7	11	15	15
70 +	31	3.5							
	451	7.0	18	2	4	7	8	13	15
	451	7.0	18	2	4	7	8	13	15

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	16	10.0							
18-34	0								
35-49	0								
50-69	16	9.0							
70 +	0								
SUBTOTAL	31	9.5							
GRAND TOTAL	31	9.5							

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	47	1.7							
50-69	47	3.7							
70 +	16	7.0							
	110	3.3	3	1	2	3	4	7	7
	110	3.3	3	1	2	3	4	7	7

DRG 408: Myeloprolif Disord or Poorly Diff Neopl w/ Other O.R.Proc

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	307	7.4	31	2	3	6	10	19	20
70-74	255	5.7	21	1	3	4	8	13	18
75-79	198	8.4	49	3	3	6	11	18	26
80-84	89	19.7	1045	3	4	4	7	89	89
85 +	16	24.0							
SUBTOTAL	865	8.7	154	2	3	5	10	18	24
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	276	2.9	7	1	2	2	3	7	12
70-74	99	3.6	6	2	2	3	4	9	9
75-79	250	3.1	2	2	2	3	3	5	5
80-84	73	2.4							
85 +	36	2.3							
SUBTOTAL	734	3.0	4	1	2	3	3	5	8
GRAND TOTAL	1599	6.1	93	2	2	3	6	12	18

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	167	4.5	6	1	3	4	7	7	9
50-69	444	7.0	55	1	2	4	10	24	31
70 +	0								
	611	6.3	43	1	2	4	8	19	31
0-17	16	5.0							
18-34	73	6.3	24						
35-49	391	3.6	10	1	2	2	4	7	10
50-69	578	2.7	6	<1	1	2	3	5	7
70 +	57	8.2	99						
	1115	3.5	15	1	1	2	4	7	14
	1725	4.5	27	1	1	3	5	10	16

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	16	4.0							
35-49	10	1.0							
50-69	36	6.1	8						
70 +	0								
SUBTOTAL	62	4.8	8						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	16	1.0							
18-34	31	1.0							
35-49	31	3.5							
50-69	42	2.9	2						
70 +	0								
SUBTOTAL	120	2.3	2	1	1	1	4	4	4
GRAND TOTAL	182	3.1	5	1	1	3	4	7	9

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	3.0							
18-34	0								
35-49	26	2.4							
50-69	47	7.0	43						
70 +	0								
	89	4.9	27	1	2	3	4	16	16
0-17	26	1.0							
18-34	47	2.3	2						
35-49	16	2.0							
50-69	0								
70 +	0								
	89	1.9	1	<1	1	2	2	4	4
	177	3.4	17	1	1	2	4	4	16

DRG 409: Radiotherapy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1222	7.4	41	4	5	5	7	15	20
70-74	594	6.2	12	3	5	5	7	10	15
75-79	464	6.8	19	3	5	5	7	15	16
80-84	391	11.3	282	5	5	5	10	23	28
85 +	239	11.6	75	5	5	7	17	25	35
SUBTOTAL	2910	7.9	70	4	5	5	7	15	21
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	224	4.6	1	2	5	5	5	5	6
70-74	31	3.5	2						
75-79	136	5.7	5	4	5	5	6	11	11
80-84	73	3.7	4						
85 +	94	5.6	4	5	5	5	5	10	10
SUBTOTAL	558	4.9	3	2	5	5	5	6	10
GRAND TOTAL	3468	7.4	61	4	5	5	7	15	20

TYPE OF PATIENT	BLUE CROSS PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	63	2.0	1						
18-34	110	3.9	2	2	2	4	5	5	5
35-49	374	5.4	7	1	4	5	5	11	11
50-69	1110	6.4	18	4	5	5	5	15	16
70 +	41	5.0							
	1698	5.8	14	3	4	5	5	12	15
	0								
18-34	63	6.0	19						
35-49	146	3.5	3	1	2	4	5	6	6
50-69	256	3.2	3	1	2	2	5	5	6
70 +	0								
	464	3.7	6	1	2	4	5	6	6
	2162	5.3	13	2	4	5	5	11	15

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	47	10.7	106						
18-34	16	4.0							
35-49	47	15.7	59						
50-69	99	7.2	10	5	5	6	10	13	15
70 +	0								
SUBTOTAL	209	9.6	55	4	5	5	15	22	25
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	16	2.0							
35-49	47	4.3	1						
50-69	73	7.7	44						
70 +	0								
SUBTOTAL	136	5.9	28	2	5	5	5	5	24
GRAND TOTAL	344	8.2	48	3	5	5	7	22	24

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	4.0							
18-34	0								
35-49	16	5.0							
50-69	94	6.2	17	2	5	5	5	15	15
70 +	0								
	125	5.8	13	2	4	5	5	15	15
0-17	0								
18-34	16	2.0							
35-49	16	2.0							
50-69	42	5.0							
70 +	0								
	73	3.7	2						
	198	5.0	10	2	4	5	5	5	15

DRG 410: Chemotherapy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	15573	3.7	10	1	2	3	5	6	7
70-74	10465	3.5	7	1	2	3	5	6	7
75-79	6667	3.4	7	2	2	2	4	6	7
80-84	2610	3.4	4	1	2	3	5	6	7
85 +	342	4.8	18	2	4	4	5	5	6
SUBTOTAL	35656	3.5	8	1	2	3	5	6	7
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2014	2.7	3	1	1	2	4	5	6
70-74	1721	2.5	3	1	1	2	4	5	5
75-79	1067	2.4	2	1	1	2	3	5	5
80-84	473	3.5	6	1	2	3	5	5	5
85 +	77	2.9	2	2	2	2	3	6	6
SUBTOTAL	5352	2.6	3	1	1	2	4	5	5
GRAND TOTAL	41008	3.4	8	1	2	3	5	6	7

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	2141	3.3	17	1	2	2	4	5	7
18-34	3301	3.4	6	1	2	4	5	5	6
35-49	9199	3.6	9	1	2	3	5	6	7
50-69	26825	3.3	7	1	2	3	4	5	7
70 +	593	3.9	4	1	2	4	5	6	7
	42060	3.4	8	1	2	3	4	6	7
0-17	1128	3.1	2	1	2	3	4	5	5
18-34	1330	3.2	2	1	2	3	5	5	5
35-49	2824	2.3	2	1	1	2	3	5	5
50-69	4815	2.6	3	1	1	2	4	5	5
70 +	124	1.9	2	1	1	2	2	2	6
	10221	2.6	3	1	1	2	4	5	5
	52281	3.3	7	1	2	3	4	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	611	2.9	10	<1	1	2	3	5	10
18-34	1146	3.6	15	1	2	2	5	6	7
35-49	1653	4.0	14	1	2	3	5	6	9
50-69	1972	4.1	10	1	2	4	5	7	9
70 +	0								
SUBTOTAL	5382	3.8	12	1	2	3	5	6	9
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	439	3.3	7	1	1	2	5	5	6
18-34	312	2.9	3	1	1	3	3	5	6
35-49	219	3.6	5	2	2	3	5	5	10
50-69	316	6.4	133	1	2	5	5	7	43
70 +	0								
SUBTOTAL	1285	4.0	38	1	2	3	5	6	7
GRAND TOTAL	6667	3.9	17	1	2	3	5	6	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	94	6.5	62	2	3	3	4	24	24
18-34	592	4.2	11	1	2	4	5	7	15
35-49	760	4.3	16	1	2	4	5	8	16
50-69	1565	4.1	6	1	2	4	5	7	8
70 +	47	1.0							
	3058	4.2	11	1	2	4	5	7	9
0-17	47	2.3	4						
18-34	275	3.3	3	1	1	4	5	6	6
35-49	140	3.2	4	1	1	4	4	7	7
50-69	370	3.3	4	1	1	3	5	6	7
70 +	0								
	833	3.3	4	1	1	3	5	6	7
	3890	4.0	10	1	2	4	5	7	8

Northeastern Region, July 1989 - June 1990

DRG 411: History of Malignancy w/o Endoscopy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	16	2.0							
70-74	16	1.0							
75-79	10	3.0							
80-84	0								
85 +	10	8.0							
SUBTOTAL	52	3.1	7						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	16	11.0							
75-79	16	4.0							
80-84	16	5.0							
85 +	0								
SUBTOTAL	47	6.7	10						
GRAND TOTAL	99	4.8	11	1	2	4	8	11	11

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	10	6.0							
50-69	31	3.0							
70 +	0								
	42	3.7	2						
0-17	16	1.0							
18-34	16	1.0							
35-49	31	1.7							
50-69	10	1.0							
70 +	0								
	72	1.3		< 1	1	1	2	2	2
	114	2.2	2	1	1	2	3	3	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	16	1.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	16	1.0							
GRAND TOTAL	16	1.0							

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	0								

DRG 412: History of Malignancy w/ Endoscopy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	10	3.0							
70-74	10	1.0							
75-79	10	2.0							
80-84	36	3.6	2						
85+	0								
SUBTOTAL	67	2.9	2	1	2	3	3	5	5
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	26	1.6							
70-74	0								
75-79	36	2.1	1						
80-84	16	2.0							
85+	16	1.0							
SUBTOTAL	93	1.8	1	<1	1	2	2	3	3
GRAND TOTAL	160	2.2	1	1	1	2	3	4	5

TYPE OF PATIENT	BLUE CROSS PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	16	2.0							
70+	0								
	16	2.0							
0-17	0								
18-34	0								
35-49	0								
50-69	10	1.0							
70+	0								
	10	1.0							
	26	1.6							

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	0								

DRG 413: Other Myeloprolif Dis or Poorly Diff Neopl Diag w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	432	10.4	54	4	5	8	14	20	27
70-74	254	15.5	117	4	6	12	22	32	39
75-79	233	12.3	75	4	5	10	15	23	38
80-84	243	10.2	35	3	6	19	14	21	21
85 +	192	9.9	17	5	6	9	14	16	17
SUBTOTAL	1354	11.6	65	4	5	10	15	22	30
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	1354	11.6	65	4	5	10	15	22	30

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	188	1.6		1	1	1	2	2	3
18-34	42	7.1	10						
35-49	109	7.8	59	< 1	1	4	16	17	20
50-69	405	14.7	209	3	6	10	16	29	53
70 +	36	11.7	18						
	780	10.1	148	1	2	6	14	21	29
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	780	10.1	148	1	2	6	14	21	29

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	10	48.0							
35-49	31	5.0							
50-69	47	13.7	64						
70 +	0								
SUBTOTAL	89	14.6	198	3	5	5	22	48	48
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	89	14.6	198	3	5	5	22	48	48

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	2.0							
18-34	0								
35-49	63	20.0	39						
50-69	63	11.8	40						
70 +	0								
	141	14.3	69	2	6	14	21	28	28
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	141	14.3	69	2	6	14	21	28	28

DRG 414: Other Myeloprolif Dis or Poorly Diff Neopl Diag w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	151	4.5	16	< 1	1	2	8	8	14
70-74	161	6.7	13	2	3	7	9	12	12
75-79	104	5.3	13	2	2	3	8	9	14
80-84	46	14.9	25						
85 +	62	2.8	1						
SUBTOTAL	524	6.0	23	1	2	5	8	13	15
GRAND TOTAL	524	6.0	23	1	2	5	8	13	15

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	157	2.2	3	< 1	< 1	1	3	5	5
18-34	52	3.2	3						
35-49	114	2.8	2	1	2	2	4	5	5
50-69	318	6.6	80	1	2	4	7	9	35
70 +	47	14.7	213						
	687	5.3	63	1	1	3	5	7	35
	687	5.3	63	1	1	3	5	7	35

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	16	1.0							
18-34	16	11.0							
35-49	0								
50-69	16	2.0							
70 +	0								
SUBTOTAL	47	4.7	21						
GRAND TOTAL	47	4.7	21						

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	26	3.8	1						
50-69	26	4.6	4						
70 +	16	6.0							
	68	4.6	3						
	68	4.6	3						

DRG 415: O.R. Procedure for Infectious & Parasitic Diseases

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1007	23.2	256	7	13	22	29	55	99
70-74	856	26.1	278	10	13	23	39	50	67
75-79	622	21.9	196	10	12	21	28	43	93
80-84	517	24.4	389	7	11	20	29	56	78
85 +	585	27.2	394	10	15	22	36	57	83
SUBTOTAL	3587	24.5	296	9	13	22	31	51	71
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	192	12.9	81	3	4	12	18	26	27
70-74	89	17.9	124	5	7	15	31	33	33
75-79	99	12.4	21	7	7	13	16	19	19
80-84	83	7.3	29	3	3	5	8	18	18
85 +	47	12.0	21						
SUBTOTAL	510	12.7	72	3	5	11	18	26	31
GRAND TOTAL	4097	23.0	283	7	12	20	30	48	67

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	287	16.2	132	3	6	16	23	41	99 +
18-34	259	9.8	80	3	5	7	11	24	34
35-49	327	14.2	249	6	8	11	17	21	22
50-69	1005	19.2	218	5	7	15	31	42	52
70 +	42	12.3	2						
	1920	16.5	198	4	7	13	22	38	49
0-17	255	7.6	80	1	2	5	9	14	39
18-34	400	9.3	43	2	5	8	12	22	24
35-49	264	10.0	85	2	4	7	11	21	38
50-69	337	11.3	75	4	6	8	18	24	27
70 +	36	12.0	7						
	1292	9.7	68	2	4	8	13	22	27
	3212	13.8	157	3	6	10	19	34	41

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	47	11.7	38						
18-34	104	19.2	142	7	9	12	35	37	37
35-49	36	32.8	120						
50-69	72	20.2	181	7	11	13	32	41	41
70 +	31	44.7	554						
SUBTOTAL	291	22.6	263	7	11	19	35	41	45
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	125	7.4	14	4	5	6	10	15	15
18-34	31	19.0	216						
35-49	26	8.9	42						
50-69	31	11.0	9						
70 +	0								
SUBTOTAL	213	9.8	61	4	5	8	14	15	16
GRAND TOTAL	504	17.2	217	4	7	12	24	38	45

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	42	16.9	102						
18-34	89	16.1	163	3	4	17	20	40	40
35-49	125	22.5	192	5	11	17	32	43	45
50-69	115	23.1	163	8	9	24	36	38	38
70 +	26	20.2	418						
	396	20.5	189	4	8	17	35	40	45
0-17	57	11.7	61						
18-34	119	8.7	58	1	3	7	15	22	24
35-49	57	7.7	6						
50-69	21	4.0	1						
70 +	0								
	254	8.8	46	1	4	7	10	24	24
	649	15.9	166	3	5	10	24	38	43

DRG 416: Septicemia Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	3594	12.3	84	5	7	9	15	22	34
70-74	3035	12.2	73	5	8	10	14	22	28
75-79	3571	13.0	125	5	7	10	15	22	39
80-84	3067	13.1	95	5	8	11	16	23	32
85+	3314	15.7	170	6	8	11	18	31	42
SUBTOTAL	16580	13.2	111	5	7	10	15	24	35
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	104	13.8	60	6	8	11	18	29	29
70-74	140	8.6	30	2	4	8	9	22	22
75-79	187	10.0	26	4	5	10	13	18	18
80-84	175	8.6	30	4	5	7	10	12	27
85+	233	8.9	18	4	5	7	12	16	17
SUBTOTAL	839	9.6	32	4	6	8	12	18	21
GRAND TOTAL	17419	13.1	[illegible]	5	7	10	15	23	35

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	723	9.1	146	3	4	7	10	14	18
35-49	1013	9.1	45	4	5	8	10	17	19
50-69	2594	10.2	48	4	6	9	12	17	22
70+	187	14.3	44	5	9	14	19	22	28
	4517	9.9	64	4	6	8	12	17	22
0-17	0								
18-34	172	8.8	24	4	5	7	13	16	19
35-49	203	5.7	6	3	3	5	8	9	10
50-69	176	8.0	33	4	5	7	8	11	29
70+	10	4.0							
	561	7.3	22	3	4	7	9	13	16
	5078	9.7	60	4	5	8	11	17	22

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	239	12.0	110	4	6	7	10	32	32
35-49	207	14.8	129	3	7	9	23	35	36
50-69	321	12.7	156	4	7	8	13	30	47
70+	119	12.0	25	8	8	11	12	24	24
SUBTOTAL	887	12.9	120	4	7	8	14	30	36
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	16	8.0							
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	16	8.0							
GRAND TOTAL	902	12.8	119	4	7	8	13	30	36

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	177	8.2	17	3	5	8	13	14	14
35-49	177	17.6	262	6	9	12	24	30	74
50-69	568	12.9	49	6	9	12	16	19	26
70+	162	13.9	152	4	6	9	15	33	43
	1083	13.0	101	5	7	11	15	24	32
0-17	0								
18-34	26	9.0	25						
35-49	16	3.0							
50-69	57	11.1	9						
70+	31	7.5	13						
	130	8.8	19	3	4	9	13	13	16
	1213	12.6	94	5	7	11	14	19	30

DRG 417: Septicemia Age 0-17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	16	4.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	16	4.0							
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	16	4.0							

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	964	7.7	20	3	5	7	10	13	17
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	964	7.7	20	3	5	7	10	13	17
0-17	1314	4.3	6	2	3	4	5	8	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1314	4.3	6	2	3	4	5	8	10
	2278	5.7	15	2	3	4	8	11	12

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	688	7.2	29	2	4	7	9	11	14
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	688	7.2	29	2	4	7	9	11	14
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	661	4.7	9	2	2	3	7	10	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	661	4.7	9	2	2	3	7	10	10
GRAND TOTAL	1349	6.0	21	2	3	5	8	11	11

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	443	5.9	16	2	3	4	7	13	14
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	443	5.9	16	2	3	4	7	13	14
0-17	515	5.3	13	2	3	4	8	11	12
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	515	5.3	13	2	3	4	8	11	12
	957	5.6	14	2	3	4	7	11	13

DRG 418: Postoperative & Post-traumatic Infections

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	472	8.0	35	3	4	6	10	14	21
70-74	327	12.4	79	4	6	8	22	24	29
75-79	166	18.9	433	6	6	10	17	61	73
80-84	213	15.6	368	3	5	8	19	53	71
85 +	72	8.6	15	4	5	9	9	15	15
SUBTOTAL	1250	11.9	169	4	5	8	12	24	34
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	494	9.7	57	3	4	6	13	26	28
70-74	202	8.2	26	3	4	6	11	17	18
75-79	166	8.1	19	3	3	8	12	13	16
80-84	146	5.3	12	2	3	4	5	13	14
85 +	36	8.3	33						
SUBTOTAL	1044	8.5	40	3	4	6	12	16	26
GRAND TOTAL	2294	10.4	113	3	4	7	12	21	28

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	245	8.4	52	2	3	6	10	25	25
18-34	218	5.5	5	3	3	6	8	8	9
35-49	316	8.4	71	3	4	6	10	12	33
50-69	458	8.0	25	4	5	6	11	14	15
70 +	10	9.0							
	1247	7.8	39	3	4	6	9	14	25
0-17	359	4.4	16	2	2	3	5	10	16
18-34	612	4.7	9	2	3	4	6	7	8
35-49	742	5.8	12	2	3	5	8	11	13
50-69	467	7.7	31	2	5	5	11	17	19
70 +	31	3.0	3						
	2211	5.6	17	2	3	5	7	11	14
	3458	6.4	26	2	3	5	8	13	15

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	73	9.7	140						
18-34	78	15.4	162	5	5	7	25	37	37
35-49	62	11.9	43						
50-69	89	10.7	62	4	5	8	11	27	27
70 +	31	14.5	13						
SUBTOTAL	333	12.2	98	3	5	8	18	27	32
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	240	4.4	7	2	2	4	5	10	10
18-34	166	3.9	6	1	2	4	5	7	11
35-49	119	3.8	5	1	3	4	4	5	10
50-69	42	6.9	17						
70 +	0								
SUBTOTAL	567	4.3	8	2	2	4	5	10	10
GRAND TOTAL	900	7.2	56	2	3	5	9	16	27

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	47	5.3	7						
18-34	156	4.9	7	2	3	4	8	9	9
35-49	125	6.0	18	2	2	5	10	14	14
50-69	89	8.8	35	2	5	7	12	20	20
70 +	47	8.7	17						
	464	6.4	19	2	3	5	9	14	14
0-17	146	4.6	6	2	3	4	5	9	11
18-34	114	4.9	7	1	3	5	7	9	9
35-49	161	5.8	33	1	2	4	6	14	24
50-69	68	7.5	11						
70 +	10	5.0							
	499	5.5	16	2	3	4	7	9	14
	962	5.9	18	2	3	5	8	11	14

Northeastern Region, July 1989 - June 1990

DRG 419: Fever of Unknown Origin Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1369	7.6	60	2	3	6	9	14	21
70-74	855	7.9	58	2	4	6	9	14	26
75-79	753	7.0	16	2	4	6	9	13	14
80-84	450	9.8	50	4	5	7	11	22	24
85 +	607	11.2	104	3	5	7	15	24	33
SUBTOTAL	4034	8.3	59	3	4	6	10	17	22
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	4034	8.3	59	3	4	6	10	17	22

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	425	4.9	10	2	2	4	6	10	11
35-49	437	6.6	35	2	3	5	8	16	18
50-69	881	6.3	15	3	4	5	8	12	15
70 +	16	6.0							
	1759	6.0	19	2	3	5	7	11	15
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1759	6.0	19	2	3	5	7	11	15

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	93	3.2	2	1	2	3	5	5	5
35-49	57	4.6	2						
50-69	51	12.6	18						
70 +	0								
SUBTOTAL	202	6.0	22	2	2	5	6	14	16
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	202	6.0	22	2	2	5	6	14	16

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	46	2.6							
35-49	52	8.0	15						
50-69	156	9.7	28	5	5	9	15	17	21
70 +	26	7.0							
	280	8.0	25	2	5	7	11	15	17
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	280	8.0	25	2	5	7	11	15	17

DRG 420: Fever of Unknown Origin Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	202	5.1	7	2	3	5	6	8	12
70-74	290	5.2	19	1	2	3	9	11	16
75-79	207	6.2	9	3	4	5	9	11	12
80-84	187	6.8	13	2	3	7	8	12	14
85 +	140	6.7	25	2	3	5	9	19	19
SUBTOTAL	1027	5.9	15	2	3	5	8	12	13
GRAND TOTAL	1027	5.9	15	2	3	5	8	12	13

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	0								
18-34	285	3.8	6	2	2	4	5	6	12
35-49	357	4.3	9	2	3	4	5	8	9
50-69	514	4.8	11	2	3	4	6	10	11
70 +	0								
	1156	4.4	9	2	3	4	5	8	11
	1156	4.4	9	2	3	4	5	8	11

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	36	3.9	1						
35-49	16	8.0							
50-69	26	7.2	12						
70 +	0								
SUBTOTAL	78	5.8	8	3	3	5	8	10	10
GRAND TOTAL	78	5.8	8	3	3	5	8	10	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	52	7.1	74						
35-49	10	10.0							
50-69	42	12.3	61						
70 +	0								
	104	9.5	66	1	2	8	20	22	22
	104	9.5	66	1	2	8	20	22	22

DRG 421: Viral Illness Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	716	4.7	16	1	2	4	6	9	11
70-74	398	6.4	16	2	3	6	8	10	16
75-79	487	8.3	81	3	3	6	9	16	28
80-84	351	7.0	24	2	4	5	8	18	18
85 +	408	9.2	110	3	4	5	11	21	26
SUBTOTAL	2360	6.9	50	2	3	5	8	14	20
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	430	4.5	10	2	3	4	5	7	8
70-74	295	4.5	7	1	2	5	6	7	11
75-79	296	6.5	98	2	2	4	6	8	47
80-84	170	3.7	3	1	3	3	5	5	9
85 +	140	5.4	7	2	3	5	8	8	11
SUBTOTAL	1331	4.9	29	2	3	4	6	8	11
GRAND TOTAL	3691	6.2	43	2	3	5	7	11	18

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1491	4.0	10	1	2	3	5	7	9
35-49	523	5.8	61	2	2	4	7	9	11
50-69	747	7.0	62	2	3	4	10	15	22
70 +	31	4.7	2						
SUBTOTAL	2792	5.1	35	1	2	3	6	10	12
0-17	0								
18-34	1911	3.1	5	1	2	2	4	6	7
35-49	699	3.1	4	1	1	3	4	6	7
50-69	548	4.4	8	2	3	4	5	7	9
70 +	10	5.0							
SUBTOTAL	3168	3.3	6	1	2	3	4	6	7
GRAND TOTAL	5960	4.2	20	1	2	3	5	7	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	186	4.4	6	1	3	4	5	9	9
35-49	78	5.4	9	1	3	5	7	10	10
50-69	78	8.9	52	2	2	7	12	25	25
70 +	0								
SUBTOTAL	342	5.6	20	2	3	5	7	10	12
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	166	3.5	5	1	2	3	5	6	8
35-49	31	4.0	4						
50-69	26	2.0							
70 +	0								
SUBTOTAL	223	3.4	4	1	2	3	5	6	8
GRAND TOTAL	565	4.8	15	1	2	4	6	9	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	420	4.5	9	1	2	4	6	9	11
35-49	115	8.7	23	2	5	7	14	15	15
50-69	57	2.6	1						
70 +	0								
SUBTOTAL	592	5.2	14	1	2	4	7	13	14
0-17	0								
18-34	420	2.9	3	1	2	3	4	5	6
35-49	98	3.4	9	< 1	2	2	3	10	10
50-69	104	3.3	1	2	2	3	4	5	5
70 +	16	3.0							
SUBTOTAL	638	3.0	3	1	2	3	4	5	7
GRAND TOTAL	1229	4.0	10	1	2	3	5	8	13

DRG 422: Viral Illness & Fever of Unknown Origin Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	3666	3.7	6	2	2	3	4	7	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	3666	3.7	6	2	2	3	4	7	8
0-17	8165	2.8	2	1	2	3	3	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	8165	2.8	2	1	2	3	3	4	5
	11830	3.0	4	1	2	3	4	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	1666	4.0	14	1	2	3	5	8	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1666	4.0	14	1	2	3	5	8	11
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	3166	2.9	3	1	2	3	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	3166	2.9	3	1	2	3	3	5	6
GRAND TOTAL	4833	3.3	7	1	2	3	4	6	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1203	3.9	9	1	2	3	5	7	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1203	3.9	9	1	2	3	5	7	11
0-17	2133	2.7	2	1	2	2	3	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	2133	2.7	2	1	2	2	3	4	5
	3335	3.1	5	1	2	3	4	5	7

DRG 423: Other Infectious & Parasitic Diseases Diagnoses

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	203	12.5	132	3	5	11	15	19	48
70-74	228	10.1	63	2	3	8	18	22	28
75-79	166	18.0	126	6	9	15	21	37	41
80-84	42	14.0	22						
85 +	160	13.1	114	4	4	8	26	31	32
SUBTOTAL	798	13.1	109	3	5	10	18	31	37
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	52	10.4	27						
70-74	73	19.3	143						
75-79	31	9.7	51						
80-84	16	4.0							
85 +	10	23.0							
SUBTOTAL	182	14.0	104	2	8	13	19	23	41
GRAND TOTAL	980	13.3	108	3	5	10	18	31	37

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	239	7.5	39	1	2	5	11	18	21
18-34	181	6.3	70	2	2	4	5	8	33
35-49	286	14.3	282	2	5	7	15	34	54
50-69	275	10.7	51	3	5	9	15	19	23
70 +	0								
	981	10.1	128	2	4	6	15	19	33
0-17	607	4.6	30	1	1	3	5	10	23
18-34	341	4.8	23	1	2	3	5	9	10
35-49	416	4.9	13	2	3	4	5	9	15
50-69	156	5.8	10	1	4	5	8	11	11
70 +	0								
	1519	4.8	22	1	2	3	5	9	18
	2501	6.9	70	1	2	4	8	16	23

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	42	6.6	16						
18-34	31	2.5							
35-49	42	32.6	729						
50-69	26	20.0							
70 +	0								
SUBTOTAL	140	15.9	369	2	3	6	20	65	65
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	57	5.1	2						
18-34	68	8.1	26						
35-49	16	8.0							
50-69	0								
70 +	10	14.0							
SUBTOTAL	151	7.3	17	4	4	5	8	14	15
GRAND TOTAL	291	11.5	205	3	4	6	14	20	65

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	140	3.5	8	1	2	2	3	10	10
18-34	135	9.7	134	2	5	5	9	17	47
35-49	26	30.9	132						
50-69	16	33.0							
70 +	0								
	317	9.8	151	2	2	5	10	33	40
0-17	151	5.4	26	1	1	3	11	14	14
18-34	145	6.6	18	2	3	5	12	13	14
35-49	62	5.8	36						
50-69	0								
70 +	0								
	358	5.9	25	1	2	3	11	14	14
	675	7.8	88	1	2	4	11	17	33

DRG 424: O.R. Procedure w/ Principal Diagnoses of Mental Illness

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	160	20.6	223	4	10	20	26	55	99 +
70-74	89	36.2	197	31	33	34	60	99 +	99 +
75-79	156	24.8	190	10	12	30	54	99 +	99 +
80-84	176	33.0	401	15	21	37	51	99 +	99 +
85 +	186	23.2	253	6	10	23	27	44	62
SUBTOTAL	767	26.7	291	10	15	27	48	99 +	99 +
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	119	21.4	159	4	15	18	28	43	43
70-74	46	20.1	128						
75-79	67	13.6	72	1	3	18	21	23	23
80-84	26	22.5	49						
85 +	26	3.4	9						
SUBTOTAL	285	17.8	140	2	5	17	28	31	43
GRAND TOTAL	1052	24.3	266	6	12	23	40	92	99 +

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	52	16.9	161						
35-49	77	14.7	264	3	4	10	14	55	55
50-69	57	23.9	132						
70 +	26	51.7	110						
	212	22.2	317	4	9	13	34	55	60
	94	6.0	40	< 1	1	6	19	99 +	99 +
	104	17.1	157	8	10	12	20	44	44
	119	13.3	441	1	1	3	14	19	78
	197	20.6	335	2	4	21	31	40	66
	0								
	514	15.5	296	1	2	11	22	44	66
	727	17.5	311	1	3	12	30	44	66

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	72	26.8	719	9	13	15	27	91	91
35-49	57	12.9	45						
50-69	10	27.0							
70 +	0								
SUBTOTAL	140	21.1	434	9	9	17	20	27	91
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	16	4.0							
18-34	26	31.9	1150						
35-49	36	33.8	90						
50-69	0								
70 +	0								
SUBTOTAL	78	27.2	553	4	5	24	48	73	73
GRAND TOTAL	218	23.3	483	4	9	17	27	48	73

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	26	24.7	72						
35-49	26	5.8	1						
50-69	36	3.6	1						
70 +	0								
	88	10.5	108	3	3	5	18	35	35
0-17	0								
18-34	26	27.2	398						
35-49	31	7.0	17						
50-69	0								
70 +	0								
	57	16.1	288						
	145	12.7	185	3	3	5	18	43	43

DRG 425: Acute Adjust React & Disturbances of Psychosocial Dysfunction

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	668	8.2	97	1	2	5	9	23	26
70-74	300	7.8	43	2	4	6	9	18	24
75-79	523	9.8	211	3	4	7	10	15	18
80-84	371	9.9	77	3	3	8	16	30	39
85 +	558	11.1	144	3	4	7	13	30	34
SUBTOTAL	2420	9.4	124	2	3	7	11	20	30
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	439	6.6	35	1	2	5	10	16	17
70-74	311	9.8	115	2	3	5	11	31	33
75-79	170	10.5	54	3	4	7	14	22	25
80-84	269	8.3	98	2	3	4	10	21	31
85 +	130	9.2	47	3	4	8	9	24	24
SUBTOTAL	1320	8.5	72	2	3	5	11	21	28
GRAND TOTAL	3739	9.1	106	2	3	6	11	21	30

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	47	8.3	71						
18-34	305	7.4	38	1	2	5	10	15	22
35-49	529	9.0	106	2	3	5	12	23	40
50-69	409	6.7	27	2	3	5	10	16	21
70 +	31	12.5	13						
	1321	8.0	64	2	3	5	10	19	22
0-17	244	15.1	215	2	3	6	27	33	51
18-34	1019	8.8	72	1	2	6	14	20	23
35-49	826	7.1	74	1	2	3	10	16	26
50-69	565	6.5	54	1	2	4	8	15	16
70 +	41	1.8	1						
	2695	8.3	87	1	2	5	12	20	28
	4016	8.2	79	1	2	5	11	20	27

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	21	12.5	95						
18-34	259	12.8	55	4	7	12	15	22	32
35-49	140	13.3	210	1	2	8	28	41	41
50-69	52	7.7	23						
70 +	0								
SUBTOTAL	472	12.4	101	2	6	11	15	28	39
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	260	12.6	215	1	3	5	15	34	54
18-34	377	9.8	113	1	3	4	17	27	28
35-49	175	3.6	9	1	2	3	4	8	13
50-69	98	5.2	13	1	2	3	10	10	10
70 +	0								
SUBTOTAL	910	8.9	122	1	2	4	10	23	33
GRAND TOTAL	1382	10.1	118	1	3	6	13	27	33

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	197	4.9	39	< 1	1	2	5	16	21
35-49	139	8.4	209	1	1	3	11	13	57
50-69	104	14.0	332	2	3	5	21	37	58
70 +	47	10.3	34						
	487	8.3	161	1	2	3	9	21	34
0-17	151	8.9	109	2	2	3	15	35	35
18-34	378	6.7	56	1	1	4	9	14	19
35-49	259	8.2	45	1	2	8	12	17	25
50-69	93	3.3	8	< 1	1	2	5	10	10
70 +	10	32.0							
	892	7.4	65	1	2	4	10	17	25
	1379	7.8	99	1	2	4	10	17	32

DRG 426: Depressive Neuroses

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	918	14.2	184	2	7	10	17	34	38
70-74	264	10.9	52	2	5	9	16	21	26
75-79	358	17.5	347	3	7	11	21	58	82
80-84	135	16.9	257	3	6	8	28	50	50
85 +	83	14.8	63	7	8	18	32	99 +	99 +
SUBTOTAL	1758	14.6	201	3	6	11	19	34	50
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	735	10.7	69	3	4	8	15	22	26
70-74	202	17.3	304	2	5	11	18	52	60
75-79	197	12.8	79	3	6	9	18	27	30
80-84	279	12.6	71	3	6	13	16	20	37
85 +	130	9.3	38	3	5	7	14	21	21
SUBTOTAL	1542	12.0	104	3	5	9	16	25	32
GRAND TOTAL	3300	13.4	157	3	5	10	18	28	38

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	213	26.8	480	5	7	23	44	61	69
18-34	1527	13.9	120	1	4	13	21	25	29
35-49	918	12.5	70	2	5	11	21	21	28
50-69	416	14.4	87	3	6	13	21	28	35
70 +	0	—							
SUBTOTAL	3075	14.4	137	2	5	13	21	27	34
0-17	1603	19.5	439	3	5	13	26	50	61
18-34	2801	9.6	102	1	3	6	13	24	35
35-49	1802	11.0	114	1	4	8	15	21	28
50-69	631	9.6	96	2	3	6	13	19	42
70 +	0								
SUBTOTAL	6837	12.3	200	1	4	8	16	28	45
GRAND TOTAL	9911	13.0	181	2	4	9	18	27	43

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	115	11.5	71	3	5	11	20	99 +	99 +
18-34	1601	17.1	112	3	8	21	21	25	31
35-49	922	17.4	86	4	10	21	21	28	28
50-69	182	10.3	23	2	7	10	14	14	21
70 +	0								
SUBTOTAL	2819	16.5	100	3	8	21	21	28	30
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	740	27.9	801	2	5	19	54	82	83
18-34	947	10.1	137	2	3	6	12	27	32
35-49	481	10.8	105	2	3	8	17	22	26
50-69	140	16.1	332	1	3	7	23	53	58
70 +	0								
SUBTOTAL	2308	16.3	420	2	3	8	21	51	72
GRAND TOTAL	5128	16.4	244	2	5	14	21	29	56

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	42	11.9	15						
18-34	842	6.5	41	1	2	4	8	15	17
35-49	284	7.5	34	1	3	6	11	18	22
50-69	46	13.5	20						
70 +	0								
SUBTOTAL	1214	7.2	40	1	3	5	11	15	19
0-17	329	17.7	295	1	3	14	23	40	60
18-34	1302	7.5	84	1	2	4	12	16	20
35-49	357	10.0	58	1	4	7	14	21	23
50-69	186	9.6	51	2	6	9	12	18	22
70 +	16	4.0							
SUBTOTAL	2190	9.6	119	1	2	7	13	20	27
GRAND TOTAL	3403	8.7	92	1	2	6	13	19	23

DRG 427: Neuroses except Depressive

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	290	12.1	248	4	6	10	32	39	58
70-74	31	8.0	52						
75-79	83	18.7	153	7	7	11	31	36	36
80-84	36	14.7	235						
85 +	10	8.0							
SUBTOTAL	450	17.7	220	3	6	8	31	36	41
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	398	10.5	133	2	3	7	11	27	41
70-74	46	14.2	34						
75-79	10	8.0							
80-84	67	18.7	235	2	4	17	27	42	42
85 +	31	42.0	17						
SUBTOTAL	553	13.5	184	2	4	7	21	38	46
GRAND TOTAL	1003	15.4	204	2	5	8	23	38	46

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	161	27.4	417	6	12	13	47	61	66
18-34	623	11.9	244	2	3	7	14	21	55
35-49	311	14.1	132	2	4	10	30	31	36
50-69	104	14.3	50	4	9	13	20	25	25
70 +	0								
SUBTOTAL	1199	14.8	247	2	5	9	17	31	55
0-17	1364	11.9	109	1	3	10	19	23	27
18-34	1518	10.6	150	1	3	7	14	23	34
35-49	868	11.1	101	2	4	8	15	28	32
50-69	363	11.1	132	2	3	6	13	31	36
70 +	0								
SUBTOTAL	4113	11.2	125	1	3	8	16	25	32
	5312	12.0	155	1	3	8	16	27	34

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	63	21.5	340						
18-34	322	10.0	166	2	4	5	10	22	45
35-49	177	8.1	28	2	3	7	12	12	23
50-69	16	33.0							
70 +	0								
SUBTOTAL	577	11.3	166	2	3	7	12	29	51
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	688	19.1	329	3	7	12	27	52	59
18-34	518	[illegible]	407	2	3	8	15	39	80
35-49	243	[illegible]	53	2	2	10	17	22	23
50-69	57	6.7	23						
70 +	16	96.0							
SUBTOTAL	1521	16.6	375	2	4	10	21	42	68
GRAND TOTAL	2098	15.1	323	2	4	9	20	35	58

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	78	8.6	91						
18-34	342	6.5	30	< 1	2	4	12	15	17
35-49	72	9.2	27	3	4	10	14	16	16
50-69	0								
70 +	0								
SUBTOTAL	493	7.2	40	< 1	3	5	12	16	18
0-17	218	9.3	56	2	3	5	16	21	21
18-34	703	6.6	45	1	2	5	9	14	20
35-49	145	10.5	139	< 1	3	5	13	21	47
50-69	62	8.0	68						
70 +	0								
SUBTOTAL	1128	7.7	63	1	2	5	11	18	22
	1621	7.6	56	1	3	5	11	17	21

DRG 428: Disorders of Personality & Impulse Control

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	320	10.8	98	2	3	6	19	26	33
70-74	10	32.0							
75-79	21	6.0	1						
80-84	10	43.0							
85 +	0								
SUBTOTAL	361	12.0	129	2	3	6	20	31	34
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	243	17.4	438	1	5	10	18	37	84
70-74	26	9.5	90						
75-79	16	16.0							
80-84	10	12.0							
85 +	0								
SUBTOTAL	295	16.5	374	2	5	10	18	37	84
GRAND TOTAL	656	14.0	244	2	4	8	19	36	37

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	444	34.5	409	4	16	35	52	58	59
18-34	373	22.7	732	1	4	12	50	52	98
35-49	103	15.2	150	4	4	10	33	35	35
50-69	21	8.5	44						
70 +	0								
	941	27.1	556	2	7	19	50	57	76
0-17	713	22.8	322	3	8	21	36	59	74
18-34	860	24.2	639	2	6	14	39	73	91
35-49	501	14.9	397	1	4	7	20	32	72
50-69	16	15.0							
70 +	0								
	2090	21.4	482	2	5	15	28	68	91
	3030	23.2	512	2	6	16	35	63	78

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	52	10.5	43						
18-34	270	12.9	244	1	2	6	19	34	55
35-49	52	3.1	9						
50-69	10	5.0							
70 +	0								
SUBTOTAL	384	11.0	190	1	2	6	19	45	55
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	125	12.8	33	4	8	11	18	22	22
18-34	457	16.7	294	1	3	10	24	43	51
35-49	129	6.0	32	1	2	3	12	15	16
50-69	26	4.6	4						
70 +	0								
SUBTOTAL	736	13.8	212	2	3	10	18	33	43
GRAND TOTAL	1121	12.8	206	1	3	7	18	40	51

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	28.0							
18-34	239	16.1	429	2	3	11	16	41	84
35-49	26	20.9	224						
50-69	16	21.0							
70 +	0								
	296	17.4	374	2	3	11	21	41	84
0-17	110	22.9	158	2	10	26	33	41	41
18-34	316	10.1	42	1	5	9	14	20	21
35-49	57	4.2	4						
50-69	0								
70 +	0								
	483	12.3	100	2	5	9	19	26	33
	779	14.2	210	2	4	11	19	29	41

DRG 429: Organic Disturbances & Mental Retardation

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	456	16.9	120	5	7	16	24	35	51
70-74	606	18.7	269	5	8	13	24	50	62
75-79	1124	19.8	309	5	9	14	29	53	90
80-84	1237	19.4	301	4	6	13	32	51	71
85 +	1434	18.6	294	4	7	13	29	55	75
SUBTOTAL	4857	19.0	280	4	7	14	29	51	75
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	477	15.2	155	4	6	12	19	33	50
70-74	612	14.4	174	4	7	10	17	31	36
75-79	684	19.6	266	4	8	17	27	40	43
80-84	968	17.4	224	2	6	13	26	36	56
85 +	906	11.8	127	3	5	11	15	28	31
SUBTOTAL	3647	15.6	198	3	6	12	20	33	47
GRAND TOTAL	8504	17.5	248	4	7	13	25	43	61

TYPE OF PATIENT	BLUE CROSS PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	47	27.7	1399						
18-34	36	26.3	17						
35-49	31	21.0	66						
50-69	212	13.1	91	2	5	12	23	35	99 +
70 +	46	23.3	854						
SUBTOTAL	373	18.2	372	2	5	14	28	77	99 +
0-17	31	1.5							
18-34	67	11.3	41	3	7	7	18	21	21
35-49	72	6.9	22	2	2	6	12	14	14
50-69	207	14.6	63	2	9	14	20	24	27
70 +	62	25.3	1007						
SUBTOTAL	440	13.4	218	2	3	11	18	24	28
GRAND TOTAL	813	15.6	2[illegible]	2	5	12	20	30	79

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	62	23.7	173						
35-49	0								
50-69	135	28.4	946	5	10	18	24	94	94
70 +	26	35.1	56						
SUBTOTAL	223	27.8	636	5	11	20	33	83	94
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	31	11.0	9						
18-34	52	10.2	11						
35-49	26	10.2	12						
50-69	72	24.6	229	6	18	26	40	99 +	99 +
70 +	10	10.0							
SUBTOTAL	192	15.7	139	6	8	13	18	43	71
GRAND TOTAL	415	22.3	442	6	9	16	26	51	94

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	10	6.0							
50-69	42	20.6	124						
70 +	73	28.8	327						
SUBTOTAL	125	24.2	275	6	13	22	41	55	55
0-17	16	5.0							
18-34	10	3.0							
35-49	10	2.0							
50-69	16	28.0							
70 +	103	18.5	610	2	2	9	22	54	84
SUBTOTAL	155	16.0	460	2	3	6	22	41	84
GRAND TOTAL	280	19.7	393	2	5	13	28	41	55

DRG 430: Psychoses

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	5782	18.3	197	4	8	15	25	38	53
70-74	1892	23.3	247	6	12	20	30	48	61
75-79	2039	23.2	264	7	11	21	32	49	68
80-84	1472	23.4	262	4	11	20	33	52	57
85 +	927	22.2	269	5	12	18	31	54	56
SUBTOTAL	12114	20.8	235	5	10	18	28	44	56
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	11804	20.5	270	5	9	17	28	42	56
70-74	3184	22.3	201	7	13	19	28	41	52
75-79	2644	22.5	217	6	12	21	29	39	49
80-84	1540	21.8	221	4	12	20	29	42	46
85 +	809	19.0	208	6	10	17	23	36	43
SUBTOTAL	19981	21.1	246	5	10	18	28	41	52
GRAND TOTAL	32095	21.0	242	5	10	18	28	42	55

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	271	36.2	699	8	12	36	56	92	99 +
18-34	2990	19.9	246	4	9	18	24	37	49
35-49	2766	16.2	133	3	8	15	21	31	40
50-69	2385	18.9	225	4	8	16	26	37	46
70 +	177	18.4	239	5	7	11	25	47	48
	8589	18.9	230	4	8	16	25	39	48
	1831	21.9	295	3	9	18	34	51	63
	8738	17.4	236	4	7	13	23	37	54
	9708	16.5	168	4	7	14	22	32	44
	6059	18.9	214	5	8	16	25	35	46
	218	26.7	316	6	15	21	38	58	61
	26605	17.8	213	4	8	15	24	36	50
	35194	18.1	218	4	8	15	24	36	50

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	78	30.0	293	3	23	34	55	99 +	99 +
18-34	1838	18.2	268	2	6	15	25	42	70
35-49	1245	18.3	252	4	7	14	23	39	58
50-69	816	23.1	371	6	12	17	27	53	79
70 +	42	8.4	33						
SUBTOTAL	4019	19.4	289	3	7	15	27	45	64
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	876	23.0	219	6	13	21	31	44	83
18-34	5002	19.2	321	3	7	14	27	46	60
35-49	3576	19.3	213	5	9	15	25	37	45
50-69	1574	18.8	184	5	8	16	24	41	45
70 +	83	27.6	207	14	19	22	32	63	63
SUBTOTAL	11112	19.6	259	4	8	15	27	42	54
GRAND TOTAL	15130	19.5	267	4	8	15	27	42	56

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	78	33.8	162						
18-34	1156	14.6	178	2	4	12	20	31	38
35-49	713	12.1	89	2	4	10	18	27	29
50-69	374	16.6	87	5	10	16	22	31	32
70 +	73	29.6	338						
	2394	15.3	162	2	5	13	22	31	38
	396	18.1	163	3	7	16	26	36	42
	2853	14.0	136	3	6	11	19	27	35
	2141	13.5	93	3	6	12	19	25	31
	868	17.5	136	7	9	14	24	34	43
	110	18.9	71	8	9	19	28	32	32
	6367	14.7	125	3	7	12	21	28	36
	8761	14.8	135	3	6	12	21	29	37

DRG 431: Childhood Mental Disorders

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	16	32.0							
75-79	21	5.0	9						
80-84	0								
85 +	16	14.0							
SUBTOTAL	52	15.9	133						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	36	12.2	128						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	36	12.2	128						
GRAND TOTAL	88	14.4	132	2	3	14	25	32	32

TYPE OF PATIENT	BLUE CROSS PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	250	34.9	511	8	17	23	60	67	69
18-34	31	18.0	27						
35-49	0								
50-69	0								
70 +	0								
	281	33.0	486	11	17	23	58	67	69
0-17	1282	22.7	527	1	2	16	37	60	70
18-34	42	22.5	618						
35-49	16	9.0							
50-69	10	4.0							
70 +	0								
	1350	22.4	524	1	2	16	38	60	80
	1631	24.2	533	1	4	18	42	60	70

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	187	34.1	1173	1	8	24	72	92	95
18-34	42	3.2	5						
35-49	0								
50-69	10	17.0							
70 +	0								
SUBTOTAL	239	28.0	1060	2	2	17	42	92	95
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1105	27.5	552	2	11	20	43	70	78
18-34	46	14.8	122						
35-49	16	11.0							
50-69	0								
70 +	0								
SUBTOTAL	1168	26.8	537	1	10	20	42	70	78
GRAND TOTAL	1407	27.0	626	2	8	20	42	72	87

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	63	52.5	858						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	63	52.5	858						
0-17	277	18.3	276	2	7	15	20	58	59
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	277	18.3	276	2	7	15	20	58	59
	339	24.6	558	4	8	17	30	59	71

DRG 432: Other Mental Disorder Diagnoses

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	10	26.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	10	26.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	10	1.0							
70-74	0								
75-79	0								
80-84	10	4.0							
85 +	0								
SUBTOTAL	21	2.5	2						
GRAND TOTAL	31	10.3	128						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	219	34.1	372	5	16	43	50	52	56
18-34	251	27.8	292	4	8	30	42	52	56
35-49	63	17.5	112						
50-69	26	3.0							
70 +	0								
SUBTOTAL	559	28.0	345	3	8	28	47	52	56
0-17	307	23.2	328	3	8	22	34	57	58
18-34	203	19.0	350	2	4	12	25	55	59
35-49	16	63.0							
50-69	0								
70 +	0								
SUBTOTAL	526	22.7	380	2	7	20	31	57	59
GRAND TOTAL	1084	25.4	368	3	7	24	43	55	57

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	31	29.0	264						
18-34	63	30.0	392						
35-49	16	27.0							
50-69	0								
70 +	0								
SUBTOTAL	110	29.3	297	10	12	27	45	56	56
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	47	39.7	307						
18-34	26	8.8	36						
35-49	42	26.2	522						
50-69	10	16.0							
70 +	0								
SUBTOTAL	125	26.8	433	4	8	25	48	64	64
GRAND TOTAL	234	28.0	370	6	12	25	45	56	64

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	47	3.3	7						
18-34	47	25.7	464						
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	94	14.5	359	1	2	6	17	55	55
0-17	104	26.5	554	3	3	20	56	63	63
18-34	52	7.3	11						
35-49	36	13.7	143						
50-69	0								
70 +	0								
SUBTOTAL	192	18.9	401	2	3	9	27	56	63
GRAND TOTAL	286	17.5	390	2	3	7	27	56	63

DRG 434: Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2771	8.6	68	3	4	7	11	16	19
70-74	849	9.4	64	3	3	7	14	27	29
75-79	512	10.7	96	3	4	7	14	21	32
80-84	217	9.1	36	3	4	9	10	19	24
85 +	124	14.2	84	3	7	10	24	28	99 +
SUBTOTAL	4473	9.2	71	3	4	7	13	18	28
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	4473	9.2	71	3	4	7	13	18	26

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	182	3.5	39	1	1	1	4	6	28
18-34	2241	6.8	19	2	5	7	7	12	14
35-49	3113	6.6	14	3	4	6	8	12	14
50-69	2112	8.0	43	3	4	6	10	15	20
70 +	31	16.5	75						
SUBTOTAL	7679	7.0	25	2	4	6	8	13	16
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	7679	7.0	25	2	4	6	8	13	16

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	31	3.5	6						
18-34	3153	8.6	46	3	5	7	8	17	28
35-49	2822	7.6	34	3	5	7	8	14	21
50-69	852	10.1	110	4	5	7	11	22	52
70 +	10	3.0							
SUBTOTAL	6869	8.3	50	3	5	7	8	17	27
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	6869	8.3	50	3	5	7	8	17	27

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	21	1.0					—		
18-34	1396	5.7	21	1	3	5	7	10	16
35-49	1382	5.9	25	2	3	5	7	12	13
50-69	593	9.1	188	2	3	5	8	14	37
70 +	0								
SUBTOTAL	3392	6.3	53	2	3	5	7	13	15
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	3392	6.3	53	2	3	5	7	13	15

DRG 435: Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2502	6.8	35	2	3	5	7	14	18
70-74	389	6.6	32	1	3	5	9	14	17
75-79	270	7.2	43	2	4	5	9	12	19
80-84	161	8.1	84	3	4	4	8	22	34
85 +	88	5.7	14	2	3	5	12	65	99 +
SUBTOTAL	**3410**	**6.8**	**37**	**2**	**3**	**5**	**8**	**14**	**18**
GRAND TOTAL	**3410**	**6.8**	**37**	**2**	**3**	**5**	**8**	**14**	**18**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	573	4.9	104	< 1	1	1	3	15	59
18-34	10059	6.4	23	2	4	5	7	14	15
35-49	9614	6.1	23	3	4	5	6	14	14
50-69	3968	6.0	44	2	3	5	6	10	14
70 +	16	5.0							
24231	**6.2**	**28**	**2**	**4**	**5**	**7**	**14**	**14**	
24231	**6.2**	**28**	**2**	**4**	**5**	**7**	**14**	**14**	

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	222	9.8	192	< 1	1	3	14	21	53
18-34	9154	10.1	69	3	4	7	14	25	28
35-49	5730	8.0	46	3	4	5	8	19	27
50-69	1118	7.8	52	3	5	5	7	21	28
70 +	16	4.0							
SUBTOTAL	**16240**	**9.2**	**63**	**2**	**4**	**6**	**12**	**21**	**28**
GRAND TOTAL	**16240**	**9.2**	**63**	**2**	**4**	**6**	**12**	**21**	**28**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	258	4.0	46	< 1	< 1	1	2	14	19
18-34	5397	5.8	27	1	3	4	7	14	15
35-49	3209	6.2	27	1	3	5	7	14	14
50-69	818	5.6	25	1	3	4	6	14	14
70 +	0								
9681	**5.9**	**28**	**1**	**3**	**4**	**7**	**14**	**14**	
9681	**5.9**	**28**	**1**	**3**	**4**	**7**	**14**	**14**	

DRG 436: Alc/Drug Dependence w/ Rehabilitation Therapy *

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	31	17.3	70						
70-74	31	22.3	89						
75-79	16	7.0							
80-84	0								
85 +	0								
SUBTOTAL	77	17.2	94	7	8	16	28	99 +	99 +
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	133	26.7	67	22	27	28	28	35	35
70-74	10	7.0							
75-79	10	7.0							
80-84	0								
85 +	0								
SUBTOTAL	154	24.1	103	7	22	28	28	35	35
GRAND TOTAL	231	21.8	110	7	13	28	28	35	35

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	51	18.0	34						
35-49	21	9.5	32						
50-69	82	16.3	80	2	11	17	28	28	28
70 +	0								
	154	15.9	65	4	13	15	22	28	28
	1027	17.0	81	4	8	15	27	28	28
	1181	16.8	79	4	9	15	27	28	28

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	205	19.6	89	5	13	27	28	28	28
35-49	123	22.5	66	9	17	27	28	29	32
50-69	41	25.8	8						
70 +	0								
SUBTOTAL	370	21.2	77	7	14	27	28	28	29
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	51	15.0	23						
18-34	2434	22.3	67	7	19	27	28	28	29
35-49	729	25.1	38	14	27	28	28	28	29
50-69	154	26.9	8	21	27	28	28	29	29
70 +	0								
SUBTOTAL	3368	23.0	61	9	20	27	28	28	29
GRAND TOTAL	3738	22.8	62	9	20	27	28	28	29

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	31	12.7	14						
35-49	31	24.3	73						
50-69	0								
70 +	0								
	62	18.5	77	8	13	13	27	33	33
0-17	0								
18-34	288	16.9	80	3	8	20	25	28	28
35-49	98	19.1	124	2	7	27	28	29	29
50-69	0								
70 +	0								
	385	17.5	92	3	7	21	28	28	29
	447	17.6	90	3	8	21	28	28	29

* The patient records used in this table represent discharges from 10/01/89-6/30/90

DRG 437: Alc/Drug Dependence, Combined Rehab & Detox Therapy *

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	129	11.5	48	6	6	10	15	16	31
70-74	62	8.2	20	2	6	8	8	17	17
75-79	21	6.5							
80-84	21	22.0	67						
85 +	0								
SUBTOTAL	231	11.1	53	6	6	8	15	17	30
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	180	12.0	28	5	7	13	15	20	24
70-74	10	13.0							
75-79	21	16.5	7						
80-84	0								
85 +	0								
SUBTOTAL	211	12.5	26	5	7	13	15	19	21
GRAND TOTAL	442	11.8	41	5	6	12	15	19	24

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	242	13.5	23	6	10	14	17	20	21
35-49	339	13.9	41	6	9	13	18	19	26
50-69	216	11.6	28	4	9	13	15	19	19
70 +	0								
SUBTOTAL	797	13.1	33	5	9	13	17	19	21
0-17	10	18.0							
18-34	761	14.2	44	5	12	14	18	20	28
35-49	612	12.6	44	4	7	13	17	20	21
50-69	216	14.6	52	5	9	15	19	23	28
70 +	0								
SUBTOTAL	1599	13.7	45	4	8	13	18	20	28
GRAND TOTAL	2396	13.5	41	4	9	13	18	20	26

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	159	15.0	61	4	11	13	21	28	33
35-49	88	15.6	81	4	9	14	16	32	32
50-69	41	22.3	78						
70 +	0								
SUBTOTAL	288	16.2	75	4	11	14	21	32	33
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	616	18.3	71	5	13	19	26	28	28
35-49	246	23.7	60	10	21	28	28	28	28
50-69	21	17.5	116						
70 +	0								
SUBTOTAL	883	19.8	75	6	13	21	28	28	28
GRAND TOTAL	1171	18.9	77	5	13	19	28	28	32

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	134	10.1	26	5	5	9	13	16	21
35-49	72	7.3	32	2	4	5	9	20	20
50-69	41	11.0	17						
70 +	0								
SUBTOTAL	247	9.4	28	4	5	7	13	16	20
0-17	0								
18-34	334	11.9	64	4	5	12	17	21	27
35-49	283	9.4	25	4	6	7	13	17	19
50-69	88	6.9	27	1	3	5	10	17	17
70 +	0								
SUBTOTAL	705	10.3	46	3	5	8	14	19	21
GRAND TOTAL	952	10.1	42	4	5	8	14	19	20

* The patient records used in this table represent discharges from 10/01/89-6/30/90

DRG 439: Skin Grafts for Injuries

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	36	18.7	61						
70-74	21	12.5	32						
75-79	0								
80-84	26	11.7	120						
85 +	16	38.0							
SUBTOTAL	98	18.6	140	3	7	17	30	38	38
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	63	4.3	12						
70-74	16	5.0							
75-79	0								
80-84	21	6.0	4						
85 +	47	3.7	10						
SUBTOTAL	146	4.4	9	< 1	1	5	8	9	9
GRAND TOTAL	244	10.1	111	1	2	7	17	30	38

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	36	14.4	23						
35-49	36	10.8	7						
50-69	47	31.7	257						
70 +	0								
SUBTOTAL	119	20.1	198	8	12	15	27	53	53
0-17	46	2.2	2						
18-34	72	3.4	3	1	2	3	5	5	5
35-49	109	5.9	21	1	2	7	9	14	14
50-69	119	6.9	91	1	1	1	7	29	29
70 +	0								
SUBTOTAL	347	5.2	42	1	1	2	7	14	15
GRAND TOTAL	467	9.0	124	1	1	5	14	27	29

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	36	9.9	65						
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	36	9.9	65						
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	16	4.0							
18-34	16	15.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	31	9.5	31						
GRAND TOTAL	68	9.7	49						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	2.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	16	2.0							
0-17	0								
18-34	62	3.2	4						
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	62	3.2	4						
GRAND TOTAL	78	2.9	3	1	2	2	5	6	6

DRG 440: Wound Debridements for Injuries

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	219	15.4	182	2	4	11	22	36	49
70-74	130	23.0	791	4	7	16	23	99+	99+
75-79	114	33.6	381	20	25	33	39	99+	99+
80-84	52	13.8	37						
85+	42	25.9	359						
SUBTOTAL	557	21.5	415	4	8	18	33	97	99+
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	130	14.1	228	1	2	5	16	40	40
70-74	52	6.8	22						
75-79	10	5.0							
80-84	10	12.0							
85+	16	13.0							
SUBTOTAL	218	11.8	152	1	3	7	13	39	40
GRAND TOTAL	775	18.8	350	2	6	15	28	50	99+

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	57	15.6	147						
18-34	89	21.4	418	3	7	12	28	62	62
35-49	224	16.9	274	3	7	13	21	40	40
50-69	187	18.3	173	6	9	16	19	41	51
70+	0								
	557	17.9	252	3	7	15	21	51	62
0-17	405	7.8	80	1	2	5	8	28	28
18-34	456	6.1	43	1	2	3	9	13	23
35-49	317	5.0	14	1	2	4	7	10	12
50-69	130	4.6	14	1	1	3	7	11	11
70+	31	25.0	4						
	1339	6.7	53	1	2	4	8	17	25
	1896	10.0	138	1	3	6	13	25	34

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	31	4.0	1						
18-34	26	66.1	271						
35-49	31	13.0	66						
50-69	42	8.2							
70+	0								
SUBTOTAL	130	19.9	612	3	5	8	21	53	86
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	21	3.0	4						
18-34	83	3.3	2	1	2	3	4	6	6
35-49	26	10.7	72						
50-69	0								
70+	10	5.0							
SUBTOTAL	140	4.8	23	1	2	4	5	6	21
GRAND TOTAL	270	12.1	363	2	3	5	8	21	53

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	7.5							
18-34	88	13.4	105	2	2	14	16	31	31
35-49	31	2.5							
50-69	0								
70+	16	2.0							
	166	9.2	79	2	2	7	14	27	31
0-17	63	2.8	6						
18-34	296	6.3	32	1	2	4	10	15	17
35-49	104	2.9	4	1	1	2	5	6	6
50-69	57	3.8	7						
70+	0								
	519	4.9	23	1	1	3	7	14	16
	686	6.0	40	1	2	3	8	15	17

DRG 441: Hand Procedures for Injuries

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	36	3.6	6						
70-74	16	1.0							
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	52	2.8	5						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	124	1.3	1	1	1	1	1	3	3
70-74	36	2.1	3						
75-79	16	3.0							
80-84	16	3.0							
85 +	0								
SUBTOTAL	192	1.8	1	1	1	1	3	3	4
GRAND TOTAL	244	2.0	2	1	1	1	3	3	5

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	3.0	4						
18-34	26	7.4	9						
35-49	42	4.5	1						
50-69	21	1.5							
70 +	0								
	119	4.2	7	1	2	5	5	5	11
0-17	228	3.4	8	1	1	2	6	8	9
18-34	322	2.2	2	< 1	1	2	3	4	6
35-49	296	2.5	4	1	1	2	3	6	6
50-69	207	2.6	4	1	1	2	3	6	8
70 +	0								
	1054	2.6	5	1	1	2	3	6	8
	1173	2.8	5	1	1	2	4	6	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)									
18-34									
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	31	5.0	17						
18-34	52	3.5	9						
35-49	16	46.0							
50-69	0								
70 +	0								
SUBTOTAL	99	10.7	247	1	1	4	9	46	46
GRAND TOTAL	99	10.7	247	1	1	4	9	46	46

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	7.0							
18-34	16	2.0							
35-49	0								
50-69	0								
70 +	0								
	31	4.5	6						
0-17	99	1.5		< 1	1	1	2	3	3
18-34	145	2.3	2	< 1	1	2	4	5	5
35-49	36	2.1	2						
50-69	0								
70 +	0								
	280	2.0	2	< 1	1	2	3	4	5
	311	2.3	3	< 1	1	2	3	5	6

DRG 442: Other O.R. Procedures for Injuries w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1857	9.5	135	1	2	5	12	23	32
70-74	650	11.6	156	1	3	7	14	43	43
75-79	380	12.6	272	2	4	7	12	42	45
80-84	369	12.1	173	1	2	6	18	28	44
85 +	229	12.2	181	2	2	8	15	44	46
SUBTOTAL	3484	10.7	163	1	2	6	14	27	43
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	3484	10.7	163	1	2	6	14	27	43

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	313	10.4	60	3	4	10	14	26	31
18-34	602	6.9	71	1	2	4	9	16	29
35-49	500	4.7	33	1	1	2	6	9	22
50-69	1019	10.4	179	1	3	7	12	17	36
70 +	62	9.3	13						
SUBTOTAL	2496	8.4	110	1	2	6	10	17	26
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	2496	8.4	110	1	2	6	10	17	26

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	130	13.3	73	2	5	16	20	25	25
18-34	125	6.8	32	1	3	4	14	18	18
35-49	115	10.3	50	1	8	9	11	26	26
50-69	83	11.7	41	4	8	9	14	23	23
70 +	0								
SUBTOTAL	453	10.5	56	2	4	9	16	23	25
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	453	10.5	56	2	4	9	16	23	25

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	1.0							
18-34	197	7.2	24	2	3	7	11	12	19
35-49	119	7.0	34	1	1	7	9	16	17
50-69	120	5.9	11	1	3	5	8	12	12
70 +	16	2.0							
SUBTOTAL	468	6.4	24	1	2	7	9	12	17
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	468	6.4	24	1	2	7	9	12	17

DRG 443: Other O.R. Procedures for Injuries w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	619	4.1	20	1	1	2	5	12	13
70-74	458	4.3	30	1	1	2	5	9	22
75-79	265	3.4	14	1	1	2	3	7	12
80-84	119	7.9	136	1	1	2	9	15	43
85 +	129	2.6	7	1	1	2	3	4	11
SUBTOTAL	1590	4.2	31	1	1	2	5	11	14
GRAND TOTAL	1590	4.2	31	1	1	2	5	11	14

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1164	2.0	4	1	1	1	2	4	7
18-34	1886	2.8	11	1	1	2	3	6	8
35-49	1491	3.1	18	1	1	2	4	6	8
50-69	1123	3.5	14	1	1	2	4	8	11
70 +	26	4.0	6						
	5690	2.9	12	1	1	2	3	6	8
	5690	2.9	12	1	1	2	3	6	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	166	4.3	19	1	1	2	6	8	16
18-34	187	5.5	14	1	3	5	9	11	13
35-49	136	4.4	19	1	2	3	5	15	15
50-69	83	7.6	54	< 1	3	5	9	22	22
70 +	0								
SUBTOTAL	573	5.2	24	1	2	3	7	13	16
GRAND TOTAL	573	5.2	24	1	2	3	7	13	16

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	197	2.1	5	1	1	1	3	4	8
18-34	343	2.9	10	< 1	1	1	4	7	10
35-49	187	3.3	8	< 1	1	2	5	8	10
50-69	297	2.8	7	< 1	1	1	4	7	9
70 +	31	1.0							
	1055	2.7	8	< 1	1	1	4	7	9
	1055	2.7	8	< 1	1	1	4	7	9

DRG 444: Traumatic Injury Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	145	6.4	31	1	2	5	11	19	19
70-74	218	5.0	12	1	1	6	7	8	10
75-79	108	8.4	26	3	4	9	10	11	21
80-84	118	5.5	7	3	4	5	8	9	11
85 +	135	7.4	15	4	4	8	11	14	14
SUBTOTAL	724	6.3	19	1	3	5	9	12	14
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	724	6.3	19	1	3	5	9	12	14

TYPE OF PATIENT	BLUE CROSS PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	405	3.1	7	1	1	3	3	8	9
35-49	109	5.3	8	1	2	6	6	8	9
50-69	244	5.2	9	2	3	4	7	10	13
70 +	52	10.6	10						
SUBTOTAL	811	4.5	11	1	2	3	6	9	12
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	811	4.5	11	1	2	3	6	9	12

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	68	3.9	21						
35-49	31	5.3	17						
50-69	10	9.0							
70 +	0								
SUBTOTAL	109	4.8	20	< 1	1	3	9	11	14
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	109	4.8	20	< 1	1	3	9	11	14

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	227	3.6	10	1	2	3	4	6	14
35-49	63	2.5	3						
50-69	46	4.3							
70 +	57	13.8	46						
SUBTOTAL	394	5.0	27	1	2	3	5	14	17
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	394	5.0	27	1	2	3	5	14	17

DRG 445: Traumatic Injury Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	119	4.6	3	3	3	4	6	7	7
70-74	93	4.5	25	1	2	3	5	18	18
75-79	78	6.3	16	3	3	4	10	13	13
80-84	68	8.6	33						
85 +	139	6.1	25	2	2	4	8	11	20
SUBTOTAL	497	5.8	21	2	3	4	8	13	17
GRAND TOTAL	497	5.8	21	2	3	4	8	13	17

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	0								
18-34	1317	2.9	6	1	1	2	4	5	7
35-49	655	3.8	7	1	2	3	5	7	10
50-69	352	4.8	23	1	2	3	6	12	13
70 +	57	3.7	5						
	2381	3.4	9	1	2	3	4	7	10
	2381	3.4	9	1	2	3	4	7	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	166	4.4	8	1	1	5	7	8	9
35-49	52	1.8	1						
50-69	0								
70 +	16	3.0							
SUBTOTAL	234	3.7	7	1	1	3	6	8	9
GRAND TOTAL	234	3.7	7	1	1	3	6	8	9

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	0								
18-34	882	3.1	4	1	2	3	4	5	6
35-49	187	3.9	7	1	2	4	5	7	12
50-69	31	2.0	1						
70 +	21	5.0	1						
	1121	3.2	4	1	2	3	4	6	7
	1121	3.2	4	1	2	3	4	6	7

DRG 446: Traumatic Injury Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	198	3.1	3	2	2	3	4	4	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	198	3.1	3	2	2	3	4	4	8
0-17	896	2.3	3	1	1	2	3	5	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	896	2.3	3	1	1	2	3	5	5
	1094	2.5	3	1	1	2	3	4	5

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	93	4.4	5	1	3	4	6	8	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	93	4.4	5	1	3	4	6	8	8
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	172	3.3	12	< 1	1	2	4	6	13
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	172	3.3	12	< 1	1	2	4	6	13
GRAND TOTAL	265	3.7	10	< 1	1	3	5	7	13

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	62	3.0	2						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	62	3.0	2						
0-17	265	2.9	10	< 1	1	1	3	8	12
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	265	2.9	10	< 1	1	1	3	8	12
	327	2.9	9	< 1	1	2	3	8	11

DRG 447: Allergic Reactions Age >17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	119	2.7	2	1	2	2	3	6	6
70-74	31	5.7	11						
75-79	46	2.6	1						
80-84	51	2.2							
85+	26	18.2	418						
SUBTOTAL	274	4.4	62	1	2	2	3	8	8
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	88	2.3	1	1	2	2	2	5	5
70-74	36	2.0	1						
75-79	10	2.0							
80-84	21	1.5							
85+	0								
SUBTOTAL	155	2.1	1	1	2	2	2	3	5
GRAND TOTAL	429	3.5	41	1	2	2	3	6	8

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	47	1.3							
35-49	156	2.7	4	1	1	3	3	7	8
50-69	139	3.6	5	1	2	3	4	9	9
70+	10	4.0							
	352	2.9	4	1	1	3	3	5	8
0-17	0								
18-34	238	2.1	2	1	1	1	3	5	6
35-49	191	2.1	2	1	1	1	3	5	6
50-69	244	2.8	11	1	1	1	3	7	14
70+	0								
	673	2.3	6	1	1	1	3	5	6
	1026	2.5	5	1	1	2	3	5	7

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	10	2.0							
50-69	0								
70+	0								
SUBTOTAL	10	2.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	36	6.4	75						
35-49	21	1.0							
50-69	10	1.0							
70+	0								
SUBTOTAL	67	3.9	48	<1	1	1	1	20	20
GRAND TOTAL	77	3.7	42	<1	1	1	2	20	20

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	21	6.0	1						
35-49	21	4.5	2						
50-69	21	4.0	9						
70+	0								
	62	4.8	5	1	3	6	7	7	7
0-17	0								
18-34	46	3.8	10						
35-49	98	2.7	3	1	1	2	4	6	7
50-69	26	2.4							
70+	0								
	171	2.9	5	1	1	2	3	7	8
	232	3.4	5	1	2	3	5	7	8

DRG 448: Allergic Reactions Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	47	4.7	11						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	47	4.7	11						
0-17	191	1.6		1	1	1	2	3	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	191	1.6		1	1	1	2	3	3
	238	2.2	4	1	1	2	2	4	9

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	16	1.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	16	1.0							
GRAND TOTAL	16	1.0							

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	6.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	16	6.0							
0-17	10	2.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	10	2.0							
	26	4.4	4						

DRG 449: Poisoning & Toxic Effects of Drugs Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	2155	5.9	67	1	2	3	8	12	16
70-74	724	8.6	83	1	3	7	12	16	25
75-79	816	8.5	82	2	3	6	10	16	31
80-84	728	9.7	76	3	5	6	13	19	26
85 +	507	6.2	13	2	4	5	8	10	13
SUBTOTAL	4930	7.3	70	1	2	5	9	15	22
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	4930	7.3	70	1	2	5	9	15	22

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1610	3.9	17	1	1	2	5	10	13
35-49	1490	5.8	102	1	1	3	6	13	16
50-69	911	5.6	27	1	2	4	8	14	15
70 +	31	5.0	1						
SUBTOTAL	4043	5.0	51	1	1	3	6	12	15
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	4043	5.0	51	1	1	3	6	12	15

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	1166	4.6	46	1	1	2	5	11	17
35-49	881	4.7	22	1	1	3	6	11	15
50-69	337	5.7	17	1	2	5	10	12	12
70 +	31	3.5	2						
SUBTOTAL	2415	4.8	33	1	1	3	6	11	14
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	2415	4.8	33	1	1	3	6	11	14

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1804	3.5	17	< 1	1	2	4	7	13
35-49	773	4.0	31	< 1	1	2	3	8	21
50-69	248	5.5	14	2	2	3	9	12	13
70 +	57	15.3	121						
SUBTOTAL	2882	4.0	26	1	1	2	5	9	14
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	2882	4.0	26	1	1	2	5	9	14

DRG 450: Poisoning & Toxic Effects of Drugs Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	841	3.7	31	<1	1	2	3	8	20
70-74	275	5.5	16	1	2	4	7	13	14
75-79	275	5.3	17	1	2	3	9	12	12
80-84	290	5.5	45	1	2	3	6	11	31
85 +	67	5.1	11	1	2	5	8	10	10
SUBTOTAL	1747	4.6	29	1	1	3	6	12	14
GRAND TOTAL	1747	4.6	29	1	1	3	6	12	14

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	3322	3.0	22	1	1	2	3	6	9
35-49	1821	2.8	16	1	1	1	3	5	10
50-69	1023	3.4	18	1	1	2	4	8	12
70 +	26	3.4							
	6192	3.0	20	1	1	2	3	6	11
	6192	3.0	20	1	1	2	3	6	11

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	1396	3.0	12	<1	1	2	3	7	9
35-49	414	2.8	10	1	1	1	2	6	11
50-69	151	2.9	3	1	2	2	4	7	7
70 +	16	1.0							
SUBTOTAL	1977	2.9	11	1	1	2	3	7	9
GRAND TOTAL	1977	2.9	11	1	1	2	3	7	9

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	2579	2.1	6	<1	1	1	2	4	6
35-49	734	2.6	30	<1	1	1	2	4	5
50-69	229	2.9	9	1	1	2	4	7	12
70 +	16	32.0							
	3557	2.4	15	<1	1	1	2	4	6
	3557	2.4	15	<1	1	1	2	4	6

DRG 451: Poisoning & Toxic Effects of Drugs Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	10	7.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	10	7.0							
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	10	7.0							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	767	2.9	8	1	1	2	3	6	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	767	2.9	8	1	1	2	3	6	9
0-17	4450	2.5	11	< 1	1	1	3	5	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	4450	2.5	11	< 1	1	1	3	5	8
	5217	2.6	11	< 1	1	1	3	5	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	410	3.1	8	1	1	2	5	8	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	410	3.1	8	1	1	2	5	8	10
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	1726	3.5	34	1	1	1	3	7	13
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1726	3.5	34	1	1	1	3	7	13
GRAND TOTAL	2136	3.4	29	1	1	2	3	7	13

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	259	3.0	12	1	1	2	3	5	16
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	259	3.0	12	1	1	2	3	5	16
0-17	1955	3.4	61	< 1	1	1	3	6	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1955	3.4	61	< 1	1	1	3	6	11
	2214	3.4	55	< 1	1	1	3	6	11

DRG 452: Complications of Treatment w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1882	6.1	57	1	2	4	7	13	20
70-74	955	5.5	32	2	2	4	7	13	17
75-79	689	6.5	52	1	2	4	9	12	17
80-84	550	5.3	26	1	2	3	7	11	15
85+	317	6.5	31	2	2	5	10	16	19
SUBTOTAL	4392	6.0	45	1	2	4	7	13	18
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
GRAND TOTAL	4392	6.0	45	1	2	4	7	13	18

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	589	6.0	38	2	2	4	7	12	18
18-34	551	6.0	67	1	2	3	7	15	21
35-49	713	4.1	8	1	2	3	6	9	10
50-69	1153	5.1	18	1	2	4	7	12	14
70+	68	6.2	47						
	3073	5.2	29	1	2	4	6	10	15
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	3073	5.2	29	1	2	4	6	10	15

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	203	4.9	8	2	3	5	8	11	99+
18-34	125	8.4	68	2	3	5	9	20	29
35-49	130	10.4	139	1	2	8	28	99+	99+
50-69	182	11.5	114	2	6	9	10	20	43
70+	16	7.0							
SUBTOTAL	655	8.6	82	2	3	6	10	29	43
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
GRAND TOTAL	655	8.6	82	2	3	6	10	29	43

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	63	9.0	29						
18-34	52	3.2	4						
35-49	41	6.3	11						
50-69	333	6.5	35	2	2	4	8	14	18
70+	94	3.0	1	2	2	3	4	4	4
	583	5.9	28	2	2	4	7	14	18
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	583	5.9	28	2	2	4	7	14	18

DRG 453: Complications of Treatment w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	466	4.1	12	1	2	3	5	10	10
70-74	373	4.6	32	1	1	3	4	12	14
75-79	405	4.0	10	1	1	3	4	10	11
80-84	259	3.1	5	1	1	2	5	7	8
85 +	197	6.3	16	2	3	5	9	13	14
SUBTOTAL	1702	4.3	16	1	2	3	5	10	12
GRAND TOTAL	1702	4.3	16	1	2	3	5	10	12

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	810	2.3	4	1	1	1	3	5	8
18-34	1239	2.9	6	1	1	2	3	5	8
35-49	1012	2.7	4	1	1	2	4	5	6
50-69	955	3.4	10	1	1	2	5	7	10
70 +	89	6.2	9	2	4	5	9	11	11
	4104	2.8	6	1	1	2	4	6	8
	4104	2.8	6	1	1	2	4	6	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	177	3.7	11	1	1	2	8	9	10
18-34	115	2.3	1	1	1	2	3	3	4
35-49	42	3.5	8						
50-69	67	3.2	1	1	3	4	4	4	4
70 +	10	8.0							
SUBTOTAL	411	3.3	7	1	1	3	4	8	9
GRAND TOTAL	411	3.3	7	1	1	3	4	8	9

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	78	2.2	1						
18-34	166	4.1	16	< 1	1	3	5	7	15
35-49	78	4.8	18	1	1	3	8	12	12
50-69	140	3.3	4	1	2	3	4	6	8
70 +	0								
	462	3.6	11	1	2	3	4	8	12
	462	3.6	11	1	2	3	4	8	12

DRG 454: Other Injury, Poisoning & Toxic Effect Diag w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	124	3.5	7	1	1	3	5	6	10
70-74	72	6.5	32	1	2	4	10	18	18
75-79	156	7.8	37	1	2	6	11	15	23
80-84	119	15.3	265	3	3	7	34	47	47
85 +	160	6.3	17	2	3	5	9	13	15
SUBTOTAL	631	7.8	83	1	2	4	10	15	33
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	631	7.8	83	1	2	4	10	15	33

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	155	3.0	20	1	1	1	3	14	16
18-34	176	3.8	36	1	1	2	3	6	27
35-49	125	5.2	21	2	3	4	5	17	17
50-69	145	4.2	10	2	2	3	5	10	11
70 +	0								
	600	3.9	23	1	1	2	4	10	16
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	600	3.9	23	1	1	2	4	10	16

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	166	2.8	4	1	2	2	3	6	8
18-34	68	3.4	14						
35-49	52	3.2	5						
50-69	31	4.5							
70 +	0								
SUBTOTAL	317	3.1	6	< 1	1	2	5	7	9
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	317	3.1	6	< 1	1	2	5	7	9

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	1.0							
18-34	145	2.1	2	1	1	1	3	5	5
35-49	46	3.2	3						
50-69	10	2.0							
70 +	0								
	233	2.2	2	1	1	1	3	5	5
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	233	2.2	2	1	1	1	3	5	5

DRG 455: Other Injury, Poisoning & Toxic Effect Diag w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	42	1.8	1						
70-74	31	4.7	6						
75-79	52	2.7	2						
80-84	52	3.9	5						
85 +	21	9.0	17						
SUBTOTAL	197	3.8	9	1	2	3	5	8	11
GRAND TOTAL	197	3.8	9	1	2	3	5	8	11

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	629	1.5		< 1	1	1	2	2	3
18-34	833	1.4	1	< 1	< 1	1	1	2	4
35-49	291	1.7	2	< 1	1	1	2	3	3
50-69	156	3.1	12	< 1	1	2	3	12	13
70 +	47	3.7	3						
	1956	1.7	2	< 1	1	1	2	3	4
	1956	1.7	2	< 1	1	1	2	3	4

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	301	3.3	19	1	1	1	3	12	17
18-34	156	1.0		< 1	< 1	< 1	< 1	1	1
35-49	16	8.0							
50-69	0								
70 +	0								
SUBTOTAL	473	2.7	15	< 1	< 1	1	2	10	12
GRAND TOTAL	473	2.7	15	< 1	< 1	1	2	10	12

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	180	1.4	1	< 1	1	1	2	2	4
18-34	291	1.1		< 1	< 1	1	1	1	2
35-49	83	3.8	9	1	1	4	5	9	9
50-69	42	3.0	1						
70 +	31	2.5							
	627	1.7	2	< 1	1	1	2	4	5
	627	1.7	2	< 1	1	1	2	4	5

DRG 457: Extensive Burns w/o O.R. Procedure

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	0								

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	16	8.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	16	8.0							
	16	8.0							

DRG 458: Non-extensive Burns w/ Skin Graft

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	72	23.4	58	15	16	23	24	40	40
70-74	26	41.1	224						
75-79	26	25.6	341						
80-84	16	64.0							
85 +	62	26.3	375						
SUBTOTAL	202	30.0	333	11	16	24	53	64	99 +
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	36	12.8	31						
70-74	0								
75-79	31	22.3	92						
80-84	0								
85 +	0		-						
SUBTOTAL	67	17.2	81	8	8	19	29	29	29
GRAND TOTAL	269	26.8	301	9	15	23	48	64	99 +

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	104	22.7	153	8	17	20	35	42	42
18-34	73	31.0	258						
35-49	16	41.0							
50-69	26	44.5	49						
70 +	0								
SUBTOTAL	219	29.4	223	8	20	26	42	50	54
0-17	135	11.2	32	2	9	12	14	21	21
18-34	93	8.4	23	< 1	2	8	14	14	14
35-49	83	9.4	58	1	5	7	8	26	26
50-69	52	14.9	88						
70 +	0								
SUBTOTAL	363	10.6	48	2	5	10	14	20	26
	582	17.7	196	2	8	14	24	42	50

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	16	19.0							
18-34	78	17.0	160	6	8	15	41	99 +	99 +
35-49	16	50.0							
50-69	21	58.0	1362						
70 +	0								
SUBTOTAL	130	27.7	586	6	14	19	50	99 +	99 +
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	52	18.2	200						
18-34	68	11.3	46						
35-49	0								
50-69	0								
70 +	16	18.0							
SUBTOTAL	135	14.7	111	1	6	14	21	36	36
GRAND TOTAL	265	21.1	385	4	8	18	36	50	99 +

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	25.0	37						
18-34	47	13.3	37						
35-49	21	27.0	26						
50-69	10	14.0							
70 +	0								
SUBTOTAL	109	19.3	70	5	16	19	22	31	32
0-17	89	9.5	36	1	7	7	13	20	20
18-34	47	13.7	58						
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	136	10.9	48	1	7	10	19	20	20
	245	14.7	75	3	7	16	19	31	31

DRG 459: Non-extensive Burns w/ Wound Debridement or Other O.R. Proc

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	16	9.0							
80-84	0								
85 +	10	7.0							
SUBTOTAL	26	8.2	1						
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	10	23.0							
70-74	0								
75-79	10	11.0							
80-84	10	5.0							
85 +	0								
SUBTOTAL	31	13.0	58						
GRAND TOTAL	57	10.8	37						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	10.5	58						
18-34	0								
35-49	10	7.0							
50-69	10	14.0							
70 +	0								
SUBTOTAL	52	10.5	40						
0-17	36	6.7	16						
18-34	62	5.1	9						
35-49	0								
50-69	26	2.2	2						
70 +	0								
SUBTOTAL	124	5.0	12	1	1	5	8	11	11
GRAND TOTAL	176	6.6	26	1	2	6	8	14	18

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	10	6.0							
18-34	0								
35-49	0								
50-69	16	5.0							
70 +	0								
SUBTOTAL	26	5.4							
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	42	9.1	45						
18-34	16	13.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	57	10.2	35						
GRAND TOTAL	83	8.7	29	3	5	7	13	20	20

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	52	3.2	2						
18-34	26	4.4	4						
35-49	16	3.0							
50-69	16	8.0							
70 +	0								
SUBTOTAL	109	4.1	4	2	2	4	6	8	8
GRAND TOTAL	109	4.1	4	2	2	4	6	8	8

DRG 460: Non-extensive Burns w/o O.R. Procedure

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	176	10.5	69	3	3	8	13	26	27
70-74	26	5.4	30						
75-79	10	12.0							
80-84	36	9.9	11						
85 +	46	6.6	11						
SUBTOTAL	295	9.4	50	2	3	9	12	22	26
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	93	8.3	93	< 1	1	3	10	30	30
70-74	0								
75-79	10	3.0							
80-84	10	9.0							
85 +	0								
SUBTOTAL	113	7.9	78	< 1	2	3	10	20	30
GRAND TOTAL	409	9.0	58	1	3	8	12	22	26

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	57	5.2	2						
18-34	89	5.1	12	2	3	4	6	12	12
35-49	68	3.6	1						
50-69	52	12.4	54						
70 +	10	15.0							
	276	6.5	27	2	3	4	6	14	21
	653	2.6	4	1	1	2	3	5	7
	378	4.7	16	1	2	4	5	12	14
	140	5.7	33	< 1	1	4	10	16	17
	119	3.5	18	< 1	1	2	3	14	14
	0								
	1291	3.6	14	1	1	2	4	9	14
	1566	4.1	17	1	1	3	5	12	14

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	36	5.2	6						
18-34	0								
35-49	26	5.2	2						
50-69	31	8.7	17						
70 +	0								
SUBTOTAL	93	6.3	11	3	3	4	8	12	12
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	468	4.5	16	1	2	3	5	11	14
18-34	47	4.3	11						
35-49	10	30.0							
50-69	0								
70 +	0								
SUBTOTAL	525	5.0	28	1	2	3	7	11	15
GRAND TOTAL	618	5.2	25	1	2	3	8	11	14

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	26	4.4	9						
18-34	31	4.0	2						
35-49	26	5.2	2						
50-69	10	1.0							
70 +	16	25.0							
	109	7.1	59	2	3	4	7	25	25
	239	3.0	3	1	1	3	4	6	6
	253	3.8	21	1	1	2	4	12	18
	68	3.8	5						
	26	4.0	6						
	0								
	586	3.5	11	1	1	2	4	7	9
	695	4.1	20	1	1	3	5	7	12

DRG 461: O.R. Proc w/ Diagnoses of Other Contact w/ Health Services

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	474	10.0	240	1	2	3	9	42	55
70-74	399	12.7	442	1	1	2	21	57	91
75-79	233	12.6	207	1	1	6	22	37	44
80-84	197	13.3	208	1	2	4	22	37	44
85 +	156	11.2	152	1	1	9	14	33	41
SUBTOTAL	1458	11.7	277	1	1	3	14	42	53
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	384	2.5	6	1	1	1	3	7	9
70-74	343	3.3	14	1	1	2	3	7	9
75-79	291	3.1	12	1	1	2	3	6	11
80-84	124	4.2	86	1	1	1	2	3	35
85 +	145	2.0	11	1	1	1	1	2	14
SUBTOTAL	1287	3.0	18	1	1	1	3	7	10
GRAND TOTAL	2745	7.6	175	1	1	2	7	25	42

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	21	11.0	105						
18-34	197	3.1	30	1	1	1	3	21	99 +
35-49	274	10.8	416	1	1	5	8	63	75
50-69	441	12.5	493	1	1	3	9	55	73
70 +	16	81.0							
	928	11.1	453	1	1	3	8	73	81
	488	2.6	23	1	1	1	1	5	19
	1001	2.4	17	1	1	1	2	5	8
	877	2.2	17	1	1	1	2	5	5
	674	1.8	3	1	1	1	2	4	5
	63	11.8	352						
	3103	2.5	23	1	1	1	2	5	8
	4031	4.5	136	1	1	1	3	8	21

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	42	7.0	62						
18-34	42	11.9	64						
35-49	36	18.7	169						
50-69	31	29.5	839						
70 +	0								
SUBTOTAL	151	15.8	311	1	4	17	58	99 +	99 +
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	93	3.3	20	1	1	1	1	13	13
18-34	51	9.4	239						
35-49	21	1.0							
50-69	47	3.7	6						
70 +	0								
SUBTOTAL	212	4.6	75	1	1	1	3	10	13
GRAND TOTAL	363	9.3	203	1	1	3	17	99 +	99 +

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	1.0							
18-34	42	4.4	9						
35-49	62	6.8	80	1	1	3	22	99 +	99 +
50-69	73	2.6	6						
70 +	31	1.0							
	218	3.8	31	< 1	1	1	4	22	99 +
	41	3.0	2						
	161	6.3	20	< 1	1	10	10	10	10
	36	2.1	3						
	16	1.0							
	0								
	254	4.8	17	1	1	3	10	10	10
	472	4.4	24	1	1	1	10	10	22

Northeastern Region, July 1989 - June 1990

DRG 462: Rehabilitation

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2793	28.2	333	9	15	23	39	57	65
70-74	1667	30.4	331	10	15	27	44	60	68
75-79	2315	25.4	201	9	15	22	35	45	55
80-84	1621	26.0	258	8	13	24	35	54	64
85 +	1127	24.8	198	11	15	21	33	44	58
SUBTOTAL	9523	27.1	276	9	15	24	37	53	63
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	916	27.0	310	8	14	22	42	53	62
70-74	904	26.3	233	10	16	22	34	43	65
75-79	822	25.4	335	7	14	20	36	44	60
80-84	582	26.8	280	9	14	25	35	55	60
85 +	390	25.2	183	8	16	28	32	46	47
SUBTOTAL	3614	26.2	278	8	15	23	36	48	60
GRAND TOTAL	13137	26.9	276	9	15	24	36	52	61

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	146	41.0	1007	11	21	47	86	99 +	99 +
18-34	447	32.5	469	8	17	29	56	83	99 +
35-49	566	28.2	460	4	10	24	43	68	81
50-69	1590	29.3	245	11	16	29	42	51	79
70 +	145	29.4	272	15	17	24	42	62	62
	2894	30.2	368	10	16	29	44	68	99
0-17	162	28.8	809	1	13	19	44	71	91
18-34	282	18.4	296	2	5	16	37	59	99 +
35-49	313	29.3	320	4	12	31	44	56	58
50-69	937	24.7	309	7	13	21	31	54	57
70 +	52	27.1	259						
	1745	24.9	365	4	11	21	37	56	71
	4639	28.2	373	8	14	26	41	61	86

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	31	14.0	26	9	19	99 +	99 +	99 +	99 +
18-34	104	24.8	220	14	16	21	35	55	99 +
35-49	115	18.2	75	8	11	20	36	99 +	99 +
50-69	239	36.7	532	13	16	24	59	71	71
70 +	26	16.3	168						
SUBTOTAL	515	27.8	395	9	16	22	59	99 +	99 +
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	16	44.0							
18-34	98	14.5	146	2	3	11	25	37	37
35-49	47	29.3	488						
50-69	167	29.0	482	4	11	23	52	56	66
70 +	0								
SUBTOTAL	328	25.4	418	4	7	22	44	56	59
GRAND TOTAL	843	26.8	404	7	13	22	55	99 +	99 +

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	31.0							
18-34	197	32.3	1013	3	5	12	61	84	86
35-49	150	21.9	258	5	8	20	33	54	54
50-69	177	20.5	252	6	7	20	29	39	59
70 +	129	9.0	18	5	6	8	11	16	17
	668	22.3	491	5	6	12	31	59	67
0-17	31	33.0	500						
18-34	156	29.1	519	5	10	27	57	70	99 +
35-49	26	33.7	110						
50-69	78	20.6	98	6	10	21	29	33	33
70 +	36	13.5	57						
	327	26.1	369	6	10	22	44	57	70
	995	23.6	454	5	7	19	39	59	70

DRG 463: Signs & Symptoms w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	662	8.4	83	2	3	5	12	21	25
70-74	182	10.8	134	2	3	8	15	20	44
75-79	316	10.8	176	2	3	5	13	45	46
80-84	419	10.6	230	2	4	6	11	19	27
85 +	342	8.4	32	2	4	7	9	18	22
SUBTOTAL	1920	9.5	127	2	3	6	11	21	33
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	1920	9.5	127	2	3	6	11	21	33

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	151	6.3	26	1	3	5	11	17	17
18-34	31	3.7	3						
35-49	135	11.1	312	2	2	3	7	58	58
50-69	434	8.1	35	2	4	7	11	17	21
70 +	0								
	752	8.1	84	2	3	5	11	17	21
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	752	8.1		2	3	5	11		21

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	16	2.0							
18-34	62	6.4	15						
35-49	46	8.9	32						
50-69	103	10.5	125	3	4	7	11	21	42
70 +	31	5.5	6						
SUBTOTAL	259	8.1	66	2	4	6	8	15	16
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	259	8.1	66	2	4	6	8	15	16

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	52	2.1							
18-34	0								
35-49	42	8.2	1						
50-69	94	13.7	31	4	11	13	19	21	21
70 +	0								
	187	9.3	40	2	3	9	14	19	21
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	187	9.3	40	2	3	9	14	19	21

DRG 464: Signs & Symptoms w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	124	2.2	1	1	1	2	3	3	3
70-74	145	7.9	94	1	2	4	7	30	30
75-79	88	6.3	15	2	2	4	10	12	12
80-84	82	3.1	4	1	1	2	5	6	6
85 +	83	4.7	3	3	3	4	5	9	9
SUBTOTAL	523	5.0	35	1	2	3	6	10	17
GRAND TOTAL	523	5.0	35	1	2	3	6	10	17

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	177	1.6		1	1	1	2	2	3
18-34	155	2.1	1	1	1	2	3	4	5
35-49	191	2.9	13	1	1	2	3	11	14
50-69	404	2.8	4	1	1	3	3	6	7
70 +	10	5.0							
	937	2.5	5	1	1	2	3	5	6
	937	2.5	5	1	1	2	3	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	57	3.1	6						
18-34	16	1.0							
35-49	26	5.2	16						
50-69	31	2.5	2						
70 +	16	5.0							
SUBTOTAL	146	3.3	7	< 1	1	2	5	7	10
GRAND TOTAL	146	3.3	7	< 1	1	2	5	7	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	16	2.0							
18-34	10	1.0							
35-49	10	1.0							
50-69	31	2.5	2						
70 +	10	7.0							
	78	2.6	4	< 1	1	2	4	7	7
	78	2.6	4	< 1	1	2	4	7	7

DRG 465: Aftercare w/ History of Malignancy As Secondary Diagnosis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	68	2.1	3						
70-74	0								
75-79	36	1.0							
80-84	21	1.5							
85 +	10	2.0							
SUBTOTAL	135	1.7	2	1	1	1	2	5	5
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	57	1.5							
70-74	47	1.7							
75-79	31	1.5							
80-84	31	1.0							
85 +	36	1.0							
SUBTOTAL	203	1.4		1	1	1	2	2	2
GRAND TOTAL	338	1.5	1	1	1	1	2	2	2

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	52	1.7	1						
50-69	0								
70 +	0								
SUBTOTAL	52	1.7	1						
0-17	94	1.0		< 1	< 1	< 1	< 1	1	1
18-34	0								
35-49	0								
50-69	83	1.4	1	< 1	< 1	1	1	3	3
70 +	0								
SUBTOTAL	177	1.2		< 1	< 1	< 1	1	1	3
	229	1.3		< 1	< 1	1	1	3	3

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	31	1.0							
70 +	0								
SUBTOTAL	31	1.0							
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	16	1.0							
SUBTOTAL	16	1.0							
	47	1.0							

DRG 466: Aftercare w/o History of Malignancy As Secondary Diagnosis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	109	2.6	10	1	1	1	2	9	9
70-74	93	2.3	4	1	1	1	4	7	7
75-79	88	5.6	46	1	1	3	7	23	23
80-84	140	4.7	29	1	1	2	7	15	16
85 +	93	13.7	413	1	2	4	10	58	58
SUBTOTAL	524	5.6	106	1	1	2	7	11	18
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	171	1.9	2	1	1	1	3	3	7
70-74	73	1.4	1						
75-79	21	2.0	1						
80-84	62	1.7	1						
85 +	26	2.8	2						
SUBTOTAL	353	1.8	2	< 1	1	1	3	3	4
GRAND TOTAL	876	4.1	68	1	1	1	3	9	15

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	187	3.6	14	< 1	1	2	4	10	14
18-34	10	2.0							
35-49	57	1.2							
50-69	223	1.8	3	1	1	1	1	6	7
70 +	0								
SUBTOTAL	478	2.4	8	1	1	1	2	6	10
0-17	461	2.3	12	< 1	1	2	3	8	9
18-34	93	1.6	1	< 1	1	1	2	3	3
35-49	119	1.1		< 1	1	1	1	2	2
50-69	344	1.5	1	1	1	1	2	2	3
70 +	0								
SUBTOTAL	1017	2.1	7	< 1	1	1	2	3	7
	1495	2.2	7	1	1	1	2	4	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	26	20.4							
18-34	0								
35-49	0								
50-69	10	9.0							
70 +	0								
SUBTOTAL	36	17.2	27						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	130	6.0	50	< 1	1	2	12	17	22
18-34	10	3.0							
35-49	16	2.0							
50-69	31	1.0							
70 +	10	2.0							
SUBTOTAL	197	4.5	37	< 1	1	2	4	16	20
GRAND TOTAL	233	6.5	57	< 1	1	2	12	20	21

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	42	19.3	29						
18-34	21	1.0							
35-49	0								
50-69	10	1.0							
70 +	129	8.2	35	1	4	7	10	13	24
SUBTOTAL	201	9.4	60	1	3	7	14	24	26
0-17	99	3.8	18	< 1	1	2	5	13	13
18-34	52	1.7							
35-49	0								
50-69	26	1.0							
70 +	21	8.5	2						
SUBTOTAL	197	3.4	14	1	1	2	4	10	13
	398	6.4	46	1	1	4	10	14	24

DRG 471: Bilateral or Multiple Major Joint Procs of Lower Extremity

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	270	24.7	224	9	13	17	37	45	53
70-74	166	15.1	67	7	10	15	18	23	40
75-79	281	22.9	238	10	14	19	27	43	76
80-84	83	20.9	32	12	17	23	25	28	28
85 +	89	25.3	72	16	18	20	33	41	41
SUBTOTAL	888	22.1	178	10	13	18	28	40	45
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	88	15.4	48	6	8	14	20	27	27
70-74	114	15.8	15	12	12	16	20	22	22
75-79	109	16.4	56	10	11	15	21	29	31
80-84	31	17.5	13						
85 +	26	20.8	2						
SUBTOTAL	368	16.4	35	10	12	15	21	22	29
GRAND TOTAL	1256	20.4	143	10	13	17	25	35	43

BLUE CROSS PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	10	66.0							
50-69	182	18.9	40	11	12	18	23	25	30
70 +	0								
	192	21.4	151	11	13	23	24	30	60
0-17	0								
18-34	0								
35-49	21	14.0	1						
50-69	120	13.3	19	7	8	14	17	18	20
70 +	0								
	140	13.4	17	7	10	14	17	18	20
	333	18.0	109	9	12	15	23	25	30

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	26	18.4	4						
70 +	0								
SUBTOTAL	26	18.4	4						
GRAND TOTAL	26	18.4	4						

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	26	37.1	305						
70 +	0								
	26	37.1	305						
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	26	37.1	305						

DRG 472: Extensive Burns w/ O.R. Procedure

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	16	37.0							
35-49	0								
50-69	0								
70 +	0								
	16	37.0							
	0								
	16	37.0							

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	16	29.0							
35-49	0								
50-69	0								
70 +	0								
	16	29.0							
0-17	16	20.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	16	20.0							
	31	24.5	21						

DRG 473: Acute Leukemia w/o Major O.R. Procedure Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	260	23.2	347	4	8	18	36	47	73
70-74	245	29.3	803	4	4	15	60	74	79
75-79	78	14.5	352	2	3	5	13	51	51
80-84	57	6.7	18						
85 +	93	11.3	75	2	3	9	23	24	24
SUBTOTAL	732	21.5	495	3	5	12	36	60	73
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	46	14.2	124						
70-74	36	6.6	3						
75-79	0								
80-84	0								
85 +	26	2.0							
SUBTOTAL	109	8.8	79	2	2	7	8	16	32
GRAND TOTAL	841	19.9	459	2	4	9	32	51	73

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	209	22.5	226	2	5	25	36	40	47
35-49	240	26.7	383	2	7	28	42	47	69
50-69	417	21.1	391	1	6	11	33	51	54
70 +	0								
	866	23.0	354	2	6	24	36	47	54
0-17	0								
18-34	120	2.7	3	< 1	1	2	3	7	7
35-49	78	5.0	65						
50-69	62	10.1	59						
70 +	0								
	260	5.1	44	< 1	1	2	7	17	21
	1126	18.8	339	1	3	11	32	43	51

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	73	25.1	226						
35-49	26	23.0	25						
50-69	16	65.0							
70 +	0								
SUBTOTAL	115	30.1	344	17	20	24	50	65	65
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	115	30.1	344	17	20	24	50	65	65

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	31	29.0	37						
35-49	16	30.0							
50-69	47	14.0	137						
70 +	0								
	94	21.7	139	3	9	23	30	35	35
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	94	21.7	139	3	9	23	30	35	35

DRG 475: Respiratory System Diagnosis with Ventilator Support

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2831	16.0	100	7	9	14	21	29	36
70-74	2228	17.4	153	7	10	15	20	33	37
75-79	1837	17.8	169	7	9	14	23	33	46
80-84	980	15.7	112	5	9	12	20	32	39
85 +	938	19.4	237	7	9	14	25	40	55
SUBTOTAL	**8814**	**17.1**	**145**	**6**	**9**	**14**	**22**	**32**	**40**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	67	9.9	8	6	7	11	11	15	15
70-74	21	6.0	9						
75-79	10	12.0							
80-84	26	8.2	1						
85 +	0								
SUBTOTAL	**124**	**9.1**	**9**	**6**	**7**	**9**	**11**	**12**	**15**
GRAND TOTAL	**8938**	**16.9**	**144**	**6**	**9**	**14**	**21**	**32**	**40**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	626	17.8	282	4	7	11	23	43	57
18-34	390	9.3	127	2	3	6	11	23	24
35-49	488	16.3	154	4	8	12	23	33	40
50-69	1608	15.3	174	5	8	11	18	27	50
70 +	151	14.7	35	6	10	16	20	21	25
SUBTOTAL	**3263**	**15.2**	**185**	**4**	**7**	**11**	**20**	**30**	**45**
0-17	63	7.0	2						
18-34	57	4.4	4						
35-49	16	9.0							
50-69	130	11.3	90	4	5	8	18	31	31
70 +	31	9.0	26						
SUBTOTAL	**297**	**8.7**	**50**	**4**	**5**	**6**	**9**	**21**	**31**
GRAND TOTAL	**3560**	**14.6**	**177**	**4**	**6**	**11**	**19**	**29**	**44**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	324	10.5	42	3	5	9	15	19	21
18-34	119	8.7	54	3	3	5	19	22	22
35-49	68	15.6	22						
50-69	503	15.1	85	5	8	11	19	27	40
70 +	68	35.9	1119						
SUBTOTAL	**1081**	**14.3**	**166**	**4**	**7**	**11**	**19**	**26**	**27**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	89	5.3	12	2	2	3	9	11	11
18-34	0								
35-49	16	17.0							
50-69	0								
70 +	0								
SUBTOTAL	**104**	**7.1**	**27**	**2**	**2**	**7**	**10**	**17**	**17**
GRAND TOTAL	**1185**	**13.7**	**158**	**3**	**6**	**11**	**19**	**26**	**27**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	183	15.0	76	6	10	13	19	21	39
18-34	31	10.5							
35-49	130	11.2	30	5	7	8	15	22	22
50-69	306	16.2	128	7	9	13	22	38	67
70 +	167	25.0	566	6	10	15	29	57	84
SUBTOTAL	**818**	**16.7**	**206**	**6**	**8**	**12**	**20**	**36**	**57**
0-17	63	6.8	8						
18-34	26	11.8	2						
35-49	0								
50-69	21	10.5	13						
70 +	0								
SUBTOTAL	**109**	**8.7**	**13**	**3**	**5**	**9**	**10**	**13**	**14**
GRAND TOTAL	**927**	**15.8**	**190**	**6**	**8**	**12**	**17**	**32**	**57**

DRG 478: Other Vascular Procedures w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	7153	9.7	100	1	2	7	13	23	30
70-74	4489	12.8	124	3	6	10	17	24	32
75-79	4073	12.8	121	3	6	10	17	27	35
80-84	2327	14.7	173	4	6	11	19	29	40
85 +	1408	17.5	243	4	7	13	22	34	55
SUBTOTAL	**19450**	**12.2**	**134**	**2**	**5**	**9**	**16**	**26**	**34**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**19450**	**12.2**	**134**	**2**	**5**	**9**	**16**	**26**	**34**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1128	5.0	44	2	2	3	6	11	1.
18-34	234	8.4	119	1	1	3	9	27	40
35-49	890	7.5	63	1	2	5	10	15	17
50-69	3911	11.9	131	2	6	9	14	23	36
70 +	160	8.6	58	1	2	8	13	22	26
SUBTOTAL	**6323**	**9.8**	**111**	**2**	**3**	**7**	**13**	**20**	**31**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**6323**	**9.8**	**111**	**2**	**3**	**7**	**13**	**20**	**31**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	125	3.9	14	1	2	3	6	13	13
18-34	94	3.5	10	1	1	3	4	10	10
35-49	130	11.9	56	2	8	9	15	24	24
50-69	542	11.0	213	1	4	8	12	19	43
70 +	31	8.5	31						
SUBTOTAL	**923**	**9.3**	**147**	**1**	**2**	**7**	**11**	**19**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**923**	**9.3**	**147**	**1**	**2**	**7**	**11**	**19**	**26**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	266	3.9	6	1	2	3	5	9	9
18-34	83	7.1	11	1	6	9	9	10	10
35-49	72	7.4	21	1	2	9	12	13	13
50-69	370	14.5	235	1	4	10	21	32	35
70 +	110	14.3	59	5	9	12	20	30	30
SUBTOTAL	**901**	**10.1**	**131**	**1**	**3**	**7**	**12**	**23**	**32**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**901**	**10.1**	**131**	**1**	**3**	**7**	**12**	**23**	**32**

DRG 479: Other Vascular Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1486	5.4	18	1	2	5	8	10	12
70-74	992	6.7	19	1	3	6	9	12	14
75-79	742	6.9	42	1	2	6	10	12	16
80-84	452	5.8	11	1	3	6	8	11	11
85 +	156	4.9	9	1	3	4	6	10	11
SUBTOTAL	3828	6.1	22	1	3	6	9	11	12
GRAND TOTAL	3828	6.1	22	1	3	6	9	11	12

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	721	2.9	7	1	2	2	2	6	8
18-34	125	3.5	8	2	2	2	6	10	10
35-49	624	4.0	9	1	1	3	7	8	10
50-69	2502	4.8	13	1	2	4	6	10	12
70 +	52	6.7	4						
	4024	4.3	12	1	2	3	6	9	11
	4024	4.3	12	1	2	3	6	9	11

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	31	2.0							
18-34	16	3.0							
35-49	46	2.8	11						
50-69	67	3.9	4	1	1	5	6	6	6
70 +	0								
SUBTOTAL	160	3.1	6	1	1	2	5	6	9
GRAND TOTAL	160	3.1	6	1	1	2	5	6	9

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	157	4.3	11	1	2	3	6	11	11
18-34	0								
35-49	104	4.0	6	1	1	4	6	8	8
50-69	125	8.1	160	1	2	3	7	41	41
70 +	16	8.0							
	401	5.5	59	1	2	3	7	10	11
	401	5.5	59	1	2	3	7	10	11

DRG 480: Liver Transplant

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	10	12.0							
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	10	12.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	10	12.0							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	67.5	13						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	31	67.5	13						
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	31	67.5	13						

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	30.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	16	30.0							
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	16	30.0							

DRG 481: Bone Marrow Transplant

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	439	42.7	222	29	33	36	50	71	77
18-34	125	45.4	196	30	33	42	56	70	70
35-49	78	47.4	86						
50-69	16	34.0							
70 +	0								
SUBTOTAL	658	43.5	200	31	34	38	50	64	71
0-17	0								
18-34	31	53.5	58						
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	31	53.5	58						
GRAND TOTAL	689	44.0	198	31	34	39	54	64	71

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	42	46.1	717						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	42	46.1	717						
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	42	46.1	717						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	78	41.2	142						
18-34	0								
35-49	16	36.0							
50-69	0								
70 +	0								
SUBTOTAL	94	40.3	122	28	35	37	42	63	63
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	94	40.3	122	28	35	37	42	63	63

DRG 482: Tracheostomy w/ Mouth, Larynx or Pharynx Disorder

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	302	20.0	139	7	12	17	30	31	50
70-74	344	17.8	78	10	14	15	19	34	37
75-79	187	20.0	99	12	12	15	32	43	99+
80-84	104	29.8	327	15	18	30	36	99+	99+
85+	26	19.9	81						
SUBTOTAL	962	20.3	139	9	14	16	30	43	79
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	68	13.7	48						
70-74	109	16.6	34	8	12	18	22	23	23
75-79	88	12.0	12	9	10	11	12	21	21
80-84	16	8.0							
85+	0								
SUBTOTAL	280	14.0	34	8	9	11	18	23	23
GRAND TOTAL	1243	18.9	123	9	12	15	26	36	50

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	47	39.7	2						
18-34	47	11.3	22						
35-49	145	12.2	56	5	9	11	13	16	36
50-69	578	15.1	43	8	11	14	18	23	31
70+	31	8.7	2						
SUBTOTAL	847	15.6	78	6	11	13	18	31	38
0-17	31	9.5	21						
18-34	10	4.0							
35-49	63	8.5	21						
50-69	125	10.4	33	2	3	12	16	18	18
70+	0								
SUBTOTAL	229	9.5	28	2	4	11	14	16	18
GRAND TOTAL	1076	14.3	73	5	10	13	17	23	37

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	16	4.0							
18-34	0								
35-49	73	23.4	373						
50-69	140	20.9	142	10	13	19	35	99+	99+
70+	0								
SUBTOTAL	229	20.5	226	9	12	15	35	88	99+
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	16	4.0							
18-34	0								
35-49	0								
50-69	31	11.0	4						
70+	0								
SUBTOTAL	47	8.7	14						
GRAND TOTAL	276	18.5	210	4	10	14	30	60	99+

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	28.0							
18-34	10	18.0							
35-49	10	19.0							
50-69	83	17.4	79	4	12	17	24	31	31
70+	0								
SUBTOTAL	119	19.0	67	4	17	18	28	31	31
0-17	0								
18-34	10	8.0							
35-49	26	15.1	100						
50-69	26	9.0	25						
70+	0								
SUBTOTAL	62	11.4	61						
GRAND TOTAL	182	16.4	78	3	8	17	23	28	31

DRG 483: Tracheostomy except for Mouth, Larynx or Pharynx Disorder

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	779	48.1	595	17	36	53	91	99+	99+
70-74	363	50.9	509	28	41	65	99+	99+	99+
75-79	478	49.7	604	14	38	62	84	99+	99+
80-84	276	54.4	500	28	45	69	99+	99+	99+
85+	172	49.1	653	19	35	63	99+	99+	99+
SUBTOTAL	2068	49.9	577	18	38	60	97	99+	99+
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	47	10.0	33						
70-74	10	3.0							
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	57	8.7	34						
GRAND TOTAL	2126	48.8	607	16	38	58	96	99+	99+

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	198	32.9	410	9	18	37	62	99+	99+
18-34	538	33.8	410	9	22	33	45	88	99+
35-49	453	39.2	563	10	24	36	72	90	99+
50-69	880	42.5	509	15	33	47	83	99+	99+
70+	130	40.8	302	14	30	48	63	99+	99+
	2199	38.7	489	13	25	39	70	99+	99+
	47	15.3	39						
	42	22.1	360						
	16	21.0							
	36	6.3	6						
	10	15.0							
	151	15.6	147	4	10	12	24	46	99+
	2350	37.3	499	10	23	38	64	99+	99+

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	125	54.4	478	30	37	67	99+	99+	99+
35-49	21	44.5	139						
50-69	57	53.1	246	39	69	99+	99+	99+	99+
70+	0								
SUBTOTAL	203	53.0	385	33	39	72	99+	99+	99+
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	10	8.0							
70+	0								
SUBTOTAL	10	8.0							
GRAND TOTAL	213	50.9	459	30	39	72	99+	99+	99+

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	20.0							
18-34	140	32.6	314	10	23	43	80	99+	99+
35-49	136	44.2	392	20	30	50	57	99+	99+
50-69	99	59.1	896	21	57	84	99+	99+	99+
70+	10	43.0							
	401	42.8	584	20	29	50	99+	99+	99+
0-17	0								
18-34	26	37.0	6						
35-49	0								
50-69	0								
70+	16	48.0							
	42	41.2	33						
	443	42.7	532	20	30	48	89	99+	99+

DRG 484: Craniotomy for Multiple Significant Trauma

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	47	15.3	32						
18-34	78	24.4	127						
35-49	16	51.0							
50-69	31	11.5							
70 +	0								
	172	22.0	178	11	12	16	37	39	51
	0								
	0								
	16	24.0							
	16	10.0							
	0								
	31	17.0	51						
	204	21.2	161	10	12	16	24	39	51

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	16	50.0			—				
18-34	31	45.5							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	47	47.0	5						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	47	47.0	5						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	15	50.0							
18-34	16	38.0							
35-49	16	11.0							
50-69	0								
70 +	0								
	47	33.0	272						
	0								
	10	27.0							
	0								
	0								
	0								
	10	27.0							
	57	31.9	228						

DRG 485: Limb Reattachment, Hip And Femur Proc for Multiple Significant Trauma

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	16	4.0							
70-74	26	42.1	155						
75-79	31	36.3	77						
80-84	57	27.5	284						
85 +	78	21.9	136	11	13	14	34	45	45
SUBTOTAL	207	26.8	249	11	14	23	41	52	54
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	207	26.8	249	11	14	23	41	52	54

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	187	16.0	133	8	9	12	17	29	56
18-34	646	21.8	288	8	10	18	25	60	79
35-49	135	29.5	297	12	15	24	33	60	60
50-69	125	25.8	225	12	13	19	37	58	58
70 +	42	16.8	19						
SUBTOTAL	1135	22.0	261	8	12	17	26	58	68
0-17	16	18.0							
18-34	16	16.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	31	17.0	1						
GRAND TOTAL	1167	21.9	255	8	12	17	25	58	68

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	16	2.0							
18-34	16	24.0							
35-49	31	18.0	66						
50-69	0								
70 +	0								
SUBTOTAL	63	15.5	100						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	63	15.5	100						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	42	15.8	98						
18-34	181	17.2	157	6	10	15	21	54	99 +
35-49	62	23.1	138						
50-69	10	24.0							
70 +	0								
SUBTOTAL	295	18.5	146	6	11	16	24	43	95
0-17	0								
18-34	0								
35-49	0								
50-69	16	32.0							
70 +	0								
SUBTOTAL	16	32.0							
GRAND TOTAL	311	19.2	147	6	11	18	28	43	59

DRG 486: Other O.R. Procedures for Multiple Significant Trauma

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	135	22.5	210	7	12	22	31	47	55
70-74	73	18.4	125						
75-79	46	28.0	322						
80-84	0								
85 +	72	38.9	763	11	14	36	52	84	84
SUBTOTAL	326	26.0	382	7	11	20	36	52	60
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	16	5.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	16	5.0							
GRAND TOTAL	342	25.0	384	7	10	20	36	52	55

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	302	14.7	63	6	9	13	22	32	76
18-34	895	15.7	150	6	9	12	20	28	51
35-49	490	21.8	288	8	11	17	26	54	80
50-69	265	18.2	99	8	12	16	23	35	36
70 +	10	9.0							
	1961	17.4	171	7	9	14	23	34	54
0-17	10	6.0							
18-34	42	8.1	1						
35-49	36	15.6	19						
50-69	0								
70 +	0								
	88	10.9	24	6	7	9	17	20	20
	2049	17.1	166	7	9	13	21	33	54

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	124	15.7	148	6	8	11	24	99 +	99 +
35-49	0								
50-69	26	38.0	699						
70 +	0								
SUBTOTAL	150	19.6	311	6	8	11	51	59	99 +
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	150	19.6	311	6	8	11	51	59	99 +

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	57	18.2	64						
18-34	524	20.1	155	8	10	15	28	37	47
35-49	88	13.9	99	6	9	10	11	35	35
50-69	93	12.1	12	8	10	12	39	99 +	99 +
70 +	42	20.5	123						
	804	18.4	133	8	10	14	28	37	52
0-17	0								
18-34	31	6.0							
35-49	10	16.0							
50-69	0								
70 +	0								
	42	8.5	19						
	846	17.9	132	7	10	14	28	36	52

DRG 487: Other Multiple Significant Trauma

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	88	8.5	10	2	6	9	10	13	13
70-74	109	13.9	128	4	6	8	16	38	38
75-79	52	14.1	70						
80-84	129	15.7	357	5	5	11	15	20	77
85 +	155	12.3	86	6	7	8	13	29	36
SUBTOTAL	533	13.0	151	4	7	10	14	29	36
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	16	2.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	16	2.0							
GRAND TOTAL	548	12.7	150	4	6	10	14	29	36

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	500	9.4	52	2	3	8	12	21	23
18-34	768	8.1	29	2	4	7	11	16	18
35-49	297	11.4	46	4	5	9	17	20	30
50-69	317	13.0	137	3	6	10	16	29	32
70 +	78	14.9	91	2	3	17	19	29	29
	1959	10.0	62	2	5	8	13	19	23
0-17	16	3.0							
18-34	83	12.0	47	3	6	10	15	24	24
35-49	10	6.0							
50-69	0								
70 +	16	24.0							
	125	11.9	63	3	6	10	17	24	24
	2084	10.1	62	3	5	8	13	19	24

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	94	18.2	418	5	7	12	15	63	63
18-34	89	10.0	22	5	7	8	14	18	18
35-49	26	1.4							
50-69	0								
70 +	0								
SUBTOTAL	209	12.6	229	2	5	7	14	18	63
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	209	12.6	229	2	5	7	14	18	63

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	93	10.4	33	2	7	10	15	22	22
18-34	472	11.6	200	2	3	6	15	35	42
35-49	202	10.1	27	4	6	10	12	17	20
50-69	51	18.8	188						
70 +	0								
	819	11.6	141	2	4	8	15	25	41
0-17	21	7.5							
18-34	16	2.0							
35-49	10	1.0							
50-69	0								
70 +	0								
	46	4.2	9						
	866	11.2	137	2	4	8	14	25	41

DRG 488: HIV w/ Extensive O.R. Procedure

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	193	20.0	75	13	14	18	24	25	44
35-49	193	24.2	473	4	8	22	26	43	84
50-69	73	35.6	1086						
70 +	0								
SUBTOTAL	459	24.2	428	6	13	19	25	44	84
0-17	0								
18-34	10	25.0							
35-49	16	1.0							
50-69	0								
70 +	0								
SUBTOTAL	26	10.5	143						
GRAND TOTAL	485	23.5	422	5	13	19	25	44	84

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	57	30.5	591						
35-49	104	20.4	154	6	9	21	23	24	52
50-69	16	25.0							
70 +	0								
SUBTOTAL	177	24.1	300	6	19	21	24	52	68
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	177	24.1	300	6	19	21	24	52	68

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	156	23.7	151	11	14	24	35	46	99 +
35-49	94	28.2	64	16	23	28	33	41	41
50-69	0								
70 +	0								
SUBTOTAL	250	25.4	123	12	15	25	35	42	46
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	250	25.4	123	12	15	25	35	42	46

DRG 489: HIV w/ Major Related Condition

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	281	17.6	94	7	10	15	24	37	39
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	281	17.6	94	7	10	15	24	37	39
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	281	17.6	94	7	10	15	24	37	39

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	63	2.0	2						
18-34	896	15.9	135	4	7	14	23	31	41
35-49	941	16.0	176	3	7	14	21	32	43
50-69	209	21.1	197	7	10	18	38	45	47
70 +	0								
	2108	16.1	164	3	7	13	21	33	42
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2108	16.1	164	3	7	13	21	33	42

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	230	5.5	34	2	2	5	8	92	99 +
18-34	787	15.9	109	5	8	15	22	33	37
35-49	665	16.3	177	5	7	13	22	45	52
50-69	57	25.5	259						
70 +	0								
SUBTOTAL	1739	15.0	146	3	6	12	22	34	50
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	31	1.5							
18-34	0								
35-49	10	6.0							
50-69	0								
70 +	0								
SUBTOTAL	42	2.6	4						
GRAND TOTAL	1780	14.7	146	3	6	11	22	34	50

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	47	18.0	591						
18-34	519	18.5	188	7	10	15	23	35	41
35-49	696	15.5	124	4	7	13	22	35	39
50-69	130	31.5	197	13	18	25	43	51	51
70 +	0								
	1393	18.2	190	5	9	15	25	41	52
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1393	18.2	190	5	9	15	25	41	52

DRG 490: HIV w/ or w/o Other Related Condition

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	83	8.6	28	2	3	7	14	17	17
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	83	8.6	28	2	3	7	14	17	17
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	10	1.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	10	1.0							
GRAND TOTAL	93	7.7	31	1	2	7	14	17	17

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	4.0	9						
18-34	239	8.5	29	2	5	7	11	21	21
35-49	317	8.2	86	2	3	5	10	20	34
50-69	109	10.4	43	3	4	14	17	18	18
70 +	0								
	696	8.5	58	2	3	7	11	18	21
0-17	16	2.0							
18-34	26	6.2	2						
35-49	57	6.7	7						
50-69	0								
70 +	0								
	99	5.8	8	1	2	8	8	8	8
	795	8.1	52	2	3	7	10	18	21

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	230	4.9	20	2	2	3	6	8	20
18-34	344	10.0	145	3	3	4	10	29	36
35-49	374	6.7	17	2	3	5	11	12	14
50-69	47	28.0	418						
70 +	0								
SUBTOTAL	995	8.4	103	2	3	4	10	20	29
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	26	1.6							
18-34	63	14.0	37						
35-49	26	3.0							
50-69	0								
70 +	0								
SUBTOTAL	115	8.7	54	2	3	8	12	24	24
GRAND TOTAL	1109	8.5	98	2	3	4	11	20	29

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	141	7.6	1.79	1	2	3	4	45	45
18-34	197	9.8	90	2	5	6	12	17	38
35-49	166	8.0	31	1	3	8	14	18	99 +
50-69	73	30.0	1033						
70 +	0								
	577	11.3	264	1	3	6	14	38	90
0-17	188	1.1		1	1	1	1	1	2
18-34	31	5.7	15						
35-49	21	10.0	4						
50-69	0								
70 +	0								
	239	2.4	10	1	1	1	2	8	11
	816	8.7	205	1	1	4	12	18	45

Appendix

Appendix 1

1989-90 HOSPITAL CHARACTERISTICS
Short-Term, Nonfederal Hospitals[1]

HOSPITAL CATEGORY	UNIVERSE TOTAL[2]	LOS BY DRG SAMPLE
Region		
Northeastern	772	87
North Central	1,579	174
Southern	2,052	72
Western	1,022	159
Total	5,425	492
Location[3]		
Urban	2,844	247
Rural	2,581	245
Teaching Intensity[4]		
High Medium	983	366
Low	4,442	126

[1]Hospitals with average stay less than 30 days.

[2]1988 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

[3]Urban hospitals are those with a metropolitan statistical area designation on the AHA Annual Survey of Hospitals. Hospitals without a metropolitan statistical area designation represent rural hospitals.

[4]The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai.

Appendix 2

STATE INCLUSIONS BY REGION

Northeast	North Central	South	West
Connecticut	Illinois	Alabama	Alaska
Maine	Indiana	Arkansas	Arizona
Massachusetts	Iowa	Delaware	California
New Hampshire	Kansas	District of Columbia	Colorado
New Jersey	Michigan	Florida	Hawaii
New York	Minnesota	Georgia	Idaho
Pennsylvania	Missouri	Kentucky	Montana
Rhode Island	Nebraska	Louisiana	Nevada
Vermont	North Dakota	Maryland	New Mexico
	Ohio	Mississippi	Oregon
	South Dakota	North Carolina	Utah
	Wisconsin	Oklahoma	Washington
		South Carolina	Wyoming
		Tennessee	
		Texas	
		Virginia	
		West Virginia	

Appendix 3

DIAGNOSIS RELATED GROUPS

DRG	Description
1	Craniotomy Age >17 except for Trauma
2	Craniotomy for Trauma Age > 17
3	Craniotomy Age 0-17
4	Spinal Procedures
5	Extracranial Vascular Procedures
6	Carpal Tunnel Release
7	Periph & Cranial Nerve & Other Nerv Syst Proc w CC
8	Periph & Cranial Nerve & Other Nerv Syst Proc w o CC
9	Spinal Disorders & Injuries
10	Nervous System Neoplasms w CC
11	Nervous System Neoplasms w o CC
12	Degenerative Nervous System Disorders
13	Multiple Sclerosis & Cerebellar Ataxia
14	Specific Cerebrovascular Disorders except TIA
15	Transient Ischemic Attack & Precerebral Occlusions
16	Nonspecific Cerebrovascular Disorders w CC
17	Nonspecific Cerebrovascular Disorders w o CC
18	Cranial & Peripheral Nerve Disorders w CC
19	Cranial & Peripheral Nerve Disorders w o CC
20	Nervous System Infection except Viral Meningitis
21	Viral Meningitis
22	Hypertensive Encephalopathy
23	Nontraumatic Stupor & Coma
24	Seizure & Headache Age >17 w CC
25	Seizure & Headache Age >17 w o CC
26	Seizure & Headache Age 0-17
27	Traumatic Stupor & Coma, Coma >1 Hr
28	Traumatic Stupor & Coma, Coma <1 Hr Age >17 w CC
29	Traumatic Stupor & Coma, Coma <1 Hr Age >17 w o CC
30	Traumatic Stupor & Coma, Coma <1 Hr Age 0-17
31	Concussion Age >17 w CC
32	Concussion Age >17 w o CC
33	Concussion Age 0-17
34	Other Disorders of Nervous System w CC
35	Other Disorders of Nervous System w o CC
36	Retinal Procedures
37	Orbital Procedures
38	Primary Iris Procedures
39	Lens Procedures with or without Vitrectomy
40	Extraocular Procedures except Orbit Age > 17
41	Extraocular Procedures except Orbit Age 0-17
42	Intraocular Procedures except Retina, Iris & Lens
43	Hyphema
44	Acute Major Eye Infections
45	Neurological Eye Disorders
46	Other Disorders of the Eye Age >17 w CC
47	Other Disorders of the Eye Age >17 w o CC
48	Other Disorders of the Eye Age 0-17
49	Major Head & Neck Procedures
50	Sialoadenectomy
51	Salivary Gland Procedures except Sialoadenectomy
52	Cleft Lip & Palate Repair

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
53	Sinus & Mastoid Procedures Age > 17
54	Sinus & Mastoid Procedures Age 0-17
55	Miscellaneous Ear, Nose, Mouth & Throat Procedures
56	Rhinoplasty
57	T&A Proc, except Tonsillectomy & or Adenoidectomy Only, Age >17
58	T&A Proc, except Tonsillectomy & or Adenoidectomy Only, Age 0-17
59	Tonsillectomy & or Adenoidectomy Only, Age > 17
60	Tonsillectomy & or Adenoidectomy Only, Age 0-17
61	Myringotomy w Tube Insertion Age > 17
62	Myringotomy w Tube Insertion Age 0-17
63	Other Ear, Nose, Mouth & Throat O.R. Procedures
64	Ear, Nose, Mouth & Throat Malignancy
65	Dysequilibrium
66	Epistaxis
67	Epiglottitis
68	Otitis Media & URI Age >17 w CC
69	Otitis Media & URI Age >17 w o CC
70	Otitis Media & URI Age 0-17
71	Laryngotracheitis
72	Nasal Trauma & Deformity
73	Other Ear, Nose, Mouth & Throat Diagnoses Age > 17
74	Other Ear, Nose, Mouth & Throat Diagnoses Age 0-17
75	Major Chest Procedures
76	Other Resp System O.R. Procedures w CC
77	Other Resp System O.R. Procedures w o CC
78	Pulmonary Embolism
79	Respiratory Infections & Inflammations Age >17 w CC
80	Respiratory Infections & Inflammations Age >17 w o CC
81	Respiratory Infections & Inflammations Age 0-17
82	Respiratory Neoplasms
83	Major Chest Trauma w CC
84	Major Chest Trauma w o CC
85	Pleural Effusion w/ CC
86	Pleural Effusion w/o CC
87	Pulmonary Edema & Respiratory Failure
88	Chronic Obstructive Pulmonary Disease
89	Simple Pneumonia & Pleurisy Age >17 w CC
90	Simple Pneumonia & Pleurisy Age >17 w o CC
91	Simple Pneumonia & Pleurisy Age 0-17
92	Interstitial Lung Disease w CC
93	Interstitial Lung Disease w o CC
94	Pneumothorax w CC
95	Pneumothorax w/o CC
96	Bronchitis & Asthma Age >17 w CC
97	Bronchitis & Asthma Age >17 w o CC
98	Bronchitis & Asthma Age 0-17
99	Respiratory Signs & Symptoms w CC
100	Respiratory Signs & Symptoms w/o CC
101	Other Respiratory System Diagnoses w CC
102	Other Respiratory System Diagnoses w/o CC
103	Heart Transplant
104	Cardiac Valve Procedures w/ Cardiac Cath
105	Cardiac Valve Procedures w/o Cardiac Cath
106	Coronary Bypass w/ Cardiac Cath
107	Coronary Bypass w/o Cardiac Cath
108	Other Cardiothoracic Procedures

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
109	No Longer Valid (Table Excluded)
110	Major Cardiovascular Procedures w. CC
111	Major Cardiovascular Procedures w.o CC
112	Percutaneous Cardiovascular Procedures
113	Amputation for Circ System Disorders except Upper Limb & Toe
114	Upper Limb & Toe Amputation for Circ System Disorders
115	Perm Cardiac Pacemaker Implant w. AMI, Heart Failure or Shock
116	Perm Cardiac Pacemaker Implant w.o AMI, Heart Failure or Shock
117	Cardiac Pacemaker Revision except Device Replacement
118	Cardiac Pacemaker Device Replacement
119	Vein Ligation & Stripping
120	Other Circulatory System O.R. Procedures
121	Circulatory Disorders w. AMI & C.V. Comp Disch Alive
122	Circulatory Disorders w. AMI w.o C.V. Comp Disch Alive
123	Circulatory Disorders w. AMI, Expired (Table Excluded)
124	Circulatory Disorders except AMI, w. Card Cath & Complex Diag
125	Circulatory Disorders except AMI, w. Card Cath w.o Complex Diag
126	Acute & Subacute Endocarditis
127	Heart Failure & Shock
128	Deep Vein Thrombophlebitis
129	Cardiac Arrest, Unexplained
130	Peripheral Vascular Disorders w. CC
131	Peripheral Vascular Disorders w.o CC
132	Atherosclerosis w. CC
133	Atherosclerosis w.o CC
134	Hypertension
135	Cardiac Congenital & Valvular Disorders Age >17 w. CC
136	Cardiac Congenital & Valvular Disorders Age >17 w.o CC
137	Cardiac Congenital & Valvular Disorders Age 0-17
138	Cardiac Arrhythmia & Conduction Disorders w. CC
139	Cardiac Arrhythmia & Conduction Disorders w.o CC
140	Angina Pectoris
141	Syncope & Collapse w. CC
142	Syncope & Collapse w.o CC
143	Chest Pain
144	Other Circulatory System Diagnoses w. CC
145	Other Circulatory System Diagnoses w.o CC
146	Rectal Resection w. CC
147	Rectal Resection w.o CC
148	Major Small & Large Bowel Procedures w. CC
149	Major Small & Large Bowel Procedures w.o CC
150	Peritoneal Adhesiolysis w. CC
151	Peritoneal Adhesiolysis w.o CC
152	Minor Small & Large Bowel Procedures w. CC
153	Minor Small & Large Bowel Procedures w.o CC
154	Stomach, Esophageal & Duodenal Procedures Age >17 w. CC
155	Stomach, Esophageal & Duodenal Procedures Age >17 w.o CC
156	Stomach, Esophageal & Duodenal Procedures Age 0-17
157	Anal & Stomal Procedures w. CC
158	Anal & Stomal Procedures w.o CC
159	Hernia Procedures except Inguinal & Femoral Age >17 w. CC
160	Hernia Procedures except Inguinal & Femoral Age >17 w.o CC
161	Inguinal & Femoral Hernia Procedures Age >17 w. CC
162	Inguinal & Femoral Hernia Procedures Age >17 w.o CC
163	Hernia Procedures Age 0-17
164	Appendectomy w. Complicated Principal Diag w. CC

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
165	Appendectomy w/ Complicated Principal Diag w o CC
166	Appendectomy w o Complicated Principal Diag w CC
167	Appendectomy w o Complicated Principal Diag w o CC
168	Mouth Procedures w CC
169	Mouth Procedures w o CC
170	Other Digestive System O.R. Procedures w CC
171	Other Digestive System O.R. Procedures w o CC
172	Digestive Malignancy w CC
173	Digestive Malignancy w o CC
174	G.I. Hemorrhage w CC
175	G.I. Hemorrhage w o CC
176	Complicated Peptic Ulcer
177	Uncomplicated Peptic Ulcer w CC
178	Uncomplicated Peptic Ulcer w o CC
179	Inflammatory Bowel Disease
180	G.I. Obstruction w CC
181	G.I. Obstruction w o CC
182	Esophagitis, Gastroent & Misc Digest Disorders Age > 17 w CC
183	Esophagitis, Gastroent & Misc Digest Disorders Age > 17 w o CC
184	Esophagitis, Gastroent & Misc Digest Disorders Age 0-17
185	Dental & Oral Dis except Extractions & Restorations, Age >17
186	Dental & Oral Dis except Extractions & Restorations, Age 0-17
187	Dental Extractions & Restorations
188	Other Digestive System Diagnoses Age >17 w CC
189	Other Digestive System Diagnoses Age >17 w o CC
190	Other Digestive System Diagnoses Age 0-17
191	Pancreas, Liver & Shunt Procedures w CC
192	Pancreas, Liver & Shunt Procedures w o CC
193	Biliary Tract Proc except only Tot Cholecyst w or w o C.D.E. w CC
194	Biliary Tract Proc except only Tot Cholecyst w or w o C.D.E. w o CC
195	Total Cholecystectomy w C.D.E. w CC
196	Total Cholecystectomy w C.D.E. w o CC
197	Total Cholecystectomy w o C.D.E. w CC
198	Total Cholecystectomy w o C.D.E. w o CC
199	Hepatobiliary Diagnostic Procedure for Malignancy
200	Hepatobiliary Diagnostic Procedure for Non-malignancy
201	Other Hepatobiliary or Pancreas O.R. Procedures
202	Cirrhosis & Alcoholic Hepatitis
203	Malignancy of Hepatobiliary System or Pancreas
204	Disorders of Pancreas except Malignancy
205	Disorders of Liver except Malig, Cirr, Alc Hepa w CC
206	Disorders of Liver except Malig, Cirr, Alc Hepa w o CC
207	Disorders of the Biliary Tract w CC
208	Disorders of the Biliary Tract w o CC
209	Major Joint & Limb Reattachment Procedures
210	Hip & Femur Procedures except Major Joint Age >17 w CC
211	Hip & Femur Procedures except Major Joint Age >17 w o CC
212	Hip & Femur Procedures except Major Joint Age 0-17
213	Amputation for Musculoskeletal System & Conn Tissue Disorders
214	Back & Neck Procedures w CC
215	Back & Neck Procedures w o CC
216	Biopsies of Musculoskeletal System & Connective Tissue
217	Wnd Debrid & Skn Grft except Hand, for Musculoskelet & Conn Tiss Dis
218	Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w CC
219	Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w o CC
220	Lower Extrem & Humer Proc except Hip, Foot, Femur Age 0-17

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
221	Knee Procedures w CC
222	Knee Procedures w o CC
223	Major Shoulder Elbow Proc, or Other Upper Extremity Proc w CC
224	Shoulder, Elbow or Forearm Proc, exc Major Joint Proc, w o CC
225	Foot Procedures
226	Soft Tissue Procedures w CC
227	Soft Tissue Procedures w o CC
228	Major Thumb or Joint Proc, or Oth Hand or Wrist Proc w CC
229	Hand or Wrist Proc, except Major Joint Proc, w o CC
230	Local Excision & Removal of Int Fix Devices of Hip & Femur
231	Local Excision & Removal of Int Fix Devices except Hip & Femur
232	Arthroscopy
233	Other Musculoskelet Sys & Conn Tiss O.R. Proc w CC
234	Other Musculoskelet Sys & Conn Tiss O.R. Proc w o CC
235	Fractures of Femur
236	Fractures of Hip & Pelvis
237	Sprains, Strains, & Dislocations of Hip, Pelvis & Thigh
238	Osteomyelitis
239	Pathological Fractures & Musculoskeletal & Conn Tiss Malignancy
240	Connective Tissue Disorders w CC
241	Connective Tissue Disorders w o CC
242	Septic Arthritis
243	Medical Back Problems
244	Bone Diseases & Specific Arthropathies w CC
245	Bone Diseases & Specific Arthropathies w o CC
246	Non-specific Arthropathies
247	Signs & Symptoms of Musculoskeletal System & Conn Tissue
248	Tendonitis, Myositis & Bursitis
249	Aftercare, Musculoskeletal System & Connective Tissue
250	Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w CC
251	Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w o CC
252	Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age 0-17
253	Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age > 17 w CC
254	Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age > 17 w o CC
255	Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age 0-17
256	Other Musculoskeletal System & Connective Tissue Diagnoses
257	Total Mastectomy for Malignancy w CC
258	Total Mastectomy for Malignancy w o CC
259	Subtotal Mastectomy for Malignancy w CC
260	Subtotal Mastectomy for Malignancy w o CC
261	Breast Proc for Non-malignancy except Biopsy & Local Excision
262	Breast Biopsy & Local Excision for Non-malignancy
263	Skin Graft & or Debrid for Skn Ulcer or Cellulitis w CC
264	Skin Graft & or Debrid for Skn Ulcer or Cellulitis w o CC
265	Skin Graft & or Debrid except for Skin Ulcer or Cellulitis w CC
266	Skin Graft & or Debrid except for Skin Ulcer or Cellulitis w o CC
267	Perianal & Pilonidal Procedures
268	Skin, Subcutaneous Tissue & Breast Plastic Procedures
269	Other Skin, Subcut Tiss & Breast Proc w CC
270	Other Skin, Subcut Tiss & Breast Proc w o CC
271	Skin Ulcers
272	Major Skin Disorders w CC
273	Major Skin Disorders w o CC
274	Malignant Breast Disorders w CC
275	Malignant Breast Disorders w o CC
276	Non-malignant Breast Disorders

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
277	Cellulitis Age >17 w CC
278	Cellulitis Age >17 w o CC
279	Cellulitis Age 0-17
280	Trauma to the Skin, Subcut Tiss & Breast Age >17 w CC
281	Trauma to the Skin, Subcut Tiss & Breast Age >17 w o CC
282	Trauma to the Skin, Subcut Tiss & Breast Age 0-17
283	Minor Skin Disorders w CC
284	Minor Skin Disorders w o CC
285	Amputat of Lower Limb for Endocrine, Nutrit & Metabol Disorders
286	Adrenal & Pituitary Procedures
287	Skin Grafts & Wound Debrid for Endoc, Nutrit & Metab Disorders
288	O.R. Procedures for Obesity
289	Parathyroid Procedures
290	Thyroid Procedures
291	Thyroglossal Procedures
292	Other Endocrine, Nutrit & Metab O.R. Proc w CC
293	Other Endocrine, Nutrit & Metab O.R. Proc w o CC
294	Diabetes Age > 35
295	Diabetes Age 0-35
296	Nutritional & Misc Metabolic Disorders Age >17 w CC
297	Nutritional & Misc Metabolic Disorders Age >17 w o CC
298	Nutritional & Misc Metabolic Disorders Age 0-17
299	Inborn Errors of Metabolism
300	Endocrine Disorders w CC
301	Endocrine Disorders w o CC
302	Kidney Transplant
303	Kidney, Ureter & Major Bladder Procedures for Neoplasm
304	Kidney, Ureter & Major Bladder Proc for Non-neopl w CC
305	Kidney, Ureter & Major Bladder Proc for Non-neopl w o CC
306	Prostatectomy w CC
307	Prostatectomy w o CC
308	Minor Bladder Procedures w CC
309	Minor Bladder Procedures w o CC
310	Transurethral Procedures w CC
311	Transurethral Procedures w o CC
312	Urethral Procedures Age >17 w CC
313	Urethral Procedures Age >17 w o CC
314	Urethral Procedures Age 0-17
315	Other Kidney & Urinary Tract O.R. Procedures
316	Renal Failure
317	Admit for Renal Dialysis
318	Kidney & Urinary Tract Neoplasms w CC
319	Kidney & Urinary Tract Neoplasms w o CC
320	Kidney & Urinary Tract Infections Age >17 w CC
321	Kidney & Urinary Tract Infections Age >17 w o CC
322	Kidney & Urinary Tract Infections Age 0-17
323	Urinary Stones w CC, & or ESW Lithotripsy
324	Urinary Stones w o CC
325	Kidney & Urinary Tract Signs & Symptoms Age >17 w CC
326	Kidney & Urinary Tract Signs & Symptoms Age >17 w o CC
327	Kidney & Urinary Tract Signs & Symptoms Age 0-17
328	Urethral Stricture Age >17 w CC
329	Urethral Stricture Age >17 w o CC
330	Urethral Stricture Age 0-17
331	Other Kidney & Urinary Tract Diagnoses Age >17 w CC
332	Other Kidney & Urinary Tract Diagnoses Age >17 w o CC

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
333	Other Kidney & Urinary Tract Diagnoses Age 0-17
334	Major Male Pelvic Procedures w. CC
335	Major Male Pelvic Procedures w.o CC
336	Transurethral Prostatectomy w. CC
337	Transurethral Prostatectomy w.o CC
338	Testes Procedures, for Malignancy
339	Testes Procedures, Non-malignancy Age > 17
340	Testes Procedures, Non-malignancy Age 0-17
341	Penis Procedures
342	Circumcision Age > 17
343	Circumcision Age 0-17
344	Other Male Reproductive System O.R. Procedures for Malignancy
345	Other Male Reproductive System O.R. Proc except for Malignancy
346	Malignancy, Male Reproductive System, w. CC
347	Malignancy, Male Reproductive System, w.o CC
348	Benign Prostatic Hypertrophy w. CC
349	Benign Prostatic Hypertrophy w.o CC
350	Inflammation of the Male Reproductive System
351	Sterilization, Male
352	Other Male Reproductive System Diagnoses
353	Pelvic Evisceration, Radical Hysterectomy & Radical Vulvectomy
354	Uterine, Adnexa Proc for Non-ovarian Adnexal Malig w. CC
355	Uterine, Adnexa Proc for Non-ovarian Adnexal Malig w.o CC
356	Female Reproductive System Reconstructive Procedures
357	Uterine & Adnexa Proc for Ovarian or Adnexal Malignancy
358	Uterine & Adnexa Proc for Non-malignancy w. CC
359	Uterine & Adnexa Proc for Non-malignancy w.o CC
360	Vagina, Cervix & Vulva Procedures
361	Laparoscopy & Incisional Tubal Interruption
362	Endoscopic Tubal Interruption
363	D&C, Conization & Radio-implant, for Malignancy
364	D&C, Conization except for Malignancy
365	Other Female Reproductive System O.R. Procedures
366	Malignancy, Female Reproductive System w. CC
367	Malignancy, Female Reproductive System w.o CC
368	Infections, Female Reproductive System
369	Menstrual & Other Female Reproductive System Disorders
370	Cesarean Section w. CC
371	Cesarean Section w.o CC
372	Vaginal Delivery w. Complicating Diagnoses
373	Vaginal Delivery w.o Complicating Diagnoses
374	Vaginal Delivery w. Sterilization & or D&C
375	Vaginal Delivery w. O.R. Proc except Steril & or D&C
376	Postpartum & Post Abortion Diagnoses w.o O.R. Procedure
377	Postpartum & Post Abortion Diagnoses w. O.R. Procedure
378	Ectopic Pregnancy
379	Threatened Abortion
380	Abortion w.o D&C
381	Abortion w. D&C, Aspiration Curettage or Hysterotomy
382	False Labor
383	Other Antepartum Diagnoses w. Medical Complications
384	Other Antepartum Diagnoses w.o Medical Complications
385	Neonates, Died or Transferred to Another Acute Care Facility (Table Excluded)
386	Extreme Immaturity or Respiratory Distress Syndrome, Neonate
387	Prematurity w. Major Problems

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
388	Prematurity w/o Major Problems
389	Full Term Neonate w/ Major Problems
390	Neonate w/ Other Significant Problems
391	Normal Newborn
392	Splenectomy Age > 17
393	Splenectomy Age 0-17
394	Other O.R. Procedures of the Blood And Blood Forming Organs
395	Red Blood Cell Disorders Age > 17
396	Red Blood Cell Disorders Age 0-17
397	Coagulation Disorders
398	Reticuloendothelial & Immunity Disorders w/ CC
399	Reticuloendothelial & Immunity Disorders w/o CC
400	Lymphoma & Leukemia w/ Major O.R. Procedure
401	Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/ CC
402	Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/o CC
403	Lymphoma & Non-acute Leukemia w/ CC
404	Lymphoma & Non-acute Leukemia w/o CC
405	Acute Leukemia w/o Major O.R. Procedure Age 0-17
406	Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R. Proc w/ CC
407	Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R. Proc w/o CC
408	Myeloprolif Disord or Poorly Diff Neopl w/ Other O.R. Proc
409	Radiotherapy
410	Chemotherapy
411	History of Malignancy w/o Endoscopy
412	History of Malignancy w/ Endoscopy
413	Other Myeloprolif Dis or Poorly Diff Neopl Diag w/ CC
414	Other Myeloprolif Dis or Poorly Diff Neopl Diag w/o CC
415	O.R. Procedure for Infectious & Parasitic Diseases
416	Septicemia Age > 17
417	Septicemia Age 0-17
418	Postoperative & Post-traumatic Infections
419	Fever of Unknown Origin Age >17 w/ CC
420	Fever of Unknown Origin Age >17 w/o CC
421	Viral Illness Age > 17
422	Viral Illness & Fever of Unknown Origin Age 0-17
423	Other Infectious & Parasitic Diseases Diagnoses
424	O.R. Procedure w/ Principal Diagnoses of Mental Illness
425	Acute Adjust React & Disturbances of Psychosocial Dysfunction
426	Depressive Neuroses
427	Neuroses except Depressive
428	Disorders of Personality & Impulse Control
429	Organic Disturbances & Mental Retardation
430	Psychoses
431	Childhood Mental Disorders
432	Other Mental Disorder Diagnoses
433	Alcohol/Drug Abuse or Dependence, Left AMA (Table Excluded)
434	Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w/ CC
435	Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w/o CC
436	Alc/Drug Dependence w/ Rehabilitation Therapy
437	Alc/Drug Dependence, Combined Rehab & Detox Therapy
438	No Longer Valid (Table Excluded)
439	Skin Grafts for Injuries
440	Wound Debridements for Injuries
441	Hand Procedures for Injuries
442	Other O.R. Procedures for Injuries w/ CC
443	Other O.R. Procedures for Injuries w/o CC

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
444	Traumatic Injury Age >17 w CC
445	Traumatic Injury Age >17 w o CC
446	Traumatic Injury Age 0-17
447	Allergic Reactions Age >17
448	Allergic Reactions Age 0-17
449	Poisoning & Toxic Effects of Drugs Age >17 w CC
450	Poisoning & Toxic Effects of Drugs Age >17 w o CC
451	Poisoning & Toxic Effects of Drugs Age 0-17
452	Complications of Treatment w CC
453	Complications of Treatment w o CC
454	Other Injury, Poisoning & Toxic Effect Diag w CC
455	Other Injury, Poisoning & Toxic Effect Diag w o CC
456	Burns, Transferred to Another Acute Care Facility (Table Excluded)
457	Extensive Burns w o O.R. Procedure
458	Non-extensive Burns w Skin Graft
459	Non-extensive Burns w Wound Debridement or Other O.R. Proc
460	Non-extensive Burns w o O.R. Procedure
461	O.R. Proc w Diagnoses of Other Contact w Health Services
462	Rehabilitation
463	Signs & Symptoms w CC
464	Signs & Symptoms w o CC
465	Aftercare w History of Malignancy As Secondary Diagnosis
466	Aftercare w o History of Malignancy As Secondary Diagnosis
467	Other Factors Influencing Health Status (Table Excluded)
468	Extensive O.R. Procedure Unrelated to Principal Diagnosis (Table Excluded)
469	Principal Diagnosis Invalid As Discharge Diagnosis (Table Excluded)
470	Ungroupable (Table Excluded)
471	Bilateral or Multiple Major Joint Procs of Lower Extremity
472	Extensive Burns w O.R. Procedure
473	Acute Leukemia w o Major O.R. Procedure Age > 17
474	No Longer Valid (Table Excluded)
475	Respiratory System Diagnosis with Ventilator Support
476	Prostatic O.R. Procedure Unrelated to Principal Diagnosis (Table Excluded)
477	Non-extensive O.R. Procedure Unrelated to Principal Diagnosis (Table Excluded)
478	Other Vascular Procedures w CC
479	Other Vascular Procedures w o CC
480	Liver Transplant
481	Bone Marrow Transplant
482	Tracheostomy w Mouth, Larynx or Pharynx Disorder
483	Tracheostomy Except for Mouth, Larynx or Pharynx Disorder
484	Craniotomy for Multiple Significant Trauma
485	Limb Reattach., Hip and Femur Procs for Multi Sign Trauma
486	Other O.R. Procedures for Multiple Significant Trauma
487	Other Multiple Significant Trauma
488	HIV w Extensive O.R. Procedure
489	HIV w Major Related Condition
490	HIV w or w o Other Related Condition

B4465-5.3



LENGTH OF STAY
BY DRG AND PAYMENT SOURCE

United States, North Central Region, 1989-90

Healthcare Knowledge Resources
Ann Arbor, Michigan
March, 1991

LENGTH OF STAY BY DRG AND PAYMENT SOURCE

This volume is one of five books in the Length of Stay by DRG and Payment Source series:

Length of Stay by DRG and Payment Source, United States, 1989-90
ISSN 1043-9285

Length of Stay by DRG and Payment Source, Northeastern Region, 1989-90
ISSN 1043-9307

Length of Stay by DRG and Payment Source, North Central Region, 1989-90
ISSN 1043-9323

Length of Stay by DRG and Payment Source, Southern Region, 1989-90
ISSN 1043-9293

Length of Stay by DRG and Payment Source, Western Region, 1989-90
ISSN 1043-9315

For further information, please contact Healthcare Knowledge Resources, P.O. Box 303, Ann Arbor, Michigan 48106-0303, or call 800-521-6210.

Statistics reported in this volume are drawn from individual patient discharge records for the time period July 1, 1989 through June 30, 1990. Neither the Commission on Professional and Hospital Activities (CPHA) nor Healthcare Knowledge Resources assumes any liability for any use, furnishing, analysis, interpretation, conclusions, or utilization review decisions based on data reported herein. Any such liability shall be the responsibility of the user of the data, who agrees to hold CPHA or Healthcare Knowledge Resources harmless from any damages, litigation, liability or claimed liability, claims, and any expenses including legal expenses incident thereto resulting from any such use, furnishing, analysis, interpretation, conclusions, or utilization review decisions.

Copyright 1991 by Healthcare Knowledge Resources, Ann Arbor, Michigan, based on data from the Commission on Professional and Hospital Activities. Printed in the United States of America.

All rights reserved. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any other form, or by any other means, or stored in a database or retrieval system, without prior written permission of the publisher.

CONTENTS

Introduction v

Description of the Database vi

Source of the Data
Data Quality
Hospital Characteristics
Projecting to the Universe

Organization of the Tables x

Diagnosis Related Groups
Expected Principal Payment Source
Presence or Absence of Complications and Comorbidities (CCs)
Patient Age and/or Birth Weight

Explanation of the Statistics xii

Total Number of Patients
Average Length of Stay
Variance
Percentiles
Subtotal and Grand Total

Using the Tables xiii

Length of Stay Tables 1

Appendix 1: 1989-90 Hospital Characteristics 481

Appendix 2: State Inclusions By Region 482

Appendix 3: Diagnosis Related Groups 483

ACKNOWLEDGEMENTS

1989-90 LENGTH OF STAY BY DRG AND PAYMENT SOURCE SERIES

PROJECT TEAM

Jennifer Goewey, Publications Specialist, Normative Products

Information Services
Joyce Beach, Senior Programmer Analyst
Lale Olson, Senior Electronic Publishing Analyst
Jan Sweet, Electronic Publishing Analyst

Additionally, the following individuals made valuable contributions to the development of this publication:

Nancy Ramirez, Medical Systems Specialist, Healthcare Knowledge Resources.
Linda Vanek, Manager, Normative Products, Healthcare Knowledge Resources.

We offer a special thank-you to the following individuals for their assistance:

Clyde McCollum and Donna Witkowski.

Finally, we gratefully acknowledge the hospitals and state organizations that support this and other publications by making their data available.

INTRODUCTION

Healthcare Knowledge Resources is the official vendor and distributor of products derived from the clinical research and classification development activities of the Commission on Professional and Hospital Activities (CPHA). Now in its fourth decade as a reliable source for clinical record information, CPHA retains ownership of its databases and classification systems while Healthcare Knowledge Resources develops and markets high quality, information-oriented products and services to the healthcare industry and related fields.

Length of Stay data have been available from CPHA since 1963. This book is one volume in a set of five books presenting statistics on hospital stay during 1989-90 in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from other organizations contributing to CPHA are also included in the series.

The *Length of Stay by DRG and Payment Source* series has been designed as a companion to the standard reference, *Length of Stay by Diagnosis and Operation*, to provide length of stay data by another patient classification system. *Length of Stay by DRG and Payment Source* is designed to assist the healthcare professional in utilization review and other cost containment and evaluation activities.

Notable differences between the *Length of Stay by DRG and Payment Source* series and the *Length of Stay by Diagnosis and Operation* series are primarily with the data source. Data used for the *Length of Stay by DRG and Payment Source* series have been projected to the universe of short-term, nonfederal general hospitals based on patient records from 492 hospitals. A detailed description of the projection methodology is given on page viii. It is important to keep in mind that the numbers and calculations in *Length of Stay by DRG and Payment Source* represent projections rather than actual numbers.

The *Length of Stay by DRG and Payment Source* series is enhanced by providing length of stay data by the following four principal payment sources: Medicare, Medicaid, Blue Cross/Private Insurance, and No Insurance. This allows for comparison of length of stay by clinical condition and patient age among the major healthcare reimbursement systems.

Healthcare Knowledge Resources offers a range of information products, available through books, magnetic media, and educational seminars. In addition to *Length of Stay by DRG and Payment Source*, other titles in the Cost Containment Series include: *Psychiatric Length of Stay* and *Length of Stay by Diagnosis and Operation*. Each series is available on an annual basis for the United States, Northeastern, North Central, Southern, and Western regions. Pediatric Length of Stay (19 years and under) and Geriatric Length of Stay (65 years and over) are also available in the Diagnosis and Operation series for the United States.

These statistics, also available on magnetic tape and diskette, provide a valuable perspective for utilization review, quality assurance professionals, physicians, consultants, hospital administrators, third party payors, and researchers interested in cost containment and quality care.

DESCRIPTION OF THE DATABASE

Source of the Data

Data in the *Length of Stay by DRG and Payment Source* tables were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS). In addition, discharge data from hospitals participating in information systems other than PAS are included.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer or magnetic tape.
2. The disk or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected.
4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.
5. Data are standardized to create an aggregated patient record base.

Annually these data are utilized to create the *Length of Stay by DRG and Payment Source* series and other reference tools.

Data Quality

Data quality is a primary concern. Although the hospital has basic responsibility for the quality of PAS data, considerable effort is exerted to prevent and correct errors. Over 600 automated checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, numerous edits are done to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death, stillborn
2. admission from other short-term hospital
3. discharge to other short-term hospital
4. discharge against medical advice

Hospital Characteristics

Data chosen for inclusion in the *Length of Stay by DRG and Payment Source* series are from general, nonfederal, short-term hospitals in the United States with twelve complete months of discharge data beginning July 1, 1989. The American Hospital Association (AHA)[1] defines these characteristics in the following manner:

General – The primary function of the institution is to provide patient services, diagnostic and therapeutic, for a variety of medical conditions.

Nonfederal –Controlled by state, county, city, city-county, hospital district or authority, church.

Short-term – The average length of stay for all patients is less than 30 days, or over 50 percent of all patients are admitted to units where the average length of stay is less than 30 days.

Most data used in the Length of Stay tables are from hospitals participating in PAS. In addition, the following organizations have sent data: Colorado Hospital Association, Hospital Association of New York State, Michigan Hospital Association, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), New Hampshire Hospital Association, Oregon Hospital Association, Southern Kaiser Foundation Hospitals, Vermont Hospital Association, and Wyoming Hospital Association. Several individual hospitals throughout the United States have also sent data for special studies.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from long-term specialty institutions, e.g., long-term psychiatric or rehabilitation facilities, are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

The characteristics of all hospitals with discharge data included in the Length of Stay books are displayed in Appendix 1.

[1]American Hospital Association Guide to the Health Care Field, 1989.

Projecting to the Universe

To make the *LOS by DRG and Payment Source* sample reflect the activity of U.S. nonfederal, short-term general hospitals the following steps are taken:

Step 1 - Stratification

First, the hospitals are stratified by factors known to affect inpatient utilization. The two factors used are teaching intensity and geographical region:

A. **Teaching Intensity** is determined by a weighted index measuring program intensity created by Phillip and Hai[1]. The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by the Joint Commission on Accreditation of Healthcare Organizations (JCA)
- Cancer Program approved by the American College of Surgeons (CP)
- Residency approved by the American Medical Association (RES)
- Medical School Affiliation reported by the American Medical Association (MS)
- Hospital-controlled professional nursing school, reported by the National League for Nursing (PNS)
- Member of the Council of Teaching Hospitals of the Association of American Medical Colleges (COT)

Based on this index, hospitals are classified by one of three teaching status groups:

- Low Teaching Intensity Hospitals
- Medium Teaching Intensity Hospitals
- High Teaching Intensity Hospitals

The statistical formula is:

$$Ip = 9.9(JCA) + 14.0(CP) + 28.0(RES) + 14.7(MS) + 13.3(PNS) + 20.1(COT)$$

The numerical values in the formula are weights that have been assigned to each of the approvals incorporated in the index.

For the *Length of Stay by DRG and Payment Source* series the following cut-offs are used to stratify hospitals by teaching status:

Ip value under 25.0	Nonteaching Institution (low teaching intensity)
Ip value 25.0+	Teaching Institution (medium/high teaching intensity)

[1] Phillip P., J., and Hai, Abdul, *An Index of Programs for Hospitals*, American Hospital Association, Chicago, Illinois, 1976.

B. **Census Division** places the 50 states and the District of Columbia into nine geographical areas defined by the U.S. Department of Commerce, Bureau of the Census. These nine divisions and their corresponding regions are:

Region	Division
Northeast	New England Mid Atlantic
North Central	East North Central West North Central
South	South Atlantic East South Central West South Central
West	Mountain Pacific

A list of the states included in each region is provided in Appendix 2.

Step 2 - Projection

A matrix is constructed which identifies the number of actual discharges from hospitals by program intensity (nonteaching and teaching) and geographical region (Northeast, North Central, South, West). A projection factor is calculated for each cell within the matrix. This factor is calculated as follows:

$$\text{Projection Factor} = \frac{\text{Total discharges from the universe}}{\text{Number of actual discharges in LOS DRG sample}}$$

Each projection factor is multiplied by the number of actual discharges in a particular cell. The resulting numbers represent estimated patient discharges, the sum of which approximates total July 1989 through June 1990 discharges from the U.S. nonfederal, short-term, general hospital universe.

ORGANIZATION OF THE TABLES

The data are stratified by DRG, principal payment source, presence or absence of complications and comorbidities (CCs), and by age ranges.

Diagnosis Related Groups (DRGs)

There are 490 DRGs in the *1989-90 LOS by DRG and Payment Source* series. These DRGs are based on the seventh revision (version 8), effective October 1, 1990. Appendix 3 provides a list of all DRGs for the seventh revision.

Some DRGs have been excluded because they include invalid, ungroupable, or inappropriate categories for examining length of stay. The excluded DRGs are:

DRG Number	English Description
109	(No longer valid)
123	Circulatory Disorders w AMI, Expired
385	Neonates, Died or Transferred to Another Acute Care Facility
433	Alcohol Drug Abuse or Dependence, Left Against Medical Advice
438	(No longer valid)
456	Burns, Transferred to Another Acute Care Facility
467	Other Factors Influencing Health Status
468	Extensive Operating Room Procedure Unrelated to Principal Diagnosis
469	Principal Diagnosis Invalid as Discharge Diagnosis
470	Ungroupable
474	(No longer valid)
476	Prostatic Operating Room Procedure Unrelated to Principal Diagnosis
477	Non-extensive Operating Room Procedure Unrelated to Principal Diagnosis

A table is not displayed for the excluded DRGs listed above. Additionally, new ICD-9-CM procedure codes were created 10/1/89 for grouping to DRGs 436 and 437 (Alcohol Drug Dependence with Rehab Therapy and Alcohol/Drug Dependence, Combined Rehab and Detox Therapy). Patient records used in this series include three months of discharges prior to the addition of the new codes. As a result, only nine months of patient records (from 10/01/89 - 6/30/90) have been grouped to DRGs 436 and 437.

Expected Principal Payment Source

For each DRG, there are four tables corresponding to one of four expected principal payment sources:

1. Medicare
2. Blue Cross/Blue Shield and Private Insurance
3. Medicaid
4. No Insurance

The 'No Insurance' category represents a collapsing of the following payment categories from the PAS abstract: 'Self Pay', 'Other', and 'No Charge'. These three payment categories have not been used consistently by all hospitals contributing data, and therefore this category should be interpreted with some caution.

Presence or Absence of Complications and Comorbidities (CCs)

To determine the presence of complications or comorbidities (CCs), a patient's secondary diagnoses are compared to those specific ICD-9-CM diagnosis codes defined by the Health Care Financing Administration (HCFA) as CCs.

HCFA definitions are:

- A complication is a condition that arises during the hospital stay that prolongs length of stay by at least one day in approximately 75 percent of the cases.
- A comorbidity is a pre-existing condition that will, because of its presence with a specific diagnosis, cause an increase in length of stay by at least one day in approximately 75 percent of the cases.

Determination of the existence of CCs corresponds to the DRG version effective October 1, 1990.

Patient Age and/or Birth Weight

Patient discharges in the Medicare payment source category are in one of the following age groups, recorded in years:

0 - 69
70 - 74
75 - 79
80 - 84
85 +

The other three payment source age groups are collapsed as follows:

0 - 17
18 - 34
35 - 49
50 - 69
70 +

For DRGs 386 - 391, which classify neonates, the age range is replaced by a birth weight range, recorded in grams. The categories are as follows:

1 - 999
1000 - 1499
1500 - 1749
1750 - 2499
2500 +

All discharge records for newborns and neonates with an unrecorded birth weight have been excluded.

EXPLANATION OF THE STATISTICS

The statistics are displayed by total number of patients, average length of stay, variance, and distribution percentiles. In addition, two subtotals and a grand total are included. Since the *LOS by DRG and Payment Source* series is drawn from patient discharges from 492 hospitals and then projected to the universe of U.S. hospitals, *the numbers and calculations represent projections rather than actual numbers.* One actual patient discharge represents multiple projected patients; the average projection factor is 10.6. If the total number of patients listed is based on five or fewer *actual* discharges, the percentile distribution columns are left blank.

Total Number of Patients

This number represents the total number of projected patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the lengths of stay for all projected patients and then dividing by the total number of projected patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. The smallest variance is zero, indicating all lengths of stay are equal.

When using tables in which there is a large variance, and the projected patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of projected patients is determined by arranging the projected patient stays from low to high. Counting up from the lowest stay to the point where half of the projected patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total projected patients gives the 10th percentile, and so on.

The 10th, 25th, 50th, 75th, 90th, and 95th percentiles of stay are displayed in days. If, for example, the 25th percentile for a group of projected patients is four, it means 25 percent of the projected patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients. (If a line of data consists solely of stays of 99+ days, the discharges in that line will be excluded from all portions of the table.)

Subtotal and Grand Total

The subtotal represents the total projected patients in one of the two complication and comorbidity groups, within each payment source. The grand total represents the total number of projected patients in the payment source categories. In cases where a total is off by one patient, it is the result of rounding the projections.

USING THE TABLES

The Length of Stay series can be used as a valuable supplement and reference in a variety of healthcare settings. Use of hospital stay data as an inpatient utilization measure allows the healthcare professional to compare regional and national norms to an individual institution or special population. The Length of Stay series assists in:

- projecting extended stay reviews;
- identifying candidates for utilization review;
- establishing baselines;
- developing forecasts; and
- service planning.

The following steps are intended to provide a guide in situations where a healthcare professional wishes to determine a reasonable length of stay by using one of the Length of Stay regional or national volumes:

Step 1: Consult Appendix 3 at the back of the book for the particular DRG to be reviewed.

Step 2: Find the corresponding table in the book. The DRG number precedes the title of each table.

Step 3: Find the appropriate portion of the table for review:

- Payment Source
- Complication/Comorbidity Status
- Age Group

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total stratified patient sample (Grand Total) and its variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

A sample table with descriptions of table elements is provided on page xiv.

These general steps can be followed, with more specific applications, by healthcare professionals in many diverse settings.

Length of Stay by DRG and Payment Source

Sample Table

DRG number and title

Payment source

DRG 1: Craniotomy Age >17 except for Trauma

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	MEDICARE PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/CCs									
AGE GROUP									
0-69 (YRS.)	4827	19.3	238	6	9	15	24	42	58
70-74	3670	18.9	190	6	9	15	25	39	50
75-79	2887	19.4	184	7	10	16	23	39	48
80-84	1435	17.9	175	6	8	14	26	45	55
85 +	776	19.3	232	7	12	15	23	29	62
SUBTOTAL	13594	19.0	207	6	9	15	24	40	50
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2607	10.0	62	4	6	8	12	18	24
70-74	1924	10.9	75	4	6	8	14	19	25
75-79	1360	10.3	38	4	6	9	13	17	19
80-84	727	10.0	43	4	6	8	14	19	21
85 +	437	10.4	42	5	7	9	11	14	30
SUBTOTAL	7054	10.3	58	4	6	8	13	18	24
GRAND TOTAL	20648	16.1	173	5	8	12	20	34	46

Presence or absence of Complications/ Comorbidities

Length of stay (in days) by percentile

Patient age group

(Note: Age groups for Medicare differ from those for Medicaid, Blue Cross/Private Insurance, and No Insurance)

Total number of projected patients

DRG Length of Stay Tables

All DRGS

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	449990	8.9	74	2	4	7	11	18	25
70-74	313696	9.1	70	2	4	7	11	18	24
75-79	299979	9.3	66	3	4	7	12	18	24
80-84	233528	9.5	64	3	4	7	12	18	24
85 +	227125	9.6	57	3	5	8	12	18	23
SUBTOTAL	1524317	9.2	67	3	4	7	11	18	24
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	235419	6.7	56	1	3	4	8	14	21
70-74	143155	5.7	28	1	3	4	7	11	14
75-79	119676	6.0	28	2	3	5	8	11	15
80-84	81356	6.1	26	2	3	5	8	12	15
85 +	65040	6.3	26	2	3	5	8	12	15
SUBTOTAL	644647	6.2	38	2	3	4	8	12	17
GRAND TOTAL	2168964	8.3	61	2	4	6	10	17	22

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	194479	6.1	81	1	2	3	6	13	22
18-34	178368	5.9	52	2	2	4	6	12	19
35-49	205396	6.9	53	2	3	5	8	14	20
50-69	368649	7.8	61	2	3	6	9	15	22
70 +	21422	9.1	67	3	4	7	11	18	24
	968316	7.0	62	2	3	5	8	14	21
	807187	3.5	29	1	2	2	3	5	8
	783512	3.7	22	1	2	2	4	6	11
	439895	4.7	27	1	2	3	5	9	15
	367553	4.8	21	1	2	4	6	9	12
	9951	5.3	18	1	2	4	7	10	13
	2408098	4.0	26	1	2	3	4	7	11
	3376413	4.8	38	1	2	3	5	10	15

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	120326	7.5	126	2	2	4	7	17	30
18-34	131411	6.2	59	2	2	4	7	13	20
35-49	62555	8.5	78	2	3	6	10	18	26
50-69	62537	9.1	79	2	4	7	11	18	25
70 +	3957	8.9	58	3	4	7	11	18	23
SUBTOTAL	380787	7.5	88	2	3	5	8	16	24
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	420515	3.5	28	1	2	2	4	6	9
18-34	312157	4.1	34	1	2	2	4	7	13
35-49	60615	6.6	61	1	2	4	7	15	23
50-69	28943	6.9	57	2	3	5	8	14	21
70 +	1727	5.5	22	2	2	4	7	11	14
SUBTOTAL	823958	4.1	34	1	2	2	4	7	12
GRAND TOTAL	1204745	5.2	54	1	2	3	5	11	17

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	64429	6.2	84	1	2	3	6	13	22
18-34	73455	5.4	42	1	2	4	6	11	16
35-49	48776	6.8	53	2	3	5	8	14	20
50-69	63442	7.5	59	2	3	5	9	15	21
70 +	30877	8.3	78	2	4	6	10	16	23
	280980	6.6	62	1	2	4	8	14	20
	311657	2.9	11	1	2	2	3	5	6
	266572	3.4	19	1	2	2	3	6	9
	97545	4.2	22	1	2	3	5	8	12
	62276	4.3	19	1	2	3	5	8	11
	19748	4.9	34	1	2	3	6	9	13
	757799	3.4	17	1	2	2	4	6	9
	1038778	4.3	31	1	2	3	4	8	13

DRG 1: Craniotomy Age >17 except for Trauma

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1300	19.2	266	5	8	15	24	40	53
70-74	916	18.6	142	6	9	17	24	33	44
75-79	762	16.9	113	7	10	14	22	32	42
80-84	440	15.8	102	7	8	13	19	31	39
85 +	214	14.7	59	7	9	12	19	27	28
SUBTOTAL	3632	17.9	172	6	9	15	23	33	46
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	681	10.4	56	4	6	8	14	20	23
70-74	480	8.0	21	4	5	7	10	13	18
75-79	347	10.0	33	5	5	8	14	19	21
80-84	156	12.2	32	6	8	11	18	19	21
85 +	120	10.7	49	4	6	9	12	21	30
SUBTOTAL	1786	9.9	41	4	5	8	13	19	22
GRAND TOTAL	5418	15.2	143	5	7	12	20	29	38

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	772	11.2	96	2	4	9	15	20	28
35-49	1138	13.1	90	5	7	10	16	29	34
50-69	1704	16.3	200	6	7	11	20	36	47
70 +	59	20.4	106	6	12	22	30	35	35
	3673	14.3	148	4	7	10	17	31	40
0-17	0								
18-34	806	7.3	21	2	4	7	10	15	15
35-49	1036	8.4	35	3	4	7	10	16	21
50-69	1213	9.3	39	4	5	8	11	17	20
70 +	30	14.3	52						
	3084	8.5	34	3	5	7	11	15	19
	6758	11.7	104	4	6	8	14	23	32

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	325	11.1	83	3	5	8	15	22	34
35-49	188	19.8	192	5	8	17	34	48	50
50-69	181	19.8	264	5	9	16	24	45	59
70 +	7	20.0							
SUBTOTAL	701	15.7	177	4	6	12	22	37	48
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	226	8.5	85	3	3	5	9	20	30
35-49	141	8.4	22	3	6	8	9	15	19
50-69	98	9.1	36	4	6	7	11	19	24
70 +	0								
SUBTOTAL	464	8.6	56	3	4	7	9	18	24
GRAND TOTAL	1165	12.9	141	3	5	8	17	32	42

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	80	17.6	830	3	3	6	43	99	99 +
35-49	163	18.8	88	9	12	17	28	32	33
50-69	208	16.1	115	5	8	13	21	33	41
70 +	66	11.0	20	5	7	11	14	18	19
	518	16.5	209	5	8	13	21	33	43
0-17	0								
18-34	120	6.8	11	2	5	8	10	10	11
35-49	132	10.9	58	2	4	10	15	23	28
50-69	247	10.1	55	4	5	8	11	20	26
70 +	8	3.0							
	507	9.4	47	3	5	8	11	19	23
	1025	13.0	142	3	6	10	17	28	38

DRG 2: Craniotomy for Trauma Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	192	17.9	113	6	10	15	24	34	40
70-74	59	14.6	86	4	5	13	19	33	33
75-79	126	21.7	192	9	12	17	24	49	54
80-84	87	22.3	255	7	9	21	29	42	63
85+	180	19.8	154	8	11	19	23	33	35
SUBTOTAL	644	19.4	160	6	10	16	24	35	45
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	59	11.0	20	5	8	13	15	17	17
70-74	80	6.3	14	2	3	6	8	10	16
75-79	29	9.3	17						
80-84	45	9.7	25	5	7	9	10	20	20
85+	53	15.4	70	5	11	13	20	33	33
SUBTOTAL	266	10.1	39	4	6	8	14	17	20
GRAND TOTAL	910	16.7	143	5	8	14	21	33	44

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	154	13.8	79	3	8	13	18	34	51
35-49	126	16.1	153	5	7	12	22	44	83
50-69	177	15.3	190	5	7	11	21	32	70
70+	15	26.3	22						
	471	15.4	143	5	8	13	22	41	99+
0-17	0								
18-34	196	7.2	20	3	3	6	9	15	16
35-49	118	8.5	20	3	4	8	12	13	18
50-69	90	7.5	15	4	5	6	11	13	16
70+	15	7.0	10						
	419	7.6	19	3	4	6	11	14	16
	890	11.7	99	3	5	9	16	27	42

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	82	27.6	583	6	8	20	35	72	77
35-49	90	17.6	55	9	10	15	25	27	30
50-69	15	5.7	13						
70+	0								
SUBTOTAL	187	21.1	326	6	9	16	25	35	72
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	97	7.2	11	4	5	7	8	12	15
35-49	15	10.9	4						
50-69	0								
70+	0								
SUBTOTAL	111	7.7	12	4	5	7	10	13	15
GRAND TOTAL	298	16.1	250	4	7	12	23	30	72

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	90	22.1	469	6	9	16	26	78	99+
35-49	65	14.7	174	1	7	10	21	43	46
50-69	51	21.5	180	10	13	16	24	53	53
70+	15	5.5	2						
	222	18.7	305	4	7	15	22	53	78
0-17	0								
18-34	146	9.6	38	4	6	7	12	21	26
35-49	44	6.5	3	4	6	6	8	9	9
50-69	57	8.2	12	3	7	8	11	13	13
70+	28	8.5	44						
	275	8.7	28	3	5	7	12	18	21
	497	13.1	176	3	6	9	16	25	53

DRG 3: Craniotomy Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	3054	7.9	81	2	2	4	10	19	30
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	3054	7.9	81	2	2	4	10	19	30
0-17	4178	4.8	23	1	2	3	6	10	13
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	4178	4.8	23	1	2	3	6	10	13
	7232	6.1	49	1	2	4	7	14	20

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	1544	10.4	150	2	3	6	14	24	41
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1544	10.4	150	2	3	6	14	24	41
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	1890	5.1	23	1	2	4	6	11	15
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1890	5.1	23	1	2	4	6	11	15
GRAND TOTAL	3434	7.5	87	1	3	4	8	16	24

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	705	9.9	148	2	3	4	13	32	44
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	705	9.9	148	2	3	4	13	32	44
0-17	1245	4.7	22	1	2	3	5	8	13
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1245	4.7	22	1	2	3	5	8	13
	1951	6.6	74	2	2	4	7	15	25

DRG 4: Spinal Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	231	14.1	71	7	8	12	21	30	38
70-74	181	15.9	285	5	7	12	18	26	35
75-79	158	15.9	131	5	9	13	22	28	38
80-84	37	13.8	115						
85 +	30	20.5	178						
SUBTOTAL	637	15.3	155	5	7	12	20	30	36
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	199	7.3	23	3	4	6	9	14	21
70-74	51	7.9	32	1	3	7	10	20	20
75-79	60	11.2	24	5	8	9	17	20	20
80-84	30	9.3	18						
85 +	7	6.0							
SUBTOTAL	347	8.2	26	3	5	7	10	17	20
GRAND TOTAL	985	12.8	121	4	6	9	16	27	34

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	387	11.5	83	5	6	8	12	26	34
18-34	210	11.4	105	2	4	10	17	24	27
35-49	261	11.1	140	3	4	8	15	22	29
50-69	338	11.9	85	4	5	9	17	22	28
70 +	15	28.0	210						
	1210	11.7	104	3	5	8	15	25	29
	1206	8.0	20	3	5	7	10	12	17
	409	5.2	10	2	3	5	6	9	13
	656	5.0	11	2	3	4	7	9	13
	463	6.5	22	2	3	6	8	11	16
	8	10.0							
	2742	6.6	19	2	3	6	9	11	14
	3952	8.2	50	3	4	7	10	17	21

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	76	16.2	201	4	8	12	[illegible]	44	50
18-34	83	15.7	334	5	6	8	18	24	70
35-49	74	12.0	80	4	5	8	22	28	29
50-69	22	12.1	65						
70 +	0								
SUBTOTAL	255	14.4	199	4	6	8	18	29	50
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	266	10.1	65	4	6	7	10	22	25
18-34	45	12.1	123	3	3	7	23	31	31
35-49	58	6.4	17	2	3	5	10	15	15
50-69	37	6.7	9						
70 +	0								
SUBTOTAL	406	9.5	62	3	5	7	10	22	25
GRAND TOTAL	661	11.4	121	3	6	8	12	24	31

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	68	11.6	102	4	7	8	10	38	38
18-34	37	12.4	66						
35-49	15	14.9	77						
50-69	29	11.0	6						
70 +	0								
	149	12.0	72	4	7	9	15	25	36
	183	6.7	6	4	5	6	9	10	10
	74	6.1	26	2	4	4	5	19	19
	75	5.7	39	2	2	4	4	21	23
	44	8.0	56	2	2	5	13	22	22
	8	4.0							
	383	6.5	22	2	4	5	9	12	19
	533	8.0	42	2	4	6	10	17	23

DRG 5: Extracranial Vascular Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2185	8.2	49	3	4	6	10	16	21
70-74	2154	9.4	78	3	4	6	11	19	25
75-79	1954	9.2	49	3	4	7	11	19	23
80-84	740	9.7	46	4	5	8	12	21	24
85 +	281	11.2	60	4	5	9	15	22	26
SUBTOTAL	7313	9.1	58	3	4	6	11	19	23
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2080	5.6	15	3	3	4	6	11	14
70-74	1919	5.3	12	3	3	4	6	9	11
75-79	1613	5.6	13	3	4	4	6	10	14
80-84	589	6.1	9	3	4	5	7	11	13
85 +	195	6.5	22	2	4	5	8	14	17
SUBTOTAL	6396	5.6	13	3	3	4	6	10	13
GRAND TOTAL	13709	7.5	40	3	4	5	9	15	19

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	15	10.5	60						
35-49	134	8.9	146	3	3	5	8	16	56
50-69	1738	7.0	35	3	3	5	9	14	19
70 +	80	6.4	9	3	3	7	8	11	12
	1968	7.1	42	3	3	5	9	14	18
0-17	15	2.0							
18-34	44	2.5	1	2	2	2	3	4	4
35-49	293	4.2	3	2	3	4	5	7	8
50-69	2440	4.7	7	3	3	4	5	8	9
70 +	152	5.3	6	3	4	5	6	8	8
	2943	4.7	6	3	3	4	5	8	9
	4911	5.6	22	3	3	4	6	10	14

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	15	2.4	2						
18-34	0								
35-49	28	21.5	48						
50-69	183	9.0	34	3	5	6	12	18	19
70 +	15	4.5							
SUBTOTAL	241	9.8	53	3	4	6	12	19	27
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	101	4.7	4	2	4	4	6	8	9
70 +	0								
SUBTOTAL	101	4.7	4	2	4	4	6	8	9
GRAND TOTAL	342	8.3	44	3	4	5	12	19	25

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	15	2.5							
35-49	15	4.5							
50-69	199	5.7	13	2	3	5	7	11	14
70 +	104	10.3	53	3	5	8	17	20	28
	332	7.0	29	2	3	5	9	15	17
0-17	0								
18-34	21	1.7	1						
35-49	37	2.6							
50-69	350	4.3	6	3	3	3	5	7	10
70 +	104	3.9	2	2	3	3	5	6	7
	513	4.0	5	2	3	3	5	6	8
	845	5.2	17	2	3	4	6	10	15

DRG 6: Carpal Tunnel Release

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	36	11.8	142						
70-74	15	2.5	2						
75-79	8	2.0							
80-84	8	3.0							
85 +	8	9.0							
SUBTOTAL	74	7.7	88	1	2	3	9	13	34
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	30	1.8							
70-74	44	1.8	1	1	1	1	3	4	4
75-79	21	1.0							
80-84	7	9.0							
85 +	7	1.0							
SUBTOTAL	110	2.0	4	1	1	1	2	4	9
GRAND TOTAL	184	4.3	45	1	1	2	4	9	13

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	7	2.0							
35-49	15	5.3	22						
50-69	65	1.6	2	1	1	1	2	4	5
70 +	0								
SUBTOTAL	87	2.3	6	1	1	1	2	5	10
0-17	0								
18-34	81	1.5		1	1	1	2	3	3
35-49	80	1.7	1	1	1	2	2	3	3
50-69	116	1.9	4	1	1	1	2	5	9
70 +	0								
SUBTOTAL	277	1.8	2	1	1	1	2	3	5
	364	1.9	3	1	1	1	2	3	5

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	15	1.0							
50-69	0								
70 +	0								
SUBTOTAL	15	1.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	8	11.0							
35-49	15	5.7	22						
50-69	0								
70 +	0								
SUBTOTAL	22	7.5	21						
GRAND TOTAL	37	4.9	22						

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	8	14.0							
	8	14.0							
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	7	1.0							
	7	1.0							
	15	7.8	45						

DRG 7: Periph & Cranial Nerve & Other Nerv Syst Proc w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	401	13.1	190	1	4	10	15	28	42
70-74	239	18.0	326	2	5	13	27	36	66
75-79	141	17.8	181	6	8	11	29	47	48
80-84	145	18.1	629	2	4	11	19	60	83
85 +	92	16.8	148	3	9	11	25	32	45
SUBTOTAL	1018	16.0	284	2	6	11	21	34	48
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	1018	16.0	284	2	6	11	21	34	48

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	149	9.5	251	2	2	4	10	20	68
18-34	292	7.9	55	2	3	5	11	24	29
35-49	245	7.5	78	2	2	5	8	16	18
50-69	348	10.8	164	2	3	8	11	28	48
70 +	15	23.0	27						
	1049	9.2	128	2	3	6	11	19	31
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1049	9.2	128	2	3	6	11	19	31

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	61	11.0	79	1	5	9	20	28	28
18-34	75	17.1	319	3	4	11	18	54	60
35-49	22	9.9	23						
50-69	45	10.3	218	1	1	5	8	44	44
70 +	14	17.5	196						
SUBTOTAL	217	13.3	200	1	4	8	15	39	44
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	217	13.3	200	1	4	8	15	39	44

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	7	3.0							
18-34	80	2.8	3	1	2	2	4	5	7
35-49	52	15.9	105	2	8	16	17	37	37
50-69	35	6.5	38						
70 +	8	14.0							
	182	7.7	71	1	2	3	14	17	17
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	182	7.7	71	1	2	3	14	17	17

DRG 8: Periph & Cranial Nerve & Other Nerv Syst Proc w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	268	3.7	21	1	1	3	5	6	8
70-74	153	4.2	11	1	2	4	5	6	7
75-79	60	5.3	15	1	2	4	9	11	11
80-84	44	3.0	2	1	1	3	4	5	5
85 +	22	5.3	6						
SUBTOTAL	547	4.0	16	1	1	3	5	7	10
GRAND TOTAL	547	4.0	16	1	1	3	5	7	10

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	938	3.4	14	1	1	2	4	7	10
18-34	790	2.7	7	1	1	2	3	6	7
35-49	644	3.0	5	1	1	2	4	6	7
50-69	610	3.9	12	1	1	2	6	9	10
70 +	15	2.5							
	2997	3.2	10	1	1	2	4	7	9
	2997	3.2	10	1	1	2	4	7	9

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	219	6.1	70	1	2	3	5	24	25
18-34	141	3.2	4	1	1	3	5	6	8
35-49	66	2.6	4	1	1	2	3	7	7
50-69	44	2.9	6	1	1	2	3	8	8
70 +	0								
SUBTOTAL	470	4.5	37	1	1	2	5	8	23
GRAND TOTAL	470	4.5	37	1	1	2	5	8	23

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	143	2.7	5	1	1	2	4	7	10
18-34	218	2.5	6	1	1	1	3	5	7
35-49	91	3.9	13	1	2	3	4	5	15
50-69	44	4.3	6	2	2	3	7	8	8
70 +	21	1.4							
	517	2.9	7	1	1	2	4	7	8
	517	2.9	7	1	1	2	4	7	8

DRG 9: Spinal Disorders & Injuries

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	87	16.0	161	3	7	10	22	31	46
70-74	29	13.7	48						
75-79	14	19.5	2						
80-84	21	10.6	16						
85 +	44	18.3	125	7	8	19	27	37	37
SUBTOTAL	196	15.8	114	5	8	13	21	31	37
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	23	4.7	7						
70-74	21	8.7	23						
75-79	7	7.0							
80-84	15	13.8	32						
85 +	21	8.0	5						
SUBTOTAL	87	8.2	22	4	5	7	10	15	19
GRAND TOTAL	283	13.5	98	4	7	10	19	27	37

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	60	11.6	141	1	4	9	22	37	37
18-34	37	9.5	63	< 1	5	7	24	99 +	99 +
35-49	36	9.0	62						
50-69	79	18.7	155	1	7	21	27	29	45
70 +	15	10.0	4						
	227	13.2	127	1	4	12	22	29	45
0-17	66	2.0	2	< 1	1	1	2	5	5
18-34	80	3.8	6	1	2	3	5	8	9
35-49	80	6.1	12	2	3	7	9	11	13
50-69	71	6.6	20	1	3	6	9	15	15
70 +	15	3.5							
	312	4.6	12	1	2	4	7	9	13
	539	8.3	79	1	2	5	12	22	29

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	8	2.0							
18-34	37	11.2	24						
35-49	15	8.0							
50-69	0								
70 +	0								
SUBTOTAL	60	9.2	24	2	6	8	10	20	20
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	83	6.3	119	1	1	1	9	10	39
18-34	37	5.1	18						
35-49	7	3.0							
50-69	0								
70 +	0								
SUBTOTAL	127	5.8	84	< 1	1	2	9	11	39
GRAND TOTAL	186	6.9	67	1	1	3	9	11	20

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	15	2.4	2						
18-34	15	2.9	4						
35-49	8	3.0							
50-69	8	18.0							
70 +	0								
	44	5.4	36	< 1	1	3	5	18	18
0-17	37	3.7	7						
18-34	44	6.4	14	3	4	5	6	14	14
35-49	8	8.0							
50-69	0								
70 +	0								
	88	5.4	12	1	3	5	7	8	14
	132	5.4	20	1	3	5	6	14	18

DRG 10: Nervous System Neoplasms w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1363	9.2	68	3	4	7	11	18	24
70-74	1017	10.6	60	3	5	8	14	20	29
75-79	730	9.9	67	2	4	8	13	21	25
80-84	368	9.5	35	4	6	8	13	17	21
85 +	225	10.6	74	2	5	10	13	19	30
SUBTOTAL	3702	9.9	63	3	4	8	13	19	27
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	3702	9.9	63	3	4	8	13	19	27

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	394	4.0	12	1	1	3	5	8	12
18-34	141	6.6	35	1	2	4	12	13	24
35-49	687	9.2	117	2	3	6	13	20	26
50-69	1709	9.5	64	2	4	7	12	20	26
70 +	37	11.2	44						
	2967	8.6	71	2	3	6	11	19	23
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2967	8.6	71	2	3	6	11	19	23

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	91	7.8	50	3	3	5	11	12	28
18-34	30	4.3	16						
35-49	184	14.7	292	3	4	8	14	38	44
50-69	177	8.1	47	2	3	8	11	13	19
70 +	0								
SUBTOTAL	482	10.3	151	2	3	7	11	28	33
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	482	10.3	151	2	3	7	11	28	33

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	68	6.0	32	1	3	4	6	21	21
18-34	66	3.3	3	1	2	3	5	6	6
35-49	117	6.6	31	2	4	5	8	14	25
50-69	266	8.7	59	3	4	7	10	18	22
70 +	58	11.1	96	2	3	6	18	31	31
	575	7.6	52	2	3	6	8	18	22
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	575	7.6	52	2	3	6	8	18	22

DRG 11: Nervous System Neoplasms w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	208	5.7	25	1	2	4	9	12	14
70-74	176	6.2	49	1	3	5	7	10	11
75-79	159	4.7	12	< 1	2	4	7	8	8
80-84	78	7.5	10	4	5	7	10	13	14
85 +	65	7.7	10	3	5	7	10	12	13
SUBTOTAL	686	6.0	26	1	3	5	8	11	14
GRAND TOTAL	686	6.0	26	1	3	5	8	11	14

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-69	546	3.3	19	< 1	1	2	4	7	11
70-74	172	2.9	5	1	1	2	5	6	6
75-79	339	4.1	11	1	2	3	5	8	8
80-84	559	5.9	32	1	2	4	7	11	19
85 +	21	4.0	6						
	1638	4.3	22	1	1	3	6	8	15
	1638	4.3	22	1	1	3	6	8	15

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	99	5.7	80	< 1	1	2	6	9	35
18-34	37	3.3	4						
35-49	15	10.1	4						
50-69	15	2.0	1						
70 +	0								
SUBTOTAL	165	5.2	53	< 1	1	2	7	9	16
GRAND TOTAL	165	5.2	53	< 1	1	2	7	9	16

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	90	2.6	4	1	1	2	5	5	7
18-34	8	7.0							
35-49	51	2.5	2	1		3	4	5	5
50-69	98	7.1	13	2	2	5	10	17	18
70 +	21	17.2	75						
	267	5.5	36	1	2	3	7	17	22
	267	5.5	36	1	2	3	7	17	22

DRG 12: Degenerative Nervous System Disorders

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	598	9.0	63	2	4	7	12	19	25
70-74	562	10.5	74	3	5	8	12	24	29
75-79	802	10.4	60	3	5	9	13	20	22
80-84	606	10.2	46	5	6	8	12	20	22
85+	286	11.5	67	4	6	10	15	19	22
SUBTOTAL	**2854**	**10.2**	**61**	**3**	**5**	**8**	**13**	**20**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	469	7.5	56	2	3	6	10	14	16
70-74	502	6.7	19	2	3	6	10	13	15
75-79	511	6.9	28	2	3	5	9	14	18
80-84	254	6.6	18	2	3	6	11	12	16
85+	296	6.5	18	2	3	5	9	12	16
SUBTOTAL	**2031**	**6.9**	**30**	**2**	**3**	**6**	**9**	**14**	**16**
GRAND TOTAL	**4885**	**8.8**	**51**	**2**	**4**	**7**	**11**	**17**	**22**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	242	5.0	32	2	2	3	5	9	24
18-34	82	9.1	213	2	2	4	8	9	56
35-49	118	13.3	105	4	5	10	19	29	36
50-69	306	8.9	41	3	4	7	10	19	23
70+	22	12.0	22						
SUBTOTAL	**770**	**8.5**	**73**	**2**	**3**	**6**	**10**	**21**	**25**
0-17	310	3.4	7	1	2	3	4	7	10
18-34	117	3.5	5	1	2	3	5	7	8
35-49	264	4.9	41	1	2	3	5	11	12
50-69	467	6.8	53	1	2	5	7	18	25
70+	71	6.3	41	2	3	3	9	17	22
SUBTOTAL	**1230**	**5.2**	**36**	**1**	**2**	**3**	**6**	**11**	**18**
GRAND TOTAL	**2000**	**6.5**	**53**	**1**	**2**	**4**	**7**	**14**	**24**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	91	5.7	21	2	3	5	7	17	99+
18-34	52	17.4	164	3	5	14	32	40	40
35-49	52	15.0	599	<1	2	6	11	73	73
50-69	96	9.7	51	4	4	9	12	16	30
70+	0								
SUBTOTAL	**291**	**10.8**	**177**	**2**	**4**	**6**	**13**	**32**	**73**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	91	6.0	24	1	2	4	11	13	15
18-34	91	6.8	12	2	5	6	9	11	13
35-49	50	7.8	22	1	5	7	9	17	17
50-69	82	9.6	41	4	4	9	17	20	21
70+	0								
SUBTOTAL	**313**	**7.5**	**26**	**2**	**4**	**7**	**10**	**15**	**17**
GRAND TOTAL	**604**	**9.1**	**101**	**2**	**4**	**6**	**11**	**19**	**31**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	23	4.7	4						
35-49	37	8.3	19						
50-69	58	4.8	7	1	3	4	6	10	10
70+	102	17.1	417	1	3	9	22	37	77
SUBTOTAL	**221**	**11.1**	**231**	**2**	**3**	**6**	**10**	**33**	**37**
0-17	30	5.8	9						
18-34	51	3.5	6	1	2	3	4	9	9
35-49	36	2.2	2						
50-69	74	4.0	20	1	1	1	4	10	15
70+	124	10.5	192	1	3	6	7	37	54
SUBTOTAL	**315**	**6.5**	**94**	**1**	**1**	**4**	**6**	**15**	**19**
GRAND TOTAL	**536**	**8.4**	**155**	**1**	**2**	**5**	**9**	**19**	**37**

DRG 13: Multiple Sclerosis & Cerebellar Ataxia

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	589	9.2	40	3	5	8	11	19	23
70-74	29	9.4	19						
75-79	28	7.0	9						
80-84	29	6.6	17						
85 +	15	7.5	2						
SUBTOTAL	690	9.0	36	3	5	8	11	16	23
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	759	6.5	13	2	4	6	9	10	12
70-74	15	4.5							
75-79	7	5.0							
80-84	15	7.6	7						
85 +	7	10.0							
SUBTOTAL	802	6.5	13	2	4	6	9	10	11
GRAND TOTAL	1491	7.6	25	2	4	6	10	13	18

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	22	2.3	2						
18-34	302	12.8	79	3	7	10	16	29	30
35-49	613	8.9	57	3	5	7	10	16	27
50-69	380	10.5	76	4	5	8	12	21	24
70 +	0								
	1317	10.1	70	3	5	8	12	23	29
0-17	151	4.7	15	1	3	3	5	10	17
18-34	789	6.1	12	2	4	5	8	10	12
35-49	1716	6.3	12	2	4	5	8	10	12
50-69	491	6.4	11	3	4	6	9	11	13
70 +	8	5.0							
	3155	6.2	12	2	4	5	8	10	12
	4472	7.4	32	3	4	6	9	13	18

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	23	13.3	84						
18-34	80	9.3	34	2	3	9	12	16	23
35-49	206	9.6	30	4	5	8	13	20	21
50-69	46	15.3	41	6	9	16	20	24	24
70 +	0								
SUBTOTAL	354	10.5	40	3	6	9	15	21	23
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	61	3.6	4	2	2	3	6	7	7
18-34	155	6.1	9	2	4	6	9	9	12
35-49	154	6.5	12	3	4	5	10	11	12
50-69	36	14.6	193						
70 +	0								
SUBTOTAL	406	6.7	32	2	4	5	9	11	12
GRAND TOTAL	760	8.5	39	2	4	7	11	17	21

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	7	3.0							
35-49	80	6.1	4	4	4	6	8	9	9
50-69	15	11.5	7						
70 +	0								
	102	6.7	9	3	4	6	9	9	14
0-17	38	4.6	7						
18-34	178	6.1	6	3	4	6	7	10	11
35-49	250	6.4	21	1	3	6	8	13	15
50-69	37	6.9	11						
70 +	8	2.0							
	510	6.1	14	2	4	6	8	10	13
	613	6.2	13	2	4	6	8	10	14

DRG 14: Specific Cerebrovascular Disorders except TIA

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	8009	10.3	67	4	5	8	12	20	28
70-74	8878	11.0	71	4	6	9	14	20	26
75-79	10299	10.8	64	4	6	9	14	20	26
80-84	8990	10.9	58	4	6	9	13	20	25
85 +	9691	11.0	57	4	6	9	14	20	25
SUBTOTAL	45867	10.8	63	4	6	9	13	20	26
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	3777	7.3	22	3	4	6	9	13	16
70-74	3834	7.2	21	3	4	6	9	13	15
75-79	4035	7.5	26	3	4	6	9	13	17
80-84	3660	7.5	27	3	4	6	9	13	18
85 +	3389	8.0	26	3	5	7	10	14	17
SUBTOTAL	18696	7.5	25	3	4	6	9	13	16
GRAND TOTAL	64563	9.8	54	3	5	8	12	18	23

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	53	17.4	678	1	2	8	19	79	79
18-34	198	7.3	35	2	4	6	8	16	25
35-49	1060	12.5	169	3	5	9	15	29	41
50-69	5656	10.7	109	3	5	8	12	20	33
70 +	624	11.9	101	4	6	9	13	25	36
	7591	11.0	120	3	5	8	13	21	35
0-17	84	6.2	29	1	1	4	9	15	16
18-34	213	6.6	144	1	2	4	7	8	12
35-49	1014	6.0	21	1	2	5	8	14	16
50-69	3817	7.6	57	2	3	6	9	13	20
70 +	312	8.2	17	4	5	8	11	13	15
	5440	7.2	52	2	3	6	9	13	18
	13031	9.4	95	2	4	7	11	18	28

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	23	16.7	16						
18-34	81	10.0	47	3	3	7	17	18	22
35-49	363	11.6	96	3	5	10	15	22	27
50-69	1207	12.4	97	4	6	9	15	26	30
70 +	122	13.6	132	5	7	9	14	27	50
SUBTOTAL	1796	12.3	97	4	6	9	15	25	30
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	38	5.8	20						
18-34	72	4.1	8	1	2	3	6	8	10
35-49	168	7.5	25	2	3	6	10	14	16
50-69	470	6.7	21	3	4	5	8	14	17
70 +	49	7.4	3	5	6	7	9	10	10
SUBTOTAL	797	6.6	20	2	4	5	9	14	16
GRAND TOTAL	2592	10.5	80	3	5	8	13	22	27

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	15	13.6	2						
18-34	60	12.1	82	5	6	9	15	34	34
35-49	265	7.1	25	2	4	6	9	13	20
50-69	1183	11.8	191	3	5	7	13	25	43
70 +	1051	11.4	144	4	6	8	12	25	36
	2573	11.2	153	3	5	7	12	23	35
0-17	15	6.9	10						
18-34	73	5.5	13	1	2	4	7	12	12
35-49	217	7.1	44	1	3	7	8	14	19
50-69	964	6.1	16	2	3	5	8	11	14
70 +	612	5.9	21	2	3	5	7	10	14
	1880	6.1	21	2	3	5	8	11	14
–	4454	9.0	103	2	4	6	10	18	26

DRG 15: Transient Ischemic Attack & Precerebral Occlusions

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	3817	5.4	15	2	3	4	7	10	13
70-74	4120	5.5	18	2	3	4	7	10	12
75-79	4529	5.6	15	2	3	5	7	10	13
80-84	4221	5.9	18	2	3	5	7	11	13
85 +	4524	6.1	24	2	3	5	8	11	14
SUBTOTAL	21213	5.7	18	2	3	5	7	10	13
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	3086	3.8	6	1	2	3	5	7	9
70-74	3100	3.8	6	1	2	3	5	7	8
75-79	3064	3.9	6	1	2	3	5	7	8
80-84	2393	4.4	8	2	2	4	6	8	10
85 +	2213	4.4	7	2	2	4	6	8	9
SUBTOTAL	13857	4.0	7	1	2	3	5	7	9
GRAND TOTAL	35069	5.0	14	2	3	4	6	9	12

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	18.9	591						
18-34	43	4.9	7	< 1	3	5	8	8	8
35-49	543	4.8	10	2	3	4	6	10	12
50-69	2640	4.7	11	2	2	4	6	9	11
70 +	272	5.6	7	2	4	5	7	9	10
	3528	4.9	17	2	3	4	6	9	11
	7	1.0							
	189	2.7	5	1	1	2	3	6	7
	874	3.7	8	1	2	3	5	7	11
	3698	3.3	5	1	2	3	4	6	8
	221	4.1	8	2	2	3	5	7	9
	4989	3.4	6	1	2	3	4	6	8
	8517	4.0	11	1	2	3	5	8	9

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	35	4.8	4						
35-49	166	4.6	7	2	3	4	6	8	10
50-69	409	6.3	29	2	3	5	7	10	19
70 +	58	6.0	23	2	3	4	6	18	18
SUBTOTAL	668	5.7	22	2	3	5	7	10	13
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	52	3.7	2	2	2	4	5	6	6
35-49	94	3.2	4	1	1	3	5	6	6
50-69	355	3.6	5	1	2	3	5	7	8
70 +	37	2.4	4						
SUBTOTAL	538	3.5	4	1	2	3	5	6	7
GRAND TOTAL	1207	4.7	15	1	2	4	6	8	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	22	8.6	74						
35-49	86	3.2	2	2	2	3	4	5	6
50-69	389	4.4	8	1	2	3	6	8	10
70 +	439	5.1	17	2	2	4	7	10	16
	937	4.7	14	2	2	4	6	8	11
	0								
	64	2.4	1	< 1	2	2	3	4	4
	161	2.9	4	1	1	2	4	6	6
	613	3.3	5	1	2	3	4	6	7
	414	2.8	4	1	1	2	3	6	7
	1252	3.0	4	1	1	2	4	6	7
	2189	3.8	9	1	2	3	5	7	9

DRG 16: Nonspecific Cerebrovascular Disorders w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	531	8.9	42	2	5	7	12	20	21
70-74	447	7.7	41	3	4	6	9	15	25
75-79	518	8.7	51	3	4	7	12	17	22
80-84	400	9.1	52	3	4	7	11	18	24
85 +	589	8.0	21	3	4	7	11	14	19
SUBTOTAL	2485	8.5	40	3	4	7	11	16	21
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	2485	8.5	40	3	4	7	11	16	21

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	137	4.4	14	1	1	3	6	12	12
18-34	28	2.8	1						
35-49	51	3.7	6	1	2	3	6	8	8
50-69	198	9.7	91	2	4	7	12	21	30
70 +	7	8.0							
	422	6.7	56	1	2	4	8	14	21
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	422	6.7	56	1	2	4	8	14	21

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	38	6.6	87						
18-34	37	6.6	24						
35-49	30	4.5	2						
50-69	43	7.5	24	1	6	7	7	17	17
70 +	15	8.4	7						
SUBTOTAL	162	6.6	34	1	3	6	7	16	20
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	162	6.6	34	1	3	6	7	16	20

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	60	12.8	206	1	2	8	24	43	43
18-34	14	8.5	2						
35-49	44	11.2	49	3	6	10	17	23	23
50-69	28	7.4	23						
70 +	35	22.5	1051						
	182	13.1	307	1	3	7	17	27	43
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	182	13.1	307	1	3	7	17	27	43

DRG 17: Nonspecific Cerebrovascular Disorders w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	188	4.2	6	1	2	3	6	8	9
70-74	128	3.8	3	2	2	4	5	6	9
75-79	222	6.0	19	2	3	6	8	11	13
80-84	186	6.4	10	3	3	6	8	12	13
85 +	207	5.7	10	2	4	6	7	8	9
SUBTOTAL	932	5.3	12	2	3	5	7	9	12
GRAND TOTAL	932	5.3	12	2	3	5	7	9	12

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	224	3.1	7	1	1	2	4	7	7
18-34	104	5.1	20	1	2	4	7	14	14
35-49	139	6.9	89	1	1	4	6	27	32
50-69	220	3.8	13	1	2	3	4	8	10
70 +	15	4.5							
	703	4.4	29	1	2	3	5	8	14
	703	4.4	29	1	2	3	5	8	14

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	46	7.0	20	1	3	7	10	14	14
18-34	44	3.2	6	<1	1	2	6	7	7
35-49	21	5.5	23						
50-69	28	3.8	4						
70 +	7	3.0							
SUBTOTAL	146	4.8	15	1	2	4	7	11	14
GRAND TOTAL	146	4.8	15	1	2	4	7	11	14

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	68	2.4	2	1	2	2	3	6	6
18-34	36	3.9	6						
35-49	21	3.0	2						
50-69	44	2.1	3	1	1	2	2	6	6
70 +	14	2.5							
	182	2.7	3	1	2	2	3	6	7
	182	2.7	3	1	2	2	3	6	7

DRG 18: Cranial & Peripheral Nerve Disorders w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1522	7.5	41	2	3	6	9	16	20
70-74	734	7.4	32	2	3	7	9	16	20
75-79	520	7.3	35	2	4	6	10	13	19
80-84	340	8.5	26	3	5	8	11	16	19
85 +	324	7.6	20	3	4	7	10	14	16
SUBTOTAL	3440	7.5	35	2	4	6	9	15	19
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	3440	7.5	35	2	4	6	9	15	19

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	29	6.6	12						
18-34	290	6.6	29	1	3	5	8	15	22
35-49	505	7.8	88	1	3	4	10	18	23
50-69	802	5.8	31	1	3	4	7	12	16
0 +	28	7.3	30						
	1654	6.6	49	1	3	4	8	13	19
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1654	6.6	49	1	3	4	8	13	19

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	21	2.3	2						
18-34	199	6.8	30	2	3	5	9	17	19
35-49	123	6.6	20	2	2	7	10	14	17
50-69	101	5.9	16	2	3	5	7	11	17
70 +	8	10.0							
SUBTOTAL	452	6.4	23	2	3	5	9	13	17
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	452	6.4	23	2	3	5	9	13	17

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	103	6.5	16	2	3	5	9	11	17
35-49	237	6.1	29	2	2	4	7	11	19
50-69	118	6.7	42	1	2	5	8	20	20
70 +	44	9.4	64	3	3	5	15	25	25
	502	6.6	33	2	3	5	8	18	20
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	502	6.6	33	2	3	5	8	18	20

DRG 19: Cranial & Peripheral Nerve Disorders w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	746	4.4	13	1	2	4	5	9	11
70-74	492	5.2	22	1	2	4	7	10	15
75-79	254	5.3	24	1	2	4	7	12	16
80-84	197	5.3	9	1	3	5	7	10	11
85 +	73	5.3	13	1	3	4	7	10	14
SUBTOTAL	1762	4.9	17	1	2	4	6	10	13
GRAND TOTAL	1762	4.9	17	1	2	4	6	10	13

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	210	3.8	11	1	2	3	5	10	12
18-34	706	3.1	6	1	1	2	4	7	8
35-49	1273	3.2	11	1	1	2	4	7	10
50-69	1241	3.7	9	1	2	3	5	8	9
70 +	64	4.8	19	1	3	4	5	16	16
	3494	3.4	9	1	1	3	4	7	9
	3494	3.4	9	1	1	3	4	7	9

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	91	4.0	9	1	1	4	6	9	10
18-34	159	3.7	5	1	2	4	5	6	7
35-49	175	4.3	12	1	2	3	5	10	13
50-69	65	5.4	13	2	3	4	6	13	14
70 +	0								
SUBTOTAL	489	4.2	9	1	2	4	5	9	10
GRAND TOTAL	489	4.2	9	1	2	4	5	9	10

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	45	4.0	10	< 1	1	3	6	10	10
18-34	199	4.5	14	1	2	4	6	9	14
35-49	197	2.6	3	1	1	2	4	5	5
50-69	154	4.2	5	1	2	4	5	7	8
70 +	37	5.6	25						
	632	3.8	9	1	2	3	5	8	9
	632	3.8	9	1	2	3	5	8	9

DRG 20: Nervous System Infection except Viral Meningitis

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	254	14.7	165	4	6	11	20	31	42
70-74	154	13.2	79	4	7	11	18	24	36
75-79	139	11.3	39	3	6	10	15	20	23
80-84	152	13.4	109	3	7	10	17	31	38
85 +	72	13.4	55	4	6	15	20	21	24
SUBTOTAL	770	13.4	104	4	6	11	18	26	36
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	189	6.5	26	1	2	5	9	16	18
70-74	82	6.4	12	2	3	7	9	11	12
75-79	68	12.5	45	4	7	13	16	25	25
80-84	57	7.1	15	2	4	7	12	12	12
85 +	15	8.3	39						
SUBTOTAL	410	7.6	30	2	3	7	11	16	19
GRAND TOTAL	1180	11.4	86	3	5	9	15	22	31

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1041	10.1	55	3	5	10	12	17	26
18-34	206	9.9	65	2	4	8	13	21	28
35-49	176	10.9	48	4	5	11	15	18	21
50-69	254	17.7	245	3	6	15	22	37	58
70 +	0								
	1677	11.3	91	3	5	10	14	21	31
	1476	8.3	37	2	4	8	10	13	15
	487	7.9	45	2	3	6	10	13	20
	312	7.9	22	3	4	6	10	16	17
	263	8.0	37	1	3	6	11	15	23
	0								
	2538	8.1	37	2	4	8	10	14	17
	4215	9.4	61	2	4	8	11	16	22

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	545	12.5	109	4	8	11	14	21	24
18-34	82	12.2	40	5	7	10	20	21	21
35-49	45	13.2	13	6	12	15	16	99 +	99 +
50-69	60	24.5	275	9	14	18	22	64	64
70 +	0								
SUBTOTAL	731	13.5	119	5	9	12	15	21	38
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	798	8.3	21	2	4	9	11	14	15
18-34	75	7.5	19	2	5	7	11	15	15
35-49	15	6.6	2						
50-69	0								
70 +	0								
SUBTOTAL	888	8.2	21	2	4	9	11	14	15
GRAND TOTAL	1619	10.6	72	3	6	10	14	16	22

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	465	10.5	49	3	6	10	13	21	26
18-34	94	9.0	16	4	5	8	12	15	15
35-49	65	13.4	41	7	11	11	15	29	29
50-69	28	30.0	334						
70 +	36	5.9	13						
	688	11.1	70	3	6	10	14	22	29
0-17	524	6.3	20	2	4	10	11	13	14
18-34	131	5.8	12	1	3	5	10	11	13
35-49	58	9.7	64	2	3	6	17	23	23
50-69	52	17.9	152	3	3	25	30	31	31
70 +	8	15.0							
	772	8.7	38	2	4	9	11	14	23
	1460	9.8	54	3	4	10	11	17	25

DRG 21: Viral Meningitis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	14	8.5	7						
70-74	7	13.0							
75-79	15	6.6	2						
80-84	7	12.0							
85 +	7	13.0							
SUBTOTAL	49	9.7	10	5	6	11	13	13	13
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	45	6.7	6	5	5	5	9	11	11
70-74	8	4.0							
75-79	15	11.7	13						
80-84	8	19.0							
85 +	0								
SUBTOTAL	75	8.6	23	4	5	8	11	18	19
GRAND TOTAL	124	9.1	18	5	5	8	12	15	19

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	607	4.3	8	2	3	3	5	8	10
18-34	263	4.6	6	2	3	4	6	7	11
35-49	125	4.8	10	2	2	4	6	10	13
50-69	15	6.7	22						
70 +	0								
SUBTOTAL	1010	4.5	8	2	3	4	5	8	11
0-17	2587	3.2	2	2	2	3	4	5	6
18-34	1315	3.8	6	2	2	3	5	7	8
35-49	510	5.1	10	2	3	4	6	9	11
50-69	80	6.6	53	2	2	4	7	14	28
70 +	0								
SUBTOTAL	4492	3.7	6	2	2	3	4	6	8
GRAND TOTAL	5502	3.8	6	2	2	3	4	7	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	362	4.4	8	2	3	4	5	7	13
18-34	87	5.3	13	2	2	5	8	11	13
35-49	0								
50-69	7	7.0							
70 +	0								
SUBTOTAL	456	4.6	9	2	2	4	6	8	13
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	1215	3.7	5	2	2	3	4	6	8
18-34	224	5.0	14	2	3	4	6	11	11
35-49	8	10.0							
50-69	0								
70 +	0								
SUBTOTAL	1447	3.9	7	2	2	3	4	7	10
GRAND TOTAL	1903	4.1	7	2	2	3	5	7	11

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	224	3.2	1	2	2	3	4	5	5
18-34	58	5.0	22	2	2	3	7	16	16
35-49	22	3.7	2						
50-69	14	9.0	27						
70 +	0								
SUBTOTAL	318	3.8	8	2	2	3	4	5	8
0-17	1321	3.1	2	2	2	3	4	5	6
18-34	354	3.8	6	2	2	3	4	7	10
35-49	102	5.2	12	2	3	4	8	9	15
50-69	28	3.8	1						
70 +	0								
SUBTOTAL	1806	3.4	4	2	2	3	4	6	7
GRAND TOTAL	2124	3.4	4	2	2	3	4	6	7

DRG 22: Hypertensive Encephalopathy

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	452	6.6	29	3	3	5	8	13	16
70-74	389	5.8	10	2	4	5	7	10	12
75-79	278	6.8	76	2	3	5	7	11	16
80-84	212	5.1	14	2	2	4	6	11	12
85 +	100	6.0	25	2	4	4	7	8	23
SUBTOTAL	1431	6.2	31	2	3	5	7	11	14
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	270	4.0	31	1	2	3	4	6	12
70-74	134	3.9	6	2	2	3	6	8	9
75-79	128	4.3	3	2	3	4	5	7	9
80-84	105	3.1	3	1	2	2	4	5	8
85 +	42	3.3	3	2	2	3	3	7	7
SUBTOTAL	679	3.9	15	2	2	3	5	6	8
GRAND TOTAL	2110	5.4	27	2	3	4	7	10	12

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	15	5.0	10						
18-34	51	8.8	61	2	3	4	12	25	25
35-49	236	4.8	10	2	2	4	7	10	11
50-69	475	5.9	14	2	3	5	8	11	12
70 +	0								
	777	5.7	16	2	3	4	8	11	12
0-17	8	1.0							
18-34	36	2.8	1						
35-49	282	3.3	4	1	2	3	5	6	8
50-69	277	3.7	17	2	2	3	4	6	8
70 +	0								
	602	3.5	10	1	2	3	4	6	8
	1379	4.7	15	2	2	4	6	10	11

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	35	5.0	5						
35-49	175	5.1	7	2	4	4	7	9	10
50-69	131	7.9	80	2	3	4	6	25	33
70 +	0								
SUBTOTAL	341	6.2	36	2	3	5	7	10	22
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	14	2.0	1						
35-49	43	2.9	5	1	1	2	4	7	7
50-69	30	5.5	3						
70 +	7	11.0							
SUBTOTAL	94	4.2	9	1	2	3	6	8	11
GRAND TOTAL	435	5.7	31	1	3	4	7	10	19

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	7	5.0							
35-49	99	7.8	34	1	3	6	12	13	22
50-69	70	9.7	60	3	4	6	14	23	24
70 +	15	4.5	2						
	191	8.1	42	2	3	6	12	22	23
0-17	0								
18-34	7	7.0							
35-49	28	2.2	1						
50-69	43	4.5	10	1	2	4	8	9	9
70 +	7	1.0							
	85	3.7	8	1	2	2	7	8	9
	277	6.8	36	1	2	5	10	14	23

DRG 23: Nontraumatic Stupor & Coma

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	192	7.7	53	2	3	6	10	18	18
70-74	71	5.7	11	1	3	4	9	10	11
75-79	131	6.5	14	2	4	6	8	14	14
80-84	94	7.8	25	2	5	7	12	14	18
85 +	71	5.1	6	3	3	4	6	9	11
SUBTOTAL	559	6.9	28	2	3	6	8	14	18
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	43	3.6	7	1	2	3	5	9	9
70-74	8	7.0							
75-79	7	4.0							
80-84	22	5.7	3						
85 +	28	3.2	1						
SUBTOTAL	108	4.2	5	2	2	4	5	8	9
GRAND TOTAL	667	6.4	26	2	3	5	8	13	15

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	66	2.7	9	1	1	2	2	11	11
18-34	78	3.3	4	1	2	3	5	7	7
35-49	58	3.6	8	1	2	3	4	11	11
50-69	59	7.8	35	2	4	7	8	22	22
70 +	7	4.0							
	267	4.2	17	1	2	3	6	8	11
0-17	58	1.7	1	1	1	1	3	4	4
18-34	43	1.4	1	< 1	< 1	1	1	3	3
35-49	60	3.5	17	1	1	2	4	14	14
50-69	15	4.0							
70 +	0								
	175	2.4	7	1	1	1	3	4	4
	443	3.5	14	1	1	2	4	8	11

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	30	4.5	7						
18-34	15	2.0							
35-49	28	6.5	13						
50-69	0								
70 +	0								
SUBTOTAL	73	4.8	11	1	2	5	8	8	11
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	30	4.8	30						
18-34	7	5.0							
35-49	8	4.0							
50-69	0								
70 +	0								
SUBTOTAL	44	4.7	20	1	2	3	5	14	14
GRAND TOTAL	117	4.8	14	1	2	4	7	11	14

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	22	2.0	1						
18-34	29	4.7	8						
35-49	22	1.7							
50-69	22	7.5	25						
70 +	15	6.1	4						
	110	4.3	13	< 1	2	3	7	9	14
0-17	45	1.7	1	< 1	1	1	2	3	3
18-34	22	5.1	15						
35-49	15	3.5	7						
50-69	7	6.0							
70 +	0								
	89	3.2	8	< 1	1	2	6	6	10
	199	3.8	11	< 1	1	2	6	9	10

North Central Region, July 1989 - June 1990

DRG 24: Seizure & Headache Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	5193	6.5	35	2	3	5	8	12	17
70-74	2377	6.8	35	2	3	5	8	13	18
75-79	1895	7.7	57	2	3	5	9	15	23
80-84	1385	8.0	38	3	4	6	10	15	23
85 +	1326	7.3	44	2	4	6	9	14	18
SUBTOTAL	12176	7.0	40	2	3	5	9	13	19
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	12176	7.0	40	2	3	5	9	13	19

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2536	5.3	27	1	2	4	6	10	16
35-49	3358	6.2	26	2	3	5	8	13	16
50-69	3140	6.2	29	2	3	5	8	11	16
70 +	137	7.1	43	2	3	5	11	19	24
	9171	6.0	28	2	3	5	8	12	16
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	9171	6.0	28	2	3	5	8	12	16

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	1394	5.0	25	1	2	4	6	9	14
35-49	1286	4.9	17	1	2	4	6	10	14
50-69	1018	5.5	14	2	3	5	7	10	12
70 +	28	10.3	57						
SUBTOTAL	3727	5.1	20	2	2	4	6	10	14
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	3727	5.1	20	2	2	4	6	10	14

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	752	3.5	8	1	2	3	4	7	11
35-49	799	4.4	11	1	2	3	6	9	11
50-69	645	5.3	24	2	2	4	6	11	15
70 +	196	7.4	41	2	3	5	12	25	25
	2392	4.6	17	1	2	3	6	10	12
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2392	4.6	17	1	2	3	6	10	12

DRG 25: Seizure & Headache Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	2933	4.2	10	1	2	4	5	8	10
70-74	1081	4.4	10	1	3	4	5	8	9
75-79	698	4.9	14	2	2	4	6	9	13
80-84	559	5.6	67	2	3	4	6	9	12
85 +	401	4.8	15	2	3	4	6	9	9
SUBTOTAL	5673	4.5	16	2	2	4	5	9	10
GRAND TOTAL	5673	4.5	16	2	2	4	5	9	10

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	6601	3.5	10	1	2	3	4	7	9
35-49	5572	4.1	10	1	2	3	5	8	10
50-69	3094	4.0	12	1	2	3	5	8	11
70 +	78	3.9	10	1	1	3	5	7	12
	15345	3.8	10	1	2	3	5	8	10
	15345	3.8	10	1	2	3	5	8	[illegible]

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	2449	3.6	8	1	2	3	4	7	8
35-49	1229	3.5	5	1	2	3	5	7	8
50-69	460	3.6	5	1	2	3	5	7	8
70 +	14	3.5	2						
SUBTOTAL	4152	3.5	7	1	2	3	5	7	8
GRAND TOTAL	4152	3.5	7	1	2	3	5	7	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1878	2.8	8	1	1	2	3	6	7
35-49	1101	3.0	4	1	2	3	4	6	8
50-69	583	3.7	12	1	2	2	5	7	11
70 +	101	2.7	1	2	2	3	3	4	5
	3662	3.0	7	1	1	2	4	6	7
	3662	3.0	7	1	1	2	4	6	7

DRG 26: Seizure & Headache Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	44	2.5	1	1	2	2	3	4	4
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	44	2.5	1	1	2	2	3	4	4
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	22	2.0	1						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	22	2.0	1						
GRAND TOTAL	66	2.3	1	<1	2	2	3	4	4

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	3151	3.8	24	1	2	3	4	7	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	3151	3.8	24	1	2	3	4	7	9
0-17	13246	2.8	8	1	1	2	3	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	13246	2.8	8	1	1	2	3	5	7
	16397	3.0	11	1	1	2	3	5	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	1998	4.4	29	1	2	3	5	8	13
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1998	4.4	29	1	2	3	5	8	13
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	6913	3.1	12	1	2	2	4	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	6913	3.1	12	1	2	2	4	5	7
GRAND TOTAL	8911	3.4	16	1	2	2	4	6	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	993	4.1	32	1	2	3	5	7	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	993	4.1	32	1	2	3	5	7	9
0-17	4855	2.5	5	1	1	2	3	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	4855	2.5	5	1	1	2	3	4	5
	5848	2.8	10	1	1	2	3	5	7

DRG 27: Traumatic Stupor & Coma, Coma >1 Hr

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	44	5.1	19	1	2	3	7	14	14
70-74	21	8.9	15						
75-79	29	11.6	11						
80-84	37	16.6	53						
85 +	44	15.2	76	5	9	11	22	31	31
SUBTOTAL	175	11.6	58	3	5	11	15	22	29
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	14	8.5	13						
75-79	36	6.1	27						
80-84	0								
85 +	21	5.5	24						
SUBTOTAL	71	6.4	24	2	2	5	12	15	15
GRAND TOTAL	247	10.1	54	2	4	9	14	17	29

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	132	6.8	53	< 1	2	4	8	14	31
18-34	220	8.4	122	1	3	5	11	45	99 +
35-49	139	5.6	19	2	2	4	9	16	99 +
50-69	94	11.9	117	2	5	8	16	28	37
70 +	0								
	585	7.9	85	2	2	5	11	28	46
0-17	414	4.2	54	1	1	2	4	8	13
18-34	283	3.8	9	1	1	3	5	9	11
35-49	71	6.0	37	1	2	4	7	22	22
50-69	73	9.5	62	4	4	7	10	27	27
70 +	21	3.7	15						
	863	4.7	40	1	1	3	5	10	13
	1448	6.0	61	1	2	3	8	13	27

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	15	17.0	1						
18-34	67	4.9	11	2	3	3	7	12	12
35-49	22	4.4	2						
50-69	30	4.3	4						
70 +	0								
SUBTOTAL	134	6.0	22	2	3	4	8	18	99 +
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	150	2.8	7	1	1	2	4	8	10
18-34	109	4.2	13	1	2	2	6	8	15
35-49	22	3.0	1						
50-69	7	1.0							
70 +	0								
SUBTOTAL	289	3.3	9	1	1	2	5	8	10
GRAND TOTAL	423	4.2	15	1	2	3	6	10	16

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	60	14.4	401	2	3	5	11	65	65
18-34	152	5.8	26	2	3	4	7	11	22
35-49	51	11.1	116	1	2	3	21	29	29
50-69	0								
70 +	0								
	263	8.8	141	2	2	4	11	24	29
0-17	129	3.4	14	1	1	2	5	10	15
18-34	163	2.9	5	1	1	2	4	5	8
35-49	15	3.0	4						
50-69	22	2.6	1						
70 +	0								
	329	3.0	8	1	1	2	4	5	10
	592	5.6	76	1	1	3	5	11	24

DRG 28: Traumatic Stupor & Coma, Coma <1 Hr Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	334	7.0	43	2	2	6	9	16	19
70-74	260	9.8	54	2	3	8	14	21	25
75-79	290	8.5	63	1	3	6	11	17	21
80-84	367	8.9	62	2	3	7	11	21	30
85 +	417	8.1	38	2	3	6	12	17	20
SUBTOTAL	1667	8.4	52	2	3	6	12	18	23
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	1667	8.4	52	2	3	6	12	18	23

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	674	3.8	11	1	1	3	5	8	12
35-49	342	4.8	29	1	1	3	6	10	19
50-69	441	8.3	96	1	3	6	11	15	17
70 +	59	8.0	70	1	4	6	11	99 +	99 +
	1516	5.5	46	1	2	3	7	12	16
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1516	5.5	46	1	2	3	7	12	16

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	260	6.0	45	1	2	3	10	14	16
35-49	146	7.0	32	1	2	6	10	17	19
50-69	89	10.6	152	3	3	9	12	15	50
70 +	8	4.0							
SUBTOTAL	502	7.1	62	1	2	4	10	15	19
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	502	7.1	62	1	2	4	10	15	19

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	521	3.4	11	1	1	2	4	8	11
35-49	131	4.5	7	1	3	4	6	10	10
50-69	94	5.1	12	2	3	4	6	12	12
70 +	73	9.8	101	3	5	6	10	38	38
	819	4.4	21	1	2	3	5	10	12
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	819	4.4	21	1	2	3	5	10	12

DRG 29: Traumatic Stupor & Coma, Coma <1 Hr Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	166	4.2	9	1	2	3	6	8	9
70-74	109	5.5	19	1	2	4	10	13	14
75-79	171	3.5	5	1	2	3	4	8	8
80-84	209	4.6	11	1	2	4	7	8	11
85 +	142	3.1	5	1	2	3	4	5	8
SUBTOTAL	797	4.1	10	1	2	3	6	8	11
GRAND TOTAL	797	4.1	10	1	2	3	6	8	11

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1675	3.0	8	1	1	2	4	6	9
35-49	699	3.2	7	1	1	2	4	6	9
50-69	519	3.3	13	1	1	2	4	7	11
70 +	92	4.0	7	1	2	4	6	7	10
	2986	3.2	8	1	1	2	4	7	10
	2986	3.2	8	1	1	2	4	7	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	295	4.0	17	1	2	2	5	8	10
35-49	148	2.8	4	<1	1	2	4	6	7
50-69	22	3.7	4						
70 +	30	2.0	2						
SUBTOTAL	495	3.5	12	1	1	2	4	7	8
GRAND TOTAL	495	3.5	12	1	1	2	4	7	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	759	3.1	6	1	1	2	4	6	9
35-49	247	3.1	7	1	1	2	4	7	10
50-69	152	2.9	6	1	1	2	4	8	9
70 +	57	17.8	816	1	2	4	6	86	86
	1216	3.7	53	1	1	2	4	7	10
	1216	3.7	53	1	1	2	4	7	10

DRG 30: Traumatic Stupor & Coma, Coma <1 Hr Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	15	1.0							
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	15	1.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	21	1.0							
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	21	1.0							
GRAND TOTAL	36	1.0							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	830	3.3	14	1	1	2	4	7	11
18-34	0								
35-49	0								
50-69	0								
70+	0								
	830	3.3	14	1	1	2	4	7	11
0-17	6569	1.9	3	1	1	1	2	4	6
18-34	0								
35-49	0								
50-69	0								
70+	0								
	6569	1.9	3	1	1	1	2	4	6
	7399	2.0	4	1	1	1	2	4	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	375	5.8	66	1	1	2	7	13	22
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	375	5.8	66	1	1	2	7	13	22
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	2359	2.2	7	1	1	1	3	4	6
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	2359	2.2	7	1	1	1	3	4	6
GRAND TOTAL	2734	2.7	16	1	1	2	3	5	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	280	3.5	13	1	1	2	4	9	12
18-34	0								
35-49	0								
50-69	0								
70+	0								
	280	3.5	13	1	1	2	4	9	12
0-17	2383	1.9	3	1	1	1	2	4	5
18-34	0								
35-49	0								
50-69	0								
70+	0								
	2383	1.9	3	1	1	1	2	4	5
	2663	2.0	4	1	1	1	2	4	6

DRG 31: Concussion Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	270	4.0	10	1	2	3	5	7	9
70-74	185	4.9	9	2	3	4	7	9	9
75-79	128	7.5	17	3	4	8	10	14	17
80-84	184	5.5	20	2	3	4	7	13	14
85 +	278	5.9	12	2	3	5	8	12	12
SUBTOTAL	1046	5.4	14	2	3	4	7	11	13
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	1046	5.4	14	2	3	4	7	11	13

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	783	3.6	63	1	1	2	4	6	9
35-49	350	4.1	11	1	2	3	5	10	12
50-69	276	3.9	10	1	2	3	6	8	9
70 +	42	4.9	6	3	3	4	5	10	10
	1451	3.8	39	1	1	2	4	7	11
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1451	3.8	39	1	1	2	4	7	11

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	163	3.1	8	1	2	2	3	6	8
35-49	58	6.3	29	<1	2	5	11	17	17
50-69	21	2.3							
70 +	0								
SUBTOTAL	241	3.8	14	1	2	2	4	8	14
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	241	3.8	14	1	2	2	4	8	14

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	428	2.0	1	<1	1	2	2	4	5
35-49	137	2.4	2	1	1	2	4	4	5
50-69	79	2.5	5	1	1	2	2	4	9
70 +	15	5.0	1						
	658	2.2	2	1	1	2	3	4	5
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	658	2.2	2	1	1	2	3	4	5

DRG 32: Concussion Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	223	2.5	3	1	1	2	3	6	6
70-74	159	2.6	9	1	1	2	2	4	9
75-79	86	2.3	1	1	2	2	3	4	4
80-84	139	4.6	8	1	2	4	6	9	10
85 +	175	4.9	10	1	2	4	6	10	11
SUBTOTAL	782	3.4	8	1	2	2	4	7	9
GRAND TOTAL	782	3.4	8	1	2	2	4	7	9

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	2073	1.9	2	1	1	2	2	4	4
35-49	853	2.9	9	1	1	2	4	6	8
50-69	429	2.5	5	1	1	2	3	4	8
70 +	108	2.9	6	<1	1	2	4	6	10
	3463	2.3	4	1	1	2	3	4	6
	3463	2.3	4	1	1	2	3	4	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	329	2.4	4	1	1	2	3	6	7
35-49	71	2.3	1	1	2	2	2	4	4
50-69	7	4.0							
70 +	0								
SUBTOTAL	407	2.4	3	1	1	2	3	4	7
GRAND TOTAL	407	2.4	3	1	1	2	3	4	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	955	1.9	2	1	1	1	2	3	5
35-49	256	2.5	6	1	1	2	3	4	10
50-69	102	2.6	3	1	1	2	3	6	7
70 +	21	1.4							
	1334	2.0	3	1	1	2	2	4	5
	1334	2.0	3	1	1	2	2	4	5

DRG 33: Concussion Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	7	5.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	7	5.0							
GRAND TOTAL	7	5.0							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	384	2.1	2	< 1	1	2	3	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	384	2.1	2	< 1	1	2	3	4	6
	3708	1.4	1	1	1	1	2	2	3
	4092	1.5	1	1	1	1	2	3	3

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	126	3.3	9	< 1	1	2	4	10	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	126	3.3	9	< 1	1	2	4	10	10
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1150	1.4	1	< 1	1	1	1	2	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1150	1.4	1	< 1	1	1	1	2	3
GRAND TOTAL	1276	1.6	2	< 1	1	1	2	3	4

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	87	1.9	1	1	1	2	3	3	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	87	1.9	1	1	1	2	3	3	4
	1001	1.5	4	1	1	1	2	3	4
	1089	1.7	4	1	1	1	2	3	4

DRG 34: Other Disorders of Nervous System w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	844	7.0	27	2	3	5	9	15	18
70-74	598	7.1	24	2	3	6	9	15	17
75-79	515	7.9	43	2	4	6	10	14	27
80-84	398	9.1	109	2	4	6	10	17	31
85 +	254	6.0	13	3	3	5	8	12	14
SUBTOTAL	**2608**	**7.4**	**41**	**2**	**3**	**6**	**9**	**14**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2608**	**7.4**	**41**	**2**	**3**	**6**	**9**	**14**	**18**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	533	3.8	14	1	1	2	5	9	15
18-34	352	6.9	149	1	3	4	7	12	18
35-49	324	6.4	114	2	2	4	7	12	17
50-69	580	7.2	61	1	2	5	8	17	24
70 +	29	10.4	8						
1818	**6.1**	**75**	**1**	**2**	**4**	**7**	**14**	**19**	
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
1818	**6.1**	**75**	**1**	**2**	**4**	**7**	**14**	**19**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	514	5.6	36	1	2	3	7	16	18
18-34	188	7.3	133	1	1	4	8	14	18
35-49	125	8.2	105	1	2	3	6	30	36
50-69	160	10.3	108	2	5	7	10	28	33
70 +	7	19.0							
SUBTOTAL	**995**	**7.1**	**78**	**1**	**2**	**4**	**8**	**17**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**995**	**7.1**	**78**	**1**	**2**	**4**	**8**	**17**	**30**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	150	3.0	5	1	1	3	5	6	8
18-34	29	4.8	15						
35-49	80	9.7	90	1	3	9	12	27	34
50-69	94	6.8	25	3	3	4	9	16	17
70 +	58	5.7	9	1	2	6	9	9	9
410	**5.7**	**33**	**1**	**1**	**4**	**8**	**12**	**17**	
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
410	**5.7**	**33**	**1**	**1**	**4**	**8**	**12**	**17**	

DRG 35: Other Disorders of Nervous System w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	308	4.4	14	1	2	3	6	10	12
70-74	181	4.6	23	1	2	3	6	12	12
75-79	167	6.8	30	3	3	5	8	12	16
80-84	85	7.0	18	4	4	6	11	11	17
85 +	73	4.5	11	1	2	4	6	10	12
SUBTOTAL	**815**	**5.2**	**21**	**1**	**2**	**4**	**7**	**11**	**15**
GRAND TOTAL	**815**	**5.2**	**21**	**1**	**2**	**4**	**7**	**11**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	1470	3.5	62	< 1	1	2	3	6	13
18-34	499	3.2	7	1	1	3	4	7	10
35-49	368	3.2	5	1	2	2	4	7	9
50-69	502	4.1	20	1	1	3	5	9	12
70 +	29	4.1	10						
2867	**3.5**	**37**	**1**	**1**	**2**	**4**	**7**	**12**	
2867	**3.5**	**37**	**1**	**1**	**2**	**4**	**7**	**12**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	874	3.9	85	1	1	2	4	6	11
18-34	110	5.0	19	< 1	1	3	6	13	14
35-49	15	4.7	13						
50-69	72	4.0	22	< 1	1	3	3	17	17
70 +	0								
SUBTOTAL	**1071**	**4.0**	**73**	**1**	**1**	**3**	**4**	**7**	**12**
GRAND TOTAL	**1071**	**4.0**	**73**	**1**	**1**	**3**	**4**	**7**	**12**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	369	4.3	31	1	2	2	4	14	20
18-34	111	3.9	11	1	1	3	5	8	13
35-49	88	3.1	12	1	1	2	3	4	14
50-69	58	2.5	3	1	1	2	3	7	7
70 +	35	2.8	1						
661	**3.8**	**22**	**1**	**1**	**2**	**4**	**8**	**14**	
661	**3.8**	**22**	**1**	**1**	**2**	**4**	**8**	**14**	

DRG 36: Retinal Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	617	2.7	2	1	2	2	3	5	5
70-74	142	3.2	8	1	1	2	4	9	10
75-79	147	2.7	4	1	1	2	4	6	7
80-84	102	2.4	2	1	1	2	3	5	6
85+	15	3.5							
SUBTOTAL	1022	2.7	3	1	2	2	3	5	6
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	882	2.0	1	1	1	2	2	3	4
70-74	589	2.1	2	1	1	2	3	4	5
75-79	293	2.3	8	1	1	2	2	4	5
80-84	233	2.3	4	1	1	2	3	3	4
85+	140	2.2	1	1	2	2	2	3	6
SUBTOTAL	2137	2.1	3	1	1	2	2	3	4
GRAND TOTAL	3160	2.3	3	1	1	2	3	4	5

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	84	2.0	3	1	1	1	3	4	7
18-34	149	2.4	2	1	1	2	3	5	5
35-49	125	2.4	3	1	1	2	3	4	8
50-69	395	3.1	4	1	2	2	4	6	7
70+	15	2.0							
	768	2.7	4	1	1	2	3	5	7
0-17	380	1.7	1	1	1	2	2	3	4
18-34	474	2.0	1	1	1	2	3	3	4
35-49	737	1.9	1	1	1	2	2	3	4
50-69	1462	1.8	1	1	1	1	2	3	4
70+	37	2.0	2						
	3090	1.8	1	1	1	2	2	3	4
	3858	2.0	2	1	1	2	2	4	5

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	30	2.3	1						
18-34	120	3.1	8	1	2	2	3	6	13
35-49	102	3.0	1	2	2	3	4	4	5
50-69	82	3.4	2	2	2	3	4	6	7
70+	0								
SUBTOTAL	335	3.1	4	1	2	3	4	5	6
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	220	1.9	2	1	1	2	2	3	5
18-34	156	2.3	2	1	1	2	3	5	6
35-49	83	2.7	1	2	2	3	3	4	4
50-69	116	2.2	1	1	2	2	3	3	3
70+	0								
SUBTOTAL	576	2.2	2	1	1	2	3	3	5
GRAND TOTAL	911	2.5	3	1	2	2	3	4	5

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	23	18.0	570						
18-34	37	3.2	2						
35-49	15	1.5							
50-69	59	2.7	2	1	2	2	4	5	5
70+	0								
	134	5.3	128	1	2	2	4	6	51
0-17	81	1.8	1	1	1	1	2	3	5
18-34	139	2.6	4	1	1	2	3	6	8
35-49	131	1.7	1	1	1	1	2	3	5
50-69	224	1.9	2	1	1	1	2	3	5
70+	69	1.0		1	1	1	1	1	1
	644	1.9	2	1	1	1	2	4	5
	779	2.5	25	1	1	1	3	4	6

DRG 37: Orbital Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	144	2.8	3	1	1	2	4	6	6
70-74	83	3.2	7	1	2	3	3	5	11
75-79	59	3.2	3	2	2	3	4	7	7
80-84	66	5.5	15	1	3	5	8	14	14
85 +	88	3.1	4	1	2	3	4	4	9
SUBTOTAL	439	3.4	7	1	2	3	4	7	9
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	106	3.9	6	1	1	4	6	8	8
70-74	103	3.7	4	2	2	3	5	7	8
75-79	73	2.7	7	1	1	2	2	10	10
80-84	59	2.3	1	1	1	2	3	4	4
85 +	21	2.4	2						
SUBTOTAL	363	3.2	5	1	2	2	4	7	8
GRAND TOTAL	802	3.3	6	1	2	3	4	7	8

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	83	7.0	34	2	4	5	8	11	24
18-34	110	3.2	5	1	1	3	5	6	9
35-49	118	3.7	7	1	1	3	6	9	9
50-69	97	4.4	12	1	1	3	7	8	12
70 +	0								
	408	4.4	15	1	2	3	6	9	9
0-17	413	2.7	3	1	1	2	4	5	6
18-34	305	2.8	4	1	1	2	4	6	7
35-49	207	2.5	3	1	1	2	3	6	6
50-69	147	2.4	1	1	2	2	3	4	5
70 +	15	5.0	17						
	1087	2.7	3	1	1	2	3	5	6
	1495	3.1	7	1	1	2	4	6	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	23	4.0	13						
18-34	74	5.2	12	2	3	5	6	10	13
35-49	60	6.8	14	2	3	7	9	13	13
50-69	37	3.2	12						
70 +	0								
SUBTOTAL	194	5.2	14	1	2	4	8	11	13
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	203	2.7	4	1	1	2	4	6	6
18-34	121	3.2	2	2	2	3	4	5	5
35-49	30	2.8	4						
50-69	29	3.8	8						
70 +	8	2.0							
SUBTOTAL	391	2.9	4	1	1	2	4	6	6
GRAND TOTAL	585	3.7	8	1	2	3	5	8	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	22.7	267						
18-34	89	4.2	4	1	2	4	6	6	8
35-49	23	3.0	5						
50-69	15	10.7	22						
70 +	0								
	156	8.2	108	1	3	5	6	19	36
0-17	90	2.8	11	1	1	2	3	4	13
18-34	148	2.5	3	1	1	2	3	6	6
35-49	37	2.4	2						
50-69	44	1.7	1	1	1	2	2	3	3
70 +	0								
	318	2.5	5	1	1	2	3	5	6
	475	4.3	46	1	1	2	5	6	15

DRG 38: Primary Iris Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	53	2.2	1	1	1	3	3	3	3
70-74	22	4.3	3						
75-79	28	1.8	1						
80-84	15	1.5							
85 +	0								
SUBTOTAL	118	2.4	2	1	1	2	3	5	6
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	60	3.8	7	1	2	3	5	10	10
70-74	37	1.6	1						
75-79	15	2.0	1						
80-84	28	2.3	1						
85 +	0								
SUBTOTAL	140	2.7	4	1	1	2	3	5	10
GRAND TOTAL	258	2.6	3	1	1	2	3	5	6

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	1.0							
18-34	0								
35-49	0								
50-69	22	4.3	4						
70 +	0								
	30	3.4	5						
0-17	15	1.0							
18-34	8	3.0							
35-49	23	1.3							
50-69	44	1.8		1	1	2	2	3	3
70 +	0								
	90	1.7	1	1	1	2	2	3	3
	120	2.1	2	1	1	2	2	4	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	15	1.5							
35-49	0								
50-69	7	7.0							
70 +	0								
SUBTOTAL	22	3.2	7						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	22	3.2	7						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	30	2.3	1						
18-34	0								
35-49	0								
50-69	7	2.0							
70 +	0								
	37	2.2	1						
	37	2.2	1						

DRG 39: Lens Procedures with or without Vitrectomy

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	160	3.5	16	1	1	2	4	8	14
70-74	44	2.7	4	1	1	2	5	6	6
75-79	109	2.8	12	1	1	1	2	8	14
80-84	161	2.7	13	<1	1	1	3	5	11
85+	106	1.9	3	<1	1	1	2	3	8
SUBTOTAL	581	2.8	11	<1	1	2	3	6	13
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	157	1.4	1	<1	<1	1	1	2	4
70-74	294	1.6	2	<1	<1	1	2	3	5
75-79	291	1.1		<1	<1	1	1	2	2
80-84	275	1.4	3	<1	<1	<1	1	2	2
85+	276	1.1		<1	<1	1	1	2	2
SUBTOTAL	1293	1.3	1	<1	<1	1	1	2	2
GRAND TOTAL	1874	1.8	5	<1	<1	1	2	3	5

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	23	2.3	2						
18-34	0								
35-49	38	2.2							
50-69	87	2.6	8	<1	1	2	3	4	11
70+	8	1.0							
	156	2.4	5	1	1	2	2	4	9
	144	1.2		1	1	1	1	2	3
	15	1.5							
	29	1.3							
	179	1.3		<1	<1	1	1	2	3
	21	1.3							
	388	1.2		<1	1	1	1	2	3
	544	1.6	2	<1	1	1	2	3	3

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	15	5.0	1						
18-34	7	1.0							
35-49	8	2.0							
50-69	30	1.5							
70+	0								
SUBTOTAL	60	2.4	3	1	1	2	4	6	6
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	53	1.9	1	1	1	2	2	4	4
18-34	15	2.5							
35-49	7	1.0							
50-69	28	1.7	1						
70+	0								
SUBTOTAL	104	1.9	1	1	1	2	2	3	4
GRAND TOTAL	163	2.1	2	1	1	2	2	4	5

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	7	3.0							
35-49	0								
50-69	21	1.3							
70+	7	1.0							
	35	1.6	1						
	38	1.2							
	0								
	0								
	21	3.0	5						
	58	1.0		1	1	1	1	1	1
	117	1.4	1	1	1	1	1	2	6
	152	1.5	1	1	1	1	1	2	3

DRG 40: Extraocular Procedures except Orbit Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	90	5.7	41	2	2	3	7	10	25
70-74	58	7.4	23	< 1	3	8	11	15	15
75-79	73	5.3	84	1	1	2	4	7	33
80-84	44	3.1	2	1	2	3	5	5	5
85 +	36	8.1	14						
SUBTOTAL	301	5.8	41	1	2	3	7	13	18
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	119	1.8	1	< 1	1	2	2	3	5
70-74	82	3.4	8	1	1	3	4	6	11
75-79	104	4.5	10	1	1	4	6	10	10
80-84	52	2.1	1	1	1	2	3	4	4
85 +	82	3.1	9	1	1	2	5	6	11
SUBTOTAL	438	3.0	7	1	1	2	4	6	10
GRAND TOTAL	739	4.2	23	1	1	2	5	10	12

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	51	3.7	5	1	2	3	6	8	8
35-49	80	3.5	3	< 1	2	3	5	6	7
50-69	74	7.6	93	1	1	4	12	31	33
70 +	0								
	204	5.0	40	< 1	2	3	6	12	13
0-17	0								
18-34	252	2.7	11	1	1	1	2	5	12
35-49	179	2.8	10	1	1	2	3	6	7
50-69	205	2.9	5	1	1	2	4	8	8
70 +	8	1.0							
	644	2.8	9	1	1	2	3	6	8
	848	3.3	17	1	1	2	4	7	12

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	37	3.5	9						
35-49	15	5.0							
50-69	8	15.0						–	
70 +	0								
SUBTOTAL	60	5.3	20	1	2	5	9	15	15
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	66	2.3	4	< 1	1	1	3	6	7
35-49	45	2.1	1	< 1	1	1	3	4	4
50-69	0								
70 +	0								
SUBTOTAL	111	2.2	3	< 1	1	1	3	4	7
GRAND TOTAL	171	3.3	11	1	1	2	4	7	9

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	22	6.4	30						
35-49	37	7.8	36						
50-69	0								
70 +	8	1.0							
	66	6.6	34	1	4	5	6	19	20
0-17	0								
18-34	149	1.7	4	< 1	1	1	2	3	10
35-49	50	3.4	16	1	1	2	4	14	14
50-69	81	1.6	1	1	1	1	2	3	5
70 +	45	1.5	1	1	1	1	1	4	4
	335	2.0	6	< 1	1	1	2	4	5
	401	2.7	13	1	1	1	4	5	14

DRG 41: Extraocular Procedures except Orbit Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	113	2.0	1	1	1	1	3	4	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	113	2.0	1	1	1	1	3	4	4
0-17	746	1.5	2	1	1	1	1	3	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	746	1.5	2	1	1	1	1	3	6
	858	1.6	2	1	1	1	1	3	5

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	38	3.2	2						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	38	3.2	2						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	429	1.7	6	1	1	1	1	3	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	429	1.7	6	1	1	1	1	3	4
GRAND TOTAL	467	1.9	6	1	1	1	2	4	4

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	15	1.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	15	1.0							
0-17	203	1.3	1	1	1	1	1	2	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	203	1.3	1	1	1	1	1	2	3
	218	1.3		1	1	1	1	2	3

DRG 42: Intraocular Procedures except Retina, Iris & Lens

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	649	3.4	11	1	2	3	4	6	9
70-74	389	3.0	7	1	2	2	3	6	8
75-79	564	3.2	5	2	2	2	4	6	8
80-84	376	3.0	2	2	2	2	4	5	6
85 +	260	3.1	9	1	2	2	4	6	13
SUBTOTAL	2236	3.2	7	1	2	2	4	6	8
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1275	2.8	6	1	2	2	3	4	6
70-74	1158	2.2	2	1	1	2	3	3	5
75-79	1173	2.4	2	1	2	2	3	4	6
80-84	767	2.5	3	1	2	2	3	4	5
85 +	561	2.5	3	1	1	2	4	5	6
SUBTOTAL	4934	2.5	3	1	2	2	3	4	5
GRAND TOTAL	7171	2.7	4	1	2	2	3	5	6

TYPE OF PATIENT	BLUE CROSS PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	60	2.1	2	<1	1	2	3	4	4
18-34	119	2.3	8	1	1	1	2	5	12
35-49	152	2.9	3	1	2	2	4	5	6
50-69	356	3.0	4	1	1	3	4	6	7
70 +	15	3.5							
	703	2.8	4	1	1	2	4	5	6
0-17	657	2.6	4	1	1	2	3	5	6
18-34	356	2.2	4	1	1	1	3	5	7
35-49	599	2.0	2	1	1	2	2	4	4
50-69	1034	2.2	3	1	1	2	3	4	6
70 +	68	2.6	1	1	2	2	3	5	5
	2714	2.3	3	1	1	2	3	4	6
	3417	2.4	3	1	1	2	3	4	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	30	8.3	50						
18-34	91	2.6	3	1	2	2	4	4	7
35-49	53	5.7	21	2	2	5	7	16	16
50-69	83	6.1	45	1	1	4	10	12	24
70 +	0								
SUBTOTAL	257	5.1	29	1	2	3	5	12	20
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	272	2.4	3	1	1	2	3	5	7
18-34	166	2.5	2	1	1	3	3	4	5
35-49	59	2.8	2	1	2	3	3	6	6
50-69	44	2.2	2	1	1	2	4	4	4
70 +	0								
SUBTOTAL	541	2.5	3	1	1	2	3	5	6
GRAND TOTAL	798	3.3	13	1	1	2	4	6	9

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	23	2.0	1						
18-34	82	3.0	1	1	3	3	4	4	5
35-49	22	5.4	17						
50-69	29	3.0	1						
70 +	15	1.0							
	171	3.0	4	1	2	3	3	4	5
0-17	217	3.4	3	1	2	3	5	6	6
18-34	199	2.5	3	1	1	2	4	5	5
35-49	52	3.0	3	1	1	3	4	6	6
50-69	138	2.3	3	1	1	1	3	5	7
70 +	78	1.7	2	1	1	1	2	2	6
	684	2.7	3	1	1	2	4	5	6
	855	2.8	3	1	1	2	4	5	6

DRG 43: Hyphema

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	14	8.0	27						
70-74	7	2.0							
75-79	7	7.0							
80-84	0								
85 +	0								
SUBTOTAL	28	6.3	19						
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	15	5.0							
70-74	8	4.0							
75-79	0								
80-84	0								
85 +	8	4.0							
SUBTOTAL	30	4.5							
GRAND TOTAL	58	5.3	10	2	4	4	5	13	13

TYPE OF PATIENT	BLUE CROSS PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	36	3.6	1						
18-34	42	2.8	3	< 1	1	2	5	5	5
35-49	7	1.0							
50-69	8	6.0							
70 +	0								
	93	3.3	3	< 1	2	3	5	5	6
0-17	481	4.0	4	1	2	4	5	6	7
18-34	130	3.6	3	1	2	4	5	6	6
35-49	73	3.7	3	1	3	4	4	7	7
50-69	52	5.1	3	3	3	5	7	8	8
70 +	0								
	735	4.0	4	1	3	4	5	6	7
	828	3.9	4	1	2	4	5	6	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	15	5.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	15	5.0							
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	138	3.9	2	2	3	4	5	5	6
18-34	37	3.4	1						
35-49	15	1.5							
50-69	7	5.0							
70 +	0								
SUBTOTAL	197	3.7	2	2	3	4	5	5	5
GRAND TOTAL	211	3.8	2	2	3	4	5	5	5

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	21	4.0	2						
18-34	45	3.5	1	3	3	3	4	5	5
35-49	0								
50-69	8	5.0							
70 +	0								
	73	3.8	1	3	3	4	5	5	5
0-17	143	3.6	4	< 1	1	4	5	6	7
18-34	73	4.6	1	3	4	5	5	6	6
35-49	15	4.5							
50-69	8	3.0							
70 +	0								
	239	3.9	3	1	3	5	5	6	6
	313	3.9	3	1	3	4	5	6	6

DRG 44: Acute Major Eye Infections

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	80	7.2	20	3	4	4	11	14	14
70-74	37	6.2	3						
75-79	36	7.6	11						
80-84	59	7.0	25	<1	5	6	8	19	19
85 +	43	7.5	8	3	5	8	9	12	12
SUBTOTAL	255	7.1	15	3	4	6	9	12	14
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	43	5.2	2	3	4	5	6	7	7
70-74	44	4.6	5	3	3	3	6	9	9
75-79	30	6.2	8						
80-84	58	5.1	2	3	4	5	7	7	7
85 +	21	5.0	1						
SUBTOTAL	195	5.2	3	3	4	5	6	8	9
GRAND TOTAL	450	6.3	11	3	4	6	8	11	13

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	442	4.6	4	3	3	4	6	9	9
18-34	37	6.7	11						
35-49	28	3.5	1						
50-69	79	8.8	160	3	4	5	5	28	47
70 +	15	7.0	17						
	602	5.3	27	3	3	4	6	9	10
	1838	3.2	5	1	2	3	4	5	6
	227	4.4	8	2	3	3	4	10	11
	161	4.2	4	2	3	4	5	7	8
	111	4.2	7	2	3	4	5	6	13
	0								
	2337	3.4	6	2	2	3	4	6	8
	2939	3.8	11	2	2	3	4	6	9

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	180	4.2	5	2	2	3	6	8	9
18-34	14	1.5							
35-49	22	9.8	83						
50-69	21	11.2	49						
70 +	0								
SUBTOTAL	237	5.2	23	2	2	4	6	9	21
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	682	3.4	3	2	2	3	4	5	6
18-34	51	3.3	3	2	2	3	4	7	7
35-49	29	2.7	1						
50-69	7	4.0							
70 +	0								
SUBTOTAL	769	3.4	3	2	2	3	4	5	6
GRAND TOTAL	1006	3.8	8	2	2	3	4	6	8

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	74	3.4	3	1	2	3	4	7	7
18-34	28	5.4	7						
35-49	22	5.7	2						
50-69	22	5.1	9						
70 +	7	6.0							
	154	4.5	6	2	3	4	6	7	9
	725	3.3	3	2	2	3	4	5	7
	95	3.1	3	1	2	3	4	4	8
	29	3.7	3						
	8	3.0							
	0								
	857	3.3	3	2	2	3	4	5	7
	1011	3.4	3	2	2	3	4	6	8

DRG 45: Neurological Eye Disorders

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	190	3.3	4	1	2	3	5	6	6
70-74	102	5.4	8	2	3	6	7	9	10
75-79	86	5.3	6	2	4	5	8	8	9
80-84	58	4.6	4	2	3	4	7	8	8
85 +	29	3.8	1						
SUBTOTAL	465	4.4	6	1	2	4	6	8	9
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	118	3.5	6	1	2	3	6	8	8
70-74	103	3.7	5	2	2	3	5	6	10
75-79	45	2.2	1	1	1	2	3	4	4
80-84	8	1.0							
85 +	21	2.0	2						
SUBTOTAL	296	3.2	5	1	2	2	5	7	8
GRAND TOTAL	760	3.9	6	1	2	4	5	8	8

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	38	2.2	3						
18-34	66	3.2	4	1	1	3	4	7	7
35-49	51	3.6	4	1	1	3	6	6	6
50-69	147	5.1	13	2	3	4	6	12	14
70 +	7	3.0							
SUBTOTAL	309	4.0	9	1	2	3	5	7	9
0-17	84	2.2	1	1	1	2	3	3	4
18-34	80	3.3	3	1	2	3	5	6	7
35-49	157	3.1	5	1	2	3	4	7	9
50-69	183	3.2	5	1	1	3	5	5	6
70 +	0								
SUBTOTAL	505	3.1	4	1	1	3	4	6	7
GRAND TOTAL	814	3.5	6	1	2	3	5	6	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	8	11.0							
35-49	15	6.5							
50-69	28	5.8	2						
70 +	0								
SUBTOTAL	51	6.8	4	4	5	7	7	11	11
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	30	4.8	4						
18-34	15	2.5							
35-49	30	3.0	4						
50-69	15	7.5	22						
70 +	0								
SUBTOTAL	91	4.3	9	2	2	3	6	7	12
GRAND TOTAL	143	5.2	9	2	3	5	7	11	12

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	8	8.0							
35-49	0								
50-69	15	2.0							
70 +	7	2.0							
SUBTOTAL	30	3.5	7						
0-17	8	1.0							
18-34	60	2.5	6	1	1	1	6	7	7
35-49	60	2.1	2	< 1	1	1	3	5	5
50-69	21	1.4							
70 +	21	3.7	4						
SUBTOTAL	170	2.3	4	1	1	1	4	5	6
GRAND TOTAL	200	2.5	4	1	1	1	4	6	7

DRG 46: Other Disorders of the Eye Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	229	6.1	32	1	2	5	7	11	18
70-74	161	7.0	33	2	3	6	8	15	21
75-79	168	5.9	26	2	3	4	8	11	13
80-84	104	5.6	19	1	2	4	8	12	16
85 +	110	4.5	10	1	2	4	7	10	11
SUBTOTAL	773	5.9	27	1	2	5	7	11	17
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	773	5.9	27	1	2	5	7	11	17

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	66	4.3	7	1	3	4	5	9	9
35-49	102	6.5	25	2	2	5	10	13	18
50-69	140	6.8	26	2	3	5	8	15	21
70 +	7	3.0							
	315	6.1	22	2	2	5	8	13	15
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	315	6.1	22	2	2	5	8	13	15

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	127	9.0	40	1	4	7	14	19	22
35-49	68	8.4	47	1	2	8	14	21	21
50-69	30	3.0	4						
70 +	0								
SUBTOTAL	224	8.0	41	1	2	6	14	19	21
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	224	8.0	41	1	2	6	14	19	21

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	57	4.1	27	<1	1	1	10	15	15
35-49	30	3.5	6						
50-69	28	4.0	3						
70 +	52	6.2	9	3	4	5	10	11	11
	167	4.6	14	1	2	4	6	10	12
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	167	4.6	14	1	2	4	6	10	12

DRG 47: Other Disorders of the Eye Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	233	4.4	9	1	1	2	4	9	10
70-74	89	4.0	10	1	1	4	7	8	11
75-79	137	2.8	3	1	1	2	4	6	6
80-84	86	4.5	9	2	2	4	6	6	13
85 +	87	5.2	15	2	3	4	7	8	16
SUBTOTAL	631	3.8	9	1	2	3	5	8	10
GRAND TOTAL	631	3.8	9	1	2	3	5	8	10

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	199	2.5	3	< 1	1	2	4	5	6
35-49	147	3.1	4	1	2	2	4	7	7
50-69	210	3.5	8	< 1	1	3	4	8	10
70 +	8	1.0							
	564	3.0	5	< 1	1	2	4	7	8
	564	3.0	5	< 1	1	2	4	7	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	97	3.2	5	2	2	2	3	4	10
35-49	22	3.3	2						
50-69	22	2.3							
70 +	8	2.0							
SUBTOTAL	149	3.0	3	2	2	2	3	5	10
GRAND TOTAL	149	3.0	3	2	2	2	3	5	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	108	2.6	9	1	1	2	2	5	13
35-49	88	2.9	2	2	2	3	3	4	6
50-69	45	4.8	16	< 1	2	3	8	12	12
70 +	28	9.1	109						
	269	3.8	22	1	1	2	4	8	13
	269	3.8	22	1	1	2	4	8	13

DRG 48: Other Disorders of the Eye Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	8	2.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	8	2.0							
GRAND TOTAL	8	2.0							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	210	3.3	10	1	1	2	4	6	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	210	3.3	10	1	1	2	4	6	11
0-17	753	2.8	6	1	1	2	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	753	2.8	6	1	1	2	3	5	6
	963	2.9	7	1	1	2	3	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	133	3.4	2	2	2	3	5	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	133	3.4	2	2	2	3	5	5	6
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	552	3.5	7	1	2	3	5	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	552	3.5	7	1	2	3	5	6	8
GRAND TOTAL	685	3.5	6	1	2	3	5	6	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	91	3.0	2	1	2	3	4	4	6
18-34	0								
35-49	0								
50-69	0								-
70 +	0								
	91	3.0	2	1	2	3	4	4	6
0-17	687	3.1	3	1	2	3	4	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	687	3.1	3	1	2	3	4	5	6
	779	3.1	3	1	2	3	4	5	6

DRG 49: Major Head & Neck Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	149	12.2	125	3	6	8	15	35	45
70-74	120	11.2	86	3	5	8	17	26	36
75-79	68	6.0	15	1	4	4	7	13	13
80-84	66	8.8	59	2	4	8	10	23	29
85 +	15	5.1	10						
SUBTOTAL	417	10.1	87	2	4	7	13	23	35
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	96	4.8	17	1	2	3	6	13	13
70-74	111	4.1	19	1	1	3	5	8	19
75-79	23	1.7	1						
80-84	7	6.0							
85 +	8	1.0							
SUBTOTAL	244	4.1	17	1	1	3	5	8	13
GRAND TOTAL	661	7.9	69	1	3	5	10	19	26

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	9.0							
18-34	7	3.0							
35-49	74	7.0	69	1	2	4	5	23	25
50-69	199	6.6	16	2	4	7	8	13	14
70 +	7	4.0							
	294	6.7	28	2	3	5	8	13	16
0-17	189	2.4	4	1	1	2	3	6	6
18-34	111	2.3	2	1	1	2	3	5	6
35-49	111	1.9	2	1	1	1	3	3	6
50-69	203	5.1	12	1	2	4	7	11	13
70 +	0								
	614	3.2	8	1	1	2	4	6	9
	908	4.3	17	1	1	3	6	9	13

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	8	6.0							
50-69	22	12.3	120						
70 +	0								
SUBTOTAL	30	10.7	96						
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	30	3.3	5						
18-34	0								
35-49	15	8.0	17						
50-69	8	5.0							
70 +	0								
SUBTOTAL	53	4.9	12	1	2	4	7	12	12
GRAND TOTAL	83	6.9	49	2	3	5	7	12	27

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	7	5.0							
50-69	30	8.5	24						
70 +	15	13.0	1						
	52	9.4	21	3	5	8	14	16	16
0-17	8	1.0							
18-34	59	3.4	6	1	2	2	4	9	9
35-49	30	3.3	8						
50-69	22	2.3	2						
70 +	23	1.0							
	141	2.7	5	1	1	2	4	8	9
	193	4.5	18	1	1	2	7	12	14

DRG 50: Sialoadenectomy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	170	2.7	3	1	2	2	3	5	5
70-74	92	3.6	4	2	3	3	4	7	8
75-79	73	3.5	6	1	2	3	5	8	8
80-84	74	3.1	3	2	2	3	5	6	6
85 +	28	6.4	9						
SUBTOTAL	437	3.3	5	1	2	3	4	7	8
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	350	2.4	10	1	1	2	2	3	5
70-74	367	1.9	1	1	1	2	2	3	4
75-79	147	2.5	1	1	2	2	3	4	5
80-84	89	1.9		1	1	2	2	3	3
85 +	57	1.9	2	1	1	2	2	5	5
SUBTOTAL	1009	2.2	4	1	1	2	2	3	4
GRAND TOTAL	1446	2.5	5	1	1	2	3	5	6

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	21	3.6	6						
35-49	80	2.7	7	1	1	2	3	7	9
50-69	147	3.3	10	1	1	2	4	7	15
70 +	0								
SUBTOTAL	248	3.2	9	1	1	2	4	7	9
0-17	127	1.5		1	1	1	2	3	3
18-34	446	1.8	3	1	1	1	2	3	7
35-49	831	1.6	1	1	1	1	2	3	3
50-69	1027	1.8	1	1	1	2	2	3	3
70 +	8	3.0							
SUBTOTAL	2438	1.7	1	1	1	1	2	3	3
GRAND TOTAL	2686	1.9	2	1	1	2	2	3	4

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	22	1.7							
35-49	0								
50-69	28	2.7	1						
70 +	0								
SUBTOTAL	51	2.3	1	1	2	2	3	4	4
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	30	2.0	1						
18-34	66	2.9	5	1	1	2	3	8	8
35-49	45	1.3		1	1	1	2	2	2
50-69	35	4.6	2						
70 +	0								
SUBTOTAL	176	2.7	4	1	1	2	4	5	7
GRAND TOTAL	226	2.6	3	1	1	2	3	5	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	15	1.5							
70 +	0								
SUBTOTAL	15	1.5							
0-17	30	1.5							
18-34	87	2.1	10	1	1	1	2	2	12
35-49	159	1.5		1	1	2	2	2	2
50-69	123	1.4		1	1	1	2	2	2
70 +	22	1.3							
SUBTOTAL	421	1.6	2	1	1	1	2	2	2
GRAND TOTAL	436	1.6	2	1	1	1	2	2	2

DRG 51: Salivary Gland Procedures except Sialoadenectomy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	21	1.7							
70-74	8	7.0							
75-79	15	1.5							
80-84	14	3.5	2						
85 +	7	2.0							
SUBTOTAL	64	2.7	4	1	2	2	2	7	7
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	36	1.4							
70-74	44	2.7	4	1	1	2	3	7	7
75-79	8	1.0							
80-84	8	3.0							
85 +	0								
SUBTOTAL	96	2.1	3	1	1	2	2	3	7
GRAND TOTAL	160	2.3	3	1	1	2	2	5	7

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	8	10.0							
35-49	23	1.7							
50-69	0								
70 +	0								
SUBTOTAL	30	3.8	14						
0-17	22	1.6	1						
18-34	67	1.8	1	1	1	2	2	4	4
35-49	79	1.4		1	1	1	2	2	2
50-69	114	1.9	1	1	1	2	2	3	5
70 +	0								
SUBTOTAL	283	1.7	1	1	1	2	2	3	4
GRAND TOTAL	313	1.9	2	1	1	2	2	3	4

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	15	2.0	1						
18-34	7	1.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	22	1.7	1						
GRAND TOTAL	22	1.7	1						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	7	10.0							
35-49	7	1.0							
50-69	8	2.0							
70 +	0								
SUBTOTAL	21	4.3	17						
0-17	8	1.0							
18-34	14	1.0							
35-49	8	1.0							
50-69	0								
70 +	0								
SUBTOTAL	29	1.0							
GRAND TOTAL	51	2.4	10	1	1	1	2	10	10

DRG 52: Cleft Lip & Palate Repair

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	8	16.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	8	16.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	23	4.3	17						
70-74	8	3.0							
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	30	4.0	13						
GRAND TOTAL	38	6.4	34						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	205	4.3	45	1	2	2	4	6	11
18-34	0								
35-49	15	2.0							
50-69	7	3.0							
70 +	0								
	226	4.1	41	1	2	2	4	6	11
0-17	4429	1.9	3	1	1	2	2	4	4
18-34	113	2.3	1	1	1	2	4	4	4
35-49	152	2.0	1	1	1	2	2	3	3
50-69	153	2.4	1	1	1	2	3	4	4
70 +	0								
	4848	2.0	2	1	1	2	2	4	4
	5074	2.1	4	1	1	2	2	4	5

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	53	4.7	27	2	2	2	5	17	17
18-34	8	9.0							
35-49	7	2.0							
50-69	0								
70 +	0								
SUBTOTAL	67	4.9	24	2	2	2	5	17	17
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1273	2.2	2	1	1	2	3	5	5
18-34	30	1.8							
35-49	0								
50-69	0								
70 +	8	1.0							
SUBTOTAL	1311	2.2	2	1	1	2	3	4	5
GRAND TOTAL	1378	2.3	3	1	1	2	3	5	5

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	53	2.9	3	1	1	2	5	6	6
18-34	0								
35-49	7	2.0							
50-69	7	2.0							
70 +	0								
	66	2.7	3	1	2	2	3	6	6
0-17	915	2.6	2	1	1	2	4	5	5
18-34	29	2.9	6						
35-49	29	1.3							
50-69	23	1.7	1						
70 +	0								
	990	2.5	2	1	1	2	3	5	5
	1056	2.5	2	1	1	2	3	5	5

DRG 53: Sinus & Mastoid Procedures Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	256	3.6	15	1	1	2	4	10	13
70-74	146	3.3	7	1	1	2	4	9	9
75-79	66	5.2	24	1	2	3	5	15	15
80-84	45	4.7	7	2	2	4	7	9	9
85+	7	14.0							
SUBTOTAL	520	4.0	14	1	1	3	4	10	13
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	670	2.0	5	1	1	1	2	4	5
70-74	303	2.0	2	1	1	1	2	5	5
75-79	247	2.1	3	1	1	1	3	4	5
80-84	87	1.6	3	1	1	1	1	3	7
85+	57	1.9	2	1	1	1	3	4	4
SUBTOTAL	1363	2.0	4	1	1	1	2	4	5
GRAND TOTAL	1883	2.5	8	1	1	1	3	5	9

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	169	5.6	19	1	2	5	8	11	15
35-49	162	2.9	10	1	1	2	3	7	10
50-69	191	4.2	16	1	1	2	6	10	11
70+	7	1.0							
	529	4.2	16	1	1	2	6	10	15
	0								
	1882	1.5	2	1	1	1	1	2	4
	2092	1.5	1	1	1	1	2	2	3
	1708	1.6	2	1	1	1	2	3	4
	7	1.0							
	5689	1.5	1	1	1	1	2	2	4
	6218	1.7	3	1	1	1	2	3	5

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	6	3.6	10	1	1	2	5	9	9
35-49	51	5.2	22	1	2	3	8	15	15
50-69	50	8.7	142	1	1	2	14	36	36
70+	0								
SUBTOTAL	168	5.6	57	1	1	2	8	14	15
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	230	1.4	1	1	1	1	2	3	4
35-49	161	1.4		1	1	1	2	2	3
50-69	80	2.5	4	1	1	2	3	6	7
70+	0								
SUBTOTAL	471	1.6	1	1	1	1	2	3	4
GRAND TOTAL	639	2.7	19	1	1	1	2	5	9

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	44	5.9	20	2	3	3	8	15	15
35-49	15	1.5							
50-69	52	4.6	14	1	1	3	10	10	10
70+	0								
	110	4.7	16	1	2	3	8	10	15
	0								
	508	1.5	2	1	1	1	1	2	4
	458	1.2		1	1	1	1	2	2
	254	1.4	1	1	1	1	2	2	3
	38	1.0							
	1257	1.4	1	1	1	1	1	2	3
	1367	1.6	3	1	1	1	1	3	4

DRG 54: Sinus & Mastoid Procedures Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	235	3.5	10	1	1	3	5	9	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	235	3.5	10	1	1	3	5	9	10
	2237	1.5	3	1	1	1	1	2	5
	2472	1.7	4	1	1	1	1	3	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	53	3.7	14	1	1	2	6	12	12
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	53	3.7	14	1	1	2	6	12	12
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	500	2.0	6	1	1	1	1	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	500	2.0	6	1	1	1	1	5	7
GRAND TOTAL	553	2.2	7	1	1	1	2	5	9

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	60	4.5	15	1	1	2	9	10	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	60	4.5	15	1	1	2	9	10	10
	420	1.5	2	1	1	1	1	2	7
	480	1.9	5	1	1	1	1	4	8

DRG 55: Miscellaneous Ear, Nose, Mouth & Throat Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	221	4.4	28	1	1	2	5	14	15
70-74	67	7.3	217	1	1	2	4	48	48
75-79	21	4.0	6						
80-84	15	13.5	118						
85 +	0								
SUBTOTAL	324	5.4	72	1	1	2	5	15	21
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	430	2.0	3	1	1	1	2	4	7
70-74	175	2.3	3	1	1	2	3	5	6
75-79	109	2.0	3	1	1	1	2	5	7
80-84	95	1.6	3	1	1	1	1	2	7
85 +	15	10.5	97						
SUBTOTAL	825	2.2	6	1	1	1	2	5	7
GRAND TOTAL	1149	3.1	27	1	1	1	3	7	9

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	263	4.4	20	1	1	2	7	12	15
18-34	146	4.3	36	1	1	4	4	5	10
35-49	185	4.0	20	1	1	3	5	9	10
50-69	147	3.0	5	1	1	2	5	6	9
70 +	8	18.0							
	748	4.2	22	1	1	3	5	9	15
0-17	2808	1.8	5	1	1	1	1	3	6
18-34	1464	1.3	1	1	1	1	1	2	3
35-49	1394	1.4	2	1	1	1	1	2	3
50-69	994	1.5	1	1	1	1	2	2	4
70 +	0								
	6660	1.5	3	1	1	1	1	2	4
	7408	1.8	5	1	1	1	2	3	5

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	159	9.7	54	2	3	10	18	23	27
18-34	37	6.5	19						
35-49	23	7.0	53						
50-69	14	12.0	69						
70 +	7	6.0							
SUBTOTAL	239	9.0	49	2	3	7	14	20	23
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	809	2.5	12	1	1	1	2	6	9
18-34	201	1.6	2	< 1	1	1	2	3	6
35-49	109	2.2	9	1	1	1	1	9	10
50-69	44	1.5	1	1	1	1	2	3	3
70 +	0								
SUBTOTAL	1163	2.3	10	1	1	1	2	5	9
GRAND TOTAL	1402	3.4	23	1	1	1	3	10	18

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	91	10.6	118	1	2	5	21	28	33
18-34	49	3.7	8	1	1	3	5	10	10
35-49	36	3.9	3						
50-69	37	2.3	3						
70 +	0								
	213	6.4	66	1	1	3	6	21	28
0-17	576	1.6	4	1	1	1	1	3	4
18-34	328	1.4	1	1	1	1	1	3	3
35-49	361	1.2		1	1	1	1	2	2
50-69	217	1.1		1	1	1	1	1	2
70 +	22	1.3							
	1504	1.4	2	1	1	1	1	2	3
	1717	2.0	12	1	1	1	1	3	5

DRG 56: Rhinoplasty

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	50	1.9	1	1	1	1	3	4	4
70-74	15	6.5	22						
75-79	7	16.0							
80-84	15	3.5							
85 +	7	11.0							
SUBTOTAL	94	4.6	22	1	1	3	4	11	16
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	186	1.7	2	1	1	1	2	4	6
70-74	45	2.8	2	1	2	3	4	5	5
75-79	14	4.5	2						
80-84	14	1.0							
85 +	7	8.0							
SUBTOTAL	266	2.2	3	1	1	1	3	6	6
GRAND TOTAL	360	2.8	9	1	1	1	3	6	11

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	29	2.0	3						
18-34	44	1.5		1	1	1	2	2	2
35-49	87	3.3	12	1	1	2	8	9	10
50-69	58	3.8	7	1	3	3	8	8	8
70 +	0								
	218	2.9	8	1	1	2	3	8	9
0-17	489	1.5	1	1	1	1	1	3	3
18-34	1211	1.3	1	1	1	1	1	2	3
35-49	923	1.3		1	1	1	1	2	3
50-69	444	1.7	2	1	1	1	2	3	6
70 +	0								
	3068	1.4	1	1	1	1	1	2	3
	3285	1.5	2	1	1	1	1	3	3

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	15	5.7	22						
35-49	8	4.0							
50-69	0								
70 +	0								
SUBTOTAL	22	5.1	15						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	88	1.8	4	1	1	1	2	3	8
18-34	123	1.2		1	1	1	1	2	3
35-49	51	1.2		< 1	1	1	1	2	2
50-69	7	1.0							
70 +	0								
SUBTOTAL	268	1.4	1	1	1	1	1	2	3
GRAND TOTAL	290	1.7	3	1	1	1	1	3	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	36	2.3	4						
35-49	22	8.0	9						
50-69	14	2.5	2						
70 +	0								
	72	4.1	12	1	1	4	6	11	11
0-17	96	1.9	2	1	1	1	2	4	6
18-34	295	1.1		1	1	1	1	2	2
35-49	115	1.4	1	1	1	1	2	2	4
50-69	112	1.1		1	1	1	1	1	2
70 +	15	1.0							
	633	1.3	1	1	1	1	1	2	3
	705	1.6	2	1	1	1	1	3	4

DRG 57: T&A Proc, except Tonsillectomy &/or Adenoidectomy Only, Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	37	10.9	41						
70-74	0								
75-79	37	4.2	1						
80-84	7	3.0							
85 +	8	8.0							
SUBTOTAL	88	7.2	28	3	3	5	13	16	18
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	78	2.5		2	2	3	3	3	3
70-74	15	2.5							
75-79	8	1.0							
80-84	8	2.0							
85 +	0								
SUBTOTAL	108	2.4		2	2	2	3	3	3
GRAND TOTAL	196	4.6	18	2	2	3	5	13	16

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	171	2.9	3	1	2	3	4	4	4
35-49	63	4.4	9	1	3	3	5	11	11
50-69	67	3.2	3	1	2	3	4	7	7
70 +	0								
	301	3.3	4	1	2	3	4	6	8
0-17	0								
18-34	858	2.0	1	1	1	2	3	3	5
35-49	370	2.2	2	1	1	2	3	4	5
50-69	169	2.8	5	1	1	2	3	5	8
70 +	0								
	1397	2.2	2	1	1	2	3	4	5
	1698	2.4	3	1	1	2	3	4	5

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	60	3.3	8	1	1	2	5	9	9
35-49	22	2.0	1						
50-69	0								
70 +	0								
SUBTOTAL	82	3.0	6	1	1	2	3	7	9
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	174	2.4	1	1	2	2	3	4	4
35-49	23	2.7	3						
50-69	8	3.0							
70 +	0								
SUBTOTAL	204	2.4	1	1	2	2	3	4	4
GRAND TOTAL	286	2.6	3	1	1	2	3	4	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	100	3.4	3	1	2	4	5	6	6
35-49	22	3.7	4						
50-69	14	12.5	78						
70 +	0								
	136	4.4	18	1	2	4	5	6	16
0-17	0								
18-34	334	2.1	1	1	1	2	3	4	4
35-49	108	2.4	4	1	1	2	3	5	8
50-69	51	1.6	1	1	1	1	2	3	3
70 +	0								
	492	2.1	2	1	1	2	3	4	5
	628	2.6	6	1	1	2	3	5	6

DRG 58: T&A Proc, except Tonsillectomy &/or Adenoidectomy Only, Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	563	2.0	2	1	1	2	2	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	563	2.0	2	1	1	2	2	4	5
0-17	5417	1.3	1	1	1	1	1	2	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	5417	1.3	1	1	1	1	1	2	3
GRAND TOTAL	5979	1.3	1	1	1	1	1	2	3

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	221	5.2	27	1	2	5	6	9	15
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	221	5.2	27	1	2	5	6	9	15
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1429	1.5	2	1	1	1	1	3	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1429	1.5	2	1	1	1	1	3	4
GRAND TOTAL	1650	2.0	7	1	1	1	2	5	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	181	3.0	9	1	1	1	3	9	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	181	3.0	9	1	1	1	3	9	10
0-17	2165	1.2	1	1	1	1	1	1	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	2165	1.2	1	1	1	1	1	1	3
GRAND TOTAL	2345	1.4	2	1	1	1	1	2	4

DRG 59: Tonsillectomy &/or Adenoidectomy Only, Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	8	4.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	8	4.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	30	3.6	17						
70-74	0								
75-79	0								
80-84	7	2.0							
85 +	0								
SUBTOTAL	37	3.3	14						
GRAND TOTAL	44	3.4	12	1	1	2	4	11	11

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	207	2.8	4	1	1	2	3	6	8
35-49	21	3.3	11						
50-69	15	1.5							
70 +	0								
	244	2.7	5	1	1	2	3	6	8
0-17	0								
18-34	2709	1.2		1	1	1	1	2	2
35-49	355	1.6	2	1	1	1	2	2	6
50-69	43	1.6	1	1	1	1	2	3	3
70 +	7	1.0							
	3113	1.2	1	1	1	1	1	2	2
	3357	1.4	1	1	1	1	1	2	3

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	28	2.3	3						
35-49	7	4.0							
50-69	7	7.0							
70 +	0								
SUBTOTAL	42	3.4	5	1	1	4	5	7	7
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	222	1.4	1	1	1	1	1	2	3
35-49	35	2.8	3						
50-69	0								
70 +	0								
SUBTOTAL	258	1.6	1	1	1	1	2	3	5
GRAND TOTAL	300	1.8	2	1	1	1	2	4	5

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	59	2.0	5	1	1	1	2	8	8
35-49	7	1.0							
50-69	0								
70 +	0								
	66	1.9	5	1	1	1	1	7	8
0-17	0								
18-34	1053	1.2		1	1	1	1	2	2
35-49	109	1.2		1	1	1	1	2	3
50-69	7	1.0							
70 +	0								
	1151	1.2		1	1	1	1	2	2
	1217	1.2	1	1	1	1	1	2	3

DRG 60: Tonsillectomy &/or Adenoidectomy Only, Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70 +	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	8	1.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	8	1.0							
GRAND TOTAL	8	1.0							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	649	2.2	4	1	1	1	3	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	649	2.2	4	1	1	1	3	5	7
0-17	16533	1.1		1	1	1	1	1	1
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	16533	1.1		1	1	1	1	1	1
	17183	1.1		1	1	1	1	1	2

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	200	3.3	7	1	1	2	5	8	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	200	3.3	7	1	1	2	5	8	9
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	2835	1.2	1	1	1	1	1	1	2
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	2835	1.2	1	1	1	1	1	1	2
GRAND TOTAL	3035	1.3	1	1	1	1	1	2	3

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	196	2.5	12	1	1	1	2	11	12
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	196	2.5	12	1	1	1	2	11	12
0-17	6267	1.1		1	1	1	1	1	1
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	6267	1.1		1	1	1	1	1	1
	6463	1.1	1	1	1	1	1	1	1

DRG 61: Myringotomy w/ Tube Insertion Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	23	1.0							
70-74	22	2.7	6						
75-79	21	16.3	57						
80-84	0								
85 +	0								
SUBTOTAL	66	6.5	67	1	1	1	9	26	26
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	82	1.3	1	1	1	1	1	3	3
70-74	45	1.0		1	1	1	1	1	1
75-79	23	1.0							
80-84	8	1.0							
85 +	7	1.0							
SUBTOTAL	165	1.2		1	1	1	1	1	3
GRAND TOTAL	231	2.7	25	1	1	1	1	6	13

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	15	3.0	4						
35-49	15	1.5							
50-69	51	2.3	3	1	1	2	3	6	6
70 +	0								
	81	2.3	3	1	1	2	3	5	6
0-17	0								
18-34	154	1.2	1	1	1	1	1	1	5
35-49	186	1.2		1	1	1	1	2	2
50-69	334	1.4	2	1	1	1	1	2	2
70 +	0								
	674	1.3	1	1	1	1	1	2	2
	755	1.4	1	1	1	1	1	2	4

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	8	1.0							
50-69	7	17.0							
70 +	0								
SUBTOTAL	15	8.6	69						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	29	3.9	24						
35-49	37	1.0							
50-69	23	1.0							
70 +	0								
SUBTOTAL	89	1.9	10	< 1	1	1	1	1	12
GRAND TOTAL	103	2.9	23	< 1	1	1	1	12	17

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	8	16.0							
50-69	23	4.7	21						
70 +	0								
	30	7.5	41						
0-17	0								
18-34	90	2.6	20	1	1	1	1	4	17
35-49	46	1.0		1	1	1	1	1	1
50-69	52	1.3		1	1	1	2	2	2
70 +	23	1.0							
	210	1.8	9	1	1	1	1	2	4
	241	2.5	17	1	1	1	1	6	16

DRG 62: Myringotomy w/ Tube Insertion Age 0-17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	174	3.5	12	1	1	2	4	9	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	174	3.5	12	1	1	2	4	9	10
0-17	1266	2.3	9	< 1	1	1	2	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1266	2.3	9	< 1	1	1	2	6	7
	1440	2.4	9	1	1	1	2	6	9

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	127	3.1	5	1	1	3	4	7	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	127	3.1	5	1	1	3	4	7	9
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	463	2.4	4	< 1	1	1	3	6	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	463	2.4	4	< 1	1	1	3	6	6
GRAND TOTAL	590	2.6	5	1	1	2	3	6	7

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	23	15.7	34						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	23	15.7	34						
0-17	294	1.5	1	< 1	1	1	1	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	294	1.5	1	< 1	1	1	1	4	5
	317	2.5	17	< 1	1	1	2	5	13

DRG 63: Other Ear, Nose, Mouth & Throat O.R. Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	224	5.4	27	1	2	4	7	8	21
70-74	112	10.9	92	1	4	9	12	27	36
75-79	101	13.0	160	2	4	7	16	34	44
80-84	51	8.9	30	3	3	6	15	16	16
85 +	29	8.9	20						
SUBTOTAL	516	8.6	76	2	3	6	12	21	27
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	221	3.4	6	1	2	2	4	8	8
70-74	111	2.2	2	1	1	2	2	5	6
75-79	96	3.8	8	1	2	3	5	8	11
80-84	58	3.5	8	1	1	3	5	10	10
85 +	57	4.5	4	2	3	4	5	9	9
SUBTOTAL	543	3.3	6	1	2	2	4	7	9
GRAND TOTAL	1059	5.9	47	1	2	4	7	13	21

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	285	3.5	7	1	2	3	5	6	10
18-34	802	4.3	16	1	2	3	5	8	10
35-49	442	5.0	14	1	2	4	7	10	13
50-69	362	5.7	27	1	2	4	7	12	18
70 +	30	7.3	4						
	1923	4.7	17	1	2	3	6	9	11
0-17	2715	2.3	3	1	1	2	3	4	5
18-34	4587	2.4	3	1	2	2	3	4	5
35-49	1957	2.4	3	1	1	2	3	4	6
50-69	741	2.2	3	1	1	1	3	5	6
70 +	37	3.6	6						
	10036	2.4	3	1	1	2	3	4	5
	11958	2.7	6	1	1	2	3	5	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	46	6.8	37	1	2	5	8	19	19
18-34	197	5.6	7	2	3	5	8	9	9
35-49	97	5.5	25	2	3	4	6	9	21
50-69	22	6.3	1						
70 +	0								
SUBTOTAL	361	5.8	15	2	3	5	7	9	10
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	272	2.9	8	1	1	2	3	4	11
18-34	528	3.5	8	1	2	3	4	6	9
35-49	141	4.1	7	1	1	4	6	9	9
50-69	43	5.1	28	1	1	3	7	16	16
70 +	0								
SUBTOTAL	984	3.5	9	1	1	3	4	7	9
GRAND TOTAL	1345	4.1	12	1	2	3	5	8	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	74	4.4	13	1	2	3	5	9	14
18-34	335	4.7	18	1	2	4	6	7	15
35-49	163	4.4	7	2	3	4	6	8	9
50-69	30	6.5	1						
70 +	21	4.4	7						
	624	4.6	13	1	2	4	6	8	12
0-17	442	2.1	1	1	1	2	3	3	4
18-34	1173	2.3	4	1	1	2	3	4	6
35-49	429	2.6	4	1	1	2	3	6	8
50-69	80	2.6	3	< 1	1	2	4	5	6
70 +	50	2.5	2	1	1	2	4	4	4
	2173	2.4	3	1	1	2	3	4	6
	2797	2.9	6	1	1	2	3	6	7

DRG 64: Ear, Nose, Mouth & Throat Malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	182	6.8	122	1	1	4	6	11	15
70-74	260	10.2	87	2	4	7	13	28	31
75-79	145	9.5	74	1	3	7	14	25	35
80-84	65	9.4	38	1	7	8	12	20	22
85 +	37	7.9	9						
SUBTOTAL	689	9.0	86	1	3	6	12	20	29
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	89	4.1	8	1	2	4	6	7	11
70-74	51	1.9	2	< 1	1	1	3	5	5
75-79	44	3.4	10	1	1	3	3	10	10
80-84	7	5.0							
85 +	7	6.0							
SUBTOTAL	197	3.5	8	1	1	3	5	7	10
GRAND TOTAL	886	7.7	74	1	2	6	10	16	28

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	2.8	1						
18-34	8	11.0							
35-49	74	7.7	30	1	5	8	8	22	22
50-69	285	9.7	67	2	4	7	12	24	31
70 +	8	7.0							
	404	8.8	57	2	4	7	11	21	29
	53	6.3	51	1	2	4	6	23	23
	0								
	22	1.7							
	104	3.4	7	1	1	1	5	8	8
	7	3.0							
	186	4.0	21	1	1	2	5	8	8
	590	7.3	50	1	2	6	8	21	24

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	15	20.0	87						
18-34	0								
35-49	65	16.4	75	3	12	13	22	31	32
50-69	112	10.6	92	4	6	7	13	24	41
70 +	8	38.0							
SUBTOTAL	200	14.2	115	4	6	11	22	32	38
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	8	7.0							
18-34	0								
35-49	15	5.5							
50-69	8	1.0							
70 +	0								
SUBTOTAL	30	4.7	5						
GRAND TOTAL	230	13.0	111	3	6	9	17	29	38

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	4.0							
18-34	0								
35-49	37	9.7	95						
50-69	74	10.1	151	1	1	7	10	13	46
70 +	0								
	119	9.6	125	1	2	7	10	28	46
	0								
	0								
	15	2.4	2						
	29	1.2							
	7	1.0							
	51	1.5	1	1	1	1	2	4	4
	170	7.2	101	1	1	4	9	13	28

DRG 65: Dysequilibrium

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1010	4.0	9	2	2	3	5	7	10
70-74	720	3.7	7	1	2	3	5	7	8
75-79	864	4.6	10	1	3	4	6	8	12
80-84	771	4.0	6	2	3	4	5	7	9
85 +	545	4.2	6	2	3	4	5	8	10
SUBTOTAL	3910	4.1	8	1	2	4	5	7	10
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	941	3.2	3	1	2	3	4	6	7
70-74	853	3.4	5	1	2	3	4	6	8
75-79	660	4.0	9	2	2	3	5	7	9
80-84	535	3.5	5	2	2	3	4	6	7
85 +	378	4.1	6	2	2	3	5	8	11
SUBTOTAL	3366	3.6	5	1	2	3	4	6	8
GRAND TOTAL	7277	3.9	7	1	2	3	5	7	9

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	43	2.0	1	<1	1	2	3	4	4
18-34	129	2.6	6	1	1	2	3	5	11
35-49	319	3.4	5	1	2	3	4	6	6
50-69	835	3.9	7	1	2	3	5	7	8
70 +	42	3.8	7	2	2	3	4	9	9
	1368	3.6	6	1	2	3	5	6	8
	86	2.4	1	1	2	2	3	3	4
	491	3.3	5	1	1	3	5	7	7
	1041	2.7	4	1	1	2	3	5	6
	1767	2.9	4	1	2	2	4	5	6
	74	2.7	3	<1	1	2	4	6	6
	3458	2.9	4	1	2	2	4	5	6
	4827	3.1	5	1	2	3	4	6	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	8	2.0							
18-34	51	2.1	2	1	1	1	4	4	4
35-49	58	3.6	3	1	2	4	5	6	6
50-69	135	4.2	5	2	3	4	7	7	8
70 +	8	3.0							
SUBTOTAL	259	3.6	4	1	2	3	4	7	7
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	15	4.0							
18-34	49	3.1	2	2	2	2	5	6	6
35-49	87	4.0	4	2	2	5	6	6	7
50-69	92	4.5	7	<1	3	4	5	7	12
70 +	14	4.5	7						
SUBTOTAL	256	4.0	5	2	2	4	5	7	7
GRAND TOTAL	515	3.8	5	1	2	3	5	7	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	15	1.0							
18-34	22	3.1	2						
35-49	58	2.4	2	1	1	2	4	5	5
50-69	108	2.6	3	1	1	2	3	6	6
70 +	141	2.2	1	1	1	2	3	4	4
	344	2.3	2	1	1	2	3	4	5
	37	1.6	1						
	114	2.0	2	1	1	1	3	5	5
	145	2.9	5	1	1	2	4	7	8
	289	2.4	3	1	1	2	3	5	6
	145	2.3	2	1	1	2	3	4	8
	731	2.4	3	1	1	2	3	5	7
	1074	2.4	3	1	1	2	3	5	6

DRG 66: Epistaxis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	419	4.8	8	1	3	4	6	8	9
70-74	279	5.3	14	1	3	5	7	10	15
75-79	193	4.6	17	1	2	4	5	10	11
80-84	193	4.3	7	2	3	4	5	8	8
85+	171	5.1	18	1	2	3	8	9	9
SUBTOTAL	**1255**	**4.8**	**12**	**1**	**3**	**4**	**6**	**9**	**11**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	353	2.9	3	1	2	2	4	5	6
70-74	209	3.2	3	1	2	3	4	6	6
75-79	152	2.9	2	2	2	3	3	4	5
80-84	192	3.3	3	1	2	3	5	6	6
85+	139	3.2	6	1	2	2	5	8	9
SUBTOTAL	**1046**	**3.1**	**3**	**1**	**2**	**3**	**4**	**6**	**6**
GRAND TOTAL	**2302**	**4.0**	**9**	**1**	**2**	**3**	**5**	**8**	**9**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	75	3.6	10	1	2	3	4	12	12
18-34	73	2.3	2	1	1	2	3	4	5
35-49	88	4.7	7	1	2	4	8	8	9
50-69	416	4.6	14	1	2	3	5	10	12
70+	28	4.2	1						
SUBTOTAL	**679**	**4.2**	**11**	**1**	**2**	**3**	**5**	**9**	**12**
0-17	65	2.6	1	1	2	3	4	4	4
18-34	142	3.1	3	1	1	3	5	6	6
35-49	341	4.1	4	2	2	4	5	7	8
50-69	488	3.5	4	1	2	4	5	6	7
70+	0								
SUBTOTAL	**1036**	**3.5**	**4**	**1**	**2**	**4**	**5**	**6**	**7**
GRAND TOTAL	**1715**	**3.8**	**7**	**1**	**2**	**3**	**5**	**7**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	53	2.0	1	<1	<1	2	3	4	4
18-34	29	6.1	12						
35-49	35	5.0	5						
50-69	78	6.1	21	2	2	4	10	11	17
70+	15	6.0	1						
SUBTOTAL	**209**	**4.9**	**14**	**1**	**2**	**4**	**7**	**10**	**11**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	29	1.5	1				–		
18-34	21	4.3							
35-49	35	1.8							
50-69	36	2.8	5						
70+	0								
SUBTOTAL	**121**	**2.5**	**3**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**330**	**4.0**	**11**	**1**	**2**	**3**	**5**	**9**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	15	1.0							
18-34	7	6.0							
35-49	30	3.8	2						
50-69	66	5.0	12	2	4	4	4	14	14
70+	37	4.5	6						
SUBTOTAL	**154**	**4.3**	**8**	**1**	**3**	**4**	**5**	**6**	**12**
0-17	15	1.5							
18-34	59	3.0	2	1	2	3	4	5	5
35-49	64	2.7	2	1	1	3	3	5	5
50-69	92	3.5	3	1	2	3	5	6	6
70+	43	2.2	2	1	1	2	4	4	4
SUBTOTAL	**272**	**2.9**	**2**	**1**	**1**	**3**	**4**	**5**	**6**
GRAND TOTAL	**427**	**3.4**	**5**	**1**	**2**	**3**	**5**	**6**	**6**

DRG 67: Epiglottitis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	36	5.5	6						
70-74	7	3.0							
75-79	8	7.0							
80-84	21	6.3	2						
85 +	0								
SUBTOTAL	72	5.7	4	[illegible]	4	5	7	9	10
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	42	4.3	12	<1	2	3	5	11	11
70-74	0								
75-79	8	6.0							
80-84	0								
85 +	0								
SUBTOTAL	50	4.5	10	<1	2	3	6	11	11
GRAND TOTAL	122	5.2	7	2	3	5	6	10	11

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	104	5.4	4	3	4	5	6	9	10
18-34	28	3.5	2						
35-49	50	4.7	2	3	3	5	6	7	7
50-69	36	4.8	1						
70 +	7	3.0							
	224	4.9	3	3	3	5	6	7	9
0-17	199	4.0	5	1	2	4	5	7	8
18-34	148	2.8	1	2	2	3	3	4	5
35-49	87	3.2	3	2	2	2	5	6	7
50-69	65	2.8	1	2	2	3	3	4	4
70 +	0								
	499	3.3	3	2	2	3	4	6	7
	723	3.8	4	2	2	3	5	6	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	29	4.5	5						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	29	4.5	5						
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	29	5.0	3						
18-34	37	3.2	1						
35-49	15	3.0	4						
50-69	8	2.0							
70 +	0								
SUBTOTAL	89	3.6	3	2	2	3	5	6	7
GRAND TOTAL	118	3.9	4	1	2	[illegible]4	6	7	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	45	4.3	2	2	3	5	5	6	6
18-34	8	4.0							
35-49	8	14.0							
50-69	14	7.0	4						
70 +	0								
	74	5.8	11	2	4	5	6	13	14
0-17	52	3.8	3	1	2	4	5	7	7
18-34	64	3.5	1	2	3	3	3	6	6
35-49	23	3.3	4						
50-69	15	4.0	1						
70 +	0								
	154	3.6	2	2	3	3	5	6	7
	228	4.3	6	2	3	4	5	7	9

DRG 68: Otitis Media & URI Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1056	5.6	18	2	3	5	7	10	12
70-74	636	5.5	14	2	3	5	7	10	13
75-79	647	6.7	23	3	4	6	8	11	16
80-84	471	7.0	24	3	3	6	8	12	17
85 +	527	7.0	23	3	4	6	9	14	15
SUBTOTAL	3338	6.2	20	2	3	5	8	11	15
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	3338	6.2	20	2	3	5	8	11	15

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1572	3.4	8	2	2	3	4	6	7
35-49	855	4.0	10	2	2	3	5	7	10
50-69	861	5.4	15	2	3	4	7	9	14
70 +	28	2.3							
	3316	4.1	11	2	2	3	5	7	10
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3316	4.1	11	2	2	3	5	7	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	533	4.0	6	2	2	3	5	7	9
35-49	157	6.2	12	3	4	6	8	10	11
50-69	132	5.7	8	2	3	5	9	10	10
70 +	22	4.3							
SUBTOTAL	844	4.7	8	2	2	4	6	9	10
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	844	4.7	8	2	2	4	6	9	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	365	3.2	11	1	2	2	3	6	7
35-49	175	3.9	5	1	2	3	6	8	8
50-69	165	4.4	6	2	3	4	6	8	9
70 +	37	4.2	1						
	741	3.7	8	1	2	3	5	7	8
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	741	3.7	8	1	2	3	5	7	8

DRG 69: Otitis Media & URI Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	320	3.8	7	1	3	3	4	6	9
70-74	250	5.2	26	2	2	4	6	9	11
75-79	152	4.8	12	1	3	3	6	11	12
80-84	172	4.1	5	2	2	4	5	7	9
85 +	169	5.7	68	2	3	3	5	6	13
SUBTOTAL	1063	4.6	22	2	3	3	5	9	11
GRAND TOTAL	1063	4.6	22	2	3	3	5	9	11

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	2388	3.0	2	1	2	3	4	5	6
35-49	1052	3.4	4	1	2	3	4	6	7
50-69	883	3.8	4	2	2	4	5	6	7
70 +	15	1.5							
	4338	3.3	3	1	2	3	4	5	6
	4338	3.3	3	1	2	3	4	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	695	3.1	4	1	2	3	4	5	7
35-49	101	4.0	3	2	3	4	5	6	8
50-69	29	4.5	4						
70 +	8	1.0							
SUBTOTAL	832	3.2	4	1	2	3	4	5	7
GRAND TOTAL	832	3.2	4	1	2	3	4	5	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	729	2.6	2	1	2	2	3	5	6
35-49	229	3.8	10	2	2	3	5	7	8
50-69	129	2.7	1	1	2	3	4	4	5
70 +	44	3.3	5	1	1	4	6	6	6
	1131	2.9	4	1	2	2	4	5	7
	1131	2.9	4	1	2	2	4	5	7

North Central Region, July 1989 - June 1990

DRG 70: Otitis Media & URI Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	23	3.7	1						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	23	3.7	1						
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	14	3.5							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	14	3.5							
GRAND TOTAL	37	3.6	1						

TYPE OF PATIENT	BLUE CROSS PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	5898	2.9	5	1	2	3	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	5898	2.9	5	1	2	3	3	5	6
0-17	8956	2.8	3	1	2	2	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	8956	2.8	3	1	2	2	3	5	6
GRAND TOTAL	14854	2.8	4	1	2	2	3	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	3299	3.4	9	1	2	3	4	5	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	3299	3.4	9	1	2	3	4	5	8
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	5933	2.8	3	1	2	2	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	5933	2.8	3	1	2	2	3	5	6
GRAND TOTAL	9232	3.0	5	1	2	3	4	5	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	2096	3.0	7	1	2	2	3	5	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	2096	3.0	7	1	2	2	3	5	8
0-17	3415	2.6	3	1	2	2	3	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	3415	2.6	3	1	2	2	3	4	6
GRAND TOTAL	5510	2.8	5	1	2	2	3	5	6

DRG 71: Laryngotracheitis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	21	6.6	6						
70-74	14	4.0	1						
75-79	7	5.0							
80-84	22	5.1	8						
85 +	0								
SUBTOTAL	64	5.4	6	1	5	5	7	10	10
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	29	2.3	5						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	29	2.3	5						
GRAND TOTAL	94	4.4	7	1	1	5	6	7	10

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1148	2.6	4	1	1	2	3	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	8	3.0							
	1156	2.6	4	1	1	2	3	5	7
0-17	10638	2.0	1	1	1	2	2	3	4
18-34	7	4.0							
35-49	14	4.5	2						
50-69	0								
70 +	0								
	10659	2.0	1	1	1	2	2	3	4
	11814	2.0	2	1	1	2	2	3	5

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	506	3.3	7	1	2	3	4	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	506	3.3	7	1	2	3	4	6	8
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	2968	2.3	3	1	1	2	3	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	2968	2.3	3	1	1	2	3	4	5
GRAND TOTAL	3474	2.5	3	1	1	2	3	4	5

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	350	3.1	7	1	1	3	4	4	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	350	3.1	7	1	1	3	4	4	8
0-17	3802	1.9	2	1	1	2	2	3	4
18-34	0								
35-49	8	4.0							
50-69	0								
70 +	0								
	3809	1.9	2	1	1	2	2	3	4
	4159	2.0	3	1	1	2	2	3	4

DRG 72: Nasal Trauma & Deformity

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	15	2.0	1						
70-74	14	8.0	10						
75-79	29	7.8	15						
80-84	36	5.7	17						
85 +	37	5.3	15						
SUBTOTAL	131	5.9	16	2	3	4	10	13	14
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	8	3.0							
70-74	7	3.0							
75-79	0								
80-84	0								
85 +	21	3.7							
SUBTOTAL	36	3.4							
GRAND TOTAL	167	5.3	14	3	3	4	6	13	13

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	59	6.6	101	1	1	3	6	32	32
18-34	64	2.4	2	< 1	1	2	3	5	5
35-49	22	2.7	3						
50-69	28	6.0	29						
70 +	7	2.0							
	181	4.3	42	1	1	2	4	6	15
0-17	101	1.3		< 1	1	1	2	2	3
18-34	71	1.8	1	< 1	< 1	1	3	4	4
35-49	67	2.1	3	1	1	1	3	3	7
50-69	21	1.3							
70 +	7	6.0							
	288	1.8	2	< 1	1	1	2	3	6
	469	2.8	19	< 1	1	1	3	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	8	5.0							
18-34	37	5.7	30						
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	44	5.6	24	1	3	4	5	16	16
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	23	1.0							
18-34	22	2.9	3						
35-49	7	4.0							
50-69	7	1.0							
70 +	0								
SUBTOTAL	59	2.1	2	< 1	1	1	3	5	5
GRAND TOTAL	103	3.6	15	1	1	3	4	5	16

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	15	1.0							
18-34	50	3.0	4	1	1	2	4	7	7
35-49	21	2.7	6						
50-69	7	2.0							
70 +	7	9.0							
	99	3.0	6	1	1	2	4	7	9
0-17	52	1.1		< 1	< 1	1	1	2	2
18-34	64	3.0	10	< 1	1	1	3	10	10
35-49	22	1.0							
50-69	0								
70 +	0								
	139	2.0	6	< 1	< 1	1	2	7	10
	238	2.4	6	< 1	1	1	2	7	9

DRG 73: Other Ear, Nose, Mouth & Throat Diagnoses Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	256	6.1	12	2	3	6	8	11	12
70-74	271	7.1	32	2	3	5	9	16	20
75-79	171	5.4	21	1	3	4	6	8	18
80-84	150	7.1	26	3	4	6	8	17	21
85 +	216	5.5	7	1	3	6	8	9	10
SUBTOTAL	1065	6.2	20	2	3	5	8	12	17
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	214	4.4	15	<1	2	4	5	9	16
70-74	131	6.6	59	1	2	5	8	13	35
75-79	86	2.9	2	1	1	2	3	4	5
80-84	78	3.5	4	1	1	4	4	7	8
85 +	91	6.0	12	2	3	5	8	12	13
SUBTOTAL	600	4.7	23	1	2	4	6	8	13
GRAND TOTAL	1665	5.7	22	1	3	5	7	11	16

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	162	3.6	4	2	2	3	4	7	7
35-49	216	3.8	3	1	2	4	5	6	6
50-69	211	6.4	64	1	3	4	7	12	32
70 +	21	6.3	6						
	610	4.7	26	1	2	4	5	8	9
	0								
	343	2.7	2	1	2	2	4	5	6
	396	3.4	10	1	1	3	5	6	7
	362	3.1	6	1	1	3	4	6	7
	21	1.3							
	1123	3.1	6	1	1	2	4	6	7
	1733	3.6	[illegible]	1	1	3	5	[illegible]	[illegible]

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	87	2.7	2	1	2	3	3	4	6
35-49	30	7.8	16						
50-69	36	5.4	6						
70 +	7	3.0							
SUBTOTAL	159	4.3	9	2	3	3	5	9	11
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	102	3.1	4	1	2	3	5	6	8
35-49	51	4.8	12	<1	1	4	9	10	10
50-69	7	6.0							
70 +	0								
SUBTOTAL	160	3.8	7	1	2	3	6	8	9
GRAND TOTAL	319	4.0	8	1	2	3	6	9	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	64	2.0	1	<1	1	2	3	4	4
35-49	58	3.1	4	1	2	3	3	8	8
50-69	28	8.9	110						
70 +	14	5.5	22						
	164	3.9	28	1	1	2	4	8	10
	0								
	196	2.3	3	1	1	2	3	5	6
	58	3.1	3	<1	1	3	4	7	7
	94	3.5	6	1	1	3	6	7	8
	7	1.0							
	355	2.7	4	1	1	2	4	6	7
	519	3.1	12	1	1	2	4	6	8

DRG 74: Other Ear, Nose, Mouth & Throat Diagnoses Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	7	5.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	7	5.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	7	5.0							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	381	4.9	29	1	2	3	6	10	17
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	381	4.9	29	1	2	3	6	10	17
0-17	2471	2.6	5	1	1	2	3	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2471	2.6	5	1	1	2	3	6	8
	2852	2.9	9	1	1	2	3	6	9

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	322	5.0	24	1	2	3	6	10	16
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	322	5.0	24	1	2	3	6	10	16
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1242	3.1	14	1	1	2	4	6	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1242	3.1	14	1	1	2	4	6	10
GRAND TOTAL	1564	3.5	17	1	1	2	4	7	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	113	4.0	17	1	1	3	6	8	16
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	113	4.0	17	1	1	3	6	8	16
0-17	788	2.7	12	1	1	1	3	5	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	788	2.7	12	1	1	1	3	5	8
	901	2.9	13	1	1	1	3	7	8

DRG 75: Major Chest Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2581	13.9	94	6	8	11	17	25	32
70-74	1672	13.5	76	6	8	11	16	24	29
75-79	990	16.1	114	7	9	13	21	29	39
80-84	388	15.2	96	7	9	12	20	29	34
85 +	75	17.2	70	7	12	14	19	32	35
SUBTOTAL	5705	14.3	93	6	8	11	17	26	32
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	616	8.6	18	5	7	8	9	13	19
70-74	419	8.4	14	5	6	8	10	15	15
75-79	237	11.0	61	5	[illegible]	9	12	17	32
80-84	79	9.0	11	6	6	9	12	14	14
85 +	14	5.5	22						
SUBTOTAL	1365	8.9	25	5	6	8	10	15	17
GRAND TOTAL	7070	13.3	84	6	8	10	16	24	31

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	547	11.2	125	4	5	7	14	27	40
18-34	385	11.7	66	4	7	10	15	23	26
35-49	958	11.3	53	5	6	9	13	23	29
50-69	3462	11.9	72	6	7	9	14	21	27
70 +	95	15.7	85	7	9	12	23	32	32
	5446	11.8	74	5	7	9	14	22	28
	866	5.0	7	3	3	4	5	8	12
	439	7.4	18	3	5	6	9	14	17
	579	7.9	21	4	5	7	9	14	17
	1282	7.9	13	5	6	7	9	12	16
	14	3.5	7						
	3180	7.0	15	3	4	6	8	12	15
	8626	10.0	57	4	6	8	12	19	25

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	160	23.5	409	6	7	15	38	47	57
18-34	118	16.5	243	4	5	11	20	39	63
35-49	141	17.3	52	7	13	17	21	30	30
50-69	366	14.9	108	7	8	12	19	24	36
70 +	0								
SUBTOTAL	786	17.3	189	6	8	14	21	36	46
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	183	7.7	66	3	4	5	8	15	21
18-34	111	8.3	31	3	4	7	11	19	23
35-49	45	7.9	4	6	7	7	8	12	12
50-69	45	8.5	10	5	7	8	9	15	15
70 +	0								
SUBTOTAL	384	8.0	42	3	4	7	9	15	21
GRAND TOTAL	1169	14.3	160	4	6	10	18	30	41

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	129	12.3	66	4	7	9	22	78	99 +
18-34	174	13.0	65	5	6	10	19	23	24
35-49	234	10.6	45	5	6	8	14	20	27
50-69	580	10.7	53	5	6	8	13	22	25
70 +	184	9.8	10	6	7	10	12	15	15
	1301	11.0	49	5	6	9	14	22	27
	175	6.1	35	3	3	4	6	11	17
	155	8.3	22	4	5	7	10	17	19
	183	7.4	24	3	5	6	7	18	19
	206	6.4	6	4	5	6	7	9	12
	59	6.8	3	5	5	6	9	10	10
	777	7.0	20	3	4	6	8	12	18
	2078	9.5	42	4	5	7	12	20	24

DRG 76: Other Resp System O.R. Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	2198	13.2	146	2	5	10	17	26	37
70-74	1615	12.8	95	4	6	10	16	24	31
75-79	1347	14.5	103	3	8	13	19	26	38
80-84	933	15.2	121	5	8	13	18	29	43
85 +	518	14.5	117	5	7	11	18	29	37
SUBTOTAL	6611	13.8	120	4	7	11	17	26	37
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	6611	13.8	120	4	7	11	17	26	37

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	166	12.1	121	1	3	11	17	21	40
18-34	352	9.3	66	1	4	7	12	19	28
35-49	664	9.6	76	1	5	7	12	19	25
50-69	2433	11.7	102	2	5	9	15	23	29
70 +	79	11.2	31	4	5	13	17	17	19
	3695	11.1	94	2	5	9	15	21	29
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3695	11.1	94	2	5	9	15	21	29

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	113	19.7	691	1	4	8	53	93	99 +
18-34	86	13.6	102	5	9	11	13	28	40
35-49	139	28.5	874	3	7	14	56	80	82
50-69	246	13.7	132	5	7	10	16	21	38
70 +	15	6.3	13						
SUBTOTAL	599	18.1	440	3	6	11	21	57	80
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	599	18.1	440	3	6	11	21	57	80

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	3.3	3						
18-34	73	10.4	50	3	5	8	15	20	25
35-49	138	8.9	62	1	3	7	13	20	32
50-69	470	9.3	51	2	5	8	13	20	25
70 +	147	10.7	35	3	6	11	15	17	18
	858	9.4	50	2	4	8	13	18	25
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	858	9.4	50	2	4	8	13	18	25

DRG 77: Other Resp System O.R. Procedures w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	351	5.9	23	1	2	4	8	14	15
70-74	261	7.1	39	1	2	5	11	17	20
75-79	110	7.5	39	1	1	7	11	15	23
80-84	101	11.5	169	2	4	8	11	22	55
85 +	29	13.1	27						
SUBTOTAL	852	7.4	51	1	2	5	10	16	20
GRAND TOTAL	852	7.4	51	1	2	5	10	16	20

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	203	4.8	14	1	2	4	7	11	12
18-34	247	5.5	34	1	1	2	10	16	22
35-49	383	5.8	21	1	2	4	9	12	16
50-69	533	5.3	23	1	1	4	8	11	15
70 +	0								
	1365	5.4	23	1	2	4	8	12	16
	1365	5.4	23	1	2	4	8	12	16

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	151	4.3	11	1	2	4	7	9	13
18-34	53	7.7	34	1	1	9	14	14	14
35-49	30	5.8	23						
50-69	28	11.1	210						
70 +	8	3.0							
SUBTOTAL	270	5.8	42	1	2	4	7	14	14
GRAND TOTAL	270	5.8	42	1	2	4	7	14	14

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	91	6.3	160	1	1	1	2	18	45
18-34	66	3.3	7	1	1	2	4	8	8
35-49	82	4.7	16	1	1	3	8	11	13
50-69	79	5.4	17	1	1	5	10	10	11
70 +	15	1.0							
	334	4.8	54	1	1	2	8	10	13
	334	4.8	54	1	1	2	8	10	13

DRG 78: Pulmonary Embolism

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1259	11.8	35	6	8	10	13	19	22
70-74	855	10.8	19	7	8	10	14	17	19
75-79	960	11.7	27	7	8	10	14	20	23
80-84	651	10.8	28	7	7	9	12	19	24
85 +	480	12.3	41	6	9	10	14	19	26
SUBTOTAL	4204	11.5	30	7	8	10	14	18	23
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	359	8.9	10	6	7	8	11	13	13
70-74	266	9.7	18	5	7	9	11	16	18
75-79	270	9.2	18	6	7	8	11	13	20
80-84	128	8.4	13	6	6	7	8	14	20
85 +	58	9.2	6	5	8	10	10	14	14
SUBTOTAL	1081	9.1	14	6	7	8	11	13	16
GRAND TOTAL	5285	11.0	27	6	8	10	13	18	22

TYPE OF PATIENT	BLUE CROSS PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	15	6.0	1						
18-34	152	7.7	11	3	6	8	10	11	15
35-49	491	9.8	37	6	7	8	11	14	19
50-69	1023	10.8	53	6	7	10	12	16	20
70 +	50	10.5	14	6	6	10	14	16	16
	1730	10.2	44	6	7	9	11	16	20
0-17	14	8.0							
18-34	182	6.5	8	3	5	7	8	11	11
35-49	446	8.5	8	5	6	9	10	12	14
50-69	601	7.7	6	5	7	8	9	11	12
70 +	28	8.0	3						
	1270	7.8	7	5	6	8	9	11	13
	3001	9.2	30	5	7	8	11	13	16

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	94	7.9	10	5	6	7	10	12	15
35-49	123	10.2	35	4	6	8	14	16	27
50-69	152	12.1	69	6	8	10	14	21	38
70 +	15	16.9	10						
SUBTOTAL	383	10.6	45	5	7	9	14	17	21
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	15	9.5	13						
18-34	74	7.8	10	2	7	8	9	10	14
35-49	87	6.5	10	4	4	5	8	9	15
50-69	50	11.1	2	9	9	12	12	13	13
70 +	7	6.0							
SUBTOTAL	233	8.1	11	4	5	8	10	13	14
GRAND TOTAL	616	9.7	34	5	6	9	12	16	19

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	81	10.5	25	6	7	10	13	17	23
35-49	72	9.5	5	6	7	10	11	12	13
50-69	180	9.0	25	4	6	7	12	16	20
70 +	52	9.5	15	5	5	9	12	17	17
	384	9.5	20	5	7	9	12	15	20
0-17	0								
18-34	64	7.1	5	2	6	8	8	10	10
35-49	71	7.0	5	5	7	7	8	9	10
50-69	65	8.2	8	4	6	8	11	12	13
70 +	37	10.0	2						
	237	7.8	6	5	7	8	9	11	12
	622	8.8	15	5	7	8	10	14	16

DRG 79: Respiratory Infections & Inflammations Age >17 w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4307	12.8	85	5	7	10	16	25	31
70-74	3369	13.0	83	5	7	11	16	24	33
75-79	3856	12.3	70	4	7	10	15	24	30
80-84	3504	13.6	93	5	7	11	17	25	33
85 +	4913	13.1	74	5	7	11	16	23	30
SUBTOTAL	19948	12.9	81	5	7	10	16	24	31
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	19948	12.9	81	5	7	10	16	24	31

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	821	11.0	46	4	7	10	13	18	21
35-49	762	10.4	52	3	5	9	13	19	31
50-69	1651	11.1	62	4	6	10	14	21	25
70 +	215	15.6	205	4	6	13	18	28	39
	3448	11.2	66	4	6	10	14	20	26
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3448	11.2	66	4	6	10	14	20	26

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	701	12.8	89	4	6	10	16	26	35
35-49	411	13.3	186	4	7	10	15	24	31
50-69	500	11.7	53	5	7	10	15	21	27
70 +	43	12.0	32	5	5	13	16	20	20
SUBTOTAL	1655	12.6	101	4	7	10	15	24	32
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	1655	12.6	101	4	7	10	15	24	32

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	261	11.5	86	4	6	8	15	21	37
35-49	197	9.2	45	2	5	8	13	15	23
50-69	310	12.3	124	4	6	10	14	22	40
70 +	240	9.2	23	3	6	8	12	16	19
	1008	10.7	76	3	5	8	13	20	30
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1008	10.7	76	3	5	8	13	20	30

DRG 80: Respiratory Infections & Inflammations Age >17 w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	437	9.1	22	3	5	8	12	17	18
70-74	279	10.7	87	3	5	7	12	28	36
75-79	285	8.8	39	3	4	7	13	18	21
80-84	325	8.0	16	4	6	7	10	13	13
85 +	335	8.1	21	3	5	7	12	16	18
SUBTOTAL	1661	8.9	35	3	5	7	11	17	19
GRAND TOTAL	1661	8.9	35	3	5	7	11	17	19

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	317	4.9	8	2	3	4	6	9	9
35-49	292	7.6	28	2	4	6	10	15	19
50-69	456	7.6	14	4	5	6	11	13	14
70 +	28	10.0	37						
	1093	6.9	18	3	4	6	9	13	15
	1093	6.9	18	3	4	6	9	13	15

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2 PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	164	5.9	13	2	4	5	7	9	11
35-49	56	9.8	52	< 1	4	11	16	20	20
50-69	51	9.3	88	1	4	7	8	32	32
70 +	22	7.1	19						
SUBTOTAL	293	7.3	36	2	4	6	8	15	19
GRAND TOTAL	293	7.3	36	2	4	6	8	15	19

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	152	7.8	14	4	5	7	10	12	14
35-49	60	8.9	27	2	4	10	15	17	17
50-69	65	6.7	33	2	3	4	6	19	20
70 +	50	3.8	4	1	2	5	6	6	6
	328	7.2	21	2	4	6	10	14	17
	328	7.2	21	2	4	6	10	14	17

DRG 81: Respiratory Infections & Inflammations Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	21	11.0	50						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	21	11.0	50						
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	21	11.0	50						

TYPE OF PATIENT	BLUE CROSS PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1440	9.7	43	3	5	9	12	16	20
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1440	9.7	43	3	5	9	12	16	20
0-17	608	5.4	21	2	2	4	6	12	16
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	608	5.4	21	2	2	4	6	12	16
GRAND TOTAL	2048	8.4	40	2	3	7	11	16	19

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	1106	8.9	39	3	4	6	14	16	21
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1106	8.9	39	3	4	6	14	16	21
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	650	6.0	17	2	3	5	8	11	13
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	650	6.0	17	2	3	5	8	11	13
GRAND TOTAL	1756	7.8	33	3	4	6	11	15	19

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	688	6.9	24	2	4	5	9	12	15
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	688	6.9	24	2	4	5	9	12	15
0-17	297	4.2	16	1	2	3	5	11	14
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	297	4.2	16	1	2	3	5	11	14
GRAND TOTAL	985	6.1	23	2	3	4	9	12	14

DRG 82: Respiratory Neoplasms

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	3456	9.8	63	3	4	8	12	19	26
70-74	2388	9.8	52	3	5	8	13	20	25
75-79	2037	11.2	61	3	6	9	15	21	27
80-84	1187	11.7	65	3	6	10	15	23	28
85 +	728	10.6	62	4	6	8	13	24	29
SUBTOTAL	**9795**	**10.4**	**61**	**3**	**5**	**8**	**13**	**21**	**26**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	381	6.5	24	1	2	6	10	14	17
70-74	330	6.0	15	2	3	5	8	13	13
75-79	217	6.9	22	2	3	5	12	15	16
80-84	152	4.9	6	2	3	5	7	8	8
85 +	166	7.1	9	4	4	6	10	11	12
SUBTOTAL	**1247**	**6.3**	**18**	**2**	**3**	**5**	**8**	**13**	**15**
GRAND TOTAL	**11043**	**9.9**	**58**	**3**	**5**	**8**	**13**	**20**	**25**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	76	7.7	25	2	4	7	13	16	16
18-34	106	7.1	17	2	5	6	9	13	16
35-49	897	9.5	104	2	4	7	12	19	23
50-69	3676	9.4	56	2	4	8	12	19	26
70 +	216	7.5	51	2	4	5	8	17	21
SUBTOTAL	**4971**	**9.3**	**63**	**2**	**4**	**7**	**12**	**19**	**25**
0-17	84	4.6	15	1	1	4	6	7	15
18-34	15	3.0	1						
35-49	141	8.2	201	1	1	5	7	20	64
50-69	645	5.8	19	1	3	5	8	11	14
70 +	8	4.0							
SUBTOTAL	**891**	**6.0**	**48**	**1**	**2**	**5**	**7**	**11**	**15**
GRAND TOTAL	**5862**	**8.8**	**62**	**2**	**4**	**7**	**11**	**18**	**23**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	8	10.0							
18-34	89	11.1	41	5	6	8	18	19	21
35-49	299	7.7	37	2	4	6	10	15	17
50-69	675	10.5	69	3	5	8	14	20	29
70 +	8	8.0							
SUBTOTAL	**1078**	**9.8**	**59**	**3**	**4**	**8**	**13**	**18**	**23**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	7	6.0							
35-49	71	5.6	18	1	3	5	6	16	16
50-69	50	8.6	57	1	3	5	15	22	22
70 +	0								
SUBTOTAL	**128**	**6.8**	**32**	**1**	**3**	**5**	**8**	**16**	**22**
GRAND TOTAL	**1206**	**9.5**	**57**	**3**	**4**	**8**	**12**	**18**	**23**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	15	6.5							
18-34	0								
35-49	138	7.6	18	3	4	7	11	15	16
50-69	747	8.0	37	2	4	6	11	17	19
70 +	313	6.4	26	2	4	5	8	11	14
SUBTOTAL	**1213**	**7.5**	**32**	**2**	**4**	**6**	**9**	**15**	**18**
0-17	0								
18-34	15	1.0							
35-49	21	3.0	2						
50-69	73	5.3	14	1	3	4	8	11	12
70 +	52	5.5	10	1	3	5	7	12	12
SUBTOTAL	**161**	**4.7**	**12**	**1**	**2**	**5**	**6**	**11**	**12**
GRAND TOTAL	**1373**	**7.2**	**30**	**2**	**4**	**6**	**9**	**15**	**18**

DRG 83: Major Chest Trauma w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	354	5.5	11	2	3	5	7	11	12
70-74	344	7.2	19	2	4	6	10	13	17
75-79	300	7.4	26	3	4	6	9	14	17
80-84	401	8.3	38	2	4	7	12	16	23
85 +	417	8.6	32	3	4	7	12	18	22
SUBTOTAL	1816	7.5	27	2	4	6	9	14	18
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	1816	7.5	27	2	4	6	9	14	18

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	15	7.6	7						
18-34	298	4.6	12	2	2	4	6	9	11
35-49	563	4.8	11	2	3	4	6	9	11
50-69	675	5.1	13	2	3	4	6	9	12
70 +	293	6.9	19	2	4	5	11	13	15
	1844	5.2	14	2	3	4	6	10	13
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1844	5.2	14	2	3	4	6	10	13

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	60	3.4	2	2	2	3	4	6	6
35-49	21	3.9	3						
50-69	30	9.1	33						
70 +	7	3.0							
SUBTOTAL	118	4.9	15	2	2	4	6	13	16
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	118	4.9	15	2	2	4	6	13	16

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	7	2.0							
18-34	157	3.7	10	1	2	3	4	6	11
35-49	101	6.8	24	2	3	6	9	9	22
50-69	87	4.9	5	3	3	4	7	8	8
70 +	82	6.5	40	2	2	4	9	13	24
	434	5.1	19	2	2	4	7	9	13
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	434	5.1	19	2	2	4	7	9	13

DRG 84: Major Chest Trauma w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	151	4.4	10	2	2	3	6	10	10
70-74	56	3.6	5	1	2	4	6	7	7
75-79	58	5.0	4	2	3	5	7	8	8
80-84	86	4.0	8	1	2	3	8	8	10
85+	123	4.8	7	2	3	4	7	9	10
SUBTOTAL	475	4.4	8	2	2	4	7	9	10
GRAND TOTAL	475	4.4	8	2	2	4	7	9	10

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	72	3.0	7	1	1	2	4	10	10
18-34	340	3.2	4	1	2	3	4	6	7
35-49	296	2.9	2	1	2	3	4	5	6
50-69	537	2.7	2	1	2	2	3	5	6
70+	122	4.1	7	2	2	4	4	7	12
	1367	3.0	3	1	2	3	4	5	7
	1367	3.0	3	1	2	3	4	5	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	29	2.5	1						
18-34	35	3.6	2						
35-49	29	2.3	5						
50-69	8	3.0							
70+	0								
SUBTOTAL	101	2.9	3	1	1	3	4	6	6
GRAND TOTAL	101	2.9	3	1	1	3	4	6	6

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	21	3.4	3						
18-34	92	2.3	1	1	1	2	3	3	5
35-49	85	2.9	1	2	2	3	4	5	5
50-69	43	2.3	3	1	1	1	4	5	5
70+	21	2.4	1						
	263	2.6	2	1	2	2	3	5	5
	263	2.6	2	1	2	2	3	5	5

DRG 85: Pleural Effusion w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	809	8.6	29	3	4	8	12	17	18
70-74	507	8.1	28	3	4	7	10	15	19
75-79	590	9.3	49	3	5	7	11	17	25
80-84	686	9.6	61	3	5	8	13	18	21
85 +	637	10.6	78	4	5	8	12	27	29
SUBTOTAL	3229	9.3	50	3	5	7	11	17	23
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	3229	9.3	50	3	5	7	11	17	23

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	99	5.5	4	4	4	5	7	9	9
18-34	58	4.9	5	1	4	4	6	9	9
35-49	203	6.7	18	2	3	6	9	12	16
50-69	566	7.8	34	3	4	6	10	17	19
70 +	93	5.6	9	2	4	5	7	10	11
	1019	7.0	25	2	4	6	9	14	17
	0								
	0								
	0								
	0								
	0								
	0								
	0								
	1019	7.0	25	2	4	6	9	14	17

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	37	4.0	19						
18-34	73	5.5	9	1	3	7	7	9	10
35-49	56	8.1	24	3	5	8	9	20	20
50-69	102	7.7	23	1	5	8	11	13	18
70 +	0								
SUBTOTAL	268	6.7	21	1	3	6	9	13	18
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	268	6.7	21	1	3	6	9	13	18

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	23	4.7	1						
18-34	22	7.5	14						
35-49	30	4.4	9						
50-69	172	5.5	14	2	2	4	8	11	12
70 +	59	7.6	29	3	4	5	11	20	20
	305	5.9	16	2	3	4	8	11	15
	0								
	0								
	0								
	0								
	0								
	0								
	305	5.9	16	2	3	4	8	11	15

North Central Region, July 1989 - June 1990

DRG 86: Pleural Effusion w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	137	5.9	9	2	3	6	8	12	12
70-74	51	5.9	8	1	3	7	8	9	9
75-79	44	6.8	44	1	2	5	9	20	20
80-84	121	8.0	22	2	4	9	11	15	15
85 +	42	5.1	21	1	2	2	11	12	12
SUBTOTAL	395	6.6	19	2	3	6	9	12	15
GRAND TOTAL	395	6.6	19	2	3	6	9	12	15

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	53	4.4	4	1	4	4	5	8	8
18-34	51	4.2	4	1	3	4	6	7	7
35-49	66	4.3	7	1	2	5	6	9	9
50-69	189	5.9	13	1	3	6	7	10	11
70 +	0								
	359	5.2	10	1	3	5	7	10	10
	359	5.2	10	1	3	5	7	10	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	15	1.5							
18-34	15	7.3	13						
35-49	0								
50-69	29	5.6	19						
70 +	0								
SUBTOTAL	59	4.9	17	< 1	1	2	9	11	11
GRAND TOTAL	59	4.9	17	< 1	1	2	9	11	11

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	22	4.1	3						
35-49	40	5.0	11	1	1	5	7	10	10
50-69	7	4.0							
70 +	7	67.0							
	78	10.2	328	1	2	4	7	10	67
	78	10.2	328	1	2	4	7	10	67

DRG 87: Pulmonary Edema & Respiratory Failure

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4351	8.5	38	3	5	7	11	16	20
70-74	2330	8.5	43	3	5	7	10	15	19
75-79	1908	8.6	38	3	4	7	11	16	19
80-84	1331	9.6	38	3	5	8	12	18	21
85 +	905	9.9	41	4	5	9	13	18	21
SUBTOTAL	10824	8.8	39	3	5	7	11	16	20
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	160	7.4	27	3	3	6	10	15	16
70-74	144	6.1	3	4	5	6	7	9	9
75-79	129	7.4	46	2	4	6	8	12	32
80-84	121	6.7	20	3	4	6	7	15	18
85 +	72	7.9	16	4	5	5	10	15	15
SUBTOTAL	627	7.0	23	3	4	6	8	13	15
GRAND TOTAL	11451	8.7	39	3	5	7	11	16	20

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	66	7.3	52	2	3	4	7	26	26
18-34	139	8.7	49	3	4	7	9	25	25
35-49	278	7.5	12	3	5	7	9	13	15
50-69	2193	7.8	24	3	5	7	10	13	19
70 +	85	5.7	10	3	3	5	9	9	12
	2762	7.8	24	3	4	7	10	13	19
	37	2.8	2						
	29	2.5							
	93	4.7	8	1	2	5	7	8	10
	174	4.6	5	1	3	4	6	7	10
	14	12.5	46						
	347	4.6	10	1	2	4	6	8	10
	3109	7.4	24	3	4	6	9	13	17

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	45	13.3	103	2	6	8	27	27	27
18-34	118	7.2	71	1	3	5	8	17	36
35-49	166	9.2	51	2	4	7	13	21	24
50-69	663	8.1	23	3	5	7	11	14	17
70 +	22	12.1	6						
SUBTOTAL	1015	8.5	38	3	5	7	11	16	23
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	21	3.9	2						
35-49	50	4.2	3	3	3	3	6	7	7
50-69	14	4.5							
70 +	0								
SUBTOTAL	85	4.2	2	3	3	4	5	6	7
GRAND TOTAL	1100	8.2	37	3	4	6	11	15	21

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	38	13.2	33						
18-34	21	12.1	112						
35-49	86	6.4	16	3	3	6	8	9	17
50-69	331	6.4	15	3	4	6	7	11	17
70 +	150	9.2	57	3	5	7	10	18	33
	626	7.7	34	3	4	6	9	16	20
0-17	8	8.0							
18-34	56	6.9	57						
35-49	15	2.6	2						
50-69	28	3.8	1						
70 +	7	1.0							
	94	4.9	27	1	3	4	4	8	22
	720	7.3	33	3	4	6	9	16	22

DRG 88: Chronic Obstructive Pulmonary Disease

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	5716	8.1	41	3	4	7	10	14	18
70-74	3498	7.8	31	3	4	7	9	14	18
75-79	2897	8.2	45	3	4	7	10	15	19
80-84	1616	8.4	37	3	4	7	11	16	20
85 +	1143	7.8	52	3	4	6	9	13	21
SUBTOTAL	14871	8.1	40	3	4	7	10	14	18
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	3178	6.1	15	3	4	5	7	11	14
70-74	2132	5.9	17	3	3	5	7	10	13
75-79	1881	5.3	10	2	3	5	7	9	12
80-84	915	5.7	10	2	3	5	8	10	12
85 +	413	5.7	11	2	3	5	7	10	14
SUBTOTAL	8520	5.8	14	2	3	5	7	10	13
GRAND TOTAL	23391	7.3	31	3	4	6	9	13	17

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	120	8.1	24	2	3	9	12	15	18
18-34	132	8.5	28	3	4	9	11	16	21
35-49	462	6.9	34	2	4	6	8	12	14
50-69	2919	6.9	19	3	4	6	9	12	14
70 +	243	7.5	17	3	5	6	11	13	16
	3876	7.0	21	3	4	6	9	12	15
0-17	60	3.6	2	2	3	3	5	6	6
18-34	123	4.5	6	2	2	4	6	8	11
35-49	564	5.3	14	2	3	4	7	9	11
50-69	2428	5.1	9	2	3	5	6	8	10
70 +	129	5.3	13	2	4	4	6	13	16
	3303	5.1	10	2	3	4	6	8	11
	7179	6.1	17	2	3	5	8	11	13

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	60	6.6	17	2	3	6	11	14	14
18-34	80	7.5	44	2	2	5	13	16	24
35-49	331	8.2	46	3	4	6	10	18	19
50-69	812	7.0	16	3	4	6	9	12	15
70 +	36	10.8	96						
SUBTOTAL	1319	7.4	28	3	4	6	9	14	18
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	22	4.1	2						
18-34	42	3.5	5	< 1	1	3	5	7	7
35-49	157	5.2	11	1	3	5	7	9	10
50-69	667	6.0	16	2	4	5	7	11	12
70 +	15	3.0	1						
SUBTOTAL	903	5.7	15	2	3	5	7	10	12
GRAND TOTAL	2222	6.7	23	2	4	6	8	12	15

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	15	9.5	32						
18-34	22	2.9	5						
35-49	161	5.6	10	1	3	5	8	10	11
50-69	692	6.2	27	2	3	5	8	12	15
70 +	260	7.7	26	2	4	6	10	15	16
	1151	6.5	25	2	3	5	8	12	15
0-17	15	3.0							
18-34	52	3.4	9	< 1	1	2	5	10	10
35-49	108	4.7	6	2	4	4	6	7	12
50-69	627	5.4	12	2	3	5	7	10	12
70 +	154	5.1	8	2	3	4	7	9	10
	956	5.1	11	2	3	4	6	10	12
	2107	5.9	19	2	3	5	7	11	14

DRG 89: Simple Pneumonia & Pleurisy Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	15421	8.2	33	3	5	7	10	14	18
70-74	12497	8.6	33	4	5	7	10	15	20
75-79	14369	9.1	34	4	5	8	11	16	20
80-84	12590	9.2	34	4	5	8	11	16	20
85+	16855	9.7	35	4	6	8	12	17	21
SUBTOTAL	71733	9.0	34	4	5	8	11	16	20
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
GRAND TOTAL	71733	9.0	34	4	5	8	11	16	20

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2657	5.8	15	2	3	5	7	10	13
35-49	4544	6.6	22	3	4	6	8	11	13
50-69	10174	7.3	21	3	4	6	9	12	15
70+	767	8.2	32	3	4	7	10	15	19
	18141	6.9	21	3	4	6	9	12	15
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	18141	6.9	21	3	4	6	9	12	15

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	1711	6.7	24	3	4	5	8	12	15
35-49	1550	7.8	29	3	4	7	9	13	17
50-69	2132	8.1	27	3	5	7	10	14	18
70+	286	9.0	48	3	5	7	11	16	17
SUBTOTAL	5678	7.6	28	3	4	6	9	14	17
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
GRAND TOTAL	5678	7.6	28	3	4	6	9	14	17

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	985	5.5	13	2	3	5	7	10	12
35-49	1217	6.4	17	3	4	5	8	12	14
50-69	2110	6.6	15	3	4	6	8	11	14
70+	1351	7.5	18	3	4	7	10	14	16
	5661	6.6	16	3	4	6	8	12	14
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	5661	6.6	16	3	4	6	8	12	14

DRG 90: Simple Pneumonia & Pleurisy Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	2583	6.0	13	3	4	5	7	10	13
70-74	2219	5.9	9	3	4	5	7	9	11
75-79	2185	6.3	10	3	4	6	8	10	12
80-84	1812	6.9	16	3	4	6	9	12	15
85 +	2183	7.1	18	3	4	6	9	12	14
SUBTOTAL	10981	6.4	13	3	4	6	8	11	13
GRAND TOTAL	10981	6.4	13	3	4	6	8	11	13

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	0								
18-34	4523	4.4	6	2	3	4	5	7	9
35-49	5018	4.9	6	2	3	4	6	8	10
50-69	4563	5.4	9	2	3	5	7	9	12
70 +	207	6.0	11	3	4	5	7	9	10
SUBTOTAL	14312	4.9	7	2	3	4	6	8	10
GRAND TOTAL	14312	4.9	7	2	3	4	6	8	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0	–							
18-34	1108	5.0	13	2	3	4	6	8	10
35-49	681	5.9	9	3	4	6	7	10	12
50-69	315	6.2	21	2	4	5	7	13	16
70 +	57	6.1	8	2	4	6	9	11	11
SUBTOTAL	2162	5.5	13	2	3	5	7	9	12
GRAND TOTAL	2162	5.5	13	2	3	5	7	9	12

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	0								
18-34	1208	3.9	3	2	3	4	5	6	7
35-49	1019	4.8	7	2	3	4	6	8	9
50-69	639	4.3	6	1	2	4	6	8	9
70 +	284	5.8	28	2	3	5	7	11	11
SUBTOTAL	3150	4.4	7	2	3	4	6	8	9
GRAND TOTAL	3150	4.4	7	2	3	4	6	8	9

DRG 91: Simple Pneumonia & Pleurisy Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	79	10.1	32	5	5	7	14	19	23
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	79	10.1	32	5	5	7	14	19	23
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	70	2.6	1	1	2	3	3	4	4
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	70	2.6	1	1	2	3	3	4	4
GRAND TOTAL	149	6.6	31	1	3	5	9	16	22

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	12295	4.2	9	2	2	3	5	8	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	12295	4.2	9	2	2	3	5	8	10
0-17	23583	3.4	3	2	2	3	4	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	23583	3.4	3	2	2	3	4	6	7
	35878	3.7	6	2	2	3	4	6	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	7977	5.0	19	2	3	4	6	10	13
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	7977	5.0	19	2	3	4	6	10	13
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	15868	3.7	4	2	2	3	5	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	15868	3.7	4	2	2	3	5	6	8
GRAND TOTAL	23846	4.2	10	2	2	3	5	7	9

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	3443	4.3	11	2	2	3	5	8	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	3443	4.3	11	2	2	3	5	8	10
0-17	7453	3.3	5	1	2	3	4	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	7453	3.3	5	1	2	3	4	6	7
	10896	3.6	7	2	2	3	4	6	8

DRG 92: Interstitial Lung Disease w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	542	7.9	32	3	4	5	10	14	16
70-74	389	7.4	11	4	5	7	9	13	15
75-79	315	8.1	16	3	5	8	10	14	15
80-84	243	8.5	31	3	4	7	13	15	20
85 +	314	8.3	32	3	4	7	11	16	18
SUBTOTAL	1804	8.0	24	3	4	7	10	14	16
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	1804	8.0	24	3	4	7	10	14	16

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	147	6.8	29	1	3	6	8	16	23
18-34	146	5.9	15	2	3	5	8	12	13
35-49	220	8.4	53	2	5	6	11	19	25
50-69	342	9.9	45	4	6	8	13	16	25
70 +	22	9.4	24						
	877	8.3	41	2	4	6	11	16	22
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	877	8.3	41	2	4	6	11	16	22

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	66	4.3	9	<1	2	4	6	9	10
18-34	89	4.3	7	2	2	3	5	7	12
35-49	65	5.4	5	2	4	5	6	9	10
50-69	96	6.6	29	1	2	6	9	15	18
70 +	15	5.0	1						
SUBTOTAL	331	5.2	14	1	2	5	6	10	12
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	331	5.2	14	1	2	5	6	10	12

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	82	7.8	27	3	3	7	11	17	18
18-34	22	2.4	1						
35-49	60	6.8	17	3	4	6	8	16	16
50-69	66	9.3	28	2	6	10	13	18	18
70 +	38	6.8	24						
	268	7.4	25	3	3	6	10	16	18
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	268	7.4	25	3	3	6	10	16	18

DRG 93: Interstitial Lung Disease w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	164	6.7	30	3	4	5	7	9	22
70-74	109	5.7	11	2	2	6	8	11	12
75-79	58	4.2	4	2	2	4	5	8	8
80-84	58	6.4	2	4	5	6	8	8	8
85 +	21	5.6	3						
SUBTOTAL	410	6.0	17	2	4	5	8	9	12
GRAND TOTAL	410	6.0	17	2	4	5	8	9	12

TYPE OF PATIENT	BLUE CROSS PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	139	3.4	5	1	2	3	4	6	9
18-34	102	4.4	5	2	2	4	6	8	9
35-49	109	4.8	12	1	2	5	7	9	13
50-69	145	5.8	24	1	4	5	6	7	15
70 +	7	16.0							
	501	4.8	15	1	2	4	6	9	12
	501	4.8	15	1	2	4	6	9	12

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	165	3.5	2	1	2	4	5	5	6
18-34	15	5.0	1						
35-49	58	5.0	9	2	3	4	5	12	12
50-69	8	5.0							
70 +	0								
SUBTOTAL	245	4.0	4	2	3	4	5	6	7
GRAND TOTAL	245	4.0	4	2	3	4	5	6	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	30	5.5	4						
18-34	21	4.1	3						
35-49	26	3.7	11						
50-69	14	3.5							
70 +	14	5.0							
	107	4.4	5	< 1	3	4	5	9	9
	107	4.4	5	< 1	3	4	5	9	9

DRG 94: Pneumothorax w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	656	7.2	21	3	4	6	9	13	16
70-74	468	9.3	49	3	5	7	12	19	23
75-79	385	10.0	70	4	4	8	12	18	30
80-84	191	6.8	43	3	4	5	7	11	12
85 +	313	9.6	61	3	5	8	11	17	22
SUBTOTAL	2014	8.6	47	3	4	7	11	16	23
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	2014	8.6	47	3	4	7	11	16	23

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	148	6.4	24	2	3	5	8	15	18
18-34	513	7.0	39	2	3	5	9	12	17
35-49	412	6.5	36	2	3	5	8	12	17
50-69	832	8.5	41	3	5	7	10	16	19
70 +	37	8.1	9						
SUBTOTAL	1942	7.5	38	2	4	6	9	14	18
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	1942	7.5	38	2	4	6	9	14	18

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	57	4.6	5	1	3	4	7	8	8
18-34	206	7.6	44	3	4	6	8	14	23
35-49	117	7.0	10	3	4	6	10	12	13
50-69	80	5.2	5	2	3	5	7	8	9
70 +	0								
SUBTOTAL	461	6.6	25	3	4	5	8	10	14
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	461	6.6	25	3	4	5	8	10	14

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	5.2	10						
18-34	325	5.9	11	3	4	5	7	9	13
35-49	165	8.5	43	3	5	7	11	14	24
50-69	85	6.6	52	2	3	4	5	12	29
70 +	44	6.8	35	2	4	4	7	20	20
SUBTOTAL	649	6.7	27	3	3	5	8	12	20
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	649	6.7	27	3	3	5	8	12	20

DRG 95: Pneumothorax w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	128	3.0	3	1	1	3	4	5	6
70-74	64	4.2	3	1	4	4	5	8	8
75-79	50	5.3	9	1	3	5	7	11	11
80-84	42	4.0	5	1	2	3	6	7	7
85 +	28	4.8	4						
SUBTOTAL	313	3.9	5	1	2	4	5	7	7
GRAND TOTAL	313	3.9	5	1	2	4	5	7	7

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	427	3.1	3	1	2	3	4	5	7
18-34	1614	4.4	10	2	2	4	6	8	9
35-49	708	4.3	6	1	3	4	5	7	9
50-69	329	4.1	7	2	2	3	5	7	9
70 +	15	8.4	2						
	3293	4.2	8	1	2	4	5	7	9
	3293	4.2	8	1	2	4	5	7	9

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	111	4.8	7	2	2	3	5	8	12
18-34	342	3.8	5	1	2	3	5	7	7
35-49	64	5.5	4	3	4	5	7	9	9
50-69	15	4.5	7						
70 +	0								
SUBTOTAL	533	4.1	6	2	2	4	5	7	8
GRAND TOTAL	533	4.1	6	2	2	4	5	7	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	88	3.3	3	2	2	3	4	6	6
18-34	781	4.0	8	1	2	3	5	8	9
35-49	282	4.6	10	2	2	4	5	9	9
50-69	74	5.4	23	2	3	5	5	19	19
70 +	22	8.5	22						
	1247	4.3	10	2	2	4	5	8	9
	1247	4.3	10	2	2	4	5	8	9

DRG 96: Bronchitis & Asthma Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	15653	7.1	23	3	4	6	9	13	16
70-74	9730	6.8	18	3	4	6	8	11	15
75-79	8258	6.7	15	3	4	6	8	11	14
80-84	5899	7.2	22	3	4	6	9	12	16
85 +	4761	7.5	19	3	5	6	9	13	16
SUBTOTAL	44302	7.0	20	3	4	6	9	12	15
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	44302	7.0	20	3	4	6	9	12	15

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2752	5.3	16	2	3	4	7	11	14
35-49	4128	5.3	13	2	3	4	7	10	12
50-69	9688	5.9	12	3	4	5	7	10	12
70 +	538	7.0	18	3	4	6	9	15	16
	17106	5.7	13	2	3	5	7	10	12
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	17106	5.7	13	2	3	5	7	10	12

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	1504	4.6	13	2	3	4	5	8	11
35-49	2026	5.8	15	2	3	5	7	10	13
50-69	2441	6.9	15	3	4	6	8	12	15
70 +	143	6.7	24	1	3	6	9	12	15
SUBTOTAL	6113	5.9	16	2	3	5	7	11	14
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	6113	5.9	16	2	3	5	7	11	14

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	802	4.4	13	2	2	4	5	8	10
35-49	855	4.3	6	2	3	4	5	8	9
50-69	1563	5.4	17	2	3	4	6	11	15
70 +	443	5.7	12	3	4	5	6	11	13
	3663	5.0	13	2	3	4	6	9	12
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3663	5.0	13	2	3	4	6	9	12

DRG 97: Bronchitis & Asthma Age >17 w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	3619	4.7	7	2	3	4	6	8	10
70-74	1916	5.2	7	2	3	5	7	9	10
75-79	1488	5.1	11	2	3	4	6	9	11
80-84	1012	5.4	9	2	3	5	7	9	11
85 +	625	5.0	9	2	3	5	6	9	10
SUBTOTAL	8660	5.0	8	2	3	4	6	8	10
GRAND TOTAL	8660	5.0	8	2	3	4	6	8	10

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	6567	3.5	4	1	2	3	4	6	7
35-49	7028	4.1	5	2	3	4	5	7	8
50-69	5689	4.5	6	2	3	4	6	8	9
70 +	245	4.7	6	2	3	4	6	8	11
19529	4.0	5	2	2	4	5	7	8	
19529	4.0	5	2	2	4	5	7	8	

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	3200	3.8	21	1	2	3	4	6	7
35-49	2297	4.3	5	2	3	4	5	7	9
50-69	1057	4.9	8	2	3	4	6	9	11
70 +	44	4.6	5	2	3	4	7	8	8
SUBTOTAL	6598	4.1	13	2	2	3	5	7	8
GRAND TOTAL	6598	4.1	13	2	2	3	5	7	8

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	2428	3.0	3	1	2	3	4	5	6
35-49	1790	3.6	4	1	2	3	5	7	8
50-69	994	3.6	4	1	2	3	5	6	7
70 +	200	4.5	9	1	3	4	6	9	11
5412	3.4	4	1	2	3	4	6	7	
5412	3.4	4	1	2	3	4	6	7	

DRG 98: Bronchitis & Asthma Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	51	7.5	13	3	4	7	12	13	13
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	51	7.5	13	3	4	7	12	13	13
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	57	4.2	4	2	3	3	7	7	7
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	57	4.2	4	2	3	3	7	7	7
GRAND TOTAL	108	5.7	11	2	3	5	7	12	13

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	14402	4.0	13	2	2	3	5	7	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	14402	4.0	13	2	2	3	5	7	9
0-17	56320	2.8	3	1	2	2	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	56320	2.8	3	1	2	2	3	5	6
	70721	3.0	5	1	2	3	4	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	10628	4.6	19	2	3	4	5	8	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	10628	4.6	19	2	3	4	5	8	10
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	39829	3.3	4	1	2	3	4	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	39829	3.3	4	1	2	3	4	6	7
GRAND TOTAL	50457	3.5	8	1	2	3	4	6	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	5208	3.7	13	1	2	3	4	7	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	5208	3.7	13	1	2	3	4	7	9
0-17	26759	2.6	2	1	2	2	3	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	26759	2.6	2	1	2	2	3	4	5
	31967	2.8	4	1	2	2	3	5	6

DRG 99: Respiratory Signs & Symptoms w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	3483	5.7	22	2	3	5	7	10	13
70-74	2414	5.6	20	2	3	5	7	10	14
75-79	1779	6.4	24	2	3	5	8	12	15
80-84	1087	6.3	23	2	3	5	8	11	14
85 +	800	7.1	35	2	3	6	9	14	20
SUBTOTAL	9563	6.0	23	2	3	5	8	11	14
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	9563	6.0	23	2	3	5	8	11	14

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1054	6.1	30	1	2	4	9	13	17
18-34	435	6.1	71	1	2	3	8	13	20
35-49	1301	3.5	9	1	2	3	4	7	9
50-69	2623	5.2	21	2	2	4	6	10	15
70 +	179	5.9	10	3	4	5	7	8	14
	5592	5.1	24	1	2	4	6	10	14
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	5592	5.1	24	1	2	4	6	10	14

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	1034	5.4	24	1	2	4	6	13	17
18-34	225	4.2	9	1	2	3	6	9	10
35-49	300	5.5	56	1	2	4	6	9	15
50-69	627	4.6	11	2	3	3	6	9	12
70 +	15	4.4	2						
SUBTOTAL	2201	5.0	23	1	2	4	6	11	14
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	2201	5.0	23	1	2	4	6	11	14

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	389	5.5	23	1	2	3	9	14	15
18-34	134	2.9	4	1	1	3	4	7	9
35-49	293	3.1	5	1	2	2	4	6	9
50-69	537	4.0	10	1	2	3	5	9	10
70 +	125	4.2	10	1	2	3	6	10	10
	1479	4.1	13	1	2	3	5	10	13
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1479	4.1	13	1	2	3	5	10	13

DRG 100: Respiratory Signs & Symptoms w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1258	3.0	4	1	2	2	4	6	8
70-74	663	3.6	10	1	1	3	4	7	11
75-79	496	3.0	3	1	2	3	4	6	6
80-84	292	3.3	6	1	2	2	4	7	7
85 +	210	2.9	2	1	2	3	3	6	6
SUBTOTAL	2918	3.1	5	1	2	3	4	6	7
GRAND TOTAL	2918	3.1	5	1	2	3	4	6	7

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	2401	3.0	8	1	1	2	3	5	8
18-34	929	2.4	6	1	1	2	3	4	6
35-49	2796	2.5	3	1	1	2	3	4	6
50-69	2499	2.6	4	1	1	2	3	5	6
70 +	28	4.0	5						
	8652	2.7	5	1	1	2	3	5	6
	8652	2.7	5	1	1	2	3	5	6

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	2331	3.1	9	1	2	2	4	6	7
18-34	252	3.0	12	1	1	2	3	6	15
35-49	322	3.0	3	1	2	3	3	6	7
50-69	178	3.6	4	1	2	3	5	6	8
70 +	8	3.0							
SUBTOTAL	3090	3.1	8	1	2	2	4	6	7
GRAND TOTAL	3090	3.1	8	1	2	2	4	6	7

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1077	3.1	6	1	1	2	4	7	8
18-34	257	2.3	2	1	1	2	3	4	5
35-49	757	2.4	3	1	1	2	3	5	6
50-69	645	2.1	3	1	1	1	3	4	6
70 +	141	1.9	1	1	1	2	3	3	4
	2877	2.6	4	1	1	2	3	5	7
	2877	2.6	4	1	1	2	3	5	7

DRG 101: Other Respiratory System Diagnoses w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1192	6.5	24	2	3	6	9	13	17
70-74	853	7.0	28	2	4	5	9	13	18
75-79	710	7.2	32	2	3	5	10	15	20
80-84	636	7.8	41	2	4	5	10	15	20
85 +	606	7.0	24	2	3	5	11	14	16
SUBTOTAL	3997	7.0	29	2	3	5	9	14	18
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	3997	7.0	29	2	3	5	9	14	18

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	713	7.1	33	2	2	4	11	14	15
18-34	626	5.9	25	1	3	4	7	14	17
35-49	699	5.2	18	1	2	4	7	10	14
50-69	1146	6.0	18	2	3	5	8	12	17
70 +	170	7.8	36	2	4	7	10	17	23
	3354	6.1	24	2	3	5	8	14	17
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3354	6.1	24	2	3	5	8	14	17

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	380	7.0	50	2	3	4	9	14	22
18-34	152	6.3	32	2	2	4	8	18	19
35-49	114	3.9	6	1	2	4	6	7	10
50-69	204	6.2	16	2	3	5	9	12	14
70 +	8	7.0							
SUBTOTAL	857	6.3	33	2	2	4	8	12	17
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	857	6.3	33	2	2	4	8	12	17

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	239	5.0	22	2	2	3	6	13	15
18-34	314	4.2	7	1	2	4	6	8	10
35-49	211	4.3	15	1	2	3	5	10	11
50-69	218	3.5	8	1	2	2	5	7	8
70 +	89	5.6	8	2	3	5	7	9	12
	1071	4.4	12	1	2	3	6	8	11
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1071	4.4	12	1	2	3	6	8	11

DRG 102: Other Respiratory System Diagnoses w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	267	4.0	20	1	2	3	4	7	15
70-74	182	4.4	17	1	2	3	6	12	12
75-79	158	5.3	12	1	2	5	8	10	12
80-84	121	4.8	10	2	2	4	6	11	11
85 +	137	3.3	4	1	2	3	4	7	9
SUBTOTAL	865	4.3	14	1	2	3	5	9	12
GRAND TOTAL	865	4.3	14	1	2	3	5	9	12

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1671	2.6	6	1	1	2	3	5	8
18-34	390	2.9	4	1	1	2	4	5	7
35-49	648	2.8	4	1	1	2	4	5	7
50-69	510	4.0	9	1	2	3	6	9	10
70 +	44	3.9	5	2	2	3	6	8	8
	3262	2.9	6	1	1	2	4	6	8
	3262	2.9	6	1	1	2	4	6	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	946	3.3	5	1	2	3	4	7	8
18-34	66	3.3	4	1	2	2	4	7	7
35-49	59	1.9	1	1	1	2	3	4	4
50-69	28	2.5	4						
70 +	0								
SUBTOTAL	1099	3.2	5	1	1	3	4	7	8
GRAND TOTAL	1099	3.2	5	1	1	3	4	7	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	465	1.8	2	1	1	1	2	3	4
18-34	179	2.8	5	1	1	2	3	5	6
35-49	157	2.7	4	1	1	2	3	5	8
50-69	58	3.5	4	1	1	4	5	7	7
70 +	37	3.0	2						
	895	2.3	3	1	1	2	3	4	6
	895	2.3	3	1	1	2	3	4	6

DRG 103: Heart Transplant

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	30	28.3	4						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	30	28.3	4						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	30	28.3	4						

BLUE CROSS PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	46	42.2	116	25	36	48	57	99 +	99 +
18-34	23	39.3	202						
35-49	68	18.8	39	12	13	17	24	30	30
50-69	38	29.2	59	17	25	32	39	99 +	99 +
70 +	0								
	175	29.8	183	13	19	30	48	99 +	99 +
0-17	0								
18-34	0								
35-49	15	14.0	10						
50-69	8	19.0							
70 +	0								
	23	15.7	12						
	198	28.2	183	12	17	29	39	95	99 +

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	38	61.0	451						
18-34	15	20.0	17						
35-49	15	23.0	107						
50-69	23	15.7	16						
70 +	0								
SUBTOTAL	91	36.5	647	13	15	28	53	66	97
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	91	36.5	647	13	15	28	53	66	97

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	15	36.5	752						
18-34	0								
35-49	0								
50-69	8	15.0							
70 +	0								
	23	29.3	597						
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	23	29.3	597						

DRG 104: Cardiac Valve Procedures w/ Cardiac Cath

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	499	24.0	167	11	15	22	29	41	52
70-74	445	24.6	176	11	16	21	31	43	56
75-79	358	24.9	204	11	16	20	28	46	52
80-84	89	23.1	57	16	17	22	27	33	40
85 +	44	25.8	160	15	17	19	36	50	50
SUBTOTAL	1434	24.4	172	11	16	21	30	44	55
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	75	15.1	27	10	11	15	18	24	26
70-74	38	16.8	38						
75-79	37	22.5	51						
80-84	8	23.0							
85 +	0								
SUBTOTAL	158	17.6	44	11	12	16	22	26	30
GRAND TOTAL	1592	23.7	163	11	15	20	29	41	52

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	99	13.0	114	5	7	9	16	20	45
18-34	23	23.3	14						
35-49	98	23.4	158	9	13	17	35	41	45
50-69	556	21.7	165	10	13	17	27	44	50
70 +	15	30.0	39						
	791	21.0	161	9	13	17	27	41	46
	38	7.0	7						
	0								
	21	10.9	8						
	60	14.0	69	6	9	12	26	29	29
	0								
	119	11.2	47	6	8	9	13	26	29
	910	19.7	157	8	11	15	26	41	45

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	53	23.7	49	12	20	23	32	34	34
18-34	23	12.3	15						
35-49	30	32.7	515						
50-69	30	20.4	37						
70 +	0								
SUBTOTAL	136	23.0	181	12	15	21	25	34	70
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	8	6.0							
18-34	0								
35-49	8	16.0							
50-69	0								
70 +	0								
SUBTOTAL	15	11.0	27						
GRAND TOTAL	151	21.8	178	7	13	20	24	34	63

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	6.0							
18-34	0								
35-49	23	23.3	18						
50-69	60	12.8	9	8	11	13	16	17	17
70 +	66	18.4	31	7	16	19	20	26	26
	156	16.4	38	8	12	16	20	26	27
	8	9.0							
	8	8.0							
	0								
	0								
	8	10.0							
	23	9.0	1						
	179	15.4	39	8	10	[illegible]	19	26	26

DRG 105: Cardiac Valve Procedures w/o Cardiac Cath

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	801	14.9	96	5	9	11	17	27	38
70-74	618	14.2	47	8	10	13	16	24	26
75-79	443	17.3	128	9	10	14	20	29	43
80-84	120	15.7	44	8	12	15	20	34	99 +
85 +	37	17.2	62						
SUBTOTAL	2019	15.3	86	8	10	13	17	26	34
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	112	9.9	9	8	9	10	12	13	14
70-74	134	10.4	10	7	8	10	11	15	20
75-79	104	9.9	15	6	7	9	12	16	17
80-84	29	13.8	26						
85 +	0								
SUBTOTAL	379	10.4	13	7	8	10	12	15	17
GRAND TOTAL	2398	14.5	77	8	9	12	16	25	31

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	540	10.3	35	5	6	8	13	19	22
18-34	91	11.9	75	7	8	9	10	20	38
35-49	308	12.6	77	7	8	10	13	20	27
50-69	1037	13.5	79	8	9	11	14	22	36
70 +	53	16.7	77	9	10	14	23	35	35
	2029	12.5	69	6	8	10	14	20	29
	441	6.8	3	5	6	6	7	9	11
	75	7.9	3	5	7	7	9	10	10
	75	8.7	8	7	7	8	8	14	15
	255	8.8	3	7	7	8	10	12	13
	0								
	846	7.7	4	6	6	7	9	10	12
	2875	11.1	55	6	7	9	12	18	23

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	167	13.6	197	6	7	8	11	26	44
18-34	53	19.4	169	9	13	15	19	50	50
35-49	60	17.3	237	8	9	11	22	56	56
50-69	149	14.5	84	8	9	11	15	33	40
70 +	0								
SUBTOTAL	429	15.1	163	7	8	10	15	33	50
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	84	7.2	3	5	6	7	9	9	10
18-34	8	5.0							
35-49	37	13.4	3						
50-69	0								
70 +	0								
SUBTOTAL	129	8.9	11	5	6	8	11	15	15
GRAND TOTAL	557	13.7	135	6	8	10	14	27	42

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	183	9.9	32	5	6	8	12	16	21
18-34	30	21.5	200						
35-49	89	14.3	99	7	9	11	18	20	45
50-69	262	9.2	5	7	7	9	11	13	14
70 +	73	14.1	43	8	9	11	15	28	28
	636	11.3	48	6	7	9	12	19	28
	91	6.8	4	5	5	6	7	8	13
	15	8.0	1						
	46	7.7	3	6	6	8	9	10	10
	30	8.5	1						
	30	10.3	1						
	212	7.8	4	5	6	7	9	11	11
	848	10.4	39	6	7	9	11	15	24

DRG 106: Coronary Bypass w/ Cardiac Cath

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3967	15.6	66	9	11	14	18	25	30
70-74	3214	17.1	99	9	11	14	19	28	34
75-79	2077	18.3	99	10	12	16	21	28	36
80-84	458	18.1	100	10	11	16	23	26	37
85 +	45	22.4	13	18	21	22	22	30	30
SUBTOTAL	9761	16.8	87	9	11	15	19	27	33
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	879	12.4	17	8	10	12	15	18	21
70-74	598	12.6	16	8	10	12	15	19	20
75-79	285	13.5	30	8	9	14	18	21	24
80-84	89	14.0	24	11	11	13	15	16	29
85 +	15	15.0							
SUBTOTAL	1866	12.8	19	8	10	12	15	19	21
GRAND TOTAL	11627	16.2	78	9	11	14	19	25	31

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	30	13.3	38						
35-49	1215	11.9	33	7	9	11	14	18	21
50-69	5109	13.9	45	8	10	12	16	21	25
70 +	179	15.7	30	10	11	16	18	24	27
	6532	13.5	43	8	9	12	16	21	25
0-17	0								
18-34	0								
35-49	583	9.6	6	7	8	9	11	13	14
50-69	1730	11.1	14	7	8	11	13	16	17
70 +	23	9.0	2						
	2335	10.7	12	7	8	10	12	15	17
	8868	12.8	36	7	9	11	15	19	23

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	8	14.0							
35-49	75	14.3	30	7	11	12	19	24	25
50-69	304	17.0	59	10	11	16	20	25	28
70 +	7	21.0							
SUBTOTAL	393	16.5	53	10	11	15	20	25	28
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	52	10.4	7	7	8	10	13	15	15
50-69	74	11.9	12	8	9	12	14	18	19
70 +	0								
SUBTOTAL	126	11.3	11	8	9	11	13	16	19
GRAND TOTAL	519	15.2	47	8	11	13	19	23	28

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	192	10.3	10	7	8	10	13	15	15
50-69	664	13.5	26	8	10	12	16	20	22
70 +	266	17.5	74	10	12	15	20	27	34
	1122	13.9	40	8	10	12	16	21	24
0-17	0								
18-34	0								
35-49	65	9.7	5	7	8	9	11	13	14
50-69	265	11.3	10	7	9	10	13	15	18
70 +	52	12.3	14	8	9	11	17	18	18
	382	11.1	10	8	8	10	13	15	18
	1504	13.2	34	8	9	12	15	20	22

DRG 107: Coronary Bypass w/o Cardiac Cath

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	4202	11.1	35	7	8	9	12	16	21
70-74	2752	11.6	38	7	8	10	13	19	21
75-79	1605	12.9	60	8	9	10	14	21	29
80-84	376	15.6	126	8	10	12	17	31	32
85 +	51	14.1	22	8	9	14	18	22	22
SUBTOTAL	8986	11.8	45	7	8	10	13	19	23
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	1058	8.6	4	7	7	8	9	11	13
70-74	654	9.5	8	7	8	9	10	13	16
75-79	274	10.2	7	8	8	9	12	15	17
80-84	61	9.5	3	7	8	10	11	12	12
85 +	15	14.5	22						
SUBTOTAL	2062	9.2	6	7	8	9	10	12	14
GRAND TOTAL	11048	11.3	39	7	8	9	12	17	22

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	38	8.8	2						
35-49	1257	8.8	15	6	7	8	9	12	16
50-69	6410	9.4	17	7	7	8	10	13	17
70 +	224	11.2	37	7	8	10	11	23	29
	7930	9.4	17	6	7	8	10	13	17
0-17	0								
18-34	15	7.5							
35-49	555	7.4	2	6	7	7	8	9	10
50-69	1993	8.2	5	6	7	8	9	11	12
70 +	60	9.0	3	7	8	9	10	13	13
	2623	8.0	5	6	7	8	9	11	11
	10553	9.1	14	6	7	8	10	12	16

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	196	10.1	21	6	8	10	11	13	13
50-69	385	11.9	41	7	8	9	13	21	25
70 +	8	11.0							
SUBTOTAL	589	11.3	34	7	8	10	12	19	25
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	44	9.0	3	6	8	9	11	11	11
50-69	67	10.0	7	7	8	9	12	15	15
70 +	0								
SUBTOTAL	111	9.6	6	7	8	9	11	13	15
GRAND TOTAL	700	11.0	30	7	8	9	12	19	23

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	10.0							
18-34	8	8.0							
35-49	203	8.6	14	6	7	8	9	13	14
50-69	907	9.1	11	6	7	8	10	12	16
70 +	169	10.7	27	7	8	10	11	16	18
	1295	9.2	14	7	7	8	10	13	16
0-17	0								
18-34	8	11.0							
35-49	58	7.6	1	6	7	8	8	9	9
50-69	288	7.9	3	6	7	8	8	9	10
70 +	72	10.7	35	7	8	8	11	18	27
	425	8.4	9	6	7	8	9	10	16
	1720	9.0	13	6	7	8	9	12	16

North Central Region, July 1989 - June 1990

DRG 108: Other Cardiothoracic Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	360	16.0	99	8	10	12	18	31	40
70-74	250	16.6	104	8	10	13	18	32	40
75-79	90	20.0	163	8	9	22	29	33	50
80-84	15	7.5	13						
85 +	8	19.0							
SUBTOTAL	722	16.6	109	8	10	12	20	32	40
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	105	9.6	14	7	8	9	11	15	18
70-74	53	7.6	2	5	7	8	8	10	10
75-79	23	7.0	3						
80-84	0								
85 +	0								
SUBTOTAL	181	8.7	10	5	7	8	9	13	15
GRAND TOTAL	903	15.0	99	8	9	11	17	30	40

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1985	13.5	106	5	7	10	18	28	35
18-34	152	11.2	68	5	5	7	15	25	32
35-49	197	10.3	25	6	7	9	12	18	24
50-69	448	11.0	25	6	7	10	14	19	22
70 +	8	8.0							
	2789	12.7	87	5	7	10	16	24	32
0-17	1818	7.1	10	4	5	6	8	11	14
18-34	84	8.5	25	5	5	7	10	12	23
35-49	76	8.0	4	5	6	8	10	11	11
50-69	104	10.4	10	7	8	10	12	13	19
70 +	0								
	2081	7.4	11	5	5	6	8	12	14
	4870	10.4	61	5	6	8	12	21	26

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	882	15.6	205	6	8	11	17	32	62
18-34	38	10.0	11						
35-49	53	8.7	3	6	7	9	10	11	11
50-69	33	13.0	18						
70 +	0								
SUBTOTAL	1011	15.0	183	6	8	11	16	31	58
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	524	8.4	19	5	6	7	9	12	20
18-34	23	6.7							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	547	8.3	18	5	6	7	9	12	20
GRAND TOTAL	1558	12.6	135	5	7	9	14	24	35

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	578	11.0	69	5	6	8	12	24	32
18-34	23	15.7	176						
35-49	15	13.0	4						
50-69	104	10.9	12	8	8	10	13	17	18
70 +	51	15.5	42	6	11	16	17	29	29
	771	11.5	63	5	6	9	13	24	31
0-17	548	6.5	6	4	5	6	7	9	11
18-34	8	5.0							
35-49	23	6.0	3						
50-69	0								
70 +	0								
	578	6.5	6	4	5	6	7	9	11
	1349	9.3	45	5	6	7	10	17	26

DRG 110: Major Cardiovascular Procedures w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3369	14.5	89	7	9	12	17	27	36
70-74	2603	14.7	96	8	9	11	16	29	36
75-79	1667	16.0	106	8	10	13	18	28	36
80-84	799	16.6	136	8	9	14	19	32	36
85 +	232	16.9	81	8	11	14	22	31	37
SUBTOTAL	8670	15.1	99	8	9	12	18	28	36
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	8670	15.1	99	8	9	12	18	28	36

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	966	10.7	117	4	5	7	11	19	42
18-34	113	10.6	27	6	7	9	13	20	24
35-49	528	12.2	67	5	7	10	14	24	30
50-69	3115	12.1	65	6	8	10	13	21	29
70 +	151	14.1	64	7	9	11	17	26	29
	4873	11.8	75	5	7	9	13	22	31
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4873	11.8	75	5	7	9	13	22	31

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	433	10.3	91	5	5	8	12	28	85
18-34	37	8.8	16						
35-49	127	11.9	49	6	8	9	15	25	32
50-69	293	12.9	84	6	7	10	15	24	37
70 +	8	16.0							
SUBTOTAL	898	11.4	80	5	6	9	14	25	37
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	898	11.4	80	5	6	9	14	25	37

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	304	12.0	97	3	5	8	15	31	36
18-34	44	15.3	69	6	9	13	25	28	28
35-49	103	11.0	34	5	7	10	12	24	24
50-69	428	14.9	239	7	7	10	14	34	55
70 +	278	14.1	55	8	9	12	17	29	31
	1157	13.6	134	5	7	10	15	28	36
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1157	13.6	134	5	7	10	15	28	36

DRG 111: Major Cardiovascular Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	743	10.2	88	6	7	9	11	14	17
70-74	466	9.7	16	7	8	9	10	13	19
75-79	219	10.4	28	5	7	9	13	19	21
80-84	95	10.8	14	7	8	10	13	17	18
85 +	30	7.7	3						
SUBTOTAL	1552	10.1	52	6	7	9	11	15	19
GRAND TOTAL	1552	10.1	52	6	7	9	11	15	19

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1247	5.5	8	3	4	5	6	8	11
18-34	98	7.0	13	4	4	6	9	12	15
35-49	304	8.0	7	5	6	8	9	12	13
50-69	1164	8.5	11	6	7	8	10	12	14
70 +	36	8.3	5						
	2849	7.1	11	3	5	7	9	11	13
	2849	7.1	11	3	5	7	9	11	13

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	418	5.4	9	3	4	5	6	9	11
18-34	15	4.0	10						
35-49	23	13.0	36						
50-69	43	8.6	10	5	5	8	12	13	13
70 +	0								
SUBTOTAL	499	6.0	13	3	4	5	7	11	12
GRAND TOTAL	499	6.0	13	3	4	5	7	11	12

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	205	5.6	9	3	3	5	9	9	10
18-34	15	4.5							
35-49	50	10.6	30	6	7	9	12	23	23
50-69	208	8.5	17	5	7	8	9	11	18
70 +	75	8.2	8	5	7	8	10	13	14
	553	7.5	16	3	5	7	9	11	14
	553	7.5	16	3	5	7	9	11	14

DRG 112: Percutaneous Cardiovascular Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	4443	6.0	27	1	2	4	9	13	17
70-74	2591	7.1	52	2	2	4	10	15	20
75-79	1560	8.8	55	2	3	7	12	19	22
80-84	601	8.3	39	2	4	7	10	17	20
85 +	185	8.1	44	1	2	6	14	19	21
SUBTOTAL	9380	6.9	41	1	2	5	10	15	19
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	3636	4.2	13	1	2	3	6	9	11
70-74	2140	4.4	15	1	2	3	6	10	12
75-79	938	5.0	16	1	2	3	7	10	12
80-84	357	4.7	23	1	2	3	5	9	19
85 +	68	8.5	29	3	6	8	9	22	22
SUBTOTAL	7138	4.4	15	1	2	3	6	9	11
GRAND TOTAL	16518	5.9	31	1	2	4	8	13	17

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	236	4.4	25	1	1	2	4	14	15
18-34	212	2.9	6	1	1	2	4	6	9
35-49	2029	4.3	18	1	2	3	6	9	11
50-69	6368	4.6	19	1	2	3	7	10	12
70 +	139	5.2	27	1	1	3	9	17	17
	8984	4.5	19	1	2	3	6	10	12
0-17	775	2.5	5	1	1	2	3	5	7
18-34	442	2.6	3	1	2	2	3	5	6
35-49	3796	3.7	9	1	2	3	5	8	9
50-69	7885	4.0	11	1	2	3	6	9	11
70 +	95	4.3	13	1	1	2	8	9	10
	12992	3.8	10	1	2	3	5	8	10
	21976	4.1	14	1	2	3	6	9	11

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	91	11.8	254	1	2	7	13	38	53
18-34	61	5.4	19	1	2	4	10	14	14
35-49	252	5.7	21	1	2	5	7	12	15
50-69	445	6.8	33	2	2	5	9	15	19
70 +	21	3.7	10						
SUBTOTAL	870	6.8	54	1	2	5	9	15	19
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	106	2.1	1	1	1	2	3	4	4
18-34	76	3.6	4	2	2	3	5	7	7
35-49	222	4.0	8	1	2	3	5	9	10
50-69	336	4.3	13	1	2	3	6	10	11
70 +	15	9.5	2						
SUBTOTAL	756	3.9	10	1	2	3	6	8	11
GRAND TOTAL	1626	5.5	36	1	2	3	7	11	15

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	2.5	4						
18-34	30	3.3	3						
35-49	370	5.1	16	1	2	4	8	11	14
50-69	1182	4.3	18	1	2	3	6	10	11
70 +	175	6.7	57	1	2	4	9	12	15
	1788	4.7	22	1	2	3	6	10	12
0-17	38	1.4							
18-34	37	2.4	4						
35-49	691	3.8	6	1	2	3	6	8	8
50-69	1210	4.1	9	1	2	3	5	8	10
70 +	158	5.1	10	2	2	5	7	10	11
	2134	4.0	8	1	2	3	6	8	10
	3922	4.3	14	1	2	3	6	9	11

DRG 113: Amputation for Circ System Disorders except Upper Limb & Toe

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	2123	20.7	164	8	12	18	28	36	48
70-74	1268	19.2	159	7	10	17	25	36	48
75-79	1224	19.0	212	7	9	14	25	37	48
80-84	1063	16.2	148	5	8	13	22	31	35
85 +	1449	15.5	121	5	8	13	21	30	38
SUBTOTAL	7126	18.4	164	6	9	15	24	35	44
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	146	10.0	26	6	7	8	11	18	25
70-74	58	12.3	104	2	5	7	20	32	32
75-79	101	12.5	76	4	5	10	15	27	33
80-84	87	10.1	25	4	7	9	13	18	19
85 +	108	5.9	7	3	4	5	8	10	11
SUBTOTAL	500	9.9	46	4	5	8	11	19	25
GRAND TOTAL	7625	17.9	161	6	9	14	24	34	43

TYPE OF PATIENT	BLUE CROSS PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	14	11.5							
35-49	171	19.9	193	5	7	19	28	34	50
50-69	732	18.8	178	7	11	15	25	36	45
70 +	100	20.6	186	9	10	19	23	44	56
SUBTOTAL	1017	19.1	180	7	10	15	25	36	45
0-17	0								
18-34	15	12.5	2						
35-49	36	9.4	14						
50-69	58	10.9	47	4	5	7	15	26	26
70 +	0								
SUBTOTAL	109	10.6	31	4	6	11	14	15	26
GRAND TOTAL	1125	18.3	172	6	10	14	24	35	45

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	15	19.0	69						
35-49	50	20.1	194	9	12	17	20	33	60
50-69	299	19.4	104	9	13	17	24	35	38
70 +	8	14.0							
SUBTOTAL	402	19.4	119	9	13	17	23	34	39
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	7	13.0							
50-69	15	19.0	107						
70 +	0								
SUBTOTAL	22	17.1	80						
GRAND TOTAL	424	19.3	117	9	13	16	23	34	39

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	15	22.0	17						
35-49	58	19.7	291	4	8	12	27	58	58
50-69	168	19.1	158	6	10	18	22	37	49
70 +	133	16.6	77	4	10	15	22	30	34
SUBTOTAL	374	18.4	145	6	10	15	23	33	49
0-17	0								
18-34	7	51.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	7	51.0							
GRAND TOTAL	381	19.0	162	6	10	18	23	36	50

DRG 114: Upper Limb & Toe Amputation for Circ System Disorders

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	659	13.3	114	2	5	11	18	29	36
70-74	325	12.1	135	3	5	8	17	27	42
75-79	326	13.7	78	3	7	12	20	26	33
80-84	193	10.6	46	3	5	8	18	21	23
85 +	139	10.7	66	1	4	9	17	22	31
SUBTOTAL	1642	12.6	100	3	5	10	18	25	33
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	35	5.9	9						
70-74	23	9.3	10						
75-79	15	10.0	1						
80-84	14	13.0	53						
85 +	15	2.0							
SUBTOTAL	101	7.7	23	2	5	6	11	12	20
GRAND TOTAL	1743	12.3	97	2	5	10	18	25	33

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	8	13.0							
35-49	155	11.6	118	3	5	7	13	26	39
50-69	385	11.4	50	3	6	11	14	22	28
70 +	42	8.9	20	2	6	10	12	16	16
	590	11.3	65	3	5	10	14	22	28
0-17	0								
18-34	15	3.5	2						
35-49	37	2.2	1						
50-69	64	7.3	106	2	3	3	4	35	35
70 +	7	8.0							
	123	5.4	61	2	2	3	4	8	35
	713	10.2	70	3	4	8	13	22	28

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	21	6.0	17						
35-49	44	15.6	115	3	4	18	23	33	33
50-69	79	11.3	55	1	3	12	19	21	22
70 +	0								
SUBTOTAL	144	11.8	76	1	4	11	19	23	33
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	22	2.7	1						
35-49	7	1.0							
50-69	15	7.2	32						
70 +	0								
SUBTOTAL	44	3.9	17	1	2	2	4	13	13
GRAND TOTAL	188	10.0	73	1	2	9	17	22	23

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	7	2.0							
35-49	65	12.2	38	3	9	13	14	23	24
50-69	80	9.5	24	4	5	10	12	17	19
70 +	15	10.5							
	166	10.3	31	3	5	10	13	19	19
0-17	0								
18-34	0								
35-49	7	2.0							
50-69	21	6.7	1						
70 +	0								
	28	5.5	5						
	194	9.7	30	3	5	10	13	19	19

DRG 115: Perm Cardiac Pacemaker Implant w/ AMI, Heart Failure or Shock

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	247	14.5	60	6	10	13	19	24	33
70-74	195	16.8	147	7	9	13	23	29	39
75-79	272	15.6	143	7	9	14	17	27	34
80-84	283	14.3	149	4	7	12	16	28	50
85 +	283	14.2	59	6	9	12	18	27	31
SUBTOTAL	1281	15.0	111	6	9	12	17	27	33
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	14	16.5	2						
70-74	7	9.0							
75-79	21	10.6	16						
80-84	15	13.0	27						
85 +	14	22.5	227						
SUBTOTAL	71	14.4	73	7	8	9	18	22	37
GRAND TOTAL	1352	14.9	109	6	9	12	18	27	33

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	5.0							
18-34	0								
35-49	0								
50-69	64	12.3	23	6	9	10	17	21	21
70 +	15	8.2	45						
	87	11.0	30	5	6	10	15	18	21
	0								
	0								
	0								
	15	8.6	7						
	0								
	15	8.6	7						
	101	10.6	27	5	6	10	15	18	21

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	36	16.8	30						
70 +	0		-						
SUBTOTAL	36	16.8	30						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	36	16.8	30						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	15	8.5							
70 +	15	7.5	7						
	30	8.0	4						
	0								
	0								
	0								
	0								
	0								
	0								
	30	8.0	4						

DRG 116: Perm Cardiac Pacemaker Implant w/o AMI, Heart Failure or Shock

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1334	8.2	34	2	4	7	11	16	20
70-74	1598	8.3	36	3	4	7	11	16	21
75-79	2084	8.4	50	2	4	7	10	17	20
80-84	1746	8.5	27	3	5	8	11	15	18
85 +	2113	9.6	56	3	5	8	13	18	22
SUBTOTAL	8876	8.7	42	3	4	7	11	16	20
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	639	4.8	11	1	2	4	6	10	13
70-74	869	4.2	7	1	2	4	6	7	9
75-79	1008	5.3	17	2	2	4	7	11	12
80-84	969	5.1	15	1	2	4	7	10	12
85 +	767	5.0	13	2	3	4	6	10	12
SUBTOTAL	4252	4.9	13	1	2	4	6	10	12
GRAND TOTAL	13128	7.4	36	2	3	6	10	15	18

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	84	6.1	8	4	4	6	6	7	14
18-34	68	8.1	38	2	3	7	8	21	21
35-49	132	5.4	5	3	4	5	6	9	11
50-69	669	7.0	28	2	3	6	9	13	18
70 +	139	6.9	24	3	4	6	8	10	24
	1091	6.8	24	2	4	6	8	13	17
0-17	53	4.1	3	1	2	5	6	6	6
18-34	65	5.9	11	2	4	6	7	12	13
35-49	102	4.8	7	1	3	4	7	9	9
50-69	560	4.4	6	2	2	4	6	8	9
70 +	66	4.0	3	1	3	5	5	6	6
	847	4.5	7	2	2	4	6	8	9
	1938	5.8	18	2	3	5	7	10	13

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	38	5.8	14						
18-34	0								
35-49	28	5.0							
50-69	91	10.5	17	6	7	11	12	17	19
70 +	8	7.0							
SUBTOTAL	165	8.3	19	4	5	7	11	13	18
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	15	7.0	10						
50-69	29	11.0	41						
70 +	21	7.1	6						
SUBTOTAL	66	8.8	26	3	4	7	10	18	18
GRAND TOTAL	230	8.5	21	4	5	7	11	16	18

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	3.3	2						
18-34	8	3.0							
35-49	14	13.0	4						
50-69	111	5.3	9	2	3	5	6	10	12
70 +	221	6.0	20	2	3	5	8	11	14
	384	5.8	17	2	3	5	8	11	14
0-17	23	4.0	2						
18-34	0								
35-49	8	8.0							
50-69	203	3.2	3	1	2	3	5	6	7
70 +	184	3.2	5	1	2	3	4	5	8
	418	3.3	4	1	2	3	5	6	8
	801	4.5	12	1	2	4	6	9	11

DRG 117: Cardiac Pacemaker Revision except Device Replacement

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	96	4.6	7	2	3	4	6	9	10
70-74	101	5.4	11	2	3	4	8	11	12
75-79	36	5.7	12						
80-84	51	7.3	29	2	3	6	13	17	17
85 +	95	5.2	16	2	2	3	6	11	14
SUBTOTAL	378	5.5	14	2	2	4	8	11	13
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	46	3.3	1	2	3	3	4	5	5
70-74	104	2.6	2	1	1	3	4	4	5
75-79	88	4.6	7	2	2	4	7	8	9
80-84	109	3.1	6	1	1	3	4	7	10
85 +	35	6.1	15						
SUBTOTAL	382	3.6	6	1	2	3	4	8	10
GRAND TOTAL	760	4.5	11	1	2	3	6	10	11

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	61	5.5	19	1	3	4	6	16	16
18-34	7	4.0							
35-49	15	3.0	1						
50-69	22	2.3							
70 +	7	17.0							
	112	5.2	21	2	2	4	6	16	17
0-17	30	2.0	1						
18-34	8	2.0							
35-49	15	2.0							
50-69	59	2.5	1	< 1	2	2	3	4	4
70 +	0								
	112	2.3	1	1	2	2	3	3	4
	224	3.7	13	1	2	3	4	6	16

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	8	9.0							
18-34	8	2.0							
35-49	0								
50-69	15	10.2	45						
70 +	0								
SUBTOTAL	30	7.8	34						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	8	2.0							
18-34	0								
35-49	8	5.0							
50-69	0								
70 +	0								
SUBTOTAL	15	3.5	2						
GRAND TOTAL	45	6.3	27	2	2	4	9	17	17

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	1.0							
18-34	0								
35-49	0								
50-69	7	1.0							
70 +	15	3.6	2						
	29	2.3	3						
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	30	2.0	1						
	30	2.0	1						
	59	2.1	2	1	1	2	3	5	5

DRG 118: Cardiac Pacemaker Device Replacement

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	130	7.7	58	<1	3	4	10	25	28
70-74	145	5.1	8	1	3	5	7	9	12
75-79	220	3.6	8	1	1	3	6	8	9
80-84	223	5.6	24	1	1	3	10	12	14
85 +	307	6.1	36	1	2	4	9	13	17
SUBTOTAL	1026	5.5	28	1	2	4	7	12	15
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	89	1.4		<1	1	1	2	2	3
70-74	116	1.5	1	1	1	1	2	3	4
75-79	161	3.3	26	<1	1	1	2	7	9
80-84	121	2.3	4	1	1	2	2	3	10
85 +	153	3.1	15	1	1	2	3	5	5
SUBTOTAL	640	2.5	12	1	1	2	2	4	7
GRAND TOTAL	1666	4.3	24	1	1	2	6	10	14

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	53	3.4	3	1	2	3	6	6	6
18-34	30	3.8	3						
35-49	29	4.6	9						
50-69	15	2.0	1						
70 +	15	15.1	97						
	142	4.8	26	1	2	3	6	7	15
	76	3.0	2	1	2	3	3	6	7
	46	2.3	2	<1	1	2	3	5	5
	0								
	58	2.1	2	<1	1	2	4	4	4
	8	3.0							
	187	2.6	2	1	1	2	3	4	5
	329	3.5	14	1	2	3	4	6	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	8	4.0							
18-34	8	9.0							
35-49	0								
50-69	7	15.0							
70 +	0								
SUBTOTAL	22	9.2	21						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	23	2.0	1						
18-34	15	3.5							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	38	2.6	1						
GRAND TOTAL	60	5.0	18	1	2	3	5	15	15

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	8	1.0							
35-49	15	1.5							
50-69	21	1.4							
70 +	45	1.7	1	1	1	1	2	4	4
	89	1.5	1	1	1	1	2	2	4
	0								
	15	2.5	2						
	15	1.5							
	7	1.0							
	65	1.5	1	<1	1	1	2	3	4
	102	1.6	1	<1	1	1	2	4	4
	191	1.6	1	1	1	1	2	4	4

DRG 119: Vein Ligation & Stripping

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	162	9.3	67	2	4	6	18	22	32
70-74	130	7.6	75	1	2	5	8	17	37
75-79	37	11.0	35						
80-84	35	5.6	8						
85 +	15	2.0							
SUBTOTAL	380	8.2	62	2	3	6	11	21	32
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	225	3.2	13	1	1	2	3	7	14
70-74	101	4.2	68	1	1	2	2	6	34
75-79	87	3.5	5	1	2	3	4	5	10
80-84	23	3.7	15						
85 +	8	2.0							
SUBTOTAL	444	3.5	24	1	1	2	3	8	14
GRAND TOTAL	824	5.7	47	1	2	3	7	17	22

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	23	12.3	1						
18-34	44	4.6	9	2	2	3	8	9	9
35-49	153	4.4	42	1	1	2	3	9	26
50-69	240	4.9	45	1	1	2	7	14	16
70 +	8	15.0							
	467	5.2	42	1	1	2	8	13	16
	22	2.0	1						
	597	1.7	1	1	1	1	2	3	3
	1281	1.9	3	1	1	2	2	3	4
	959	2.0	2	1	1	2	2	4	5
	7	1.0							
	2866	1.9	2	1	1	2	2	3	4
	3333	2.4	9	1	1	2	2	4	7

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	8	8.0							
18-34	15	3.5	7						
35-49	29	3.6	7						
50-69	37	6.8	23	1	2	9	14	99 +	99 +
70 +	0								
SUBTOTAL	89	5.3	16	1	2	6	8	14	99 +
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	73	4.0	48	1	1	2	2	24	24
35-49	58	2.6	4	1	1	2	5	7	7
50-69	14	4.0	4						
70 +	0								
SUBTOTAL	144	3.5	27	1	1	2	3	7	24
GRAND TOTAL	233	4.1	23	1	1	2	7	9	24

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	8	1.0							
35-49	38	1.2							
50-69	15	6.2	17						
70 +	7	2.0							
	67	2.3	8	1	1	1	2	10	10
0-17	8	1.0							
18-34	137	1.4		1	1	1	2	2	3
35-49	412	1.6	2	1	1	1	2	3	3
50-69	198	1.7	2	1	1	1	2	3	3
70 +	7	1.0							
	761	1.6	2	1	1	1	2	3	3
	828	1.7	2	1	1	1	2	3	3

DRG 120: Other Circulatory System O.R. Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	2321	10.4	130	1	2	7	14	23	35
70-74	957	13.5	188	1	4	9	20	29	41
75-79	713	14.5	163	2	4	10	21	32	44
80-84	439	15.1	164	3	4	11	25	35	42
85 +	331	16.6	203	3	7	12	19	40	52
SUBTOTAL	4761	12.5	160	1	3	9	17	29	40
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	267	8.7	60	1	3	6	14	20	29
70-74	229	7.8	100	1	1	5	9	19	35
75-79	102	13.4	90	1	6	13	23	25	31
80-84	102	10.1	39	2	7	11	13	15	26
85 +	42	7.2	22	1	1	9	11	13	13
SUBTOTAL	744	9.2	75	1	2	7	14	21	29
GRAND TOTAL	5505	12.1	149	1	3	8	17	28	38

TYPE OF PATIENT	BLUE CROSS PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	15	12.0	87						
18-34	102	7.4	69	1	3	4	6	22	30
35-49	251	11.9	163	1	4	7	15	30	42
50-69	783	13.6	120	2	5	10	19	32	37
70 +	22	20.4	27						
	1173	12.8	126	2	4	9	19	30	37
0-17	22	1.3							
18-34	28	7.5	32						
35-49	89	8.0	32	2	3	6	9	16	19
50-69	211	9.1	37	3	4	9	11	17	22
70 +	7	14.0							
	356	8.3	36	2	4	6	11	16	19
	1529	11.7	109	2	4	9	16	27	34

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	8	66.0							
18-34	73	10.7	59	2	4	10	18	20	26
35-49	137	18.7	138	5	8	17	28	41	44
50-69	263	14.0	213	2	5	12	16	33	84
70 +	15	7.0	1						
SUBTOTAL	497	15.4	208	3	6	12	20	33	44
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	8	5.0							
18-34	23	9.0	13						
35-49	37	11.5	60						
50-69	8	30.0							
70 +	0								
SUBTOTAL	75	12.0	74	4	5	9	17	28	30
GRAND TOTAL	572	14.9	192	3	5	12	20	30	44

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	2.0							
18-34	52	17.5	235	2	2	16	27	48	48
35-49	101	11.9	59	4	6	10	15	24	28
50-69	138	15.8	145	2	4	13	25	36	44
70 +	89	13.9	168	3	3	6	27	28	42
	388	14.3	143	2	4	10	24	28	42
0-17	0								
18-34	15	7.2	45						
35-49	28	10.0	183						
50-69	44	10.1	38	3	5	10	14	21	21
70 +	7	2.0							
	94	9.0	83	1	2	5	14	21	32
	481	13.3	135	2	4	10	22	28	36

DRG 121: Circulatory Disorders w/ AMI & C.V. Comp Disch Alive

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4758	9.9	34	5	7	9	12	16	19
70-74	4527	10.2	34	5	7	9	12	16	21
75-79	5318	10.6	32	6	7	9	12	17	20
80-84	4712	11.3	44	6	7	10	13	19	25
85 +	4321	11.1	45	5	7	9	13	18	24
SUBTOTAL	23636	10.6	38	5	7	9	12	17	22
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	183	7.9	9	5	6	7	10	12	13
70-74	109	7.9	12	5	5	7	10	14	14
75-79	85	6.4	5	5	5	7	8	9	10
80-84	93	9.0	13	5	6	8	12	15	15
85 +	42	9.1	9	5	7	10	12	13	13
SUBTOTAL	511	7.9	10	5	6	7	10	13	14
GRAND TOTAL	24147	10.6	38	5	7	9	12	17	21

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	7.0							
18-34	51	5.3	6	2	2	5	8	9	9
35-49	844	8.5	34	3	6	8	10	14	16
50-69	3748	9.3	28	5	6	8	11	15	19
70 +	397	8.9	30	5	6	8	10	13	20
	5047	9.1	30	4	6	8	11	15	18
0-17	0								
18-34	0								
35-49	80	5.9	11	1	1	7	8	9	10
50-69	211	6.7	13	1	4	7	10	11	12
70 +	0								
	291	6.5	12	1	4	7	9	10	12
	5338	9.0	29	4	6	8	10	14	18

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	8	12.0							
35-49	161	9.4	16	4	7	9	12	14	17
50-69	552	9.9	17	5	8	9	12	16	17
70 +	65	10.1	58	4	7	7	8	30	30
SUBTOTAL	786	9.8	20	5	7	9	12	15	17
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	7	1.0							
70 +	0								
SUBTOTAL	7	1.0							
GRAND TOTAL	792	9.8	21	5	7	9	12	15	17

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	8	4.0							
35-49	241	9.8	37	5	6	9	11	13	29
50-69	891	8.7	18	4	6	8	11	13	15
70 +	633	9.6	19	5	7	9	12	16	19
	1772	9.1	21	4	6	8	11	14	17
0-17	0								
18-34	0								
35-49	7	4.0							
50-69	43	6.5	1	5	6	6	7	8	8
70 +	15	7.5	2						
	65	6.5	2	4	6	6	7	9	9
	1837	9.0	21	4	6	8	11	14	17

DRG 122: Circulatory Disorders w/ AMI w/o C.V. Comp Disch Alive

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2897	7.9	13	4	6	8	9	12	14
70-74	2052	8.4	11	5	6	8	10	12	14
75-79	2026	8.4	14	4	6	8	10	12	16
80-84	1382	8.8	21	5	6	8	11	15	18
85 +	1081	9.6	40	5	6	8	11	15	18
SUBTOTAL	9438	8.4	17	4	6	8	10	13	16
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2552	7.2	6	4	6	7	9	10	11
70-74	1823	7.1	9	4	5	7	9	10	12
75-79	1902	7.5	7	4	6	7	9	11	12
80-84	1173	7.7	7	5	6	7	10	11	12
85 +	795	8.5	9	4	6	7	9	11	13
SUBTOTAL	8245	7.3	7	4	6	7	9	11	12
GRAND TOTAL	17683	7.9	13	4	6	7	9	12	14

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	4.0							
18-34	71	5.5	9	2	2	6	8	9	10
35-49	1208	6.6	11	2	5	6	8	11	12
50-69	3267	7.1	12	3	5	7	9	10	12
70 +	123	8.5	8	6	7	8	10	13	15
	4678	7.0	12	3	5	7	9	10	12
0-17	14	3.5							
18-34	194	6.5	9	3	4	6	8	12	13
35-49	2658	6.2	6	3	5	6	7	9	10
50-69	5790	6.8	7	4	5	7	8	10	11
70 +	172	6.1	7	3	5	7	8	9	10
	8828	6.7	7	3	5	7	8	10	11
	13506	6.7	8	3	5	7	8	10	11

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	36	6.0	11						
35-49	207	6.5	9	2	5	6	8	11	11
50-69	493	7.9	18	4	5	7	10	15	16
70 +	14	6.5	2						
SUBTOTAL	750	7.4	15	3	5	7	9	13	16
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	22	5.3	1						
35-49	250	7.0	5	5	5	7	8	10	12
50-69	308	7.5	9	3	5	7	10	11	12
70 +	30	8.0	12						
SUBTOTAL	609	7.3	7	4	5	7	9	11	12
GRAND TOTAL	1359	7.3	12	3	5	7	9	12	14

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	35	6.4	12						
35-49	290	6.6	4	4	5	7	8	9	10
50-69	662	7.3	8	4	6	7	9	11	13
70 +	255	8.8	26	5	6	8	10	12	18
	1242	7.4	12	4	6	7	9	11	13
0-17	0								
18-34	87	6.9	8	4	5	6	10	11	12
35-49	695	6.0	5	3	5	6	7	9	10
50-69	1104	6.5	15	4	5	6	8	9	11
70 +	214	6.7	3	5	6	6	7	9	10
	2099	6.4	10	4	5	6	8	9	10
	3341	6.8	11	4	5	6	8	10	11

DRG 124: Circulatory Disorders except AMI, w/ Card Cath & Complex Diag

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	5483	7.1	33	1	3	6	9	14	17
70-74	3437	7.3	33	1	4	6	9	14	18
75-79	2462	8.4	38	2	5	7	11	16	21
80-84	827	9.1	37	2	4	7	11	17	24
85 +	208	8.7	46	3	4	8	11	12	22
SUBTOTAL	**12416**	**7.6**	**36**	**2**	**4**	**6**	**10**	**15**	**18**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	2529	4.6	11	1	2	4	6	8	10
70-74	1567	5.0	8	1	3	5	6	9	11
75-79	910	5.3	10	1	3	5	7	9	12
80-84	301	5.8	13	2	3	5	8	12	12
85 +	140	4.9	7	1	2	5	8	9	9
SUBTOTAL	**5447**	**4.9**	**10**	**1**	**2**	**4**	**6**	**9**	**11**
GRAND TOTAL	**17863**	**6.8**	**30**	**1**	**3**	**6**	**9**	**13**	**16**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	487	2.9	10	<1	1	2	2	8	10
18-34	118	6.6	12	2	4	6	9	11	14
35-49	1529	6.0	35	1	3	5	8	12	13
50-69	5479	6.3	28	1	3	5	8	11	14
70 +	206	7.9	19	1	5	7	11	16	16
SUBTOTAL	**7820**	**6.1**	**28**	**1**	**3**	**5**	**8**	**11**	**14**
0-17	53	2.0	1	<1	1	2	3	3	3
18-34	161	4.6	8	1	2	4	7	9	10
35-49	1528	4.2	7	1	2	4	6	8	10
50-69	3985	4.0	6	1	2	4	5	7	9
70 +	65	5.9	12	2	3	5	8	12	12
SUBTOTAL	**5792**	**4.1**	**7**	**1**	**2**	**4**	**6**	**8**	**9**
GRAND TOTAL	**13612**	**5.2**	**20**	**1**	**2**	**4**	**7**	**10**	**12**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	190	3.9	19	<1	2	2	5	14	17
18-34	37	5.3	9						
35-49	356	6.9	25	2	4	6	9	12	20
50-69	616	6.5	22	1	2	6	9	11	15
70 +	30	8.0	2						
SUBTOTAL	**1229**	**6.2**	**22**	**1**	**2**	**5**	**9**	**12**	**17**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	8	1.0							
18-34	8	8.0							
35-49	246	4.1	12	1	2	4	5	8	10
50-69	347	4.9	9	1	3	4	7	9	9
70 +	8	4.0							
SUBTOTAL	**616**	**4.6**	**10**	**1**	**2**	**4**	**6**	**9**	**10**
GRAND TOTAL	**1845**	**5.7**	**19**	**1**	**2**	**5**	**8**	**10**	**14**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	38	12.6	42						
18-34	53	4.6	6	1	2	5	7	8	8
35-49	312	4.2	9	1	2	4	5	7	8
50-69	828	5.8	20	1	3	5	8	11	13
70 +	236	7.5	57	2	3	5	10	15	28
SUBTOTAL	**1468**	**5.9**	**26**	**1**	**2**	**5**	**8**	**12**	**15**
0-17	8	10.0							
18-34	29	8.3	43						
35-49	233	3.8	5	1	2	4	6	7	8
50-69	585	3.8	4	1	2	4	5	6	7
70 +	154	4.1	11	1	1	3	7	8	13
SUBTOTAL	**1009**	**4.0**	**7**	**1**	**2**	**4**	**6**	**7**	**8**
GRAND TOTAL	**2477**	**5.1**	**19**	**1**	**2**	**4**	**6**	**10**	**13**

DRG 125: Circulatory Disorders except AMI, w/ Card Cath w/o Complex Diag

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2966	4.3	19	1	1	3	6	9	12
70-74	1775	5.0	24	1	1	4	7	11	13
75-79	1083	4.5	20	1	1	3	6	9	15
80-84	294	5.6	22	1	2	4	9	13	17
85 +	45	6.7	17	2	4	6	10	14	14
SUBTOTAL	6164	4.6	21	1	1	3	7	10	13
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	3529	2.8	7	1	1	1	4	7	8
70-74	2087	3.0	9	1	1	1	4	7	9
75-79	968	3.2	9	1	1	2	4	7	9
80-84	329	3.2	10	1	1	2	4	8	11
85 +	51	6.7	18	< 1	1	7	12	12	12
SUBTOTAL	6963	3.0	8	1	1	1	4	7	9
GRAND TOTAL	13127	3.7	15	1	1	2	5	8	11

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1255	2.0	9	< 1	1	1	2	2	5
18-34	266	2.5	6	1	1	2	3	5	9
35-49	1403	4.0	10	1	1	3	6	8	10
50-69	4052	3.8	11	1	1	3	6	8	10
70 +	151	5.4	12	1	3	5	7	8	15
	7127	3.5	11	1	1	2	5	8	10
	2669	1.3	1	< 1	1	1	1	2	2
	529	3.0	6	1	1	2	4	7	9
	4291	2.8	6	1	1	2	4	6	8
	9495	2.6	6	1	1	1	4	6	8
	108	3.0	6	1	1	2	4	7	9
	17093	2.5	5	1	1	1	3	6	7
	24220	2.8	7	1	1	2	4	7	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	563	1.7	1	< 1	1	1	2	3	4
18-34	46	3.8	36	1	1	1	2	17	17
35-49	190	3.9	9	1	2	3	5	8	10
50-69	515	4.6	17	1	1	3	7	9	12
70 +	7	4.0							
SUBTOTAL	1321	3.2	12	1	1	2	4	8	10
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	867	2.0	8	< 1	1	1	2	3	8
18-34	111	2.8	9	1	1	2	3	5	13
35-49	420	2.5	6	1	1	1	4	6	8
50-69	578	3.0	8	1	1	1	5	7	8
70 +	8	5.0							
SUBTOTAL	1983	2.5	7	1	1	1	3	6	8
GRAND TOTAL	3304	2.8	9	1	1	1	3	7	9

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	190	1.7	3	< 1	< 1	1	2	2	3
18-34	73	3.1	5	< 1	1	2	4	7	7
35-49	314	2.5	3	1	1	2	3	5	5
50-69	732	3.3	8	1	1	2	5	7	8
70 +	246	3.4	11	1	1	2	5	11	11
	1555	2.9	7	< 1	1	2	4	7	9
	425	1.8	14	< 1	< 1	1	1	2	3
	126	3.5	5	1	1	4	5	7	7
	867	3.5	13	1	1	2	6	7	9
	1962	2.8	6	< 1	1	2	4	6	8
	219	3.5	10	< 1	1	2	6	7	7
	3599	2.9	9	< 1	1	1	4	7	8
	5154	2.9	9	< 1	1	2	4	7	8

DRG 126: Acute & Subacute Endocarditis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	196	25.0	239	8	14	23	33	46	56
70-74	131	23.0	130	9	14	18	29	41	42
75-79	94	22.5	96	11	15	18	30	37	40
80-84	88	20.5	105	8	10	18	30	33	35
85+	96	23.1	228	7	12	17	38	45	51
SUBTOTAL	605	23.2	173	9	12	20	32	40	46
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	15	29.6	210						
70-74	7	51.0							
75-79	0								
80-84	14	22.5	78						
85+	0								
SUBTOTAL	36	31.0	223						
GRAND TOTAL	640	23.7	179	9	14	20	33	41	46

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	45	20.8	269	4	9	10	42	44	44
18-34	80	21.8	170	3	14	24	29	40	43
35-49	137	22.9	123	8	12	26	30	42	44
50-69	121	11.2	102	2	5	8	14	34	36
70+	7	10.0							
SUBTOTAL	389	18.6	167	4	8	14	29	40	43
0-17	8	6.0							
18-34	36	10.7	62						
35-49	42	17.8	46	8	14	18	22	29	29
50-69	21	24.7	235						
70+	0								
SUBTOTAL	107	16.0	117	4	6	15	22	29	42
GRAND TOTAL	497	18.0	157	4	8	14	29	40	42

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	22	27.6	109						
18-34	75	24.8	186	7	16	22	33	47	49
35-49	91	28.0	132	16	17	29	42	43	44
50-69	15	49.2	45						
70+	0								
SUBTOTAL	202	28.3	178	10	17	29	42	44	49
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
GRAND TOTAL	202	28.3	178	10	17	29	42	44	49

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	13.0							
18-34	21	26.6	246						
35-49	29	18.9	282						
50-69	38	20.2	65						
70+	15	8.1	10						
SUBTOTAL	111	19.0	171	6	7	15	23	46	47
0-17	0								
18-34	7	31.0							
35-49	22	7.5	14						
50-69	21	7.9	19						
70+	0								
SUBTOTAL	51	10.9	80	4	5	6	14	31	31
GRAND TOTAL	161	16.5	156	5	6	13	23	33	46

DRG 127: Heart Failure & Shock

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	24213	7.6	33	3	4	6	9	14	17
70-74	21891	7.6	31	3	4	6	9	14	18
75-79	23219	8.0	34	3	4	6	10	14	19
80-84	20949	8.2	34	3	4	7	10	15	19
85 +	21959	8.7	40	3	5	7	11	16	20
SUBTOTAL	112231	8.0	35	3	4	7	10	15	19
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	3353	5.1	8	2	3	4	7	9	10
70-74	2944	5.4	10	2	3	5	7	9	11
75-79	3804	5.5	14	2	3	5	7	10	12
80-84	3663	5.6	13	2	3	5	7	9	13
85 +	4169	5.6	12	2	3	5	7	10	12
SUBTOTAL	17933	5.4	12	2	3	5	7	9	12
GRAND TOTAL	130164	7.7	32	3	4	6	9	14	18

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	273	6.0	97	1	2	3	6	11	14
18-34	130	6.0	14	1	4	5	9	12	14
35-49	2110	6.0	18	2	3	5	8	11	15
50-69	12116	7.3	34	3	4	6	9	13	17
70 +	1677	8.6	36	3	4	7	11	15	19
	16306	7.2	33	3	4	6	9	13	17
0-17	84	3.4	8	1	1	2	5	6	10
18-34	60	2.7	6	< 1	< 1	1	3	9	9
35-49	376	4.5	11	1	2	4	5	9	11
50-69	2046	4.7	9	2	3	4	6	8	10
70 +	238	5.3	7	3	4	5	6	9	10
	2802	4.7	9	2	3	4	6	9	10
	19108	6.9	31	2	4	5	8	13	16

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	150	5.6	22	1	2	5	8	13	16
18-34	293	8.5	40	3	4	6	10	18	19
35-49	1234	6.7	20	3	4	6	8	12	17
50-69	4034	7.8	37	3	4	6	10	14	19
70 +	383	7.9	21	3	5	7	10	15	18
SUBTOTAL	6094	7.6	33	3	4	6	9	14	18
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	15	2.5							
18-34	65	5.8	11	< 1	4	6	8	11	12
35-49	319	5.3	5	3	3	5	7	8	10
50-69	521	5.8	15	2	3	5	7	9	14
70 +	89	4.8	5	3	3	4	5	7	11
SUBTOTAL	1009	5.5	11	2	3	5	7	9	12
GRAND TOTAL	7103	7.3	30	3	4	6	9	14	18

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	68	7.2	46	2	3	5	8	25	25
18-34	235	6.4	21	3	4	5	7	11	20
35-49	724	6.1	22	2	3	5	7	10	15
50-69	2540	6.3	24	2	3	5	8	12	16
70 +	2113	7.1	61	2	3	6	8	12	18
	5680	6.6	38	2	3	5	8	12	17
0-17	8	8.0							
18-34	15	4.5	2						
35-49	107	4.8	8	2	3	4	6	9	11
50-69	595	4.1	10	1	2	3	5	8	11
70 +	611	4.7	43	2	3	3	5	7	9
	1336	4.4	25	1	2	3	5	8	9
	7015	6.2	36	2	3	5	7	11	16

DRG 128: Deep Vein Thrombophlebitis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1200	9.7	27	5	6	9	12	16	20
70-74	615	9.5	22	5	7	8	12	16	17
75-79	793	9.5	21	5	7	9	12	14	17
80-84	624	10.3	81	5	7	8	11	16	18
85 +	520	9.0	26	5	6	8	10	14	17
SUBTOTAL	3752	9.7	34	5	7	8	11	16	18
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	901	6.8	8	4	5	7	8	10	12
70-74	655	7.3	7	4	6	7	9	11	12
75-79	607	7.6	19	4	5	7	8	12	14
80-84	417	7.4	11	4	5	7	9	11	15
85 +	339	7.8	11	4	6	7	10	13	14
SUBTOTAL	2919	7.3	11	4	5	7	9	11	13
GRAND TOTAL	6671	8.6	25	4	6	8	10	14	16

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	90	11.4	27						
18-34	127	9.2	9	4	6	9	9	13	13
35-49	505	7.9	15	4	5	6	10	13	15
50-69	982	7.7	14	3	5	7	11	13	14
70 +	57	18.0	276	4	8	15	22	57	57
	1701	8.2	26	4	5	8	11	13	15
	28	6.5	17						
	499	6.7	8	3	5	6	8	11	12
	999	6.6	8	3	5	6	8	10	11
	1384	6.9	10	3	5	7	8	11	13
	44	8.9	7	6	7	8	9	14	14
	2954	6.8	9	3	5	7	8	11	12
	4655	7.3	16	3	5	7	9	12	13

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	8	6.0							
18-34	113	9.9	34	5	6	9	11	17	29
35-49	121	8.0	14	4	4	8	12	13	14
50-69	143	10.2	14	5	8	10	13	16	17
70 +	7	8.0							
SUBTOTAL	392	9.3	20	4	6	9	12	14	17
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	28	4.0	13						
18-34	136	6.2	8	2	4	7	8	9	10
35-49	112	7.0	18	1	4	5	11	14	15
50-69	64	6.5	12	3	4	6	9	12	12
70 +	0								
SUBTOTAL	340	6.3	13	2	3	6	9	11	12
GRAND TOTAL	732	7.9	19	3	5	8	11	13	15

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	71	7.9	16	5	6	6	8	14	18
35-49	66	7.4	11	3	6	7	8	14	16
50-69	148	6.7	4	4	5	7	8	9	9
70 +	88	8.1	11	4	6	8	10	11	16
	373	7.4	9	4	6	7	8	10	16
0-17	7	6.0							
18-34	114	7.2	9	4	5	7	8	12	15
35-49	150	6.1	6	3	4	6	7	10	10
50-69	165	6.7	8	4	5	6	8	10	13
70 +	15	10.5	13						
	451	6.7	8	4	5	6	8	11	13
	824	7.0	9	4	5	7	8	10	14

DRG 129: Cardiac Arrest, Unexplained

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	101	10.3	124	1	4	7	12	25	43
70-74	63	11.6	97	3	6	9	12	37	37
75-79	51	9.9	46	3	4	6	14	23	23
80-84	21	15.0	30						
85 +	36	10.6	16						
SUBTOTAL	272	10.9	82	3	6	8	13	23	37
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	7	5.0							
70-74	14	1.5							
75-79	15	2.0	1						
80-84	7	2.0							
85 +	7	2.0							
SUBTOTAL	49	2.3	2	1	1	2	3	5	5
GRAND TOTAL	321	9.6	79	2	3	7	12	21	25

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	20.0							
18-34	14	45.5	2134						
35-49	15	10.4	2						
50-69	44	14.1	174	<1	6	9	18	42	42
70 +	8	17.0							
	88	19.2	540	1	9	11	18	42	90
	8	2.0							
	0								
	7	1.0							
	15	3.0	1						
	0								
	29	2.3	1						
	117	15.0	459	1	2	9	17	42	90

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	8	6.0							
18-34	0								
35-49	0								
50-69	22	10.3	153						
70 +	0								
SUBTOTAL	30	9.2	116						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	30	9.2	116						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	15	4.4	2						
70 +	7	4.0							
	21	4.3	2						
	0								
	0								
	0								
	15	1.0							
	0								
	15	1.0							
	36	3.0	4						

DRG 130: Peripheral Vascular Disorders w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	4572	7.7	36	1	4	7	10	15	18
70-74	3289	8.1	40	2	5	7	10	14	18
75-79	2754	8.0	33	2	4	7	10	14	18
80-84	2307	9.0	47	3	5	8	12	17	19
85 +	1941	8.5	27	3	5	8	11	15	18
SUBTOTAL	14863	8.2	37	2	4	7	10	15	18
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	14863	8.2	37	2	4	7	10	15	18

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	98	7.0	23	3	4	5	10	11	21
18-34	405	8.4	25	4	5	7	10	13	20
35-49	1637	8.1	28	3	5	7	10	13	16
50-69	3778	7.2	21	2	4	7	9	12	15
70 +	220	7.7	12	3	5	8	9	12	14
	6137	7.6	23	2	5	7	9	13	15
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	6137	7.6	23	2	5	7	9	13	15

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	46	5.5	6	2	3	5	8	9	9
18-34	359	9.0	32	3	6	7	11	16	20
35-49	384	7.0	17	2	4	7	9	14	15
50-69	633	9.2	127	2	4	7	10	17	22
70 +	21	11.3	16						
SUBTOTAL	1442	8.5	70	2	4	7	10	15	20
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	1442	8.5	70	2	4	7	10	15	20

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	2.8	6						
18-34	210	6.8	10	3	4	7	9	11	11
35-49	297	7.4	21	3	4	7	9	13	15
50-69	619	7.0	22	1	4	6	9	13	17
70 +	326	6.9	17	2	5	6	8	14	16
	1482	6.9	19	1	4	6	9	13	15
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1482	6.9	19	1	4	6	9	13	15

DRG 131: Peripheral Vascular Disorders w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2428	5.8	20	1	2	6	8	10	11
70-74	1594	5.5	13	1	2	6	8	10	11
75-79	1456	6.0	14	1	3	6	8	10	12
80-84	1000	6.0	20	1	2	6	8	11	14
85 +	671	7.1	14	2	5	7	9	11	14
SUBTOTAL	7149	5.9	17	1	3	6	8	10	12
GRAND TOTAL	7149	5.9	17	1	3	6	8	10	12

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	155	3.4	14	1	1	2	4	8	13
18-34	1019	6.2	12	1	4	6	8	10	12
35-49	2404	6.1	14	2	3	6	8	10	11
50-69	3447	5.6	14	1	2	6	8	10	12
70 +	51	5.8	6	2	3	7	8	9	9
	7076	5.8	14	1	3	6	8	10	12
	7076	5.8	14	1	3	6	8	10	12

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	75	5.9	11	1	3	6	8	11	12
18-34	359	7.3	20	2	5	7	10	12	14
35-49	212	5.9	11	1	4	6	9	11	12
50-69	273	6.0	29	1	2	5	8	12	14
70 +	8	4.0							
SUBTOTAL	927	6.5	20	1	4	6	9	11	13
GRAND TOTAL	927	6.5	20	1	4	6	9	11	13

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	30	3.5	7						
18-34	325	6.1	7	2	4	7	8	9	10
35-49	519	5.7	15	1	3	6	8	10	13
50-69	563	5.1	10	1	2	5	7	9	10
70 +	246	3.4	8	1	1	2	6	8	9
	1683	5.2	11	1	2	5	7	9	11
	1683	5.2	11	1	2	5	7	9	11

DRG 132: Atherosclerosis w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	756	4.6	14	1	2	4	6	8	12
70-74	462	4.6	15	1	2	3	6	10	12
75-79	543	5.0	12	2	3	4	7	10	12
80-84	346	5.6	15	1	3	5	8	10	15
85 +	325	5.1	9	2	3	5	7	9	12
SUBTOTAL	2432	4.9	13	1	2	4	6	10	12
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	2432	4.9	13	1	2	4	6	10	12

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	23	8.7	36						
18-34	8	2.0							
35-49	240	3.7	6	1	2	3	5	7	9
50-69	666	3.9	15	1	2	3	4	7	13
70 +	73	3.6	4	1	2	3	5	6	6
	1009	3.9	13	1	2	3	5	7	12
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1009	3.9	13	1	2	3	5	7	12

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	8	1.0							
18-34	23	8.7	34						
35-49	60	3.0	6	< 1	1	2	4	9	9
50-69	221	5.3	12	2	2	5	7	10	12
70 +	36	10.4	65						
SUBTOTAL	347	5.5	22	1	2	4	8	10	15
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	347	5.5	22	1	2	4	8	10	15

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	64	3.1	3	1	2	3	4	6	6
50-69	240	4.3	12	2	2	4	5	8	9
70 +	117	7.7	42	2	4	6	9	11	31
	421	5.1	22	2	2	4	6	9	11
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	421	5.1	22	2	2	4	6	9	11

DRG 133: Atherosclerosis w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	524	4.5	21	1	2	3	6	8	11
70-74	245	6.0	49	1	2	3	6	14	24
75-79	255	5.0	13	1	2	4	7	11	12
80-84	135	4.8	7	1	3	4	7	8	10
85 +	155	5.3	18	2	2	4	7	10	14
SUBTOTAL	**1314**	**5.0**	**23**	**1**	**2**	**3**	**6**	**10**	**14**
GRAND TOTAL	**1314**	**5.0**	**23**	**1**	**2**	**3**	**6**	**10**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	22	3.7	5						
18-34	49	2.3	3	1	1	2	2	6	6
35-49	395	3.5	5	< 1	2	3	5	7	7
50-69	922	3.4	7	< 1	1	3	5	7	8
70 +	15	3.5							
	1404	**3.4**	**6**	**< 1**	**2**	**3**	**5**	**7**	**8**
	1404	**3.4**	**6**	**< 1**	**2**	**3**	**5**	**7**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	15	2.4	2						
18-34	29	4.2	3						
35-49	88	3.4	4	1	2	3	5	7	7
50-69	169	3.6	9	< 1	2	3	5	6	8
70 +	8	6.0							
SUBTOTAL	**308**	**3.6**	**7**	**1**	**2**	**3**	**5**	**7**	**7**
GRAND TOTAL	**308**	**3.6**	**7**	**1**	**2**	**3**	**5**	**7**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	21	2.4	1						
35-49	109	2.5	3	< 1	1	2	5	5	6
50-69	144	3.6	5	1	2	3	4	7	8
70 +	37	3.6	1						
	311	**3.1**	**4**	**1**	**1**	**3**	**4**	**6**	**6**
	311	**3.1**	**4**	**1**	**1**	**3**	**4**	**6**	**6**

DRG 134: Hypertension

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs			-						
AGE GROUP									
0-69 (YRS.)	1401	6.0	20	2	3	5	8	12	14
70-74	839	5.6	12	2	3	5	7	10	13
75-79	827	5.3	14	2	3	4	7	11	13
80-84	604	5.9	13	2	3	5	8	11	13
85 +	362	6.0	12	2	4	5	8	9	12
SUBTOTAL	4033	5.8	15	2	3	5	7	11	13
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	807	4.7	19	2	2	3	6	9	12
70-74	652	4.1	6	2	2	4	5	7	9
75-79	524	3.6	4	1	2	3	5	7	8
80-84	387	4.1	5	2	2	4	5	7	8
85 +	241	4.1	5	2	3	3	5	7	9
SUBTOTAL	2610	4.2	9	2	2	3	5	7	9
GRAND TOTAL	6643	5.1	14	2	3	4	6	10	12

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	4.0	10						
18-34	124	6.1	38	1	2	4	7	14	26
35-49	864	4.3	9	2	2	3	5	8	11
50-69	1431	5.1	20	2	3	4	6	10	13
70 +	36	5.0	4						
	2485	5.0	17	2	3	4	6	10	12
0-17	122	2.6	2	1	2	2	3	5	5
18-34	365	3.0	2	1	2	3	4	5	5
35-49	1305	3.4	3	1	2	3	4	6	7
50-69	1640	3.4	5	1	2	3	4	6	7
70 +	15	1.5							
	3447	3.3	4	1	2	3	4	6	7
	5932	4.0	10	2	2	3	5	7	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	30	9.8	27						
18-34	130	3.5	3	1	2	4	5	5	6
35-49	329	4.2	8	2	3	4	5	7	10
50-69	348	5.4	13	2	3	5	6	10	12
70 +	15	5.1	4						
SUBTOTAL	851	4.8	11	2	3	4	6	9	12
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	46	5.0	18	1	2	3	8	13	13
18-34	116	2.7	3	1	2	2	2	6	8
35-49	300	4.4	8	1	2	4	6	8	9
50-69	265	5.2	19	2	2	5	6	10	14
70 +	0								
SUBTOTAL	727	4.4	13	1	2	4	6	8	12
GRAND TOTAL	1578	4.6	12	2	2	4	6	8	12

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	23	9.0	11						
18-34	56	4.2	11	1	2	4	5	12	12
35-49	204	4.8	12	2	2	4	6	10	10
50-69	272	5.4	31	3	3	4	5	8	25
70 +	58	3.6	3	2	2	4	5	7	7
	614	5.1	20	2	3	4	6	9	13
0-17	53	4.4	9	1	1	4	7	9	9
18-34	93	4.1	7	2	2	3	7	8	9
35-49	265	2.9	2	1	2	3	4	4	5
50-69	310	3.1	7	1	1	2	4	6	7
70 +	28	12.3	201						
	749	3.6	15	1	2	3	4	7	8
	1363	4.3	18	1	2	3	5	8	10

DRG 135: Cardiac Congenital & Valvular Disorders Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	285	5.0	9	2	2	5	6	9	11
70-74	209	5.8	15	1	3	6	8	12	13
75-79	233	5.6	7	3	4	5	7	9	10
80-84	241	6.0	24	2	3	5	7	10	19
85 +	188	5.1	11	2	3	4	7	10	11
SUBTOTAL	1156	5.5	13	2	3	5	7	10	12
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	1156	5.5	13	2	3	5	7	10	12

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	73	3.5	19	1	2	2	3	16	16
35-49	152	4.1	18	1	2	4	4	8	19
50-69	189	4.8	19	1	2	4	5	13	15
70 +	21	3.3							
	436	4.3	18	1	2	3	5	11	16
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	436	4.3	18	1	2	3	5	11	16

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0		—						
18-34	52	9.3	155	1	2	4	8	40	40
35-49	14	4.0	1						
50-69	74	3.7	4	2	2	3	6	7	7
70 +	0								
SUBTOTAL	140	5.8	66	2	2	4	6	8	22
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	140	5.8	66	2	2	4	6	8	22

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	43	5.0	21	1	1	5	7	14	14
35-49	21	3.4	3						
50-69	21	6.0							
70 +	23	3.0	1						
	108	4.5	10	1	2	4	6	7	14
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	108	4.5	10	1	2	4	6	7	14

DRG 136: Cardiac Congenital & Valvular Disorders Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0	--							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	78	5.9	33	1	2	3	9	12	21
70-74	37	6.6	18						
75-79	35	3.8	6						
80-84	44	4.0	6	< 1	1	4	6	7	7
85 +	28	3.8	7						
SUBTOTAL	222	5.0	19	1	2	3	7	10	12
GRAND TOTAL	222	5.0	19	1	2	3	7	10	12

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	223	2.4	1	1	2	2	3	4	4
35-49	311	3.8	49	1	2	2	4	5	6
50-69	240	3.2	3	1	2	3	4	5	7
70 +	0								
	774	3.2	21	1	2	3	4	5	6
	774	3.2	21	1	2	3	4	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	71	2.4	1	1	2	2	3	4	4
35-49	80	5.2	11	1	2	6	9	9	11
50-69	7	6.0							
70 +	0								
SUBTOTAL	159	4.0	8	1	2	3	6	9	9
GRAND TOTAL	159	4.0	8	1	2	3	6	9	9

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	51	1.7	1	< 1	1	1	3	3	3
35-49	51	3.3	1	1	3	3	4	5	5
50-69	43	2.2	1	1	1	2	3	3	3
70 +	15	2.0							
	160	2.4	1	1	1	2	3	4	4
	160	2.4	1	1	1	2	3	4	4

DRG 137: Cardiac Congenital & Valvular Disorders Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	8	1.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	8	1.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	8	1.0							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	288	3.7	17	1	1	3	4	5	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	288	3.7	17	1	1	3	4	5	11
0-17	431	2.6	6	1	1	1	3	7	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	431	2.6	6	1	1	1	3	7	9
	720	3.0	11	1	1	2	4	6	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	242	5.7	45	1	2	3	8	16	28
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	242	5.7	45	1	2	3	8	16	28
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	219	2.2	3	<1	1	2	3	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	219	2.2	3	<1	1	2	3	4	6
GRAND TOTAL	461	4.0	28	<1	1	2	4	10	26

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	113	6.3	55	1	1	3	6	22	25
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	113	6.3	55	1	1	3	6	22	25
0-17	152	2.2	3	<1	<1	1	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	152	2.2	3	<1	<1	1	3	5	6
	266	4.0	29	<1	1	2	4	7	22

DRG 138: Cardiac Arrhythmia & Conduction Disorders w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	9064	5.6	28	2	3	4	7	10	13
70-74	8330	5.6	21	2	3	4	7	11	14
75-79	9167	5.9	20	2	3	5	7	11	14
80-84	6811	6.2	21	2	3	5	8	12	14
85 +	6186	6.7	24	2	3	5	8	13	16
SUBTOTAL	39559	5.9	23	2	3	5	7	11	14
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	39559	5.9	23	2	3	5	7	11	14

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	330	5.3	86	< 1	1	2	5	10	32
18-34	851	3.0	4	1	2	3	4	5	7
35-49	2452	3.6	11	1	2	3	4	8	9
50-69	7385	4.7	14	1	2	4	6	9	12
70 +	609	5.8	25	2	3	5	7	10	12
	11628	4.4	16	1	2	3	5	9	11
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	11628	4.4	16	1	2	3	5	9	11

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	170	4.2	16	1	2	3	5	9	14
18-34	222	3.8	4	2	2	3	5	6	7
35-49	440	4.5	9	2	2	4	6	8	11
50-69	950	5.3	9	2	3	5	7	9	12
70 +	58	6.5	9	3	4	6	8	13	13
SUBTOTAL	1840	4.9	9	2	3	4	6	9	11
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	1840	4.9	9	2	3	4	6	9	11

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	99	4.5	16	1	1	3	7	10	13
18-34	188	4.1	35	< 1	1	3	4	6	6
35-49	439	4.3	21	1	2	3	5	8	10
50-69	1255	4.3	14	1	2	3	5	8	11
70 +	604	5.1	17	2	2	4	7	9	14
	2585	4.5	18	1	2	3	6	9	12
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2585	4.5	18	1	2	3	6	9	12

DRG 139: Cardiac Arrhythmia & Conduction Disorders w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	4594	3.4	6	1	2	3	4	6	8
70-74	4211	3.7	8	1	2	3	5	7	9
75-79	3748	4.0	10	1	2	3	5	8	9
80-84	2772	4.2	15	2	2	3	5	7	9
85 +	2075	4.4	7	2	3	4	6	8	9
SUBTOTAL	17399	3.9	9	1	2	3	5	7	9
GRAND TOTAL	17399	3.9	9	1	2	3	5	7	9

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	750	2.5	2	1	1	2	3	5	5
18-34	1481	2.3	3	1	1	2	3	4	6
35-49	3557	2.4	2	1	1	2	3	4	6
50-69	7576	3.0	5	1	2	2	4	6	7
70 +	302	3.6	3	2	2	3	4	6	8
	13665	2.8	4	1	1	2	3	5	6
	13665	2.8	4	1	1	2	3	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	244	3.1	4	1	2	3	4	6	8
18-34	272	2.8	3	1	1	3	3	5	7
35-49	260	3.1	4	1	2	3	4	5	6
50-69	331	3.7	6	1	2	3	5	7	9
70 +	36	3.8	5						
SUBTOTAL	1143	3.2	5	1	2	3	4	6	8
GRAND TOTAL	1143	3.2	5	1	2	3	4	6	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	203	2.8	2	1	2	2	3	5	6
18-34	484	2.5	2	1	1	2	3	4	6
35-49	775	2.2	3	< 1	1	2	3	5	5
50-69	1262	2.6	5	1	1	2	3	5	6
70 +	580	2.6	4	1	1	2	3	5	6
	3303	2.5	4	1	1	2	3	5	6
	3303	2.5	4	1	1	2	3	5	6

DRG 140: Angina Pectoris

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	15126	4.9	12	2	3	4	6	9	11
70-74	10361	5.0	11	2	3	4	6	9	11
75-79	10992	5.2	14	2	3	4	6	9	12
80-84	9269	5.7	22	2	3	4	7	10	14
85+	6931	5.5	16	2	3	5	7	10	12
SUBTOTAL	52680	5.2	15	2	3	4	6	9	12
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	12080	3.6	5	2	2	3	4	6	7
70-74	8169	3.8	5	2	2	3	5	6	8
75-79	7171	3.7	4	2	2	3	4	6	7
80-84	5849	3.9	6	2	2	3	5	7	8
85+	4062	4.0	6	2	2	3	5	7	9
SUBTOTAL	37332	3.8	5	2	2	3	5	6	8
GRAND TOTAL	90011	4.6	11	2	3	4	6	8	10

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	240	3.2	2	2	2	3	4	6	7
35-49	3422	3.5	4	1	2	3	4	6	8
50-69	10335	4.0	6	2	2	3	5	7	9
70+	636	4.6	8	2	3	4	6	8	10
	14633	3.9	6	2	2	3	5	7	8
0-17	0								
18-34	742	2.6	1	1	2	3	3	4	4
35-49	7894	2.9	3	1	2	2	4	5	6
50-69	16433	3.1	3	1	2	3	4	5	7
70+	507	3.6	5	1	2	3	5	6	8
	25576	3.0	3	1	2	3	4	5	6
	40209	3.4	4	1	2	3	4	6	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	8	2.0							
18-34	177	3.3	3	2	2	3	4	6	7
35-49	1246	4.2	8	1	3	4	5	7	9
50-69	2574	4.8	13	2	3	4	6	8	10
70+	153	5.1	9	3	4	4	5	11	14
SUBTOTAL	4158	4.6	11	2	3	4	6	7	10
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	193	3.6	5	1	2	3	5	7	7
35-49	1271	3.4	4	1	2	3	4	6	7
50-69	2039	4.1	4	2	3	4	5	7	8
70+	87	2.7	1	2	2	2	4	4	4
SUBTOTAL	3591	3.8	4	2	2	3	5	7	8
GRAND TOTAL	7749	4.2	8	2	2	4	5	7	9

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	129	2.5	1	1	2	2	3	4	5
35-49	561	3.4	3	1	2	3	4	6	7
50-69	1615	4.1	9	2	2	3	5	7	10
70+	893	4.5	15	2	2	3	5	8	12
	3198	4.0	10	2	2	3	5	7	9
0-17	0								
18-34	131	3.2	3	1	2	3	5	7	7
35-49	1293	3.1	4	1	2	3	4	6	7
50-69	2239	2.7	2	1	2	2	3	5	6
70+	762	2.6	3	1	1	2	3	5	5
	4424	2.8	3	1	2	2	4	5	6
	7622	3.3	6	1	2	3	4	6	7

DRG 141: Syncope & Collapse w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2826	4.8	11	2	3	4	6	9	11
70-74	2925	5.6	20	2	3	5	7	11	14
75-79	3296	5.4	13	2	3	4	7	10	12
80-84	3498	5.5	24	2	3	4	7	10	13
85 +	3375	5.6	16	2	3	5	7	10	13
SUBTOTAL	15919	5.4	17	2	3	4	7	10	13
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	15919	5.4	17	2	3	4	7	10	13

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	175	3.1	9	1	2	2	4	7	9
18-34	504	2.9	3	1	2	3	4	5	6
35-49	1041	3.5	9	1	2	3	4	6	8
50-69	2765	4.1	12	1	2	3	5	7	10
70 +	314	5.8	67	2	3	4	6	9	12
	4799	3.9	14	1	2	3	4	7	9
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4799	3.9	14	1	2	3	4	7	9

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	65	2.5	3	1	1	2	3	6	6
18-34	217	3.0	4	1	2	3	4	6	7
35-49	217	4.1	6	2	3	3	5	7	9
50-69	415	5.3	36	2	3	4	6	9	13
70 +	65	5.3	7	2	3	5	7	10	10
SUBTOTAL	979	4.3	19	1	2	3	5	8	10
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	979	4.3	19	1	2	3	5	8	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	66	1.6	1	1	1	1	2	3	3
18-34	143	2.3	5	< 1	1	2	2	4	7
35-49	224	4.6	21	1	2	3	5	14	14
50-69	517	3.0	4	1	2	2	4	6	7
70 +	435	3.7	7	1	2	3	5	6	11
	1385	3.3	8	1	1	3	4	6	8
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1385	3.3	8	1	1	3	4	6	8

DRG 142: Syncope & Collapse w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1948	3.5	5	1	2	3	5	6	7
70-74	1626	3.8	7	2	2	3	5	7	8
75-79	1905	3.9	8	1	2	3	5	7	9
80-84	1595	4.0	9	2	2	3	5	7	9
85 +	1600	4.4	11	2	2	4	6	8	8
SUBTOTAL	8675	3.9	8	1	2	3	5	7	8
GRAND TOTAL	8675	3.9	8	1	2	3	5	7	8

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	682	2.0	1	1	1	2	3	3	4
18-34	877	2.5	2	1	1	2	3	4	5
35-49	1533	2.6	3	1	1	2	3	5	5
50-69	3043	2.8	3	1	2	2	3	5	6
70 +	207	2.8	3	1	2	2	4	5	6
SUBTOTAL	6341	2.6	3	1	1	2	3	5	6
GRAND TOTAL	6341	2.6	3	1	1	2	3	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	180	2.4	2	1	1	2	3	4	5
18-34	225	3.0	5	1	2	3	3	4	5
35-49	135	3.2	4	1	2	3	4	7	8
50-69	229	3.6	3	2	2	4	5	6	7
70 +	43	4.1	- 5	2	2	3	6	8	8
SUBTOTAL	812	3.1	4	1	2	3	4	5	7
GRAND TOTAL	812	3.1	4	1	2	3	4	5	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	177	1.9	1	< 1	1	1	2	3	5
18-34	261	2.2	2	1	1	2	3	5	5
35-49	381	2.3	2	1	1	2	3	4	5
50-69	505	2.4	4	1	1	2	3	5	5
70 +	36	2.3	2	1	1	2	3	4	5
SUBTOTAL	1685	2.3	2	1	1	2	3	4	5
GRAND TOTAL	1685	2.3	2	1	1	2	3	4	5

DRG 143: Chest Pain

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4501	3.7	11	1	2	3	4	7	9
70-74	2157	3.7	7	1	2	3	4	7	9
75-79	2255	3.9	7	1	2	3	5	8	9
80-84	1273	4.1	8	2	2	3	5	7	8
85 +	889	4.6	9	2	3	4	6	9	11
SUBTOTAL	11076	3.9	9	1	2	3	5	7	9
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	4396	2.7	3	1	2	2	3	5	6
70-74	2518	2.9	3	1	2	3	4	5	6
75-79	1965	3.0	3	1	2	3	4	5	6
80-84	1060	3.0	3	1	2	3	4	5	6
85 +	566	3.3	5	1	2	3	4	6	8
SUBTOTAL	10505	2.9	3	1	2	3	4	5	6
GRAND TOTAL	21580	3.4	6	1	2	3	4	6	8

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	15	2.0							
18-34	848	2.9	4	1	2	2	4	5	7
35-49	3383	2.9	3	1	2	2	4	5	6
50-69	4857	3.2	4	1	2	3	4	6	7
70 +	123	2.8	2	1	2	3	4	5	5
SUBTOTAL	9225	3.0	4	1	2	3	4	5	6
0-17	160	2.5	2	1	1	2	3	4	5
18-34	2776	2.2	2	1	1	2	3	4	5
35-49	12387	2.2	2	1	1	2	3	4	5
50-69	11500	2.5	2	1	1	2	3	4	5
70 +	125	2.4	1	1	2	2	3	4	5
SUBTOTAL	26948	2.3	2	1	1	2	3	4	5
GRAND TOTAL	36173	2.5	2	1	1	2	3	4	5

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	15	2.0	1						
18-34	363	2.9	4	1	1	2	4	5	7
35-49	851	3.4	4	1	2	3	4	6	7
50-69	900	4.0	6	2	2	3	5	7	9
70 +	36	3.6	3						
SUBTOTAL	2164	3.6	5	1	2	3	5	7	7
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	95	1.8	1	1	1	2	2	3	4
18-34	654	2.4	2	1	2	2	3	4	5
35-49	1296	2.7	2	1	2	2	3	5	6
50-69	887	2.9	2	1	2	2	4	5	6
70 +	37	2.6	1						
SUBTOTAL	2969	2.7	2	1	2	2	3	5	6
GRAND TOTAL	5134	3.0	4	1	2	2	4	6	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	7	2.0							
18-34	360	1.9	1	1	1	1	2	3	4
35-49	837	2.6	3	1	1	2	3	5	7
50-69	1146	2.4	3	1	1	2	3	4	6
70 +	394	3.1	5	1	1	3	4	6	9
SUBTOTAL	2744	2.5	3	1	1	2	3	5	6
0-17	7	1.0							
18-34	830	2.1	1	1	1	2	3	4	5
35-49	3063	2.0	1	1	1	2	3	4	4
50-69	2496	2.1	2	1	1	2	3	4	4
70 +	609	2.3	3	1	1	2	3	5	6
SUBTOTAL	7005	2.1	2	1	1	2	3	4	5
GRAND TOTAL	9749	2.2	2	1	1	2	3	4	5

DRG 144: Other Circulatory System Diagnoses w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4248	7.6	44	2	3	6	10	15	20
70-74	2384	8.2	60	2	4	6	9	15	21
75-79	2062	7.9	50	3	4	6	9	16	21
80-84	1412	7.2	23	2	4	6	9	15	18
85 +	1067	8.8	47	3	4	7	11	18	21
SUBTOTAL	11172	7.8	46	2	4	6	10	16	20
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	11172	7.8	46	2	4	6	10	16	20

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	712	6.7	33	1	2	4	9	14	18
18-34	547	5.6	42	2	2	4	6	9	14
35-49	1504	6.7	52	1	3	5	8	14	19
50-69	2703	7.3	39	2	3	6	9	14	21
70 +	291	6.7	21	2	3	5	9	13	15
	5757	6.9	41	2	3	5	9	14	19
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	5757	6.9	41	2	3	5	9	14	19

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	562	7.8	63	2	3	5	11	16	19
18-34	288	7.1	46	1	2	5	10	18	27
35-49	434	6.9	21	3	3	5	9	15	15
50-69	519	8.8	66	2	4	6	12	20	25
70 +	23	3.3	4						
SUBTOTAL	1826	7.7	51	2	3	5	11	15	20
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	1826	7.7	51	2	3	5	11	15	20

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	135	4.9	16	2	2	4	6	9	15
18-34	187	5.5	39	1	2	4	6	11	13
35-49	241	5.0	12	1	2	5	7	10	12
50-69	503	5.6	14	2	3	5	7	12	14
70 +	247	4.9	11	2	3	4	6	10	13
	1313	5.3	17	1	2	4	7	11	13
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1313	5.3	17	1	2	4	7	11	13

DRG 145: Other Circulatory System Diagnoses w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	712	3.8	-	1	2	3	5	7	9
70-74	320	4.2	11	1	2	3	5	9	11
75-79	227	4.3	8	2	2	4	5	6	13
80-84	200	4.8	10	1	2	4	6	11	12
85 +	44	3.2	3	1	2	3	5	6	6
SUBTOTAL	1503	4.1	9	1	2	3	5	8	11
GRAND TOTAL	1503	4.1	9	1	2	3	5	8	11

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	511	3.4	9	1	1	2	5	7	10
18-34	570	2.9	4	1	2	2	4	5	6
35-49	1086	3.5	6	1	2	3	4	6	8
50-69	1193	3.5	6	1	2	3	4	7	8
70 +	21	2.0							
	3381	3.4	6	1	2	3	4	7	8
	3381	3.4	6	1	2	3	4	7	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	159	4.6	15	1	1	3	7	9	9
18-34	109	3.2	4	1	2	3	4	7	7
35-49	123	3.5	2	2	3	3	5	6	7
50-69	79	3.7	6	2	2	3	6	10	99 +
70 +	8	2.0							
SUBTOTAL	478	3.8	8	1	2	3	5	8	9
GRAND TOTAL	478	3.8	8	1	2	3	5	8	9

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	99	5.1	18	1	2	4	6	11	15
18-34	154	2.7	5	1	1	2	3	5	10
35-49	222	2.9	4	1	1	3	4	5	7
50-69	209	3.0	3	1	2	3	4	6	6
70 +	46	5.8	26	2	3	4	5	17	17
	729	3.4	8	1	2	3	4	6	9
	729	3.4	8	1	2	3	4	6	9

DRG 146: Rectal Resection w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	446	12.5	33	7	9	11	15	21	25
70-74	451	12.6	50	8	9	11	14	22	25
75-79	368	14.6	49	8	9	13	19	26	29
80-84	249	15.8	112	9	10	12	18	25	46
85 +	154	14.9	59	8	10	11	19	22	35
SUBTOTAL	1668	13.7	57	8	9	11	16	24	27
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	1668	13.7	57	8	9	11	16	24	27

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	46	9.0	6	6	8	8	9	14	14
18-34	51	9.1	29	2	5	9	10	21	21
35-49	152	9.8	10	7	8	9	12	14	15
50-69	617	11.5	37	7	9	10	12	16	21
70 +	7	15.0							
	873	10.9	31	7	8	9	12	16	21
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	873	10.9	31	7	8	9	12	16	21

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	15	8.0	1						
18-34	0								
35-49	15	7.0							
50-69	51	12.8	6	9	10	13	15	16	16
70 +	0								
SUBTOTAL	80	10.8	10	7	7	10	14	15	16
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	80	10.8	10	7	7	10	14	15	16

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	15	7.5							
18-34	0								
35-49	60	9.6	2	8	8	9	11	12	12
50-69	73	11.7	14	9	9	10	13	19	19
70 +	38	9.0	11						
	186	10.1	10	8	8	9	11	14	18
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	186	10.1	10	8	8	9	11	14	18

DRG 147: Rectal Resection w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	140	9.5	6	6	8	9	11	14	15
70-74	92	8.5	6	6	8	8	10	12	12
75-79	73	11.5	14	8	9	10	15	17	20
80-84	56	9.2	16	3	8	8	10	18	18
85 +	21	10.2	39						
SUBTOTAL	383	9.6	12	6	8	9	10	15	18
GRAND TOTAL	383	9.6	12	6	8	9	10	15	18

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	297	7.4	4	5	6	7	9	10	11
18-34	23	6.7	3						
35-49	101	7.2	4	5	6	7	9	9	11
50-69	371	9.5	5	7	8	9	10	12	14
70 +	0								
	791	8.3	5	5	7	8	10	11	12
	791	8.3	5	5	7	8	10	11	12

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	76	8.9	12	5	7	8	12	15	15
18-34	0								
35-49	0								
50-69	8	7.0							
70 +	0								
SUBTOTAL	84	8.7	11	6	7	8	12	14	15
GRAND TOTAL	84	8.7	11	6	7	8	12	14	15

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	68	5.9	4	3	4	7	8	8	8
18-34	15	5.6	2						
35-49	30	6.7							
50-69	51	8.0	2	6	7	8	8	11	11
70 +	15	8.0	1						
	178	6.8	3	4	6	7	8	8	9
	178	6.8	3	4	6	7	8	8	9

DRG 148: Major Small & Large Bowel Procedures w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	7504	14.4	84	7	9	11	17	25	31
70-74	6542	15.3	113	8	9	12	17	27	36
75-79	6953	15.0	79	8	9	12	18	26	31
80-84	5024	15.7	79	8	10	13	19	26	32
85 +	3905	17.5	105	9	11	15	21	30	38
SUBTOTAL	29928	15.3	92	8	9	13	18	26	33
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	29928	15.3	92	8	9	13	18	26	33

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	969	12.1	142	4	6	8	13	25	45
18-34	1417	13.0	74	6	8	10	15	25	29
35-49	3408	12.1	46	7	8	10	14	20	26
50-69	8337	13.0	68	7	8	10	15	23	29
70 +	381	13.4	33	8	9	12	16	19	28
	14512	12.8	68	6	8	10	15	23	29
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	14512	12.8	68	6	8	10	15	23	29

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	374	11.8	86	4	6	10	20	49	99 +
18-34	506	15.6	80	8	9	13	19	28	37
35-49	419	13.2	41	7	8	11	17	23	26
50-69	666	17.3	138	8	10	13	22	36	39
70 +	58	17.1	57	8	11	17	19	34	34
SUBTOTAL	2023	15.0	96	6	9	12	19	30	41
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	2023	15.0	96	6	9	12	19	30	41

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	339	13.9	194	5	6	9	18	41	71
18-34	642	11.7	52	6	7	8	15	25	26
35-49	788	11.8	81	6	7	9	14	21	25
50-69	1593	13.0	66	7	8	10	15	23	33
70 +	818	13.2	72	7	8	10	14	22	34
	4180	12.7	79	6	8	10	15	23	31
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4180	12.7	79	6	8	10	15	23	31

DRG 149: Major Small & Large Bowel Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	1713	8.7	7	6	7	8	10	12	13
70-74	1212	9.2	8	6	7	9	11	13	14
75-79	1067	9.5	10	7	8	9	11	14	16
80-84	757	10.6	18	7	8	9	12	15	18
85 +	332	10.7	22	8	8	9	12	16	17
SUBTOTAL	5082	9.4	11	6	7	9	10	13	15
GRAND TOTAL	5082	9.4	11	6	7	9	10	13	15

TYPE OF PATIENT	BLUE CROSS PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	1408	6.8	16	3	4	6	8	11	13
18-34	1263	7.7	27	3	5	7	9	12	15
35-49	1792	8.3	13	4	6	8	10	12	15
50-69	3093	8.7	10	6	7	8	10	12	14
70 +	100	9.2	5	7	8	9	10	12	14
SUBTOTAL	7655	8.1	15	4	6	8	9	12	15
GRAND TOTAL	7655	8.1	15	4	6	8	9	12	15

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	460	6.3	19	3	4	6	7	9	18
18-34	259	6.0	11	2	3	6	8	10	13
35-49	232	7.8	9	4	6	8	10	12	13
50-69	89	8.9	9	6	7	9	10	12	17
70 +	14	14.5							
SUBTOTAL	1054	6.9	16	3	4	7	9	12	14
GRAND TOTAL	1054	6.9	16	3	4	7	9	12	14

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	415	6.6	14	3	4	6	8	11	16
18-34	372	7.4	13	3	5	7	9	12	15
35-49	369	9.2	28	4	6	7	10	17	19
50-69	589	9.0	21	6	7	8	10	13	15
70 +	190	7.7	11	5	6	7	9	11	22
SUBTOTAL	1872	8.1	19	4	6	7	9	13	17
GRAND TOTAL	1872	8.1	19	4	6	7	9	13	17

DRG 150: Peritoneal Adhesiolysis w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1453	12.9	74	5	7	10	16	23	30
70-74	980	13.7	86	6	8	11	18	27	34
75-79	953	12.4	42	6	8	11	16	21	26
80-84	596	14.0	71	7	8	12	18	26	30
85 +	575	17.0	102	9	11	14	19	30	40
SUBTOTAL	4557	13.6	75	6	8	11	17	25	31
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	4557	13.6	75	6	8	11	17	25	31

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	352	10.1	43	4	6	8	13	18	20
18-34	391	9.7	51	4	5	8	12	18	24
35-49	853	9.7	40	4	6	9	12	18	21
50-69	1320	11.8	62	5	7	10	15	22	26
70 +	44	10.6	13	6	8	9	13	17	17
	2960	10.7	52	4	6	9	13	19	24
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2960	10.7	52	4	6	9	13	19	24

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	140	13.8	65	5	9	12	17	30	34
18-34	224	10.1	48	4	6	8	14	22	25
35-49	209	11.1	36	4	7	10	14	23	23
50-69	161	12.3	53	5	7	10	16	19	23
70 +	8	16.0							
SUBTOTAL	741	11.7	50	4	7	10	15	23	28
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	741	11.7	50	4	7	10	15	23	28

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	89	12.0	87	5	6	9	14	25	37
18-34	72	13.0	56	3	5	11	19	28	28
35-49	173	9.4	25	5	5	8	12	16	17
50-69	252	9.1	37	4	6	7	10	15	26
70 +	58	12.2	26	3	9	12	15	21	21
	644	10.3	44	4	6	9	13	19	25
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	644	10.3	44	4	6	9	13	19	25

DRG 151: Peritoneal Adhesiolysis w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	444	5.0	11	1	3	4	7	9	12
70-74	302	7.9	12	1	3	5	8	9	13
75-79	243	7.9	11	1	4	5	8	10	11
80-84	109	9.7	22	1	4	5	8	14	16
85 +	69	9.0	14	1	3	6	10	11	14
SUBTOTAL	1166	7.8	13	1	3	5	7	10	13
GRAND TOTAL	1166	7.8	13	1	3	5	7	10	13

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	410	5.9	11	2	4	6	7	10	10
18-34	1042	5.6	10	2	4	5	7	10	11
35-49	1443	6.8	21	3	4	6	9	12	13
50-69	1239	6.9	16	3	4	6	9	12	15
70 +	7	4.0							
SUBTOTAL	4142	6.4	16	3	4	6	8	11	13
GRAND TOTAL	4142	6.4	16	3	4	6	8	11	13

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	111	7.5	23	2	4	6	9	16	19
18-34	319	5.9	19	2	3	4	8	11	17
35-49	186	6.7	18	2	3	5	10	14	15
50-69	72	5.7	10	2	4	5	9	11	11
70 +	0								
SUBTOTAL	689	6.4	19	2	3	5	9	13	16
GRAND TOTAL	689	6.4	19	2	3	5	9	13	16

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	68	9.2	45	4	5	7	10	27	27
18-34	207	5.1	7	2	3	5	6	9	11
35-49	261	6.5	7	4	5	6	8	9	10
50-69	226	6.1	11	2	3	6	9	11	13
70 +	53	10.2	47	2	7	8	13	25	25
SUBTOTAL	813	6.5	15	3	4	6	8	10	13
GRAND TOTAL	813	6.5	15	3	4	6	8	10	13

DRG 152: Minor Small & Large Bowel Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	259	9.9	40	4	6	9	12	18	28
70-74	238	11.3	66	5	6	8	14	24	32
75-79	232	9.7	37	3	6	8	12	22	24
80-84	121	11.2	49	4	6	9	15	25	27
85 +	182	13.0	85	4	6	11	16	24	30
SUBTOTAL	1032	10.9	55	4	6	9	13	22	28
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	1032	10.9	55	4	6	9	13	22	28

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	106	7.7	5	6	6	7	9	12	12
18-34	89	7.0	50	2	3	6	7	9	30
35-49	171	10.2	113	2	4	6	11	21	30
50-69	381	9.2	31	5	6	8	10	15	17
70 +	37	8.7	15						
	783	8.9	47	4	6	7	9	15	23
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	783	8.9	47	4	6	7	9	15	23

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	30	6.5	1						
18-34	59	8.7	28	4	5	7	11	21	21
35-49	51	9.9	31	3	5	7	13	20	20
50-69	8	68.0							
70 +	14	8.5	2						
SUBTOTAL	162	11.4	180	5	5	7	11	20	35
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	162	11.4	180	5	5	7	11	20	35

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	15	10.5	13						
18-34	45	8.1	65	1	3	6	8	25	25
35-49	60	19.4	445	7	8	12	20	73	73
50-69	21	6.7	12						
70 +	8	18.0							
	149	13.2	232	3	6	8	18	25	68
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	149	13.2	232	3	6	8	18	25	68

DRG 153: Minor Small & Large Bowel Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	180	7.9	10	5	7	8	9	12	13
70-74	187	7.3	5	5	6	7	8	11	12
75-79	85	6.2	5	3	6	7	7	8	9
80-84	87	5.7	6	2	4	6	7	8	10
85 +	43	8.2	3	6	7	8	9	11	11
SUBTOTAL	582	7.2	7	4	6	7	8	10	12
GRAND TOTAL	582	7.2	7	4	6	7	8	10	12

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	516	5.8	9	2	4	6	7	8	9
18-34	328	5.6	6	2	4	5	8	9	9
35-49	291	6.1	9	3	3	5	8	10	12
50-69	417	6.3	9	3	5	6	7	10	11
70 +	0								
	1552	5.9	8	2	4	6	7	9	10
	1552	5.9	8	2	4	6	7	9	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	160	7.1	18	2	5	6	8	10	16
18-34	94	7.7	5	5	7	8	9	10	12
35-49	51	5.4	6	1	4	5	8	8	8
50-69	21	5.8	9						
70 +	0								
SUBTOTAL	327	6.9	12	2	5	7	8	10	11
GRAND TOTAL	327	6.9	12	2	5	7	8	10	11

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	113	5.1	4	2	4	5	6	8	8
18-34	81	5.4	11	2	3	4	7	11	12
35-49	44	6.7	29	1	1	7	8	17	17
50-69	57	5.7	5	1	4	6	7	9	9
70 +	15	7.0	4						
	310	5.6	10	1	4	5	7	9	11
	310	5.6	10	1	4	5	7	9	11

DRG 154: Stomach, Esophageal & Duodenal Procedures Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	2674	16.3	150	6	8	13	19	34	42
70-74	1953	16.2	132	6	9	13	20	32	37
75-79	2010	17.5	179	6	9	14	21	31	46
80-84	1172	18.3	153	7	10	16	23	34	42
85 +	1033	19.7	219	7	10	16	24	35	45
SUBTOTAL	8842	17.2	162	6	9	14	21	33	42
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	8842	17.2	162	6	9	14	21	33	42

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	428	9.9	26	6	7	8	12	20	23
35-49	1742	12.9	96	5	7	10	16	25	32
50-69	2893	14.2	129	6	8	11	16	25	35
70 +	115	16.0	50	9	11	16	20	28	31
	5178	13.5	109	6	8	11	16	25	32
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	5178	13.5	109	6	8	11	16	25	32

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	314	12.1	70	6	7	9	14	23	31
35-49	433	17.7	351	5	7	10	18	48	60
50-69	325	12.6	71	4	8	10	18	24	35
70 +	28	18.2	6						
SUBTOTAL	1101	14.6	186	5	7	10	17	34	45
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	1101	14.6	186	5	7	10	17	34	45

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	206	11.9	67	5	6	10	15	20	24
35-49	245	9.5	87	3	5	8	11	15	28
50-69	727	12.9	78	4	7	10	17	25	35
70 +	180	13.9	95	3	7	11	18	29	33
	1357	12.3	82	4	6	9	16	25	33
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1357	12.3	82	4	6	9	16	25	33

DRG 155: Stomach, Esophageal & Duodenal Procedures Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	534	7.8	14	3	5	8	10	12	15
70-74	288	8.5	35	4	5	7	10	12	26
75-79	324	10.2	33	3	7	9	12	17	23
80-84	207	9.3	54	4	6	8	10	14	15
85 +	66	8.5	6	4	7	9	10	12	12
SUBTOTAL	1421	8.7	29	3	6	8	10	14	17
GRAND TOTAL	1421	8.7	29	3	6	8	10	14	17

TYPE OF PATIENT	BLUE CROSS PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	0								
18-34	384	7.2	61	4	5	6	7	8	10
35-49	1153	7.6	31	4	5	7	8	11	17
50-69	1178	7.7	15	4	6	7	9	11	14
70 +	22	3.9	5						
SUBTOTAL	2737	7.6	28	4	5	7	8	11	14
GRAND TOTAL	2737	7.6	28	4	5	7	8	11	14

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	188	8.6	17	5	6	8	10	17	18
35-49	88	7.6	11	5	5	7	8	13	16
50-69	50	6.6	5	4	5	6	8	11	11
70 +	14	9.0	1						
SUBTOTAL	340	8.1	13	5	5	7	10	13	17
GRAND TOTAL	340	8.1	13	5	5	7	10	13	17

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	0								
18-34	89	5.8	3	4	4	6	7	8	8
35-49	236	7.1	13	3	4	7	9	12	15
50-69	158	6.6	9	3	4	7	8	10	13
70 +	88	6.4	8	3	4	6	9	10	10
SUBTOTAL	571	6.6	10	3	4	6	8	10	13
GRAND TOTAL	571	6.6	10	3	4	6	8	10	13

DRG 156: Stomach, Esophageal & Duodenal Procedures Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1372	10.7	121	3	4	7	14	27	40
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1372	10.7	121	3	4	7	14	27	40
0-17	2829	4.2	16	2	2	3	5	7	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2829	4.2	16	2	2	3	5	7	10
	4200	6.3	60	2	3	4	7	14	22

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	776	12.3	134	3	5	9	16	29	48
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	776	12.3	134	3	5	9	16	29	48
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	1120	5.2	18	2	3	4	7	11	14
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1120	5.2	18	2	3	4	7	11	14
GRAND TOTAL	1896	8.1	78	2	3	5	10	17	28

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	318	8.4	149	2	3	4	11	18	41
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	318	8.4	149	2	3	4	11	18	41
0-17	798	4.0	6	2	2	3	5	7	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	798	4.0	6	2	2	3	5	7	10
	1116	5.2	50	2	3	3	5	11	13

DRG 157: Anal & Stomal Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1219	5.2	14	2	3	4	7	11	13
70-74	658	6.0	22	2	3	5	8	11	12
75-79	557	5.5	21	2	2	4	7	12	12
80-84	398	6.5	16	2	4	5	9	13	15
85 +	303	8.6	26	4	5	7	10	16	18
SUBTOTAL	3135	5.9	19	2	3	5	8	12	13
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	3135	5.9	19	2	3	5	8	12	13

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	75	5.4	12	3	4	4	5	14	15
18-34	476	5.2	48	2	2	3	6	10	15
35-49	1080	3.7	8	1	2	3	5	7	9
50-69	1239	5.0	20	2	2	4	6	9	13
70 +	28	7.8	59						
	2899	4.6	21	2	2	3	5	9	13
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2899	4.6	21	2	2	3	5	9	13

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	60	4.5	3	2	3	5	6	7	7
18-34	115	3.2	1	2	2	3	4	5	5
35-49	131	6.9	31	2	3	4	9	14	22
50-69	104	9.0	59	2	3	5	12	23	25
70 +	7	19.0							
SUBTOTAL	417	6.3	33	2	3	4	7	14	22
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	417	6.3	33	2	3	4	7	14	22

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	45	13.0	108	4	4	13	14	34	34
18-34	116	3.4	2	2	2	3	5	5	6
35-49	280	4.1	5	1	2	4	6	7	9
50-69	146	5.1	16	1	2	4	7	14	15
70 +	52	4.6	7	1	2	6	7	8	8
	638	4.9	20	1	2	4	6	8	13
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	638	4.9	20	1	2	4	6	8	13

DRG 158: Anal & Stomal Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1039	3.0	4	1	2	2	3	6	7
70-74	622	2.8	4	1	1	2	4	5	7
75-79	435	3.3	9	1	2	3	4	6	7
80-84	209	3.2	5	1	2	2	4	8	9
85 +	85	4.3	14	1	2	3	6	9	14
SUBTOTAL	2393	3.0	5	1	2	2	4	6	7
GRAND TOTAL	2393	3.0	5	1	2	2	4	6	7

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	466	3.4	7	1	2	2	5	7	8
18-34	2350	2.5	3	1	2	2	3	4	5
35-49	4286	2.4	3	1	1	2	3	4	5
50-69	3219	2.5	3	1	1	2	3	5	6
70 +	22	3.9	9						
	10344	2.5	3	1	1	2	3	4	6
	10344	2.5	3	1	1	2	3	4	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	189	4.7	8	1	3	4	7	8	9
18-34	455	2.7	7	1	1	2	3	4	5
35-49	289	3.4	7	1	2	3	5	7	9
50-69	146	3.4	4	1	2	3	5	7	8
70 +	0								
SUBTOTAL	1080	3.3	7	1	2	3	4	6	8
GRAND TOTAL	1080	3.3	7	1	2	3	4	6	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	113	2.9	3	1	1	3	4	6	6
18-34	542	2.4	2	1	1	2	3	4	6
35-49	695	2.3	3	1	1	2	3	5	6
50-69	605	2.6	6	1	1	2	2	5	7
70 +	96	2.2	2	1	1	2	2	4	6
	2050	2.4	4	1	1	2	3	5	6
	2050	2.4	4	1	1	2	3	5	6

DRG 159: Hernia Procedures except Inguinal & Femoral Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1342	5.3	17	1	3	5	7	9	13
70-74	800	6.3	20	2	3	5	9	12	13
75-79	617	5.4	19	2	3	4	7	12	14
80-84	385	6.6	28	2	3	5	9	13	18
85 +	177	7.8	29	2	4	7	11	13	18
SUBTOTAL	3321	5.9	20	1	3	5	7	12	14
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	3321	5.9	20	1	3	5	7	12	14

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	87	4.4	3	2	3	5	5	7	7
35-49	560	4.2	6	1	2	4	5	7	8
50-69	1091	4.8	8	2	3	4	6	8	10
70 +	28	7.0	24						
	1767	4.6	8	2	3	4	6	8	10
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1767	4.6	8	2	3	4	6	8	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	66	4.0	7	1	2	4	5	9	10
35-43	159	5.6	27	2	3	4	6	13	16
50-69	183	5.5	13	2	3	4	7	11	12
70 +	15	4.0	1						
SUBTOTAL	423	5.3	17	2	2	4	6	11	15
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	423	5.3	17	2	2	4	6	11	15

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	37	4.2	7						
35-49	139	4.9	15	1	2	3	7	13	13
50-69	216	5.3	16	2	3	4	6	14	15
70 +	51	7.2	24	2	4	5	9	18	18
	443	5.3	16	2	2	4	7	13	15
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	443	5.3	16	2	2	4	7	13	15

North Central Region, July 1989 - June 1990

DRG 160: Hernia Procedures except Inguinal & Femoral Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	1163	3.4	4	1	2	3	4	6	7
70-74	721	3.3	3	1	2	3	4	6	7
75-79	539	3.6	6	1	2	3	5	6	8
80-84	326	4.2	9	1	2	3	6	7	8
85+	73	3.6	9	1	1	2	6	8	10
SUBTOTAL	2822	3.5	5	1	2	3	5	6	7
GRAND TOTAL	2822	3.5	5	1	2	3	5	6	7

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	0								
18-34	530	2.5	3	1	1	2	3	5	6
35-49	1901	2.7	3	1	1	2	4	5	5
50-69	2199	3.0	3	1	2	3	4	6	6
70+	28	3.0	4						
	4657	2.8	3	1	2	2	4	5	6
	4657	2.8	3	1	2	2	4	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	137	2.4	1	1	2	2	3	3	4
35-49	362	3.6	3	2	2	3	4	6	6
50-69	216	3.8	7	1	2	4	5	6	8
70+	0								
SUBTOTAL	715	3.5	4	1	2	3	4	6	6
GRAND TOTAL	715	3.5	4	1	2	3	4	6	6

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	0								
18-34	219	2.1	1	1	1	2	3	4	4
35-49	458	3.0	3	1	2	3	4	5	6
50-69	497	2.6	4	1	1	2	3	5	5
70+	104	2.3	2	1	1	2	3	4	5
	1277	2.6	3	1	1	2	4	5	5
	1277	2.6	3	1	1	2	4	5	5

DRG 161: Inguinal & Femoral Hernia Procedures Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1081	4.0	17	1	2	3	5	10	12
70-74	1121	3.6	11	1	2	3	4	7	9
75-79	1034	4.2	14	1	2	3	5	8	11
80-84	865	4.5	16	1	2	3	5	9	11
85 +	795	6.6	24	2	3	5	8	13	18
SUBTOTAL	4895	4.5	17	1	2	3	6	9	12
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	4895	4.5	17	1	2	3	6	9	12

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	141	2.6	11	1	1	2	2	5	16
35-49	359	2.6	2	1	1	2	3	5	5
50-69	958	3.5	13	1	1	2	4	8	10
70 +	78	4.5	19	1	1	3	8	12	14
	1537	3.3	11	1	1	2	4	7	10
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1537	3.3	11	1	1	2	4	7	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	7	3.0							
35-49	44	3.2	18	1	1	2	2	13	13
50-69	93	4.9	7	2	3	4	7	8	11
70 +	8	6.0							
SUBTOTAL	152	4.4	10	1	2	3	6	9	11
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	152	4.4	10	1	2	3	6	9	11

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	29	2.5	1						
35-49	51	3.7	3	1	3	4	4	7	7
50-69	117	2.5	2	1	1	2	4	5	5
70 +	125	2.5	11	1	1	1	2	6	14
	322	2.7	6	1	1	2	4	5	6
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	322	2.7	6	1	1	2	4	5	6

DRG 162: Inguinal & Femoral Hernia Procedures Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	1725	1.9	2	1	1	1	2	4	4
70-74	1631	2.2	3	1	1	2	3	4	6
75-79	1098	2.2	3	1	1	2	3	4	5
80-84	872	2.6	5	1	1	2	3	5	7
85 +	464	3.1	6	1	2	3	4	5	6
SUBTOTAL	5790	2.2	3	1	1	2	3	4	6
GRAND TOTAL	5790	2.2	3	1	1	2	3	4	6

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	1314	1.4		1	1	1	2	2	3
35-49	2189	1.5	1	1	1	1	2	2	3
50-69	3501	1.8	3	1	1	1	2	3	4
70 +	136	1.8	1	1	1	2	2	3	4
	7140	1.6	2	1	1	1	2	3	3
	7140	1.6	2	1	1	1	2	3	3

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	114	2.0	2	1	1	2	2	4	7
35-49	94	2.7	3	1	2	2	4	6	6
50-69	66	2.7	4	1	2	2	3	7	8
70 +	14	4.0	10						
SUBTOTAL	288	2.5	3	1	1	2	3	6	7
GRAND TOTAL	288	2.5	3	1	1	2	3	6	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	309	1.5	1	1	1	1	2	2	3
35-49	392	1.5	1	1	1	1	2	3	4
50-69	641	1.5	1	1	1	1	2	3	3
70 +	240	1.3		1	1	1	2	2	3
	1582	1.5	1	1	1	1	2	3	3
	1582	1.5	1	1	1	1	2	3	3

DRG 163: Hernia Procedures Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	38	5.4	6						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	38	5.4	6						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	14	6.0	27						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	14	6.0	27						
GRAND TOTAL	52	5.6	11	1	3	5	10	11	11

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	459	2.8	7	1	1	2	3	8	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	459	2.8	7	1	1	2	3	8	9
	3694	1.5	5	1	1	1	1	2	4
	4154	1.6	5	1	1	1	2	3	4

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	266	2.8	14	1	1	2	3	4	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	266	2.8	14	1	1	2	3	4	10
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	2080	1.5	1	1	1	1	2	3	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	2080	1.5	1	1	1	1	2	3	3
GRAND TOTAL	2346	1.6	3	1	1	1	2	3	4

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	129	2.7	8	1	1	2	2	6	12
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	129	2.7	8	1	1	2	2	6	12
0-17	1248	1.4	2	<1	1	1	1	2	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1248	1.4	2	<1	1	1	1	2	3
	1376	1.5	3	1	1	1	1	2	5

DRG 164: Appendectomy w/ Complicated Principal Diag w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	531	11.4	32	7	8	10	13	17	25
70-74	302	10.4	46	5	7	8	10	20	21
75-79	207	12.2	45	7	8	11	13	19	25
80-84	128	13.5	115	6	8	9	16	24	49
85 +	86	16.6	91	8	11	13	19	28	42
SUBTOTAL	1253	11.9	52	6	8	10	13	20	28
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	1253	11.9	52	6	8	10	13	20	28

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	772	9.0	17	5	7	8	11	15	18
18-34	488	8.3	18	4	6	8	10	13	15
35-49	569	9.3	16	5	6	8	11	15	17
50-69	629	9.2	15	5	6	9	11	13	18
70 +	15	14.5	22						
	2473	9.0	16	5	6	8	11	14	18
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2473	9.0	16	5	6	8	11	14	18

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	321	8.8	9	5	7	8	11	13	15
18-34	66	9.1	29	4	7	7	10	23	23
35-49	21	7.0	9						
50-69	66	8.6	6	5	7	9	10	13	13
70 +	0								
SUBTOTAL	475	8.7	12	5	7	8	11	13	15
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	475	8.7	12	5	7	8	11	13	15

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	274	9.7	20	5	7	9	11	16	18
18-34	152	8.6	47	5	5	6	9	13	14
35-49	139	9.1	27	5	6	8	9	16	23
50-69	211	8.8	15	5	6	7	10	15	16
70 +	15	12.9	4						
	790	9.2	25	5	6	8	11	15	18
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	790	9.2	25	5	6	8	11	15	18

DRG 165: Appendectomy w/ Complicated Principal Diag w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	199	6.9	8	3	5	7	9	12	12
70-74	97	6.9	11	2	4	7	10	12	12
75-79	126	7.8	4	5	6	7	9	10	13
80-84	36	7.0	1						
85 +	7	10.0							
SUBTOTAL	465	7.2	7	3	5	7	9	11	12
GRAND TOTAL	465	7.2	7	3	5	7	9	11	12

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	2560	6.1	7	3	4	6	7	9	11
18-34	1640	5.5	7	3	4	5	7	9	10
35-49	1020	6.0	6	3	4	6	7	9	11
50-69	696	6.9	7	4	5	6	8	10	12
70 +	0								
	5915	6.0	7	3	4	6	7	9	11
	5915	6.0	7	3	4	6	7	9	11

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	719	6.1	7	3	4	6	7	9	11
18-34	250	6.2	6	3	4	6	8	10	11
35-49	99	6.3	5	4	5	7	8	9	10
50-69	21	10.0	2						
70 +	0								
SUBTOTAL	1090	6.2	6	3	4	6	8	10	11
GRAND TOTAL	1090	6.2	6	3	4	6	8	10	11

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1054	5.9	5	3	4	6	7	9	10
18-34	720	4.9	5	2	3	5	6	8	9
35-49	291	5.4	5	3	4	5	6	9	9
50-69	150	6.8	5	4	5	7	8	10	11
70 +	21	5.6	6						
	2236	5.6	5	3	4	5	7	9	10
	2236	5.6	5	3	4	5	7	9	10

DRG 166: Appendectomy w/o Complicated Principal Diag w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	250	6.6	13	3	4	6	7	12	15
70-74	94	6.5	9	3	4	6	9	10	14
75-79	58	8.3	20	4	4	6	10	18	18
80-84	36	5.7	8						
85 +	44	7.9	3	5	6	8	9	10	10
SUBTOTAL	482	6.9	12	3	4	6	9	12	14
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	482	6.9	12	3	4	6	9	12	14

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	978	4.7	12	2	3	4	6	7	10
18-34	1335	4.8	7	2	3	4	6	8	10
35-49	686	5.3	9	3	3	4	7	10	12
50-69	409	6.2	14	3	4	5	7	10	13
70 +	14	3.5							
	3421	5.0	10	2	3	4	6	9	11
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3421	5.0	10	2	3	4	6	9	11

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	286	8.0	212	3	3	4	7	9	34
18-34	240	4.9	3	3	4	4	5	7	8
35-49	57	5.3	5	2	4	5	6	9	9
50-69	22	8.7	9						
70 +	0								
SUBTOTAL	605	6.5	104	3	3	4	6	9	12
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	605	6.5	104	3	3	4	6	9	12

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	261	4.6	7	3	3	4	5	7	12
18-34	476	4.3	3	2	3	4	5	7	7
35-49	205	5.5	8	2	4	5	8	10	10
50-69	64	5.3	12	2	3	4	6	14	14
70 +	0								
	1006	4.7	6	2	3	4	6	7	10
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1006	4.7	6	2	3	4	6	7	10

DRG 167: Appendectomy w/o Complicated Principal Diag w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	318	3.7	3	2	2	3	5	6	7
70-74	152	4.8	5	3	3	4	6	9	9
75-79	94	4.7	2	3	4	5	6	7	7
80-84	28	6.5	13						
85 +	7	11.0							
SUBTOTAL	598	4.4	5	2	3	4	6	7	9
GRAND TOTAL	598	4.4	5	2	3	4	6	7	9

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	10982	2.9	1	2	2	3	3	4	5
18-34	10790	3.1	2	2	2	3	4	5	6
35-49	3618	3.5	2	2	3	3	4	5	6
50-69	1230	3.9	3	2	3	3	5	6	7
70 +	43	3.8	11	1	2	3	4	11	11
	26664	3.1	2	2	2	3	4	5	6
	26664	3.1	2	2	2	3	4	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1816	3.3	2	2	2	3	4	5	6
18-34	1176	3.4	2	2	2	3	4	5	6
35-49	209	3.4	2	2	3	3	4	5	6
50-69	52	4.0	1	3	3	4	5	6	6
70 +	0								
SUBTOTAL	3252	3.4	2	2	2	3	4	5	6
GRAND TOTAL	3252	3.4	2	2	2	3	4	5	6

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	2937	2.7	2	2	2	2	3	4	5
18-34	4028	3.0	4	2	2	3	3	4	5
35-49	933	3.0	2	2	2	3	4	5	6
50-69	231	4.0	3	2	3	4	5	7	7
70 +	8	4.0							
	8137	2.9	3	2	2	3	3	4	5
	8137	2.9	3	2	2	3	3	4	5

DRG 168: Mouth Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	124	5.0	29	1	1	3	7	11	22
70-74	146	6.6	109	1	1	3	7	18	46
75-79	37	4.4	20						
80-84	96	4.8	27	2	2	3	4	12	20
85 +	45	9.1	67	2	4	5	14	25	25
SUBTOTAL	448	5.8	59	1	2	3	6	17	22
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	448	5.8	59	1	2	3	6	17	22

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	79	3.3	2	2	3	3	3	4	7
18-34	139	4.6	8	2	2	3	7	9	9
35-49	117	3.8	4	1	2	3	6	6	7
50-69	161	7.1	40	2	3	6	8	16	17
70 +	15	12.0	118						
	510	5.2	22	2	2	3	7	9	16
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	510	5.2	22	2	2	3	7	9	16

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	30	3.8	7						
18-34	103	5.2	8	1	3	5	6	8	13
35-49	59	8.1	106	1	1	3	15	32	32
50-69	23	6.0	34						
70 +	7	1.0							
SUBTOTAL	222	5.7	39	1	2	4	7	14	15
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	222	5.7	39	1	2	4	7	14	15

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	51	5.2	17	1	3	5	5	15	15
18-34	70	4.5	2	1	4	5	6	6	6
35-49	23	7.7	21						
50-69	37	3.6	10						
70 +	7	1.0							
	188	4.8	12	1	3	5	5	9	14
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	188	4.8	12	1	3	5	5	9	14

DRG 169: Mouth Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	146	2.8	5	1	1	2	4	6	10
70-74	130	2.5	3	1	1	2	3	6	7
75-79	73	2.5	3	1	1	2	4	6	6
80-84	88	2.8	10	1	1	2	3	6	12
85 +	15	4.0	1						
SUBTOTAL	452	2.7	5	1	1	2	4	6	7
GRAND TOTAL	452	2.7	5	1	1	2	4	6	7

TYPE OF PATIENT	BLUE CROSS PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	801	1.8	1	1	1	1	1	2	3	4
18-34	279	3.2	7	1	2	2	4	5	11
35-49	299	2.0	3	1	1	1	2	3	6
50-69	289	2.4	6	1	1	1	3	5	7
70 +	0								
	1667	2.2	4	1	1	2	2	4	5
	1667	2.2	4	1	1	2	2	4	5

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	248	2.2	3	1	1	2	3	5	6
18-34	73	3.8	14	1	1	3	5	7	13
35-49	30	3.3	4						
50-69	22	3.7	6						
70 +	8	2.0							
SUBTOTAL	381	2.7	5	1	1	2	4	6	7
GRAND TOTAL	381	2.7	5	1	1	2	4	6	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	241	1.8	2	1	1	1	2	3	4
18-34	114	4.1	4	1	2	4	5	7	8
35-49	30	2.5	1						
50-69	28	1.0							
70 +	44	1.3		1	1	1	2	2	2
	458	2.3	3	1	1	2	3	5	6
	458	2.3	3	1	1	2	3	5	6

DRG 170: Other Digestive System O.R. Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	849	17.0	202	5	8	13	21	44	56
70-74	587	15.6	119	6	8	12	21	31	39
75-79	483	14.2	84	6	8	11	18	27	34
80-84	251	25.8	518	7	11	18	36	69	94
85 +	242	18.6	192	6	10	15	25	38	42
SUBTOTAL	2411	17.2	200	6	8	12	21	34	48
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	2411	17.2	200	6	8	12	21	34	48

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	230	10.5	132	3	4	6	11	34	46
18-34	340	8.7	52	2	3	6	10	19	24
35-49	427	11.6	67	3	5	10	16	24	30
50-69	664	11.2	61	4	6	9	15	22	27
70 +	15	21.5	32						
	1675	10.8	72	3	5	9	15	22	30
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1675	10.8	72	3	5	9	15	22	30

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	59	15.2	205	3	4	12	23	47	47
18-34	131	11.2	103	3	5	7	17	42	99 +
35-49	89	24.3	430	5	7	19	47	55	59
50-69	66	16.3	233	3	6	12	21	46	56
70 +	7	17.0							
SUBTOTAL	351	16.2	249	3	5	10	23	47	56
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	351	16.2	249	3	5	10	23	47	56

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	52	5.9	7	1	5	6	8	10	10
18-34	66	5.9	14	1	4	5	7	13	13
35-49	125	9.3	82	2	4	6	9	30	32
50-69	144	14.9	129	7	8	11	20	32	36
70 +	37	6.4	16						
	424	10.0	86	3	5	7	11	21	32
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	424	10.0	86	3	5	7	11	21	32

DRG 171: Other Digestive System O.R. Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	173	7.6	40	2	3	5	10	18	22
70-74	64	8.0	30	4	5	8	9	16	16
75-79	37	5.2	3						
80-84	30	4.7	8						
85 +	51	5.5	9	2	2	5	8	11	11
SUBTOTAL	354	6.9	26	2	4	5	9	12	18
GRAND TOTAL	354	6.9	26	2	4	5	9	12	18

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	428	4.1	5	2	3	4	5	7	10
18-34	636	3.8	5	1	2	3	5	7	8
35-49	448	4.7	7	1	3	5	6	9	9
50-69	360	6.4	43	2	3	5	8	10	17
70 +	0								
	1874	4.6	14	1	3	4	6	8	10
	1874	4.6	14	1	3	4	6	8	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	141	4.9	7	1	3	5	7	9	9
18-34	220	4.2	11	1	2	4	5	7	10
35-49	37	6.8	35						
50-69	15	6.7	22						
70 +	0								
SUBTOTAL	412	4.8	12	1	2	4	6	9	11
GRAND TOTAL	412	4.8	12	1	2	4	6	9	11

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	133	4.4	10	1	2	4	5	8	15
18-34	265	4.6	9	1	3	4	6	8	10
35-49	114	3.5	4	1	2	3	4	7	7
50-69	35	4.6	4						
70 +	0								
	548	4.3	8	1	3	4	5	8	9
	548	4.3	8	1	3	4	5	8	9

DRG 172: Digestive Malignancy w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	996	10.5	68	4	5	8	14	20	29
70-74	959	9.1	80	2	4	6	11	19	27
75-79	1020	8.1	37	2	4	7	10	17	21
80-84	768	9.9	55	3	5	8	13	23	28
85 +	786	8.8	62	3	4	7	10	14	24
SUBTOTAL	4529	9.3	61	3	4	7	11	18	26
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	4529	9.3	61	3	4	7	11	18	26

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	61	12.5	218	1	5	7	12	50	50
18-34	76	14.4	514	1	3	5	11	52	79
35-49	308	9.1	57	2	4	7	12	22	26
50-69	1362	8.2	72	2	3	6	11	16	22
70 +	71	12.8	200	3	4	5	22	31	48
	1879	8.9	99	2	3	6	11	19	25
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1879	8.9	99	2	3	6	11	19	25

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	23	4.3	23						
18-34	30	14.8	31						
35-49	66	14.7	223	1	3	11	19	49	49
50-69	215	14.4	114	3	5	14	20	31	31
70 +	7	32.0							
SUBTOTAL	341	14.2	132	2	4	12	20	31	32
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	341	14.2	132	2	4	12	20	31	32

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	23	31.7	783						
18-34	0								
35-49	75	6.7	26	2	3	4	10	16	16
50-69	192	11.1	218	3	4	5	11	33	51
70 +	126	5.4	12	1	2	5	8	11	11
	417	9.7	184	2	3	5	10	17	51
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	417	9.7	184	2	3	5	10	17	51

DRG 173: Digestive Malignancy w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	102	3.0	6	1	1	2	4	6	9
70-74	80	4.0	7	< 1	1	5	7	7	8
75-79	116	4.4	10	< 1	2	4	6	11	12
80-84	121	8.0	61	< 1	2	7	10	25	28
85 +	85	7.5	30	1	2	5	13	14	17
SUBTOTAL	504	5.4	28	1	1	4	8	12	14
GRAND TOTAL	504	5.4	28	1	1	4	8	12	14

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	30	5.3	1						
18-34	8	5.0							
35-49	58	2.3	2	1	1	2	2	6	6
50-69	230	4.6	12	1	2	4	6	9	10
70 +	0								
	326	4.3	10	1	2	4	6	7	9
	326	4.3	10	1	2	4	6	7	9

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	23	3.3	7						
18-34	0								
35-49	21	7.0	5						
50-69	50	4.4	4	1	2	5	6	7	7
70 +	0								
SUBTOTAL	94	4.7	7	1	2	5	6	7	10
GRAND TOTAL	94	4.7	7	1	2	5	6	7	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1	4.0							
18-34									
35-49									
50-69		3	8	2	2	3	4	10	10
70 +	4		25	1	3	7	9	16	16
	5		18	2	2	4	8	10	16
	96	5.3	18	2	2	4	8	10	16

DRG 174: G.I. Hemorrhage w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	6703	6.2	24	3	4	5	7	11	14
70-74	6701	6.8	30	3	4	5	8	12	16
75-79	7180	6.9	23	3	4	6	8	12	15
80-84	6157	7.2	36	3	4	6	8	12	17
85 +	7044	7.6	32	3	4	6	9	14	18
SUBTOTAL	33784	6.9	29	3	4	6	8	12	16
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	33784	6.9	29	3	4	6	8	12	16

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	296	3.9	17	1	2	3	5	6	9
18-34	1238	4.2	8	2	3	4	5	7	8
35-49	2870	4.8	18	2	3	4	6	8	10
50-69	6278	5.3	17	2	3	4	6	9	12
70 +	359	6.3	13	3	4	6	7	10	16
	11041	5.1	16	2	3	4	6	8	11
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	11041	5.1	16	2	3	4	6	8	11

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	249	4.1	7	2	2	3	5	9	9
18-34	497	4.9	19	2	3	4	6	9	10
35-49	991	5.8	17	2	3	5	7	10	12
50-69	743	7.8	30	3	5	6	10	14	19
70 +	51	5.4	6	3	4	5	6	11	11
SUBTOTAL	2531	6.0	21	2	3	5	7	11	14
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	2531	6.0	21	2	3	5	7	11	14

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	82	4.0	2	3	3	4	5	6	8
18-34	454	3.6	3	2	2	3	4	6	7
35-49	958	4.5	13	2	3	4	5	8	10
50-69	1313	4.8	17	2	3	4	6	7	12
70 +	751	5.8	16	2	3	5	7	11	14
	3558	4.8	14	2	3	4	6	8	11
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3558	4.8	14	2	3	4	6	8	11

DRG 175: G.I. Hemorrhage w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1324	4.1	5	2	3	4	5	7	8
70-74	1279	4.2	4	2	3	4	5	7	8
75-79	1104	4.7	9	2	3	4	5	8	11
80-84	981	4.6	6	2	3	4	6	8	10
85 +	1061	5.2	14	2	3	4	6	9	12
SUBTOTAL	5748	4.5	8	2	3	4	5	8	9
GRAND TOTAL	5748	4.5	8	2	3	4	5	8	9

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	536	2.5	2	1	1	2	3	4	6
18-34	1119	3.0	3	1	2	3	4	5	6
35-49	1618	3.6	4	2	2	3	5	6	7
50-69	2209	3.8	4	2	2	3	5	6	8
70 +	42	4.6	3	3	3	4	5	8	8
	5524	3.4	4	1	2	3	4	6	7
	5524	3.4	4	1	2	3	4	6	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	232	2.4	2	1	1	2	3	4	4
18-34	209	3.1	5	1	2	2	3	6	8
35-49	196	3.7	7	< 1	2	3	5	8	9
50-69	138	4.8	4	2	3	5	6	8	9
70 +	21	4.0	1						
SUBTOTAL	796	3.3	5	1	2	3	4	6	8
GRAND TOTAL	796	3.3	5	1	2	3	4	6	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	181	2.5	3	1	1	2	3	5	5
18-34	315	2.9	4	1	2	2	4	4	7
35-49	405	2.8	3	1	2	2	4	6	7
50-69	506	2.8	2	1	2	3	4	4	5
70 +	154	3.2	2	2	2	3	4	5	6
	1561	2.8	3	1	2	2	4	5	6
	1561	2.8	3	1	2	2	4	5	6

DRG 176: Complicated Peptic Ulcer

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	564	9.1	80	2	4	6	11	20	28
70-74	472	7.8	21	3	5	7	10	15	15
75-79	364	8.4	31	3	5	7	11	18	20
80-84	260	9.9	74	3	6	6	12	22	32
85 +	372	6.4	15	2	4	6	8	10	14
SUBTOTAL	2032	8.3	46	3	4	6	10	16	22
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	287	5.5	9	2	3	6	7	10	10
70-74	138	6.0	19	1	4	5	7	11	16
75-79	108	5.6	3	4	4	6	7	8	9
80-84	79	6.9	9	3	4	6	10	11	12
85 +	92	6.2	13	2	4	5	9	10	15
SUBTOTAL	704	5.9	11	2	4	5	7	10	11
GRAND TOTAL	2735	7.7	38	3	4	6	9	14	20

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	15	3.6	2						
18-34	100	6.8	18	2	4	6	9	11	17
35-49	259	6.8	41	2	3	5	9	13	14
50-69	335	7.0	24	2	4	6	9	13	16
70 +	21	10.9	43						
	729	6.9	30	2	3	6	9	13	17
0-17	44	4.4	6	1	2	4	7	7	7
18-34	101	3.4	2	2	2	3	4	5	7
35-49	226	4.8	10	2	3	4	6	9	12
50-69	250	4.2	5	2	2	3	6	7	8
70 +	8	5.0							
	629	4.3	6	2	2	4	6	7	8
	1358	5.7	21	2	3	5	7	11	14

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VAR' ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	15	5.0	4						
18-34	66	9.6	37	3	5	9	11	24	24
35-49	86	8.4	44	2	3	7	11	15	26
50-69	98	10.2	87	3	5	7	13	23	36
70 +	0								
SUBTOTAL	265	9.2	57	3	4	7	12	23	26
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	28	9.0	18						
35-49	58	6.8	15	1	4	6	8	13	13
50-69	14	6.5							
70 +	0								
SUBTOTAL	100	7.4	15	3	5	7	9	13	15
GRAND TOTAL	365	8.7	46	3	4	7	11	15	24

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	21	4.7	4						
35-49	101	5.6	7	3	3	5	8	9	11
50-69	80	5.5	9	2	3	6	7	7	13
70 +	58	10.8	147	3	6	7	8	43	43
	259	6.7	43	2	3	6	7	9	13
0-17	8	1.0							
18-34	58	2.6	1	< 1	2	2	3	5	5
35-49	50	2.7	3	1	2	2	3	7	7
50-69	71	2.9	2	1	2	3	3	5	5
70 +	21	3.9	13						
	209	2.8	3	1	2	2	3	5	7
	468	4.9	29	2	2	3	7	8	9

DRG 177: Uncomplicated Peptic Ulcer w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1135	6.1	24	3	3	5	7	11	14
70-74	700	6.7	30	2	3	5	8	11	18
75-79	822	6.3	16	2	4	5	8	11	14
80-84	546	6.6	15	3	4	5	9	12	13
85 +	591	7.1	29	3	4	5	9	14	17
SUBTOTAL	3794	6.5	23	3	4	5	8	11	15
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	3794	6.5	23	3	4	5	8	11	15

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	37	5.5	30						
18-34	372	3.8	4	1	3	4	5	6	7
35-49	663	5.1	10	2	3	4	6	8	11
50-69	1084	5.4	13	2	3	4	7	9	13
70 +	43	6.4	20	2	3	4	11	14	14
	2198	5.0	11	2	3	4	6	9	12
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2198	5.0	11	2	3	4	6	9	12

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	8	7.0							
18-34	180	5.2	39	2	3	4	5	9	10
35-49	272	6.5	21	2	4	5	7	15	18
50-69	155	5.3	9	2	3	5	6	9	13
70 +	15	4.0							
SUBTOTAL	629	5.8	23	2	3	5	7	10	15
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	629	5.8	23	2	3	5	7	10	15

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	23	7.3	4						
18-34	135	2.9	3	1	2	3	3	5	7
35-49	159	4.6	11	2	3	3	5	7	12
50-69	170	5.2	10	2	4	4	7	7	12
70 +	96	4.9	4	2	4	4	7	7	8
	583	4.5	8	2	3	4	6	7	11
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	583	4.5	8	2	3	4	6	7	11

DRG 178: Uncomplicated Peptic Ulcer w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	642	4.4	6	2	3	4	5	8	9
70-74	304	4.0	4	2	3	4	5	6	8
75-79	334	4.1	8	1	2	4	5	7	9
80-84	227	5.0	8	3	3	4	6	9	13
85 +	128	5.3	5	2	3	6	8	8	9
SUBTOTAL	1636	4.4	6	2	3	4	6	8	9
GRAND TOTAL	1636	4.4	6	2	3	4	6	8	9

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	141	3.7	9	1	2	3	5	8	14
18-34	679	3.7	5	1	2	3	5	7	7
35-49	1506	3.5	4	2	2	3	4	6	8
50-69	1020	3.6	4	1	2	3	5	6	8
70 +	15	3.0	1						
	3361	3.6	4	1	2	3	5	6	8
	3361	3.6	4	1	2	3	5	6	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	7	2.0							
18-34	180	3.6	5	2	2	3	4	5	7
35-49	172	3.7	4	2	2	3	4	7	8
50-69	107	4.6	2	3	4	4	6	7	8
70 +	15	2.0							
SUBTOTAL	480	3.8	4	2	2	3	4	7	8
GRAND TOTAL	480	3.8	4	2	2	3	4	7	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	8	2.0							
18-34	263	3.3	4	1	2	3	4	6	7
35-49	294	3.0	4	1	2	2	4	5	6
50-69	245	3.2	4	1	2	2	5	7	8
70 +	66	3.1	1	1	3	3	4	5	5
	875	3.1	4	1	2	3	4	6	7
	875	3.1	4	1	2	3	4	6	7

DRG 179: Inflammatory Bowel Disease

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	700	8.1	38	3	4	6	10	15	19
70-74	349	11.7	107	3	6	9	13	23	33
75-79	232	10.0	105	3	5	7	11	17	30
80-84	185	9.5	34	4	5	7	14	19	22
85 +	142	12.4	57	3	6	12	19	26	27
SUBTOTAL	1609	9.7	66	3	5	7	12	19	24
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	257	6.6	20	2	3	6	9	15	16
70-74	128	6.9	9	4	5	6	8	11	16
75-79	65	8.6	37	4	4	6	11	23	23
80-84	21	7.7	11						
85 +	29	11.1	20						
SUBTOTAL	501	7.3	21	3	4	6	10	14	16
GRAND TOTAL	2109	9.1	56	3	5	7	11	17	22

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	441	7.1	22	2	3	6	10	14	16
18-34	1604	7.7	42	3	4	6	10	16	20
35-49	1003	7.6	25	3	4	6	10	15	18
50-69	710	7.7	28	3	4	7	9	14	17
70 +	8	4.0							
SUBTOTAL	3766	7.6	32	3	4	6	10	14	19
0-17	581	6.1	26	1	3	4	7	16	18
18-34	1174	5.8	20	2	3	5	7	11	15
35-49	853	5.5	10	2	3	5	7	10	11
50-69	268	5.6	6	3	4	5	7	8	12
70 +	7	13.0							
SUBTOTAL	2883	5.7	17	2	3	5	7	11	14
	6649	6.8	27	2	4	5	8	13	17

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	52	8.1	15	3	5	8	9	16	16
18-34	486	9.4	51	3	4	8	11	19	20
35-49	162	7.8	26	3	4	7	11	13	20
50-69	65	12.6	85	3	5	6	23	25	25
70 +	0								
SUBTOTAL	765	9.3	48	3	4	7	11	19	23
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	29	6.8	5						
18-34	245	5.9	18	2	3	5	8	11	12
35-49	58	5.2	7	2	3	5	7	11	11
50-69	22	5.4	2						
70 +	0								
SUBTOTAL	354	5.8	14	2	3	5	7	11	11
GRAND TOTAL	1119	8.2	40	3	4	7	11	18	21

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	106	12.5	72	4	5	12	18	23	34
18-34	319	8.9	83	3	4	6	11	16	22
35-49	203	8.6	46	3	3	8	11	20	21
50-69	60	6.2	4	3	4	7	8	9	9
70 +	22	16.7	32						
SUBTOTAL	710	9.4	66	3	4	7	12	19	24
0-17	91	4.9	3	2	4	5	6	7	7
18-34	384	4.8	8	2	4	4	5	7	9
35-49	150	4.7	11	1	2	4	6	9	12
50-69	65	9.1	29	4	6	8	9	20	22
70 +	7	10.0							
SUBTOTAL	698	5.3	11	2	4	5	6	9	12
	1408	7.3	43	2	4	5	8	15	20

DRG 180: G.I. Obstruction w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3327	7.6	45	2	4	6	9	14	19
70-74	2525	7.3	30	2	4	6	9	15	18
75-79	2961	7.9	72	3	4	6	9	14	18
80-84	2758	7.9	46	3	4	6	9	14	19
85 +	2911	7.7	32	3	4	6	10	14	18
SUBTOTAL	14481	7.7	45	3	4	6	9	14	18
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	14481	7.7	45	3	4	6	9	14	18

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	403	3.8	18	1	2	3	4	7	9
18-34	435	4.8	28	1	3	4	6	7	8
35-49	1117	5.4	15	2	3	4	6	9	12
50-69	2396	6.7	31	2	4	5	8	13	17
70 +	135	7.3	20	2	3	6	12	14	15
	4485	6.0	26	2	3	4	7	11	15
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4485	6.0	26	2	3	4	7	11	15

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	245	4.2	11	1	2	4	6	8	9
18-34	272	6.1	21	2	3	6	7	10	12
35-49	253	6.5	23	1	3	5	7	16	18
50-69	532	7.9	39	2	4	7	10	16	18
70 +	35	8.2	83						
SUBTOTAL	1337	6.6	30	2	3	5	8	12	17
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	1337	6.6	30	2	3	5	8	12	17

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	106	3.7	4	1	3	3	5	7	7
18-34	152	4.6	11	1	3	4	7	11	12
35-49	254	4.8	21	2	2	3	5	10	16
50-69	356	6.4	22	2	3	5	9	15	17
70 +	260	4.6	8	1	2	4	6	8	11
	1127	5.1	16	2	2	4	7	11	15
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1127	5.1	16	2	2	4	7	11	15

DRG 181: G.I. Obstruction w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1678	4.6	10	2	3	4	6	8	10
70-74	1119	5.0	8	2	3	4	6	8	10
75-79	1238	5.1	10	2	3	4	6	9	11
80-84	796	4.9	10	2	2	4	7	9	12
85 +	959	5.2	10	2	3	5	7	9	12
SUBTOTAL	5791	4.9	10	2	3	4	6	9	11
GRAND TOTAL	5791	4.9	10	2	3	4	6	9	11

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1276	2.1	3	1	1	1	3	4	5
18-34	947	3.2	4	1	2	3	4	6	7
35-49	1847	3.7	5	1	2	3	5	7	8
50-69	2268	3.7	4	1	2	3	5	6	8
70 +	92	4.1	2	3	3	4	5	5	8
	6430	3.3	4	1	2	3	4	6	7
	6430	3.3	4	1	2	3	4	6	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	462	3.3	8	1	2	3	4	6	10
18-34	188	5.2	14	2	2	4	6	10	15
35-49	303	3.9	4	1	2	3	5	7	8
50-69	154	4.6	6	2	3	4	6	8	8
70 +	22	5.0	1						
SUBTOTAL	1130	4.0	8	1	2	3	5	8	9
GRAND TOTAL	1130	4.0	8	1	2	3	5	8	9

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	264	2.3	7	< 1	1	1	3	5	7
18-34	315	3.7	4	2	2	4	5	6	7
35-49	468	3.1	2	1	2	3	4	5	6
50-69	339	2.9	3	1	2	2	4	5	6
70 +	244	3.7	6	2	2	3	4	7	11
	1631	3.1	4	1	2	3	4	6	7
	1631	3.1	4	1	2	3	4	6	7

DRG 182: Esophagitis, Gastroent & Misc Digest Disorders Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	15238	5.8	22	2	3	5	7	10	14
70-74	10794	5.9	20	2	3	5	7	11	14
75-79	10200	6.0	20	2	3	5	7	11	14
80-84	8860	6.4	24	2	3	5	8	12	15
85 +	8839	7.0	31	2	4	5	8	13	18
SUBTOTAL	53932	6.1	23	2	3	5	7	11	15
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	53932	6.1	23	2	3	5	7	11	15

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	8515	3.6	17	1	2	3	4	7	9
35-49	10136	4.3	14	1	2	3	5	8	10
50-69	13252	5.0	16	2	3	4	6	9	12
70 +	676	5.5	14	2	3	5	7	9	14
	32578	4.4	16	1	2	3	5	8	11
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	32578	4.4	16	1	2	3	5	8	11

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	3093	4.0	12	1	2	3	5	8	10
35-49	2500	5.1	19	2	3	4	6	9	13
50-69	2151	6.2	27	2	3	5	8	12	16
70 +	101	4.9	6	2	3	5	6	9	11
SUBTOTAL	7845	5.0	19	2	2	4	6	10	13
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	7845	5.0	19	2	2	4	6	10	13

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2501	3.2	10	1	2	2	4	6	7
35-49	1758	4.4	25	1	2	3	5	8	10
50-69	2073	4.3	12	1	2	3	5	7	10
70 +	991	5.7	25	2	3	4	7	14	18
	7322	4.1	17	1	2	3	5	8	11
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	7322	4.1	17	1	2	3	5	8	11

DRG 183: Esophagitis, Gastroent & Misc Digest Disorders Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	5371	4.0	7	1	2	4	5	7	9
70-74	3667	4.2	7	1	2	4	6	7	9
75-79	3248	4.2	6	1	2	4	5	8	9
80-84	1996	4.6	9	1	2	4	6	9	11
85+	1798	4.7	11	2	2	4	6	8	11
SUBTOTAL	16081	4.2	8	1	2	4	5	8	9
GRAND TOTAL	16081	4.2	8	1	2	4	5	8	9

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	0								
18-34	13637	2.7	4	1	1	2	3	5	6
35-49	13354	3.3	5	1	2	3	4	6	7
50-69	12217	3.6	5	1	2	3	5	6	8
70+	243	3.5	6	1	2	3	5	6	9
	39451	3.2	5	1	2	3	4	6	7
	39451	3.2	5	1	2	3	4	6	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	3223	3.0	6	1	1	2	4	6	8
35-49	1525	3.8	8	1	2	3	5	7	9
50-69	913	4.5	8	2	3	4	5	8	10
70+	52	2.6	3	1	1	2	4	5	5
SUBTOTAL	5713	3.4	7	1	2	3	4	6	8
GRAND TOTAL	5713	3.4	7	1	2	3	4	6	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	0								
18-34	4311	2.5	3	1	1	2	3	5	6
35-49	2614	2.9	4	1	2	2	4	5	7
50-69	2001	3.2	8	1	2	3	4	5	7
70+	604	2.9	4	1	1	2	4	6	8
	9530	2.8	5	1	1	2	4	5	6
	9530	2.8	5	1	1	2	4	5	6

DRG 184: Esophagitis, Gastroent & Misc Digest Disorders Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	132	5.9	55	1	2	3	6	13	33
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	132	5.9	55	1	2	3	6	13	33
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	51	2.6	1	1	2	2	3	5	5
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	51	2.6	1	1	2	2	3	5	5
GRAND TOTAL	182	4.9	42	1	2	3	4	10	13

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	20882	2.7	6	1	2	2	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	20882	2.7	6	1	2	2	3	5	6
0-17	19508	2.5	5	1	1	2	3	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	19508	2.5	5	1	1	2	3	4	6
	40390	2.6	5	1	1	2	3	4	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	10239	3.7	22	1	2	3	4	6	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	10239	3.7	22	1	2	3	4	6	9
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	9226	2.9	5	1	2	2	4	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	9226	2.9	5	1	2	2	4	5	6
GRAND TOTAL	19465	3.3	14	1	2	3	4	6	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	5696	3.0	19	1	2	2	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	5696	3.0	19	1	2	2	3	5	6
0-17	5932	2.5	3	1	1	2	3	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	5932	2.5	3	1	1	2	3	4	6
	11628	2.7	11	1	1	2	3	5	6

DRG 185: Dental & Oral Dis except Extractions & Restorations, Age >17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	327	7.3	38	2	3	5	10	16	18
70-74	161	9.5	79	2	3	7	10	28	31
75-79	88	8.1	31	3	3	9	13	17	17
80-84	84	6.6	33	2	3	4	9	14	20
85 +	44	8.9	40	3	6	7	9	22	22
SUBTOTAL	704	7.9	47	2	3	6	10	17	22
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	35	5.0	21						
70-74	66	6.1	17	2	3	4	7	15	16
75-79	36	5.2	39						
80-84	44	3.1	3	1	1	3	4	6	6
85 +	22	7.0	22						
SUBTOTAL	203	5.2	21	1	2	4	7	13	16
GRAND TOTAL	907	7.3	42	2	3	5	10	16	20

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	465	4.1	16	1	2	3	4	8	13
35-49	303	5.1	10	2	3	5	6	10	12
50-69	389	6.9	22	2	3	6	9	15	17
70 +	15	4.9	4						
	1171	5.3	18	1	2	4	7	12	15
	0								
	227	2.4	3	1	1	2	3	5	5
	297	3.3	7	1	2	3	4	6	7
	195	3.6	23	1	1	2	4	9	13
	14	2.0	1						
	1233	2.8	7	1	1	2	3	5	6
	2404	4.0	14	1	2	3	5	8	12

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	177	3.0	5	1	2	2	4	5	7
35-49	60	4.8	6	3	3	4	6	11	11
50-69	37	9.8	111						
70 +	8	8.0							
SUBTOTAL	281	4.4	25	1	2	3	5	11	14
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	249	2.6	3	1	1	2	3	6	6
35-49	45	3.0	1	2	2	3	4	5	5
50-69	38	2.8	2						
70 +	0								
SUBTOTAL	332	2.7	3	1	2	2	4	5	6
GRAND TOTAL	613	3.5	13	1	2	2	4	6	8

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	152	2.4	3	1	1	2	3	5	6
35-49	96	4.0	4	2	3	3	5	6	8
50-69	30	6.4	13						
70 +	0								
	277	3.3	6	1	1	3	5	7	9
0-17	0								
18-34	443	2.8	6	1	1	2	3	5	8
35-49	74	2.7	4	1	1	2	3	7	7
50-69	21	2.7	2						
70 +	15	1.5							
	552	2.7	6	1	1	2	3	5	7
	829	2.9	6	1	1	2	4	6	8

DRG 186: Dental & Oral Dis except Extractions & Restorations, Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	846	3.6	6	1	2	3	5	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	846	3.6	6	1	2	3	5	6	8
0-17	871	2.5	3	1	1	2	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	871	2.5	3	1	1	2	3	5	6
GRAND TOTAL	1716	3.0	5	1	1	3	4	6	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	445	4.3	24	1	2	3	5	8	12
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	445	4.3	24	1	2	3	5	8	12
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	527	3.0	4	1	1	3	4	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	527	3.0	4	1	1	3	4	6	7
GRAND TOTAL	973	3.6	13	1	2	3	4	7	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	262	3.4	3	1	2	3	5	5	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	262	3.4	3	1	2	3	5	5	8
0-17	484	2.7	6	1	1	2	3	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	484	2.7	6	1	1	2	3	4	6
GRAND TOTAL	745	3.0	5	1	2	3	4	5	6

DRG 187: Dental Extractions & Restorations

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	60	5.9	27	1	2	3	11	16	16
70-74	37	8.0	34						
75-79	36	2.4							
80-84	8	2.0							
85 +	15	2.5							
SUBTOTAL	156	5.1	23	2	2	3	6	14	17
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	37	2.8	3						
70-74	0								
75-79	15	1.0							
80-84	0								
85 +	7	1.0							
SUBTOTAL	59	2.1	3	1	1	2	3	6	6
GRAND TOTAL	215	4.3	19	1	2	2	5	12	16

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	167	2.0	2	1	1	1	2	4	5
18-34	125	2.6	10	1	1	2	3	4	15
35-49	21	4.7							
50-69	37	4.0	17						
70 +	0								
	349	2.6	7	1	1	2	3	5	5
0-17	203	1.8	2	1	1	1	2	4	4
18-34	95	1.8	3	1	1	1	2	3	7
35-49	43	3.5	6	1	1	3	5	8	8
50-69	15	5.7	22						
70 +	0								
	355	2.1	4	1	1	1	3	5	7
	705	2.4	5	1	1	1	3	5	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	129	2.5	5	1	1	2	2	7	9
18-34	46	3.0	1	1	2	3	4	4	4
35-49	15	12.7	22						
50-69	15	4.0	4						
70 +	0								
SUBTOTAL	204	3.4	12	1	1	2	4	8	9
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	179	1.5		1	1	1	2	2	3
18-34	37	3.9	14						
35-49	15	7.0	39						
50-69	8	2.0							
70 +	0								
SUBTOTAL	239	2.3	7	1	1	2	2	3	11
GRAND TOTAL	443	2.8	10	1	1	2	3	7	11

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	83	4.1	14	2	2	3	5	6	15
18-34	15	4.0	1						
35-49	7	19.0							
50-69	8	2.0							
70 +	0								
	112	4.9	24	2	2	3	5	15	19
0-17	45	1.5	1	1	1	1	2	3	3
18-34	72	1.9	1	1	1	2	2	4	4
35-49	15	3.6	2						
50-69	0								
70 +	0								
	132	2.0	2	1	1	2	2	4	5
	244	3.3	14	1	1	2	4	5	15

DRG 188: Other Digestive System Diagnoses Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2742	7.2	41	2	3	6	9	14	18
70-74	1675	7.7	62	2	3	5	9	14	22
75-79	1730	8.0	56	2	4	6	10	16	21
80-84	1564	8.4	40	3	4	7	11	16	23
85 +	1415	8.1	50	2	4	6	10	17	26
SUBTOTAL	9127	7.8	49	2	3	6	10	15	21
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	9127	7.8	49	2	3	6	10	15	21

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	691	5.0	15	2	2	4	6	12	14
35-49	1099	5.6	40	1	2	4	7	11	14
50-69	1806	6.3	28	2	3	5	8	12	16
70 +	137	7.9	57	2	4	5	8	27	29
	3733	5.9	30	2	3	4	7	12	15
	0								
	0								
	0								
	0								
	0								
	0								
	3733	5.9	30	2	3	4	7	12	15

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	328	4.8	29	1	3	3	5	7	13
35-49	312	6.8	30	2	3	5	8	15	18
50-69	213	8.5	314	1	2	4	7	17	22
70 +	14	16.5	2						
SUBTOTAL	867	6.6	102	1	3	4	7	15	18
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	867	6.6	102	1	3	4	7	15	18

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	183	3.9	11	1	2	3	4	8	10
35-49	242	6.0	19	2	3	5	8	13	17
50-69	302	5.4	31	1	2	4	6	10	17
70 +	204	6.4	67	2	3	4	7	11	16
	931	5.5	32	1	2	4	7	11	15
	0								
	0								
	0								
	0								
	0								
	0								
	931	5.5	32	1	2	4	7	11	15

DRG 189: Other Digestive System Diagnoses Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	620	3.6	8	1	1	3	5	8	9
70-74	471	4.2	25	<1	1	3	6	8	13
75-79	395	3.7	8	1	2	3	5	7	9
80-84	416	4.0	12	1	2	3	5	9	11
85+	308	4.1	10	1	1	3	6	8	11
SUBTOTAL	2210	3.9	13	1	1	3	5	8	10
GRAND TOTAL	2210	3.9	13	1	1	3	5	8	10

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	0								
18-34	1318	2.7	4	1	1	2	3	5	8
35-49	1221	3.3	6	1	1	3	5	6	8
50-69	1256	3.6	9	<1	1	3	5	8	9
70+	21	1.0							
	3817	3.2	7	1	1	2	4	6	9
	3817	3.2	7	1	1	2	4	6	9

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	273	3.8	9	1	1	3	5	9	12
35-49	202	3.4	4	1	2	3	4	8	8
50-69	128	4.7	14	1	2	4	5	14	14
70+	0								
SUBTOTAL	603	3.9	9	1	2	3	5	8	9
GRAND TOTAL	603	3.9	9	1	2	3	5	8	9

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	0								
18-34	516	2.4	3	1	1	2	3	5	6
35-49	295	3.4	13	1	1	2	4	8	12
50-69	147	2.4	3	1	1	2	3	5	6
70+	82	4.4	23	1	1	3	4	14	15
	1041	2.9	8	1	1	2	4	6	9
	1041	2.9	8	1	1	2	4	6	9

DRG 190: Other Digestive System Diagnoses Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	152	6.3	11	2	4	6	9	10	12
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	152	6.3	11	2	4	6	9	10	12
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	152	6.3	11	2	4	6	9	10	12

TYPE OF PATIENT	BLUE CROSS PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	934	5.1	67	1	1	2	5	9	23
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	934	5.1	67	1	1	2	5	9	23
0-17	3960	2.0	4	< 1	1	1	2	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	3960	2.0	4	< 1	1	1	2	4	5
	4894	2.6	18	< 1	1	1	2	5	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	548	4.1	22	1	2	2	4	10	16
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	548	4.1	22	1	2	2	4	10	16
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	1715	2.3	10	< 1	1	1	2	4	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1715	2.3	10	< 1	1	1	2	4	7
GRAND TOTAL	2263	2.7	13	< 1	1	2	3	5	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	244	4.1	22	1	1	2	6	11	12
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	244	4.1	22	1	1	2	6	11	12
0-17	1173	1.7	2	< 1	1	1	2	3	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1173	1.7	2	< 1	1	1	2	3	5
	1417	2.1	6	< 1	1	1	2	5	6

DRG 19[illegible]. Pancreas, Liver & Shunt Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	741	15.3	121	6	8	12	20	29	38
70-74	579	20.8	205	7	10	17	28	39	56
75-79	438	18.8	209	8	9	16	21	39	47
80-84	195	14.6	44	7	10	13	18	21	29
85 +	264	18.5	140	9	11	14	19	38	53
SUBTOTAL	2217	17.7	161	7	9	14	21	33	46
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	2217	17.7	161	7	9	14	21	33	46

TYPE OF PATIENT	BLUE CROSS PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	51	20.3	596	4	6	12	20	77	77
18-34	362	13.3	173	5	6	9	14	26	48
35-49	504	15.5	139	6	8	11	20	33	58
50-69	1108	17.5	198	6	8	12	22	36	47
70 +	50	13.7	40	7	8	12	16	27	27
	2074	16.3	188	5	7	11	20	33	48
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2074	16.3	188	5	7	11	20	33	48

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	45	23.0	665	8	9	11	19	79	79
18-34	226	15.9	223	5	6	10	21	38	59
35-49	142	21.3	202	7	12	14	35	45	55
50-69	102	25.5	560	6	8	22	34	38	98
70 +	0								
SUBTOTAL	516	19.9	335	6	7	13	26	38	59
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	516	19.9	335	6	7	13	26	38	59

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	15	14.0							
18-34	109	21.4	388	5	7	17	26	38	85
35-49	95	21.8	194	6	9	23	42	99 +	99 +
50-69	161	15.5	104	6	7	12	23	28	39
70 +	44	12.5	99	4	5	10	13	33	33
	425	18.0	204	5	9	15	26	39	85
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	425	18.0	204	5	9	15	26	39	85

DRG 192: Pancreas, Liver & Shunt Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	80	10.2	33	5	6	10	11	15	26
70-74	101	13.3	43	8	9	11	15	24	32
75-79	44	8.2	12	5	5	8	11	14	14
80-84	21	15.6	7						
85 +	21	7.2	12						
SUBTOTAL	267	11.2	36	5	8	10	14	18	26
GRAND TOTAL	267	11.2	36	5	8	10	14	18	26

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	53	8.0	14	3	5	6	11	14	14
18-34	164	5.8	4	3	4	6	7	8	9
35-49	256	8.2	19	4	5	7	12	16	18
50-69	285	8.3	44	4	5	6	8	17	27
70 +	7	35.0							
	765	7.9	32	4	5	6	8	14	18
	765	7.9	32	4	5	6	8	14	18

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	8	9.0							
18-34	37	6.9	11						
35-49	21	9.5	25						
50-69	21	5.7	1						
70 +	0								
SUBTOTAL	87	7.5	13	5	5	7	9	13	16
GRAND TOTAL	87	7.5	13	5	5	7	9	13	16

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	23	10.0	25						
18-34	80	6.8	10	4	4	5	11	11	13
35-49	51	8.4	16	4	4	7	13	15	15
50-69	66	8.1	7	5	6	8	10	12	12
70 +	8	1.0							
	227	7.7	14	4	5	6	11	13	15
	227	7.7	14	4	5	6	11	13	15

DRG 193: Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	708	15.7	77	6	9	12	20	28	32
70-74	656	16.8	136	7	10	14	19	29	40
75-79	634	16.5	83	7	10	14	21	28	38
80-84	696	15.4	61	9	11	14	18	22	29
85 +	341	18.2	61	8	13	17	22	28	32
SUBTOTAL	3035	16.3	86	8	10	14	20	28	35
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	3035	16.3	86	8	10	14	20	28	35

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	83	17.7	113	9	11	14	24	35	40
18-34	113	9.9	57	5	6	7	12	36	99 +
35-49	209	10.6	75	4	6	9	11	28	29
50-69	609	14.3	102	6	8	12	17	24	33
70 +	52	11.9	7	8	10	11	14	16	16
	1066	13.3	93	5	8	10	16	25	35
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1066	13.3	93	5	8	10	16	25	35

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	15	19.0	4						
18-34	59	8.4	3	6	7	8	10	11	11
35-49	67	10.3	16	5	7	10	13	18	18
50-69	51	23.9	381	14	14	15	24	72	72
70 +	7	11.0							
SUBTOTAL	199	13.9	145	6	8	11	15	21	24
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	199	13.9	145	6	8	11	15	21	24

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	23	17.0	134						
18-34	58	10.0	12	6	7	9	12	16	16
35-49	44	10.4	19	5	6	13	14	16	16
50-69	155	15.6	60	6	10	14	18	24	32
70 +	60	21.9	307	6	13	16	27	65	65
	339	15.2	109	6	9	13	17	27	33
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	339	15.2	109	6	9	13	17	27	33

DRG 194: Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	157	11.0	82	4	5	9	12	16	28
70-74	109	13.3	41	8	9	11	15	25	29
75-79	123	10.8	48	2	6	8	16	19	29
80-84	78	9.1	12	6	7	10	12	12	15
85 +	35	10.3	17						
SUBTOTAL	502	11.1	51	5	7	9	14	18	28
GRAND TOTAL	502	11.1	51	5	7	9	14	18	28

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	106	11.9	32	5	7	11	16	16	27
18-34	94	6.1	12	3	3	6	7	12	14
35-49	143	6.2	11	3	3	5	9	11	12
50-69	242	8.1	15	3	6	8	10	13	15
70 +	0								
	586	8.0	21	3	5	7	11	14	16
	586	8.0	21	3	5	7	11	14	16

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	30	12.1	45						
18-34	51	5.4	4	3	4	5	7	9	9
35-49	0								
50-69	28	9.8	11						
70 +	0								
SUBTOTAL	109	8.4	25	4	5	7	11	14	23
GRAND TOTAL	109	8.4	25	4	5	7	11	14	23

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	8	10.0							
18-34	45	4.2	4	1	3	4	6	7	7
35-49	7	8.0							
50-69	45	8.0	8	6	6	7	8	14	14
70 +	14	5.5	2						
	118	6.4	9	3	4	7	8	10	14
	118	6.4	9	3	4	7	8	10	14

DRG 195: Total Cholecystectomy w/ C.D.E. w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1087	10.6	44	5	7	9	12	18	23
70-74	981	11.5	59	5	7	9	13	20	25
75-79	875	11.6	25	7	9	10	13	19	22
80-84	703	14.1	75	6	9	11	17	24	36
85 +	597	15.2	58	8	10	13	18	26	31
SUBTOTAL	4242	12.3	53	6	8	10	15	21	26
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	4242	12.3	53	6	8	10	15	21	26

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	29	6.5	2						
18-34	952	6.7	9	4	5	6	8	10	13
35-49	1040	7.6	12	4	5	7	9	13	15
50-69	1439	8.5	16	4	5	8	10	14	18
70 +	49	15.8	98	9	9	12	18	39	39
	3510	7.8	16	4	5	7	9	13	15
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3510	7.8	16	4	5	7	9	13	15

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	15	11.5							
18-34	409	7.8	11	4	5	7	9	12	15
35-49	133	6.9	5	4	5	6	8	11	11
50-69	44	8.3	3	6	7	8	10	11	11
70 +	21	18.3	21						
SUBTOTAL	622	8.1	14	4	5	7	10	12	15
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	622	8.1	14	4	5	7	10	12	15

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	7.0							
18-34	295	6.4	4	4	5	6	7	9	10
35-49	197	7.1	8	4	5	6	8	10	14
50-69	274	8.0	16	4	5	7	10	14	16
70 +	132	10.1	25	5	6	10	13	18	23
	906	7.6	13	4	5	7	9	13	15
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	906	7.6	13	4	5	7	9	13	15

DRG 196: Total Cholecystectomy w/ C.D.E. w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	185	8.9	32	5	5	7	10	17	21
70-74	163	7.5	9	4	5	7	8	11	14
75-79	136	9.0	15	3	6	10	12	14	16
80-84	37	9.0	11						
85 +	44	7.5	5	4	5	9	9	10	10
SUBTOTAL	564	8.4	18	4	5	8	10	14	17
GRAND TOTAL	564	8.4	18	4	5	8	10	14	17

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	15	6.0	1						
18-34	395	5.9	4	3	5	6	7	9	9
35-49	488	6.4	7	4	4	6	8	10	11
50-69	533	6.3	9	4	5	5	8	10	11
70 +	14	5.5	7						
	1445	6.2	7	3	5	6	8	9	11
	1445	6.2	7	3	5	6	8	9	11

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	14	7.5							
18-34	164	6.7	9	3	4	6	10	11	11
35-49	22	5.7	3						
50-69	14	8.5	13						
70 +	0								
SUBTOTAL	214	6.7	8	3	4	6	10	11	11
GRAND TOTAL	214	6.7	8	3	4	6	10	11	11

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	7	8.0							
18-34	109	5.7	6	3	3	5	7	9	12
35-49	109	6.3	6	3	5	6	7	11	12
50-69	85	6.4	8	4	4	5	9	11	11
70 +	44	6.3	2	4	5	6	8	8	8
	355	6.1	6	3	4	6	8	10	11
	355	6.1	6	3	4	6	8	10	11

DRG 197: Total Cholecystectomy w/o C.D.E. w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	5277	8.2	29	4	5	7	10	14	18
70-74	3713	9.0	50	4	5	8	11	15	19
75-79	2753	9.9	33	4	6	9	12	17	21
80-84	1522	11.6	43	5	7	10	15	20	23
85 +	923	12.5	55	6	8	10	16	22	25
SUBTOTAL	14189	9.4	40	4	5	8	11	16	20
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	14189	9.4	40	4	5	8	11	16	20

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	73	7.0	10	4	5	6	8	13	13
18-34	2166	5.9	13	3	4	5	7	9	12
35-49	4512	6.2	13	3	4	5	7	10	13
50-69	7103	6.9	18	3	4	6	8	11	14
70 +	159	8.0	12	5	5	8	10	12	14
	14013	6.5	16	3	4	5	8	11	13
	0								
	0								
	0								
	0								
	0								
	0								
	14013	6.5	16	3	4	5	8	11	13

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	60	6.5	10	4	4	5	8	14	14
18-34	1120	6.4	14	3	4	6	8	11	12
35-49	671	8.0	20	4	5	7	9	14	18
50-69	676	8.0	20	4	5	6	10	15	17
70 +	37	11.1	10						
SUBTOTAL	2563	7.3	18	3	5	6	9	12	15
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	2563	7.3	18	3	5	6	9	12	15

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	22	6.7	2						
18-34	898	5.6	11	3	3	5	7	9	12
35-49	1194	6.1	25	3	4	5	7	10	13
50-69	1047	7.0	27	3	4	5	9	12	15
70 +	263	7.5	17	3	4	7	9	12	16
	3424	6.4	22	3	4	5	8	11	13
	0								
	0								
	0								
	0								
	0								
	0								
	3424	6.4	22	3	4	5	8	11	13

DRG 198: Total Cholecystectomy w/o C.D.E. w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	4951	5.0	5	3	4	4	6	8	9
70-74	2561	5.2	8	3	4	5	6	8	10
75-79	1504	5.3	5	3	4	5	6	8	10
80-84	687	6.5	16	4	5	6	7	10	11
85 +	238	7.1	15	4	5	6	8	10	20
SUBTOTAL	9940	5.2	7	3	4	5	6	8	10
GRAND TOTAL	9940	5.2	7	3	4	5	6	8	10

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	351	3.9	2	2	3	4	5	6	6
18-34	11830	3.8	3	2	3	4	4	6	7
35-49	15542	4.1	3	3	3	4	5	6	7
50-69	14257	4.4	4	3	3	4	5	7	8
70 +	106	4.7	2	3	4	5	6	7	7
	42086	4.1	3	2	3	4	5	6	7
	42086	4.1	3	2	3	4	5	6	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	181	4.4	2	3	3	4	6	6	6
18-34	3906	4.3	3	3	3	4	5	7	8
35-49	1503	4.6	5	3	3	4	5	7	9
50-69	618	4.6	4	3	4	4	5	7	9
70 +	14	5.5	2						
SUBTOTAL	6221	4.4	4	3	3	4	5	7	8
GRAND TOTAL	6221	4.4	4	3	3	4	5	7	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	51	4.7	6	2	3	4	8	9	9
18-34	3539	3.7	2	2	3	3	4	6	7
35-49	3473	3.8	2	2	3	3	4	6	7
50-69	2338	3.9	3	2	3	3	5	6	8
70 +	296	4.3	3	3	3	4	5	6	9
	9697	3.8	3	2	3	3	4	6	7
	9697	3.8	3	2	3	3	4	6	7

DRG 199: Hepatobiliary Diagnostic Procedure for Malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	189	13.4	56	4	8	12	17	27	28
70-74	164	12.6	75	4	9	11	14	19	20
75-79	184	14.4	70	5	9	12	19	31	32
80-84	57	17.6	97	4	11	16	31	34	34
85 +	58	22.4	147	8	10	20	32	42	42
SUBTOTAL	653	14.6	84	5	9	13	18	29	32
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	15	6.0	4						
70-74	15	9.5	2						
75-79	7	7.0							
80-84	28	6.6	31						
85 +	7	2.0							
SUBTOTAL	73	6.7	17	1	2	8	11	12	12
GRAND TOTAL	725	13.8	83	4	8	12	18	28	32

TYPE OF PATIENT	BLUE CROSS PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	23	13.0	193						
18-34	0								
35-49	133	11.0	48	4	6	8	14	25	27
50-69	208	9.5	31	3	7	8	12	17	18
70 +	0								
SUBTOTAL	363	10.3	48	3	6	8	13	19	28
0-17	8	14.0							
18-34	0								
35-49	15	8.0	1						
50-69	36	11.9	110						
70 +	0								
SUBTOTAL	58	11.2	71	4	6	8	13	32	32
GRAND TOTAL	422	10.4	51	3	6	8	13	19	28

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	8	11.0							
18-34	8	26.0							
35-49	15	8.5	3						
50-69	37	10.9	32						
70 +	0								
SUBTOTAL	68	12.1	46	4	8	11	12	26	26
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	68	12.1	46	4	8	11	12	26	26

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	8.0							
18-34	0								
35-49	15	14.0	1						
50-69	65	11.6	39	5	7	9	14	23	23
70 +	8	9.0							
SUBTOTAL	95	11.5	29	7	8	9	14	22	23
0-17	0								
18-34	0								
35-49	8	9.0							
50-69	15	9.8	45						
70 +	0								
SUBTOTAL	22	9.5	29						
GRAND TOTAL	117	11.1	29	5	7	9	15	22	23

DRG 200: Hepatobiliary Diagnostic Procedure for Non-malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	109	12.5	54	4	7	10	19	23	26
70-74	21	19.5	144						
75-79	21	11.5	26						
80-84	44	18.0	106	5	9	20	22	36	36
85 +	15	8.2	17						
SUBTOTAL	211	14.0	78	4	7	11	20	26	35
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	15	2.0							
70-74	8	4.0							
75-79	22	5.3	2						
80-84	0								
85 +	8	8.0							
SUBTOTAL	53	4.6	5	2	2	4	7	8	8
GRAND TOTAL	263	12.1	77	4	5	10	19	23	35

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	15	2.5							
18-34	66	17.2	245	6	9	10	18	48	60
35-49	81	14.8	304	3	5	8	13	37	62
50-69	81	11.8	27	6	9	11	14	18	24
70 +	15	8.2	17						
SUBTOTAL	258	13.4	180	3	6	10	14	24	60
0-17	29	3.8							
18-34	51	2.9	2	1	1	3	4	5	5
35-49	100	5.5	12	2	3	4	7	11	13
50-69	30	8.7	65						
70 +	0								
SUBTOTAL	210	5.0	18	2	3	4	5	11	13
GRAND TOTAL	468	9.6	125	2	4	6	11	18	24

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	15	27.5	495						
18-34	44	12.1	28	6	8	10	16	22	22
35-49	21	19.0	267						
50-69	8	14.0							
70 +	0								
SUBTOTAL	88	16.6	191	6	8	11	18	42	49
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	8	1.0							
18-34	15	7.0							
35-49	8	2.0							
50-69	7	1.0							
70 +	0								
SUBTOTAL	37	3.6	8						
GRAND TOTAL	125	12.8	172	1	6	8	14	42	49

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	22	11.8	37						
35-49	21	11.9	46						
50-69	37	14.1	70						
70 +	7	6.0							
SUBTOTAL	87	12.3	53	4	6	11	20	20	25
0-17	15	2.5							
18-34	15	2.5							
35-49	8	1.0							
50-69	0								
70 +	0								
SUBTOTAL	37	2.2	1						
GRAND TOTAL	125	9.3	59	2	3	6	17	20	25

DRG 201: Other Hepatobiliary or Pancreas O.R. Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	442	9.8	55	3	5	8	13	20	21
70-74	111	9.8	32	4	5	8	15	18	22
75-79	162	9.9	23	5	7	8	13	16	17
80-84	115	12.4	79	4	7	10	17	24	39
85 +	14	10.0	1						
SUBTOTAL	844	10.2	49	3	5	8	13	20	22
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	30	3.5	11						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	30	3.5	11						
GRAND TOTAL	874	9.9	49	3	5	8	13	20	22

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	46	4.5	7	1	2	4	6	9	9
18-34	66	12.0	132	3	5	7	11	38	38
35-49	250	6.8	27	2	3	5	8	18	23
50-69	522	11.0	124	3	4	8	13	22	33
70 +	15	3.0	1						
	899	9.5	95	2	4	6	11	22	33
0-17	0								
18-34	7	17.0							
35-49	7	6.0							
50-69	29	7.8	14						
70 +	0								
	43	9.0	23	2	6	9	12	17	17
	942	9.4	92	2	4	6	11	21	33

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	30	4.5	11						
18-34	72	7.8	25	2	4	5	14	15	15
35-49	228	7.9	58	2	3	5	10	14	27
50-69	119	8.6	32	4	4	7	10	15	27
70 +	0								
SUBTOTAL	449	7.8	43	2	4	6	10	14	24
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	15	1.5							
18-34	8	1.0							
35-49	0								
50-69	7	13.0							
70 +	0								
SUBTOTAL	30	4.1	25						
GRAND TOTAL	479	7.6	43	2	4	5	10	14	24

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	51	8.1	25	3	3	7	12	18	18
35-49	81	14.5	83	5	6	9	26	27	28
50-69	66	9.5	28	2	6	8	12	18	20
70 +	30	3.8	3						
	228	10.2	56	3	5	7	15	24	26
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	8	4.0							
	8	4.0							
	236	10.0	56	3	5	7	15	22	26

DRG 202: Cirrhosis & Alcoholic Hepatitis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1120	9.0	38	3	4	8	12	17	19
70-74	516	9.0	37	3	4	8	11	17	20
75-79	443	10.9	65	5	5	8	13	20	28
80-84	162	10.6	90	4	5	6	11	28	31
85+	42	12.0	6	8	10	12	13	16	16
SUBTOTAL	2282	9.6	47	3	5	8	12	18	22
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	58	7.3	15	3	4	5	9	16	16
70-74	14	7.5	46						
75-79	21	7.7	62						
80-84	14	3.5							
85+	14	7.0	10						
SUBTOTAL	121	6.9	25	1	3	5	9	16	18
GRAND TOTAL	2403	9.4	46	3	5	8	12	17	21

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	5.0	23						
18-34	173	6.2	17	2	3	5	8	10	13
35-49	1111	8.2	33	3	4	7	10	17	22
50-69	1465	9.0	51	2	4	7	12	19	25
70+	8	23.0							
	2787	8.5	42	3	4	7	10	18	23
	46	1.7	1	1	1	1	3	3	3
	14	4.5	2						
	72	4.6	6	1	2	4	7	8	8
	132	4.1	7	1	1	4	7	8	9
	0								
	263	3.8	7	1	1	3	6	8	8
	3050	8.1	41	2	4	7	10	17	22

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	324	7.2	22	2	4	6	9	14	15
35-49	938	8.8	43	2	4	7	11	18	21
50-69	387	8.5	20	4	5	7	11	15	18
70+	8	5.0							
SUBTOTAL	1657	8.4	34	3	5	7	11	16	20
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	15	5.0	10						
18-34	15	2.4	2						
35-49	21	7.0	5						
50-69	7	6.0							
70+	0								
SUBTOTAL	58	5.2	8	1	2	5	7	10	10
GRAND TOTAL	1715	8.3	33	3	5	7	11	16	20

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	238	7.0	33	2	3	5	9	13	20
35-49	422	10.8	134	2	5	7	13	22	43
50-69	297	8.3	37	3	4	7	11	15	17
70+	44	5.2	16	1	1	8	9	10	10
	1001	8.9	79	2	4	7	11	16	25
0-17	8	1.0							
18-34	23	3.3	4						
35-49	21	5.7	4						
50-69	14	1.0							
70+	7	4.0							
	73	3.4	6	1	1	3	6	8	8
	1074	8.5	76	2	3	6	10	16	22

DRG 203: Malignancy of Hepatobiliary System or Pancreas

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1073	11.1	62	3	5	9	15	23	25
70-74	957	10.6	76	4	5	8	13	20	22
75-79	674	9.5	55	2	5	8	11	21	25
80-84	536	12.2	87	4	6	9	14	26	33
85 +	369	10.0	43	2	5	8	15	20	22
SUBTOTAL	3610	10.7	67	3	5	8	14	22	26
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	233	7.7	53	2	4	5	10	15	31
70-74	197	7.2	47	1	3	6	7	15	27
75-79	125	7.7	34	1	3	7	10	18	23
80-84	131	5.3	18	1	2	4	7	15	16
85 +	125	10.7	82	4	6	9	10	24	41
SUBTOTAL	810	7.6	49	2	3	6	9	15	24
GRAND TOTAL	4419	10.1	65	3	5	8	13	21	25

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	10.0							
18-34	82	10.4	36	3	7	8	14	19	24
35-49	273	10.1	60	2	6	8	12	20	28
50-69	1073	9.3	58	2	4	7	12	18	25
70 +	64	8.0	30	1	4	8	10	20	21
	1500	9.4	56	2	4	8	12	19	25
0-17	30	3.0	5						
18-34	30	4.0	7						
35-49	75	6.2	45	1	1	4	6	21	22
50-69	350	6.0	20	1	2	5	8	13	14
70 +	7	8.0							
	492	5.8	23	1	2	4	7	13	15
	1992	8.5	50	2	4	7	11	17	24

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	8	3.0							
35-49	60	9.6	39	2	3	9	12	20	20
50-69	182	9.0	51	2	3	8	14	16	26
70 +	15	17.0	17						
SUBTOTAL	264	9.5	49	2	3	8	14	20	26
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	8	11.0							
50-69	49	5.3	7	2	2	5	8	9	9
70 +	0								
SUBTOTAL	57	6.0	10	2	4	6	9	11	11
GRAND TOTAL	321	8.9	44	2	3	8	13	18	22

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	89	5.5	14	1	1	6	9	10	11
50-69	282	7.6	31	2	4	6	10	16	21
70 +	95	5.9	17	2	3	4	9	11	15
	467	6.8	25	2	3	6	9	15	16
0-17	0								
18-34	0								
35-49	22	3.9	6						
50-69	109	3.3	8	1	1	1	7	8	8
70 +	29	2.0	2						
	161	3.2	7	1	1	2	5	7	8
	627	5.9	23	1	2	5	8	11	16

North Central Region, July 1989 - June 1990

DRG 204: Disorders of Pancreas except Malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	2624	8.5	43	3	4	7	11	17	22
70-74	1028	9.3	63	3	4	7	11	18	27
75-79	907	8.3	38	3	5	7	9	14	25
80-84	647	9.5	59	4	5	7	10	17	26
85 +	697	9.2	54	3	5	8	11	15	20
SUBTOTAL	5903	8.8	49	3	5	7	10	16	22
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	766	5.7	9	2	4	5	7	10	11
70-74	508	6.0	20	2	4	5	7	10	12
75-79	461	5.4	6	3	3	5	7	9	9
80-84	252	7.2	23	3	4	5	9	15	18
85 +	204	6.6	27	2	4	5	7	13	14
SUBTOTAL	2190	6.0	15	2	4	5	7	10	13
GRAND TOTAL	8094	8.0	41	3	4	6	9	15	20

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	36	3.6	2						
18-34	1424	6.3	18	2	4	5	8	12	14
35-49	2906	7.0	25	3	4	6	8	13	18
50-69	2310	7.6	37	3	4	6	9	13	20
70 +	79	8.7	26	2	4	8	13	16	16
	6754	7.1	28	3	4	6	9	13	17
	79	5.0	23	1	1	3	6	14	15
	1267	5.1	12	2	3	4	6	9	12
	1936	5.0	9	2	3	4	6	9	11
	1408	5.4	10	2	3	5	7	9	11
	29	12.1	24						
	4719	5.2	10	2	3	4	7	9	12
	11474	6.3	21	2	4	5	8	11	14

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	38	7.0	39						
18-34	1419	6.9	34	3	4	5	8	12	17
35-49	2127	7.1	29	3	4	6	8	13	18
50-69	468	9.0	49	3	5	7	11	16	25
70 +	8	25.0							
SUBTOTAL	4061	7.3	34	3	4	6	8	13	19
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	15	6.0	1						
18-34	586	6.3	27	3	4	6	8	10	11
35-49	502	5.6	8	2	3	5	7	9	11
50-69	215	4.9	7	2	2	4	7	9	11
70 +	22	8.2	11						
SUBTOTAL	1340	5.8	17	2	3	5	7	9	11
GRAND TOTAL	5400	6.9	30	3	4	6	8	12	16

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1020	7.1	32	3	4	5	9	15	19
35-49	987	8.6	48	3	4	7	11	18	23
50-69	458	6.9	19	3	4	6	8	14	19
70 +	96	9.6	140	3	4	5	9	15	48
	2561	7.7	40	3	4	6	9	16	20
0-17	21	4.4	1						
18-34	597	4.0	4	2	2	4	5	7	7
35-49	350	4.8	12	2	3	4	6	9	10
50-69	253	5.5	16	1	3	4	8	12	13
70 +	59	3.0	2	1	2	3	4	5	5
	1280	4.5	9	2	3	4	6	8	10
	3841	6.7	32	2	3	5	8	13	19

DRG 205: Disorders of Liver except Malig, Cirr, Alc Hepa w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1268	9.2	79	3	4	7	12	19	23
70-74	615	9.5	50	4	5	7	11	16	26
75-79	482	9.7	53	3	4	7	14	19	27
80-84	283	11.3	50	4	6	9	17	24	24
85 +	143	10.4	59	3	5	9	15	24	32
SUBTOTAL	2790	9.6	65	3	5	7	13	20	24
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	2790	9.6	65	3	5	7	13	20	24

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	403	4.6	35	1	2	4	5	7	9
18-34	532	5.0	12	1	2	4	7	10	12
35-49	784	7.8	48	3	4	6	8	15	28
50-69	1273	7.5	32	2	3	6	10	16	19
70 +	28	10.9	27						
	3022	6.8	35	2	3	5	8	14	18
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3022	6.8	35	2	3	5	8	14	18

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	225	4.9	24	1	2	4	5	14	17
18-34	360	6.7	24	1	4	5	9	14	16
35-49	381	8.1	33	3	4	7	10	16	21
50-69	331	8.0	30	2	4	7	10	16	23
70 +	44	8.5	19	6	6	7	8	18	18
SUBTOTAL	1342	7.2	29	2	4	6	9	15	21
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	1342	7.2	29	2	4	6	9	15	21

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	104	3.9	15	1	2	2	6	7	16
18-34	233	7.6	92	2	3	4	9	15	37
35-49	245	11.8	233	3	4	7	14	22	46
50-69	204	13.6	272	3	4	7	13	31	44
70 +	71	5.6	13	2	2	6	8	10	13
	858	9.6	170	2	3	6	10	22	37
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	858	9.6	170	2	3	6	10	22	37

DRG 206: Disorders of Liver except Malig, Cirr, Alc Hepa w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	161	5.1	18	1	2	4	7	13	14
70-74	92	5.5	17	1	1	4	9	11	13
75-79	101	7.0	14	3	4	6	9	13	14
80-84	42	9.4	56	2	3	11	11	24	24
85 +	58	8.0	40	3	4	6	9	24	24
SUBTOTAL	455	6.4	25	1	3	5	9	13	14
GRAND TOTAL	455	6.4	25	1	3	5	9	13	14

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	736	3.0	6	1	2	2	3	6	8
18-34	689	4.1	7	1	2	4	6	7	9
35-49	584	4.6	11	1	2	4	6	9	11
50-69	405	5.7	23	1	2	5	7	11	17
70 +	0								
	2413	4.2	11	1	2	3	6	8	10
	2413	4.2	11	1	2	3	6	8	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	345	3.6	6	1	2	3	5	7	8
18-34	203	6.9	21	2	4	5	10	14	17
35-49	65	5.7	8	3	3	6	7	11	11
50-69	42	5.6	11	1	4	4	9	13	13
70 +	0								
SUBTOTAL	672	5.0	14	1	2	4	7	11	13
GRAND TOTAL	672	5.0	14	1	2	4	7	11	13

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	260	2.5	2	1	1	2	3	5	5
18-34	214	4.9	9	2	3	4	6	8	11
35-49	93	4.7	8	1	2	5	7	8	9
50-69	107	3.9	10	1	1	3	6	9	12
70 +	21	4.5	9						
	696	3.8	7	1	2	3	5	7	9
	696	3.8	7	1	2	3	5	7	9

DRG 207: Disorders of the Biliary Tract w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1472	6.3	19	2	3	5	8	12	16
70-74	1469	6.7	23	2	4	5	9	12	14
75-79	1234	7.3	31	2	4	6	9	13	21
80-84	1074	7.9	39	3	4	6	10	14	18
85 +	1560	8.7	51	3	4	6	10	17	23
SUBTOTAL	6809	7.4	33	2	4	6	9	13	18
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	6809	7.4	33	2	4	6	9	13	18

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	128	5.9	15	2	2	4	9	11	14
18-34	401	3.8	7	1	2	3	5	8	10
35-49	806	4.9	20	1	2	4	6	9	10
50-69	1537	5.7	20	2	3	5	7	10	13
70 +	105	6.5	26	2	3	5	7	18	18
	2977	5.2	19	1	3	4	7	10	12
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2977	5.2	19	1	3	4	7	10	12

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	60	4.4	18	1	2	2	4	15	15
18-34	269	5.3	89	1	2	3	5	7	11
35-49	261	5.0	8	2	3	5	7	8	10
50-69	211	6.0	17	1	3	5	8	13	15
70 +	44	7.7	10	3	4	8	10	12	12
SUBTOTAL	845	5.4	37	2	3	4	7	10	13
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	845	5.4	37	2	3	4	7	10	13

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	2	23.7	505						
18-34	159	3.5	5	1	2	3	5	6	8
35-49	208	3.9	9	1	2	3	5	8	10
50-69	344	4.9	12	2	3	4	6	9	12
70 +	149	5.2	14	2	3	4	7	14	15
	882	4.9	31	1	2	3	6	9	15
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	882	4.9	31	1	2	3	6	9	15

DRG 208: Disorders of the Biliary Tract w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	955	3.5	4	1	2	3	5	6	7
70-74	620	3.5	5	1	2	3	5	6	8
75-79	555	4.3	7	1	2	4	6	8	10
80-84	499	5.2	12	2	3	5	7	8	10
85 +	335	5.2	10	2	3	4	6	10	12
SUBTOTAL	2963	4.1	7	1	2	4	5	8	9
GRAND TOTAL	2963	4.1	7	1	2	4	5	8	9

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	268	4.0	13	1	1	3	5	10	13
18-34	1424	2.7	4	1	1	2	3	6	6
35-49	2094	2.9	7	1	1	2	4	5	7
50-69	1999	3.3	6	1	2	3	4	6	8
70 +	49	2.4	1	1	1	3	3	4	4
	5834	3.0	6	1	1	2	4	6	7
	5834	3.0	6	1	1	2	4	6	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	75	3.7	13	1	2	3	3	13	14
18-34	629	2.7	3	1	1	3	4	5	6
35-49	200	2.9	6	< 1	1	3	3	5	5
50-69	122	3.6	6	1	2	3	4	9	9
70 +	7	3.0							
SUBTOTAL	1033	2.9	5	1	1	3	3	5	7
GRAND TOTAL	1033	2.9	5	1	1	3	3	5	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	30	1.7							
18-34	482	2.7	4	1	1	2	4	6	6
35-49	410	2.3	3	1	1	2	3	5	6
50-69	405	2.5	2	1	1	2	3	4	5
70 +	44	2.2	3	1	1	1	2	6	6
	1371	2.5	3	1	1	2	3	5	6
	1371	2.5	3	1	1	2	3	5	6

DRG 209: Major Joint & Limb Reattachment Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	6993	11.4	38	7	8	10	13	17	22
70-74	7265	11.9	46	7	8	10	13	18	23
75-79	7252	12.3	31	7	9	11	14	18	22
80-84	6042	12.7	38	8	9	11	14	19	23
85 +	4940	13.7	50	8	9	12	16	21	28
SUBTOTAL	32492	12.3	41	7	9	11	14	19	23
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	9065	9.1	9	6	7	9	10	12	14
70-74	7541	9.5	10	6	8	9	11	13	15
75-79	6849	9.8	11	6	8	9	11	14	15
80-84	4196	10.2	14	7	8	10	12	15	16
85 +	2497	10.5	16	7	8	10	12	15	17
SUBTOTAL	30148	9.6	11	6	8	9	11	14	15
GRAND TOTAL	62639	11.0	28	7	8	10	13	16	20

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	37	9.7	6						
18-34	183	9.4	13	5	7	9	12	13	19
35-49	668	9.8	27	5	7	8	10	16	21
50-69	5021	9.9	21	6	7	9	11	15	18
70 +	475	13.6	127	7	8	10	14	22	27
SUBTOTAL	6384	10.1	30	6	7	9	11	15	19
0-17	136	5.3	12	1	2	5	8	9	14
18-34	551	5.9	8	2	4	6	8	10	11
35-49	1544	7.1	6	3	6	7	9	10	11
50-69	9492	8.3	7	5	7	8	10	11	13
70 +	401	9.9	13	6	8	10	11	14	19
SUBTOTAL	12123	8.1	8	5	7	8	9	11	13
GRAND TOTAL	18507	8.8	16	5	7	8	10	13	15

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	30	10.5	19						
18-34	73	13.4	139	6	7	10	14	19	48
35-49	102	13.4	37	7	9	11	17	25	27
50-69	489	10.5	15	7	8	9	12	16	17
70 +	28	9.0	9						
SUBTOTAL	723	11.1	32	7	8	10	13	16	18
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	30	6.0	8						
18-34	132	8.5	18	5	6	7	9	17	21
35-49	206	8.4	5	5	7	8	10	12	12
50-69	414	10.3	37	6	8	9	11	14	16
70 +	56	11.0	16	6	8	10	12	19	19
SUBTOTAL	838	9.4	25	6	7	9	11	14	16
GRAND TOTAL	1561	10.2	29	6	7	9	11	15	17

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	37	11.3	46						
35-49	66	10.8	30	5	6	11	12	23	23
50-69	621	10.0	25	6	7	8	12	15	18
70 +	881	8.9	14	5	6	8	10	14	17
SUBTOTAL	1605	9.5	20	6	7	8	11	15	19
0-17	22	3.3	2						
18-34	127	6.6	12	1	6	7	8	9	16
35-49	249	6.9	2	5	6	7	8	9	10
50-69	1306	8.1	9	6	6	8	9	11	12
70 +	1065	8.0	11	5	7	7	9	12	13
SUBTOTAL	2769	7.8	9	5	6	7	9	11	12
GRAND TOTAL	4374	8.4	14	5	7	8	9	12	15

DRG 210: Hip & Femur Procedures except Major Joint Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2330	13.9	107	6	8	11	15	25	36
70-74	2420	12.6	38	7	9	11	15	19	25
75-79	3658	13.6	57	7	9	12	16	23	28
80-84	4901	12.9	39	7	9	12	15	20	25
85 +	8221	12.6	45	7	9	11	14	20	26
SUBTOTAL	21530	13.0	52	7	9	11	15	20	27
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	21530	13.0	52	7	9	11	15	20	27

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	682	10.2	53	4	5	8	12	20	24
35-49	495	12.8	80	5	7	11	16	21	26
50-69	1391	13.4	83	6	8	11	16	22	28
70 +	316	14.2	72	8	10	11	16	22	38
	2885	12.6	76	5	8	11	15	21	27
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2885	12.6	76	5	8	11	15	21	27

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	190	10.9	72	4	5	7	17	25	29
35-49	140	16.8	198	7	8	12	16	52	52
50-69	340	16.8	106	8	10	13	19	32	32
70 +	69	12.7	50	5	7	11	17	24	30
SUBTOTAL	740	14.9	116	5	8	12	17	30	34
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	740	14.9	116	5	8	12	17	30	34

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	269	11.3	75	4	5	10	14	17	29
35-49	152	14.1	87	7	7	9	18	32	34
50-69	371	11.8	45	6	7	9	15	20	25
70 +	664	10.4	20	6	7	10	13	16	19
	1456	11.3	45	5	7	10	14	19	25
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1456	11.3	45	5	7	10	14	19	25

DRG 211: Hip & Femur Procedures except Major Joint Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	888	9.5	42	4	6	8	11	15	19
70-74	976	10.3	21	5	7	10	13	15	17
75-79	1265	10.1	15	6	7	9	12	15	18
80-84	1623	10.5	16	6	8	10	13	15	17
85 +	2813	10.4	17	6	8	10	12	15	17
SUBTOTAL	7565	10.3	20	6	7	10	12	15	17
GRAND TOTAL	7565	10.3	20	6	7	10	12	15	17

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1187	7.5	24	2	4	6	10	14	18
35-49	814	7.7	25	3	4	7	9	13	19
50-69	1383	9.0	26	4	6	8	10	15	22
70 +	123	9.9	13	6	7	10	12	13	20
	3507	8.2	25	3	5	7	10	15	19
	3507	8.2	25	3	5	7	10	15	19

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	236	6.9	9	4	4	6	9	12	14
35-49	95	7.0	23	2	3	6	9	13	19
50-69	132	15.4	311	5	7	10	17	27	76
70 +	51	10.7	39	4	5	8	14	23	23
SUBTOTAL	514	9.5	105	3	5	7	10	17	22
GRAND TOTAL	514	9.5	105	3	5	7	10	17	22

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	355	7.5	18	2	4	7	10	14	15
35-49	175	7.5	17	3	5	7	9	13	15
50-69	254	7.6	6	4	6	8	9	10	10
70 +	362	7.7	8	5	6	7	9	11	14
	1147	7.6	12	3	5	7	9	13	14
	1147	7.6	12	3	5	7	9	13	14

DRG 212: Hip & Femur Procedures except Major Joint Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	23	5.0	1						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	23	5.0	1						
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	7	7.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	7	7.0							
GRAND TOTAL	30	5.5	1						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1084	6.5	51	2	3	4	7	14	21
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1084	6.5	51	2	3	4	7	14	21
0-17	4242	5.9	45	1	2	3	7	14	21
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	4242	5.9	45	1	2	3	7	14	21
	5326	6.0	46	1	2	3	7	14	21

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	470	7.0	63	2	3	5	9	16	23
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	470	7.0	63	2	3	5	9	16	23
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	1336	6.4	51	2	2	4	8	15	25
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1336	6.4	51	2	2	4	8	15	25
GRAND TOTAL	1806	6.6	54	2	2	4	8	15	24

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	187	9.6	145	2	4	5	10	24	34
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	187	9.6	145	2	4	5	10	24	34
0-17	973	5.3	27	1	2	3	7	12	16
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	973	5.3	27	1	2	3	7	12	16
	1160	6.0	48	1	2	4	8	14	20

DRG 213: Amputation for Musculoskeleta' System & Conn Tissue Disorders

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	337	12.7	82	3	7	10	16	29	30
70-74	180	12.8	90	5	7	9	14	27	27
75-79	80	16.1	85	6	6	13	25	29	31
80-84	88	15.4	66	3	10	16	20	24	32
85 +	136	15.5	101	5	8	13	22	34	38
SUBTOTAL	821	13.8	87	4	7	11	18	29	31
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	95	4.0	6	2	2	4	5	7	10
70-74	44	5.7	4	3	4	6	7	9	9
75-79	46	9.3	36	4	5	6	13	21	21
80-84	58	10.2	38	3	6	7	13	23	23
85 +	46	10.5	24	4	6	10	14	18	18
SUBTOTAL	287	7.4	27	2	4	6	9	16	21
GRAND TOTAL	1108	12.1	79	3	6	10	16	27	30

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	38	6.6	19						
18-34	60	10.7	76	1	6	7	13	32	32
35-49	103	9.3	47	4	6	7	9	25	26
50-69	146	23.5	261	6	10	21	39	48	61
70 +	7	21.0							
SUBTOTAL	354	15.3	186	4	6	10	23	39	42
0-17	98	4.2	12	1	1	4	5	8	13
18-34	52	4.5	15	2	2	3	5	14	14
35-49	68	5.9	16	1	2	7	9	12	12
50-69	73	7.3	28	2	4	5	8	20	20
70 +	0								
SUBTOTAL	291	5.4	19	1	2	4	8	13	14
	645	10.9	135	2	4	7	13	26	39

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	15	13.4	7						
35-49	52	16.9	191	2	5	15	32	41	41
50-69	65	17.9	169	3	10	15	22	48	48
70 +	7	6.0							
SUBTOTAL	139	16.4	158	4	6	15	22	41	48
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	53	5.1	44	1	2	3	4	21	21
18-34	23	5.7	10						
35-49	0								
50-69	7	5.0							
70 +	0								
SUBTOTAL	83	5.3	30	2	2	3	5	11	21
GRAND TOTAL	222	12.3	139	2	3	10	16	32	41

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	30	8.1	13						
35-49	30	12.0	51						
50-69	22	9.9	5						
70 +	7	8.0							
SUBTOTAL	89	9.9	25	5	6	8	12	14	23
0-17	30	3.0	3						
18-34	23	2.7	2						
35-49	15	3.5	7						
50-69	21	3.0	1						
70 +	0								
SUBTOTAL	89	3.0	3	1	2	3	4	5	6
	177	6.4	26	1	3	5	8	14	14

DRG 214: Back & Neck Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2818	10.0	66	4	6	8	11	18	25
70-74	2197	10.3	56	4	6	8	12	18	24
75-79	1450	11.9	72	5	7	9	15	22	26
80-84	817	13.4	111	6	7	10	17	26	31
85 +	239	15.5	160	5	8	12	16	30	49
SUBTOTAL	7520	11.0	74	4	6	8	13	20	26
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	7520	11.0	74	4	6	8	13	20	26

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANC TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1000	11.9	75	6	7	9	13	24	29
18-34	986	7.8	30	3	4	6	10	15	18
35-49	2487	8.0	52	3	4	6	10	14	20
50-69	3178	8.3	49	3	5	7	9	15	21
70 +	127	11.3	46	5	6	9	17	19	28
	7778	8.7	52	3	5	7	10	16	22
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	7778	8.7	52	3	5	7	10	16	22

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	295	13.4	96	5	7	11	14	25	45
18-34	298	12.4	61	4	7	10	18	25	28
35-49	327	9.7	100	3	5	6	11	18	35
50-69	230	7.6	19	4	5	7	9	14	21
70 +	0								
SUBTOTAL	1151	10.9	77	4	6	8	13	21	30
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	1151	10.9	77	4	6	8	13	21	30

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	91	17.1	209	5	9	11	29	36	54
18-34	177	9.6	20	5	6	9	13	16	16
35-49	346	8.5	38	3	4	7	12	16	18
50-69	436	9.6	59	4	4	7	13	21	26
70 +	127	9.8	22	5	7	9	11	17	22
	1177	9.9	59	3	5	7	13	17	24
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1177	9.9	59	3	5	7	13	17	24

DRG 215: Back & Neck Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	4037	6.5	18	3	4	5	8	12	15
70-74	2363	7.0	19	3	4	6	8	11	14
75-79	1531	7.6	16	4	5	7	9	11	15
80-84	403	9.1	25	4	6	8	10	14	23
85 +	66	12.9	38	4	7	13	19	21	21
SUBTOTAL	8400	7.0	19	3	4	6	8	12	15
GRAND TOTAL	8400	7.0	19	3	4	6	8	12	15

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1755	7.5	19	3	5	7	9	10	14
18-34	8272	4.7	9	2	3	4	5	8	10
35-49	16627	4.5	8	2	3	4	5	8	10
50-69	11810	5.1	10	2	3	4	6	8	11
70 +	123	7.1	33	4	5	5	8	9	28
	38587	4.9	10	2	3	4	6	8	11
	38587	4.9	10	2	3	4	6	8	11

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	386	8.5	29	3	5	7	10	16	20
18-34	859	5.1	17	2	3	4	6	8	15
35-49	891	5.6	15	2	3	5	6	11	13
50-69	330	6.4	23	2	4	5	8	13	14
70 +	7	5.0							
SUBTOTAL	2473	6.0	20	2	3	5	7	11	15
GRAND TOTAL	2473	6.0	20	2	3	5	7	11	15

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	243	5.6	3	3	4	6	7	8	8
18-34	1476	4.5	7	2	3	4	5	8	11
35-49	2683	4.5	6	2	3	4	5	7	9
50-69	1299	5.1	12	2	3	4	6	9	12
70 +	182	6.0	7	4	4	6	7	9	10
	5882	4.7	8	2	3	4	6	8	10
	5882	4.7	8	2	3	4	6	8	10

DRG 216: Biopsies of Musculoskeletal System & Connective Tissue

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	231	23.0	455	6	11	18	30	46	80
70-74	159	17.3	159	4	8	15	23	34	43
75-79	116	16.5	149	4	6	14	26	32	50
80-84	51	15.3	18	9	10	17	20	20	20
85 +	35	18.5	329						
SUBTOTAL	592	19.3	279	4	9	16	24	39	52
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	133	8.3	60	1	1	7	14	21	23
70-74	44	16.2	382	3	4	8	17	57	57
75-79	94	11.2	54	3	7	10	14	16	31
80-84	58	11.5	74	2	4	7	20	26	26
85 +	21	11.0	50						
SUBTOTAL	350	10.8	105	1	3	8	16	22	26
GRAND TOTAL	943	16.1	231	3	6	13	20	32	50

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	61	6.6	11	1	3	7	9	11	11
18-34	75	12.3	77	< 1	3	13	15	25	28
35-49	89	18.4	261	3	3	17	23	50	51
50-69	256	14.4	193	2	5	10	17	34	52
70 +	28	15.5	45						
SUBTOTAL	507	13.9	167	2	4	11	18	28	50
	429	6.3	58	1	1	4	9	16	22
	154	4.7	18	1	1	3	8	11	12
	161	5.7	27	1	2	3	8	14	15
	204	4.3	31	1	2	2	5	9	11
	7	11.0							
	955	5.6	41	1	1	3	7	14	18
	1463	8.5	101	1	2	5	12	21	28

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	38	19.4	905						
18-34	30	9.8	66						
35-49	30	19.1	155						
50-69	15	28.0	154						
70 +	0								
SUBTOTAL	113	17.9	407	1	2	14	21	40	78
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	106	9.0	100	2	2	5	13	22	36
18-34	51	3.4	6	1	1	3	7	7	7
35-49	8	3.0							
50-69	8	11.0							
70 +	0								
SUBTOTAL	173	7.2	71	1	2	3	9	20	22
GRAND TOTAL	286	11.4	231	1	2	5	15	36	40

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	15	4.0	4						
18-34	23	6.3	24						
35-49	14	8.5	33						
50-69	8	17.0							
70 +	37	9.9	64						
SUBTOTAL	97	8.5	46	2	3	6	13	17	25
	98	4.7	25	1	1	3	7	12	18
	30	2.8	6						
	28	14.3	225						
	22	8.8	26						
	8	4.0							
	185	6.3	63	1	1	4	7	16	18
	282	7.0	58	1	2	4	9	17	25

DRG 217: Wnd Debrid & Skn Grft except Hand,for Muscskelet & Conn Tiss Dis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	945	23.4	340	6	10	17	32	53	72
70-74	478	20.9	236	5	9	18	28	39	65
75-79	387	22.6	402	5	8	16	32	51	72
80-84	232	24.1	426	7	12	16	30	75	82
85 +	318	19.7	188	6	8	15	29	40	47
SUBTOTAL	2360	22.3	318	6	10	17	31	48	70
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	321	12.4	213	1	3	7	12	37	49
70-74	117	17.5	263	2	5	11	26	53	54
75-79	204	10.9	103	2	4	9	13	22	31
80-84	74	20.3	370	2	5	13	46	49	50
85 +	79	10.4	103	3	5	6	12	25	39
SUBTOTAL	795	13.3	205	2	4	8	15	39	50
GRAND TOTAL	3155	20.1	305	4	8	15	28	47	57

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	341	17.9	255	3	8	14	22	32	45
18-34	609	16.5	272	3	6	11	21	38	52
35-49	440	16.7	256	3	6	15	20	40	48
50-69	790	25.1	330	6	11	21	36	51	62
70 +	28	21.5	369						
	2209	19.9	303	3	8	15	27	44	57
	1067	6.9	69	1	2	4	10	16	20
	1147	6.5	67	1	2	4	7	13	21
	761	6.9	53	1	2	5	8	16	22
	585	7.3	102	1	2	4	8	18	29
	21	12.7	104						
	3581	6.9	71	1	2	4	8	16	25
	5790	11.9	199	1	3	7	15	30	43

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	74	17.2	82	4	8	22	26	28	28
18-34	227	17.5	277	3	6	13	28	49	66
35-49	154	23.2	440	5	7	13	30	51	70
50-69	85	23.5	509	8	8	16	33	38	87
70 +	7	20.0							
SUBTOTAL	547	20.0	335	3	8	14	28	48	66
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	282	7.5	77	1	2	5	9	19	29
18-34	308	7.7	58	2	3	6	9	19	31
35-49	89	7.3	25	3	5	5	8	11	22
50-69	50	15.8	547	2	4	8	10	73	73
70 +	8	3.0							
SUBTOTAL	737	8.1	98	2	3	5	9	19	29
GRAND TOTAL	1284	13.2	234	2	4	8	17	33	48

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	37	14.3	36						
18-34	231	12.5	88	3	5	9	20	27	28
35-49	130	12.2	62	2	5	12	17	26	29
50-69	87	14.4	133	2	3	11	27	28	37
70 +	21	11.5	36						
	507	12.8	83	3	5	10	19	27	28
0-17	281	8.3	178	1	1	4	7	24	54
18-34	565	5.9	30	1	2	5	7	11	19
35-49	145	6.0	225	1	1	2	4	8	69
50-69	114	5.0	11	2	2	4	6	11	12
70 +	23	4.7	9						
	1128	6.4	90	1	2	4	6	13	19
	1635	8.4	97	1	2	5	10	20	28

DRG 218: Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1405	7.3	30	3	4	6	8	14	18
70-74	814	9.4	45	3	5	8	13	18	19
75-79	555	9.4	40	3	5	8	12	16	22
80-84	563	10.7	50	5	7	9	13	19	23
85 +	442	9.0	44	4	5	7	11	16	18
SUBTOTAL	3780	8.8	41	3	5	7	11	16	19
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	3780	8.8	41	3	5	7	11	16	19

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	911	6.3	32	2	3	5	7	10	15
35-49	1105	7.7	51	3	4	5	9	16	20
50-69	1548	7.3	27	3	4	6	9	14	19
70 +	101	13.6	140	6	8	9	14	27	52
	3665	7.3	40	3	4	6	9	14	19
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3665	7.3	40	3	4	6	9	14	19

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	235	6.6	14	3	4	6	8	10	13
35-49	278	6.8	15	3	4	5	9	12	15
50-69	216	9.9	156	3	4	7	9	19	47
70 +	7	8.0							
SUBTOTAL	737	7.7	58	3	4	6	9	12	17
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	737	7.7	58	3	4	6	9	12	17

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	431	7.0	25	3	4	5	8	15	18
35-49	262	8.5	37	3	4	7	11	16	24
50-69	330	7.8	38	3	5	7	10	12	14
70 +	183	7.5	14	3	4	7	10	13	14
	1207	7.6	30	3	4	6	10	14	17
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1207	7.6	30	3	4	6	10	14	17

DRG 219: Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1981	4.9	16	2	3	4	6	8	10
70-74	1195	5.5	7	3	4	5	7	9	11
75-79	790	6.6	26	2	4	5	7	11	14
80-84	365	5.1	8	2	3	5	7	9	10
85 +	310	6.9	16	2	4	6	10	11	13
SUBTOTAL	4641	5.5	16	2	3	5	7	9	11
GRAND TOTAL	4641	5.5	16	2	3	5	7	9	11

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	6729	3.4	7	1	2	3	4	6	7
35-49	5730	3.8	7	2	2	3	5	6	8
50-69	5159	4.2	10	2	3	4	5	7	9
70 +	109	6.4	16	3	3	5	7	14	16
	17728	3.8	8	1	2	3	5	6	8
	17728	3.8	8	1	2	3	5	6	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	1159	3.8	4	2	2	3	5	7	8
35-49	584	4.5	7	2	3	4	6	8	11
50-69	226	5.6	8	3	3	5	7	10	12
70 +	14	7.0	1						
SUBTOTAL	1982	4.2	6	2	2	4	6	8	9
GRAND TOTAL	1982	4.2	6	2	2	4	6	8	9

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	2508	3.5	8	1	2	3	4	6	9
35-49	1660	4.1	7	2	2	3	5	7	9
50-69	976	4.1	5	2	2	4	5	7	9
70 +	159	5.0	5	2	3	5	7	8	9
	5303	3.8	7	1	2	3	5	7	9
	5303	3.8	7	1	2	3	5	7	9

DRG 220: Lower Extrem & Humer Proc except Hip, Foot, Femur Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	8	7.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	8	7.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	8	7.0							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANC TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	468	5.1	31	1	2	4	6	9	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	468	5.1	31	1	2	4	6	9	11
0-17	6163	2.8	15	1	1	2	3	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	6163	2.8	15	1	1	2	3	5	7
GRAND TOTAL	6631	2.9	16	1	1	2	3	5	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	171	4.8	9	2	2	4	7	10	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	171	4.8	9	2	2	4	7	10	10
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1241	3.3	12	1	1	2	4	7	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1241	3.3	12	1	1	2	4	7	9
GRAND TOTAL	1412	3.5	12	1	2	3	4	8	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	103	7.4	47	2	3	4	11	17	24
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	103	7.4	47	2	3	4	11	17	24
0-17	1747	2.6	6	1	1	2	3	4	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1747	2.6	6	1	1	2	3	4	7
GRAND TOTAL	1850	2.9	9	1	1	2	3	5	8

DRG 221: Knee Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	381	12.1	126	3	4	9	15	31	42
70-74	228	14.3	128	4	6	11	20	30	42
75-79	199	10.8	51	4	8	10	11	18	32
80-84	158	12.5	98	5	6	10	16	29	30
85 +	50	10.4	14	4	9	10	14	16	16
SUBTOTAL	1016	12.3	103	3	6	9	15	30	38
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	1016	12.3	103	3	6	9	15	30	38

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	198	5.3	106	1	2	3	4	8	14
18-34	646	4.3	19	2	2	3	4	6	13
35-49	188	7.3	65	2	3	4	7	23	28
50-69	296	8.1	60	2	3	5	10	24	25
70 +	7	21.0							
SUBTOTAL	1329	5.8	51	2	2	4	5	13	23
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	1329	5.8	51	2	2	4	5	13	23

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	15	3.0	1						
18-34	64	6.1	19	2	4	4	7	17	17
35-49	45	22.5	221	4	8	29	32	46	46
50-69	29	7.7	11						
70 +	0								
SUBTOTAL	154	10.9	131	3	4	5	14	31	42
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	154	10.9	131	3	4	5	14	31	42

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	58	6.1	16	2	2	4	9	14	14
35-49	44	8.3	15	1	7	9	12	12	12
50-69	58	6.0	17	2	3	4	8	15	15
70 +	22	14.6	106						
SUBTOTAL	182	7.6	34	2	3	7	11	14	15
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	182	7.6	34	2	3	7	11	14	15

DRG 222: Knee Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	618	5.5	24	1	2	4	7	10	18
70-74	415	5.8	21	1	2	5	9	13	17
75-79	274	6.9	25	1	3	7	9	13	17
80-84	115	6.8	19	2	3	7	9	15	16
85 +	22	15.8	212						
SUBTOTAL	1444	6.1	27	1	2	5	8	13	17
GRAND TOTAL	1444	6.1	27	1	2	5	8	13	17

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	3610	2.8	6	1	2	2	3	4	6
18-34	7792	2.8	3	1	2	2	3	4	5
35-49	2386	3.0	4	1	2	3	4	5	6
50-69	1303	4.6	19	1	2	3	6	9	14
70 +	15	4.0	4						
	15106	3.0	5	1	2	2	3	5	6
	15106	3.0	5	1	2	2	3	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	335	3.3	6	1	2	2	3	8	8
18-34	432	2.8	1	1	2	3	4	4	4
35-49	125	4.2	15	1	2	3	4	12	16
50-69	66	4.2	7	1	2	4	6	9	9
70 +	0								
SUBTOTAL	958	3.3	5	1	2	3	4	7	8
GRAND TOTAL	958	3.3	5	1	2	3	4	7	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	657	2.9	6	1	2	2	3	4	7
18-34	1717	2.6	2	1	2	2	3	4	5
35-49	494	2.9	3	1	2	3	3	4	7
50-69	166	3.9	8	1	2	3	5	8	8
70 +	43	4.2	5	1	3	4	7	7	7
	3076	2.8	3	1	2	2	3	4	6
	3076	2.8	3	1	2	2	3	4	6

DRG 223: Major Shoulder/Elbow Proc, or Other Upper Extremity Proc w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	527	4.9	18	2	2	4	5	10	12
70-74	359	5.1	22	2	2	4	5	12	14
75-79	272	7.2	107	2	3	5	8	12	18
80-84	136	5.5	11	2	3	4	8	11	13
85 +	109	5.8	7	2	4	5	7	9	12
SUBTOTAL	1403	5.5	35	2	3	4	7	11	13
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	907	2.8	3	1	2	2	3	5	5
70-74	570	3.3	10	1	2	3	4	5	6
75-79	312	3.7	6	2	2	3	4	7	10
80-84	51	3.3	4	1	2	3	5	7	7
85 +	0								
SUBTOTAL	1839	3.1	6	1	2	3	4	5	7
GRAND TOTAL	3243	4.2	20	1	2	3	5	8	11

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	52	7.3	80	1	2	3	8	28	28
18-34	263	5.6	64	1	2	3	5	13	21
35-49	321	4.1	9	2	2	3	5	9	11
50-69	489	3.8	8	1	2	3	4	7	10
70 +	15	6.4	2						
	1139	4.5	25	1	2	3	5	8	12
0-17	101	5.4	129	1	1	1	2	10	44
18-34	698	1.8	1	1	1	2	2	3	3
35-49	1334	1.9	1	1	1	2	2	3	4
50-69	2256	2.5	3	1	2	2	3	4	4
70 +	22	4.7	10						
	4411	2.3	5	1	1	2	3	4	4
	5550	2.7	10	1	1	2	3	4	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	37	4.1	12						
18-34	44	4.5	7	2	2	4	6	9	9
35-49	44	3.8	5	1	2	3	6	7	7
50-69	44	3.4	3	1	2	3	5	6	6
70 +	0								
SUBTOTAL	169	3.9	6	1	2	3	6	7	9
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	23	4.7	7						
18-34	58	3.3	6	1	1	4	6	7	7
35-49	73	2.0	1	1	1	2	3	4	4
50-69	29	2.3	1						
70 +	0								
SUBTOTAL	183	2.8	4	1	1	2	4	6	7
GRAND TOTAL	352	3.3	6	1	1	3	5	7	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	51	4.0	1	3	3	4	5	6	6
18-34	60	6.4	54	2	2	5	7	25	25
35-49	60	5.5	42	1	2	4	5	22	22
50-69	45	4.2	16	2	2	3	3	13	13
70 +	15	4.0							
	231	5.1	29	2	2	3	5	13	22
0-17	57	3.7	17	1	1	2	4	14	14
18-34	177	1.7	1	1	1	1	2	3	4
35-49	299	1.8	1	1	1	2	2	3	3
50-69	312	2.1	1	1	1	2	3	3	4
70 +	37	2.2	1						
	881	2.0	2	1	1	2	3	3	4
	1112	2.7	9	1	1	2	3	4	5

DRG 224: Shoulder, Elbow or Forearm Proc,exc Major Joint Proc, w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	802	2.6	2	1	2	2	3	4	5
70-74	610	2.9	3	1	2	3	3	5	6
75-79	376	2.8	3	1	2	3	3	5	6
80-84	186	2.8	3	1	2	3	3	4	6
85 +	94	6.1	26	2	3	3	7	15	16
SUBTOTAL	2068	2.9	4	1	2	3	3	5	6
GRAND TOTAL	2068	2.9	4	1	2	3	3	5	6

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1936	2.2	3	1	1	2	3	4	5
18-34	2817	2.2	2	1	1	2	3	3	4
35-49	1984	2.6	3	1	2	2	3	4	5
50-69	1788	2.5	3	1	2	2	3	4	5
70 +	71	3.7	6	1	2	3	6	9	9
	8596	2.3	2	1	1	2	3	4	5
	8596	2.3	2	1	1	2	3	4	5

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	185	1.8	1	1	1	2	3	3	3
18-34	410	2.4	2	1	1	2	3	5	6
35-49	109	3.1	2	1	2	3	5	5	5
50-69	44	3.7	1	2	4	4	4	4	4
70 +	0								
SUBTOTAL	749	2.4	2	1	1	2	3	4	5
GRAND TOTAL	749	2.4	2	1	1	2	3	4	5

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	469	1.9	1	1	1	2	2	3	4
18-34	992	2.1	2	1	1	2	2	4	5
35-49	452	2.3	2	1	1	2	3	4	5
50-69	215	2.3	1	1	2	2	3	3	4
70 +	73	2.3	2	1	1	2	4	4	4
	2202	2.1	2	1	1	2	3	4	5
	2202	2.1	2	1	1	2	3	4	5

DRG 225: Foot Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	314	6.6	42	1	2	4	9	17	19
70-74	153	7.8	44	2	3	5	12	21	23
75-79	115	7.2	28	2	3	6	11	16	18
80-84	49	4.7	21	1	1	2	10	13	13
85 +	71	5.6	2	3	5	6	7	7	7
SUBTOTAL	702	6.7	35	1	3	5	9	16	19
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	950	2.7	4	1	1	2	3	5	7
70-74	534	3.1	9	1	1	2	4	5	8
75-79	390	3.5	7	1	2	3	4	6	11
80-84	109	4.3	7	2	3	3	6	7	12
85 +	44	4.5	23	<1	<1	2	9	13	13
SUBTOTAL	2027	3.1	7	1	1	2	4	6	8
GRAND TOTAL	2728	4.0	17	1	2	3	5	9	12

TYPE OF PATIENT	BLUE CROSS PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	241	4.2	32	2	2	2	3	9	15
18-34	124	4.9	10	1	2	5	6	9	13
35-49	252	5.8	37	2	2	4	8	11	15
50-69	343	10.5	154	1	3	7	11	41	42
70 +	0								
SUBTOTAL	960	7.0	81	2	2	4	8	13	34
0-17	2531	2.1	3	1	1	2	2	3	5
18-34	1782	2.2	3	1	1	2	3	4	5
35-49	2027	2.2	3	1	1	2	3	4	5
50-69	2572	2.3	4	1	1	2	3	4	5
70 +	58	3.6	2	2	2	4	5	6	6
SUBTOTAL	8970	2.2	3	1	1	2	3	4	5
GRAND TOTAL	9930	2.7	13	1	1	2	3	5	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	68	6.0	94	2	2	3	3	33	33
18-34	51	3.6	2	2	2	3	5	6	6
35-49	28	6.5	5						
50-69	15	5.1	4						
70 +	0								
SUBTOTAL	161	5.3	42	2	2	3	6	8	16
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	840	2.2	3	1	1	2	3	3	7
18-34	213	3.2	6	1	1	3	4	7	7
35-49	92	2.9	14	1	1	1	3	5	15
50-69	42	1.7	1	1	1	2	2	3	3
70 +	0								
SUBTOTAL	1188	2.4	4	1	1	2	3	4	7
GRAND TOTAL	1349	2.7	10	1	1	2	3	6	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	45	5.3	4	3	3	5	7	8	8
18-34	37	9.2	152						
35-49	59	6.2	20	1	2	6	11	14	14
50-69	57	16.6	187	2	8	13	28	47	47
70 +	8	6.0							
SUBTOTAL	206	9.4	106	1	3	7	12	28	33
0-17	518	2.2	4	1	1	2	2	4	4
18-34	447	2.9	10	1	1	2	3	6	9
35-49	415	2.5	9	1	1	2	3	4	6
50-69	400	2.1	4	1	1	1	2	4	5
70 +	119	2.1		1	2	2	3	3	3
SUBTOTAL	1898	2.4	6	1	1	2	3	4	6
GRAND TOTAL	2104	3.1	20	1	1	2	3	6	9

DRG 226: Soft Tissue Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	546	9.5	75	2	3	7	14	23	30
70-74	273	10.2	211	2	2	6	10	22	50
75-79	153	11.4	162	2	4	6	11	24	52
80-84	131	15.2	197	3	5	11	23	39	46
85 +	72	17.3	149	5	8	15	23	46	46
SUBTOTAL	1175	11.0	141	2	3	7	14	27	38
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	1175	11.0	141	2	3	7	14	27	38

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	938	3.8	30	1	2	2	3	7	11
18-34	232	6.1	51	1	2	3	8	14	16
35-49	254	6.7	41	1	2	5	9	16	24
50-69	442	6.9	57	1	2	4	8	18	27
70 +	43	11.0	24	7	7	8	17	18	18
	1909	5.4	43	1	2	3	6	13	18
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1909	5.4	43	1	2	3	6	13	18

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	280	3.6	24	1	2	2	3	5	22
18-34	120	4.4	16	1	2	4	5	6	18
35-49	66	11.2	158	3	5	7	9	45	45
50-69	66	9.0	69	2	3	4	14	28	28
70 +	0								
SUBTOTAL	532	5.4	52	1	2	3	5	14	22
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	532	5.4	52	1	2	3	5	14	22

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	89	10.0	189	2	2	6	8	37	44
18-34	111	3.1	9	< 1	1	2	4	5	13
35-49	68	5.6	29	1	2	4	6	19	19
50-69	43	6.6	15	2	3	4	10	12	12
70 +	7	5.0							
	318	6.1	71	1	2	3	6	12	19
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	318	6.1	71	1	2	3	6	12	19

DRG 227: Soft Tissue Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	782	3.1	8	1	2	2	4	6	8
70-74	369	3.8	8	1	1	3	5	8	10
75-79	282	4.7	35	1	2	3	5	8	14
80-84	206	3.9	9	1	2	3	5	10	11
85 +	44	6.6	5	4	4	7	8	10	10
SUBTOTAL	1682	3.7	13	1	2	3	4	8	10
GRAND TOTAL	1682	3.7	13	1	2	3	4	8	10

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	3350	2.2	5	1	1	2	3	4	5
18-34	1755	2.3	2	1	1	2	3	4	5
35-49	2134	2.4	5	1	1	2	3	5	6
50-69	2150	2.6	4	1	1	2	3	4	6
70 +	21	1.7	1						
	9410	2.3	4	1	1	2	3	4	6
	9410	2.3	4	1	1	2	3	4	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1289	2.5	8	1	1	2	3	4	7
18-34	287	3.1	6	1	2	2	3	7	10
35-49	154	4.2	32	1	2	3	4	11	23
50-69	44	7.0	31	3	3	5	9	18	18
70 +	8	3.0							
SUBTOTAL	1780	2.9	11	1	1	2	3	5	8
GRAND TOTAL	1780	2.9	11	1	1	2	3	5	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	731	2.5	6	1	1	2	3	5	7
18-34	513	2.2	3	1	1	1	3	5	7
35-49	451	2.3	5	1	1	2	3	4	4
50-69	281	2.3	3	1	1	2	3	5	6
70 +	73	1.8		1	1	2	2	3	3
	2049	2.4	5	1	1	2	3	4	6
	2049	2.4	5	1	1	2	3	4	6

DRG 228: Major Thumb or Joint Proc,or Oth Hand or Wrist Proc w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	185	3.6	9	1	2	3	4	10	11
70-74	111	4.5	21	1	1	2	6	14	15
75-79	80	4.2	7	2	2	4	7	8	9
80-84	28	9.4	42						
85 +	7	9.0							
SUBTOTAL	411	4.4	16	1	2	3	6	11	14
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	243	2.5	3	1	1	2	3	4	6
70-74	139	2.8	6	1	1	2	4	7	9
75-79	58	4.6	9	1	2	4	7	10	10
80-84	43	2.8	2	1	2	3	3	5	5
85 +	8	13.0							
SUBTOTAL	490	3.0	6	1	1	2	3	6	9
GRAND TOTAL	902	3.7	11	1	2	2	4	9	12

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	75	6.8	82	1	2	3	7	27	31
18-34	116	3.4	4	< 1	2	3	5	7	8
35-49	154	4.6	48	1	2	3	4	6	26
50-69	192	4.3	16	1	2	3	6	8	10
70 +	7	10.0							
	544	4.6	33	1	2	3	5	8	14
	122	2.6	11	1	1	1	3	6	14
	125	3.0	19	1	1	2	3	6	20
	238	2.1	2	1	1	2	3	3	6
	381	2.2	1	1	1	2	3	4	4
	15	2.0							
	880	2.3	5	1	1	2	3	4	6
	1425	3.2	17	1	1	2	3	6	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	15	2.6	2						
18-34	8	1.0							
35-49	30	4.6	20						
50-69	37	4.1	5						
70 +	7	3.0							
SUBTOTAL	96	3.7	9	1	2	3	4	8	12
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	38	1.2							
18-34	8	3.0							
35-49	23	3.7	10						
50-69	36	2.4	5						
70 +	0								
SUBTOTAL	104	2.3	5	1	1	1	2	7	8
GRAND TOTAL	201	3.0	7	1	1	2	3	8	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	7	1.0							
18-34	102	3.8	21	1	1	2	3	9	19
35-49	44	5.3	33	1	1	2	9	17	17
50-69	43	3.8	14	1	2	2	4	12	12
70 +	0								
	197	4.0	22	1	1	2	4	12	17
	15	2.0	1						
	37	3.2	4						
	30	1.9	3						
	30	2.0	1						
	22	3.1	5						
	134	2.5	3	1	1	2	4	6	6
	331	3.4	15	1	1	2	4	9	12

DRG 229: Hand or Wrist Proc, except Major Joint Proc, w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	251	2.3	6	1	1	1	3	5	5
70-74	143	2.5	5	1	1	1	3	7	9
75-79	102	4.3	21	1	1	3	5	8	18
80-84	42	5.8	20	1	3	3	12	12	12
85 +	30	1.3							
SUBTOTAL	568	2.9	10	1	1	1	3	7	12
GRAND TOTAL	568	2.9	10	1	1	1	3	7	12

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	903	1.8	6	1	1	1	2	3	5
18-34	1206	2.5	28	1	1	2	3	4	6
35-49	694	2.3	4	1	1	2	3	4	8
50-69	710	2.4	7	1	1	2	3	4	8
70 +	21	2.0							
SUBTOTAL	3534	2.3	13	1	1	1	2	4	6
GRAND TOTAL	3534	2.3	13	1	1	1	2	4	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	343	1.7	1	1	1	1	2	3	5
18-34	259	1.8	1	1	1	2	3	3	4
35-49	111	1.9	1	1	1	2	3	3	4
50-69	30	3.3	1						
70 +	0								
SUBTOTAL	743	1.9	1	1	1	1	2	3	4
GRAND TOTAL	743	1.9	1	1	1	1	2	3	4

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	383	1.8	3	< 1	1	1	2	3	4
18-34	528	1.8	1	1	1	1	2	3	5
35-49	277	2.2	2	1	1	2	3	4	6
50-69	89	1.4	2	1	1	1	1	1	6
70 +	8	9.0							
SUBTOTAL	1285	1.9	2	1	1	1	2	3	5
GRAND TOTAL	1285	1.9	2	1	1	1	2	3	5

DRG 230: Local Excision & Removal of Int Fix Devices of Hip & Femur

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	38	2.8	1						
70-74	51	14.6	109	2	7	14	19	36	36
75-79	44	12.1	47	3	4	12	18	21	21
80-84	37	6.5	32						
85 +	95	9.7	58	3	3	7	13	24	25
SUBTOTAL	265	9.6	67	2	3	7	14	21	25
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	102	4.2	31	1	2	2	4	5	24
70-74	71	2.2	1	1	1	2	3	3	3
75-79	109	3.2	4	1	1	3	4	6	8
80-84	73	1.9	1	1	1	1	3	3	4
85 +	66	3.0	3	1	2	3	3	6	7
SUBTOTAL	421	3.0	10	1	1	2	4	5	7
GRAND TOTAL	686	5.6	42	1	2	3	6	14	21

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	104	5.5	101	1	1	2	2	22	36
18-34	44	2.7	4	1	1	2	3	7	7
35-49	15	4.1	4						
50-69	64	2.6	1	1	2	2	3	5	5
70 +	8	9.0							
	235	4.2	48	1	1	2	3	7	22
0-17	1410	2.4	15	1	1	1	2	3	6
18-34	738	1.9	4	1	1	1	2	3	4
35-49	223	4.3	125	1	1	2	3	5	6
50-69	131	3.5	12	1	1	3	4	7	15
70 +	7	5.0							
	2509	2.5	22	1	1	1	2	4	6
	2743	2.6	24	1	1	1	2	4	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	91	2.3	2	1	1	1	4	4	4
18-34	23	2.7	3						
35-49	0								
50-69	28	20.8	266						
70 +	0								
SUBTOTAL	142	6.1	108	1	1	3	4	24	44
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	270	4.0	29	1	1	2	4	10	21
18-34	130	2.6	4	1	1	2	4	6	8
35-49	30	3.3	5						
50-69	0								
70 +	0								
SUBTOTAL	430	3.5	20	1	1	2	4	8	16
GRAND TOTAL	572	4.2	43	1	1	2	4	9	21

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	4.8	36						
18-34	8	4.0							
35-49	30	7.1	80						
50-69	23	3.7	7						
70 +	0								
	91	5.2	41	1	1	3	7	15	22
0-17	270	2.9	24	1	1	1	2	4	17
18-34	166	1.9	2	1	1	1	2	3	4
35-49	58	2.3	1	1	2	2	3	4	4
50-69	15	3.6	7						
70 +	0								
	508	2.5	14	1	1	1	2	4	7
	599	2.9	19	1	1	1	3	6	15

DRG 231: Local Excision & Removal of Int Fix Devices except Hip & Femur

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	271	9.9	240	1	2	4	11	21	49
70-74	170	10.6	122	3	4	7	14	21	23
75-79	58	6.6	29	1	2	7	14	15	15
80-84	117	10.4	136	2	5	8	11	16	52
85 +	36	16.5	220						
SUBTOTAL	652	10.2	173	2	2	7	12	21	43
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	572	5.2	50	1	2	3	4	12	23
70-74	326	4.8	42	1	1	2	4	13	22
75-79	246	3.4	20	1	2	2	3	6	10
80-84	71	2.5	5	1	1	2	3	6	9
85 +	36	1.8	1						
SUBTOTAL	1251	4.5	39	1	1	2	4	10	22
GRAND TOTAL	1902	6.4	92	1	2	3	8	15	23

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	225	6.8	48	1	2	4	8	18	23
18-34	190	3.5	16	1	1	2	3	7	14
35-49	282	7.1	82	1	2	4	7	24	30
50-69	319	6.9	56	1	3	4	9	14	24
70 +	23	12.7	116						
	1039	6.4	58	1	2	4	7	16	26
0-17	1695	2.7	14	1	1	2	3	5	8
18-34	2469	2.4	6	1	1	2	3	4	6
35-49	1602	2.5	4	1	1	2	3	5	7
50-69	1329	3.5	32	1	1	2	4	6	10
70 +	15	1.5							
	7309	2.7	13	1	1	2	3	5	7
	8348	3.2	20	1	1	2	3	6	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	68	5.2	29	1	2	3	6	19	19
18-34	80	6.0	38	2	2	4	7	13	23
35-49	72	11.0	44	4	7	10	15	19	26
50-69	21	12.3	25						
70 +	0								
SUBTOTAL	241	7.8	43	2	3	6	10	18	23
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	427	5.0	39	1	1	3	5	11	21
18-34	339	2.7	9	1	1	2	3	5	5
35-49	109	5.2	38	1	2	3	6	12	25
50-69	58	2.4	1	1	1	2	3	4	4
70 +	7	6.0							
SUBTOTAL	939	4.0	26	1	1	2	4	8	18
GRAND TOTAL	1180	4.8	32	1	1	3	5	12	20

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	38	4.4	10						
18-34	82	3.3	11	1	1	2	3	8	13
35-49	73	7.1	44	2	2	4	12	23	23
50-69	82	5.7	34	1	1	5	7	8	23
70 +	22	7.8	8						
	297	5.4	27	1	2	4	7	12	18
0-17	320	2.8	9	1	1	2	3	7	10
18-34	594	2.4	3	1	1	2	3	5	6
35-49	331	3.9	40	1	1	2	3	7	15
50-69	231	2.8	3	1	2	2	4	5	7
70 +	22	1.0							
	1498	2.8	13	1	1	2	3	5	8
	1795	3.2	16	1	1	2	4	7	10

DRG 232: Arthroscopy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	8	1.0							
70-74	0								
75-79	0								
80-84	29	28.0	390						
85 +	0								
SUBTOTAL	37	22.4	430						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	66	4.2	8	2	3	3	4	11	12
70-74	22	3.0	2						
75-79	0								
80-84	15	1.0							
85 +	0								
SUBTOTAL	102	3.5	7	1	2	3	4	5	12
GRAND TOTAL	139	8.5	186	1	2	3	5	29	57

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	15	7.7	39						
18-34	30	4.3	12						
35-49	15	26.8	310						
50-69	15	4.0	1						
70 +	0								
	74	9.3	147	2	2	5	10	43	43
0-17	147	2.6	5	1	1	2	3	5	11
18-34	310	2.5	7	1	1	2	2	7	9
35-49	170	3.1	9	1	1	2	4	5	7
50-69	211	2.6	5	1	1	2	3	6	6
70 +	0								
	838	2.7	6	1	1	2	3	6	9
	912	3.2	21	1	1	2	3	7	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	15	16.2	27						
35-49	8	2.0							
50-69	0								
70 +	0								
SUBTOTAL	22	11.3	65						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	15	13.4	181						
18-34	45	4.8	21	1	1	3	8	13	13
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	60	6.9	71	1	1	3	10	27	27
GRAND TOTAL	82	8.1	73	1	1	5	13	21	27

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	8	1.0							
50-69	0								
70 +	0								
	8	1.0							
0-17	36	5.1	21						
18-34	82	2.0	3	1	1	1	2	3	7
35-49	15	1.5							
50-69	29	1.7	1						
70 +	0								
	162	2.6	8	1	1	2	3	4	7
	170	2.5	8	1	1	2	3	4	7

DRG 233: Other Musculoskelet Sys & Conn Tiss O.P. Proc w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	373	12.2	112	4	6	9	14	25	42
70-74	294	12.7	112	3	7	9	18	25	43
75-79	232	12.3	57	5	8	11	16	21	24
80-84	173	11.4	30	5	7	11	15	17	22
85 +	87	12.2	72	5	8	10	13	17	37
SUBTOTAL	1159	12.2	85	4	7	10	15	22	27
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	1159	12.2	85	4	7	10	15	22	27

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	280	7.2	46	2	3	6	8	14	27
18-34	290	6.8	64	2	2	4	8	19	20
35-49	309	11.0	81	3	4	8	13	23	30
50-69	364	11.6	98	3	5	9	15	27	29
70 +	21	15.3	1						
SUBTOTAL	1265	9.5	78	2	4	7	12	21	28
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	1265	9.5	78	2	4	7	12	21	28

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	144	9.8	64	4	5	7	12	23	37
18-34	60	12.1	108	2	3	9	15	30	30
35-49	44	9.7	22	5	5	6	15	16	16
50-69	58	8.2	16	2	5	8	10	16	16
70 +	0								
SUBTOTAL	306	9.9	58	4	5	8	12	20	29
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	306	9.9	58	4	5	8	12	20	29

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	75	15.5	754	3	4	6	10	87	96
18-34	96	7.2	18	3	4	5	10	14	16
35-49	58	8.7	46	3	4	7	10	25	25
50-69	58	9.4	34	2	6	8	12	22	22
70 +	23	6.0	5						
SUBTOTAL	309	9.8	212	3	4	6	10	14	22
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	309	9.8	212	3	4	6	10	14	22

DRG 234: Other Musculoskelet Sys & Conn Tiss O.R. Proc w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	324	4.8	11	1	2	5	6	9	10
70-74	220	6.7	32	2	2	6	9	12	14
75-79	168	4.8	8	1	2	4	7	8	8
80-84	125	7.4	19	3	5	5	11	13	19
85 +	50	7.8	10	3	5	8	11	13	13
SUBTOTAL	887	5.8	18	1	3	5	8	11	13
GRAND TOTAL	887	5.8	18	1	3	5	8	11	13

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	2074	3.5	6	1	2	3	4	5	7
18-34	1111	4.3	35	1	1	2	4	10	18
35-49	814	3.4	6	1	2	2	5	8	9
50-69	801	4.0	10	1	1	3	6	9	11
70 +	7	3.0							
	4807	3.7	14	1	2	3	5	7	9
	4807	3.7	14	1	2	3	5	7	9

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	402	4.2	37	2	2	4	5	8	11
18-34	262	3.4	5	1	2	3	5	7	8
35-49	97	6.0	30	2	2	3	7	12	21
50-69	21	8.0	50						
70 +	0								
SUBTOTAL	782	4.6	27	1	2	3	5	8	11
GRAND TOTAL	782	4.6	27	1	2	3	5	8	11

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	528	3.7	5	1	2	3	5	7	8
18-34	359	3.9	17	1	2	3	5	9	14
35-49	139	2.8	6	1	1	2	4	5	8
50-69	86	3.9	10	1	2	3	6	10	10
70 +	53	3.2	11	1	1	1	8	9	9
	1165	3.7	9	1	2	3	5	7	10
	1165	3.7	9	1	2	3	5	7	10

DRG 235: Fractures of Femur

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	154	20.9	643	3	6	9	36	73	86
70-74	109	18.2	262	4	5	17	21	34	69
75-79	184	16.8	279	2	4	10	20	45	49
80-84	165	18.0	277	4	6	14	20	46	55
85 +	343	11.0	160	3	5	7	13	24	27
SUBTOTAL	955	15.7	305	3	5	10	18	38	55
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	110	5.1	8	2	2	6	7	9	10
70-74	102	7.8	13	4	5	7	10	14	15
75-79	187	8.6	29	3	4	8	11	16	21
80-84	85	9.6	27	3	5	10	13	17	18
85 +	102	5.5	16	2	2	4	7	12	16
SUBTOTAL	587	7.4	22	2	4	6	10	15	16
GRAND TOTAL	1543	12.6	214	3	4	8	15	26	45

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	177	15.4	269	2	2	9	29	37	38
18-34	8	3.0							
35-49	14	5.0	4						
50-69	78	7.8	29	3	4	5	15	16	16
70 +	14	17.5	33						
	290	12.6	191	2	3	7	16	32	38
0-17	1901	12.9	130	1	2	10	21	27	33
18-34	66	17.9	825	1	2	5	7	88	88
35-49	28	11.7	133						
50-69	87	7.3	28	3	4	5	9	15	20
70 +	8	10.0							
	2090	12.8	149	1	2	8	21	28	33
	2380	12.7	154	1	3	8	21	28	34

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	149	12.7	76	2	6	10	21	25	28
18-34	22	51.5	1105						
35-49	8	11.0							
50-69	23	11.3	35						
70 +	7	7.0							
SUBTOTAL	209	16.4	318	2	6	11	21	29	69
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	905	11.1	84	1	2	7	18	25	27
18-34	22	2.3							
35-49	15	31.9	670						
50-69	22	6.3	3						
70 +	0								
SUBTOTAL	964	11.1	97	1	2	7	18	25	27
GRAND TOTAL	1173	12.0	141	2	3	8	20	25	27

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	36	16.3	54						
18-34	0								
35-49	0								
50-69	0								
70 +	37	31.6	486						
	73	24.1	330	8	9	22	33	63	65
0-17	799	9.7	96	1	2	4	20	24	29
18-34	7	10.0							
35-49	0								
50-69	15	5.6	2						
70 +	21	19.8	230						
	842	9.9	100	1	2	4	20	24	29
	916	11.0	133	1	2	6	20	25	31

DRG 236: Fractures of Hip & Pelvis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	422	10.6	124	3	6	8	12	19	30
70-74	640	9.7	48	3	5	8	12	19	24
75-79	717	9.6	58	3	5	8	12	19	24
80-84	1126	9.8	87	3	5	8	11	16	24
85+	1822	9.5	66	3	5	8	11	17	22
SUBTOTAL	4727	9.7	72	3	5	8	11	17	23
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	320	6.7	27	2	3	6	9	13	13
70-74	459	6.2	21	2	4	6	7	11	13
75-79	620	7.5	24	3	5	7	8	11	18
80-84	664	6.5	12	3	4	6	9	12	13
85+	1160	6.5	18	2	3	6	8	11	16
SUBTOTAL	3222	6.7	19	2	4	6	8	11	14
GRAND TOTAL	7949	8.5	53	3	4	7	10	15	20

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	124	8.6	100	2	3	4	7	22	44
18-34	365	9.8	96	3	4	7	11	15	39
35-49	240	11.9	154	3	4	8	11	30	43
50-69	278	11.7	115	4	6	8	13	24	38
70+	172	9.2	58	3	5	8	11	14	16
	1179	10.5	109	3	4	7	12	22	39
	431	6.8	69	1	2	3	8	23	25
	351	6.3	40	2	3	5	7	12	14
	295	7.3	102	3	3	5	6	11	24
	279	7.0	19	2	4	6	9	15	18
	114	7.9	15	4	4	8	10	15	16
	1471	6.9	58	1	3	5	8	16	22
	2650	8.5	87	2	3	6	10	18	25

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	8	7.0							
18-34	21	6.7	3						
35-49	21	11.3	3						
50-69	37	4.6	6						
70+	21	6.3	4						
SUBTOTAL	107	6.8	10	3	4	6	9	12	13
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	163	7.0	41	1	2	5	12	18	20
18-34	64	5.6	12	1	3	5	6	13	14
35-49	7	5.0							
50-69	21	7.0	26						
70+	7	2.0							
SUBTOTAL	263	6.5	32	1	3	5	8	15	20
GRAND TOTAL	369	6.6	25	1	3	5	9	14	18

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	44	4.0	5	2	2	4	5	8	8
18-34	159	7.5	24	3	5	6	10	12	20
35-49	56	11.1	125	3	4	5	21	37	37
50-69	114	11.4	62	4	5	7	17	26	26
70+	261	11.5	254	2	5	6	11	33	91
	635	9.9	138	3	5	6	11	24	33
	216	4.4	41	1	1	2	4	15	24
	215	6.1	29	1	3	4	9	13	14
	87	11.3	152	3	4	7	19	26	44
	96	8.3	135	1	3	5	8	12	46
	225	9.5	224	1	3	4	8	32	37
	839	7.4	114	1	2	4	7	17	27
	1474	8.5	126	1	3	5	9	21	33

DRG 237: Sprains, Strains, & Dislocations of Hip, Pelvis & Thigh

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	21	8.3	39						
70-74	21	6.0	5						
75-79	49	4.8	7	1	3	4	7	9	9
80-84	44	4.5	4	2	3	4	5	8	8
85 +	86	6.0	20	2	3	4	8	14	16
SUBTOTAL	220	5.7	15	2	3	4	7	9	16
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	44	3.9	4	1	3	3	6	7	7
70-74	79	5.7	15	1	3	5	9	11	13
75-79	29	12.3	225						
80-84	21	9.0	2						
85 +	64	5.1	9	1	3	4	6	11	11
SUBTOTAL	236	6.3	42	1	3	4	8	11	13
GRAND TOTAL	457	6.0	29	2	3	4	8	11	14

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	22	3.9	5						
18-34	43	7.5	10	3	5	7	11	12	12
35-49	28	6.9	35						
50-69	8	3.0							
70 +	0								
	101	6.2	18	2	3	5	10	12	15
0-17	159	4.0	6	1	2	3	6	7	9
18-34	114	4.4	21	1	2	3	6	9	19
35-49	115	7.5	89	1	2	4	7	23	37
50-69	79	5.3	11	2	3	5	7	11	12
70 +	15	1.5							
	482	5.1	32	1	2	4	7	9	14
	584	5.3	30	1	2	4	7	11	15

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	8	7.0							
18-34	0								
35-49	0								
50-69	0	—							
70 +	0								
SUBTOTAL	8	7.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	15	2.0	1						
18-34	21	3.3	3						
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	36	2.8	3						
GRAND TOTAL	44	3.5	5	1	1	3	5	7	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	1.0							
18-34	15	5.5	13						
35-49	0								—
50-69	8	9.0							
70 +	0								
	30	5.3	15						
0-17	29	2.9	6						
18-34	63	3.6	11	1	1	2	4	12	12
35-49	21	2.0	1						
50-69	15	1.5							
70 +	7	3.0							
	136	2.9	7	1	1	2	3	7	10
	166	3.3	9	1	1	2	4	9	9

DRG 238: Osteomyelitis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	417	14.5	96	5	7	12	19	30	40
70-74	335	13.3	57	4	9	12	17	21	31
75-79	269	19.2	159	7	9	14	31	42	44
80-84	114	17.6	172	3	6	13	28	42	42
85 +	188	16.2	118	6	9	13	21	25	38
SUBTOTAL	1324	15.6	113	5	8	13	20	33	40
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	104	10.1	70	3	6	8	12	15	38
70-74	28	13.0	41						
75-79	44	9.7	28	5	6	7	10	21	21
80-84	15	9.2	17						
85 +	22	10.1	26						
SUBTOTAL	212	10.3	50	5	6	8	13	17	23
GRAND TOTAL	1536	14.9	107	5	8	12	19	32	40

TYPE OF PATIENT	BLUE CROSS PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	112	8.8	31	4	5	8	11	21	21
18-34	111	15.0	176	2	5	13	21	42	46
35-49	207	15.3	187	3	6	11	18	43	43
50-69	391	16.5	177	4	7	13	24	41	47
70 +	14	25.0	431						
	835	15.1	171	4	6	11	21	41	45
0-17	485	8.9	29	3	5	7	11	17	21
18-34	122	8.6	88	2	3	6	9	15	42
35-49	123	6.1	14	3	4	5	7	14	16
50-69	213	10.6	54	2	5	10	14	22	25
70 +	0								
	942	8.9	42	2	5	7	12	17	21
	1777	11.8	112	3	5	8	15	24	42

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	91	13.2	15	8	10	13	17	18	19
18-34	164	12.8	83	5	5	10	19	22	28
35-49	117	16.5	257	2	4	11	28	44	58
50-69	44	16.8	279	1	2	13	31	45	45
70 +	0								
SUBTOTAL	416	14.3	140	4	5	11	19	28	44
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	245	14.4	86	4	8	11	21	29	30
18-34	52	12.2	108	3	4	7	23	32	32
35-49	36	16.5	174						
50-69	15	8.1	10						
70 +	0								
SUBTOTAL	347	14.0	97	3	7	11	23	30	32
GRAND TOTAL	763	14.2	120	4	7	11	20	30	39

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	59	17.4	58	7	11	14	22	30	30
18-34	29	10.3	34						
35-49	65	8.8	44	2	5	6	11	24	24
50-69	51	16.0	174	8	8	10	24	46	46
70 +	0								
	204	13.3	92	4	7	10	21	25	30
0-17	141	10.0	56	2	4	7	13	24	27
18-34	7	28.0							
35-49	51	10.6	67	2	3	9	12	28	28
50-69	15	9.2	60						
70 +	8	27.0							
	220	11.2	74	2	4	9	15	27	28
	424	12.2	83	3	6	9	16	27	28

DRG 239: Pathological Fractures & Musculoskeletal & Conn Tiss Malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1941	11.3	71	3	5	9	15	24	30
70-74	1692	10.0	61	3	5	7	13	23	27
75-79	1604	10.3	51	3	5	8	14	22	25
80-84	1530	9.4	37	4	5	8	12	17	23
85 +	1216	8.4	33	3	5	7	10	16	19
SUBTOTAL	7984	10.0	53	3	5	8	13	21	25
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	571	8.1	33	2	3	7	12	18	20
70-74	622	6.8	22	2	4	6	9	12	15
75-79	739	6.7	20	3	4	5	8	14	16
80-84	617	6.9	21	3	4	6	8	14	16
85 +	790	7.0	19	3	4	6	9	11	16
SUBTOTAL	3339	7.1	23	2	4	6	9	14	16
GRAND TOTAL	11323	9.2	46	3	4	7	12	18	24

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	380	7.2	41	1	3	5	10	18	19
18-34	172	10.8	90	2	4	7	15	28	33
35-49	531	10.2	88	2	4	7	13	26	33
50-69	1680	10.8	65	3	5	8	15	22	27
70 +	85	12.5	86	6	7	8	20	24	36
	2847	10.2	70	2	4	8	13	23	28
0-17	295	5.2	50	1	2	3	5	11	23
18-34	113	6.0	42	2	2	4	6	12	28
35-49	207	5.8	17	1	3	4	8	12	13
50-69	517	7.2	29	2	3	6	10	14	21
70 +	44	9.8	14	5	7	9	11	17	17
	1175	6.4	34	1	3	5	8	13	20
	4023	9.1	62	2	4	7	12	20	26

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	76	10.8	76	3	4	6	14	27	27
18-34	46	8.8	36	2	4	8	11	20	20
35-49	125	8.8	48	3	5	6	9	23	29
50-69	341	12.0	67	4	5	10	18	24	29
70 +	15	6.0	1						
SUBTOTAL	601	10.8	63	3	5	8	15	24	29
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	121	3.6	22	< 1	1	2	4	5	21
18-34	23	3.7	2						
35-49	23	5.0	9						
50-69	82	8.6	38	3	4	7	11	17	23
70 +	8	5.0							
SUBTOTAL	257	5.3	28	1	2	4	6	11	21
GRAND TOTAL	858	9.2	59	2	4	6	13	22	26

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	9.8	71						
18-34	53	8.7	56	1	3	5	16	23	23
35-49	134	12.0	71	3	6	10	16	24	36
50-69	397	10.1	71	3	5	8	12	23	27
70 +	177	8.7	42	4	4	6	8	22	22
	793	10.0	64	3	5	7	13	23	25
0-17	68	4.0	3	1	4	5	5	5	5
18-34	8	7.0							
35-49	45	7.3	96	2	3	3	4	30	30
50-69	192	6.4	37	2	3	4	8	12	19
70 +	142	6.3	27	2	3	5	7	11	21
	454	6.1	35	2	3	5	7	11	21
	1247	8.6	57	2	4	6	10	21	24

DRG 240: Connective Tissue Disorders w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	857	8.8	56	2	3	7	11	19	27
70-74	441	10.6	60	3	5	9	14	25	29
75-79	452	8.2	37	4	5	7	10	13	24
80-84	227	10.7	65	3	5	8	13	23	30
85 +	188	8.6	32	3	4	8	11	15	15
SUBTOTAL	2166	9.2	52	3	4	7	12	19	27
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	2166	9.2	52	3	4	7	12	19	27

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	445	7.0	38	2	3	5	10	16	23
18-34	653	4.5	26	1	2	3	5	8	16
35-49	626	7.0	61	2	2	4	8	17	25
50-69	665	7.7	32	2	3	7	9	14	19
70 +	21	7.7	14						
	2410	6.5	41	2	2	4	8	14	19
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2410	6.5	41	2	2	4	8	14	19

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	174	7.4	16	3	5	7	9	11	15
18-34	327	7.4	32	2	3	5	11	16	18
35-49	188	6.0	34	2	2	4	7	14	18
50-69	132	9.	23	5	5	7	12	16	20
70 +	0								
SUBTOTAL	822	7.3	28	2	3	6	10	15	18
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	822	7.3	28	2	3	6	10	15	18

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	114	7.1	39	2	3	5	10	18	24
18-34	194	7.7	82	2	3	4	9	15	29
35-49	102	10.3	192	3	4	5	11	15	57
50-69	74	17.1	343	3	6	12	19	68	68
70 +	28	12.3	224						
	513	9.7	150	2	3	5	12	24	38
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	513	9.7	150	2	3	5	12	24	38

DRG 241: Connective Tissue Disorders w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	414	5.1	18	2	2	4	6	11	15
70-74	153	5.8	7	2	4	6	8	9	11
75-79	223	5.6	12	2	4	5	7	13	14
80-84	80	10.1	171	3	4	6	9	24	49
85 +	80	3.3	2	1	2	3	4	5	5
SUBTOTAL	950	5.6	28	2	3	4	7	11	13
GRAND TOTAL	950	5.6	28	2	3	4	7	11	13

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1430	4.2	8	1	2	4	5	8	10
18-34	441	4.1	10	1	2	3	5	8	11
35-49	740	3.9	16	1	2	3	5	7	10
50-69	443	4.5	7	2	3	4	6	8	9
70 +	8	6.0							
	3061	4.1	10	1	2	3	5	8	10
	3061	4.1	10	1	2	3	5	8	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	430	4.7	12	1	2	4	6	8	14
18-34	195	6.9	41	1	2	6	8	15	23
35-49	148	3.9	12	2	2	3	5	7	17
50-69	22	6.1	17						
70 +	0								
SUBTOTAL	795	5.1	20	1	2	4	7	9	15
GRAND TOTAL	795	5.1	20	1	2	4	7	9	15

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	400	4.9	12	2	3	4	5	9	15
18-34	170	5.2	96	1	1	2	5	8	9
35-49	59	6.6	20	1	3	7	9	16	16
50-69	73	4.8	9	2	2	4	6	12	12
70 +	7	1.0							
	710	5.0	33	1	2	4	6	9	15
	710	5.0	33	1	2	4	6	9	15

DRG 242: Septic Arthritis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	168	12.0	71	4	5	10	17	21	30
70-74	87	13.4	73	4	8	13	19	28	29
75-79	59	10.6	26	3	6	11	13	21	21
80-84	21	7.0	14						
85 +	58	15.5	191	4	7	13	19	48	48
SUBTOTAL	393	12.3	82	4	6	11	17	28	30
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	94	4.9	9	2	3	4	7	10	11
70-74	28	3.2							
75-79	57	7.9	45	1	5	6	8	24	24
80-84	28	12.3	100						
85 +	36	12.5	32						
SUBTOTAL	244	7.4	41	2	3	5	10	17	24
GRAND TOTAL	637	10.5	72	3	4	8	14	21	28

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	90	9.5	18	6	7	9	13	16	16
18-34	44	5.6	6	1	4	6	8	8	8
35-49	50	12.3	174	4	4	7	15	42	42
50-69	95	15.4	182	6	8	8	18	31	54
70 +	0								
SUBTOTAL	279	11.4	111	4	6	8	15	19	42
0-17	344	6.0	25	2	3	5	8	12	17
18-34	134	7.9	39	3	4	6	11	16	25
35-49	134	6.9	15	2	5	6	7	14	16
50-69	58	6.4	7	3	4	6	8	11	11
70 +	0								
SUBTOTAL	670	6.6	25	2	3	5	8	13	17
GRAND TOTAL	949	8.0	55	2	4	6	9	16	18

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	22	14.7	22						
18-34	37	10.0	106						
35-49	51	15.9	118	3	7	15	23	38	38
50-69	8	12.0							
70 +	0								
SUBTOTAL	118	13.6	94	3	7	11	17	31	38
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	177	10.7	51	3	4	11	15	21	26
18-34	42	4.5	4	2	2	6	6	7	7
35-49	15	10.5	7						
50-69	8	26.0							
70 +	0								
SUBTOTAL	242	10.1	52	2	4	8	14	21	26
GRAND TOTAL	361	11.3	68	3	5	9	15	24	28

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	15	11.8	17						
18-34	30	5.8	11						
35-49	0								
50-69	0								
70 +	22	8.1	31						
SUBTOTAL	67	7.8	24	2	3	8	9	16	16
0-17	135	7.0	14	3	4	6	10	14	14
18-34	28	3.6	2						
35-49	44	5.7	11	2	3	5	10	10	10
50-69	0								
70 +	0								
SUBTOTAL	208	6.3	13	2	3	6	10	10	14
GRAND TOTAL	275	6.6	16	2	3	6	10	14	15

DRG 243: Medical Back Problems

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2812	7.0	29	2	3	6	9	14	17
70-74	2236	7.4	28	2	4	6	10	14	19
75-79	2410	7.4	25	2	4	6	10	14	17
80-84	2522	8.1	41	3	4	7	10	15	17
85 +	2252	7.8	24	3	4	7	10	15	18
SUBTOTAL	12233	7.5	30	2	4	6	10	14	17
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	4275	4.6	13	1	2	4	6	9	12
70-74	2572	4.7	15	1	2	4	7	10	11
75-79	2490	5.0	13	1	2	4	7	10	12
80-84	1721	5.4	12	2	3	5	7	10	13
85 +	1372	5.4	9	2	3	5	7	9	10
SUBTOTAL	12429	4.9	13	1	2	4	7	9	12
GRAND TOTAL	24662	6.2	23	1	3	5	8	12	15

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	299	3.8	11	1	1	3	6	9	10
18-34	995	5.2	13	1	3	4	7	10	12
35-49	2002	6.0	24	1	3	5	8	11	14
50-69	2860	6.5	33	1	3	5	9	12	16
70 +	225	7.6	32	3	3	6	9	15	22
	6382	6.0	26	1	3	5	8	11	15
0-17	1107	2.7	8	1	1	2	3	6	8
18-34	7227	3.8	10	1	1	3	5	7	9
35-49	12429	4.0	12	1	1	3	5	8	10
50-69	9421	4.1	16	1	1	3	6	8	10
70 +	191	5.9	19	1	3	6	8	10	12
	30374	4.0	13	1	1	3	5	8	10
	36756	4.3	16	1	2	3	6	9	11

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	75	4.2	18	< 1	1	4	6	13	15
18-34	310	6.5	24	1	2	5	8	13	17
35-49	398	5.7	26	1	2	5	8	11	15
50-69	369	6.9	30	1	3	5	9	17	19
70 +	22	7.8	68						
SUBTOTAL	1174	6.3	27	1	2	5	8	13	17
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	244	2.8	8	< 1	1	2	3	7	9
18-34	1284	4.2	7	1	2	4	6	8	9
35-49	1213	4.7	14	1	2	4	7	9	11
50-69	580	4.5	11	1	2	4	6	10	11
70 +	30	5.0	10						
SUBTOTAL	3351	4.3	11	1	2	4	6	9	10
GRAND TOTAL	4525	4.8	16	1	2	4	6	10	12

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
	–								
0-17	73	3.1	13	1	1	2	3	8	13
18-34	333	5.0	17	1	2	4	6	10	13
35-49	327	5.8	25	2	3	5	7	10	15
50-69	364	7.0	34	1	3	6	8	15	23
70 +	345	6.9	26	3	4	6	8	10	12
	1441	6.0	26	2	3	5	8	11	15
0-17	357	2.7	10	1	1	2	3	5	7
18-34	1975	3.8	10	1	1	3	5	8	11
35-49	2087	4.1	13	1	1	3	5	8	11
50-69	1081	3.5	8	1	1	3	5	8	9
70 +	336	5.8	92	1	2	4	7	11	11
	5837	3.9	16	1	1	3	5	8	11
	7279	4.3	19	1	2	3	6	9	11

DRG 244: Bone Diseases & Specific Arthropathies w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	569	5.4	13	1	3	5	8	11	13
70-74	441	6.2	31	1	3	4	7	16	18
75-79	564	6.6	37	2	3	5	8	14	21
80-84	574	6.6	17	2	4	6	8	13	16
85 +	536	6.9	43	3	4	6	8	10	14
SUBTOTAL	2684	6.3	28	2	3	5	8	12	16
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	2684	6.3	28	2	3	5	8	12	16

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	111	4.4	13	1	2	3	7	8	15
18-34	21	2.3	1						
35-49	66	6.1	22	< 1	3	4	10	15	15
50-69	278	5.6	18	1	3	5	8	10	17
70 +	42	4.4	12	1	2	2	8	10	10
	519	5.2	17	1	2	3	8	10	15
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	519	5.2	17	1	2	3	8	10	15

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	38	2.8	1						
18-34	15	4.5	7						
35-49	28	6.3	6						
50-69	58	4.6	26	< 1	1	2	4	17	17
70 +	7	4.0							
SUBTOTAL	147	4.4	13	1	2	3	4	8	11
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	147	4.4	13	1	2	3	4	8	11

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	15	1.5							
18-34	0								
35-49	7	11.0							
50-69	60	4.7	6	1	2	4	6	9	9
70 +	118	9.0	105	2	3	7	10	45	99 +
	199	7.2	70	2	3	5	9	20	45
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	199	7.2	70	2	3	5	9	20	45

DRG 245: Bone Diseases & Specific Arthropathies w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	312	3.7	6	1	2	3	5	7	8
70-74	250	4.4	15	1	2	3	7	8	8
75-79	390	4.7	11	2	2	4	6	9	11
80-84	266	5.1	15	1	2	4	7	10	14
85 +	334	5.9	11	3	3	5	7	11	12
SUBTOTAL	1553	4.8	12	1	2	4	6	8	11
GRAND TOTAL	1553	4.8	12	1	2	4	6	8	11

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	539	4.2	15	1	1	3	6	8	12
18-34	118	3.9	5	2	2	3	5	7	9
35-49	226	4.0	8	1	2	3	6	9	10
50-69	398	4.0	11	1	2	3	5	9	12
70 +	21	3.0	5						
	1302	4.1	11	1	2	3	6	8	11
	1302	4.1	11	1	2	3	6	8	11

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	136	6.9	36	< 1	2	5	11	19	21
18-34	15	3.5							
35-49	36	2.2	3						
50-69	35	5.0	1						
70 +	7	3.0							
SUBTOTAL	228	5.5	25	< 1	2	4	6	13	19
GRAND TOTAL	228	5.5	25	< 1	2	4	6	13	19

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0					-			
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	150	5.7	15	2	2	5	8	12	14
18-34	28	4.4	15						
35-49	14	4.5	2						
50-69	87	5.0	21	2	2	3	6	8	18
70 +	155	9.7	82	1	3	6	13	26	32
	434	6.9	44	1	3	4	10	14	24
	434	6.9	44	1	3	4	10	14	24

DRG 246: Non-specific Arthropathies

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	51	5.5	19	2	2	4	7	15	15
70-74	36	7.1	17						
75-79	65	7.6	10	4	5	7	9	15	15
80-84	57	8.1	17	2	3	8	10	14	14
85 +	28	4.5	2						
SUBTOTAL	237	6.8	15	3	4	6	9	14	15
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	35	7.7	32						
70-74	21	4.5	17						
75-79	43	6.7	9	4	5	5	9	12	12
80-84	21	4.0	2						
85 +	29	2.8	1						
SUBTOTAL	150	5.5	16	2	3	4	8	11	12
GRAND TOTAL	387	6.3	16	2	3	5	9	13	15

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	29	3.2	2						
18-34	30	7.5	24						
35-49	75	6.1	5	3	4	6	7	10	10
50-69	56	7.1	24	2	3	8	8	18	18
70 +	7	1.0							
	197	6.0	15	2	2	5	8	10	14
0-17	126	2.6	2	1	2	2	3	5	7
18-34	44	3.3	2	2	2	3	4	6	6
35-49	30	5.0	8						
50-69	117	4.6	9	2	3	4	5	11	12
70 +	0								
	317	3.7	6	2	2	3	4	7	9
	514	4.6	11	2	2	3	6	9	11

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	15	5.0	1						
35-49	7	2.0							
50-69	15	8.2	32						
70 +	0								
SUBTOTAL	37	5.7	18						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	23	7.3	21						
18-34	7	2.0							
35-49	28	3.5	2						
50-69	22	5.1	14						
70 +	0								
SUBTOTAL	80	4.9	13	1	2	3	10	11	11
GRAND TOTAL	116	5.2	15	2	2	3	10	11	14

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	23	4.0	5						
35-49	7	5.0							
50-69	0								
70 +	8	2.0							
	37	3.8	4						
0-17	15	5.5	2						
18-34	28	3.0	1						
35-49	15	1.5							
50-69	36	2.8	2						
70 +	0								
	95	3.1	3	1	2	3	4	5	7
	132	3.3	3	1	2	3	5	6	7

DRG 247: Signs & Symptoms of Musculoskeletal System & Conn Tissue

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	333	4.5	14	1	2	3	7	10	14
70-74	172	5.5	49	1	2	4	7	7	11
75-79	197	5.6	19	1	2	4	8	14	15
80-84	195	8.1	27	3	4	7	9	17	20
85 +	205	5.9	15	2	3	5	7	12	14
SUBTOTAL	1103	5.7	24	1	2	4	7	13	16
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	434	4.0	13	1	2	3	5	8	12
70-74	252	3.4	8	1	2	3	4	5	9
75-79	230	3.7	11	1	2	2	6	8	11
80-84	116	4.6	10	2	2	4	6	10	13
85 +	202	4.1	6	1	2	4	6	7	9
SUBTOTAL	1235	3.9	10	1	2	3	5	7	10
GRAND TOTAL	2337	4.8	18	1	2	3	6	10,	14

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
	–								
0-17	151	3.3	6	1	2	2	4	9	10
18-34	104	4.9	13	2	2	3	7	10	14
35-49	322	3.7	7	1	2	3	6	7	9
50-69	448	3.9	7	2	2	3	5	7	10
70 +	21	6.1	3						
	1046	3.9	7	1	2	3	5	8	10
0-17	510	3.6	41	1	1	2	4	4	8
18-34	516	3.0	7	1	1	2	4	5	8
35-49	1062	3.3	13	1	1	2	4	5	8
50-69	755	2.6	5	1	1	2	3	5	7
70 +	8	1.0							
	2850	3.1	15	1	1	2	4	5	8
	3896	3.3	13	1	1	2	4	6	8

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	52	5.3	45	1	2	2	5	21	21
18-34	42	6.1	50	2	2	3	4	21	21
35-49	86	3.7	5	1	3	3	5	7	9
50-69	58	7.9	55	1	2	3	16	20	20
70 +	8	14.0							
SUBTOTAL	245	5.8	37	1	2	3	5	16	21
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	135	2.2	5	1	1	2	2	4	11
18-34	143	3.2	2	1	2	3	4	6	7
35-49	107	2.9	4	< 1	1	3	5	6	6
50-69	56	3.2	3	1	2	3	5	6	6
70 +	8	5.0							
SUBTOTAL	448	2.9	4	1	1	3	4	5	6
GRAND TOTAL	694	3.9	18	1	2	3	4	7	15

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	22	4.4	17						
18-34	87	5.2	17	1	2	4	9	12	12
35-49	80	3.9	10	1	2	3	5	6	13
50-69	107	3.8	7	1	2	3	4	9	10
70 +	58	4.8	8	2	2	4	7	11	11
	353	4.4	11	1	2	3	6	10	12
0-17	142	3.0	8	1	1	2	4	5	14
18-34	152	2.6	5	1	1	2	4	6	8
35-49	183	3.0	3	1	1	3	4	6	7
50-69	209	2.6	6	1	1	2	3	5	6
70 +	72	2.6	2	1	1	2	4	5	5
	758	2.8	5	1	1	2	4	5	7
	1111	3.3	8	1	1	2	4	7	10

DRG 248: Tendonitis, Myositis & Bursitis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	229	6.2	14	2	3	6	8	12	14
70-74	174	6.4	17	2	3	6	8	11	16
75-79	159	7.1	19	3	5	6	8	15	16
80-84	94	8.7	53	1	4	6	11	21	25
85 +	85	8.8	37	3	5	7	11	17	24
SUBTOTAL	740	7.1	24	2	4	6	9	15	17
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	270	3.9	7	1	2	3	5	8	11
70-74	97	4.6	24	1	1	3	4	10	18
75-79	71	7.8	132	2	3	4	7	18	42
80-84	130	6.6	26	2	3	5	10	15	19
85 +	101	5.3	12	1	2	5	8	11	11
SUBTOTAL	668	5.2	29	1	2	4	7	11	13
GRAND TOTAL	1409	6.2	27	2	3	5	8	12	16

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	103	2.3	2	1	1	2	3	4	7
18-34	205	3.6	2	2	3	3	5	5	5
35-49	209	5.2	20	1	2	4	6	9	17
50-69	342	4.6	16	1	2	3	6	8	11
70 +	0								
	858	4.2	13	1	2	3	5	8	10
0-17	613	2.9	4	1	2	2	3	6	7
18-34	335	4.0	7	1	2	4	5	7	7
35-49	561	2.6	3	1	1	2	3	5	7
50-69	699	2.7	5	1	1	2	3	5	7
70 +	21	5.9	9						
	2230	3.0	5	1	1	2	4	6	7
	3088	3.3	8	1	1	3	4	6	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	15	3.0	4						
18-34	37	7.3	46						
35-49	51	6.4	36	2	2	3	12	19	19
50-69	28	8.4	17						
70 +	0								
SUBTOTAL	131	6.7	33	2	3	5	12	19	20
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	158	3.2	4	1	2	3	5	6	6
18-34	43	4.3	3	2	3	4	6	7	7
35-49	35	3.4	2						
50-69	8	4.0							
70 +	0								
SUBTOTAL	243	3.4	3	1	2	3	5	6	7
GRAND TOTAL	374	4.6	16	2	2	3	5	8	13

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	23	2.3	2						
18-34	29	5.8	4						
35-49	66	3.6	7	1	2	3	7	99 +	99 +
50-69	28	4.0	9						
70 +	8	4.0							
	154	3.9	7	1	2	4	6	9	45
0-17	210	3.1	4	1	2	3	4	5	5
18-34	123	3.1	2	1	2	3	4	5	6
35-49	143	2.7	3	1	1	2	3	6	8
50-69	96	2.1	1	1	1	2	3	3	4
70 +	15	1.5							
	588	2.8	3	1	1	3	4	5	6
	742	3.0	4	1	2	3	4	6	9

DRG 249: Aftercare, Musculoskeletal System & Connective Tissue

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	259	6.7	29	2	3	6	8	13	21
70-74	139	9.3	121	1	2	7	10	21	34
75-79	101	6.6	19	2	3	6	9	14	16
80-84	123	8.3	42	2	4	6	10	22	25
85 +	137	6.9	31	2	3	5	9	11	26
SUBTOTAL	758	7.4	48	2	3	6	9	14	22
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	364	4.0	14	1	2	3	4	9	12
70-74	218	4.1	11	1	1	3	7	10	10
75-79	224	4.0	12	1	1	2	6	10	10
80-84	130	5.0	21	< 1	1	3	8	11	17
85 +	145	4.1	20	1	2	3	4	7	21
SUBTOTAL	1081	4.2	15	1	1	3	6	9	11
GRAND TOTAL	1839	5.5	31	1	2	4	7	11	16

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	84	5.4	117	< 1	< 1	1	4	6	39
18-34	38	9.4	146						
35-49	8	1.0							
50-69	65	9.1	91	1	3	6	10	32	34
70 +	28	5.3	6						
SUBTOTAL	223	7.0	100	< 1	1	3	7	33	34
0-17	399	3.9	45	< 1	1	1	4	7	8
18-34	65	6.1	72	1	2	4	5	29	29
35-49	118	4.8	11	2	3	4	6	10	14
50-69	262	3.3	10	< 1	1	2	5	7	12
70 +	15	7.0	4						
SUBTOTAL	859	4.1	32	< 1	1	2	5	8	12
GRAND TOTAL	1082	4.7	47	< 1	1	2	6	9	14

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	61	3.1	3	1	2	3	5	5	5
18-34	15	5.5	22						
35-49	23	2.3	1						
50-69	22	11.3	6						
70 +	8	1.0							
SUBTOTAL	129	4.5	15	1	1	3	5	12	14
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	226	4.0	17	1	2	3	4	8	17
18-34	37	10.7	94						
35-49	23	1.0							
50-69	8	18.0							
70 +	7	5.0							
SUBTOTAL	300	4.9	34	1	1	3	5	18	21
GRAND TOTAL	429	4.8	29	1	1	3	5	14	18

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	1.0							
18-34	14	4.0	10						
35-49	23	3.3							
50-69	30	10.8	63						
70 +	53	21.9	463	3	11	18	60	99 +	99 +
SUBTOTAL	127	12.7	274	1	3	7	22	99 +	99 +
0-17	37	2.2	1						
18-34	81	2.0	1	< 1	1	2	3	4	4
35-49	21	2.0							
50-69	45	1.7	1	1	1	2	2	3	3
70 +	66	4.3	15	1	2	2	4	13	13
SUBTOTAL	251	2.6	6	1	1	2	3	4	9
GRAND TOTAL	378	6.0	118	1	2	3	4	18	60

DRG 250: Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	80	6.4	17	2	3	6	8	13	16
70-74	87	4.4	10	1	1	3	7	8	11
75-79	167	4.4	9	1	2	4	5	9	11
80-84	145	4.6	3	2	4	5	6	8	8
85 +	236	6.8	28	2	3	5	8	13	21
SUBTOTAL	714	5.5	16	1	3	5	7	11	13
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	714	5.5	16	1	3	5	7	11	13

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	164	3.7	17	1	1	3	4	7	8
35-49	109	5.9	22	1	3	5	8	10	20
50-69	211	4.6	22	1	2	3	6	8	12
70 +	30	7.1	39						
SUBTOTAL	513	4.7	22	1	2	3	6	8	17
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	513	4.7	22	1	2	3	6	8	17

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	8	2.0							
35-49	49	4.2	10	1	2	3	8	10	10
50-69	28	4.3	4						
70 +	0								
SUBTOTAL	85	4.0	8	1	2	3	6	8	10
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	85	4.0	8	1	2	3	6	8	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	59	4.3	13	2	2	4	5	13	13
35-49	30	3.8	10						
50-69	28	3.4	16						
70 +	15	2.6	2						
SUBTOTAL	132	3.8	12	<1	1	2	4	10	13
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	132	3.8	12	<1	1	2		10	13

DRG 251: Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	173	3.0	11	1	1	2	3	6	12
70-74	159	3.3	6	1	2	2	4	7	8
75-79	129	3.8	12	1	2	2	4	10	13
80-84	72	3.0	8	1	1	2	3	8	10
85 +	182	2.5	2	1	1	2	3	4	4
SUBTOTAL	715	3.1	7	1	1	2	3	7	10
GRAND TOTAL	715	3.1	7	1	1	2	3	7	10

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0-17	0								
18-34	526	2.6	3	1	1	2	4	5	6
35-49	487	2.4	3	1	1	2	3	4	5
50-69	391	2.3	2	1	1	2	3	4	4
70 +	21	4.4	7						
	1426	2.5	3	1	1	2	3	4	6
	1426	2.5	3	1	1	2	3	4	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	159	2.5	2	1	1	2	4	5	5
35-49	102	2.6	2	1	1	2	4	4	6
50-69	21	2.4	4						
70 +	8	4.0							
SUBTOTAL	290	2.6	2	1	1	2	4	5	5
GRAND TOTAL	290	2.6	2	1	1	2	4	5	5

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0-17	0								
18-34	378	2.3	3	< 1	1	2	3	5	6
35-49	145	2.7	3	< 1	1	2	4	5	6
50-69	80	1.6	1	< 1	1	1	2	3	3
70 +	35	9.5	180						
	639	2.7	15	< 1	1	2	3	5	6
	639	2.7	15	< 1	1	2	3	5	6

DRG 252: Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0							—	
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	94	2.1	3	1	1	1	3	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	94	2.1	3	1	1	1	3	4	6
0-17	2673	1.5	1	1	1	1	2	2	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	2673	1.5	1	1	1	1	2	2	3
GRAND TOTAL	2766	1.5	1	1	1	1	2	2	3

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	37	2.0	1						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	37	2.0	1						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	606	1.8	2	1	1	1	2	3	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	606	1.8	2	1	1	1	2	3	5
GRAND TOTAL	642	1.8	2	1	1	1	2	3	4

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	29	3.4	14						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	29	3.4	14						
0-17	890	1.3	1	< 1	1	1	1	3	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	890	1.3	1	< 1	1	1	1	3	3
GRAND TOTAL	919	1.4	1	< 1	1	1	1	3	3

DRG 253: Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	902	6.0	33	1	3	5	7	11	14
70-74	652	6.5	45	2	3	5	8	10	14
75-79	707	6.5	19	2	4	5	8	14	15
80-84	738	6.4	18	3	3	5	8	13	14
85 +	1071	7.3	33	2	4	6	10	13	19
SUBTOTAL	4071	6.6	30	2	3	5	8	12	15
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	4071	6.6	30	2	3	5	8	12	15

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	464	3.7	10	1	1	3	5	7	11
35-49	398	3.7	9	1	2	3	4	7	10
50-69	642	5.2	33	1	2	4	6	10	13
70 +	116	8.6	90	1	4	7	11	13	43
	1620	4.6	26	1	2	3	6	8	12
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1620	4.6	26	1	2	3	6	8	12

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	117	2.9	3	1	1	3	4	5	7
35-49	104	6.2	25	1	3	4	7	15	18
50-69	150	7.5	73	2	3	4	9	19	35
70 +	0								
SUBTOTAL	371	5.7	41	1	2	3	7	12	18
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	371	5.7	41	1	2	3	7	12	18

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	247	3.5	19	1	2	3	4	5	7
35-49	174	4.9	13	1	2	4	8	10	13
50-69	142	5.7	24	2	3	5	6	12	16
70 +	146	13.5	335	3	4	7	12	23	66
	709	6.4	97	1	2	4	6	12	23
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	709	6.4	97	1	2	4	6	12	23

DRG 254: Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	841	3.9	14	1	2	3	5	9	9
70-74	575	4.2	7	1	2	4	5	8	9
75-79	584	5.5	83	1	3	4	6	9	11
80-84	636	4.3	10	1	2	4	5	7	8
85 +	654	3.9	9	1	2	3	5	8	10
SUBTOTAL	3290	4.3	23	1	2	3	5	8	9
GRAND TOTAL	3290	4.3	23	1	2	3	5	8	9

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	0								
18-34	1505	2.5	3	1	1	2	3	5	6
35-49	1356	2.9	12	1	1	2	3	5	7
50-69	1187	3.4	8	1	1	3	4	6	9
70 +	79	3.7	3	1	2	4	5	6	7
	4127	2.9	8	1	1	2	4	5	8
	4127	2.9	8	1	1	2	4	5	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	402	2.8	4	1	1	2	3	6	7
35-49	241	4.3	12	1	2	4	6	8	9
50-69	109	4.4	24	1	1	2	6	11	19
70 +	7	1.0							
SUBTOTAL	759	3.5	10	1	1	3	5	7	9
GRAND TOTAL	759	3.5	10	1	1	3	5	7	9

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	0								
18-34	861	2.5	3	1	1	2	3	5	6
35-49	481	2.6	4	1	1	2	4	5	6
50-69	299	4.2	46	<1	1	2	4	8	12
70 +	128	5.5	31	1	2	3	5	14	21
	1769	3.0	13	1	1	2	4	5	8
	1769	3.0	13	1	1	2	4	5	8

DRG 255: Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	15	1.5							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	15	1.5							
GRAND TOTAL	15	1.5							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	296	3.9	17	1	2	3	5	10	14
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	296	3.9	17	1	2	3	5	10	14
0-17	3574	2.0	4	1	1	1	2	3	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	3574	2.0	4	1	1	1	2	3	5
	3870	2.1	5	1	1	1	2	4	5

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	132	5.4	31	1	2	3	7	12	23
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	132	5.4	31	1	2	3	7	12	23
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1163	2.5	7	1	1	2	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1163	2.5	7	1	1	2	3	5	6
GRAND TOTAL	1295	2.8	10	1	1	2	3	6	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	141	4.4	15	1	2	3	6	14	14
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	141	4.4	15	1	2	3	6	14	14
0-17	1655	2.3	9	1	1	2	3	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1655	2.3	9	1	1	2	3	4	6
	1796	2.5	10	1	1	2	3	5	7

DRG 256: Other Musculoskeletal System & Connective Tissue Diagnoses

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	481	5.9	31	1	2	4	8	13	15
70-74	239	5.2	15	1	2	4	7	10	11
75-79	259	5.3	17	1	2	4	7	11	17
80-84	177	5.6	14	2	3	4	9	11	13
85 +	109	7.6	57	2	3	4	10	22	28
SUBTOTAL	1266	5.7	25	1	2	4	8	11	15
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	293	3.1	5	1	1	2	5	7	8
70-74	173	3.3	6	1	2	3	4	8	9
75-79	139	4.1	10	1	1	3	5	10	11
80-84	129	4.4	7	1	2	4	6	9	11
85 +	57	5.3	13	1	4	4	8	13	13
SUBTOTAL	790	3.7	8	1	2	3	5	8	10
GRAND TOTAL	2056	5.0	20	1	2	4	6	10	13

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	149	3.4	9	1	1	2	5	9	9
18-34	98	3.2	6	1	1	2	4	8	8
35-49	691	3.4	11	1	2	3	4	5	8
50-69	1	4.5	11	2	2	4	6	8	10
70 +	5	3.4							
	1063	3.8	10	1	2	3	5	8	9
	848	4.1	31	< 1	1	2	4	11	21
	400	2.5	9	< 1	1	2	3	4	8
	981	2.5	3	1	1	2	3	5	5
	764	3.1	4	1	2	3	4	6	7
	29	3.0	2						
	3121	3.1	13	1	1	2	4	6	9
	4184	3.3	12	1	1	2	4	6	9

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	127	5.4	58	1	2	2	3	16	31
18-34	94	3.5	13	1	1	2	3	10	13
35-49	131	4.7	17	1	2	4	5	12	18
50-69	130	3.5	6	1	1	3	6	7	8
70 +	0								
SUBTOTAL	481	4.3	25	1	2	3	5	10	14
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	475	4.7	35	1	1	2	7	13	18
18-34	180	2.8	8	1	1	2	3	8	9
35-49	86	2.1	1	1	1	2	3	3	4
50-69	79	3.8	8	1	1	4	5	9	10
70 +	7	2.0							
SUBTOTAL	827	3.9	24	1	1	2	4	10	15
GRAND TOTAL	1309	4.1	24	1	1	2	4	10	15

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	68	2.6	3	< 1	1	2	3	7	7
18-34	67	3.5	6	< 1	2	3	5	9	9
35-49	72	3.9	22	1	2	2	3	7	18
50-69	106	3.5	6	1	2	3	4	7	10
70 +	21	4.7	4						
	335	3.5	9	1	2	2	4	7	9
	227	4.5	27	< 1	1	2	7	10	17
	147	4.1	34	< 1	2	2	4	9	27
	273	3.7	56	< 1	1	2	3	6	7
	132	2.6	4	1	1	2	3	6	8
	51	3.8	23	1	1	2	3	15	15
	830	3.8	34	1	1	2	3	8	10
	1165	3.7	27	1	1	2	4	7	10

DRG 257: Total Mastectomy for Malignancy w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1952	4.5	6	2	3	4	5	7	8
70-74	1621	5.2	13	3	3	4	6	9	13
75-79	1431	5.1	11	3	3	4	6	8	10
80-84	889	5.4	24	3	3	4	6	7	11
85 +	791	5.5	11	3	3	5	7	10	14
SUBTOTAL	6684	5.0	12	3	3	4	6	8	11
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	6684	5.0	12	3	3	4	6	8	11

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	146	4.1	3	2	3	4	5	8	8
35-49	1563	3.9	9	2	3	3	5	6	7
50-69	2725	4.1	6	2	3	4	5	6	7
70 +	94	5.1	22	3	3	4	4	7	21
	4528	4.1	7	2	3	4	5	6	7
	0								
	0								
	0								
	0								
	0								
	0								
	4528	4.1	7	2	3	4	5	6	7

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	44	3.9		3	3	4	4	5	5
35-49	148	4.0	1	3	4	4	4	6	7
50-69	233	4.9	5	3	4	4	6	7	8
70 +	15	5.0							
SUBTOTAL	441	4.5	3	3	4	4	5	6	8
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	441	4.5	3	3	4	4	5	6	8

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	44	3.8	3	2	3	3	5	7	7
35-49	347	3.6	9	2	3	3	4	5	5
50-69	565	3.5	5	2	2	3	4	6	6
70 +	142	3.5	2	2	2	3	5	5	8
	1098	3.6	6	2	2	3	4	5	6
	0								
	0								
	0								
	0								
	0								
	0								
	1098	3.6	6	2	2	3	4	5	6

North Central Region, July 1989 - June 1990

DRG 258: Total Mastectomy for Malignancy w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	2412	3.7	2	2	3	4	4	6	6
70-74	2077	3.8	3	2	3	3	5	6	7
75-79	1447	4.0	3	2	3	4	5	6	7
80-84	898	3.7	3	2	3	3	4	5	8
85 +	403	3.8	3	2	3	3	5	6	8
SUBTOTAL	7238	3.8	3	2	3	4	5	6	7
GRAND TOTAL	7238	3.8	3	2	3	4	5	6	7

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	8	2.0							
18-34	342	3.2	1	2	2	3	4	5	5
35-49	2619	3.3	2	2	2	3	4	5	5
50-69	4583	3.4	2	2	3	3	4	5	6
70 +	50	3.1	1	2	2	3	4	5	5
	7602	3.4	2	2	3	3	4	5	6
	7602	3.4	2	2	3	3	4	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	36	4.4	3						
35-49	160	3.8	3	2	3	3	5	6	8
50-69	242	4.0	8	2	3	3	4	5	12
70 +	15	5.4	2						
SUBTOTAL	453	4.0	6	2	3	3	5	6	7
GRAND TOTAL	453	4.0	6	2	3	3	5	6	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	139	3.1	2	1	2	3	4	4	6
35-49	454	3.3	8	2	2	3	3	4	5
50-69	994	3.1	4	2	2	3	4	5	5
70 +	353	2.7	1	2	2	3	3	4	4
	1940	3.0	4	2	2	3	3	4	5
	1940	3.0	4	2	2	3	3	4	5

DRG 259: Subtotal Mastectomy for Malignancy w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	182	4.7	13	1	2	4	7	10	10
70-74	161	5.0	15	2	2	4	6	11	14
75-79	131	7.8	83	2	3	4	9	17	40
80-84	117	5.8	18	2	3	5	8	9	20
85 +	81	9.9	34	3	4	8	16	18	18
SUBTOTAL	672	6.2	34	2	2	4	8	15	17
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	672	6.2	34	2	2	4	8	15	17

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	22	1.3							
35-49	263	3.9	7	2	3	3	5	7	11
50-69	258	6.9	82	1	2	4	7	24	32
70 +	22	15.6	63						
	566	5.6	49	1	2	3	5	11	26
	0								
	0								
	0								
	0								
	0								
	0								
	566	5.6	49	1	2	3	5	11	26

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	7	2.0							
35-49	29	3.5							
50-69	58	9.1	57	3	4	6	14	26	26
70 +	0								
SUBTOTAL	94	6.8	43	3	3	4	9	14	26
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	94	6.8	43	3	3	4	9	14	26

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	8	1.0							
35-49	59	3.1	4	1	2	3	4	8	8
50-69	82	4.6	31	1	2	2	3	15	18
70 +	30	2.5							
	178	3.6	17	1	2	2	3	8	14
	0								
	0								
	0								
	0								
	0								
	0								
	178	3.6	17	1	2	2	3	8	14

DRG 260: Subtotal Mastectomy for Malignancy w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	275	2.5	1	1	2	2	3	4	5
70-74	236	2.9	4	1	2	3	3	5	6
75-79	193	2.7	1	1	2	3	3	4	5
80-84	58	1.8		1	1	2	2	3	3
85 +	58	2.9	2	1	2	3	4	5	5
SUBTOTAL	821	2.6	2	1	2	3	3	4	5
GRAND TOTAL	821	2.6	2	1	2	3	3	4	5

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	0								
18-34	74	2.7	3	1	1	3	4	6	6
35-49	804	3.3	36	1	2	2	3	4	6
50-69	738	2.5	2	1	2	2	3	4	4
70 +	0								
SUBTOTAL	1616	2.9	19	1	2	2	3	4	5
GRAND TOTAL	1616	2.9	19	1	2	2	3	4	5

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	51	2.6	1	1	2	2	4	4	4
50-69	30	3.7							
70 +	0								
SUBTOTAL	81	3.0	1	2	2	3	4	4	4
GRAND TOTAL	81	3.0	1	2	2	3	4	4	4

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	0								
18-34	37	1.6	1						
35-49	145	2.4	4	1	1	2	3	3	5
50-69	184	1.7	1	1	1	2	2	3	3
70 +	36	2.4	1						
SUBTOTAL	402	2.0	2	1	1	2	3	3	3
GRAND TOTAL	402	2.0	2	1	1	2	3	3	3

DRG 261: Breast Proc for Non-malignancy except Biopsy & Local Excision

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	119	5.1	34	<1	2	3	5	18	20
70-74	15	4.3	13						
75-79	7	1.0							
80-84	0								
85 +	7	3.0							
SUBTOTAL	147	4.7	30	<1	2	3	5	18	20
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	312	2.7	3	1	1	2	3	4	6
70-74	102	2.0	1	1	1	2	3	4	4
75-79	43	3.3	4	1	2	3	4	7	7
80-84	21	1.3							
85 +	0								
SUBTOTAL	479	2.6	3	1	1	2	3	4	6
GRAND TOTAL	627	3.1	10	1	1	2	3	5	10

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	15	2.5							
18-34	116	2.3	1	1	2	2	3	3	3
35-49	204	3.5	5	1	2	3	5	7	8
50-69	153	4.6	34	2	2	3	5	7	25
70 +	0								
SUBTOTAL	488	3.5	14	1	2	3	4	6	8
0-17	334	1.8	1	1	1	2	2	3	4
18-34	1757	1.9	1	1	1	2	2	3	3
35-49	1737	2.3	3	1	1	2	3	4	4
50-69	1042	2.2	2	1	1	2	3	4	5
70 +	0								
SUBTOTAL	4869	2.1	2	1	1	2	3	3	4
GRAND TOTAL	5356	2.2	3	1	1	2	3	4	4

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	7	3.0							
18-34	51	2.5	1	1	2	2	3	4	4
35-49	37	4.0	12						
50-69	8	2.0							
70 +	0								
SUBTOTAL	102	3.0	5	1	2	3	3	5	10
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	53	1.4		1	1	1	2	2	2
18-34	222	2.2	1	1	1	2	3	4	4
35-49	116	2.9	3	1	2	2	5	6	6
50-69	22	2.4	4						
70 +	0								
SUBTOTAL	413	2.3	2	1	1	2	3	5	5
GRAND TOTAL	516	2.5	3	1	1	2	3	5	5

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	2.0							
18-34	21	1.7							
35-49	36	3.0							
50-69	15	2.5							
70 +	8	2.0							
SUBTOTAL	87	2.4	1	2	2	2	3	3	4
0-17	75	1.6	1	1	1	1	2	4	4
18-34	431	1.7		1	1	2	2	3	3
35-49	363	1.6	1	1	1	1	2	3	3
50-69	247	2.0	1	1	1	2	3	3	4
70 +	44	2.1	1	1	1	2	3	4	4
SUBTOTAL	1160	1.7	1	1	1	2	2	3	3
GRAND TOTAL	1247	1.8	1	1	1	2	2	3	3

DRG 262: Breast Biopsy & Local Excision for Non-malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	21	1.7							
70-74	28	3.3	1						
75-79	7	23.0							
80-84	8	1.0							
85 +	0								
SUBTOTAL	64	4.6	43	1	2	2	4	23	23
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	28	3.7	8						
70-74	7	6.0							
75-79	7	2.0							
80-84	0								
85 +	0								
SUBTOTAL	42	3.8	7	< 1	1	2	6	7	7
GRAND TOTAL	106	4.3	29	1	1	2	6	7	23

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	43	3.0	6	1	1	3	4	8	8
50-69	74	3.3	5	2	2	2	3	8	8
70 +	0								
SUBTOTAL	117	3.2	5	1	2	2	4	8	8
0-17	8	2.0							
18-34	29	2.3	1						
35-49	139	2.6	3	< 1	1	2	4	5	6
50-69	121	1.9	1	1	1	1	2	4	5
70 +	0								
SUBTOTAL	298	2.3	2	< 1	1	2	3	4	5
GRAND TOTAL	415	2.5	3	< 1	1	2	3	5	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	8	1.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	8	1.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	43	2.4	2	1	1	2	4	4	4
35-49	15	2.5							
50-69	8	2.0							
70 +	0								
SUBTOTAL	65	2.3	1	1	2	2	3	4	4
GRAND TOTAL	73	2.2	1	1	1	2	3	4	4

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	8	4.0							
35-49	0								
50-69	15	2.0	1						
70 +	0								
SUBTOTAL	22	2.7	2						
0-17	0								
18-34	21	1.0							
35-49	7	1.0							
50-69	8	9.0							
70 +	8	1.0							
SUBTOTAL	43	2.4	10	< 1	< 1	1	1	9	9
GRAND TOTAL	65	2.5	7	< 1	1	1	3	9	9

DRG 263: Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1881	19.4	241	6	9	16	25	42	65
70-74	774	18.9	204	6	9	14	24	42	46
75-79	816	17.3	134	6	8	14	24	33	41
80-84	730	19.5	201	7	10	16	24	34	47
85 +	944	17.7	118	7	10	16	22	33	44
SUBTOTAL	5145	18.7	191	6	9	15	24	37	51
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	5145	18.7	191	6	9	15	24	37	51

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	174	14.1	310	3	4	8	15	29	40
18-34	208	17.2	195	4	7	14	23	48	68
35-49	498	16.8	194	4	8	14	18	38	45
50-69	836	18.7	214	5	9	15	23	43	62
70 +	49	19.5	107	6	7	19	31	35	35
	1766	17.6	214	4	7	14	22	40	58
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1766	17.6	214	4	7	14	22	40	58

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	76	22.4	503	5	9	15	21	66	82
18-34	346	29.5	553	7	11	23	51	80	99 +
35-49	314	21.6	290	7	12	18	30	41	68
50-69	249	18.5	105	7	12	16	20	34	35
70 +	29	34.3	1014						
SUBTOTAL	1014	23.9	392	7	11	18	32	64	82
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	1014	23.9	392	7	11	18	32	64	82

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	15	7.3	13						
18-34	82	11.7	216	4	5	6	13	16	58
35-49	144	20.9	350	3	7	18	31	46	76
50-69	203	12.7	159	3	4	9	15	34	36
70 +	44	27.2	570	7	8	18	40	75	75
	488	16.1	284	3	5	9	23	40	58
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	488	16.1	284	3	5	9	23	40	58

DRG 264: Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	420	11.9	102	3	4	9	15	28	35
70-74	164	10.2	49	3	5	8	15	21	21
75-79	189	10.1	71	1	6	9	15	16	16
80-84	141	12.4	141	2	4	8	13	39	39
85 +	147	8.2	22	2	6	8	10	13	23
SUBTOTAL	1061	10.9	84	2	5	8	14	23	31
GRAND TOTAL	1061	10.9	84	2	5	8	14	23	31

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	134	7.5	54	2	3	5	9	19	31
18-34	218	9.1	44	2	4	7	11	19	23
35-49	287	10.1	113	2	3	7	13	27	39
50-69	344	10.4	54	3	5	9	14	17	22
70 +	21	12.7	61						
	1005	9.7	70	2	4	7	13	19	27
	1005	9.7	70	2	4	7	13	19	27

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	104	8.2	78	3	3	4	12	17	35
18-34	115	14.1	78	2	8	13	21	22	37
35-49	44	20.7	324	6	7	15	23	57	57
50-69	71	9.5	57	2	4	5	15	21	25
70 +	0								
SUBTOTAL	335	12.2	122	3	4	9	17	23	35
GRAND TOTAL	335	12.2	122	3	4	9	17	23	35

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	53	12.7	63	2	6	10	21	25	25
18-34	102	4.8	15	1	2	4	6	12	14
35-49	65	7.4	17	2	3	7	11	13	13
50-69	51	6.1	14	2	3	4	11	12	12
70 +	28	4.9	19						
	299	7.0	32	2	3	5	11	14	21
	299	7.0	32	2	3	5	11	14	21

DRG 265: Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	206	10.1	54	2	4	8	13	20	26
70-74	175	7.7	54	1	2	6	9	19	23
75-79	137	12.0	119	1	2	9	22	25	34
80-84	103	12.5	414	1	2	3	7	33	76
85 +	126	11.8	119	2	3	10	12	31	44
SUBTOTAL	747	10.5	129	1	3	7	13	25	31
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	747	10.5	129	1	3	7	13	25	31

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	242	5.5	45	1	2	2	6	16	22
18-34	349	6.5	66	1	2	4	7	14	21
35-49	281	6.9	45	2	3	5	9	15	21
50-69	283	6.9	44	2	3	4	9	12	25
70 +	28	15.5	301						
	1183	6.7	59	1	2	4	8	15	22
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1183	6.7	59	1	2	4	8	15	22

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	113	8.6	34	3	4	6	15	18	21
18-34	134	5.4	21	2	3	4	6	12	21
35-49	60	7.7	12	1	6	7	11	12	12
50-69	28	8.5	47						
70 +	0								
SUBTOTAL	334	7.2	28	2	4	6	9	15	20
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	334	7.2	28	2	4	6	9	15	20

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	21	4.9	19						
18-34	172	3.7	8	1	2	3	5	7	9
35-49	88	4.5	10	1	2	4	6	8	12
50-69	23	7.0	3						
70 +	0								
	304	4.3	10	1	2	3	6	9	11
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	304	4.3	10	1	2	3	6	9	11

DRG 266: Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	314	3.6	10	1	2	3	4	7	12
70-74	160	4.5	11	1	3	4	5	6	11
75-79	127	4.0	12	1	2	3	5	10	12
80-84	87	4.3	7	1	1	5	7	7	8
85 +	50	6.3	48	1	2	2	8	22	22
SUBTOTAL	738	4.1	13	1	2	3	5	8	12
GRAND TOTAL	738	4.1	13	1	2	3	5	8	12

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1707	2.6	7	1	1	1	3	6	8
18-34	977	3.0	8	1	1	2	4	6	8
35-49	714	3.8	25	1	1	3	5	7	8
50-69	544	3.1	6	1	1	3	4	5	6
70 +	8	6.0							
	3949	3.0	11	1	1	2	4	6	8
	3949	3.0	11	1	1	2	4	6	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	647	5.3	40	1	1	3	7	12	18
18-34	222	4.1	24	1	1	2	6	9	19
35-49	80	3.5	12	1	1	2	4	8	13
50-69	52	4.5	11	< 1	1	5	6	11	11
70 +	0								
SUBTOTAL	1001	4.8	33	1	1	2	7	11	18
GRAND TOTAL	1001	4.8	33	1	1	2	7	11	18

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	353	2.7	10	1	1	2	3	6	6
18-34	353	3.4	5	1	2	3	5	7	9
35-49	169	3.7	16	1	1	2	5	8	8
50-69	88	3.0	3	1	1	3	4	6	7
70 +	37	2.3	4						
	1000	3.1	9	1	1	2	4	6	8
	1000	3.1	9	1	1	2	4	6	8

DRG 267: Perianal & Pilonidal Procedures

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	35	2.4	2						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	35	2.4	2						
GRAND TOTAL	35	2.4	2						

BLUE CROSS PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	51	2.7	2	1	1	3	3	6	6
35-49	15	5.7	22						
50-69	14	6.0	17						
70 +	0								
	79	3.8	11	1	1	3	6	10	10
0-17	211	1.9	2	1	1	2	2	3	7
18-34	564	2.0	2	1	1	2	2	4	5
35-49	114	2.0	2	1	1	1	3	5	5
50-69	35	3.8	8						
70 +	0								
	925	2.0	3	1	1	2	2	4	5
	1004	2.2	3	1	1	2	2	4	6

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	7	1.0							
18-34	7	2.0							
35-49	8	9.0							
50-69	0								
70 +	0								
SUBTOTAL	21	4.2	14						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	29	2.3	1						
18-34	58	1.9	2	1	1	1	3	4	4
35-49	21	2.6							
50-69	0								
70 +	0								
SUBTOTAL	109	2.1	1	1	1	2	3	4	4
GRAND TOTAL	130	2.5	4	1	1	2	3	4	9

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	1.0							
18-34	7	2.0							
35-49	0								
50-69	0								
70 +	0								
	15	1.5							
0-17	22	1.3							
18-34	145	1.4		1	1	1	2	2	2
35-49	37	1.4							
50-69	0								
70 +	0								
	204	1.4		1	1	1	2	2	2
	218	1.4		1	1	1	2	2	2

DRG 268: Skin, Subcutaneous Tissue & Breast Plastic Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	21	2.4							
70-74	21	2.7							
75-79	8	1.0							
80-84	15	9.3	39						
85 +	22	10.4	55						
SUBTOTAL	87	5.5	35	1	2	3	8	15	20
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	51	1.9	1	1	1	2	2	4	4
70-74	21	3.0	5						
75-79	21	2.0	1						
80-84	15	2.0							
85 +	8	4.0							
SUBTOTAL	115	2.3	2	1	1	2	3	4	6
GRAND TOTAL	202	3.7	19	1	2	2	4	8	15

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	51	2.5	7	1	1	1	3	9	9
18-34	102	3.2	3	2	2	3	4	6	7
35-49	66	4.5	4	1	3	4	6	8	8
50-69	22	5.1	2						
70 +	8	2.0							
SUBTOTAL	249	3.5	5	1	2	3	5	7	8
0-17	262	2.3	21	1	1	1	2	4	6
18-34	168	2.7	4	1	2	2	3	5	8
35-49	188	2.5	2	1	1	2	3	5	5
50-69	177	2.4	4	1	1	2	3	5	6
70 +	0								
SUBTOTAL	795	2.5	9	1	1	2	3	5	6
	1044	2.7	8	1	1	2	3	6	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	22	1.3							
35-49	0								
50-69	15	12.4	69						
70 +	0								
SUBTOTAL	37	5.7	56						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	98	3.4	23	1	1	1	3	6	19
18-34	29	1.2							
35-49	15	2.5							
50-69	0								
70 +	0								
SUBTOTAL	143	2.9	17	1	1	1	3	6	19
GRAND TOTAL	179	3.4	26	1	1	2	3	6	19

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	4.0							
18-34	51	2.5	1	1	1	3	4	4	4
35-49	35	2.6	8						
50-69	28	4.0	10						
70 +	7	7.0							
SUBTOTAL	129	3.2	6	1	1	3	4	8	9
0-17	23	1.7	1						
18-34	96	2.0	1	1	1	2	3	3	4
35-49	72	1.9	2	1	1	1	3	4	5
50-69	229	1.4	1	1	1	1	1	2	4
70 +	7	2.0							
SUBTOTAL	427	1.6	1	1	1	1	2	3	4
	556	2.0	3	1	1	1	3	4	5

DRG 269: Other Skin, Subcut Tiss & Breast Proc w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	864	12.2	120	3	4	9	16	29	37
70-74	479	12.3	111	2	5	9	14	25	37
75-79	255	11.5	56	3	5	10	17	22	28
80-84	300	11.0	64	2	6	9	13	23	24
85 +	240	13.6	235	3	6	10	15	25	37
SUBTOTAL	2137	12.1	116	3	5	9	16	24	35
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	2137	12.1	116	3	5	9	16	24	35

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	198	7.5	131	1	3	5	8	11	13
18-34	325	8.0	41	2	4	6	9	19	20
35-49	549	7.2	44	1	3	5	10	15	18
50-69	718	10.2	101	2	4	7	12	20	31
70 +	36	11.9	44						
SUBTOTAL	1827	8.6	77	2	4	6	11	18	21
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
	1827	8.6	77	2	4	6	11	18	21

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	82	7.0	16	3	4	7	10	12	16
18-34	199	6.9	37	2	4	5	8	13	15
35-49	155	10.8	48	3	4	11	19	20	22
50-69	159	14.9	260	3	5	9	17	32	52
70 +	8	6.0							
SUBTOTAL	602	10.0	106	2	4	7	12	20	28
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	602	10.0	106	2	4	7	12	20	28

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	60	5.7	120	1	1	2	3	34	34
18-34	188	5.3	16	2	3	4	7	8	14
35-49	111	7.4	22	3	4	7	10	11	21
50-69	117	6.6	16	2	4	5	10	14	14
70 +	52	7.7	48	2	4	4	11	23	23
SUBTOTAL	527	6.3	32	2	3	4	8	13	19
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
	527	6.3	32	2	3	4	8	13	19

DRG 270: Other Skin, Subcut Tiss & Breast Proc w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-7	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	393	4.1	12	1	2	3	5	9	13
70-74	283	3.9	8	1	2	3	5	7	9
75-79	213	3.5	7	1	2	3	4	7	9
80-84	122	6.2	30	1	2	4	10	15	21
85 +	94	4.5	13	1	2	3	6	9	14
SUBTOTAL	1106	[illegible]	13	1	2	3	6	9	13
GRAND TOTAL	1106	4.2	13	1	2	3	6	9	13

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1176	2.7	8	1	1	1	3	6	9
18-34	852	3.7	16	1	1	3	5	7	12
35-49	832	3.2	6	1	1	2	4	7	9
50-69	968	3.4	14	1	1	2	4	8	10
70 +	14	2.5							
	3841	3.2	11	1	1	2	4	7	9
	3841	3.2	11	1	1	2	4	7	9

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	389	3.3	9	1	1	2	5	8	9
18-34	322	4.1	12	1	2	3	5	9	10
35-49	143	4.4	15	1	1	4	6	11	13
50-69	78	5.6	28	1	1	4	8	10	20
70 +	8	6.0							
SUBTOTAL	940	3.9	13	1	1	3	5	9	11
GRAND TOTAL	940	3.9	13	1	1	3	5	9	11

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	469	2.9	6	1	1	2	4	6	8
18-34	353	3.3	5	1	1	3	5	7	8
35-49	130	3.1	4	1	2	3	4	7	7
50-69	144	2.4	6	1	1	1	2	7	8
70 +	43	3.0	3	<1	1	3	4	6	6
	1139	3.0	5	1	1	2	4	7	8
	1139	3.0	5	1	1	2	4	7	8

DRG 271: Skin Ulcers

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1018	10.9	128	3	5	8	13	21	29
70-74	448	12.7	115	3	5	9	17	24	44
75-79	694	11.7	66	4	7	10	14	21	24
80-84	614	11.8	58	4	6	9	17	21	23
85 +	889	11.7	84	5	7	9	15	20	28
SUBTOTAL	**3663**	**11.6**	**92**	**4**	**6**	**9**	**14**	**21**	**27**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	180	7.4	45	1	3	6	10	14	25
70-74	80	8.1	27	3	4	7	11	15	21
75-79	129	9.0	80	2	5	7	9	27	37
80-84	78	8.9	14	4	7	8	12	14	17
85 +	142	9.2	58	2	4	9	12	14	22
SUBTOTAL	**609**	**8.5**	**49**	**2**	**4**	**7**	**11**	**14**	**25**
GRAND TOTAL	**4272**	**11.2**	**87**	**3**	**6**	**9**	**14**	**21**	**26**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	60	8.9	55	3	4	7	10	26	26
18-34	68	7.1	21	1	5	7	7	16	16
35-49	218	9.2	26	3	5	9	13	16	17
50-69	279	11.3	76	3	5	9	14	29	33
70 +	36	10.6	24						
	661	**9.9**	**51**	**3**	**5**	**8**	**13**	**20**	**28**
	44	3.7	6	1	1	4	5	8	8
	29	7.2	22						
	52	8.1	51	< 1	3	7	9	24	24
	29	13.8	40						
	14	5.5	13						
	168	**7.5**	**40**	**1**	**3**	**7**	**9**	**20**	**20**
	829	**9.4**	**49**	**3**	**4**	**7**	**12**	**20**	**26**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	38	12.8	221						
18-34	94	16.6	173	3	5	15	28	35	44
35-49	131	9.1	39	1	4	8	13	18	21
50-69	202	13.5	81	4	7	11	18	23	25
70 +	14	16.5	7						
SUBTOTAL	**478**	**12.9**	**103**	**3**	**5**	**10**	**18**	**25**	**35**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	53	4.0	3	2	3	3	5	7	7
18-34	58	7.3	33	1	3	6	12	19	19
35-49	23	14.0	118						
50-69	14	7.0	4						
70 +	0								
SUBTOTAL	**147**	**7.1**	**43**	**1**	**3**	**5**	**8**	**18**	**27**
GRAND TOTAL	**625**	**11.6**	**95**	**3**	**5**	**9**	**17**	**23**	**30**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	1.0							
18-34	8	4.0							
35-49	58	8.1	19	4	4	9	12	16	16
50-69	67	10.6	48	4	8	9	10	29	29
70 +	37	37.4	1561						
	177	**14.6**	**481**	**4**	**4**	**8**	**11**	**29**	**80**
0-17	7	36.0							
18-34	15	10.6	7						
35-49	28	5.9	36						
50-69	30	9.7	51						
70 +	30	9.2	53						
	109	**10.4**	**85**	**2**	**4**	**7**	**16**	**22**	**36**
	287	**13.0**	**333**	**3**	**4**	**8**	**13**	**29**	**80**

DRG 272: Major Skin Disorders w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	664	12.9	75	3	6	11	17	25	28
70-74	486	13.7	79	3	7	13	19	24	31
75-79	384	12.7	85	3	6	11	20	23	33
80-84	278	12.4	72	3	6	10	17	24	34
85 +	331	8.2	26	3	4	7	12	15	17
SUBTOTAL	2143	12.2	73	3	6	10	16	23	29
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	2143	12.2	73	3	6	10	16	23	29

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	257	5.2	11	1	2	5	7	10	11
18-34	247	6.9	18	2	3	7	9	11	14
35-49	359	12.8	73	4	6	9	20	23	28
50-69	554	13.4	70	3	6	13	20	22	26
70 +	30	9.1	45						
	1447	10.6	62	2	4	8	16	22	24
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1447	10.6	62	2	4	8	16	22	24

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	116	4.8	12	1	2	4	8	11	11
18-34	114	10.1	86	2	2	8	16	24	35
35-49	233	11.7	45	4	6	11	15	20	23
50-69	127	11.4	20	5	8	12	14	18	20
70 +	0								
SUBTOTAL	591	10.0	48	2	5	9	14	19	23
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	591	10.0	48	2	5	9	14	19	23

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	59	5.3	10	1	3	6	7	12	12
18-34	60	8.9	32	2	4	8	14	17	17
35-49	15	9.6	7						
50-69	60	7.0	20	2	3	8	10	14	14
70 +	15	3.0							
	207	7.0	21	2	3	6	10	14	17
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	207	7.0	21	2	3	6	10	14	17

DRG 273: Major Skin Disorders w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	531	14.7	56	4	10	15	20	23	24
70-74	163	12.3	62	3	5	12	17	24	26
75-79	103	7.7	24	3	4	7	8	17	20
80-84	82	12.7	164	5	6	8	15	18	50
85 +	101	8.1	16	4	5	7	10	14	17
SUBTOTAL	979	12.7	65	4	6	12	18	22	24
GRAND TOTAL	979	12.7	65	4	6	12	18	22	24

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	687	6.6	45	1	2	3	8	19	22
18-34	327	12.7	58	4	6	12	19	23	28
35-49	468	14.4	82	3	8	14	20	23	29
50-69	551	13.6	48	3	8	14	18	22	24
70 +	7	7.0							
	2040	11.2	68	2	4	10	17	22	24
	2040	11.2	68	2	4	10	17	22	24

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	169	5.9	43	2	2	3	6	12	21
18-34	167	10.6	47	2	7	10	12	23	25
35-49	134	12.2	40	4	6	14	18	20	20
50-69	84	14.6	89	8	8	13	17	22	40
70 +	8	7.0							
SUBTOTAL	560	10.1	59	2	4	8	15	21	25
GRAND TOTAL	560	10.1	59	2	4	8	15	21	25

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	158	3.8	8	1	2	3	5	7	11
18-34	73	6.4	41	2	2	5	6	24	24
35-49	81	9.3	63	2	4	6	14	22	27
50-69	64	4.1	4	2	2	3	6	7	8
70 +	21	4.9	25						
	397	5.5	30	2	2	4	6	12	21
	397	5.5	30	2	2	4	6	12	21

DRG 274: Malignant Breast Disorders w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	125	7.1	32	2	3	5	9	19	20
70-74	96	9.5	153	2	2	4	7	27	45
75-79	160	9.9	43	3	5	10	11	23	24
80-84	51	7.6	34	4	4	5	8	21	21
85 +	79	7.3	35	2	2	5	11	17	20
SUBTOTAL	511	8.5	60	2	4	6	11	20	24
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	511	8.5	60	2	4	6	11	20	24

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	15	9.8	17						
35-49	96	10.9	53	3	5	10	15	22	27
50-69	226	8.0	50	2	3	6	10	15	21
70 +	15	9.1	4						
	352	8.9	49	3	4	7	12	17	22
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	352	8.9	49	3	4	7	12	17	22

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	15	9.5	60						
35-49	58	9.2	29	4	4	8	12	20	20
50-69	50	9.9	27	6	7	8	12	22	22
70 +	14	2.5							
SUBTOTAL	137	8.8	33	2	4	7	12	18	21
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	137	8.8	33	2	4	7	12	18	21

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	7	3.0							
18-34	8	4.0							
35-49	22	15.2	65						
50-69	51	8.0	48	2	2	5	12	23	23
70 +	15	4.0	1						
	102	8.3	54	2	3	5	11	23	26
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	102	8.3	54	2	3	5	11	23	26

DRG 275: Malignant Breast Disorders w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	37	3.2	2						
70-74	36	2.6	2						
75-79	15	3.5							
80-84	15	4.5							
85 +	15	1.0							
SUBTOTAL	**116**	**2.9**	**2**	**1**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**116**	**2.9**	**2**	**1**	**2**	**3**	**4**	**5**	**6**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	7	7.0							
35-49	50	8.2	108	1	2	4	9	33	33
50-69	73	4.5	16	1	2	3	4	11	14
70 +	0								
130	**6.0**	**53**	**1**	**2**	**4**	**7**	**14**	**32**	
130	**6.0**	**53**	**1**	**2**	**4**	**7**	**14**	**32**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	7	8.0							
50-69	0								
70 +	0								
SUBTOTAL	**7**	**8.0**							
GRAND TOTAL	**7**	**8.0**							

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	0								
35-49	15	2.5							
50-69	22	5.9	8						
70 +	0								
37	**4.5**	**8**							
37	**4.5**	**8**							

DRG 276: Non-maligant Breast Disorders

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	44	8.0	21	4	5	6	10	17	17
70-74	14	4.0	10						
75-79	15	7.8	17						
80-84	0								
85 +	0								
SUBTOTAL	**73**	**7.2**	**20**	**3**	**4**	**6**	**10**	**17**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	37	5.7	27						
70-74	21	4.0	9						
75-79	15	2.5							
80-84	0								
85 +	7	6.0							
SUBTOTAL	**80**	**4.7**	**16**	**< 1**	**2**	**3**	**7**	**11**	**15**
GRAND TOTAL	**152**	**5.9**	**20**	**1**	**3**	**5**	**7**	**15**	**16**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	4.3	6						
18-34	43	4.3	10	1	3	3	4	11	11
35-49	50	4.9	5	3	3	4	7	9	9
50-69	21	6.3	4						
70 +	0								
SUBTOTAL	**143**	**4.8**	**7**	**2**	**3**	**4**	**7**	**10**	**95**
0-17	22	2.7							
18-34	168	2.8	3	1	1	2	3	6	6
35-49	137	4.4	5	2	3	4	5	7	12
50-69	94	3.9	6	< 1	2	3	5	7	9
70 +	0								
SUBTOTAL	**421**	**3.6**	**5**	**1**	**2**	**3**	**5**	**7**	**7**
GRAND TOTAL	**564**	**3.9**	**6**	**1**	**2**	**3**	**5**	**7**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	8	1.0							
18-34	22	4.6	3						
35-49	15	4.4	7						
50-69	28	3.5							
70 +	0								
SUBTOTAL	**73**	**3.8**	**3**	**1**	**3**	**3**	**4**	**7**	**7**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	38	3.8	10						
18-34	80	3.1	2	1	2	3	4	5	6
35-49	30	6.0	15						
50-69	15	7.3	13						
70 +	0								
SUBTOTAL	**163**	**4.2**	**9**	**2**	**2**	**3**	**4**	**10**	**11**
GRAND TOTAL	**235**	**4.0**	**7**	**2**	**2**	**3**	**4**	**7**	**11**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	15	6.0	4						
18-34	15	4.0	4						
35-49	15	6.5							
50-69	8	3.0							
70 +	7	1.0							
SUBTOTAL	**60**	**4.6**	**5**	**1**	**3**	**4**	**6**	**8**	**8**
0-17	30	1.8							
18-34	72	2.6	2	1	1	2	4	4	5
35-49	29	4.4	13						
50-69	8	5.0							
70 +	0								
SUBTOTAL	**139**	**2.9**	**5**	**1**	**1**	**2**	**4**	**5**	**8**
GRAND TOTAL	**199**	**3.4**	**5**	**1**	**2**	**3**	**5**	**7**	**8**

DRG 277: Cellulitis Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	4671	8.6	40	3	5	7	10	16	21
70-74	2572	8.9	40	3	5	7	11	17	21
75-79	2650	8.3	25	4	5	7	10	15	18
80-84	2368	8.6	38	4	5	7	10	15	18
85 +	2904	8.9	39	3	5	7	11	17	20
SUBTOTAL	15164	8.6	37	3	5	7	11	16	20
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	15164	8.6	37	3	5	7	11	16	20

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1230	6.0	36	2	3	5	7	10	15
35-49	2186	6.9	32	3	4	6	8	13	16
50-69	3633	7.6	37	3	4	6	9	14	18
70 +	145	7.2	28	3	4	5	11	15	18
	7194	7.1	36	3	4	6	8	13	17
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	7194	7.1	36	3	4	6	8	13	17

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	787	7.3	53	3	4	5	9	13	15
35-49	934	8.6	68	3	4	6	10	15	26
50-69	711	7.6	23	2	4	7	9	12	18
70 +	58	8.2	23	3	4	9	12	17	17
SUBTOTAL	2489	7.9	49	3	4	6	10	14	18
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	2489	7.9	49	3	4	6	10	14	18

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	612	6.3	31	2	3	4	8	13	15
35-49	618	6.6	15	2	4	6	9	12	15
50-69	603	7.1	26	3	4	6	8	15	19
70 +	206	7.5	21	3	4	7	10	14	16
	2039	6.7	24	2	3	5	8	13	18
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2039	6.7	24	2	3	5	8	13	18

DRG 278: Cellulitis Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	1900	5.8	14	3	3	5	7	10	12
70-74	1297	6.6	16	3	4	6	8	10	16
75-79	984	6.3	13	3	4	6	8	12	14
80-84	791	6.3	22	3	4	5	7	10	14
85 +	690	6.5	11	3	4	6	8	11	14
SUBTOTAL	5661	6.2	15	3	4	5	7	10	14
GRAND TOTAL	5661	6.2	15	3	4	5	7	10	14

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	2817	4.1	7	2	2	4	5	7	9
35-49	3613	4.9	17	2	3	4	6	8	11
50-69	2937	5.4	10	3	3	5	6	9	12
70 +	93	5.0	6	2	3	5	6	8	10
	9461	4.8	12	2	3	4	6	8	10
	9461	4.8	12	2	3	4	6	8	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	989	5.0	10	2	3	4	7	8	11
35-49	467	4.9	9	2	3	4	6	8	10
50-69	207	6.1	17	2	4	5	8	12	13
70 +	21	7.8	19						
SUBTOTAL	1685	5.1	11	2	3	4	7	9	11
GRAND TOTAL	1685	5.1	11	2	3	4	7	9	11

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1282	3.8	5	2	2	3	5	7	8
35-49	692	5.5	19	2	3	4	6	11	15
50-69	516	5.7	12	3	4	5	7	9	13
70 +	143	4.2	8	1	2	4	6	9	12
	2633	4.6	11	2	3	4	6	8	11
	2633	4.6	11	2	3	4	6	8	11

DRG 279: Cellulitis Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	30	4.4	6						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	30	4.4	6						
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	8	2.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	8	2.0							
GRAND TOTAL	37	3.9	6						

TYPE OF PATIENT	BLUE CROSS PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1064	4.4	10	2	3	3	6	8	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1064	4.4	10	2	3	3	6	8	9
	3903	3.6	6	2	2	3	4	6	8
	4967	3.8	7	2	2	3	4	7	9

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	622	4.6	7	2	3	4	6	8	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	622	4.6	7	2	3	4	6	8	10
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	2728	3.9	6	2	2	3	5	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	2728	3.9	6	2	2	3	5	6	8
GRAND TOTAL	3350	4.0	7	2	2	3	5	7	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	389	4.6	10	2	2	4	6	7	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	389	4.6	10	2	2	4	6	7	10
	1754	3.3	4	2	2	3	4	6	7
	2143	3.5	5	2	2	3	4	6	7

DRG 280: Trauma to the Skin, Subcut Tiss & Breast Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	645	5.3	23	1	2	4	6	11	14
70-74	421	4.2	12	1	2	3	5	8	9
75-79	497	5.6	17	1	2	5	7	11	13
80-84	550	5.9	35	2	2	4	7	15	19
85+	965	5.8	20	2	3	4	8	11	13
SUBTOTAL	3078	5.5	22	1	2	4	7	11	14
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
GRAND TOTAL	3078	5.5	22	1	2	4	7	11	14

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1016	2.6	7	1	1	2	3	5	6
35-49	674	3.0	13	1	1	2	3	6	9
50-69	575	3.6	10	1	2	3	5	7	8
70+	230	5.0	7	2	3	5	7	9	9
	2495	3.1	10	1	1	2	4	6	8
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	2495	3.1	10	1	1	2	4	6	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	570	2.9	4	1	1	2	4	6	8
35-49	195	3.7	12	1	2	3	4	6	13
50-69	129	5.5	26	1	2	4	8	14	21
70+	0								
SUBTOTAL	894	3.4	10	1	1	3	4	8	9
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
GRAND TOTAL	894	3.4	10	1	1	3	4	8	9

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	849	2.4	5	1	1	2	3	4	7
35-49	289	2.6	3	1	1	2	3	6	7
50-69	122	3.7	6	1	2	3	5	8	9
70+	80	6.0	14	2	3	4	10	10	13
	1340	2.8	6	1	1	2	4	6	8
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	1340	2.8	6	1	1	2	4	6	8

DRG 281: Trauma to the Skin, Subcut Tiss & Breast Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	322	2.8	4	1	1	2	4	6	7
70-74	207	3.4	3	1	2	3	4	7	7
75-79	350	4.7	16	1	2	3	7	10	16
80-84	446	3.7	6	1	2	3	5	8	9
85+	640	3.8	4	1	2	4	5	6	8
SUBTOTAL	1964	3.7	7	1	2	3	5	7	9
GRAND TOTAL	1964	3.7	7	1	2	3	5	7	9

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	0								
18-34	2080	2.3	3	1	1	2	3	4	6
35-49	966	3.0	13	1	1	2	3	5	9
50-69	868	2.4	3	1	1	2	3	5	6
70+	180	2.8	3	1	2	2	3	6	6
	4093	2.5	5	1	1	2	3	5	6
	4093	2.5	5	1	1	2	3	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	781	2.2	3	1	1	2	3	4	6
35-49	153	3.0	8	1	1	2	3	6	8
50-69	42	2.3	2	1	1	2	4	4	4
70+	15	4.0	1						
SUBTOTAL	991	2.4	4	1	1	2	3	5	6
GRAND TOTAL	991	2.4	4	1	1	2	3	5	6

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	0								
18-34	1982	2.0	2	<1	1	1	2	4	5
35-49	334	2.2	6	1	1	1	2	4	7
50-69	207	3.1	9	1	1	2	4	6	9
70+	87	4.6	39	1	2	3	4	7	24
	2609	2.2	5	<1	1	2	3	4	5
	2609	2.2	5	<1	1	2	3	4	5

DRG 282: Trauma to the Skin, Subcut Tiss & Breast Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	15	3.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	15	3.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	21	1.4							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	21	1.4							
GRAND TOTAL	36	2.0	1						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	567	2.6	6	1	1	2	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	567	2.6	6	1	1	2	3	5	6
0-17	2275	1.9	2	< 1	1	1	2	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2275	1.9	2	< 1	1	1	2	4	5
	2842	2.0	3	1	1	1	2	4	5

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	213	2.9	3	1	2	2	4	6	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	213	2.9	3	1	2	2	4	6	6
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1119	2.3	6	< 1	1	1	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1119	2.3	6	< 1	1	1	3	5	6
GRAND TOTAL	1331	2.4	5	< 1	1	2	3	5	6

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	198	2.9	6	1	1	2	4	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	198	2.9	6	1	1	2	4	5	7
0-17	1003	2.2	9	< 1	1	1	2	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1003	2.2	9	< 1	1	1	2	4	6
	1201	2.3	8	< 1	1	1	3	5	6

DRG 283: Minor Skin Disorders w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	488	7.3	39	2	3	5	9	15	22
70-74	357	6.2	15	2	3	6	9	11	12
75-79	259	6.0	26	2	3	5	6	11	16
80-84	182	7.0	20	2	4	6	9	12	13
85+	158	6.4	11	2	4	6	8	9	12
SUBTOTAL	1443	6.7	26	2	3	6	8	12	16
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
GRAND TOTAL	1443	6.7	26	2	3	6	8	12	16

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	374	4.7	31	2	2	3	5	10	12
18-34	174	3.6	5	1	2	3	6	7	7
35-49	204	6.1	28	2	2	5	7	17	18
50-69	425	6.8	32	2	3	5	9	16	20
70+	14	3.5	2						
	1190	5.5	28	2	2	4	7	11	18
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	1190	5.5	28	2	2	4	7	11	18

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	279	5.6	55	2	2	4	6	8	15
18-34	104	4.6	12	1	2	4	6	7	15
35-49	59	4.0	10	1	1	3	6	10	10
50-69	73	6.8	54	– <1	3	4	6	26	26
70+	0								
SUBTOTAL	515	5.4	41	1	2	4	6	10	15
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
GRAND TOTAL	515	5.4	41	1	2	4	6	10	15

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	120	4.2	9	1	2	4	5	6	14
18-34	104	5.5	23	1	2	4	7	10	19
35-49	89	3.3	6	1	2	2	5	6	10
50-69	51	4.7	4	1	3	5	7	7	7
70+	15	3.5							
	378	4.4	12	1	2	4	6	10	14
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	378	4.4	12	1	2	4	6	10	14

DRG 284: Minor Skin Disorders w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	211	4.6	10	1	2	4	7	8	12
70-74	164	4.8	14	1	2	4	6	10	14
75-79	96	3.3	5	< 1	2	3	4	5	9
80-84	101	5.0	10	1	3	4	7	10	11
85 +	29	3.3	6						
SUBTOTAL	601	4.4	10	1	2	4	6	9	12
GRAND TOTAL	601	4.4	10	1	2	4	6	9	12

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1017	3.3	11	1	1	2	4	7	11
18-34	515	4.2	16	1	2	3	5	9	11
35-49	536	4.2	12	1	2	3	5	8	13
50-69	569	4.1	10	1	2	3	5	8	11
70 +	7	2.0							
	2643	3.8	12	1	2	3	5	8	11
	2643	3.8	12	1	2	3	5	8	11

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	629	4.7	34	1	2	3	6	9	14
18-34	170	4.2	8	1	2	3	6	8	9
35-49	96	3.4	4	1	2	3	4	5	9
50-69	51	5.3	46	1	1	3	5	21	21
70 +	0								
SUBTOTAL	946	4.5	27	1	2	3	5	9	11
GRAND TOTAL	946	4.5	27	1	2	3	5	9	11

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	418	2.5	9	1	1	2	3	4	5
18-34	118	3.4	13	1	1	2	4	7	15
35-49	85	4.4	25	1	1	2	5	15	15
50-69	29	3.2	1						
70 +	8	1.0							
	658	2.9	11	1	1	2	4	5	7
	658	2.9	11	1	1	2	4	5	7

DRG 285: Amputat of Lower Limb for Endocrine, Nutrit.& Metabol Disorders

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	400	20.9	345	7	11	15	26	50	78
70-74	218	16.5	95	5	10	16	23	29	33
75-79	92	25.0	230	7	14	28	32	51	55
80-84	57	20.2	149	3	6	22	28	42	42
85 +	44	18.9	294	7	9	12	18	55	55
SUBTOTAL	811	20.1	254	6	10	15	28	42	53
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	7	15.0							
70-74	7	13.0							
75-79	7	15.0							
80-84	0								
85 +	0								
SUBTOTAL	21	14.3	1						
GRAND TOTAL	831	19.9	248	6	10	15	28	42	53

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	15	30.1	77						
35-49	104	17.1	94	7	10	14	27	33	36
50-69	241	15.9	88	7	9	14	20	30	37
70 +	7	58.0							
	367	17.6	126	7	9	15	22	35	39
0-17	0								
18-34	0								
35-49	0								
50-69	7	11.0							
70 +	0								
	7	11.0							
	374	17.4	125	7	9	15	22	34	39

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	37	13.9	33						
50-69	45	18.8	28	12	13	20	24	26	26
70 +	0								
SUBTOTAL	82	16.6	36	11	12	14	24	25	26
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	7	45.0							
70 +	0								
SUBTOTAL	7	45.0							
GRAND TOTAL	89	18.9	92	11	12	14	24	26	45

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	7	17.0							
35-49	37	12.9	87						
50-69	29	10.6	19						
70 +	0								
	73	12.4	54	2	5	11	17	27	27
0-17	0								
18-34	0								
35-49	0								
50-69	7	1.0							
70 +	0								
	7	1.0							
	80	11.4	60	2	5	11	17	22	27

DRG 286: Adrenal & Pituitary Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	90	15.6	224	6	6	8	19	28	59
70-74	83	10.4	27	5	6	9	14	17	23
75-79	29	14.2	120						
80-84	0								
85 +	0								
SUBTOTAL	202	13.2	133	5	6	9	16	28	31
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	60	6.8	6	5	5	6	8	12	12
70-74	74	6.5	3	5	6	6	7	10	10
75-79	45	6.5	2	5	5	6	7	9	9
80-84	8	11.0							
85 +	15	6.5	2						
SUBTOTAL	201	6.8	4	5	5	7	7	10	11
GRAND TOTAL	403	10.0	79	5	6	7	9	18	28

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	84	9.3	5	6	8	9	12	12	12
18-34	75	4.6	8	3	5	6	7	12	13
35-49	128	10.9	41	5	7	8	12	23	26
50-69	81	8.9	21	5	5	8	13	17	18
70 +	8	16.0							
SUBTOTAL	376	9.4	24	5	6	8	12	16	18
0-17	53	9.0	29	2	5	7	14	19	19
18-34	189	6.2	3	5	5	5	6	8	9
35-49	162	7.0	20	4	5	6	8	9	12
50-69	149	6.5	4	4	5	6	8	9	10
70 +	0								
SUBTOTAL	553	6.8	12	5	5	6	8	9	13
	929	7.8	18	5	5	6	9	13	16

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	46	13.3	63	5	7	11	16	29	29
18-34	38	7.2	23						
35-49	23	10.7	11						
50-69	15	5.0	1						
70 +	0								
SUBTOTAL	122	9.9	42	4	5	7	13	16	29
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	30	6.5	4						
18-34	8	42.0							
35-49	30	7.5	5						
50-69	0								
70 +	0								
SUBTOTAL	68	10.9	128	4	5	8	9	42	42
GRAND TOTAL	189	10.2	73	4	5	8	11	16	29

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	29	6.2	1						
35-49	7	18.0							
50-69	22	8.3	1						
70 +	0								
SUBTOTAL	58	8.4	14	5	6	7	9	18	18
0-17	8	5.0							
18-34	15	5.5							
35-49	15	5.0	1						
50-69	8	5.0							
70 +	0								
SUBTOTAL	46	5.2		4	5	5	6	6	6
	104	7.0	11	5	5	6	7	9	18

DRG 287: Skin Grafts & Wound Debrid for Endoc, Nutrit & Metab Disorders

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	436	13.5	122	4	6	9	21	26	41
70-74	296	15.5	141	5	7	11	20	31	43
75-79	137	19.0	190	3	8	17	26	45	48
80-84	135	20.4	167	7	12	18	24	34	54
85 +	161	21.2	263	7	8	18	28	31	54
SUBTOTAL	1165	16.5	168	5	7	12	23	31	45
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	21	8.8	18						
70-74	7	3.0							
75-79	21	3.3	4						
80-84	0								
85 +	0								
SUBTOTAL	49	5.7	17	2	2	4	8	14	14
GRAND TOTAL	1215	16.1	166	4	7	12	23	31	45

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	22	5.1	9						
35-49	161	12.8	273	2	5	10	13	23	41
50-69	399	14.2	97	4	7	14	20	31	41
70 +	0								
	582	13.5	145	3	5	11	18	26	41
0-17	8	35.0							
18-34	7	5.0							
35-49	0								
50-69	29	7.1	38						
70 +	0								
	44	11.7	143	2	3	6	17	35	35
	626	13.4	145	3	5	11	18	28	35

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	29	12.0	38						
35-49	87	11.6	95	5	7	9	12	13	43
50-69	95	13.2	172	3	4	12	15	21	52
70 +	0								
SUBTOTAL	211	12.4	121	3	5	9	15	21	43
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	211	12.4	121	3	5	9	15	21	43

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	30	11.5	136						
35-49	58	11.3	168	1	3	7	11	43	43
50-69	36	7.1	3						
70 +	49	11.9	110	3	5	8	14	36	36
	173	10.6	113	3	5	7	10	31	36
0-17	0								
18-34	0								
35-49	0								
50-69	7	9.0							
70 +	8	6.0							
	15	7.4	2						
	188	10.4	105	3	5	7	10	31	36

DRG 288: O.R. Procedures for Obesity

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	30	7.3	3						
70-74	0								
75-79	0								
80-84	0								
85 +	14	21.5	2						
SUBTOTAL	44	11.8	48	5	6	9	20	23	23
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	80	4.8	2	4	4	4	6	7	7
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	80	4.8	2	4	4	4	6	7	7
GRAND TOTAL	124	7.3	29	4	4	6	7	20	23

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	15	7.4	2						
18-34	78	6.6	8	3	5	6	8	11	12
35-49	179	6.1	10	3	3	5	9	11	12
50-69	101	8.9	61	3	4	6	9	16	34
70 +	0								
SUBTOTAL	373	7.0	24	3	4	6	9	12	13
0-17	15	5.6	2						
18-34	240	4.0	3	2	3	3	5	6	7
35-49	460	4.3	3	2	3	4	6	7	7
50-69	101	3.6	4	1	2	3	5	7	8
70 +	0								
SUBTOTAL	816	4.2	3	2	3	4	5	7	7
GRAND TOTAL	1188	5.0	12	2	3	4	6	8	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	8	17.0							
18-34	22	15.7	118						
35-49	30	5.3	9						
50-69	0								
70 +	0								
SUBTOTAL	60	10.7	76	3	3	10	17	29	29
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	112	4.4	3	3	3	3	6	8	8
35-49	51	3.5	3	1	2	4	5	6	6
50-69	7	9.0							
70 +	0								
SUBTOTAL	170	4.3	4	3	3	4	6	8	8
GRAND TOTAL	229	6.0	30	3	3	4	7	14	17

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	29	4.0	5						
50-69	28	7.8	33						
70 +	0								
SUBTOTAL	58	5.8	22	1	3	6	7	17	17
0-17	0								
18-34	14	1.0							
35-49	116	2.7	2	1	2	3	3	4	6
50-69	42	3.7	3	1	3	4	5	6	6
70 +	0								
SUBTOTAL	172	2.8	2	1	2	3	4	5	6
GRAND TOTAL	229	3.6	9	1	2	3	4	6	8

DRG 289: Parathyroid Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	136	8.1	89	2	3	5	7	20	41
70-74	60	7.8	57	2	3	4	10	25	25
75-79	71	11.5	142	4	4	6	11	28	44
80-84	44	11.5	54	3	3	11	19	22	22
85 +	22	5.6	2						
SUBTOTAL	333	9.0	87	3	4	5	11	21	25
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	256	3.7	7	2	3	3	4	5	7
70-74	134	4.2	19	1	3	3	4	6	21
75-79	82	2.6	1	1	2	2	4	4	4
80-84	52	10.8	133	2	4	4	26	32	32
85 +	29	5.2	3						
SUBTOTAL	553	4.4	25	2	2	3	4	6	18
GRAND TOTAL	886	6.1	53	2	3	4	6	17	22

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	29	4.0	6						
35-49	67	9.5	216	1	2	2	8	49	49
50-69	89	4.7	10	2	2	3	6	10	12
70 +	0								
	185	6.3	89	2	2	3	6	12	13
0-17	0								
18-34	89	2.5	1	1	2	2	3	4	5
35-49	336	2.9	3	1	2	3	3	4	4
50-69	466	3.0	2	2	2	3	3	5	6
70 +	0								
	891	2.9	2	2	2	3	3	4	6
	1077	3.5	19	2	2	3	3	5	9

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	8	12.0							
50-69	8	9.0							
70 +	0								
SUBTOTAL	15	10.5	2						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	15	10.5	2						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
		—							
0-17	0								
18-34	8	4.0							
35-49	15	13.5	97						
50-69	23	6.0	20						
70 +	0								
	46	8.2	55	2	4	4	12	23	23
0-17	15	6.0	10						
18-34	0								
35-49	73	2.2	1	1	2	2	3	3	3
50-69	89	2.2	1	1	2	2	3	3	4
70 +	0								
	177	2.5	3	1	2	2	3	3	4
	223	3.7	18	1	2	3	3	9	12

DRG 290: Thyroid Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	344	3.5	3	2	2	3	4	7	7
70-74	241	4.0	6	2	2	4	5	7	8
75-79	168	4.8	31	2	2	3	5	9	10
80-84	60	5.1	7	2	3	4	6	11	11
85 +	30	4.9	8						
SUBTOTAL	842	4.1	10	2	2	3	5	7	9
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	873	2.4	1	1	2	2	3	3	4
70-74	451	3.2	4	1	2	3	4	5	8
75-79	225	2.4	1	2	2	2	3	4	4
80-84	100	4.0	7	1	2	4	5	8	10
85 +	37	2.9	4						
SUBTOTAL	1686	2.7	2	1	2	2	3	4	6
GRAND TOTAL	2528	3.2	6	1	2	2	4	6	7

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	3.5							
18-34	174	3.3	5	1	2	3	4	6	9
35-49	359	2.8	3	1	2	2	3	4	5
50-69	399	3.0	2	2	2	3	3	5	6
70 +	0								
	962	3.0	3	2	2	3	3	5	6
0-17	264	1.9	1	1	1	2	3	3	3
18-34	1655	2.1	1	1	1	2	3	3	3
35-49	2521	2.2	1	1	2	2	3	3	4
50-69	2054	2.3	1	1	2	2	3	3	4
70 +	14	5.0	10						
	6508	2.2	1	1	2	2	3	3	4
	7470	2.3	2	1	2	2	3	3	4

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	8	3.0							
18-34	37	2.8	1						
35-49	15	7.8	27						
50-69	60	8.6	26	3	4	8	14	18	18
70 +	0								
SUBTOTAL	118	6.3	24	3	3	4	9	14	18
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	60	2.5	5	1	1	2	3	8	8
18-34	201	3.0	7	1	1	2	3	7	9
35-49	130	3.4	3	2	2	3	4	7	8
50-69	57	3.0	2	2	2	2	5	6	6
70 +	0								
SUBTOTAL	448	3.0	5	1	2	2	3	6	8
GRAND TOTAL	566	3.7	11	1	2	3	4	8	13

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	15	3.5	2						
18-34	22	2.0	1						
35-49	64	2.3	1	1	2	2	3	4	4
50-69	50	3.1	6	2	2	2	3	9	9
70 +	30	3.2	2						
	182	2.7	3	1	2	2	3	5	5
0-17	30	1.8	1						
18-34	373	2.1	3	1	1	2	2	3	3
35-49	592	2.1	1	1	1	2	2	3	4
50-69	338	2.0	1	1	1	2	3	3	3
70 +	8	2.0							
	1342	2.1	1	1	1	2	2	3	3
	1523	2.1	2	1	1	2	2	3	4

DRG 291: Thyroglossal Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	7	11.0							
SUBTOTAL	7	11.0							
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	7	2.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	7	2.0							
GRAND TOTAL	14	6.5	22						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	8	1.0							
50-69	7	2.0							
70 +	0								
	15	1.5							
0-17	474	1.5	1	1	1	1	2	2	3
18-34	116	1.4		1	1	1	2	2	3
35-49	117	1.5	1	1	1	1	2	2	4
50-69	64	1.6	1	1	1	1	1	4	4
70 +	0								
	771	1.5	1	1	1	1	2	2	3
	786	1.5	1	1	1	1	2	2	3

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	91	1.7	1	1	1	1	3	3	4
18-34	15	2.0	1						
35-49	8	2.0							
50-69	15	1.5							
70 +	0								
SUBTOTAL	128	1.7	1	1	1	1	2	3	4
GRAND TOTAL	128	1.7	1	1	1	1	2	3	4

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	1.0							
18-34	0								
35-49	8	2.0							
50-69	0								
70 +	0								
	15	1.5							
0-17	82	1.1		1	1	1	1	2	2
18-34	21	3.3	11						
35-49	28	1.0							
50-69	8	2.0							
70 +	0								
	139	1.5	2	1	1	1	1	2	6
	154	1.5	2	1	1	1	1	2	2

DRG 292: Other Endocrine, Nutrit & Metab O.R. Proc w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	411	16.2	211	3	6	12	22	40	55
70-74	255	12.3	104	4	5	10	15	27	40
75-79	139	15.8	118	4	6	11	26	33	39
80-84	138	13.6	83	3	6	14	22	27	31
85 +	86	15.4	62	9	9	14	18	24	36
SUBTOTAL	1029	14.8	145	4	6	11	21	32	40
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	1029	14.8	145	4	6	11	21	32	40

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	46	21.5	614	1	3	9	38	69	69
18-34	37	4.2	3						
35-49	87	18.0	161	8	9	13	26	33	48
50-69	264	15.6	178	5	8	11	18	36	47
70 +	15	12.2	45						
	447	15.6	215	3	7	10	19	38	48
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	447	15.6	215	3	7	10	19	38	48

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	53	20.0	453	2	3	8	47	58	58
18-34	46	13.8	96	4	5	11	20	32	32
35-49	81	19.1	136	8	10	13	33	37	40
50-69	73	12.2	53	1	7	10	19	20	20
70 +	0								
SUBTOTAL	253	16.3	180	3	8	12	20	36	47
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	253	16.3	180	3	8	12	20	36	47

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	15	2.0	1						
18-34	8	7.0							
35-49	14	5.5	2						
50-69	15	8.3	53						
70 +	23	8.3	39						
	74	6.4	28	1	3	4	7	16	17
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	74	6.4	28	1	3	4	7	16	17

DRG 293: Other Endocrine, Nutrit & Metab O.R. Proc w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	14	10.5	61						
70-74	23	3.7	1						
75-79	0								
80-84	8	6.0							
85 +	8	12.0							
SUBTOTAL	52	7.1	28	3	3	5	12	18	18
GRAND TOTAL	52	7.1	28	3	3	5	12	18	18

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	84	4.7	17	1	1	4	6	11	14
18-34	22	2.0	1						
35-49	58	5.3	13	1	2	5	7	13	13
50-69	50	9.3	50	4	4	5	20	21	21
70 +	0								
	214	5.7	27	1	2	4	6	14	20
	214	5.7	27	1	2	4	6	14	20

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	15	10.0	69						
18-34	15	8.0	39						
35-49	15	10.9	77						
50-69	14	13.5	78						
70 +	0								
SUBTOTAL	59	10.5	66	2	2	14	18	22	22
GRAND TOTAL	59	10.5	66	2	2	14	18	22	22

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	15	5.5	7						
18-34	8	3.0							
35-49	8	2.0							
50-69	0								
70 +	8	7.0							
	38	4.6	6						
	38	4.6	6						

DRG 294: Diabetes Age >35

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	5448	7.3	24	3	4	6	9	13	16
70-74	2810	8.1	35	3	4	7	10	15	20
75-79	2668	8.9	43	3	5	7	11	16	21
80-84	1778	8.9	32	3	5	7	11	16	21
85+	1452	9.9	64	4	5	7	12	19	24
SUBTOTAL	14155	8.2	36	3	4	7	10	15	20
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	2720	5.4	9	2	4	5	7	9	11
70-74	1417	5.7	10	2	3	5	7	10	11
75-79	1073	5.6	10	3	3	5	7	9	12
80-84	568	5.8	10	2	4	5	7	10	13
85+	432	6.2	13	3	4	5	8	12	14
SUBTOTAL	6210	5.6	10	2	3	5	7	9	12
GRAND TOTAL	20365	7.4	29	3	4	6	9	14	18

TYPE OF PATIENT	BLUE CROSS PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	2753	6.1	25	3	3	5	7	10	15
50-69	4154	6.8	32	2	4	6	8	11	15
70+	157	7.9	16	3	5	8	10	12	17
	7064	6.5	29	3	4	5	8	11	15
0-17	0								
18-34	0								
35-49	2968	4.6	6	2	3	4	6	8	9
50-69	3993	4.8	6	2	3	4	6	8	9
70+	79	5.8	8	2	3	5	9	9	10
	7040	4.8	6	2	3	4	6	8	9
	14103	5.7	18	2	3	5	7	9	12

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	1576	7.1	20	3	4	6	9	13	16
50-69	1524	8.1	55	2	4	6	10	14	21
70+	42	5.9	7	2	3	7	8	9	9
SUBTOTAL	3143	7.5	37	3	4	6	9	13	17
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	971	6.3	32	2	4	5	7	10	15
50-69	961	5.9	15	2	3	5	7	10	13
70+	15	6.5							
SUBTOTAL	1946	6.1	24	2	3	5	7	10	13
GRAND TOTAL	5089	7.0	32	2	4	6	8	12	16

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	898	5.8	12	2	3	5	7	11	12
50-69	913	6.5	16	2	4	6	9	12	13
70+	225	7.0	18	3	4	6	9	12	17
	2037	6.2	15	2	4	5	8	11	13
0-17	0								
18-34	0								
35-49	788	4.3	8	1	2	4	6	8	10
50-69	627	4.0	5	2	3	4	5	7	8
70+	37	14.6	368						
	1452	4.4	18	1	2	4	5	7	9
	3489	5.5	17	2	3	5	7	10	12

DRG 295: Diabetes Age 0-35

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	557	6.9	123	1	3	5	7	13	15
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	557	6.9	123	1	3	5	7	13	15
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	225	4.7	15	1	2	4	6	9	14
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	225	4.7	15	1	2	4	6	9	14
GRAND TOTAL	783	6.3	93	1	2	4	7	13	14

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	2139	4.2	7	2	2	3	5	8	10
18-34	2284	5.1	16	2	3	4	6	8	12
35-49	173	6.1	17	3	4	5	7	9	12
50-69	0								
70 +	0								
	4596	4.7	12	2	3	4	6	8	10
	4917	4.1	6	2	2	4	5	7	8
	3107	3.7	4	1	2	3	5	6	7
	195	4.0	4	2	3	4	4	8	9
	0								
	0								
	8218	4.0	5	2	2	4	5	7	8
	12815	4.2	8	2	2	4	5	7	9

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	748	4.3	10	2	2	4	5	8	11
18-34	1689	5.9	21	2	3	5	7	10	14
35-49	88	5.7	8	3	4	5	9	10	11
50-69	0								
70 +	0								
SUBTOTAL	2525	5.4	18	2	3	4	7	10	14
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1660	4.2	7	2	2	4	5	7	8
18-34	1478	5.0	21	2	2	4	6	10	12
35-49	80	4.1	6	2	3	3	6	7	10
50-69	0								
70 +	0								
SUBTOTAL	3219	4.6	13	2	2	4	6	8	11
GRAND TOTAL	5743	4.9	15	2	3	4	6	9	11

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	556	3.7	6	1	2	3	5	6	8
18-34	1236	4.9	14	2	2	4	6	9	13
35-49	68	4.0	9	1	2	2	6	9	9
50-69	0								
70 +	0								
	1860	4.5	12	2	2	4	6	8	12
	1648	3.7	6	1	2	3	5	6	7
	1340	3.9	9	1	2	3	5	7	8
	72	4.0	3	2	2	4	5	6	7
	0								
	0								
	3060	3.8	7	1	2	3	5	6	7
	4920	4.1	9	1	2	3	5	7	9

DRG 296: Nutritional & Misc Metabolic Disorders Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	11046	7.3	43	2	3	5	9	14	19
70-74	7442	7.6	41	2	4	6	10	15	19
75-79	8573	8.0	41	3	4	6	10	15	19
80-84	7882	8.2	41	3	4	7	10	15	20
85 +	10430	8.4	37	3	5	7	10	16	20
SUBTOTAL	45373	7.9	41	3	4	6	10	15	20
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	45373	7.9	41	3	4	6	10	15	20

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1828	7.0	64	2	2	4	10	15	21
35-49	2408	5.7	26	2	3	4	7	12	17
50-69	6088	6.8	42	2	3	5	8	14	19
70 +	482	8.2	39	3	4	7	10	16	22
SUBTOTAL	10807	6.7	42	2	3	5	8	14	19
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	10807	6.7	42	2	3	5	8	14	19

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	1090	6.6	40	1	3	4	9	14	16
35-49	1136	6.7	42	2	3	5	7	12	20
50-69	1507	8.0	74	2	4	5	9	16	22
70 +	164	6.5	36	3	3	5	7	12	12
SUBTOTAL	3896	7.2	54	2	3	5	8	14	20
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	3896	7.2	54	2	3	5	8	14	20

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	538	4.9	22	1	2	3	7	11	15
35-49	585	6.2	35	1	2	5	8	13	19
50-69	1197	5.8	36	2	2	4	7	11	14
70 +	838	6.2	43	2	3	5	7	10	14
SUBTOTAL	3158	5.9	36	1	2	4	7	11	15
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	3158	5.9	36	1	2	4	7	11	15

DRG 297: Nutritional & Misc Metabolic Disorders Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	2222	5.0	16	1	2	4	7	10	13
70-74	1950	4.5	8	2	3	4	6	9	9
75-79	2175	5.1	13	2	3	4	6	9	11
80-84	2014	5.1	14	2	3	4	6	11	13
85 +	2602	5.6	16	2	3	5	7	10	12
SUBTOTAL	10963	5.1	13	2	3	4	6	10	12
GRAND TOTAL	10963	5.1	13	2	3	4	6	10	12

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	0								
18-34	2782	3.9	16	1	2	2	4	10	13
35-49	1790	3.2	6	1	2	3	4	6	7
50-69	2219	3.6	7	1	2	3	4	7	9
70 +	186	3.7	4	1	2	3	4	7	8
SUBTOTAL	6977	3.6	10	1	2	3	4	7	10
GRAND TOTAL	6977	3.6	10	1	2	3	4	7	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	778	3.6	10	1	2	2	4	9	10
35-49	359	4.0	15	1	2	3	5	6	12
50-69	435	4.3	7	2	3	4	5	8	10
70 +	22	16.9	94						
SUBTOTAL	1594	4.1	13	1	2	3	5	9	10
GRAND TOTAL	1594	4.1	13	1	2	3	5	9	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	0								
18-34	650	3.3	16	1	1	2	4	6	10
35-49	366	3.3	7	1	2	3	4	5	9
50-69	465	3.6	7	1	2	3	4	7	9
70 +	294	3.7	4	2	2	4	5	6	8
SUBTOTAL	1776	3.4	10	1	2	2	4	6	9
GRAND TOTAL	1776	3.4	10	1	2	2	4	6	9

DRG 298: Nutritional & Misc Metabolic Disorders Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	142	5.0	18	1	2	4	6	10	15
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	142	5.0	18	1	2	4	6	10	15
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	15	1.5							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	15	1.5							
GRAND TOTAL	156	4.6	17	1	2	4	5	9	12

TYPE OF PATIENT	BLUE CROSS PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	4323	5.5	57	1	2	3	6	12	17
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	4323	5.5	57	1	2	3	6	12	17
0-17	15322	3.2	12	1	2	2	3	6	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	15322	3.2	12	1	2	2	3	6	10
	19645	3.7	22	1	2	2	4	8	11

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	3687	6.9	51	2	3	5	9	14	20
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	3687	6.9	51	2	3	5	9	14	20
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	8426	4.0	14	1	2	3	5	8	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	8426	4.0	14	1	2	3	5	8	11
GRAND TOTAL	12114	4.9	27	1	2	3	6	10	14

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1570	5.5	50	1	2	3	6	13	17
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1570	5.5	50	1	2	3	6	13	17
0-17	5430	2.9	8	1	1	2	3	5	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	5430	2.9	8	1	1	2	3	5	8
	7000	3.5	19	1	2	2	4	7	9

North Central Region, July 1989 - June 1990

DRG 299: Inborn Errors of Metabolism

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	67	8.2	19	2	5	8	10	16	16
70-74	15	3.0	1						
75-79	8	13.0							
80-84	15	3.0	1						
85 +	0								
SUBTOTAL	105	7.0	21	2	3	5	10	13	16
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	22	6.8	29						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	22	6.8	29						
GRAND TOTAL	127	7.0	22	2	3	6	10	14	16

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	234	6.2	63	1	1	3	8	15	20
18-34	37	2.0	3						
35-49	96	10.0	46	2	6	8	12	21	24
50-69	70	7.1	27	1	3	7	11	17	17
70 +	0								
SUBTOTAL	437	6.9	53	1	2	4	10	17	21
0-17	380	3.4	6	1	2	3	4	7	9
18-34	68	5.6	26	1	3	4	5	18	18
35-49	57	4.1	6	1	1	4	5	9	9
50-69	44	5.3	12	1	1	7	8	10	10
70 +	0								
SUBTOTAL	548	3.9	10	1	2	3	5	8	10
	985	5.2	31	1	2	3	7	11	17

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	151	6.5	49	2	2	4	8	19	28
18-34	23	5.0	13						
35-49	22	9.0	9						
50-69	0								
70 +	0								
SUBTOTAL	196	6.6	41	2	2	4	8	13	19
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	136	6.1	65	1	2	4	5	11	37
18-34	36	5.1	18						
35-49	14	2.5							
50-69	0								
70 +	0								
SUBTOTAL	185	5.6	52	1	2	4	5	11	13
GRAND TOTAL	382	6.2	46	1	2	4	8	13	19

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	38	4.6	14						
18-34	30	15.5	59						
35-49	8	6.2	14						
50-69	7	7.9							
70 +	0								
SUBTOTAL	113	8.6	42	2	4	7	13	16	27
0-17	68	5.3	23	1	3	4	5	18	18
18-34	198	6.0	27	3	3	4	6	15	16
35-49	75	6.4	17	2	3	4	12	13	13
50-69	37	6.6	28						
70 +	0								
SUBTOTAL	378	6.0	24	3	3	4	6	13	16
	490	6.6	30	2	3	4	8	13	16

DRG 300: Endocrine Disorders w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	738	8.9	128	2	3	6	9	19	37
70-74	537	8.2	27	2	4	7	11	16	19
75-79	429	8.9	31	3	5	8	12	18	20
80-84	366	9.4	56	3	4	7	11	21	22
85 +	275	8.9	26	3	6	8	11	15	22
SUBTOTAL	2345	8.8	64	3	4	7	11	17	22
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	2345	8.8	64	3	4	7	11	17	22

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	274	4.9	18	1	2	4	7	13	14
18-34	146	3.8	7	1	2	3	5	8	12
35-49	489	5.8	21	2	2	4	8	12	15
50-69	569	6.2	18	2	3	5	8	11	17
70 +	58	6.3	12	2	4	5	8	14	14
	1535	5.6	18	2	2	4	7	12	14
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1535	5.6	18	2	2	4	7	12	14

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	141	7.6	75	1	3	5	11	13	40
18-34	109	6.6	32	2	4	5	7	13	25
35-49	162	9.2	147	2	3	6	9	13	35
50-69	74	11.1	28	2	8	13	16	17	17
70 +	7	17.0							
SUBTOTAL	494	8.6	84	2	4	6	11	17	25
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	494	8.6	84	2	4	6	11	17	25

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	75	4.3	9	1	2	4	6	8	11
18-34	21	2.6	3						
35-49	66	5.7	17	2	3	4	6	14	16
50-69	71	5.5	14	2	2	4	10	12	12
70 +	52	7.7	13	3	6	7	10	15	15
	285	5.4	14	1	2	4	7	11	15
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	285	5.4	14	1	2	4	7	11	15

DRG 301: Endocrine Disorders w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	195	3.6	6	2	2	2	6	7	9
70-74	96	4.5	5	2	3	4	6	8	9
75-79	125	7.0	18	2	3	7	10	12	17
80-84	80	6.5	8	3	4	6	8	10	13
85 +	23	4.7	7						
SUBTOTAL	518	5.1	11	2	2	4	7	10	12
GRAND TOTAL	518	5.1	11	2	2	4	7	10	12

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	513	2.5	4	1	1	2	3	5	8
18-34	359	2.8	3	1	2	2	3	6	7
35-49	355	4.3	9	1	2	3	6	9	11
50-69	314	2.9	3	1	2	2	4	5	6
70 +	7	4.0							
	1548	3.1	5	1	1	2	4	6	8
	1548	3.1	5	1	1	2	4	6	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	157	2.6	3	1	1	2	4	5	6
18-34	95	3.1	3	1	2	3	4	6	6
35-49	119	4.9		1	2	2	9	12	23
50-69	0								
70 +	8	3.0							
SUBTOTAL	379	3.5	14	1	1	2	4	7	10
GRAND TOTAL	379	3.5	14	1	1	2	4	7	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	357	2.2	2	1	1	2	3	4	5
18-34	111	3.9	8	1	2	3	5	9	9
35-49	104	4.0	10	1	2	3	5	9	12
50-69	118	4.2	8	1	2	3	7	9	9
70 +	21	3.1	3						
	711	3.1	6	1	1	2	4	7	9
	711	3.1	6	1	1	2	4	7	9

DRG 302: Kidney Transplant

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	882	16.8	86	8	10	15	22	26	33
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	882	16.8	86	8	10	15	22	26	33
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	137	10.8	13	6	8	11	15	16	17
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	137	10.8	13	6	8	11	15	16	17
GRAND TOTAL	1019	16.0	80	8	10	15	20	25	33

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	84	16.4	18	12	13	15	21	22	24
18-34	53	9.0	2	8	8	8	10	12	12
35-49	76	12.7	30	6	8	12	14	22	22
50-69	53	21.9	207	7	12	15	39	48	48
70 +	0								
SUBTOTAL	266	14.9	74	8	9	13	18	22	39
0-17	15	11.0	17						
18-34	15	12.0	1						
35-49	23	8.0	5						
50-69	8	9.0							
70 +	0								
SUBTOTAL	61	9.9	9	6	7	10	13	15	15
GRAND TOTAL	327	14.0	66	7	8	12	15	22	26

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	15	37.5	407						
18-34	38	15.4	66						
35-49	8	21.0							
50-69	8	8.0							
70 +	0								
SUBTOTAL	68	20.1	219	7	8	18	21	57	57
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	8	15.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	8	15.0							
GRAND TOTAL	76	19.6	199	7	8	16	21	48	57

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	17.0							
18-34	8	9.0							
35-49	8	10.0							
50-69	0								
70 +	0								
SUBTOTAL	23	12.0	13						
0-17	8	8.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	8	8.0							
GRAND TOTAL	30	11.0	13						

DRG 303: Kidney, Ureter & Major Bladder Procedures for Neoplasm

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	918	12.7	51	6	8	11	16	22	28
70-74	841	13.9	94	7	8	11	16	24	29
75-79	663	15.8	125	7	9	12	19	28	42
80-84	289	15.1	72	7	9	12	18	29	36
85 +	188	13.2	55	7	9	11	15	27	32
SUBTOTAL	2899	14.0	84	7	8	11	16	26	32
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	285	9.8	23	6	7	8	12	16	22
70-74	212	8.5	12	5	6	8	10	13	14
75-79	131	10.4	25	6	7	9	11	21	24
80-84	111	8.3	4	6	7	8	9	11	14
85 +	37	9.8	12						
SUBTOTAL	775	9.3	18	5	7	8	11	14	18
GRAND TOTAL	3674	13.0	74	6	8	11	15	23	29

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	60	13.5	106	5	6	10	21	36	36
18-34	28	12.5	65						
35-49	242	11.7	37	6	8	10	14	23	25
50-69	1157	12.1	50	6	8	10	14	20	29
70 +	50	18.2	64	6	13	16	24	33	33
	1537	12.3	52	6	7	10	14	22	29
0-17	114	8.2	12	3	5	8	11	14	14
18-34	43	4.4	5	< 1	4	4	6	8	8
35-49	256	7.2	3	5	6	7	8	10	10
50-69	511	8.2	23	5	6	7	9	11	12
70 +	8	8.0							
	931	7.7	16	5	6	7	9	11	12
	2468	10.6	43	5	7	9	12	18	25

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	30	16.5	170						
18-34	8	23.0							
35-49	37	11.7	11						
50-69	72	13.4	60	7	8	12	14	27	28
70 +	0								
SUBTOTAL	147	14.1	73	5	8	12	20	27	35
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	46	7.5	5	5	7	7	7	12	12
18-34	7	6.0							
35-49	0								
50-69	36	9.4	16						
70 +	0								
SUBTOTAL	89	8.2	10	5	6	7	8	12	16
GRAND TOTAL	235	11.9	58	5	7	10	14	23	28

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	23	8.0	1						
18-34	22	8.3	4						
35-49	61	10.0	19	6	7	8	13	19	19
50-69	206	11.0	77	6	7	9	12	17	23
70 +	90	15.3	107	8	9	11	17	28	44
	401	11.5	71	6	7	9	12	19	28
0-17	8	7.0							
18-34	0								
35-49	44	5.8	2	4	5	5	7	8	8
50-69	78	7.2	5	5	5	7	9	10	10
70 +	51	10.1	11	6	7	9	14	15	15
	182	7.7	8	5	6	7	9	11	14
	583	10.3	55	6	7	8	11	16	22

DRG 304: Kidney, Ureter & Major Bladder Proc for Non-neopl w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1140	12.0	93	4	6	9	15	22	32
70-74	686	11.9	76	4	7	10	15	23	35
75-79	682	14.5	114	4	6	11	20	29	31
80-84	231	13.5	74	3	7	11	18	26	29
85 +	219	14.6	132	4	9	13	18	26	28
SUBTOTAL	2958	12.8	96	4	6	10	16	26	32
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	2958	12.8	96	4	6	10	16	26	32

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1140	7.7	33	3	4	6	9	14	18
18-34	577	8.2	67	3	4	6	9	17	22
35-49	818	8.4	92	3	4	6	10	15	23
50-69	1026	10.0	51	3	5	9	13	19	23
70 +	15	11.1	10						
	3575	8.6	58	3	4	7	11	16	20
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3575	8.6	58	3	4	7	11	16	20

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	310	10.4	247	1	3	6	12	26	74
18-34	265	10.7	137	3	4	8	12	16	39
35-49	170	8.9	43	4	5	7	11	14	17
50-69	87	14.3	87	3	5	14	17	28	35
70 +	21	21.7	2						
SUBTOTAL	853	10.9	154	3	4	7	13	22	35
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	853	10.9	154	3	4	7	13	22	35

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	409	6.7	19	2	4	5	8	13	17
18-34	153	10.1	61	5	5	7	12	21	28
35-49	224	9.4	131	2	5	6	10	13	47
50-69	253	13.9	213	4	6	8	15	35	49
70 +	60	11.8	45	5	7	8	19	22	22
	1099	9.6	101	3	4	7	11	19	33
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1099	9.6	101	3	4	7	11	19	33

DRG 305: Kidney, Ureter & Major Bladder Proc for Non-neopl w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	413	6.8	17	2	4	6	10	12	15
70-74	206	5.4	11	1	3	5	8	9	12
75-79	198	6.2	28	1	2	5	9	17	18
80-84	86	6.5	8	3	4	6	9	10	11
85 +	29	7.0	4						
SUBTOTAL	932	6.3	17	2	3	5	8	12	15
GRAND TOTAL	932	6.3	17	2	3	5	8	12	15

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	3471	4.9	9	2	3	4	6	8	9
18-34	792	4.8	7	2	3	5	6	8	9
35-49	921	4.9	13	1	2	4	7	9	11
50-69	1006	5.2	13	1	3	5	7	10	12
70 +	0								
	6190	4.9	10	2	3	4	6	8	10
	6190	4.9	10	2	3	4	6	8	10

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	748	5.0	9	2	3	4	6	9	12
18-34	87	6.3	23	4	4	5	6	7	21
35-49	59	5.2	10	2	3	4	9	11	11
50-69	58	6.5	13	2	4	7	9	14	14
70 +	0								
SUBTOTAL	951	5.2	11	2	3	4	6	9	12
GRAND TOTAL	951	5.2	11	2	3	4	6	9	12

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1053	4.9	8	2	3	4	6	8	9
18-34	288	6.0	10	2	4	6	7	10	11
35-49	240	5.6	10	2	4	5	6	10	12
50-69	169	6.1	16	2	3	5	7	13	14
70 +	22	8.1	57						
	1773	5.3	10	2	3	5	6	9	12
	1773	5.3	10	2	3	5	6	9	12

DRG 306: Prostatectomy w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	350	8.6	61	3	3	6	12	18	23
70-74	598	7.9	26	3	4	6	11	16	19
75-79	707	8.9	27	3	5	8	12	17	19
80-84	396	10.8	139	3	4	10	14	18	22
85 +	290	9.0	26	3	5	8	12	17	20
SUBTOTAL	2341	8.9	51	3	4	7	12	17	19
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	2341	8.9	51	3	4	7	12	17	19

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	22	7.8	21						
50-69	240	7.0	36	2	3	5	8	12	20
70 +	50	5.4	13	1	3	4	9	12	12
	312	6.8	32	2	3	5	9	12	17
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	312	6.8	32	2	3	5	9	12	17

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	8	4.0							
70 +	7	9.0							
SUBTOTAL	15	6.4	7						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	15	6.4	7						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	51	8.3	18	3	3	9	14	14	14
70 +	52	13.9	96	4	5	11	17	35	35
	103	11.1	65	3	5	11	14	17	35
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	103	11.1	65	3	5	11	14	17	35

DRG 307: Prostatectomy w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	257	4.1	7	2	3	4	5	6	12
70-74	241	4.1	6	2	3	3	4	8	9
75-79	327	5.9	30	2	3	4	7	12	17
80-84	158	5.1	9	3	3	4	6	9	12
85 +	138	4.8	7	2	3	4	6	9	12
SUBTOTAL	1121	4.9	14	2	3	4	5	9	12
GRAND TOTAL	1121	4.9	14	2	3	4	5	9	12

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	15	3.5							
50-69	321	3.6	4	2	3	3	4	6	7
70 +	21	4.1	2						
	357	3.7	4	2	3	3	4	6	7
	357	3.7	4	2	3	3	4	6	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	8	3.0							
50-69	15	2.0	1						
70 +	0								
SUBTOTAL	22	2.3	1						
GRAND TOTAL	22	2.3	1						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	0								
50-69	43	7.1	26	3	4	4	7	18	18
70 +	8	3.0							
	51	6.5	24	3	3	4	7	18	18
	51	6.5	24	3	3	4	7	18	18

DRG 308: Minor Bladder Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	655	8.5	49	3	4	7	11	18	21
70-74	575	8.9	132	2	3	7	10	18	25
75-79	632	9.7	91	2	4	8	12	18	26
80-84	389	9.4	61	2	4	8	11	20	25
85 +	361	12.0	139	3	4	8	16	28	32
SUBTOTAL	2612	9.5	93	2	4	7	12	19	26
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	2612	9.5	93	2	4	7	12	19	26

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	372	7.4	27	1	4	6	10	16	18
18-34	111	6.3	16	2	3	6	9	13	14
35-49	200	6.8	41	2	3	4	9	12	26
50-69	506	7.0	44	1	3	5	8	16	21
70 +	28	8.1	14						
	1217	7.1	35	2	3	6	9	14	19
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1217	7.1	35	2	3	6	9	14	19

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	68	7.4	23	1	2	8	12	14	14
18-34	37	7.1	23						
35-49	29	27.4	267						
50-69	44	12.0	141	4	4	5	11	37	37
70 +	14	10.5	7						
SUBTOTAL	192	11.7	132	2	4	9	13	34	37
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	192	11.7	132	2	4	9	13	34	37

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	122	6.6	20	1	3	6	9	15	16
18-34	21	7.0	9						
35-49	0								
50-69	73	8.2	23	1	4	8	12	13	18
70 +	80	7.4	22	3	3	5	12	13	17
	295	7.2	21	2	3	6	11	15	16
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	295	7.2	21	2	3	6	11	15	16

DRG 309: Minor Bladder Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	297	4.7	37	1	2	3	5	11	16
70-74	256	4.0	10	1	1	3	7	9	11
75-79	267	5.7	28	1	2	5	7	11	17
80-84	125	4.5	31	1	2	3	5	7	25
85 +	100	4.8	10	1	3	4	7	10	12
SUBTOTAL	1044	4.8	25	1	2	3	6	9	14
GRAND TOTAL	1044	4.8	25	1	2	3	6	9	14

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	327	4.8	26	1	2	3	6	8	11
18-34	87	4.5	17	1	1	2	6	12	13
35-49	231	6.1	99	2	3	4	6	10	11
50-69	495	4.3	9	1	2	3	6	9	10
70 +	8	3.0							
	1148	4.8	33	1	2	3	6	9	11
	1148	4.8	33	1	2	3	6	9	11

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	137	3.9	8	1	2	3	5	9	11
18-34	37	8.5	33						
35-49	29	2.7	1						
50-69	30	6.5	3						
70 +	14	7.0	27						
SUBTOTAL	246	4.9	15	1	2	4	7	11	12
GRAND TOTAL	246	4.9	15	1	2	4	7	11	12

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	46	3.3	13	1	1	2	4	11	11
18-34	7	2.0							
35-49	44	3.9	6	2	2	2	7	8	8
50-69	75	4.2	7	2	2	4	5	9	10
70 +	65	3.3	2	1	3	3	4	5	5
	237	3.7	6	1	2	3	5	7	10
	237	3.7	6	1	2	3	5	7	10

DRG 310: Transurethral Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1795	5.3	23	1	2	4	7	11	16
70-74	1474	5.1	22	1	2	4	6	11	13
75-79	1752	5.3	24	1	2	4	6	12	16
80-84	1317	6.1	27	2	3	4	7	13	17
85 +	1046	7.3	36	2	3	6	9	16	18
SUBTOTAL	7385	5.7	26	1	2	4	7	12	16
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	7385	5.7	26	1	2	4	7	12	16

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	73	5.9	49	1	2	4	6	11	26
18-34	823	4.0	10	1	2	3	5	8	9
35-49	1209	3.7	10	1	2	3	4	7	9
50-69	2060	4.2	13	1	2	3	5	8	10
70 +	107	5.1	4	3	3	5	7	8	8
	4272	4.1	12	1	2	3	5	8	9
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4272	4.1	12	1	2	3	5	8	9

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	8	3.0							
18-34	137	5.9	15	1	3	5	7	14	16
35-49	75	5.7	16	1	2	5	9	13	14
50-69	167	6.5	15	2	3	6	8	13	15
70 +	21	6.0	9						
SUBTOTAL	408	6.1	14	2	3	5	8	13	15
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	408	6.1	14	2	3	5	8	13	15

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	107	4.7	12	2	3	4	5	9	16
35-49	136	4.2	12	1	1	3	7	10	11
50-69	297	4.2	12	1	2	3	5	10	13
70 +	165	4.5	9	1	2	4	5	9	11
	705	4.4	11	1	2	3	5	10	12
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	705	4.4	11	1	2	3	5	10	12

DRG 311: Transurethral Procedures w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1429	2.6	3	1	1	2	3	5	6
70-74	1251	2.8	3	1	1	2	4	5	6
75-79	866	3.1	7	1	2	2	4	6	8
80-84	617	3.3	9	1	1	3	4	6	9
85 +	526	3.3	7	1	2	3	4	6	8
SUBTOTAL	4688	2.9	5	1	1	2	4	5	7
GRAND TOTAL	4688	2.9	5	1	1	2	4	5	7

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	126	3.1	7	1	1	2	4	7	10
18-34	1342	2.8	3	1	2	2	3	5	6
35-49	2663	2.9	3	1	2	3	4	5	6
50-69	2940	2.8	4	1	1	2	4	5	6
70 +	66	4.0	10	1	1	3	6	9	9
	7137	2.8	3	1	1	2	4	5	6
	7137	2.8	3	1	1	2	4	5	6

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	22	2.0	1						
18-34	121	3.5	3	1	2	4	5	6	7
35-49	80	3.1	1	2	2	3	4	5	5
50-69	37	3.6	2						
70 +	0								
SUBTOTAL	260	3.3	2	1	2	3	4	5	6
GRAND TOTAL	260	3.3	2	1	2	3	4	5	6

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	44	3.7	8	1	2	3	5	9	9
18-34	448	2.8	4	1	1	2	4	6	9
35-49	639	2.5	2	1	1	2	3	5	5
50-69	527	2.5	2	1	1	2	3	5	5
70 +	212	2.4	2	1	1	2	3	4	5
	1870	2.6	3	1	1	2	3	5	6
	1870	2.6	3	1	1	2	3	5	6

DRG 312: Urethral Procedures, Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	195	6.1	19	1	2	5	9	13	14
70-74	174	4.8	13	1	2	5	6	9	12
75-79	168	6.6	26	2	3	6	7	15	19
80-84	58	6.7	23	3	3	6	8	18	18
85 +	70	9.5	35	3	5	8	14	18	23
SUBTOTAL	665	6.3	23	1	3	5	8	14	16
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	665	6.3	23	1	3	5	8	14	16

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	81	5.6	89	1	1	2	5	16	34
35-49	172	6.5	96	1	1	4	6	14	15
50-69	133	2.5	2	1	1	2	3	5	6
70 +	7	1.0							
	392	4.9	64	1	1	2	5	11	15
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	392	4.9	64	1	1	2	5	11	15

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	37	2.6	1						
35-49	0								
50-69	15	11.4	69						
70 +	7	3.0							
SUBTOTAL	58	4.8	31	2	2	3	4	19	19
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	58	4.8	31	2	2	3	4	19	19

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	58	4.3	15	1	2	2	8	13	13
35-49	15	1.5							
50-69	30	3.1	11						
70 +	28	9.3	69						
	130	4.8	30	1	1	2	8	15	19
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	130	4.8	30	1	1	2	8	15	19

DRG 313: Urethral Procedures, Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	129	2.3	4	1	1	2	3	4	10
70-74	66	1.6	1	1	1	1	2	4	4
75-79	65	2.5	7	1	1	1	2	9	9
80-84	28	7.2	65						
85 +	43	2.3	9	1	1	1	1	9	9
SUBTOTAL	331	2.6	12	1	1	1	3	5	9
GRAND TOTAL	331	2.6	12	1	1	1	3	5	9

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	243	2.8	5	1	2	2	4	4	7
35-49	198	3.1	6	1	1	2	5	8	8
50-69	151	2.5	5	1	1	2	3	6	7
70 +	0								
	592	2.8	6	1	1	2	4	7	8
	592	2.8	6	1	1	2	4	7	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	30	1.8							
35-49	28	2.5	3						
50-69	29	1.7	1						
70 +	0								
SUBTOTAL	88	2.0	1	1	1	2	2	3	5
GRAND TOTAL	88	2.0	1	1	1	2	2	3	5

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	102	1.8	1	1	1	1	2	2	3	5
35-49	7	2.0							
50-69	28	1.3							
70 +	0								
	137	1.7	1	1	1	1	1	2	3	5
	137	1.7	1	1	1	1	1	2	3	5

DRG 314: Urethral Procedures, Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	8	1.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	8	1.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	8	1.0							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	53	4.2	4	1	3	4	6	7	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	53	4.2	4	1	3	4	6	7	7
0-17	225	2.7	8	1	1	2	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	225	2.7	8	1	1	2	3	5	6
	277	3.0	8	1	1	2	4	6	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	15	8.0	4						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	15	8.0	4						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	53	3.0	6	1	1	3	4	8	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	53	3.0	6	1	1	3	4	8	8
GRAND TOTAL	68	4.1	10	1	1	3	6	10	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	3.0	3						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	30	3.0	3						
0-17	53	4.0	9	1	1	2	7	8	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	53	4.0	9	1	1	2	7	8	8
	83	3.7	7	1	1	2	7	7	8

DRG 315: Other Kidney & Urinary Tract O.R. Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2053	11.4	158	2	3	7	15	29	42
70-74	872	12.2	113	2	4	9	16	27	35
75-79	599	14.1	124	3	6	11	19	28	36
80-84	425	15.4	167	3	7	12	19	38	43
85 +	310	17.2	95	7	10	16	24	31	38
SUBTOTAL	4260	12.8	144	2	4	9	17	30	40
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	596	4.2	25	1	1	2	5	9	18
70-74	215	3.4	10	1	2	2	3	9	12
75-79	165	5.5	24	1	2	4	8	12	17
80-84	74	4.3	12	1	1	3	6	10	10
85 +	8	6.0							
SUBTOTAL	1057	4.3	21	1	1	2	5	10	16
GRAND TOTAL	5318	11.1	131	1	3	8	15	27	36

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	91	9.6	22	6	6	9	14	16	19
18-34	276	13.7	439	1	3	6	12	36	90
35-49	574	7.2	86	1	2	4	10	15	27
50-69	1013	11.0	156	2	3	7	13	24	41
70 +	21	7.7	41						
SUBTOTAL	1975	10.2	172	2	3	7	12	22	38
0-17	91	4.8	9	1	2	5	7	9	10
18-34	200	4.6	10	1	2	4	8	9	9
35-49	256	4.4	14	1	1	3	6	9	14
50-69	541	5.0	43	1	1	3	6	11	17
70 +	21	6.2	18						
SUBTOTAL	1109	4.8	27	1	1	3	7	10	14
GRAND TOTAL	3084	8.3	127	1	2	5	9	19	26

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	30	17.4	436						
18-34	181	13.1	96	2	4	10	19	29	32
35-49	224	11.9	132	3	6	10	14	20	27
50-69	267	17.5	213	2	6	12	27	40	54
70 +	21	15.9	35						
SUBTOTAL	723	14.6	168	3	6	11	19	33	41
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	46	4.7	6	1	3	4	6	9	9
18-34	81	5.7	12	2	3	5	7	8	15
35-49	102	7.6	34	1	2	8	11	14	21
50-69	51	9.8	29	5	5	8	12	21	21
70 +	8	1.0							
SUBTOTAL	288	6.8	25	1	3	5	9	14	21
GRAND TOTAL	1011	12.4	140	2	4	9	15	29	37

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	4.0							
18-34	74	7.7	96	1	3	5	7	11	37
35-49	96	7.2	31	2	3	5	9	16	20
50-69	156	9.7	38	3	5	9	14	19	20
70 +	44	19.4	145	10	12	12	24	45	45
SUBTOTAL	378	9.7	73	2	4	7	14	20	24
0-17	30	6.0	2						
18-34	51	6.2	9	1	4	7	9	10	10
35-49	89	4.7	13	1	1	4	8	11	11
50-69	141	4.4	15	1	2	3	7	12	15
70 +	22	4.4	24						
SUBTOTAL	334	4.9	13	1	2	4	8	11	11
GRAND TOTAL	712	7.4	51	1	3	5	10	15	20

DRG 316: Renal Failure

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2505	8.5	67	2	4	6	11	17	23
70-74	1142	10.1	46	3	6	9	12	19	24
75-79	1291	10.4	70	3	5	8	14	22	28
80-84	1261	11.3	72	3	6	9	15	24	27
85 +	1257	10.8	66	4	6	9	13	21	25
SUBTOTAL	7455	9.9	66	3	5	8	13	20	26
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	437	5.1	20	1	2	4	7	9	16
70-74	182	6.1	36	1	2	4	8	12	22
75-79	137	6.0	25	1	3	5	8	16	21
80-84	153	6.2	27	2	2	4	8	14	15
85 +	64	7.7	26	2	4	6	10	19	19
SUBTOTAL	972	5.8	26	1	2	4	7	12	19
GRAND TOTAL	8427	9.5	63	2	4	7	12	18	25

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	129	5.2	14	1	2	4	8	11	14
18-34	268	6.6	15	3	3	5	10	14	14
35-49	348	7.7	26	2	4	6	10	15	19
50-69	1141	9.3	61	2	4	7	12	19	29
70 +	58	8.2	11	4	5	8	11	14	14
	1944	8.3	45	2	4	6	11	15	21
0-17	83	3.5	4	1	2	4	4	5	8
18-34	82	5.2	8	< 1	2	6	7	8	11
35-49	109	4.6	7	2	3	4	6	9	12
50-69	152	5.4	22	1	2	4	8	13	17
70 +	21	8.6	43						
	447	5.0	15	1	2	4	6	11	13
	2392	7.7	41	2	4	6	10	14	20

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	98	7.4	24	2	5	6	8	15	19
18-34	149	11.3	196	2	3	6	16	23	59
35-49	244	7.9	44	2	4	7	10	13	26
50-69	390	7.9	29	2	4	7	10	16	17
70 +	7	5.0							
SUBTOTAL	888	8.4	62	2	4	7	11	17	21
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	61	7.0	23	2	3	7	9	18	18
18-34	61	4.1	9	1	2	4	8	9	9
35-49	15	3.0	4						
50-69	44	5.4	8	2	3	4	7	10	10
70 +	8	3.0							
SUBTOTAL	188	5.2	14	1	2	4	7	9	10
GRAND TOTAL	1076	7.8	55	2	3	6	10	16	19

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	8.0							
18-34	84	6.0	9	2	4	5	8	11	12
35-49	113	12.4	142	1	4	8	19	26	47
50-69	219	10.7	146	3	4	8	13	24	26
70 +	131	11.6	369	2	4	6	11	20	76
	554	10.5	178	2	4	7	12	21	26
0-17	30	2.3	3						
18-34	42	3.3		3	3	3	4	4	4
35-49	29	6.5	13						
50-69	22	5.4	12						
70 +	28	3.4	5						
	152	4.1	8	1	2	3	4	10	10
	706	9.1	149	2	3	6	10	19	26

DRG 317: Admit for Renal Dialysis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	73	3.2	2	1	2	3	4	6	6
70-74	63	4.5	4	2	3	5	6	8	8
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	137	3.8	3	2	2	3	6	6	7
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	137	3.8	3	2	2	3	6	6	7

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	5.0							
18-34	0								
35-49	7	3.0							
50-69	7	4.0							
70 +	0								
	21	4.0	1						
	0								
	0								
	0								
	0								
	0								
	0								
	0								
	21	4.0	1						

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	7	4.0							
70 +	0								
SUBTOTAL	7	4.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	7	4.0							

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	0								
	0								
	0								
	0								
	0								
	0								
	0								

DRG 318: Kidney & Urinary Tract Neoplasms w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	320	8.1	56	2	3	5	10	17	21
70-74	249	7.4	54	2	2	6	9	13	21
75-79	217	8.9	64	1	4	7	12	23	24
80-84	223	11.4	81	2	5	8	16	27	28
85+	171	7.1	17	2	4	7	8	14	17
SUBTOTAL	1180	8.6	58	2	3	7	11	17	27
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
GRAND TOTAL	1180	8.6	58	2	3	7	11	17	27

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	98	3.7	5	1	2	3	5	6	9
18-34	15	1.0							
35-49	93	5.3	11	2	3	4	7	10	12
50-69	366	6.0	30	2	2	3	8	15	16
70+	35	5.2	9						
	607	5.3	22	1	2	4	7	11	15
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	607	5.3	22	1	2	4	7	11	15

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	8	28.0							
35-49	15	14.6	69						
50-69	58	16.1	206	1	2	10	26	45	45
70+	0								
SUBTOTAL	80	17.0	173	2	7	11	28	30	45
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
GRAND TOTAL	80	17.0	173	2	7	11	28	30	45

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	15	3.0	1						
18-34	0								
35-49	15	5.0	1						
50-69	66	5.1	29	1	2	4	6	19	19
70+	36	3.2	1						
	132	4.3	16	1	2	4	4	7	19
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	132	4.3	16	1	2	4	4	7	19

DRG 319: Kidney & Urinary Tract Neoplasms w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	44	3.0	2	<1	1	3	4	5	5
70-74	44	2.3	2	1	1	2	4	4	4
75-79	37	2.7	5						
80-84	51	3.0	5	1	1	2	4	8	8
85+	15	3.5							
SUBTOTAL	190	2.8	3	1	1	2	4	5	6
GRAND TOTAL	190	2.8	3	1	1	2	4	5	6

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	75	3.7	11	1	1	3	4	10	10
18-34	15	3.0							
35-49	36	2.0	2						
50-69	109	2.6	4	1	1	2	4	6	7
70+	15	6.0	1						
	249	3.1	6	1	1	3	4	7	10
	249	3.1	6	1	1	3	4	7	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	15	6.1	10						
18-34	0								
35-49	8	2.0							
50-69	0								
70+	8	1.0							
SUBTOTAL	30	3.8	10						
GRAND TOTAL	30	3.8	10						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	15	4.0	1						
18-34	0								
35-49	7	5.0							
50-69	14	3.0	4						
70+	7	1.0							
	43	3.4	3	1	1	3	5	5	5
	43	3.4	3	1	1	3	5	5	5

DRG 320: Kidney & Urinary Tract Infections Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	6919	7.8	30	3	4	6	10	14	16
70-74	5072	8.4	34	3	5	7	10	15	18
75-79	5814	8.8	38	3	5	7	11	17	21
80-84	6555	9.1	40	4	5	7	11	17	21
85+	8929	8.9	38	4	5	7	11	16	19
SUBTOTAL	33289	8.6	36	3	5	7	10	15	19
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
GRAND TOTAL	33289	8.6	36	3	5	7	10	15	19

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2516	4.8	10	2	3	4	6	8	11
35-49	1907	6.0	20	3	3	5	7	11	14
50-69	3852	6.8	28	3	4	5	8	12	16
70+	312	7.9	27	3	4	7	9	16	18
	8587	6.1	22	2	3	5	7	11	15
	0								
	0								
	0								
	0								
	0								
	0								
	8587	6.1	22	2	3	5	7	11	15

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	1727	5.4	15	2	3	4	6	9	12
35-49	820	7.1	38	3	4	6	8	11	18
50-69	838	8.6	37	3	5	7	11	18	23
70+	99	8.0	7	4	5	8	10	12	12
SUBTOTAL	3485	6.6	27	2	4	5	8	12	17
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
GRAND TOTAL	3485	6.6	27	2	4	5	8	12	17

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	800	4.1	4	2	3	4	5	7	8
35-49	423	5.2	11	2	3	4	6	9	11
50-69	601	6.1	16	2	3	5	8	12	14
70+	576	6.9	31	2	4	5	9	12	13
	2399	5.5	16	2	3	4	7	10	12
	0								
	0								
	0								
	0								
	0								
	0								
	2399	5.5	16	2	3	4	7	10	12

DRG 321: Kidney & Urinary Tract Infections Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	1608	5.4	11	2	3	5	6	10	12
70-74	1368	5.7	16	2	3	5	7	10	13
75-79	1181	6.4	34	3	4	5	7	10	13
80-84	1296	6.2	10	3	4	6	8	10	12
85+	1414	5.9	12	2	4	5	7	10	12
SUBTOTAL	6866	5.9	16	3	4	5	7	10	12
GRAND TOTAL	6866	5.9	16	3	4	5	7	10	12

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	0								
18-34	4798	3.7	3	2	2	3	5	6	7
35-49	2515	4.4	6	2	3	4	5	7	9
50-69	2133	4.6	6	2	3	4	6	7	10
70+	113	4.8	8	2	3	4	6	10	13
	9559	4.1	5	2	3	4	5	7	8
	9559	4.1	5	2	3	4	5	7	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	2410	4.2	4	2	3	4	5	7	8
35-49	565	4.7	7	2	3	4	5	8	12
50-69	178	5.2	6	3	3	5	7	8	10
70+	28	4.5	1						
SUBTOTAL	3182	4.3	5	2	3	4	5	7	8
GRAND TOTAL	3182	4.3	5	2	3	4	5	7	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	0								
18-34	1764	3.5	3	2	2	3	5	6	7
35-49	513	3.8	5	2	2	3	5	6	9
50-69	238	4.9	8	2	3	5	6	10	11
70+	190	4.9	7	2	3	4	7	9	9
	2705	3.8	4	2	2	3	5	6	8
	2705	3.8	4	2	2	3	5	6	8

DRG 322: Kidney & Urinary Tract Infections Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	98	5.0	11	2	3	4	6	8	14
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	98	5.0	11	2	3	4	6	8	14
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	7	4.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	7	4.0							
GRAND TOTAL	104	4.9	10	2	3	4	6	8	14

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	2092	4.7	33	2	3	4	5	8	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2092	4.7	33	2	3	4	5	8	10
0-17	5886	3.7	4	2	2	3	4	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	5886	3.7	4	2	2	3	4	6	8
	7977	4.0	12	2	2	3	5	7	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH
1.PATIENTS W/ CCs								
AGE GROUP								
0-17 (YRS.)	1136	5.3	36	2	3	4	6	9	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1136	5.3	36	2	3	4	6	9	10
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	2408	3.9	4	2	3	4	5	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	2408	3.9	4	2	3	4	5	6	8
GRAND TOTAL	3544	4.3	15	2	3	4	5	7	9

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	437	4.2	5	2	3	4	5	7	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	437	4.2	5	2	3	4	5	7	10
0-17	1692	3.7	5	2	2	3	4	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1692	3.7	5	2	2	3	4	6	8
	2129	3.8	5	2	2	3	4	7	8

DRG 323: Urinary Stones w/ CC, &/or ESW Lithotripsy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1851	4.1	20	1	2	3	5	7	11
70-74	858	3.8	7	1	2	3	5	7	9
75-79	650	4.8	18	1	2	4	6	10	13
80-84	367	5.8	74	2	2	3	5	12	15
85 +	190	7.1	23	1	2	7	10	15	15
SUBTOTAL	**3916**	**4.4**	**22**	**1**	**2**	**3**	**5**	**9**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	171	1.8	2	1	1	1	2	4	5
70-74	123	1.4		1	1	1	2	2	3
75-79	141	2.3	3	1	1	1	3	6	6
80-84	35	1.2							
85 +	22	4.1	19						
SUBTOTAL	**492**	**1.9**	**3**	**1**	**1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**4407**	**4.2**	**21**	**1**	**2**	**3**	**5**	**8**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	238	3.2	5	1	1	3	4	7	8
18-34	2320	2.4	3	1	1	2	3	5	6
35-49	3610	2.6	4	1	1	2	3	5	6
50-69	3061	3.0	6	1	1	2	4	6	8
70 +	51	3.6	3	1	2	4	5	6	6
	9281	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**7**
0-17	30	2.0	1						
18-34	185	1.7	1	1	1	1	2	3	4
35-49	388	2.1	4	1	1	1	2	4	5
50-69	392	2.0	4	1	1	1	2	4	7
70 +	7	2.0							
	1002	**2.0**	**3**	**1**	**1**	**1**	**2**	**4**	**5**
	10283	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	96	3.3	6	1	1	2	6	7	8
18-34	421	4.3	26	1	2	2	5	10	20
35-49	312	4.3	12	1	2	3	5	8	10
50-69	189	5.4	35	1	2	4	6	10	11
70 +	8	8.0							
SUBTOTAL	**1025**	**4.4**	**22**	**1**	**2**	**3**	**5**	**10**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	15	7.0	27						
18-34	81	2.5	8	1	1	1	2	5	11
35-49	96	2.7	4	1	1	3	3	5	8
50-69	46	3.5	1	2	3	3	4	5	5
70 +	0								
SUBTOTAL	**238**	**3.1**	**7**	**1**	**1**	**2**	**4**	**5**	**11**
GRAND TOTAL	**1263**	**4.2**	**19**	**1**	**2**	**3**	**5**	**9**	**12**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	37	2.2	1						
18-34	655	2.9	4	1	1	2	4	6	8
35-49	834	2.3	2	1	1	2	3	4	5
50-69	448	3.1	7	1	1	2	4	7	8
70 +	118	4.6	20	1	2	3	7	9	19
	2093	**2.8**	**5**	**1**	**1**	**2**	**3**	**5**	**7**
0-17	0								
18-34	114	1.9	2	1	1	1	2	5	6
35-49	137	1.6	1	1	1	1	2	4	5
50-69	114	1.3		1	1	1	1	2	3
70 +	14	1.0							
	379	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**5**
	2471	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**6**

DRG 324: Urinary Stones w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1326	2.6	3	1	1	2	3	5	6
70-74	682	2.7	3	1	1	2	3	5	7
75-79	381	2.6	3	1	1	2	4	4	6
80-84	136	3.7	12	1	1	3	4	10	13
85 +	101	4.1	7	1	2	3	5	8	10
SUBTOTAL	2625	2.7	4	1	1	2	3	5	7
GRAND TOTAL	2625	2.7	4	1	1	2	3	5	7

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	561	2.5	5	1	1	2	3	4	5
18-34	5439	1.9	2	1	1	1	2	3	4
35-49	8779	1.9	2	1	1	1	2	3	4
50-69	5843	2.1	2	1	1	2	3	4	5
70 +	49	1.9	1	1	1	2	3	3	3
	20671	2.0	2	1	1	2	2	4	5
	20671	2.0	2	1	1	2	2	4	5

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	81	2.1	1	1	1	2	3	3	4
18-34	506	2.8	13	1	1	2	3	4	6
35-49	345	2.7	5	1	1	2	3	6	6
50-69	172	3.1	3	1	2	3	4	5	7
70 +	8	1.0							
SUBTOTAL	1112	2.8	8	1	1	2	3	5	6
GRAND TOTAL	1112	2.8	8	1	1	2	3	5	6

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	94	2.9	13	1	1	1	3	8	13
18-34	1541	1.7	2	1	1	1	2	3	4
35-49	1768	1.8	2	1	1	1	2	3	4
50-69	812	2.1	2	1	1	2	3	4	4
70 +	88	1.9	1	1	1	2	3	3	4
	4303	1.8	2	1	1	1	2	3	4
	4303	1.8	2	1	1	1	2	3	4

DRG 325: Kidney & Urinary Tract Signs & Symptoms Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	383	5.2	26	1	2	4	6	11	12
70-74	472	5.2	26	2	2	4	6	10	13
75-79	436	5.1	12	2	3	4	6	10	13
80-84	467	4.9	13	1	2	4	6	10	12
85 +	410	6.7	32	2	3	5	9	11	19
SUBTOTAL	2167	5.4	22	2	2	4	7	11	13
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	2167	5.4	22	2	2	4	7	11	13

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	158	4.0	9	1	1	3	6	9	10
35-49	202	3.3	10	1	1	2	4	7	10
50-69	293	4.2	6	2	2	4	6	8	9
70 +	50	7.8	31	1	5	5	13	18	18
	703	4.2	11	1	2	3	6	9	11
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	703	4.2	11	1	2	3	6	9	11

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	37	7.1	31						
35-49	52	5.6	17	1	3	4	11	13	13
50-69	29	5.3	12						
70 +	7	9.0							
SUBTOTAL	125	6.1	20	1	3	4	9	13	17
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	125	6.1	20	1	3	4	9	13	17

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	23	4.0	3						
35-49	51	3.0	4	1	1	3	5	6	6
50-69	15	2.5							
70 +	60	6.0	8	3	4	5	7	12	12
	148	4.3	7	1	3	4	6	8	12
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	148	4.3	7	1	3	4	6	8	12

DRG 326: Kidney & Urinary Tract Signs & Symptoms Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	277	3.3	9	1	1	2	4	6	13
70-74	149	3.9	3	2	2	3	5	7	7
75-79	168	3.1	6	1	1	3	4	7	8
80-84	216	3.8	5	1	2	3	5	7	7
85 +	123	3.1	2	2	2	3	4	5	5
SUBTOTAL	932	3.4	6	1	2	3	5	7	7
GRAND TOTAL	932	3.4	6	1	2	3	5	7	7

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	0								
18-34	186	2.2	2	1	1	2	3	4	5
35-49	293	2.7	4	1	1	2	3	5	7
50-69	335	3.3	7	1	2	3	4	7	10
70 +	14	2.5							
	828	2.8	5	1	1	2	4	5	8
	828	2.8	5	1	1	2	4	5	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	51	3.6	2	1	3	4	5	5	5
35-49	15	1.0							
50-69	21	2.7	6						
70 +	0								
SUBTOTAL	87	2.9	3	1	1	3	4	5	6
GRAND TOTAL	87	2.9	3	1	1	3	4	5	6

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	0								
18-34	52	2.6	4	1	1	2	4	7	7
35-49	37	4.4	3						
50-69	71	2.5	4	1	1	2	4	5	7
70 +	14	6.5	22						
	173	3.3	6	1	1	3	4	7	7
	173	3.3	6	1	1	3	4	7	7

DRG 327: Kidney & Urinary Tract Signs & Symptoms Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	8	5.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	8	5.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	8	5.0							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	188	2.5	4	1	1	2	3	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	188	2.5	4	1	1	2	3	6	7
0-17	428	1.5	1	1	1	1	2	3	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	428	1.5	1	1	1	1	2	3	3
	616	1.8	2	1	1	1	2	3	4

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	30	4.5	16						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	30	4.5	16						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	163	2.7	3	1	1	3	3	4	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	163	2.7	3	1	1	3	3	4	7
GRAND TOTAL	193	3.0	6	1	1	3	3	5	9

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	46	3.0	6	< 1	1	3	4	8	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	46	3.0	6	< 1	1	3	4	8	8
0-17	135	1.4		< 1	1	1	2	2	2
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	135	1.4		< 1	1	1	2	2	2
	181	1.8	2	< 1	1	1	2	3	4

DRG 328: Urethral Stricture Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	44	4.2	6	2	2	4	5	9	9
70-74	45	6.2	22	1	3	5	7	16	16
75-79	78	3.8	13	1	1	3	4	11	11
80-84	78	4.0	4	2	2	4	6	6	8
85 +	86	6.5	18	1	3	6	10	13	14
SUBTOTAL	332	4.9	14	1	2	4	7	11	13
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	332	4.9	14	1	2	4	7	11	13

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	58	3.8	8	1	1	2	6	9	9
35-49	37	2.2	1						
50-69	49	3.0	3	1	1	3	4	6	6
70 +	0								
	144	3.1	5	1	1	3	3	6	8
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	144	3.1	5	1	1	3	3	6	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	15	5.0	1						
35-49	15	5.5	13						
50-69	15	5.5	22						
70 +	0								
SUBTOTAL	45	5.4	12	1	2	6	9	10	10
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	45	5.4	12	1	2	6	9	10	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	7	4.0							
35-49	15	1.5							
50-69	7	1.0							
70 +	7	2.0							
	35	2.0	1						
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	35	2.0	1						

DRG 329: Urethral Stricture Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	7	3.0							
70-74	30	1.0							
75-79	30	1.8	.2						
80-84	7	1.0							
85 +	7	14.9							
SUBTOTAL	80	2.6	13	1	1	1	3	4	14
GRAND TOTAL	80	2.6	13	1	1	1	3	4	14

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	8	4.0							
35-49	22	2.3	.2						
50-69	44	2.0	1	1	1	2	2	4	4
70 +	0								
	74	2.3	1	1	1	2	4	4	4
	74	2.3	1	1	1	2	4	4	4

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	15	3.6	.2						
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	15	3.6	2						
GRAND TOTAL	15	3.6	2						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	8	1.0							
35-49	7	3.0							
50-69	8	1.0							
70 +	0								
	22	1.6	1						
	[illegible]	1.6	1						

DRG 330: Urethral Stricture Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	38	2.2	1						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	38	2.2	1						
0-17	38	3.4	5						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	38	3.4	5						
	76	2.8	3	1	1	2	3	6	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	30	1.8	2						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	30	1.8	2						
GRAND TOTAL	30	1.8	2						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	8	2.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	8	2.0							
	8	2.0							

DRG 331: Other Kidney & Urinary Tract Diagnoses Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2257	7.0	32	2	3	5	10	14	18
70-74	991	6.9	29	2	3	6	9	15	18
75-79	1017	8.0	54	2	3	7	11	15	20
80-84	689	7.8	43	2	4	6	9	16	21
85 +	602	8.2	34	2	4	7	11	15	21
SUBTOTAL	5556	7.4	37	2	3	6	10	14	19
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	5556	7.4	37	2	3	6	10	14	19

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	667	4.7	15	1	2	4	6	10	13
35-49	853	6.5	34	2	2	4	10	17	20
50-69	1124	6.6	35	2	3	5	9	13	20
70 +	71	6.8	15	3	3	6	11	12	14
	2716	6.1	30	1	2	4	9	13	18
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2716	6.1	30	1	2	4	9	13	18

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	278	4.9	17	1	2	4	6	12	16
35-49	208	7.1	22	2	4	6	9	16	17
50-69	183	7.6	39	2	3	6	9	17	17
70 +	7	4.0							
SUBTOTAL	676	6.3	26	2	3	5	8	15	17
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	676	6.3	26	2	3	5	8	15	17

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	292	4.4	13	2	2	3	5	8	14
35-49	155	4.9	35	1	2	3	6	8	16
50-69	180	5.2	8	2	3	5	7	9	10
70 +	177	5.4	39	2	2	4	6	9	16
	804	4.9	22	1	2	4	6	9	14
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	804	4.9	22	1	2	4	6	9	14

DRG 332: Other Kidney & Urinary Tract Diagnoses Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	438	5.0	35	1	1	3	7	10	14
70-74	312	3.2	5	1	1	3	5	7	9
75-79	238	3.8	13	1	1	2	5	11	12
80-84	94	4.3	9	2	2	4	5	6	13
85 +	141	5.4	7	1	4	6	7	8	10
SUBTOTAL	1223	4.3	19	1	1	3	6	9	12
GRAND TOTAL	1223	4.3	19	1	1	3	6	9	12

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	609	3.0	5	1	1	2	4	7	8
35-49	612	3.5	6	1	2	3	5	7	9
50-69	733	3.2	8	1	1	2	4	7	9
70 +	7	6.0							
	1960	3.2	7	1	1	2	4	7	8
	1960	3.2	7	1	1	2	4	7	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	130	4.9	21	1	2	3	6	13	18
35-49	130	5.8	22	1	2	4	9	13	17
50-69	36	4.5	12						
70 +	7	6.0							
SUBTOTAL	303	5.3	20	1	2	4	8	11	14
GRAND TOTAL	303	5.3	20	1	2	4	8	11	14

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	281	3.1	6	1	1	3	4	8	9
35-49	207	4.4	15	1	2	3	6	13	13
50-69	109	2.8	4	1	1	2	4	4	9
70 +	45	1.5	1	1	1	1	2	3	3
	641	3.3	9	1	1	2	4	8	11
	641	3.3	9	1	1	2	4	8	11

DRG 333: Other Kidney & Urinary Tract Diagnoses Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	165	8.1	77	1	3	5	10	23	27
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	165	8.1	77	1	3	5	10	23	27
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	99	3.0	4	1	1	3	4	5	8
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	99	3.0	4	1	1	3	4	5	8
GRAND TOTAL	264	6.2	55	1	2	4	7	15	26

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	995	4.3	15	1	2	3	5	9	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	995	4.3	15	1	2	3	5	9	11
0-17	1758	3.2	12	1	1	2	4	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1758	3.2	12	1	1	2	4	6	8
	2753	3.6	14	1	1	3	4	7	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	414	6.2	41	1	3	4	8	11	19
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	414	6.2	41	1	3	4	8	11	19
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	496	3.9	14	1	2	3	5	7	13
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	496	3.9	14	1	2	3	5	7	13
GRAND TOTAL	910	4.9	27	1	2	4	6	10	15

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	232	4.9	18	1	3	3	6	10	12
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	232	4.9	18	1	3	3	6	10	12
0-17	441	2.7	5	1	1	2	4	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	441	2.7	5	1	1	2	4	6	7
	673	3.4	10	1	1	3	5	7	9

DRG 334: Major Male Pelvic Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1082	9.7	17	6	7	9	11	14	19
70-74	863	10.4	19	6	7	9	12	16	19
75-79	335	10.4	19	6	8	9	11	20	20
80-84	151	13.6	58	6	8	11	15	25	33
85 +	28	13.1	28						
SUBTOTAL	2459	10.3	22	6	7	9	12	16	20
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	2459	10.3	22	6	7	9	12	16	20

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	37	7.6	1						
35-49	45	10.0	4	8	8	10	12	13	13
50-69	922	9.5	19	5	6	9	11	15	19
70 +	44	10.1	3	8	9	9	12	12	12
	1048	9.5	17	6	7	9	11	15	19
	0								
	0								
	0								
	0								
	0								
	0								
	0								
	1048	9.5	17	6	7	9	11	15	19

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	22	8.1	6						
70 +	0								
SUBTOTAL	22	8.1	6						
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	22	8.1	6						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	11.0							
18-34	8	16.0							
35-49	0								
50-69	87	9.0	7	7	7	8	12	12	15
70 +	30	7.7	2						
	132	9.2	9	6	7	8	11	15	16
	0								
	0								
	0								
	0								
	0								
	0								
	132	9.2	9	6	7	8	11	15	16

DRG 335: Major Male Pelvic Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	659	7.6	4	6	7	7	8	10	12
70-74	479	7.5	4	5	6	7	9	10	11
75-79	160	8.2	6	5	7	8	11	12	12
80-84	36	9.4	3						
85 +	8	8.0							
SUBTOTAL	1342	7.7	4	5	7	7	9	11	12
GRAND TOTAL	1342	7.7	4	5	7	7	9	11	12

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	44	2.0	3	1	1	1	2	6	6
18-34	0								
35-49	15	7.0							
50-69	1031	7.9	5	6	7	8	9	11	12
70 +	15	9.5							
	1104	7.7	6	5	6	7	9	11	12
	1104	7.7	6	5	6	7	9	11	12

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	8	2.0							
18-34	7	7.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	15	4.4	7						
GRAND TOTAL	15	4.4	7						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	30	4.0	5						
18-34	7	6.0							
35-49	8	7.0							
50-69	166	7.5	7	5	6	7	8	10	12
70 +	44	6.5	11	2	5	6	7	13	13
	256	6.9	8	5	6	7	8	10	13
	256	6.9	8	5	6	7	8	10	13

DRG 336: Transurethral Prostatectomy w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	5313	5.3	15	3	3	4	6	9	13
70-74	5816	5.7	21	3	3	4	6	10	13
75-79	5668	5.8	16	3	4	5	7	10	13
80-84	3892	6.9	32	3	4	5	8	13	16
85 +	2268	7.5	28	3	4	6	10	14	19
SUBTOTAL	22957	6.0	21	3	3	5	7	11	14
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	22957	6.0	21	3	3	5	7	11	14

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	43	6.3	38	3	3	4	5	20	20
50-69	3038	5.0	12	3	3	4	6	8	11
70 +	382	6.0	21	3	3	5	6	10	20
	3463	5.1	14	3	3	4	6	9	12
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3463	5.1	14	3	3	4	6	9	12

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	14	4.0	1						
50-69	177	5.8	13	3	3	5	6	12	15
70 +	58	4.5	1	3	4	4	5	7	7
SUBTOTAL	249	5.4	10	3	3	5	6	9	15
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	249	5.4	10	3	3	5	6	9	15

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	7	4.0							
50-69	420	5.3	53	2	3	3	5	10	12
70 +	489	4.9	7	3	3	4	5	9	11
	916	5.1	28	2	3	4	5	9	11
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	916	5.1	28	2	3	4	5	9	11

DRG 337: Transurethral Prostatectomy w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	7446	3.7	2	2	3	3	4	5	6
70-74	7063	3.9	3	3	3	4	4	6	7
75-79	5728	4.2	3	3	3	4	5	6	7
80-84	2877	4.2	4	3	3	4	5	6	7
85 +	1345	5.1	8	3	3	4	6	8	11
SUBTOTAL	24458	4.0	3	3	3	4	4	6	7
GRAND TOTAL	24458	4.0	3	3	3	4	4	6	7

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	7	8.0							
35-49	164	3.3	2	2	2	3	4	5	6
50-69	8365	3.7	2	2	3	3	4	5	6
70 +	424	4.4	9	3	3	4	5	6	8
	8960	3.7	3	2	3	3	4	5	6
	8960	3.7	3	2	3	3	4	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	8	3.0							
50-69	175	3.9	2	2	3	4	5	6	7
70 +	43	4.2	1	3	4	4	5	5	5
SUBTOTAL	226	3.9	2	3	3	4	5	6	7
GRAND TOTAL	226	3.9	2	3	3	4	5	6	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	15	2.5							
50-69	1147	3.2	1	2	3	3	4	4	5
70 +	603	3.9	4	2	3	4	4	6	7
	1764	3.4	2	2	3	3	4	5	6
	1764	3.4	2	2	3	3	4	5	6

DRG 338: Testes Procedures, for Malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	155	5.9	42	1	1	3	10	16	22
70-74	240	6.2	49	1	1	3	9	17	22
75-79	259	4.9	36	1	1	2	10	15	21
80-84	144	4.9	25	1	1	3	8	12	20
85 +	116	6.6	16	1	5	7	9	13	14
SUBTOTAL	914	5.7	36	1	1	3	9	14	19
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	86	2.2	5	1	1	1	3	4	9
70-74	85	1.9	2	<1	1	1	3	3	6
75-79	73	2.1	3	1	1	1	2	6	6
80-84	108	2.0	5	1	1	1	2	3	10
85 +	59	3.1	9	1	1	2	4	10	10
SUBTOTAL	411	2.2	5	1	1	1	3	5	9
GRAND TOTAL	1325	4.6	29	1	1	2	7	12	16

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	8.0							
18-34	51	5.1	23	1	1	3	11	13	13
35-49	36	7.8	23						
50-69	162	5.6	23	1	2	4	8	11	16
70 +	37	3.6	23						
	294	5.6	23	1	1	4	8	13	16
	15	3.5	2						
	183	1.7	2	1	1	1	2	3	5
	139	1.5	1	1	1	1	2	2	4
	88	2.3	3	1	1	1	4	5	6
	21	3.4	7						
	447	1.9	3	1	1	1	2	5	5
	742	3.4	14	1	1	2	4	8	12

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	8	10.0							
18-34	22	6.5	31						
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	30	7.4	25						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	15	2.0	1						
18-34	0								
35-49	0								
50-69	7	1.0							
70 +	0								
SUBTOTAL	22	1.7	1						
GRAND TOTAL	52	4.9	23	1	1	3	10	14	14

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	15	2.0							
35-49	7	3.0							
50-69	36	6.9	68						
70 +	51	3.7	11	1	1	2	5	11	11
	108	4.5	30	1	1	2	5	11	23
	15	6.0	27						
	50	1.6	1	1	1	1	2	4	4
	75	1.7	2	1	1	1	1	5	5
	7	1.0							
	15	2.0	1						
	162	2.1	5	1	1	1	2	4	7
	270	3.0	17	1	1	1	4	6	11

DRG 339: Testes Procedures, Non-malignancy Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	159	4.9	18	1	2	4	6	13	14
70-74	72	5.5	26	1	1	3	9	14	16
75-79	51	5.9	20	1	1	7	9	14	14
80-84	58	6.8	115	1	1	3	5	34	34
85 +	35	12.0	35						
SUBTOTAL	376	6.1	40	1	2	4	8	14	16
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	109	1.7	1	1	1	1	2	3	4
70-74	115	2.1	2	1	1	2	3	4	5
75-79	43	3.4	7	2	2	2	3	9	9
80-84	8	1.0							
85 +	23	4.0	5						
SUBTOTAL	298	2.3	3	1	1	2	3	5	6
GRAND TOTAL	673	4.4	27	1	1	2	6	13	14

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	89	3.2	4	1	1	3	5	6	7
35-49	35	3.7	12						
50-69	101	6.4	64	1	1	4	7	18	30
70 +	0								
SUBTOTAL	226	4.7	35	1	1	3	6	9	18
0-17	0								
18-34	491	1.7	3	1	1	1	2	3	5
35-49	341	2.2	5	1	1	1	2	4	7
50-69	384	2.1	3	1	1	1	2	4	6
70 +	0								
SUBTOTAL	1215	2.0	3	1	1	1	2	4	6
GRAND TOTAL	1441	2.4	9	1	1	1	3	6	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	21	9.4	11						
35-49	8	3.0							
50-69	29	7.9	14						
70 +	7	15.0							
SUBTOTAL	65	8.5	18	3	5	6	13	15	15
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	115	2.6	10	1	1	1	2	10	11
35-49	22	3.7	1						
50-69	0								
70 +	8	2.0							
SUBTOTAL	145	2.7	8	1	1	2	3	10	11
GRAND TOTAL	210	4.5	18	1	1	3	6	13	14

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	8	1.0							
35-49	8	2.0							
50-69	8	3.0							
70 +	7	1.0							
SUBTOTAL	30	1.8	1						
0-17	0								
18-34	216	3.0	7	1	1	2	4	6	10
35-49	72	2.2	2	1	1	2	3	4	6
50-69	66	1.7	1	1	1	1	2	3	3
70 +	37	1.4							
SUBTOTAL	392	2.5	5	1	1	2	3	5	6
GRAND TOTAL	422	2.4	4	1	1	2	3	5	6

North Central Region, July 1989 - June 1990

DRG 340: Testes Procedures, Non-malignancy Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	141	3.7	14	1	1	2	5	7	13
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	141	3.7	14	1	1	2	5	7	13
0-17	2024	1.3	1	1	1	1	1	2	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2024	1.3	1	1	1	1	1	2	3
	2164	1.5	2	1	1	1	2	2	3

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	46	2.2	2	1	1	2	3	5	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	46	2.2	2	1	1	2	3	5	5
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	497	1.8	3	1	1	1	2	3	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	497	1.8	3	1	1	1	2	3	4
GRAND TOTAL	543	1.8	3	1	1	1	2	3	5

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	22	1.3							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	22	1.3							
0-17	567	1.3	1	1	1	1	1	2	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	567	1.3	1	1	1	1	1	2	3
	589	1.3	1	1	1	1	1	2	3

DRG 341: Penis Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	596	4.5	33	1	3	4	5	7	8
70-74	281	5.0	10	2	3	4	6	8	10
75-79	283	3.8	3	2	3	3	5	6	7
80-84	199	6.2	16	3	3	4	10	13	14
85 +	80	10.8	190	2	4	5	11	27	51
SUBTOTAL	1438	5.0	31	2	3	4	6	8	11
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	826	3.3	5	1	2	3	4	5	8
70-74	489	3.7	5	1	3	3	5	6	7
75-79	265	4.5	8	2	3	4	5	8	9
80-84	136	3.2	5	1	2	3	4	5	9
85 +	93	5.1	5	2	4	5	6	8	9
SUBTOTAL	1808	3.7	6	1	2	3	4	6	8
GRAND TOTAL	3246	4.3	18	1	2	3	5	7	9

TYPE OF PATIENT	BLUE CROSS PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	129	2.7	8	1	1	2	3	6	12
18-34	15	2.5	2						
35-49	234	7.3	184	2	3	4	6	9	20
50-69	751	3.6	4	2	2	3	4	6	9
70 +	35	4.2	3						
	1164	4.2	43	1	2	3	5	7	9
0-17	1974	1.8	2	1	1	1	2	3	5
18-34	73	2.8	4	1	1	2	4	8	8
35-49	436	2.5	4	1	1	2	3	4	6
50-69	1388	2.7	2	1	2	2	3	4	6
70 +	44	3.5	1	2	3	3	5	5	5
	3917	2.2	3	1	1	2	3	4	5
	5080	2.7	13	1	1	2	3	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	38	3.2	6						
18-34	23	6.3	11						
35-49	38	9.8	58						
50-69	23	23.0	755						
70 +	8	9.0							
SUBTOTAL	129	9.5	195	1	4	4	9	20	61
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	561	1.9	2	1	1	1	2	4	5
18-34	8	4.0							
35-49	8	4.0							
50-69	15	3.0	1						
70 +	8	2.0							
SUBTOTAL	599	2.0	2	1	1	1	2	4	5
GRAND TOTAL	728	3.4	44	1	1	2	4	6	9

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	53	2.2	4	1	1	2	2	7	7
18-34	15	7.4	7						
35-49	22	3.0	1						
50-69	96	4.5	23	2	2	3	4	6	21
70 +	37	6.9	22						
	223	4.4	18	1	2	3	5	8	15
0-17	470	1.4	1	1	1	1	1	2	5
18-34	66	3.0	3	1	1	3	4	6	6
35-49	29	3.0	1						
50-69	242	2.3	2	1	1	2	3	4	5
70 +	56	2.2	1	1	1	2	3	4	4
	864	1.9	2	1	1	1	2	4	5
	1086	2.4	6	1	1	1	3	5	7

DRG 342: Circumcision Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	21	4.7	11						
70-74	8	1.0							
75-79	7	1.0							
80-84	7	20.0							
85 +	14	4.5	7						
SUBTOTAL	56	5.6	38	<1	1	2	8	20	20
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	7	5.0							
70-74	14	4.0	10						
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	21	4.3	7						
GRAND TOTAL	77	5.2	30	1	1	4	7	9	20

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	15	1.5							
70 +	7	4.0							
	22	2.3	2						
0-17	0								
18-34	21	2.0	2						
35-49	14	3.0							
50-69	0								
70 +	0								
	35	2.4	1						
	57	2.4	1	1	1	2	3	4	4

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	7	4.0							
70 +	0								
SUBTOTAL	7	4.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	7	4.0							

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	8	2.0							
	8	2.0							
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	8	2.0							

DRG 343: Circumcision Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	46	1.2		1	1	1	1	2	2
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	46	1.2		1	1	1	1	2	2
0-17	66	1.2		1	1	1	1	2	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	66	1.2		1	1	1	1	2	3
	112	1.2		1	1	1	1	2	3

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	23	1.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	23	1.0							
GRAND TOTAL	23	1.0							

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	15	2.0	1						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	15	2.0	1						
0-17	37	2.2	6						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	37	2.2	6						
	52	2.1	5	< 1	< 1	1	3	7	7

DRG 344: Other Male Reproductive System O.R. Procedures for Malignancy

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	116	7.3	34	2	4	5	9	17	25
70-74	203	9.1	46	3	5	7	12	21	23
75-79	100	7.2	44	2	3	6	8	15	27
80-84	43	5.8	17	2	3	4	8	14	14
85 +	44	10.8	46	4	7	7	16	23	23
SUBTOTAL	506	8.2	42	2	4	6	9	18	23
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	36	4.3	4						
70-74	35	4.2	3						
75-79	15	3.1	4						
80-84	15	3.0	1						
85 +	8	3.0							
SUBTOTAL	109	3.8	3	2	2	4	5	7	7
GRAND TOTAL	615	7.4	38	2	4	6	8	16	23

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	132	5.0	5	3	3	5	6	9	10
70 +	0								
	132	5.0	5	3	3	5	6	9	10
0-17	0								
18-34	7	5.0							
35-49	8	7.0							
50-69	43	3.4	3	1	2	4	5	6	6
70 +	7	3.0							
	64	3.9	4	1	2	4	5	7	7
	197	4.6	5	2	3	4	6	9	9

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	8	9.0							
SUBTOTAL	8	9.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	8	1.0							
70 +	0								
SUBTOTAL	8	1.0							
GRAND TOTAL	15	5.0	17						

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	15	6.5							
35-49	0								
50-69	21	4.3	1						
70 +	0								
	36	5.2	2						
0-17	0								
18-34	0								
35-49	8	8.0							
50-69	15	4.0	1						
70 +	7	2.0							
	30	4.6	5						
	66	4.9	4	2	3	5	6	8	8

DRG 345: Other Male Reproductive System O.R. Proc except for Malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	43	4.6	11	1	2	3	8	10	10
70-74	50	4.9	13	2	2	4	10	11	11
75-79	50	5.9	14	2	3	4	9	13	13
80-84	56	5.8	16	2	3	4	12	13	13
85 +	43	5.2	14	1	2	4	9	11	11
SUBTOTAL	242	5.3	14	2	2	4	9	11	13
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	44	2.2	1	1	2	2	2	4	4
70-74	78	2.6	7	<1	1	2	2	6	10
75-79	59	3.3	2	1	2	3	4	6	6
80-84	0								
85 +	15	1.5							
SUBTOTAL	196	2.6	4	1	1	2	3	6	6
GRAND TOTAL	438	4.1	11	1	2	3	5	10	12

TYPE OF PATIENT	BLUE CROSS PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	11.0							
18-34	7	4.0							
35-49	21	4.3	12						
50-69	51	3.2	4	1	2	3	5	7	7
70 +	0								
SUBTOTAL	86	4.3	10	1	2	3	7	9	11
0-17	23	4.0	1						
18-34	0								
35-49	21	2.7	1						
50-69	87	1.8	1	1	1	2	2	3	4
70 +	7	4.0							
SUBTOTAL	139	2.4	2	1	1	2	4	4	5
GRAND TOTAL	224	3.1	5	1	2	2	4	5	9

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	8	2.0							
50-69	0								
70 +	0								
SUBTOTAL	8	2.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	8	2.0							

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	7	11.0							
70 +	0								
SUBTOTAL	7	11.0							
0-17	0								
18-34	0								
35-49	0								
50-69	8	1.0							
70 +	8	8.0							
SUBTOTAL	15	4.5	13						
GRAND TOTAL	22	6.5	18						

DRG 346: Malignancy, Male Reproductive System, w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	216	7.1	28	1	3	6	10	15	17
70-74	224	6.6	43	1	3	5	8	12	27
75-79	190	9.5	123	2	3	6	9	19	36
80-84	339	6.3	24	2	3	4	9	13	16
85 +	300	8.8	64	2	3	6	12	22	29
SUBTOTAL	1269	7.6	54	2	3	5	10	16	23
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	1269	7.6	54	2	3	5	10	16	23

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	76	3.1	9	1	1	2	4	10	11
18-34	15	5.5	2						
35-49	7	9.0							
50-69	251	5.9	52	1	2	4	7	12	14
70 +	21	11.2	39						
	371	5.7	43	1	2	4	7	11	14
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	371	5.7	43	1	2	4	7	11	14

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	8	6.0							
18-34	7	24.0							
35-49	0								
50-69	29	17.3	118						
70 +	0								
SUBTOTAL	44	16.4	107	3	6	13	24	31	31
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	44	16.4	107	3	6	13	24	31	31

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	2.0							
18-34	15	1.5							
35-49	0								
50-69	44	11.1	21	4	7	11	16	17	17
70 +	29	11.4	19						
	96	8.9	32	2	4	9	11	17	19
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	96	8.9	32	2	4	9	11	17	19

DRG 347: Malignancy, Male Reproductive System, w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	44	3.9	9	1	3	3	3	10	10
70-74	56	4.5	12	< 1	1	5	7	11	11
75-79	51	3.2	5	< 1	1	3	4	8	8
80-84	28	7.8	5						
85 +	21	4.2	12						
SUBTOTAL	200	4.4	10	< 1	2	3	7	10	10
GRAND TOTAL	200	4.4	10	< 1	2	3	7	10	10

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	15	1.5							
18-34	29	2.5	2						
35-49	0								
50-69	96	2.9	2	1	2	3	4	4	5
70 +	0								
	140	2.7	2	1	1	3	4	4	5
	140	2.7	2	1	1	3	4	4	5

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	8	2.0							
18-34	0								
35-49	0								
50-69	7	1.0							
70 +	0								
SUBTOTAL	15	1.5							
GRAND TOTAL	15	1.5							

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	8	1.0							
18-34	0								
35-49	0								
50-69	15	1.0							
70 +	15	1.5							
	37	1.2							
	37	1.2							

DRG 348: Benign Prostatic Hypertrophy w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	246	3.9	14	1	2	3	5	7	10
70-74	128	5.8	11	2	3	5	7	12	13
75-79	264	3.5	6	1	1	3	5	7	10
80-84	137	4.8	13	1	3	4	7	9	13
85 +	135	5.6	14	2	3	4	7	13	14
SUBTOTAL	910	4.4	12	1	2	4	5	9	12
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	910	4.4	12	1	2	4	5	9	12

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	8	1.0							
50-69	145	4.3	12	1	1	4	6	10	12
70 +	14	6.0	27						
	166	4.3	14	1	1	3	6	11	11
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	166	4.3	14	1	1	3	6	11	11

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	8	1.0							
50-69	0								
70 +	0								
SUBTOTAL	8	1.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	8	1.0							

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	21	2.0	1						
70 +	15	2.4	2						
	36	2.2	1						
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	36	2.2	1						

DRG 349: Benign Prostatic Hypertrophy w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	151	2.9	6	< 1	1	2	3	7	7
70-74	114	2.7	6	< 1	1	2	4	7	10
75-79	92	3.8	8	1	2	3	5	8	10
80-84	64	3.2	6	1	1	2	6	7	7
85 +	29	5.1	13						
SUBTOTAL	450	3.2	7	< 1	1	2	4	7	10
GRAND TOTAL	450	3.2	7	< 1	1	2	4	7	10

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	8	1.0							
50-69	152	2.8	4	1	1	2	4	6	7
70 +	8	4.0							
	168	2.7	4	< 1	1	2	4	6	7
	168	2.7	4	< 1	1	2	4	6	7

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	8	7.0							
70 +	0								
SUBTOTAL	8	7.0							
GRAND TOTAL	8	7.0							

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	0								
50-69	23	1.7	1						
70 +	22	2.0	1						
	45	1.8	1	1	1	2	3	3	3
	45	1.8	1	1	1	2	3	3	3

DRG 350: Inflammation of the Male Reproductive System

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W. CCs									
AGE GROUP									
0-69 (YRS.)	482	6.1	21	2	4	5	7	10	12
70-74	280	7.0	19	3	4	6	8	12	19
75-79	254	6.5	14	3	4	5	8	11	14
80-84	134	5.8	12	2	3	5	8	10	14
85 +	114	8.0	18	3	5	8	11	14	18
SUBTOTAL	1264	6.5	18	3	4	5	8	11	15
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	275	5.2	15	2	3	4	6	11	14
70-74	130	4.8	7	2	3	5	6	7	14
75-79	107	5.9	76	2	3	4	5	5	37
80-84	36	12.7	63						
85 +	42	5.5	11	1	3	8	8	10	10
SUBTOTAL	590	5.7	30	2	3	4	6	11	17
GRAND TOTAL	1854	6.3	22	2	3	5	8	11	15

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	61	3.1	5	1	1	4	6	7	7
18-34	164	4.4	8	2	2	4	5	7	8
35-49	372	5.0	6	3	3	5	6	8	9
50-69	553	5.3	9	2	3	5	6	9	11
70 +	15	4.5							
	1165	4.9	8	2	3	5	6	8	10
0-17	333	2.9	3	1	2	3	4	5	5
18-34	638	3.3	3	1	2	3	4	6	6
35-49	482	3.9	3	2	3	4	5	6	7
50-69	542	4.6	10	2	3	4	5	8	10
70 +	0								
	1994	3.7	5	1	2	3	5	6	7
	3159	4.2	7	2	3	4	5	7	9

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	30	4.5	8						
18-34	73	2.8	1	2	2	3	3	4	4
35-49	57	5.4	13	1	2	5	6	11	11
50-69	52	5.4	5	2	3	6	7	9	9
70 +	14	5.0	4						
SUBTOTAL	226	4.4	7	2	2	3	6	9	11
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	118	4.1	7	1	2	4	6	8	11
18-34	117	4.4	9	2	3	3	4	9	12
35-49	36	3.3	4						
50-69	15	4.5							
70 +	0								
SUBTOTAL	285	4.1	7	1	2	3	5	8	11
GRAND TOTAL	511	4.3	7	2	2	3	6	8	11

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	2.0							
18-34	15	4.0	4						
35-49	86	3.8	8	< 1	1	3	6	8	9
50-69	66	3.6	5	1	2	3	5	8	9
70 +	0								
	175	3.7	6	1	2	3	5	8	9
0-17	94	2.6	6	1	1	2	2	8	8
18-34	151	3.5	3	1	2	3	4	6	7
35-49	179	3.3	2	2	2	3	4	5	5
50-69	58	3.9	1	2	3	4	5	5	5
70 +	7	3.0							
	489	3.3	3	1	2	3	4	5	7
	663	3.4	4	1	2	3	4	6	8

DRG 351: Sterilization, Male

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	0								

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	0								

DRG 352: Other Male Reproductive System Diagnoses

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	45	8.4	148	2	2	3	4	35	35
70-74	22	2.9	3						
75-79	29	4.6	8						
80-84	21	4.0	1						
85 +	7	2.0							
SUBTOTAL	124	5.4	61	1	2	4	5	9	35
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	22	2.7							
70-74	15	2.9	4						
75-79	15	2.5							
80-84	21	2.0	1						
85 +	7	2.0							
SUBTOTAL	80	2.4	1	1	2	2	3	3	5
GRAND TOTAL	204	4.3	40	1	2	3	4	5	9

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	4.0							
18-34	8	2.0							
35-49	7	6.0							
50-69	43	1.7	1	1	1	2	2	3	3
70 +	0								
SUBTOTAL	65	2.4	2	1	1	2	3	6	6
0-17	222	2.2	4	< 1	1	1	2	5	8
18-34	96	3.0	3	1	1	3	4	6	6
35-49	58	2.3	2	< 1	1	2	4	5	5
50-69	29	4.0	3						
70 +	0								
SUBTOTAL	404	2.5	4	1	1	2	4	5	6
GRAND TOTAL	469	2.5	3	1	1	2	4	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	30	5.3	1						
18-34	15	1.5							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	45	4.0	4	1	2	4	5	7	7
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	97	1.3		< 1	< 1	1	1	2	3
18-34	15	1.0							
35-49	7	6.0							
50-69	8	1.0							
70 +	0								
SUBTOTAL	126	1.5	1	< 1	< 1	1	1	3	6
GRAND TOTAL	171	2.2	3	< 1	1	1	3	5	6

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	3.0							
18-34	15	5.5	7						
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	23	4.7	6						
0-17	144	2.4	10	1	1	1	2	11	12
18-34	37	2.0	2						
35-49	7	1.0							
50-69	8	7.0							
70 +	8	1.0							
SUBTOTAL	203	2.4	8	1	1	1	2	7	11
GRAND TOTAL	225	2.6	9	1	1	1	3	8	11

DRG 353: Pelvic Evisceration, Radical Hysterectomy & Radical Vulvectomy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	179	9.7	15	6	7	9	10	15	19
70-74	113	13.4	54	6	8	10	17	28	29
75-79	68	12.9	34	8	8	10	18	24	24
80-84	45	14.3	74	3	9	13	21	29	29
85 +	30	16.3	45						
SUBTOTAL	435	12.1	40	6	8	10	15	23	28
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	37	10.1	15						
70-74	21	7.4	4						
75-79	8	23.0							
80-84	8	7.0							
85 +	0								
SUBTOTAL	73	10.3	29	6	6	9	14	23	23
GRAND TOTAL	509	11.8	39	6	8	10	15	23	27

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	83	6.8	3	5	5	7	9	9	10
35-49	159	8.3	11	5	7	8	9	10	16
50-69	217	11.2	34	6	8	9	13	23	25
70 +	0								
	459	9.4	23	5	7	8	10	14	22
0-17	0								
18-34	60	6.1	1	5	5	6	7	8	8
35-49	183	6.4	8	3	4	6	8	10	12
50-69	149	6.1	3	3	5	7	7	8	9
70 +	0								
	392	6.2	5	3	5	6	8	9	10
	851	7.9	17	4	5	7	9	12	14

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	53	7.7	7	4	5	8	9	13	13
35-49	106	9.6	6	6	8	9	11	11	16
50-69	67	11.5	71	2	7	9	12	33	33
70 +	8	18.0							
SUBTOTAL	234	10.0	29	5	7	9	11	15	18
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	23	6.3	11						
35-49	23	7.0	3						
50-69	8	7.0							
70 +	8	5.0							
SUBTOTAL	61	6.5	6	2	5	7	9	10	10
GRAND TOTAL	295	9.3	26	5	7	9	11	14	18

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	8	9.0							
35-49	37	13.8	101						
50-69	38	8.2	4						
70 +	8	9.0							
	91	10.6	50	5	8	9	11	13	32
0-17	0								
18-34	23	7.3	4						
35-49	30	6.5	2						
50-69	15	8.5							
70 +	8	14.0							
	75	7.9	7	5	5	8	9	13	14
	166	9.4	32	5	7	9	10	13	17

DRG 354: Uterine, Adnexa Proc for Non-ovarian/Adnexal Malig w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	821	6.9	20	4	5	6	8	10	13
70-74	657	7.8	19	4	5	7	9	13	14
75-79	407	8.4	25	5	5	6	9	15	24
80-84	279	9.4	81	4	5	7	10	14	42
85 +	111	9.9	10	7	8	9	12	13	19
SUBTOTAL	2275	7.9	28	4	5	6	9	13	16
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	2275	7.9	28	4	5	6	9	13	16

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	118	5.4	7	3	4	4	7	9	13
35-49	398	5.8	7	3	4	5	7	8	14
50-69	966	7.1	20	4	4	6	8	12	15
70 +	50	9.8	46	4	5	6	17	23	23
SUBTOTAL	1532	6.7	18	3	4	6	7	12	15
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	1532	6.7	18	3	4	6	7	12	15

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	130	6.0	16	3	4	5	5	16	17
35-49	126	5.4	3	3	4	5	7	8	8
50-69	116	10.2	57	4	4	8	14	28	28
70 +	0								
SUBTOTAL	373	7.1	29	4	4	5	8	14	17
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	373	7.1	29	4	4	5	8	14	17

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	37	5.4	1						
35-49	75	6.9	9	4	4	6	10	12	12
50-69	223	6.4	10	4	4	5	8	12	15
70 +	46	6.0	4	4	4	6	7	10	10
SUBTOTAL	386	6.3	8	4	4	5	8	10	12
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	386	6.3	8	4	4	5	8	10	12

DRG 355: Uterine, Adnexa Proc for Non-ovarian/Adnexal Malig w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	596	5.0	4	4	4	5	5	6	8
70-74	481	4.9	1	4	4	5	6	7	7
75-79	281	6.2	7	4	5	6	7	8	8
80-84	123	6.0	3	4	5	6	7	8	9
85 +	64	6.8	12	4	4	5	8	13	13
SUBTOTAL	1546	5.4	4	4	4	5	6	7	8
GRAND TOTAL	1546	5.4	4	4	4	5	6	7	8

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1010	3.6	1	2	3	4	4	5	6
35-49	1576	4.0	1	3	3	4	4	5	6
50-69	1584	4.8	2	3	4	4	5	7	8
70 +	28	6.7	6						
	4198	4.2	2	3	3	4	5	6	7
—	4198	4.2	2	3	3	4	5	6	7

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	365	3.8	1	3	3	4	4	5	5
35-49	208	4.0	1	3	4	4	4	5	6
50-69	86	5.0	4	3	3	5	5	9	9
70 +	15	6.5							
SUBTOTAL	674	4.1	2	3	3	4	5	5	6
GRAND TOTAL	674	4.1	2	3	3	4	5	5	6

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	114	3.7	1	3	3	4	4	5	5
35-49	256	3.9	2	3	3	4	4	5	6
50-69	213	4.0	1	3	3	4	5	5	6
70 +	23	5.3							
	605	3.9	2	3	3	4	5	5	6
	605	3.9	2	3	3	4	5	5	6

DRG 356: Female Reproductive System Reconstructive Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	793	5.4	11	3	4	5	6	8	9
70-74	472	5.6	9	3	4	5	6	8	10
75-79	376	5.7	11	3	4	5	7	11	15
80-84	241	6.1	11	3	4	6	7	11	14
85 +	138	6.5	13	3	4	6	8	14	16
SUBTOTAL	2020	5.7	11	3	4	5	7	9	11
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2114	4.1	2	2	3	4	5	6	7
70-74	1248	4.0	3	2	3	4	5	6	7
75-79	732	4.1	3	2	3	4	5	6	7
80-84	259	4.6	7	2	3	4	6	7	11
85 +	123	4.2	2	3	3	4	5	7	8
SUBTOTAL	4475	4.1	3	2	3	4	5	6	7
GRAND TOTAL	6496	4.6	6	2	3	4	5	7	8

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	14.0							
18-34	92	3.9		3	4	4	4	4	5
35-49	594	4.9	4	3	4	5	6	7	8
50-69	1314	5.0	5	3	4	5	6	8	9
70 +	8	7.0							
SUBTOTAL	2016	4.9	5	3	4	5	6	8	9
0-17	15	4.5							
18-34	364	3.7	3	2	3	3	4	5	6
35-49	2919	3.7	2	2	3	4	4	5	6
50-69	4520	3.9	2	2	3	4	5	5	7
70 +	63	4.8	6	2	4	4	4	11	11
SUBTOTAL	7881	3.8	2	2	3	4	4	5	6
	9897	4.0	3	2	3	4	5	6	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	36	5.8	1						
35-49	86	4.6	4	2	3	4	5	6	10
50-69	123	4.9	3	3	4	4	5	8	10
70 +	8	6.0							
SUBTOTAL	252	5.0	3	3	4	5	6	7	10
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	142	3.9	1	3	3	4	5	6	6
35-49	303	3.6	2	2	3	3	4	6	7
50-69	117	4.5	2	2	4	5	6	6	7
70 +	8	7.0							
SUBTOTAL	570	3.9	2	2	3	4	5	6	7
GRAND TOTAL	823	4.2	3	2	3	4	5	6	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	15	8.0	10						
18-34	7	3.0							
35-49	58	5.2	6	3	3	4	7	10	10
50-69	134	4.3	2	3	4	4	5	7	7
70 +	22	4.7	2						
SUBTOTAL	235	4.8	4	3	3	4	5	7	10
0-17	0								
18-34	42	3.5	2	2	3	3	4	6	6
35-49	338	3.4	1	2	3	3	4	5	5
50-69	472	3.4	2	2	2	3	4	5	5
70 +	66	3.7	3	1	3	4	4	7	7
SUBTOTAL	918	3.5	2	2	3	3	4	5	5
	1153	3.7	2	2	3	4	4	5	7

DRG 357: Uterine & Adnexa Proc for Ovarian or Adnexal Malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	514	13.2	93	5	7	9	17	28	37
70-74	357	15.6	91	6	9	13	21	35	36
75-79	254	13.6	53	6	8	12	17	23	30
80-84	153	11.2	50	5	7	9	13	17	27
85 +	66	14.7	89	6	7	11	17	31	52
SUBTOTAL	1344	13.8	81	5	7	11	17	28	34
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	152	7.1	12	4	5	6	9	14	15
70-74	51	7.4	3	6	6	7	8	11	11
75-79	51	7.1	5	4	6	6	9	11	11
80-84	28	8.3	8						
85 +	8	16.0							
SUBTOTAL	290	7.5	10	4	5	6	9	13	15
GRAND TOTAL	1634	12.6	74	5	7	10	16	25	33

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	7	4.0							
18-34	104	7.9	4	6	6	8	9	10	12
35-49	478	8.5	20	4	5	7	10	16	18
50-69	785	11.1	70	5	6	9	13	21	24
70 +	21	10.9	26						
	1396	9.9	49	4	6	8	12	18	22
0-17	30	4.5							
18-34	242	3.8	2	3	3	3	4	5	7
35-49	349	5.1	5	3	4	4	6	7	8
50-69	290	5.9	4	4	4	5	7	9	10
70 +	7	9.0							
	918	5.0	4	3	4	4	6	7	9
	2314	8.0	37	4	4	6	9	15	18

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	23	13.3	30						
35-49	52	12.9	38	7	7	10	16	25	25
50-69	80	10.2	12	6	7	10	13	14	17
70 +	0	-							
SUBTOTAL	155	11.5	25	7	7	10	14	19	23
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	7	6.0							
18-34	21	3.4	3						
35-49	44	6.7	8	4	5	5	10	11	11
50-69	0								
70 +	0								
SUBTOTAL	72	5.7	8	3	4	5	6	11	11
GRAND TOTAL	227	9.7	27	5	6	8	13	17	20

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	12.0							
18-34	15	5.5							
35-49	96	7.3	25	3	4	6	7	17	20
50-69	98	7.1	4	5	6	7	9	10	10
70 +	29	8.6	14						
	244	7.4	14	4	5	7	8	12	17
0-17	0								
18-34	45	7.7	95	2	3	4	6	30	30
35-49	65	4.0	1	3	4	4	4	5	6
50-69	63	4.7		4	4	5	5	5	5
70 +	15	6.4	2						
	188	5.3	25	3	4	4	5	6	8
	432	6.5	20	3	4	5	7	10	16

DRG 358: Uterine & Adnexa Proc for Non-malignancy w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	2111	6.8	17	4	5	6	7	11	15
70-74	1300	7.4	20	4	5	6	9	12	14
75-79	1086	7.1	12	4	5	6	8	11	14
80-84	325	8.5	42	4	5	7	9	14	17
85+	85	7.6	9	5	5	7	8	13	14
SUBTOTAL	4908	7.1	18	4	5	6	8	11	15
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
GRAND TOTAL	4908	7.1	18	4	5	6	8	11	15

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	246	4.0	4	2	3	4	5	6	9
18-34	5520	4.8	6	3	4	4	5	7	8
35-49	16835	5.1	6	3	4	4	6	7	10
50-69	4757	5.5	8	3	4	5	6	8	10
70+	36	7.5	7						
	27394	5.1	6	3	4	4	6	7	10
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	27394	5.1	6	3	4	4	6	7	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	66	8.4	17	4	6	7	10	18	18
18-34	1542	5.8	12	3	4	5	6	10	12
35-49	1709	7.0	31	4	4	6	8	12	14
50-69	264	8.6	103	4	5	6	9	12	16
70+	7	4.0							
SUBTOTAL	3588	6.6	28	3	4	5	8	11	14
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
GRAND TOTAL	3588	6.6	28	3	4	5	8	11	14

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	60	5.0	9	2	3	4	7	12	12
18-34	1137	4.9	7	3	3	4	6	8	11
35-49	3044	5.4	16	3	4	5	6	8	10
50-69	481	4.9	5	4	4	4	5	7	8
70+	134	5.4	8	3	4	5	6	7	14
	4856	5.3	12	3	4	4	6	8	10
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	4856	5.3	12	3	4	4	5	8	10

DRG 359: Uterine & Adnexa Proc for Non-malignancy w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	3231	4.7	2	3	4	4	5	6	7
70-74	2035	5.1	15	3	4	5	6	7	7
75-79	1065	5.2	4	3	4	5	6	7	8
80-84	382	5.3	7	4	4	5	6	7	9
85 +	100	6.2	9	3	5	5	8	9	15
SUBTOTAL	6812	4.9	6	3	4	5	5	7	8
GRAND TOTAL	6812	4.9	6	3	4	5	5	7	8

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1216	3.7	4	2	3	3	4	5	6
18-34	24800	3.7	2	2	3	4	4	5	6
35-49	53403	4.0	2	3	3	4	4	5	6
50-69	13366	4.3	2	3	4	4	5	6	6
70 +	101	4.5	2	3	4	4	5	7	8
	92886	4.0	2	3	3	4	4	5	6
	92886	4.0	2	3	3	4	4	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	199	2.9	2	1	2	3	4	4	6
18-34	4471	4.0	3	2	3	4	4	6	7
35-49	2953	4.4	2	3	4	4	5	6	7
50-69	335	5.0	3	3	4	5	6	7	8
70 +	22	5.7	1						
SUBTOTAL	7980	4.2	3	3	3	4	5	6	7
GRAND TOTAL	7980	4.2	3	3	3	4	5	6	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	223	4.1	4	2	3	4	4	7	9
18-34	5272	3.5	2	2	3	3	4	5	5
35-49	8303	3.9	1	3	3	4	4	5	6
50-69	1954	4.1	1	3	4	4	5	5	6
70 +	249	4.4	1	3	4	4	5	5	7
	16001	3.8	2	3	3	4	4	5	6
	16001	3.8	2	3	3	4	4	5	6

DRG 360: Vagina, Cervix & Vulva Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	254	8.5	46	3	5	6	11	18	21
70-74	269	6.3	49	2	3	4	7	11	31
75-79	252	7.5	27	3	4	6	10	13	20
80-84	161	6.9	34	2	4	5	6	15	20
85 +	52	9.2	15	4	6	9	13	16	16
SUBTOTAL	989	7.4	39	2	4	5	9	15	20
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	491	4.4	7	2	3	4	5	6	8
70-74	448	4.2	3	2	3	4	5	7	8
75-79	244	4.5	6	2	3	4	5	7	9
80-84	108	4.2	3	2	3	4	5	7	7
85 +	56	5.5	5	2	2	6	7	8	8
SUBTOTAL	1347	4.4	5	2	3	4	5	7	8
GRAND TOTAL	2336	5.7	22	2	3	5	6	10	15

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	37	5.3	11						
18-34	125	3.0	3	1	1	3	4	6	6
35-49	227	4.6	13	1	2	4	7	10	11
50-69	429	5.5	19	2	4	4	5	12	16
70 +	8	8.0							
	826	4.9	15	1	3	4	6	9	12
0-17	213	2.2	2	< 1	1	1	3	5	5
18-34	520	3.2	4	1	2	3	4	5	7
35-49	937	3.4	4	1	2	3	4	6	7
50-69	1083	3.7	3	2	3	3	5	6	7
70 +	7	3.0							
	2760	3.4	4	1	2	3	4	6	7
	3585	3.7	7	1	2	3	5	6	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	23	13.3	70						
18-34	35	4.6	11						
35-49	73	8.2	73	1	2	4	10	21	28
50-69	59	7.6	20	3	4	6	14	15	15
70 +	0								
SUBTOTAL	190	7.9	50	2	3	5	11	21	21
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	83	3.4	11	1	1	2	6	8	11
18-34	138	2.4	3	1	1	2	3	5	7
35-49	64	3.6	26	1	1	2	3	18	18
50-69	51	5.6	6	2	3	5	7	10	10
70 +	0								
SUBTOTAL	337	3.3	11	1	1	2	5	8	10
GRAND TOTAL	527	5.0	30	1	1	3	6	13	18

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
	–								
0-17	15	4.5	2						
18-34	67	4.2	7	1	2	3	7	8	8
35-49	45	3.8	3	2	3	3	5	7	7
50-69	21	13.6	36						
70 +	22	4.7	2						
	171	5.4	18	2	3	5	7	9	10
0-17	66	1.4		< 1	< 1	1	2	3	3
18-34	80	2.4	6	1	1	2	2	4	10
35-49	107	2.5	1	1	1	2	4	4	4
50-69	75	3.7	3	1	3	4	5	6	7
70 +	15	6.5	7						
	343	2.7	4	< 1	1	2	4	5	7
	514	3.6	10	1	2	3	4	8	9

DRG 361: Laparoscopy & Incisional Tubal Interruption

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	21	5.1	6						
75-79	0								
80-84	0								
85 +	7	1.0							
SUBTOTAL	28	4.1	8						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	7	21.0							
70-74	14	1.0							
75-79	22	1.0							
80-84	0								
85 +	0								
SUBTOTAL	43	4.2	55	< 1	< 1	< 1	1	21	21
GRAND TOTAL	71	4.2	36	< 1	< 1	1	5	12	21

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	101	3.1	3	1	3	4	5	6	7
18-34	429	3.9	6	1	2	3	5	8	10
35-49	143	4.2	7	1	2	3	7	8	9
50-69	30	5.5	8						
70 +	0								
	703	4.0	6	1	2	3	6	8	9
0-17	289	3.3	5	1	2	3	4	6	7
18-34	2057	3.1	4	1	2	3	4	6	6
35-49	604	3.1	4	1	1	3	4	6	7
50-69	50	2.6	4	< 1	1	1	4	6	6
70 +	0								
	3001	3.1	4	1	2	3	4	6	6
	3703	3.3	4	1	2	3	5	6	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	44	6.2	19	2	2	3	10	13	13
18-34	244	4.3	8	1	2	4	6	8	10
35-49	37	2.9	9						
50-69	0								
70 +	0								
SUBTOTAL	324	4.4	10	1	1	4	6	9	11
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	57	3.7	7	1	1	3	5	8	8
18-34	789	3.4	5	1	2	3	4	7	8
35-49	78	3.2	4	1	1	3	4	7	8
50-69	0								
70 +	0								
SUBTOTAL	923	3.4	5	1	2	3	4	7	8
GRAND TOTAL	1247	3.7	7	1	2	3	5	7	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	192	3.8	7	1	1	4	5	7	9
35-49	60	4.9	11	1	2	4	7	11	11
50-69	7	3.0							
70 +	8	39.0							
	266	5.0	42	1	1	4	6	9	12
0-17	44	2.8	1	2	3	4	5	5	5
18-34	737	2.9	3	1	1	3	4	5	6
35-49	152	3.3	9	1	1	2	4	7	11
50-69	0								
70 +	0								
	933	3.0	4	1	1	3	4	5	6
	1199	3.5	13	1	1	3	4	6	8

DRG 362: Endoscopic Tubal Interruption

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	7	1.0							
35-49	7	1.0							
50-69	0								
70 +	0								
	14	1.0							
0-17	0								
18-34	21	1.3							
35-49	21	2.9	8						
50-69	0								
70 +	0								
	43	2.1	5	< 1	< 1	1	2	7	7
	57	1.9	4	< 1	< 1	1	2	7	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	8	2.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	8	2.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	15	2.0							
35-49	8	1.0							
50-69	0								
70 +	0								
SUBTOTAL	22	1.7							
GRAND TOTAL	30	1.7							

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	8	1.0							
35-49	7	1.0							
50-69	0								
70 +	0								
	15	1.0							
0-17	0								
18-34	7	1.0							
35-49	15	2.9	4						
50-69	0								
70 +	0								
	21	2.3	4						
	36	1.8	3						

DRG 363: D&C, Conization & Radio-implant, for Malignancy

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	125	4.2	11	2	2	3	3	11	13
70-74	89	5.1	22	2	2	4	6	14	16
75-79	124	6.3	32	1	2	3	10	18	19
80-84	64	7.1	77	1	2	2	10	28	28
85 +	75	4.3	7	1	2	3	6	10	10
SUBTOTAL	478	5.3	28	1	2	3	6	13	16
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	451	2.8	4	1	2	2	3	5	5
70-74	209	2.4	1	2	2	2	3	3	4
75-79	133	3.0	4	1	2	2	3	5	10
80-84	66	3.0	2	1	2	3	3	6	6
85 +	37	3.6	6						
SUBTOTAL	895	2.7	3	1	2	2	3	5	5
GRAND TOTAL	1373	3.6	13	1	2	2	4	8	12

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	37	2.0	1						
35-49	60	2.1	1	1	1	2	2	5	5
50-69	127	6.5	93	2	2	3	8	10	43
70 +	15	9.2	60						
SUBTOTAL	238	4.9	59	1	2	2	5	8	17
0-17	0								
18-34	94	2.4	5	1	1	1	3	4	5
35-49	287	2.2	1	1	1	2	3	3	
50-69	330	2.3	1	1	2	2	3	3	
70 +	7	8.0							
SUBTOTAL	717	2.3	2	1	1	2	3	3	5
GRAND TOTAL	955	2.9	17	1	2	2	3	5	8

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	8	2.0							
35-49	66	9.3	107	1	3	5	8	35	35
50-69	51	3.1	2	2	2	2	5	5	5
70 +	0								
SUBTOTAL	125	6.3	67	2	2	4	5	17	35
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	44	1.9	1	< 1	1	2	3	3	3
35-49	105	2.7	1	1	2	3	4	4	4
50-69	117	2.4	1	1	2	2	3	4	5
70 +	0								
SUBTOTAL	266	2.4	1	1	2	2	3	4	4
GRAND TOTAL	392	3.7	25	1	2	2	4	5	8

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	15	2.5							
50-69	23	3.7	7						
70 +	8	2.0							
SUBTOTAL	45	3.0	4	1	2	2	3	7	7
0-17	0								
18-34	53	2.6	1	1	2	3	3	3	3
35-49	42	2.0	1	< 1	1	2	3	3	3
50-69	119	2.3	2	1	2	2	2	3	7
70 +	15	2.0							
SUBTOTAL	230	2.3	1	1	2	2	3	3	3
GRAND TOTAL	275	2.4	2	1	2	2	3	3	7

DRG 364: D&C, Conization except for Malignancy

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	127	3.5	4	1	2	3	5	6	8
70-74	60	5.4	13	2	2	5	7	12	12
75-79	28	6.0	55						
80-84	36	3.1	7						
85 +	66	9.9	64	1	4	8	11	28	28
SUBTOTAL	316	5.4	29	1	2	4	7	11	18
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	58	2.9	7	< 1	1	2	6	8	8
70-74	43	6.9	74	1	1	4	5	25	25
75-79	43	1.8		1	1	2	2	3	3
80-84	43	1.8		< 1	1	2	2	3	3
85 +	15	1.0							
SUBTOTAL	201	3.2	22	1	1	2	3	6	8
GRAND TOTAL	517	4.5	27	1	1	3	6	10	17

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	28	1.5							
18-34	139	2.3	1	1	2	2	3	3	5
35-49	491	2.3	4	1	1	2	3	5	6
50-69	153	3.3	25	1	1	2	3	8	21
70 +	8	1.0							
	819	2.5	7	1	1	2	3	4	6
0-17	50	3.4	2	1	2	4	5	5	5
18-34	308	2.5	4	1	1	2	3	4	5
35-49	363	1.4		< 1	1	1	2	2	3
50-69	200	1.5	2	< 1	1	1	1	3	3
70 +	0								
	921	1.9	3	< 1	1	1	2	4	5
	1740	2.2	5	1	1	2	3	4	5

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	73	4.5	43	< 1	1	3	4	8	24
35-49	111	2.4	3	1	1	2	3	5	7
50-69	37	6.9	26						
70 +	0								
SUBTOTAL	222	3.8	23	1	1	2	4	7	16
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	126	1.8	1	1	1	1	3	4	4
35-49	64	1.7	1	< 1	< 1	1	2	4	4
50-69	14	2.0	1						
70 +	0								
SUBTOTAL	205	1.8	1	< 1	1	1	2	4	4
GRAND TOTAL	426	2.8	13	1	1	2	3	6	7

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	15	4.1	4						
18-34	88	1.6		1	1	2	2	2	2
35-49	100	2.1	3	< 1	1	1	3	5	6
50-69	21	4.9	19						
70 +	15	2.0							
	239	2.3	4	1	1	2	2	5	6
0-17	0								
18-34	115	1.5	1	1	1	1	1	4	5
35-49	123	1.5	1	1	1	1	2	3	5
50-69	58	1.4	1	< 1	1	1	1	4	4
70 +	8	1.0							
	303	1.5	1	1	1	1	1	3	4
	543	1.8	3	1	1	1	2	4	5

DRG 365: Other Female Reproductive System O.R. Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	168	11.7	78	3	5	9	13	26	30
70-74	118	13.3	85	5	6	11	18	25	40
75-79	101	11.2	47	4	5	10	14	20	26
80-84	52	10.7	123	5	5	5	9	37	37
85 +	28	12.1	17						
SUBTOTAL	467	11.9	74	5	5	9	14	26	32
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	93	2.9	1	2	2	3	3	4	4
70-74	85	4.6	4	2	3	5	7	7	8
75-79	42	6.2	19	3	3	4	8	15	15
80-84	29	6.1	5						
85 +	14	5.5							
SUBTOTAL	263	4.5	7	2	3	4	5	8	9
GRAND TOTAL	731	9.2	63	3	4	6	12	21	26

TYPE OF PATIENT	BLUE CROSS PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	23	7.7	18						
18-34	130	8.7	80	1	4	5	10	22	37
35-49	170	6.9	11	2	3	7	10	12	12
50-69	235	7.1	23	3	4	5	10	14	18
70 +	0								
	557	7.4	33	2	4	6	10	12	18
0-17	108	5.1	8	2	3	5	7	8	13
18-34	576	4.0	3	2	3	4	5	6	8
35-49	614	5.1	9	2	3	4	7	9	11
50-69	338	4.5	7	3	3	4	5	7	9
70 +	7	5.0							
	1643	4.6	7	2	3	4	5	7	10
	2200	5.3	15	2	3	4	6	10	12

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	7	13.0							
18-34	58	7.4	11	3	5	6	9	13	13
35-49	52	12.4	46	5	7	10	21	24	24
50-69	21	23.1	222						
70 +	14	7.0	27						
SUBTOTAL	152	11.5	80	4	5	9	13	24	29
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	21	7.2	35						
18-34	115	4.7	6	2	2	5	6	9	10
35-49	43	5.2	2	4	4	5	6	8	8
50-69	14	3.5	2						
70 +	0								
SUBTOTAL	193	5.0	9	2	3	5	6	9	10
GRAND TOTAL	345	7.9	50	2	4	5	10	15	24

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	9.0							
18-34	28	6.5	11						
35-49	37	5.5	3						
50-69	28	8.2	11						
70 +	8	40.0							
	109	9.1	80	3	5	6	11	12	40
0-17	22	3.0	1						
18-34	87	5.3	17	2	3	4	6	11	16
35-49	78	4.5	7	2	3	3	6	9	10
50-69	71	5.8	17	3	4	4	4	13	16
70 +	15	3.5							
	274	4.9	13	2	3	4	5	11	16
	383	6.1	35	2	3	4	6	12	16

DRG 366: Malignancy, Female Reproductive System w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	266	7.9	98	2	3	5	8	23	27
70-74	168	7.9	36	2	4	6	9	17	18
75-79	80	14.2	149	3	5	9	21	34	44
80-84	125	9.0	34	2	4	7	14	15	23
85 +	87	6.4	27	2	3	4	10	15	18
SUBTOTAL	726	8.6	74	2	4	6	10	21	24
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	726	8.6	74	2	4	6	10	21	24

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	4.0							
18-34	52	8.0	104	1	3	4	7	32	32
35-49	199	5.4	33	1	2	4	6	14	20
50-69	319	6.7	25	2	3	5	9	12	18
70 +	7	4.0							
	584	6.3	35	2	3	4	8	14	20
	0								
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	584	6.3	35	2	3	4	8	14	20

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	15	11.5	77						
18-34	36	6.4	5						
35-49	98	8.6	32	3	4	8	12	15	22
50-69	91	7.0	16	3	4	8	9	14	15
70 +	0								
SUBTOTAL	240	7.9	26	3	4	8	10	15	20
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	240	7.9	26	3	4	8	10	15	20

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	8	10.0							
35-49	45	6.1	9	2	3	6	8	11	11
50-69	68	9.0	55	2	4	4	14	24	24
70 +	0								
	120	8.0	37	2	3	7	11	17	24
	0								
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	120	8.0	37	2	3	7	11	17	24

DRG 367: Malignancy, Female Reproductive System w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	80	2.8	6	<1	1	2	4	7	9
70-74	44	1.5	1	1	1	1	2	3	3
75-79	21	5.2	20		–				
80-84	8	2.0	–						
85+	35	5.0	10						
SUBTOTAL	189	3.2	8	1	1	2	4	9	10
GRAND TOTAL	189	3.2	8	1	1	2	4	9	10

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0		–						
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	21	2.9	2						
18-34	15	2.5							
35-49	95	2.6	3	1	1	2	3	6	7
50-69	90	1.9	1	<1	1	1	3	3	5
70+	0								
	221	2.4	2	<1	1	2	3	5	6
	221	2.4	2	<1	1	2	3	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	15	2.0	1						
18-34	22	1.6	1						
35-49	15	3.5	2						
50-69	22	2.3							
70+	0								
SUBTOTAL	75	2.3	1	1	1	2	3	5	5
GRAND TOTAL	75	2.3	1	1	1	2	3	5	5

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	0								
18-34	15	7.0	39						
35-49	15	2.0	1						
50-69	23	3.0	3						
70+	0								
	53	3.9	16	1	1	3	5	13	13
	53	3.9	16	1	1	3	5	13	13

DRG 368: Infections, Female Reproductive System

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	122	5.4	8	3	4	5	6	8	15
70-74	35	6.9	31						
75-79	15	6.0							
80-84	14	4.5	13						
85 +	36	8.7	11						
SUBTOTAL	222	6.2	13	3	4	6	7	11	15
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	96	4.7	8	2	2	5	5	7	13
70-74	14	3.0	1						
75-79	8	7.0							
80-84	21	9.7	4						
85 +	14	3.5	2						
SUBTOTAL	152	5.2	10	2	2	5	7	11	11
GRAND TOTAL	374	5.8	12	2	4	5	7	11	15

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	278	4.0	3	2	3	4	5	6	8
18-34	950	4.1	5	2	3	4	5	7	8
35-49	268	5.1	9	2	3	4	6	10	11
50-69	88	5.9	10	2	4	6	8	12	12
70 +	0								
SUBTOTAL	1584	4.4	6	2	3	4	5	8	9
0-17	855	3.5	4	2	2	3	4	6	7
18-34	3765	3.7	4	2	2	3	5	6	7
35-49	1149	4.2	5	2	3	4	5	7	9
50-69	64	5.0	8	2	3	3	6	11	11
70 +	0								
SUBTOTAL	5832	3.8	4	2	2	3	5	6	7
GRAND TOTAL	7416	3.9	5	2	2	3	5	6	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	334	4.1	4	2	3	4	5	6	7
18-34	1442	4.6	5	2	3	4	6	7	9
35-49	226	5.0	5	3	4	4	6	9	10
50-69	15	7.4	2						
70 +	0								
SUBTOTAL	2017	4.6	5	2	3	4	6	7	9
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	508	3.4	2	2	2	3	4	5	6
18-34	3380	4.0	4	2	3	4	5	6	8
35-49	198	4.4	11	1	2	4	5	7	9
50-69	7	11.0							
70 +	0								
SUBTOTAL	4094	3.9	4	2	3	4	5	6	8
GRAND TOTAL	6111	4.2	4	2	3	4	5	7	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	218	3.9	3	2	3	4	5	6	7
18-34	810	5.0	18	2	3	4	6	8	9
35-49	88	6.6	27	2	4	5	9	13	20
50-69	36	10.0	66						
70 +	7	9.0							
SUBTOTAL	1159	5.1	18	2	3	4	6	8	9
0-17	458	3.6	2	2	3	3	5	5	7
18-34	2062	3.5	3	2	2	3	5	6	7
35-49	267	3.9	4	2	2	4	5	6	10
50-69	15	6.4	2						
70 +	0								
SUBTOTAL	2802	3.6	3	2	2	3	5	6	7
GRAND TOTAL	3960	4.0	8	2	2	4	5	6	8

DRG 369: Menstrual & Other Female Reproductive System Disorders

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	178	3.6	5	1	2	4	5	6	7
70-74	103	4.0	10	< 1	1	4	5	8	12
75-79	30	9.5	88						
80-84	44	3.8	5	1	1	4	6	7	7
85 +	95	6.0	18	2	3	6	7	13	16
SUBTOTAL	450	4.6	17	1	2	4	6	10	12
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	65	3.5	8	< 1	1	2	4	9	9
70-74	44	2.0	2	1	1	1	4	4	4
75-79	35	9.1	116						
80-84	22	3.4	2						
85 +	45	3.0	4	< 1	1	2	5	6	6
SUBTOTAL	211	4.0	28	1	1	2	5	8	9
GRAND TOTAL	661	4.4	21	1	1	3	5	9	12

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	197	2.1	1	1	1	2	3	4	4
18-34	568	2.6	3	1	1	2	3	5	7
35-49	427	2.8	2	1	1	3	4	5	6
50-69	145	3.9	10	< 1	1	3	6	10	11
70 +	7	11.0							
	1344	2.8	4	1	1	2	4	5	7
	1128	1.9	1	1	1	2	2	4	5
	2415	2.1	2	1	1	2	3	4	5
	1210	2.4	2	< 1	1	2	3	4	6
	221	2.5	2	< 1	1	2	4	4	5
	7	3.0							
	4980	2.1	2	1	1	2	3	4	5
	6324	2.3	2	1	1	2	3	4	5

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	87	2.2	1	1	1	2	3	4	4
18-34	263	3.2	11	1	1	2	4	6	10
35-49	168	4.2	10	2	2	3	5	6	11
50-69	51	4.9	56	< 1	< 1	1	6	23	23
70 +	8	6.0							
SUBTOTAL	578	3.5	14	1	1	3	4	6	10
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	231	1.8	1	1	1	2	2	3	3
18-34	801	2.0	2	1	1	2	2	3	4
35-49	250	3.5	6	< 1	1	3	5	7	8
50-69	23	2.3	2						
70 +	0								
SUBTOTAL	1305	2.2	3	1	1	2	3	4	5
GRAND TOTAL	1883	2.6	7	1	1	2	3	5	7

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	87	1.7		1	1	2	2	2	3
18-34	285	2.5	3	1	2	2	3	4	7
35-49	133	2.3	2	< 1	1	2	3	5	5
50-69	43	2.0	2	< 1	1	1	2	5	5
70 +	15	6.0							
	563	2.4	2	1	1	2	3	5	6
0-17	242	1.5	1	1	1	1	1	2	3	4
18-34	858	1.8	1	1	1	1	1	2	3	4
35-49	260	2.1	2	1	1	2	3	4	6
50-69	21	2.0	1						
70 +	0								
	1381	1.8	1	1	1	1	2	3	4
	1944	2.0	2	1	1	2	2	4	5

North Central Region, July 1989 - June 1990

DRG 370: Cesarean Section w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	172	7.7	55	4	4	5	8	14	14
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	172	7.7	55	4	4	5	8	14	14
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	172	7.7	55	4	4	5	8	14	14

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	760	6.5	18	3	4	5	8	11	13
18-34	20411	5.6	25	3	4	4	5	8	11
35-49	3148	6.1	37	4	4	5	6	9	13
50-69	0								
70 +	0								
	24319	5.7	27	3	4	4	5	8	11
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	24319	5.7	27	3	4	4	5	8	11

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	1786	6.4	11	4	4	6	8	10	11
18-34	17272	6.0	25	4	4	5	6	9	12
35-49	1122	8.4	109	4	4	5	7	14	28
50-69	0								
70 +	0								
SUBTOTAL	20180	6.2	29	4	4	5	6	9	12
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	20180	6.2	29	4	4	5	6	9	12

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	709	5.5	4	4	4	5	7	8	9
18-34	7495	5.7	18	4	4	5	6	9	11
35-49	1180	6.1	55	3	4	5	6	8	11
50-69	0								
70 +	0								
	9384	5.8	21	4	4	5	6	9	11
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	9384	5.8	21	4	4	5	6	9	11

DRG 371: Cesarean Section w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	238	4.6	1	4	4	4	5	6	7
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	238	4.6	1	4	4	4	5	6	7
GRAND TOTAL	238	4.6	1	4	4	4	5	6	7

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1336	4.3	2	3	4	4	5	6	6
18-34	87879	4.1	3	3	3	4	4	5	5
35-49	11968	4.3	7	3	4	4	4	5	6
50-69	7	7.0							
70 +	0								
	101190	4.1	3	3	4	4	4	5	6
	101190	4.1	3	3	4	4	4	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1814	4.4	2	3	4	4	5	6	7
18-34	30224	4.2	3	3	3	4	4	5	6
35-49	1418	4.4	2	3	4	4	5	5	7
50-69	8	5.0							
70 +	0								
SUBTOTAL	33464	4.2	3	3	3	4	5	5	6
GRAND TOTAL	33464	4.2	3	3	3	4	5	5	6

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	720	4.9	9	3	4	4	5	6	9
18-34	22153	4.2	6	3	4	4	4	5	6
35-49	2894	4.1	1	3	4	4	4	5	6
50-69	0								
70 +	0								
	25767	4.2	6	3	4	4	4	5	6
	25767	4.2	6	3	4	4	4	5	6

DRG 372: Vaginal Delivery w/ Complicating Diagnoses

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	60	4.4	11	2	2	4	6	12	12
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	60	4.4	11	2	2	4	6	12	12
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	60	2.1	1	1	1	2	2	4	4
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	60	2.1	1	1	1	2	2	4	4
GRAND TOTAL	119	3.3	7	1	2	2	4	6	12

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	478	3.9	6	2	2	3	5	7	8
18-34	8072	3.4	14	2	2	3	3	5	7
35-49	873	3.6	16	2	2	3	3	6	8
50-69	0								
70 +	0								
	9423	3.4	14	2	2	3	3	5	7
0-17	666	3.0	4	1	2	2	3	5	8
18-34	15464	2.7	3	2	2	2	3	4	5
35-49	1792	2.5	1	2	2	2	3	4	4
50-69	0								
70 +	0								
	17923	2.7	3	2	2	2	3	4	5
	27346	2.9	7	2	2	2	3	4	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	1240	3.8	19	2	2	3	4	6	8
18-34	8078	3.7	17	2	2	3	4	7	9
35-49	620	3.7	5	2	2	3	5	6	9
50-69	7	6.0							
70 +	0								
SUBTOTAL	9945	3.7	16	2	2	3	4	7	9
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1237	2.9	3	2	2	2	3	5	6
18-34	8794	2.8	7	2	2	2	3	4	5
35-49	465	2.5	2	1	2	2	3	4	5
50-69	0								
70 +	0								
SUBTOTAL	10497	2.8	6	2	2	2	3	4	5
GRAND TOTAL	20441	3.2	11	2	2	2	3	5	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	459	3.5	4	2	2	3	4	7	8
18-34	3399	3.2	6	2	2	3	4	5	7
35-49	418	3.6	16	2	2	3	4	6	9
50-69	0								
70 +	0								
	4276	3.3	6	2	2	3	4	5	7
0-17	463	2.8	3	2	2	2	3	4	7
18-34	6749	2.6	3	2	2	2	3	4	4
35-49	707	2.6	2	1	2	2	3	4	5
50-69	0								
70 +	0								
	7919	2.6	3	2	2	2	3	4	4
	12194	2.8	4	2	2	2	3	4	5

DRG 373: Vaginal Delivery w/o Complicating Diagnoses

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	161	2.7	1	2	2	3	3	4	5
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	161	2.7	1	2	2	3	3	4	5
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	718	2.2	1	1	2	2	2	3	4
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	718	2.2	1	1	2	2	2	3	4
GRAND TOTAL	879	2.3	1	1	2	2	3	3	4

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	792	2.5	1	2	2	2	3	3	4
18-34	12735	2.7	6	2	2	2	3	4	5
35-49	1188	2.9	3	2	2	2	3	4	6
50-69	0								
70 +	0								
	14716	2.7	6	2	2	2	3	4	5
0-17	8960	2.2	1	2	2	2	2	3	3
18-34	293594	2.2	1	2	2	2	2	3	3
35-49	27199	2.2	1	2	2	2	2	3	3
50-69	15	1.5							
70 +	0								
	329768	2.2	1	2	2	2	2	3	3
	344484	2.2	1	2	2	2	2	3	3

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	2602	2.7	6	2	2	2	3	4	5
18-34	21311	2.6	5	2	2	2	3	3	4
35-49	950	2.6	3	1	2	2	3	4	6
50-69	8	2.0							
70 +	0								
SUBTOTAL	24871	2.6	5	2	2	2	3	3	5
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	14570	2.2	1	2	2	2	2	3	3
18-34	133650	2.1	1	1	2	2	2	3	3
35-49	4022	2.2	1	1	2	2	2	3	3
50-69	37	3.0	2						
70 +	0								
SUBTOTAL	152280	2.1	1	1	2	2	2	3	3
GRAND TOTAL	177150	2.2	2	1	2	2	2	3	3

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	989	2.5	1	2	2	2	3	4	4
18-34	7315	2.5	4	1	2	2	3	3	5
35-49	494	2.5	2	2	2	2	3	3	5
50-69	0								
70 +	0								
	8798	2.5	4	2	2	2	3	3	5
0-17	5728	2.2	2	1	2	2	2	3	3
18-34	101411	2.1	1	1	2	2	2	3	3
35-49	9388	2.1	1	1	2	2	2	3	3
50-69	0								
70 +	0								
	116528	2.1	1	1	2	2	2	3	3
	125326	2.1	1	1	2	2	2	3	3

DRG 374: Vaginal Delivery w/ Sterilization &/or D&C

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	53	2.9	1	2	2	3	3	5	5
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	53	2.9	1	2	2	3	3	5	5
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	102	2.5	2	2	2	2	2	3	7
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	102	2.5	2	2	2	2	2	3	7
GRAND TOTAL	156	2.6	2	2	2	2	3	4	6

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	15	2.0							
18-34	1439	3.3	10	2	2	3	3	5	6
35-49	359	3.8	23	2	2	3	4	5	7
50-69	0								
70 +	0								
	1813	3.4	13	2	2	3	3	5	7
0-17	58	1.6		1	1	2	2	3	3
18-34	14476	2.4	2	2	2	2	3	3	3
35-49	3004	2.6	8	2	2	2	3	3	4
50-69	15	2.5							
70 +	0								
	17552	2.4	3	2	2	2	3	3	4
	19365	2.5	4	2	2	2	3	3	4

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	53	3.9	6	2	2	3	7	8	8
18-34	2288	3.8	20	2	2	3	4	6	8
35-49	195	2.9	6	2	2	2	3	4	4
50-69	0								
70 +	0								
SUBTOTAL	2535	3.8	19	2	2	3	4	6	8
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	144	2.8	5	1	2	2	3	5	11
18-34	10057	2.3	2	2	2	2	3	3	3
35-49	887	2.5	1	2	2	2	3	3	4
50-69	0								
70 +	0								
SUBTOTAL	11088	2.4	2	2	2	2	3	3	3
GRAND TOTAL	13624	2.6	5	2	2	2	3	3	4

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	4.0							
18-34	782	3.7	9	2	2	3	4	6	8
35-49	134	2.8	1	2	2	3	3	4	5
50-69	0								
70 +	0								
	924	3.6	8	2	2	3	4	6	8
0-17	21	3.3	4						
18-34	5462	2.4	1	2	2	2	3	3	4
35-49	866	2.5	1	2	2	2	3	4	4
50-69	0								
70 +	0								
	6349	2.4	1	2	2	2	3	3	4
	7274	2.6	2	2	2	2	3	3	4

DRG 375: Vaginal Delivery w/ O.R. Proc except Steril &/or D&C

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	8	2.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	8	2.0							
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	8	2.0							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	38	4.0	3						
18-34	179	4.6	12	2	2	3	5	10	13
35-49	23	9.3	10						
50-69	0								
70 +	0								
	239	5.0	12	2	3	3	6	11	13
	68	2.3		2	2	2	3	3	3
	501	2.7	1	2	2	2	3	4	4
	82	2.6	2	2	2	2	3	4	6
	0								
	0								
	651	2.6	1	2	2	2	3	4	4
	890	3.3	5	2	2	3	3	6	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	122	4.0	5	2	2	3	6	6	11
18-34	827	4.5	43	2	2	3	4	7	9
35-49	84	5.6	50	2	2	2	3	19	22
50-69	0								
70 +	0								
SUBTOTAL	1032	4.5	39	2	2	3	4	7	11
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	242	2.4	1	2	2	2	3	3	4
18-34	1152	2.7	4	2	2	2	3	3	4
35-49	30	2.3							
50-69	0								
70 +	0								
SUBTOTAL	1424	2.6	3	2	2	2	3	3	4
GRAND TOTAL	2457	3.4	19	2	2	3	3	5	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	68	4.9	3	2	4	5	6	8	8
18-34	190	4.0	6	2	2	3	5	7	8
35-49	15	3.5							
50-69	0								
70 +	0								
	274	4.2	5	2	2	4	6	7	8
	99	2.5		2	2	3	3	3	3
	755	2.5	1	2	2	2	3	3	4
	61	3.1	4	2	2	2	4	8	8
	0								
	0								
	915	2.5	1	2	2	2	3	3	4
	1189	2.9	2	2	2	2	3	5	6

DRG 376: Postpartum & Post Abortion Diagnoses w/o O.R. Procedure

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	23	2.7	1						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	23	2.7	1						
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	23	6.3	31						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	23	6.3	31						
GRAND TOTAL	46	4.5	19	2	2	3	4	14	14

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	59	2.8	2	1	2	2	4	6	6
18-34	902	3.8	10	1	2	3	5	8	10
35-49	66	3.7	19	1	1	2	4	15	15
50-69	0								
70 +	0								
	1026	3.8	10	1	2	3	5	7	10
0-17	190	2.8	1	2	2	3	3	5	5
18-34	2347	3.1	9	1	2	2	3	6	7
35-49	299	3.7	12	1	2	3	4	7	9
50-69	0								
70 +	0								
	2836	3.2	9	1	2	2	3	6	7
	3862	3.3	9	1	2	3	4	6	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	156	4.4	8	2	2	4	5	7	12
18-34	1479	3.7	11	2	2	3	4	7	9
35-49	102	2.9	6	1	2	2	3	8	9
50-69	0								
70 +	0								
SUBTOTAL	1737	3.7	10	2	2	3	4	7	9
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	229	2.2	1	1	2	2	3	3	4
18-34	2215	2.9	6	1	2	2	3	5	7
35-49	157	3.1	8	1	2	2	3	5	5
50-69	0								
70 +	0								
SUBTOTAL	2601	2.9	6	1	2	2	3	5	7
GRAND TOTAL	4338	3.2	8	1	2	2	4	6	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	68	3.2	2	2	2	3	4	5	5
18-34	601	3.4	7	1	2	3	4	6	9
35-49	82	4.2	17	2	2	3	4	8	16
50-69	0								
70 +	0								
	752	3.5	8	1	2	3	4	6	9
0-17	98	2.6	4	1	1	2	3	5	8
18-34	1190	2.4	2	1	2	2	3	4	6
35-49	125	2.9	7	1	1	2	3	9	10
50-69	0								
70 +	0								
	1414	2.4	3	1	2	2	3	4	6
	2165	2.8	5	1	2	2	3	5	7

DRG 377: Postpartum & Post Abortion Diagnoses w/ O.R. Procedure

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	7	3.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	7	3.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	8	3.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	8	3.0							
GRAND TOTAL	15	3.0							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	27	3.3	11						
18-34	495	3.9	12	1	2	3	5	9	11
35-49	80	6.2	36	< 1	2	3	11	15	20
50-69	0								
70 +	0								
	612	4.2	15	1	2	3	5	10	12
0-17	15	2.5							
18-34	579	2.6	4	1	1	2	3	5	7
35-49	73	2.6	3	1	1	2	4	5	6
50-69	0								
70 +	0								
	666	2.6	4	1	1	2	3	5	7
	1278	3.3	10	1	1	2	4	7	11

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	23	3.0	2						
18-34	379	4.2	22	1	2	2	5	11	13
35-49	38	7.4	35						
50-69	0								
70 +	0								
SUBTOTAL	440	4.4	23	1	2	3	5	11	18
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	21	2.6	3						
18-34	314	2.5	3	1	1	2	3	4	7
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	336	2.5	3	1	1	2	3	5	7
GRAND TOTAL	776	3.6	15	1	2	2	4	9	12

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	198	3.7	14	1	1	2	4	9	9
35-49	37	13.8	450						
50-69	0								
70 +	0								
	235	5.3	95	1	2	2	6	9	18
0-17	0								
18-34	234	2.8	22	< 1	1	2	3	4	7
35-49	21	3.0	2						
50-69	0								
70 +	0								
	256	2.8	20	< 1	1	2	3	5	7
	491	4.0	57	< 1	1	2	3	7	9

DRG 378: Ectopic Pregnancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	46	5.5	2	4	5	5	6	8	8
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	46	5.5	2	4	5	5	6	8	8
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	29	2.5	1						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	29	2.5	1						
GRAND TOTAL	75	4.3	4	1	3	5	5	7	8

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	51	3.4		3	3	3	4	4	4
18-34	1925	3.8	2	3	3	4	5	5	6
35-49	615	4.1	2	3	3	4	5	6	6
50-69	0								
70 +	0								
	2591	3.9	2	3	3	4	5	5	6
0-17	105	3.0	1	2	2	3	4	4	4
18-34	4641	3.2	2	1	2	3	4	4	5
35-49	1033	3.2	2	1	2	3	4	5	5
50-69	0								
70 +	0								
	5779	3.2	2	1	2	3	4	4	5
	8370	3.4	2	2	3	3	4	5	5

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	22	3.7	6						
18-34	1267	4.0	2	2	3	4	5	6	7
35-49	132	4.7	3	3	4	4	5	6	11
50-69	0								
70 +	0								
SUBTOTAL	1422	4.0	3	2	3	4	5	6	7
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	72	3.7		3	3	4	4	5	5
18-34	1880	3.2	1	2	3	3	4	5	5
35-49	147	3.6	1	1	3	4	4	5	5
50-69	0								
70 +	0								
SUBTOTAL	2099	3.3	1	2	3	3	4	5	5
GRAND TOTAL	3521	3.6	2	2	3	4	4	5	6

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	22	4.3	2						
18-34	1215	3.9	2	3	3	4	4	6	7
35-49	176	3.8	1	3	3	4	4	5	5
50-69	0								
70 +	0								
	1413	3.9	2	3	3	4	4	6	7
0-17	37	3.4	2						
18-34	2210	2.9	2	1	2	3	4	4	5
35-49	376	3.0	4	1	2	3	4	4	6
50-69	0								
70 +	0								
	2623	2.9	2	1	2	3	4	4	5
	4036	3.3	2	1	2	3	4	5	6

DRG 379: Threatened Abortion

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	21	3.4	7						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	21	3.4	7						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	44	2.0	1	< 1	< 1	1	3	4	4
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	44	2.0	1	< 1	< 1	1	3	4	4
GRAND TOTAL	66	2.5	4	< 1	1	2	3	7	7

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	194	3.8	8	1	2	3	5	9	9
18-34	2838	3.7	23	1	1	2	4	8	12
35-49	261	4.0	13	1	2	3	5	7	12
50-69	0								
70 +	0								
	3293	3.7	21	1	1	2	4	8	12
	569	2.3	4	< 1	1	2	3	4	6
	11380	2.5	9	< 1	1	2	3	5	7
	1046	2.9	11	1	1	2	3	6	10
	0								
	0								
	12995	2.5	9	< 1	1	2	3	5	7
	16288	2.8	12	< 1	1	2	3	5	9

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	401	3.7	11	1	2	2	4	9	14
18-34	3671	3.9	20	1	2	3	4	8	11
35-49	121	3.9	9	1	2	3	6	8	12
50-69	0								
70 +	0								
SUBTOTAL	4193	3.9	19	1	2	3	4	8	11
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	704	2.4	6	1	1	2	3	4	5
18-34	6874	2.3	5	< 1	1	2	3	4	6
35-49	199	3.4	6	< 1	1	3	5	6	8
50-69	0								
70 +	0								
SUBTOTAL	7777	2.4	6	< 1	1	2	3	4	6
GRAND TOTAL	11970	2.9	11	1	1	2	3	5	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	158	3.0	3	1	2	3	3	6	7
18-34	1367	3.6	15	1	1	3	4	7	10
35-49	98	6.6	47	1	3	4	8	15	25
50-69	0								
70 +	0								
	1623	3.7	17	1	1	3	4	7	10
	448	2.4	11	< 1	1	1	2	4	12
	4972	2.3	9	< 1	1	1	2	4	7
	328	2.7	24	< 1	1	1	2	4	8
	0								
	0								
	5748	2.3	10	< 1	1	1	2	4	7
	7371	2.6	12	< 1	1	2	3	5	7

DRG 380: Abortion w/o D&C

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	21	3.7	1						
18-34	211	5.5	247	< 1	1	2	4	8	8
35-49	21	1.7	1						
50-69	0								
70 +	0								
	254	5.1	206	< 1	1	2	4	5	8
	132	1.3		< 1	1	1	1	3	3
	1775	1.5	1	< 1	1	1	2	3	3
	332	1.4	1	< 1	1	1	2	2	3
	0								
	0								
	2239	1.5	[illegible]	< 1	1	1	2	2	3
	2493	1.9	2[illegible]	< 1	1	1	2	3	4

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	8	1.0							
18-34	426	3.8	45	1	1	2	4	6	12
35-49	21	2.0	1						
50-69	0								
70 +	0								
SUBTOTAL	455	3.7	43	1	1	2	4	6	12
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	198	1.9	1	< 1	1	2	2	4	4
18-34	1016	1.8	1	1	1	1	2	3	4
35-49	30	2.0	2						
50-69	7	3.0							
70 +	0								
SUBTOTAL	1251	1.9	1	1	1	2	2	3	4
GRAND TOTAL	1706	2.3	13	1	1	2	3	4	5

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	2.0							
18-34	163	2.0	4	1	1	1	2	5	6
35-49	15	5.0	17						
50-69	0								
70 +	0								
	186	2.3	6	1	1	1	2	5	9
	74	1.8	1	< 1	1	2	2	5	5
	963	1.5	1	1	1	1	2	3	3
	86	1.5		< 1	< 1	1	2	2	3
	0								
	0								
	1123	1.5	1	< 1	1	1	2	3	3
	1309	1.7	1	< 1	1	1	2	3	4

DRG 381: Abortion w/ D&C. Aspiration Curettage or Hysterotomy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	30	2.8	1						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	30	2.8	1						
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	30	1.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	30	1.0							
GRAND TOTAL	60	1.9	1	<1	1	1	3	4	4

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	51	2.4	5	<1	1	2	2	8	8
18-34	772	2.5	7	1	1	2	3	5	6
35-49	146	2.3	6	1	1	1	2	6	11
50-69	0								
70 +	0								
	968	2.5	7	1	1	2	3	5	7
0-17	365	1.3		<1	1	1	1	2	2
18-34	5474	1.4	1	<1	1	1	1	2	4
35-49	1116	1.4	1	<1	1	1	1	2	3
50-69	0								
70 +	0								
	6955	1.4	1	<1	1	1	1	2	3
	7923	1.6	2	<1	1	1	2	3	4

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	22	1.3							
18-34	770	2.8	3	1	1	2	4	5	6
35-49	73	4.1	17	1	1	3	5	15	15
50-69	0								
70 +	0								
SUBTOTAL	866	2.9	5	1	1	2	4	5	6
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	263	1.8	2	<1	1	1	2	3	6
18-34	2479	1.5	1	<1	1	1	2	3	3
35-49	116	1.5		<1	1	1	2	2	3
50-69	0								
70 +	0								
SUBTOTAL	2859	1.5	1	<1	1	1	2	3	3
GRAND TOTAL	3725	1.8	2	<1	1	1	2	3	4

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	59	2.1	1	1	1	2	3	4	4
18-34	553	2.6	5	<1	1	2	3	4	8
35-49	44	2.3	3	1	1	2	2	6	6
50-69	0								
70 +	0								
	656	2.6	5	1	1	2	3	4	7
0-17	236	1.4	1	<1	1	1	1	2	3
18-34	2308	1.3	1	<1	1	1	1	2	2
35-49	400	1.7	3	<1	1	1	1	4	4
50-69	0								
70 +	0								
	2944	1.4	1	<1	1	1	1	2	3
	3600	1.6	2	<1	1	1	2	3	4

DRG 382: False Labor

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	15	1.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	15	1.0							
GRAND TOTAL	15	1.0							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	7	2.0							
18-34	348	1.6	3	< 1	< 1	1	1	3	6
35-49	8	1.0							
50-69	0								
70 +	0								
	363	1.6	3	< 1	< 1	1	1	3	6
0-17	238	1.1		< 1	< 1	< 1	1	1	2
18-34	5194	1.2	2	< 1	< 1	< 1	1	1	2
35-49	324	1.1		< 1	< 1	< 1	1	1	2
50-69	0								
70 +	0								
	5756	1.2	2	< 1	< 1	< 1	1	1	2
	6119	1.2	2	< 1	< 1	< 1	1	1	2

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	15	1.0							
18-34	312	1.4	1	< 1	< 1	1	1	3	4
35-49	7	1.0							
50-69	0								
70 +	0								
SUBTOTAL	333	1.4	1	< 1	< 1	1	1	3	4
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	366	1.0		< 1	< 1	1	1	1	1
18-34	3455	1.1		< 1	< 1	< 1	1	1	2
35-49	86	1.3	1	< 1	< 1	1	1	1	4
50-69	0								
70 +	0								
SUBTOTAL	3907	1.1		< 1	< 1	< 1	1	1	2
GRAND TOTAL	4240	1.1		< 1	< 1	1	1	1	2

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	1.0							
18-34	82	1.6	1	< 1	< 1	1	2	3	4
35-49	0								
50-69	0								
70 +	0								
	89	1.6	1	< 1	< 1	1	2	3	4
0-17	125	1.1		< 1	< 1	< 1	< 1	1	2
18-34	2051	1.0		< 1	< 1	< 1	1	1	1
35-49	127	1.1		< 1	< 1	1	1	1	2
50-69	0								
70 +	0								
	2303	1.0		< 1	< 1	< 1	1	1	1
	2393	1.1		< 1	< 1	< 1	1	1	1

DRG 383: Other Antepartum Diagnoses w/ Medical Complications

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	208	7.4	59	2	3	5	9	13	44
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	208	7.4	59	2	3	5	9	13	44
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	68	3.4	5	< 1	1	3	5	8	8
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	68	3.4	5	< 1	1	3	5	8	8
GRAND TOTAL	276	6.4	49	1	3	5	8	13	44

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	708	3.6	15	1	2	3	4	7	9
18-34	9451	3.7	16	1	2	3	4	7	9
35-49	1023	4.4	17	1	2	3	5	10	12
50-69	0								
70 +	0								
	11182	3.8	16	1	2	3	4	7	10
	688	3.2	5	1	2	3	4	5	7
	12969	2.9	6	1	1	2	4	5	7
	1833	2.8	3	1	2	2	4	5	6
	0								
	0								
	15490	2.9	5	1	1	2	4	5	7
	26672	3.3	10	1	2	3	4	6	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	1126	3.6	5	1	2	3	4	6	8
18-34	10074	4.2	15	1	2	3	5	8	10
35-49	602	5.6	17	2	3	4	7	9	17
50-69	0								
70 +	0								
SUBTOTAL	11803	4.2	14	1	2	3	5	8	10
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	788	2.7	6	1	1	2	3	5	6
18-34	7250	2.8	4	1	1	2	3	5	6
35-49	406	3.3	9	1	2	3	4	6	7
50-69	0								
70 +	0								
SUBTOTAL	8444	2.8	4	1	1	2	3	5	6
GRAND TOTAL	20247	3.6	10	1	2	3	4	7	9

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	478	3.7	15	1	2	3	4	6	10
18-34	4895	3.8	13	1	2	3	5	7	8
35-49	296	4.1	7	1	2	3	6	8	9
50-69	0								
70 +	0								
	5669	3.8	13	1	2	3	5	7	9
	357	2.8	5	1	1	2	4	6	6
	4599	2.5	3	1	1	2	3	5	6
	406	3.5	12	1	1	2	4	7	9
	0								
	0								
	5361	2.6	4	1	1	2	3	5	6
	11030	3.2	9	1	2	2	4	6	8

DRG 384: Other Antepartum Diagnoses w/o Medical Complications

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	22	2.7	3						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	22	2.7	3						
GRAND TOTAL	22	2.7	3						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	28	1.5							
18-34	899	3.3	13	1	1	2	4	7	10
35-49	164	3.4	6	1	1	2	5	6	9
50-69	0								
70 +	0								
	1092	3.3	12	1	1	2	4	7	9
0-17	210	1.7	2	< 1	< 1	1	2	4	4
18-34	8457	2.0	7	< 1	< 1	1	2	4	6
35-49	1071	2.6	20	< 1	1	1	3	4	8
50-69	0								
70 +	0								
	9738	2.1	8	< 1	1	1	2	4	6
	10830	2.2	9	< 1	1	1	2	4	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	51	2.6	2	< 1	< 1	3	4	5	5
18-34	588	3.9	26	1	1	2	4	7	14
35-49	82	8.6	177	< 1	3	4	7	19	49
50-69	0								
70 +	0								
SUBTOTAL	720	4.4	43	< 1	1	2	4	7	14
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	244	1.8	2	< 1	1	1	2	4	4
18-34	3395	2.3	6	< 1	1	1	2	5	7
35-49	155	2.8	6	< 1	1	1	4	7	8
50-69	0								
70 +	0								
SUBTOTAL	3794	2.2	5	< 1	1	1	2	5	7
GRAND TOTAL	4515	2.6	12	< 1	1	2	3	5	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	53	4.9	45	< 1	< 1	1	8	20	20
18-34	322	3.7	42	< 1	1	2	4	6	10
35-49	46	14.0	276	2	3	9	10	50	50
50-69	0								
70 +	0								
	421	4.9	77	< 1	1	2	5	10	20
0-17	89	2.9	4	1	1	2	5	6	6
18-34	3064	1.9	8	< 1	< 1	1	2	3	5
35-49	346	1.7	2	< 1	< 1	1	2	3	6
50-69	0								
70 +	0								
	3500	1.9	8	< 1	< 1	1	2	3	5
	3920	2.2	16	< 1	< 1	1	2	4	6

DRG 386: Extreme Immaturity or Respiratory Distress Syndrome, Neonate

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999 (GMS.)	8	94.0							
1000-1499	8	49.0							
1500-1749	0								
1750-2499	8	42.0							
2500 +	15	17.5							
SUBTOTAL	38	42.0	923						
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	0								
GRAND TOTAL	38	42.0	923						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	377	73.7	302	60	77	99 +	99 +	99 +	99 +
1000-1499	1085	50.0	245	33	40	50	63	94	99 +
1500-1749	549	32.8	134	18	26	33	41	54	65
1750-2499	1295	15.8	77	6	9	15	20	28	36
2500 +	1871	10.6	225	2	4	6	10	19	44
SUBTOTAL	5178	27.1	591	4	8	22	53	96	99 +
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	8	9.0							
2500 +	44	4.6	5	2	3	4	7	8	8
SUBTOTAL	52	5.2	7	2	3	4	8	9	9
GRAND TOTAL	5230	26.9	590	4	8	22	53	96	99 +

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999 (GMS.)	553	77.0	225	63	73	93	99 +	99 +	99 +
1000-1499	1069	49.0	292	29	38	48	63	84	99 +
1500-1749	548	29.9	173	18	21	28	35	51	63
1750-2499	991	18.0	204	5	10	15	22	31	44
2500 +	779	15.1	441	2	4	7	16	55	80
SUBTOTAL	3940	35.8	729	6	15	35	68	99 +	99 +
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	0								
1000-1499	15	23.0							
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	15	23.0							
GRAND TOTAL	3955	35.7	727	6	15	34	68	99 +	99 +

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	227	70.7	258	58	69	78	99 +	99 +	99 +
1000-1499	393	50.4	395	27	34	50	65	90	99 +
1500-1749	226	26.5	108	16	20	25	33	38	44
1750-2499	584	15.0	81	5	8	13	19	27	33
2500 +	706	7.6	37	2	4	6	10	15	19
SUBTOTAL	2137	26.2	614	4	8	19	48	80	99 +
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	8	21.0							
2500 +	44	4.2	4	1	3	4	5	7	7
SUBTOTAL	52	6.6	39	1	3	5	7	21	21
GRAND TOTAL	2188	25.7	609	4	7	18	47	80	99 +

DRG 387: Prematurity w/ Major Problems

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	8	38.0							
1500-1749	0								
1750-2499	68	10.6	35	2	6	10	16	19	19
2500 +	0								
SUBTOTAL	76	13.3	100	2	6	12	17	28	38
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	8	8.0							
SUBTOTAL	8	8.0							
GRAND TOTAL	84	12.8	93	3	6	10	17	19	38

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	30	64.0	187						
1000-1499	363	39.2	298	19	26	38	48	63	67
1500-1749	571	23.9	64	15	19	23	29	32	41
1750-2499	3633	9.7	48	3	4	8	14	19	22
2500 +	3163	5.6	21	2	3	4	7	10	13
	7761	10.7	123	2	4	7	14	23	32
1-999	0								
1000-1499	46	41.0	246	10	37	45	49	60	60
1500-1749	53	20.7	118	7	8	19	29	40	40
1750-2499	439	10.9	64	3	5	8	18	21	25
2500 +	307	4.9	15	2	2	4	6	10	12
	844	10.9	127	2	4	7	16	24	38
	8605	10.7	123	2	4	7	14	24	32

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999 (GMS.)	53	54.1	513	27	38	46	81	95	95
1000-1499	840	35.1	167	22	26	33	40	56	65
1500-1749	951	22.2	96	13	16	21	27	32	39
1750-2499	4286	10.5	58	3	5	9	14	19	24
2500 +	1705	6.4	52	2	3	4	7	12	19
SUBTOTAL	7834	14.0	162	3	5	10	19	31	40
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	0								
1000-1499	61	37.6	103	25	29	41	47	53	53
1500-1749	60	21.1	49	11	14	20	26	33	33
1750-2499	536	7.5	42	2	3	5	11	15	19
2500 +	153	4.5	12	1	2	4	7	10	12
SUBTOTAL	810	10.2	118	2	3	5	13	26	35
GRAND TOTAL	8644	13.6	159	3	5	10	18	30	39

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	23	61.3	118						
1000-1499	288	31.7	120	18	25	31	39	55	63
1500-1749	438	21.6	68	13	16	20	26	34	38
1750-2499	2116	9.5	47	3	5	7	13	19	22
2500 +	1181	5.9	16	2	3	5	8	11	13
	4046	11.7	111	3	5	8	16	26	35
1-999	0								
1000-1499	46	34.7	75	27	27	35	41	50	50
1500-1749	45	22.8	80	14	16	17	26	40	40
1750-2499	204	11.3	92	2	3	9	15	26	31
2500 +	97	6.7	22	2	4	5	9	10	20
	391	14.2	146	2	4	10	24	34	40
	4438	11.9	114	3	5	8	16	27	35

DRG 388: Prematurity w/o Major Problems

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	8	38.0							
1750-2499	37	3.4	3						
2500 +	15	2.0							
SUBTOTAL	60	7.4	140	2	2	2	5	38	38
GRAND TOTAL	60	7.4	140	2	2	2	5	38	38

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	0								
1500-1749	30	25.6	179						
1750-2499	190	7.1	21	2	3	7	10	14	15
2500 +	51	4.5	7	1	2	4	6	10	10
	270	8.7	72	2	4	6	12	18	23
1-999	0								
1000-1499	53	24.9	87	9	16	27	32	37	37
1500-1749	96	16.1	18	10	13	14	19	22	23
1750-2499	3270	4.8	15	2	2	4	6	10	13
2500 +	3981	3.0	5	2	2	2	4	5	6
	7399	4.2	16	2	2	3	4	8	12
	7670	4.3	19	2	2	3	5	9	13

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	8	28.0							
1500-1749	22	23.4	6						
1750-2499	211	7.5	28	2	4	5	10	17	17
2500 +	36	4.1	5						
SUBTOTAL	276	8.9	54	2	4	5	14	20	25
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	0								
1000-1499	23	20.3	49						
1500-1749	127	17.6	33	11	13	18	22	26	26
1750-2499	3888	4.7	19	2	2	3	5	10	13
2500 +	2615	3.1	6	2	2	2	4	5	6
SUBTOTAL	6652	4.4	19	2	2	3	5	9	13
GRAND TOTAL	6929	4.5	21	2	2	3	5	9	14

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	0								
1500-1749	7	17.0							
1750-2499	56	8.6	30	2	2	10	12	17	17
2500 +	21	5.7	2						
	85	8.6	28	2	4	10	12	17	17
1-999	0								
1000-1499	30	20.4	174						
1500-1749	90	17.4	28	13	14	17	20	27	28
1750-2499	1689	4.3	13	2	2	3	5	9	13
2500 +	2128	2.9	3	2	2	2	4	4	5
	3937	3.9	16	2	2	3	4	7	13
	4022	4.0	17	2	2	3	4	8	13

DRG 389: Full Term Neonate w/ Major Problems

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999 (GMS)	0								
1000-1499	0								
1500-1749	0								
1750-2499	23	4.0	2						
2500 +	113	4.3	11	2	2	3	5	8	15
SUBTOTAL	136	4.2	10	2	2	4	5	8	15
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	38	3.4	6						
SUBTOTAL	38	3.4	6						
GRAND TOTAL	174	4.1	9	2	2	3	5	8	8

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	51	29.9	90	19	21	28	42	46	46
1500-1749	44	24.0	114	10	17	21	32	42	42
1750-2499	1119	6.0	25	2	3	4	8	13	16
2500 +	23022	3.9	13	2	2	3	4	7	9
SUBTOTAL	24235	4.1	16	2	2	3	5	7	10
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	235	3.9	9	2	2	3	5	6	12
2500 +	6648	3.6	10	2	2	3	4	5	7
SUBTOTAL	6882	3.6	10	2	2	3	4	5	7
GRAND TOTAL	31118	4.0	15	2	2	3	4	7	9

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999 (GMS)	23	46.7	4						
1000-1499	68	32.3	240	8	22	33	44	58	58
1500-1749	104	24.2	499	11	13	17	28	41	97
1750-2499	1512	7.3	44	2	3	5	10	17	20
2500 +	15502	4.5	22	2	2	3	5	8	11
SUBTOTAL	17210	5.0	36	2	2	4	6	9	13
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	0								
1000-1499	8	14.0							
1500-1749	23	11.3	4						
1750-2499	565	4.8	13	2	2	4	6	8	14
2500 +	5042	4.2	19	2	2	3	5	7	10
SUBTOTAL	5638	4.3	19	2	2	3	5	8	11
GRAND TOTAL	22847	4.8	32	2	2	4	5	9	13

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	38	18.4	47	7	17	20	27	99 +	99 +
1500-1749	46	20.5	30	15	16	19	23	31	31
1750-2499	682	6.3	21	2	3	4	8	13	18
2500 +	9307	3.9	14	2	2	3	5	7	9
SUBTOTAL	10073	4.2	17	2	2	3	5	7	10
1-999	0								
1000-1499	0								
1500-1749	23	14.3	92						
1750-2499	315	4.1	10	2	2	4	5	6	10
2500 +	2704	3.6	10	2	2	3	4	5	7
SUBTOTAL	3042	3.8	12	2	2	3	4	6	7
GRAND TOTAL	13116	4.1	16	2	2	3	5	7	10

DRG 390: Neonate w/ Other Significant Problems

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	8	2.0							
2500 +	277	2.4	2	1	2	2	3	4	4
SUBTOTAL	285	2.4	2	1	2	2	3	4	4
GRAND TOTAL	285	2.4	2	1	2	2	3	4	4

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	56	4.2	4	3	3	3	5	9	9
2500 +	1309	3.2	3	2	2	3	4	5	6
SUBTOTAL	1365	3.3	3	2	2	3	4	5	6
1-999	0								
1000-1499	7	15.0							
1500-1749	29	12.2	31						
1750-2499	2499	3.4	10	2	2	3	4	5	9
2500 +	59627	2.6	2	2	2	2	3	4	4
SUBTOTAL	62161	2.7	2	2	2	2	3	4	5
GRAND TOTAL	63526	2.7	2	2	2	2	3	4	5

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	111	5.6	12	2	3	5	6	10	15
2500 +	1040	4.1	24	2	2	3	4	8	10
SUBTOTAL	1151	4.3	23	2	2	3	5	8	10
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	0								
1000-1499	15	22.0	10						
1500-1749	75	16.3	48	9	10	15	22	28	31
1750-2499	3710	3.6	11	2	2	2	4	7	11
2500 +	39198	2.8	3	2	2	2	3	5	6
SUBTOTAL	42998	2.9	4	2	2	2	4	5	6
GRAND TOTAL	44149	2.9	5	2	2	2	4	5	6

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	30	6.3	19						
2500 +	415	3.6	4	2	2	3	4	6	9
SUBTOTAL	445	3.8	6	2	2	3	4	7	10
1-999	0								
1000-1499	15	14.5	22						
1500-1749	8	12.0							
1750-2499	1824	3.5	9	1	2	2	4	7	10
2500 +	21781	2.7	3	1	2	2	3	4	5
SUBTOTAL	23628	2.8	4	1	2	2	3	4	5
GRAND TOTAL	24073	2.8	4	1	2	2	3	4	6

DRG 391: Normal Newborn

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	15	1.5							
2500 +	1189	2.2	1	1	2	2	2	4	4
SUBTOTAL	1204	2.2	1	1	2	2	2	4	4
GRAND TOTAL	1204	2.2	1	1	2	2	2	4	4

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
0									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	3098	2.8	2	2	2	2	4	4	5
2500 +	283228	2.4	1	2	2	2	3	4	4
	286326	2.4	1	2	2	2	3	4	4
	286326	2.4	1	2	2	2	3	4	4

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	4009	2.7	3	2	2	2	3	4	5
2500 +	144772	2.3	1	1	2	2	2	4	4
SUBTOTAL	148781	2.4	1	1	2	2	2	4	4
GRAND TOTAL	148781	2.4	1	1	2	2	2	4	4

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
0									
1-999	0								
1000-1499	8	32.0							
1500-1749	8	4.0							
1750-2499	2480	2.6	2	1	2	2	3	4	5
2500 +	126368	2.3	1	1	2	2	2	4	4
	128863	2.3	2	1	2	2	2	4	4
	128863	2.3	2	1	2	2	2	4	4

DRG 392: Splenectomy Age >17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	101	14.7	90	5	7	11	22	31	33
70-74	87	20.8	607	6	7	10	23	29	96
75-79	71	13.1	61	7	8	10	15	33	33
80-84	36	18.0	267						
85 +	7	20.0							
SUBTOTAL	302	16.6	258	6	8	11	20	33	49
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	44	7.1	2	5	6	7	8	9	9
70-74	14	6.0	1						
75-79	15	9.3	22						
80-84	0								
85 +	21	17.7	94						
SUBTOTAL	94	9.7	45	5	6	7	9	17	30
GRAND TOTAL	396	15.0	216	5	7	10	18	30	33

BLUE CROSS PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	183	11.1	67	5	6	8	12	28	30
35-49	145	11.8	83	5	6	8	14	22	36
50-69	218	12.1	66	6	7	9	15	21	29
70 +	8	19.0							
	553	11.8	70	5	6	9	15	23	32
	0								
	275	5.4	2	3	4	6	7	7	8
	87	5.9	2	4	5	5	7	8	8
	81	7.7	26	4	4	6	8	17	19
	0								
	443	5.9	7	4	4	6	7	8	8
	997	9.2	51	4	5	7	10	18	28

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	80	7.5	11	5	5	7	10	16	99 +
35-49	44	12.0	29	6	8	12	13	23	23
50-69	28	13.9	136						
70 +	0								
SUBTOTAL	152	9.9	46	5	6	8	12	23	60
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	37	17.7	423						
35-49	23	5.0	2						
50-69	8	7.0							
70 +	0								
SUBTOTAL	67	12.2	267	3	6	6	7	57	57
GRAND TOTAL	220	10.6	114	5	6	7	12	30	57

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	87	7.7	8	5	6	7	9	10	15
35-49	51	9.1	10	6	6	7	12	14	14
50-69	15	17.0	87						
70 +	15	16.3	39						
	168	9.7	29	5	6	8	12	15	23
	0								
	100	6.5	8	4	4	6	7	11	13
	23	7.0	13						
	29	5.2	2						
	0								
	152	6.3	8	3	4	6	7	10	11
	319	8.1	22	4	5	7	10	13	18

DRG 393: Splenectomy Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	126	7.1	20	4	5	6	7	18	19
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	126	7.1	20	4	5	6	7	18	19
0-17	483	4.9	5	3	3	4	6	7	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	483	4.9	5	3	3	4	6	7	9
	609	5.3	9	3	4	5	6	8	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	22	5.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	22	5.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	96	5.9	5	4	5	6	6	10	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	96	5.9	5	4	5	6	6	10	11
GRAND TOTAL	118	5.7	4	4	5	5	6	10	11

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	7	6.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	7	6.0							
0-17	73	4.8	3	2	4	4	6	9	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	73	4.8	3	2	4	4	6	9	9
	80	4.9	3	3	4	4	6	7	9

DRG 394: Other O.R. Procedures of the Blood And Blood Forming Organs

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	97	9.5	29	3	5	11	13	16	18
70-74	81	15.6	30	8	11	15	20	23	25
75-79	43	17.3	178	4	5	13	28	40	40
80-84	21	5.7	4						
85 +	36	24.4	481						
SUBTOTAL	278	14.1	136	3	6	12	17	28	40
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	72	4.6	10	1	2	4	5	10	12
70-74	66	4.5	20	1	2	3	4	16	16
75-79	28	3.2	4						
80-84	7	4.0							
85 +	0								
SUBTOTAL	174	4.3	13	1	2	3	5	9	12
GRAND TOTAL	452	10.3	111	2	3	7	15	21	31

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	90	10.0	17	5	7	9	13	15	18
18-34	66	7.8	41	2	4	4	9	19	19
35-49	118	5.8	25	1	3	5	7	13	21
50-69	57	12.2	68	1	8	10	22	23	23
70 +	0								
	330	8.5	39	2	4	7	13	19	21
0-17	619	4.1	52	1	1	2	5	8	10
18-34	222	3.0	5	1	1	2	4	7	8
35-49	164	4.4	19	1	1	2	7	13	14
50-69	151	3.8	15	1	1	2	5	7	16
70 +	8	1.0							
	1163	3.9	34	1	1	2	5	8	13
	1493	4.9	38	1	1	3	6	11	15

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	30	11.3	19						
18-34	37	8.0	143						
35-49	8	14.0							
50-69	0								
70 +	0								
SUBTOTAL	74	10.0	82	1	2	7	15	28	31
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	251	4.1	11	1	2	3	6	9	10
18-34	66	3.3	6	1	2	3	3	8	8
35-49	28	2.5	2						
50-69	8	5.0							
70 +	0								
SUBTOTAL	353	3.9	9	1	1	3	5	9	9
GRAND TOTAL	427	4.9	27	1	2	3	7	10	15

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	38	5.8	21						
18-34	8	2.0							
35-49	15	8.5	60						
50-69	21	4.3	12						
70 +	0								
	82	5.6	26	1	1	3	9	14	16
0-17	245	3.1	8	1	1	2	4	7	10
18-34	80	3.3	10	1	1	1	5	8	11
35-49	44	3.9	9	1	1	4	7	8	8
50-69	14	2.0	1						
70 +	0								
	383	3.2	8	1	1	2	5	7	10
	465	3.6	12	1	1	2	5	9	11

DRG 395: Red Blood Cell Disorders Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	3470	7.5	60	2	3	6	9	15	19
70-74	1987	6.1	24	2	3	5	8	13	17
75-79	2324	6.4	25	2	3	5	8	12	15
80-84	1968	7.2	40	2	3	5	9	14	20
85 +	2175	6.2	22	2	3	5	8	12	15
SUBTOTAL	11924	6.8	37	2	3	5	9	13	17
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	3074	6.6	28	2	4	5	8	12	16
70-74	541	4.0	8	1	2	3	5	8	10
75-79	687	5.3	19	1	3	4	7	10	14
80-84	584	5.0	16	1	3	4	6	10	12
85 +	553	4.9	14	1	2	4	6	10	12
SUBTOTAL	5438	5.9	23	2	3	5	7	11	14
GRAND TOTAL	17363	6.5	33	2	3	5	8	12	16

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	695	6.7	37	2	3	6	9	12	17
35-49	974	5.8	21	2	3	5	8	10	13
50-69	2034	5.3	19	1	2	4	7	11	14
70 +	133	7.0	13	3	4	6	9	13	16
	3835	5.8	23	1	2	5	8	11	14
0-17	0								
18-34	1333	6.6	45	1	3	5	7	13	19
35-49	832	4.1	7	1	2	4	6	8	10
50-69	780	4.8	12	1	2	4	6	9	14
70 +	64	3.8	11	1	1	2	6	10	10
	3009	5.4	26	1	2	4	7	10	14
	6844	5.6	24	1	2	4	7	10	14

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	1728	8.8	48	3	4	7	11	17	26
35-49	862	7.5	25	3	4	6	9	14	19
50-69	382	7.1	49	2	3	5	8	14	18
70 +	21	3.0	1						
SUBTOTAL	2992	8.2	42	3	4	7	10	15	21
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	4686	6.9	23	3	4	6	9	12	16
35-49	980	6.7	48	2	4	6	7	10	13
50-69	282	5.3	6	2	3	6	7	8	9
70 +	8	3.0							
SUBTOTAL	5956	6.7	26	3	4	6	8	12	16
GRAND TOTAL	8949	7.2	32	3	4	6	9	13	18

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	291	6.3	23	1	3	5	8	11	18
35-49	321	6.4	57	2	2	4	8	11	18
50-69	429	5.7	42	1	1	3	8	13	18
70 +	205	6.3	46	1	1	4	7	20	20
	1246	6.1	43	1	2	4	8	13	20
0-17	0								
18-34	545	3.9	10	1	2	3	5	6	7
35-49	263	4.2	12	1	2	3	5	8	14
50-69	153	2.8	4	<1	1	2	4	6	6
70 +	80	3.3	5	1	2	3	4	7	8
	1040	3.7	9	1	2	3	5	7	8
	2286	5.0	29	1	2	4	6	10	16

DRG 396: Red Blood Cell Disorders Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	60	1.9	3	1	1	1	1	6	6
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	60	1.9	3	1	1	1	1	6	6
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	15	3.6	2						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	15	3.6	2						
GRAND TOTAL	74	2.3	3	1	1	1	4	5	6

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1233	5.2	27	1	2	4	7	12	14
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1233	5.2	27	1	2	4	7	12	14
0-17	2943	3.7	11	1	2	3	5	7	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2943	3.7	11	1	2	3	5	7	9
	4176	4.1	16	1	2	3	5	8	11

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	1124	5.7	24	1	2	4	7	11	15
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1124	5.7	24	1	2	4	7	11	15
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	4253	3.8	6	1	2	3	5	7	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	4253	3.8	6	1	2	3	5	7	9
GRAND TOTAL	5377	4.2	10	1	2	3	5	8	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	347	6.0	14	1	3	6	8	10	13
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	347	6.0	14	1	3	6	8	10	13
0-17	1222	3.5	6	1	2	3	4	7	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1222	3.5	6	1	2	3	4	7	8
	1569	4.0	9	1	2	3	5	8	10

DRG 397: Coagulation Disorders

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	503	6.4	16	2	4	5	8	13	15
70-74	342	8.6	38	3	5	7	12	17	23
75-79	375	7.5	17	3	5	7	10	12	15
80-84	386	8.3	45	3	5	7	9	13	30
85 +	216	7.6	31	2	3	5	10	14	18
SUBTOTAL	1822	7.6	29	3	4	6	10	14	17
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	124	4.1	5	2	2	4	5	8	10
70-74	130	4.9	4	2	3	4	7	8	8
75-79	73	5.6	7	2	4	5	8	10	10
80-84	94	5.2	9	2	4	4	7	7	13
85 +	107	5.1	13	2	3	4	7	10	15
SUBTOTAL	529	4.9	7	2	3	4	7	8	10
GRAND TOTAL	2350	7.0	25	2	4	6	9	13	16

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	572	4.8	24	1	2	3	6	14	17
18-34	154	4.9	15	2	3	4	5	11	16
35-49	250	5.8	13	2	3	5	7	12	15
50-69	571	6.2	41	1	2	5	8	12	14
70 +	21	3.0	1						
SUBTOTAL	1568	5.4	28	1	2	4	7	12	15
0-17	2203	2.9	6	1	1	2	4	6	7
18-34	357	5.1	9	2	3	4	7	9	11
35-49	183	4.9	20	1	3	4	6	8	11
50-69	279	4.0	4	2	3	4	5	6	9
70 +	0								
SUBTOTAL	3022	3.4	8	1	2	3	4	6	8
GRAND TOTAL	4589	4.1	16	1	2	3	5	8	11

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	211	5.1	25	1	3	4	6	13	14
18-34	82	6.1	46	1	2	3	11	14	24
35-49	119	9.1	43	2	5	8	14	16	27
50-69	71	3.5	4	1	2	3	4	6	8
70 +	8	15.0							
SUBTOTAL	491	6.2	34	1	2	4	8	15	16
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	727	4.1	21	1	2	3	4	8	12
18-34	82	3.8	3	2	3	3	5	6	7
35-49	8	14.0							
50-69	15	2.4	2						
70 +	0								
SUBTOTAL	832	4.1	20	1	2	3	4	8	12
GRAND TOTAL	1322	4.9	26	1	2	3	5	11	15

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	143	6.3	57	1	2	5	6	14	35
18-34	98	4.4	7	< 1	3	4	5	9	10
35-49	53	4.9	6	< 1	2	5	7	8	8
50-69	51	2.4	2	1	1	2	3	5	5
70 +	36	11.5	74						
SUBTOTAL	380	5.6	36	1	2	4	6	10	14
0-17	541	2.9	4	1	1	3	4	5	7
18-34	95	3.8	6	2	2	3	4	6	10
35-49	42	3.6	11	< 1	2	2	3	11	11
50-69	28	4.0	5						
70 +	0								
SUBTOTAL	707	3.1	5	1	2	3	4	6	9
GRAND TOTAL	1086	4.0	17	1	2	3	5	7	10

DRG 398: Reticuloendothelial & Immunity Disorders w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1164	8.4	33	3	5	7	10	15	18
70-74	827	8.2	25	4	5	7	10	14	18
75-79	598	7.5	26	2	4	7	10	14	17
80-84	286	8.1	21	3	5	7	11	14	16
85 +	200	10.9	85	3	5	7	15	24	26
SUBTOTAL	3076	8.3	32	3	5	7	10	15	19
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	3076	8.3	32	3	5	7	10	15	19

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1919	5.8	25	2	3	5	7	10	15
18-34	537	6.5	33	2	3	5	8	12	14
35-49	709	7.4	43	2	4	6	8	15	21
50-69	1139	7.2	17	3	5	6	9	13	16
70 +	37	7.2	10						
SUBTOTAL	4341	6.6	27	2	4	5	8	12	16
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	4341	6.6	27	2	4	5	8	12	16

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	601	5.5	9	2	4	5	7	9	11
18-34	233	6.1	11	3	4	5	8	11	12
35-49	153	8.6	56	3	5	7	9	16	30
50-69	187	6.8	34	1	2	5	9	15	16
70 +	0								
SUBTOTAL	1174	6.2	21	2	4	5	8	11	15
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	1174	6.2	21	2	4	5	8	11	15

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	462	6.9	50	2	3	4	8	20	26
18-34	96	6.9	18	2	5	6	9	15	16
35-49	44	10.8	105	< 1	5	8	11	32	32
50-69	219	8.2	42	3	4	7	9	14	17
70 +	95	5.6	7	2	3	6	7	9	10
SUBTOTAL	916	7.3	44	2	3	6	9	14	26
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	916	7.3	44	2	3	6	9	14	26

DRG 399: Reticuloendotheliai & Immunity Disorders w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	87	5.1	12	1	2	4	7	9	13
70-74	44	4.4	2	2	3	5	5	6	6
75-79	58	10.3	62	4	4	5	17	27	27
80-84	65	7.7	10	2	7	9	10	11	12
85 +	36	3.0	2						
SUBTOTAL	290	6.3	24	2	3	5	9	13	18
GRAND TOTAL	290	6.3	24	2	3	5	9	13	18

TYPE OF PATIENT	BLUE CROSS PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	2004	3.8	6	1	2	3	5	7	9
18-34	317	3.8	4	2	2	3	5	7	8
35-49	190	4.6	22	1	2	3	5	8	14
50-69	204	5.7	12	2	3	5	8	11	11
70 +	0								
	2715	4.0	8	1	2	3	5	7	9
	2715	4.0	8	1	2	3	5	7	9

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	601	4.2	7	1	2	4	6	9	10
18-34	80	3.9	7	1	1	3	6	7	10
35-49	65	4.0	3	1	3	4	5	7	7
50-69	28	8.6	18						
70 +	0								
SUBTOTAL	975	4.3	8	1	2	4	6	9	10
GRAND TOTAL	975	4.3	8	1	2	4	6	9	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	602	4.3	7	1	2	4	6	8	10
18-34	118	4.8	9	1	2	5	7	8	13
35-49	78	5.3	22	2	2	4	7	13	18
50-69	44	2.7	2	1	1	3	4	4	4
70 +	37	4.7	29						
	878	4.4	10	1	2	4	6	8	12
	878	4.4	10	1	2	4	6	8	12

DRG 400: Lymphoma & Leukemia w/ Major O.R. Procedure

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	356	17.3	262	5	7	12	21	38	42
70-74	304	13.9	101	4	8	11	15	29	37
75-79	243	13.8	134	5	7	10	17	29	48
80-84	153	19.0	258	6	10	15	22	37	60
85 +	37	17.2	83						
SUBTOTAL	1093	15.8	186	5	7	12	19	34	40
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	123	8.8	29	2	5	8	11	18	21
70-74	230	8.6	36	2	4	8	13	17	20
75-79	109	7.6	30	1	2	7	14	15	18
80-84	73	5.5	17	1	3	5	5	14	14
85 +	21	9.3	7						
SUBTOTAL	555	8.1	31	2	4	7	11	17	18
GRAND TOTAL	1648	13.2	147	3	6	10	16	27	37

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	68	13.7	77	5	8	12	25	73	99 +
18-34	148	8.7	10	5	6	8	11	13	15
35-49	260	10.3	116	4	5	6	9	23	48
50-69	608	12.6	107	4	6	9	15	27	35
70 +	15	6.5							
	1100	11.5	95	4	6	8	15	24	35
	180	6.1	11	2	4	6	9	11	11
	328	5.8	16	1	4	5	6	8	15
	382	5.9	10	3	4	5	7	11	13
	416	5.7	16	1	3	5	7	10	13
	0								
	1305	5.9	13	2	4	5	7	10	13
	2405	8.4	59	3	4	6	10	16	24

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	30	32.8	412						
18-34	29	11.9	40						
35-49	8	4.0							
50-69	37	16.5	93						
70 +	0								
SUBTOTAL	104	19.0	250	4	6	16	31	57	99 +
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	38	3.8	5						
18-34	66	5.4	6	1	4	6	7	9	9
35-49	15	5.0							
50-69	29	7.5	16						
70 +	0								
SUBTOTAL	147	5.4	9	2	2	5	7	9	10
GRAND TOTAL	252	11.0	154	2	4	6	13	31	57

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	23	10.7	36						
18-34	7	8.0							
35-49	36	5.7	7						
50-69	66	11.8	50	6	8	9	12	29	29
70 +	29	25.3	328						
	161	12.6	126	5	6	8	12	29	38
0-17	53	7.9	9	4	5	7	11	13	13
18-34	75	4.2	4	1	2	5	6	7	7
35-49	80	4.1	5	1	1	4	6	7	7
50-69	102	3.8	3	2	2	3	5	7	7
70 +	37	3.7	7						
	347	4.6	7	1	2	4	6	7	9
	508	7.1	59	1	3	6	8	12	19

DRG 401: Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	306	14.5	175	4	6	11	18	27	30
70-74	342	12.9	65	3	6	12	20	23	25
75-79	234	17.3	270	4	6	14	19	49	53
80-84	151	13.1	81	6	7	10	15	24	40
85 +	108	14.7	54	6	9	15	20	23	35
SUBTOTAL	1141	14.4	140	4	7	12	19	27	35
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	1141	14.4	140	4	7	12	19	27	35

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	46	13.7	134	1	4	12	17	36	36
18-34	52	5.0	19	1	1	3	10	13	13
35-49	179	12.4	112	4	5	10	16	23	28
50-69	417	12.9	138	3	5	10	17	27	36
70 +	8	48.0							
SUBTOTAL	701	12.6	136	3	5	9	16	27	36
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	701	12.6	138	3	5	9	16	27	36

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	38	19.6	252						
18-34	53	22.0	185	8	9	19	39	42	42
35-49	21	21.9	519						
50-69	37	26.9	424	1	11	40	58	99 +	99 +
70 +	7	14.0							
SUBTOTAL	157	22.2	298	7	9	19	40	54	60
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	157	22.2	298	7	9	19	40	54	60

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	15	10.4	7						
35-49	30	11.8	28						
50-69	80	9.4	80	2	2	7	15	18	33
70 +	44	11.1	140	2	3	6	10	37	37
SUBTOTAL	169	10.3	80	2	4	9	15	18	33
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	169	10.3	80	2	4	9	15	18	33

DRG 402: Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	178	3.3	9	1	1	2	5	6	7
70-74	153	3.6	6	1	2	3	5	8	9
75-79	116	5.2	10	2	3	4	8	10	13
80-84	101	5.0	9	2	3	5	7	10	12
85 +	28	2.0	1						
SUBTOTAL	577	4.0	9	1	2	3	5	8	10
GRAND TOTAL	577	4.0	9	1	2	3	5	8	10

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	105	5.3	16	2	2	4	7	13	14
18-34	127	4.8	21	1	2	3	6	14	19
35-49	201	4.9	21	1	2	3	7	11	13
50-69	418	5.0	21	1	2	3	7	12	15
70 +	7	4.0							
	858	5.0	20	1	2	3	7	12	14
	858	5.0	20	1	2	3	7	12	14

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	15	9.5	77						
18-34	80	6.3	17	1	2	7	10	11	14
35-49	7	6.0							
50-69	7	4.0							
70 +	0								
SUBTOTAL	109	6.6	24	1	2	6	10	14	18
GRAND TOTAL	109	6.6	24	1	2	6	10	14	18

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	30	6.5	11						
18-34	52	6.6	24	1	1	5	11	15	15
35-49	58	6.2	23	1	2	6	9	16	16
50-69	94	4.2	15	1	1	2	7	10	12
70 +	21	3.0	2						
	256	5.3	18	1	1	4	9	11	15
	256	5.3	18	1	1	4	9	11	15

DRG 403: Lymphoma & Non-acute Leukemia w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1196	10.9	91	2	5	8	14	23	32
70-74	764	12.9	105	4	6	10	17	25	38
75-79	801	12.4	158	3	5	9	14	24	40
80-84	645	10.7	69	3	5	8	13	21	24
85 +	525	11.2	65	3	5	10	15	23	28
SUBTOTAL	3930	11.6	101	3	5	9	15	23	33
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	3930	11.6	101	3	5	9	15	23	33

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	272	4.9	18	1	2	4	6	10	16
18-34	134	8.5	111	3	4	6	8	11	50
35-49	392	10.3	70	3	4	7	15	23	25
50-69	1312	11.0	96	3	5	8	14	25	30
70 +	58	8.5	36	≤1	3	8	12	19	19
	2168	9.9	85	2	4	7	12	22	29
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2168	9.9	85	2	4	7	12	22	29

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	113	12.6	436	1	3	5	13	17	88
18-34	60	9.8	75	2	5	8	11	31	31
35-49	104	10.6	79	2	4	9	15	23	33
50-69	192	12.2	73	2	8	10	17	21	27
70 +	15	4.9	4						
SUBTOTAL	484	11.4	159	2	4	9	14	21	31
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	484	11.4	159	2	4	9	14	21	31

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	7.0	69						
18-34	46	13.0	96	4	5	10	15	33	33
35-49	87	9.3	93	1	3	5	14	18	36
50-69	237	8.1	72	1	3	5	9	20	32
70 +	123	7.9	57	2	3	6	9	21	31
	524	8.6	75	1	3	5	10	21	32
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	524	8.6	75	1	3	5	10	21	32

DRG 404: Lymphoma & Non-acute Leukemia w/o CC

MEDICARE										BLUE CROSS/PRIVATE INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										0								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	322	6.2	24	2	3	5	7	13	14	0-17	270	3.2	4	1	1	2	5	6	7
70-74	218	6.3	28	2	5	5	7	9	10	18-34	292	4.7	21	1	2	4	6	9	12
75-79	233	5.7	16	2	2	5	9	12	14	35-49	253	5.1	22	1	2	4	7	12	15
80-84	114	6.6	27	1	2	5	9	16	19	50-69	584	6.3	33	1	3	5	8	14	23
85 +	65	7.0	8	3	5	7	9	11	11	70 +	0								
SUBTOTAL	952	6.2	22	2	3	5	8	11	14		1399	5.1	24	1	2	4	6	10	15
GRAND TOTAL	952	6.2	22	2	3	5	8	11	14		1399	5.1	24	1	2	4	6	10	15

MEDICAID										NO INSURANCE									
TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES						TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH					10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	0										0								
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	74	5.3	19	2	2	5	6	16	17	0-17	38	3.2	12						
18-34	51	4.7	10	1	2	4	7	11	11	18-34	75	4.2	15	1	2	3	6	10	13
35-49	58	7.5	7	4	6	7	8	13	13	35-49	75	5.1	39	1	2	3	5	21	23
50-69	82	6.7	71	3	4	4	5	6	34	50-69	156	4.2	16	1	2	3	5	13	15
70 +	22	5.3	10							70 +	74	3.0	2	1	2	3	4	5	5
SUBTOTAL	287	6.0	30	2	4	5	7	11	17		417	4.1	17	1	2	3	5	10	14
GRAND TOTAL	287	6.0	30	2	4	5	7	11	17		417	4.1	17	1	2	3	5	10	14

DRG 405: Acute Leukemia w/o Major O.R. Procedure Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	7	6.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	7	6.0							
GRAND TOTAL	7	6.0							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1099	11.6	98	3	5	8	14	27	34
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1099	11.6	98	3	5	8	14	27	34
0-17	1219	6.3	31	2	2	5	8	14	21
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1219	6.3	31	2	2	5	8	14	21
	2319	8.8	70	2	3	6	11	20	26

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	258	11.5	135	2	4	7	14	26	39
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	258	11.5	135	2	4	7	14	26	39
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	303	5.5	17	1	2	5	8	10	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	303	5.5	17	1	2	5	8	10	11
GRAND TOTAL	561	8.2	80	1	2	6	10	18	26

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	183	13.0	130	4	6	8	18	39	39
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	183	13.0	130	4	6	8	18	39	39
0-17	471	6.2	50	2	2	3	7	19	25
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	471	6.2	50	2	2	3	7	19	25
	653	8.1	82	2	2	5	10	21	30

DRG 406: Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R.Proc w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	343	13.0	127	2	5	11	15	33	42
70-74	237	11.0	61	4	5	9	15	23	26
75-79	181	11.8	103	2	5	9	13	27	38
80-84	85	16.3	90	5	10	13	22	29	37
85 +	65	12.0	109	1	3	13	16	32	36
SUBTOTAL	911	12.5	102	3	5	10	16	27	36
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	911	12.5	102	3	5	10	16	27	36

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	84	17.5	405	4	5	9	16	43	71
18-34	66	13.7	148	2	9	11	13	46	46
35-49	201	11.8	173	4	5	7	12	37	47
50-69	349	9.9	49	4	5	7	13	22	26
70 +	8	6.0							
SUBTOTAL	709	11.7	140	4	5	8	13	24	43
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0		—						
709	11.7	140	4	5	8	13	24	43	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	30	14.5	35						
18-34	30	10.6	45						
35-49	15	22.5	77						
50-69	36	10.3	33						
70 +	0								
SUBTOTAL	111	13.2	58	4	5	14	17	21	31
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	111	13.2	58	4	5	14	17	21	31

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	23	9.0	19						
18-34	8	8.0							
35-49	53	17.1	386	2	4	8	32	59	59
50-69	60	22.2	102	6	17	19	25	40	40
70 +	15	5.0							
SUBTOTAL	158	16.3	205	5	6	9	20	35	47
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
158	16.3	205	5	6	9	20	35	47	

DRG 407: Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R.Proc w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	146	5.8	10	1	4	5	7	10	14
70-74	75	7.0	16	3	4	6	8	16	17
75-79	60	6.3	8	4	4	5	9	11	11
80-84	53	5.1	2	3	4	5	7	7	7
85 +	15	3.5	7						
SUBTOTAL	349	6.0	10	2	4	5	8	10	11
GRAND TOTAL	349	6.0	10	2	4	5	8	10	11

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	23	5.0	5						
18-34	44	5.7	10	3	3	6	6	12	12
35-49	117	5.0	6	1	4	5	7	8	10
50-69	191	5.8	11	2	3	5	8	10	11
70 +	15	6.7	22						
	390	5.6	9	2	3	5	7	10	11
	390	5.6	9	2	3	5	7	10	11

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	23	8.0	6						
18-34	22	5.9	5						
35-49	8	11.0							
50-69	15	6.4	7						
70 +	0								
SUBTOTAL	67	7.3	8	4	5	8	9	11	11
GRAND TOTAL	67	7.3	8	4	5	8	9	11	11

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	23	10.7							
18-34	15	5.0	1						
35-49	21	2.6	2						
50-69	51	4.6	5	1	3	4	7	8	8
70 +	7	3.0							
	118	5.4	10	1	3	4	8	11	11
	118	5.4	10	1	3	4	8	11	11

DRG 408: Myeloprolif Disord or Poorly Diff Neopl w/ Other O.R.Proc

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	475	8.1	95	2	2	5	8	25	36
70-74	325	7.5	62	2	3	4	9	18	28
75-79	221	9.4	75	1	3	7	11	26	29
80-84	134	11.7	306	1	2	6	15	23	78
85 +	22	6.0	9						
SUBTOTAL	1176	8.5	106	2	2	5	10	23	33
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	219	3.2	11	1	2	2	3	7	9
70-74	253	3.3	13	1	2	2	3	6	8
75-79	162	4.0	15	1	2	2	5	6	8
80-84	68	2.7	2	1	2	3	3	5	6
85 +	45	4.0	27	1	2	2	2	16	16
SUBTOTAL	744	3.4	13	1	2	2	4	6	8
GRAND TOTAL	1920	6.6	76	1	2	4	7	16	26

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	61	4.0	3	1	2	4	5	6	6
18-34	53	14.7	515	1	2	4	19	68	68
35-49	173	7.4	63	2	2	4	11	15	19
50-69	458	8.5	87	2	3	6	9	21	32
70 +	0								
	745	8.4	109	2	3	5	9	19	34
0-17	30	4.8	12						
18-34	29	6.2	24						
35-49	294	2.8	5	1	2	2	3	5	7
50-69	530	3.0	12	1	2	2	3	6	9
70 +	0								
	884	3.1	10	1	2	2	3	7	9
	1629	5.5	62	1	2	3	6	12	19

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	15	14.5	77						
18-34	38	5.4	2						
35-49	68	15.2	533	2	2	6	11	77	77
50-69	111	11.9	335	1	2	6	13	22	78
70 +	0								
SUBTOTAL	232	12.0	330	2	3	6	13	23	77
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	15	1.0							
18-34	37	3.4	2						
35-49	83	3.4	7	2	2	2	4	6	11
50-69	74	3.5	3	2	2	3	5	7	7
70 +	23	3.0	2						
SUBTOTAL	232	3.2	4	2	2	2	4	6	7
GRAND TOTAL	464	7.6	186	2	2	3	6	13	23

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	15	10.0	69						
18-34	0								
35-49	38	3.0	3						
50-69	83	9.8	63	2	2	8	16	16	28
70 +	43	15.7	500	1	2	3	21	61	61
	179	9.8	171	1	2	4	15	21	28
0-17	46	2.2	2	1	1	2	3	4	4
18-34	15	4.0	1						
35-49	44	2.4	1	1	2	2	3	4	4
50-69	89	2.8	2	2	2	2	3	4	7
70 +	29	2.5							
	223	2.6	2	1	2	2	3	4	5
	402	5.8	90	1	2	3	4	16	21

DRG 409: Radiotherapy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	535	8.0	39	2	4	5	11	18	21
70-74	314	11.4	99	3	4	7	16	28	33
75-79	256	13.8	98	4	5	11	20	24	37
80-84	141	13.9	104	2	6	14	21	31	37
85 +	8	12.0							
SUBTOTAL	1254	10.7	79	3	4	7	16	23	31
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	67	2.7	2	1	2	3	3	5	5
70-74	73	2.9	2	2	2	2	4	5	5
75-79	38	2.8	3						
80-84	45	4.9	16	2	2	5	5	13	13
85 +	0								
SUBTOTAL	224	3.2	5	2	2	2	4	5	6
GRAND TOTAL	1478	9.6	75	2	4	6	14	21	29

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	23	1.7							
18-34	53	2.7	3	1	2	2	3	7	7
35-49	266	9.9	99	2	3	5	15	26	35
50-69	656	9.6	76	2	4	6	15	22	24
70 +	15	16.9	4						
	1012	9.2	80	2	3	6	12	22	26
0-17	30	2.8	2						
18-34	156	2.0	1	1	2	2	3	3	3
35-49	217	2.2	1	1	2	2	2	4	4
50-69	185	2.3	2	1	1	2	3	5	5
70 +	8	2.0							
	596	2.2	1	1	1	2	3	4	5
	1608	6.6	62	1	2	4	7	18	23

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0		-						
18-34	30	8.0	112						
35-49	46	5.2	2	4	4	5	5	8	8
50-69	66	7.3	43	2	3	6	8	24	24
70 +	0								
SUBTOTAL	143	6.7	45	2	3	5	8	24	26
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	8	9.0							
18-34	23	2.3	1						
35-49	53	3.1	4	< 1	1	2	5	6	6
50-69	23	4.0	13						
70 +	0								
SUBTOTAL	106	3.6	7	1	1	2	5	9	9
GRAND TOTAL	249	5.4	31	1	2	4	6	9	24

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	6.0							
18-34	21	4.2	14						
35-49	30	7.1	14						
50-69	46	6.7	31	< 1	2	4	12	16	16
70 +	15	19.5	257						-
	120	7.9	69	1	3	6	12	16	35
0-17	15	2.0							
18-34	46	1.2		1	1	1	1	2	2
35-49	37	1.6	1						
50-69	43	3.8	1	2	3	4	5	5	5
70 +	8	3.0							
	148	2.2	2	1	1	2	3	4	5
	268	4.8	40	1	1	3	5	12	16

DRG 410: Chemotherapy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	15990	3.6	8	1	2	3	5	6	7
70-74	9529	3.8	17	1	2	3	5	6	7
75-79	5395	3.6	7	1	2	3	5	6	7
80-84	1454	3.9	11	1	2	3	5	6	8
85+	457	3.6	7	1	1	3	6	7	8
SUBTOTAL	32825	3.7	10	1	2	3	5	6	7
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2272	3.2	5	1	1	3	5	6	6
70-74	1615	3.1	6	1	1	2	4	6	6
75-79	1232	2.8	3	1	1	2	4	5	6
80-84	441	2.7	5	1	1	1	4	6	7
85+	73	4.7	6	1	4	4	5	11	11
SUBTOTAL	5634	3.1	5	1	1	2	4	6	6
GRAND TOTAL	38459	3.6	10	1	2	3	5	6	7

TYPE OF PATIENT	BLUE CROSS PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	7819	3.1	9	1	2	2	4	5	6
18-34	3571	3.4	7	1	2	3	5	6	7
35-49	7597	3.5	10	1	2	3	5	6	7
50-69	24945	3.7	14	1	2	3	5	6	8
70+	458	4.5	57	1	2	3	4	6	14
	44390	3.6	13	1	2	3	5	6	8
	4359	3.0	3	1	2	2	4	5	6
	1039	3.0	2	1	2	3	4	5	6
	2894	2.6	3	1	1	2	4	5	5
	4789	2.9	4	1	1	2	4	6	6
	72	4.1	4	1	2	5	5	8	8
	13153	2.9	4	1	1	2	4	5	6
	57542	3.4	11	1	2	3	4	6	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	2604	3.4	7	1	2	3	4	6	7
18-34	1057	4.7	21	2	3	4	5	7	9
35-49	1678	4.5	13	2	2	4	5	8	10
50-69	3034	4.5	18	1	2	4	5	7	10
70+	119	2.6	2	2	2	2	3	5	7
SUBTOTAL	8491	4.2	14	1	2	4	5	7	9
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	954	3.6	7	2	2	3	5	5	6
18-34	313	3.7	4	1	2	3	5	6	6
35-49	392	4.0	4	2	2	4	5	7	7
50-69	469	3.8	6	1	2	4	5	6	7
70+	8	7.0							
SUBTOTAL	2136	3.7	6	1	2	3	5	6	7
GRAND TOTAL	10627	4.1	12	1	2	3	5	6	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1825	3.0	10	1	1	2	4	5	6
18-34	908	2.9	6	1	1	2	4	5	7
35-49	968	4.3	19	1	2	4	5	7	11
50-69	2664	3.8	15	1	2	3	5	6	9
70+	275	3.8	26	1	1	2	4	7	13
	6641	3.5	14	1	2	3	4	6	8
	539	2.4	2	1	1	2	3	5	5
	255	3.5	3	1	2	4	5	6	6
	413	3.1	4	1	1	3	4	5	6
	383	2.4	3	1	1	1	4	5	6
	218	1.2		1	1	1	1	2	2
	1807	2.6	3	1	1	2	4	5	6
	8448	3.3	12	1	1	3	4	6	7

DRG 411: History of Malignancy w/o Endoscopy

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	15	2.0							
80-84	0								
85 +	0								
SUBTOTAL	15	2.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	8	3.0							
70-74	0								
75-79	29	3.1	5						
80-84	0								
85 +	7	4.0							
SUBTOTAL	44	3.3	4	1	1	3	5	6	6
GRAND TOTAL	58	2.9	3	1	1	2	4	6	6

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	2.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	8	2.0							
0-17	15	1.5							
18-34	0								
35-49	0								
50-69	7	1.0							
70 +	0								
	22	1.3							
	30	1.5							

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	8	3.0							
18-34	0								
35-49	0								
50-69	15	1.5							
70 +	0								
SUBTOTAL	22	2.0	1						
GRAND TOTAL	22	2.0	1						

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	7	4.0							
70 +	0								
	7	4.0							
0-17	8	2.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	8	2.0							
	15	3.0	1						

DRG 412: History of Malignancy w/ Endoscopy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	14	1.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	14	1.0							
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	21	1.0							
70-74	21	1.0							
75-79	28	2.8	10						
80-84	7	1.0							
85 +	8	2.0							
SUBTOTAL	85	1.7	4	<1	<1	<1	1	2	8
GRAND TOTAL	99	1.6	3	<1	<1	<1	1	2	8

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	7	4.0							
50-69	0								
70 +	0								
	7	4.0							
0-17	0								
18-34	0								
35-49	7	1.0							
50-69	14	1.0							
70 +	0								
	21	1.0							
	28	1.8	2						

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	0								

DRG 413: Other Myeloprolif Dis or Poorly Diff Neopl Diag w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	369	11.4	76	3	6	9	16	21	30
70-74	251	10.2	108	3	5	8	12	15	26
75-79	371	9.2	41	3	5	8	12	17	20
80-84	196	11.1	66	3	4	11	15	19	27
85 +	208	8.9	44	2	5	6	11	18	20
SUBTOTAL	1395	10.2	67	3	5	8	13	18	26
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	1395	10.2	67	3	5	8	13	18	26

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	46	4.8	5	2	3	4	6	9	9
18-34	23	6.7	9						
35-49	200	10.3	88	1	3	8	14	23	31
50-69	388	10.0	57	2	4	10	14	17	22
70 +	15	21.5							
	672	9.9	65	2	4	8	14	21	23
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	672	9.9	65	2	4	8	14	21	23

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	53	6.1	3	3	5	6	8	8	8
18-34	22	20.4	166						
35-49	53	11.3	94	2	4	9	12	33	33
50-69	123	10.7	50	4	7	9	14	22	32
70 +	0								
SUBTOTAL	251	10.7	71	4	5	8	[illegible]	28	32
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	251	10.7	71	4	5	8	12	28	32

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	15	5.0	1						
18-34	15	6.1	10						
35-49	60	14.5	57	4	11	13	24	27	27
50-69	60	8.8	50	4	5	6	12	26	26
70 +	51	7.7	34	3	4	5	8	21	21
	200	9.8	52	4	5	7	12	24	26
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	200	9.8	52	4	5	7	12	24	26

DRG 414: Other Myeloprolif Dis or Poorly Diff Neopl Diag w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	88	4.8	25	1	1	3	5	14	16
70-74	58	5.9	23	1	3	4	6	14	14
75-79	74	9.5	26	4	5	8	16	17	18
80-84	87	4.8	6	2	3	4	6	7	11
85 +	21	7.6	25						
SUBTOTAL	328	6.2	23	2	3	5	9	14	16
GRAND TOTAL	328	6.2	23	2	3	5	9	14	16

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	160	3.0	6	1	1	2	6	7	8
18-34	36	2.4	3						
35-49	114	7.1	99	2	2	4	7	17	43
50-69	202	5.7	14	1	3	6	7	12	14
70 +	7	6.0							
	518	5.0	32	1	2	4	6	10	14
	518	5.0	32	1	2	4	6	10	14

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	46	3.3	5	1	2	3	4	8	8
18-34	15	2.0	1						
35-49	15	11.0	10						
50-69	28	6.0	4						
70 +	0								
SUBTOTAL	104	5.0	13	1	2	4	8	8	14
GRAND TOTAL	104	5.0	13	1	2	4	8	8	14

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	30	3.0	3						
18-34	7	1.0							
35-49	15	4.6	7						
50-69	8	3.0							
70 +	44	8.2	89	1	2	6	7	29	29
	103	5.3	45	1	2	4	6	7	29
	103	5.3	45	1	2	4	6	7	29

DRG 415: O.R. Procedure for Infectious & Parasitic Diseases

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1492	19.6	200	6	10	15	26	41	55
70-74	1011	21.1	236	7	10	16	30	45	52
75-79	757	21.2	299	7	11	16	26	43	69
80-84	535	21.1	172	7	13	19	27	38	46
85 +	543	21.1	211	7	12	17	25	40	61
SUBTOTAL	4338	20.6	224	7	11	16	26	41	56
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	321	10.6	90	1	4	7	17	24	32
70-74	73	12.4	66	2	6	10	17	26	26
75-79	80	10.7	59	4	5	9	14	21	31
80-84	66	7.4	24	1	4	5	11	16	16
85 +	37	14.3	9						
SUBTOTAL	576	10.7	72	2	4	8	16	24	31
GRAND TOTAL	4914	19.4	216	6	10	16	25	40	52

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	257	16.9	238	4	7	12	23	34	70
18-34	357	11.2	93	3	4	9	14	23	28
35-49	567	15.2	145	5	7	11	21	28	40
50-69	1067	17.3	149	6	9	14	21	34	39
70 +	36	12.1	8						
	2284	15.7	152	5	8	12	21	31	39
0-17	321	6.8	32	2	3	5	8	14	19
18-34	320	8.3	60	1	4	6	9	18	25
35-49	398	8.4	34	3	5	8	10	15	21
50-69	413	8.4	37	2	4	7	9	16	23
70 +	0								
	1452	8.0	40	2	4	7	9	16	22
	3736	12.7	122	3	6	9	16	26	35

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	224	21.7	339	5	9	15	34	58	74
18-34	172	14.8	112	6	7	11	23	31	38
35-49	132	19.1	269	6	10	17	20	55	83
50-69	221	24.3	421	7	9	18	33	63	77
70 +	7	32.0							
SUBTOTAL	755	20.5	308	6	9	14	29	46	69
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	154	9.6	92	3	4	6	12	23	37
18-34	130	7.4	26	3	5	6	9	16	23
35-49	96	10.5	50	1	5	9	16	19	25
50-69	58	10.7	43	1	6	10	14	24	24
70 +	0								
SUBTOTAL	439	9.3	58	3	4	7	12	19	25
GRAND TOTAL	1194	16.4	246	4	6	11	20	43	58

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	66	11.3	77	4	5	7	25	92	99 +
18-34	147	15.4	181	3	7	11	21	36	37
35-49	98	31.2	749	4	5	19	52	78	81
50-69	197	22.4	478	5	7	13	28	64	70
70 +	79	16.6	82	7	7	16	24	29	29
	587	20.1	386	4	7	13	27	53	78
0-17	66	7.6	53	3	3	5	8	27	27
18-34	125	5.2	13	1	3	4	8	12	12
35-49	73	9.0	39	3	4	7	11	19	22
50-69	70	8.9	55	3	4	7	8	25	25
70 +	15	1.5							
	350	7.0	38	2	3	5	9	19	22
	936	15.2	296	3	5	9	20	38	61

DRG 416: Septicemia Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	5012	11.4	62	5	6	9	14	20	26
70-74	3642	11.6	70	4	7	10	14	20	26
75-79	4153	12.8	82	5	7	10	15	24	32
80-84	3806	11.6	54	5	7	10	14	19	24
85 +	4724	12.1	66	5	7	10	15	21	26
SUBTOTAL	21337	11.9	67	5	7	10	14	21	26
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	166	7.9	16	4	5	7	10	14	17
70-74	180	6.2	6	4	4	6	7	10	10
75-79	181	7.3	7	3	5	8	9	11	12
80-84	127	7.7	32	3	4	6	8	17	26
85 +	293	7.8	17	4	5	7	10	14	17
SUBTOTAL	945	7.4	15	4	5	7	9	12	15
GRAND TOTAL	22282	11.7	66	5	7	10	14	21	26

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	649	8.8	44	3	5	7	11	15	18
35-49	1248	9.7	59	4	5	8	12	17	19
50-69	2815	10.8	69	4	6	9	13	19	26
70 +	195	11.2	51	5	7	10	13	19	21
	4908	10.3	63	4	6	8	12	18	24
0-17	0								
18-34	195	5.4	10	2	3	5	8	10	10
35-49	307	6.4	21	3	3	5	7	14	18
50-69	297	7.3	9	4	6	7	9	11	13
70 +	15	10.8	45						
	813	6.6	15	3	4	6	8	11	14
	5722	9.7	58	4	5	8	11	17	23

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	482	10.0	41	4	6	8	12	18	25
35-49	472	12.7	139	5	6	10	15	21	33
50-69	632	10.7	35	5	7	10	13	16	24
70 +	78	12.2	53	5	6	9	17	19	30
SUBTOTAL	1664	11.1	69	5	6	9	14	20	27
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	66	7.4	46	2	2	4	10	22	22
35-49	28	5.2	9						
50-69	28	5.3	4						
70 +	0								
SUBTOTAL	122	6.4	28	2	3	4	8	15	22
GRAND TOTAL	1786	10.8	67	4	6	9	13	20	27

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	197	10.6	110	2	4	7	14	18	42
35-49	279	10.3	62	3	4	9	14	16	28
50-69	488	9.7	44	4	5	7	13	17	23
70 +	297	9.3	42	3	5	8	11	17	21
	1261	9.9	58	3	5	8	13	17	23
0-17	0	-							
18-34	35	4.6	9						
35-49	30	8.6	74						
50-69	51	7.9	12	4	4	8	10	14	14
70 +	53	6.0	10	2	2	6	9	11	11
	168	6.7	23	2	3	5	9	11	14
	1428	9.5	55	3	5	7	13	17	23

DRG 417: Septicemia Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	76	4.2	4	2	2	5	5	8	8
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	76	4.2	4	2	2	5	5	8	8
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	76	4.2	4	2	2	5	5	8	8

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1839	7.0	45	2	3	5	9	13	18
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1839	7.0	45	2	3	5	9	13	18
0-17	2187	4.1	9	2	2	3	5	8	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2187	4.1	9	2	2	3	5	8	10
	4026	5.4	28	2	3	4	6	10	14

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	1551	7.1	49	2	3	5	9	14	18
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1551	7.1	49	2	3	5	9	14	18
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	1464	4.6	9	2	3	4	6	9	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1464	4.6	9	2	3	4	6	9	10
GRAND TOTAL	3014	5.9	31	2	3	4	7	11	15

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	594	6.6	19	2	3	5	10	14	15
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	594	6.6	19	2	3	5	10	14	15
0-17	926	4.1	8	2	2	3	6	10	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	926	4.1	8	2	2	3	6	10	10
	1521	5.1	14	2	2	3	7	11	13

DRG 418: Postoperative & Post-traumatic Infections

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	902	9.2	32	3	5	8	11	18	20
70-74	435	9.5	84	3	5	7	9	22	26
75-79	423	9.5	75	3	4	7	11	21	37
80-84	200	9.2	43	3	5	7	11	19	22
85 +	116	9.2	27	4	6	8	9	20	23
SUBTOTAL	2076	9.3	52	3	5	7	11	18	23
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	481	6.4	17	2	4	5	8	11	15
70-74	261	6.4	14	3	4	5	10	10	12
75-79	278	7.3	25	3	4	5	10	16	18
80-84	137	6.3	12	3	4	5	7	12	15
85 +	101	10.1	131	4	5	6	9	17	50
SUBTOTAL	1258	6.9	27	3	4	5	8	13	17
GRAND TOTAL	3334	8.4	44	3	4	7	10	16	21

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	217	5.6	12	2	3	5	8	10	11
18-34	252	5.5	22	2	3	3	7	14	17
35-49	525	8.0	73	2	3	6	9	16	21
50-69	693	7.5	44	3	4	5	8	14	20
70 +	35	7.4	5						
	1723	7.1	46	2	3	5	8	14	17
	676	4.5	7	2	3	4	6	8	10
	781	4.4	10	2	2	4	5	8	10
	856	5.2	18	2	3	4	6	10	15
	795	5.6	14	2	3	5	7	10	11
	21	4.3							
	3130	4.9	13	2	3	4	6	9	11
	4853	5.7	26	2	3	4	7	10	14

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	149	5.5	12	1	2	5	9	11	12
18-34	118	6.9	19	3	4	5	9	17	17
35-49	223	8.3	46	2	3	6	10	19	26
50-69	86	8.4	23	4	4	6	10	13	21
70 +	0								
SUBTOTAL	575	7.3	29	2	4	6	9	15	19
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	340	5.3	23	1	2	4	7	10	11
18-34	217	5.4	15	2	3	4	6	13	15
35-49	170	5.0	10	2	3	4	6	9	11
50-69	58	6.6	4	3	4	7	8	9	9
70 +	8	3.0							
SUBTOTAL	792	5.4	17	2	3	4	7	10	13
GRAND TOTAL	1367	6.2	23	2	3	5	8	12	16

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	68	4.2	5	1	2	4	6	8	8
18-34	87	5.1	9	2	3	4	8	9	11
35-49	163	5.4	16	2	2	4	7	13	14
50-69	64	6.2	30	1	3	5	7	20	20
70 +	28	5.5	2						
	411	5.3	14	2	3	4	7	9	14
	179	3.3	6	1	2	3	4	7	9
	241	5.0	12	2	3	5	6	9	10
	160	4.0	6	1	2	3	5	7	9
	80	7.4	44	3	4	5	8	9	28
	15	2.0	1						
	674	4.5	14	1	3	4	5	8	10
	1086	4.8	14	1	3	4	6	9	11

DRG 419: Fever of Unknown Origin Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	914	7.5	30	3	4	6	9	14	19	0-17	0								
70-74	554	6.8	18	2	3	6	10	13	15	18-34	476	5.2	16	2	2	4	7	11	15
75-79	515	7.9	44	2	4	6	9	19	23	35-49	473	5.5	10	2	3	5	7	9	11
80-84	508	8.1	25	3	5	7	11	14	17	50-69	915	6.5	22	3	3	5	8	12	14
85 +	338	7.2	17	3	4	6	9	12	15	70 +	43	6.5	3	5	5	7	7	10	10
SUBTOTAL	2829	7.5	28	3	4	6	9	14	19		1907	5.9	18	2	3	5	7	11	14
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	0									0-17	0								
70-74	0									18-34	0								
75-79	0									35-49	0								
80-84	0									50-69	0								
85 +	0									70 +	0								
SUBTOTAL	0										0								
GRAND TOTAL	2829	7.5	28	3	4	6	9	14	19		1907	5.9	18	2	3	5	7	11	14

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	139	6.0	22	2	2	4	7	14	17	18-34	124	4.5	5	1	3	4	6	8	8
35-49	73	9.0	58	3	4	5	16	23	23	35-49	58	7.4	27	3	5	5	7	20	20
50-69	80	6.3	8	4	4	6	10	11	11	50-69	170	6.0	27	2	2	5	8	9	13
70 +	0									70 +	44	6.0	4	3	5	5	7	9	9
SUBTOTAL	292	6.9	29	2	3	5	9	15	21		395	5.8	18	2	3	5	7	9	13
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	0									18-34	0								
35-49	0									35-49	0								
50-69	0									50-69	0								
70 +	0									70 +	0								
SUBTOTAL	0										0								
GRAND TOTAL	292	6.9	29	2	3	5	9	15	21		395	5.8	18	2	3	5	7	9	13

DRG 420: Fever of Unknown Origin Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	186	4.9	11	2	2	4	7	10	11
70-74	201	5.4	12	2	3	5	7	8	11
75-79	167	5.1	5	3	3	5	6	7	8
80-84	58	9.0	47	2	3	8	17	21	21
85 +	94	4.7	23	2	2	3	4	10	20
SUBTOTAL	705	5.4	16	2	3	4	7	10	13
GRAND TOTAL	705	5.4	16	2	3	4	7	10	13

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	334	3.7	10	1	2	3	4	6	12
35-49	269	3.9	6	1	2	3	5	7	9
50-69	224	5.3	10	2	3	4	7	9	13
70 +	15	2.4	2						
	842	4.1	9	1	2	3	5	8	12
	842	4.1	9	1	2	3	5	8	12

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	15	3.0							
35-49	22	5.3	6						
50-69	37	6.1	19						
70 +	15	1.0							
SUBTOTAL	89	4.5	13	1	2	3	6	7	14
GRAND TOTAL	89	4.5	13	1	2	3	6	7	14

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	71	3.4	2	2	2	4	4	6	6
35-49	59	4.4	5	1	3	3	6	8	8
50-69	79	5.9	10	3	3	6	8	11	13
70 +	52	3.7	3	2	2	3	5	7	7
	261	4.5	6	2	3	4	6	8	9
	261	4.5	6	2	3	4	6	8	9

DRG 421: Viral Illness Age >17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	741	4.9	10	2	3	4	6	10	13
70-74	370	4.4	7	2	2	4	5	8	10
75-79	377	7.0	44	2	3	4	9	14	21
80-84	280	5.7	9	3	3	5	7	11	13
85 +	298	6.7	30	3	3	5	9	11	15
SUBTOTAL	**2066**	**5.6**	**19**	**2**	**3**	**4**	**7**	**11**	**13**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	222	3.7	2	1	2	4	5	5	6
70-74	131	4.0	7	1	2	4	4	7	12
75-79	242	4.0	4	2	3	4	5	6	7
80-84	107	3.2	3	1	2	3	4	5	8
85 +	78	4.9	14	2	3	4	6	8	16
SUBTOTAL	**779**	**3.9**	**5**	**1**	**2**	**4**	**5**	**6**	**7**
GRAND TOTAL	**2845**	**5.1**	**16**	**2**	**3**	**4**	**6**	**10**	**13**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1541	4.1	8	2	3	4	5	7	8
35-49	767	4.8	51	2	2	3	5	8	11
50-69	542	5.2	14	2	3	4	6	10	15
70 +	15	11.5	60						
	2865	**4.5**	**21**	**2**	**2**	**4**	**5**	**8**	**10**
0-17	0								
18-34	1474	3.3	5	1	2	3	4	6	7
35-49	666	3.6	6	1	2	3	5	7	8
50-69	334	3.9	5	1	2	4	5	6	9
70 +	15	3.0							
	2489	**3.5**	**5**	**1**	**2**	**3**	**4**	**6**	**7**
	5354	**4.0**	**14**	**2**	**2**	**3**	**5**	**7**	**9**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	272	4.4	9	1	3	4	6	7	11
35-49	89	4.9	12	2	3	4	7	8	14
50-69	51	4.6	1	3	4	4	5	7	7
70 +	15	3.5							
SUBTOTAL	**426**	**4.5**	**8**	**2**	**3**	**4**	**5**	**7**	**11**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	164	3.6	4	1	2	3	4	5	8
35-49	29	2.5							
50-69	35	4.7	13						
70 +	7	3.0							
SUBTOTAL	**235**	**3.6**	**5**	**1**	**2**	**3**	**4**	**6**	**10**
GRAND TOTAL	**661**	**4.2**	**7**	**2**	**2**	**4**	**5**	**7**	**10**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	484	3.5	5	1	2	3	5	6	7
35-49	87	4.5	13	1	2	3	8	9	12
50-69	122	4.9	14	1	3	4	5	12	14
70 +	38	4.6	4						
	731	**3.9**	**8**	**1**	**2**	**3**	**5**	**7**	**10**
0-17	0								
18-34	423	2.9	3	1	2	3	4	5	6
35-49	165	3.1	4	1	1	3	4	5	6
50-69	57	3.9	8	1	2	2	5	10	10
70 +	15	2.5							
	660	**3.0**	**4**	**1**	**2**	**3**	**4**	**5**	**7**
	1391	**3.5**	**6**	**1**	**2**	**3**	**5**	**7**	**9**

DRG 422: Viral Illness & Fever of Unknown Origin Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	83	4.0	9	1	1	3	5	8	11
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	83	4.0	9	1	1	3	5	8	11
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	21	2.0	1						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	21	2.0	1						
GRAND TOTAL	104	3.6	8	1	1	3	5	8	11

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	7422	3.5	8	1	2	3	4	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	7422	3.5	8	1	2	3	4	6	8
0-17	11203	2.7	2	1	2	3	3	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	11203	2.7	2	1	2	3	3	4	5
	18625	3.0	5	1	2	3	4	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	4238	3.5	6	1	2	3	4	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	4238	3.5	6	1	2	3	4	6	7
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	6820	3.0	3	1	2	3	4	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	6820	3.0	3	1	2	3	4	5	6
GRAND TOTAL	11057	3.2	4	1	2	3	4	5	6

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	3207	3.5	6	2	2	3	4	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	3207	3.5	6	2	2	3	4	6	7
0-17	5310	2.8	3	1	2	3	3	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	5310	2.8	3	1	2	3	3	4	5
	8517	3.1	4	1	2	3	3	5	6

DRG 423: Other Infectious & Parasitic Diseases Diagnoses

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	291	12.8	154	3	6	9	15	27	34
70-74	187	13.6	122	3	6	9	18	29	39
75-79	108	9.8	31	4	4	8	14	17	22
80-84	94	10.2	79	5	6	7	8	15	38
85 +	115	11.3	79	4	5	8	15	31	31
SUBTOTAL	**795**	**12.1**	**111**	**3**	**5**	**8**	**15**	**27**	**33**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	66	5.6	14	1	3	5	6	13	13
70-74	50	5.7	16	2	3	4	8	14	14
75-79	21	7.3	1						
80-84	0								
85 +	7	1.0							
SUBTOTAL	**144**	**5.7**	**13**	**1**	**3**	**5**	**8**	**13**	**14**
GRAND TOTAL	**939**	**11.1**	**101**	**3**	**5**	**8**	**14**	**27**	**31**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	321	6.6	34	2	2	4	11	15	19
18-34	146	6.0	37	2	3	4	8	12	14
35-49	154	11.3	173	2	4	6	16	29	48
50-69	204	13.4	183	2	5	9	17	32	35
70 +	7	9.0							
SUBTOTAL	**832**	**9.0**	**106**	**2**	**3**	**5**	**12**	**22**	**30**
0-17	439	4.6	11	1	2	4	7	8	14
18-34	281	5.1	25	2	2	4	6	11	13
35-49	249	5.1	23	1	2	4	5	10	15
50-69	80	5.6	19	2	2	4	7	13	16
70 +	8	2.0							
SUBTOTAL	**1056**	**4.9**	**18**	**1**	**2**	**4**	**6**	**11**	**14**
	1888	**6.7**	**61**	**2**	**2**	**4**	**8**	**15**	**22**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	222	10.1	75	3	3	7	14	25	28
13-34	88	9.9	59	3	4	9	15	15	29
35-49	22	5.7	7						
50-69	28	13.0	77						
70 +	0								
SUBTOTAL	**361**	**10.0**	**68**	**3**	**4**	**8**	**14**	**25**	**28**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	242	6.1	28	2	3	4	11	11	18
18-34	72	7.9	46	2	3	6	10	15	25
35-49	21	5.3	7						
50-69	0								
70 +	0								
SUBTOTAL	**335**	**6.5**	**31**	**2**	**3**	**4**	**10**	**12**	**18**
GRAND TOTAL	**696**	**8.3**	**54**	**2**	**3**	**5**	**11**	**16**	**25**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	98	4.7	19	1	2	2	5	12	15
18-34	59	4.6	6	1	3	4	5	10	10
35-49	29	8.5	20						
50-69	29	11.3	26						
70 +	21	5.3	7						
SUBTOTAL	**237**	**6.0**	**21**	**1**	**2**	**5**	**8**	**12**	**15**
0-17	186	5.4	16	1	2	4	10	10	11
18-34	125	4.4	17	1	2	3	5	12	17
35-49	102	3.5	4	1	2	3	4	7	8
50-69	7	9.0							
70 +	15	8.0	17						
SUBTOTAL	**436**	**4.8**	**15**	**1**	**2**	**3**	**7**	**10**	**12**
	673	**5.3**	**17**	**1**	**2**	**4**	**8**	**12**	**15**

DRG 424: O.R. Procedure w/ Principal Diagnoses of Mental Illness

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	311	26.4	194	12	16	24	33	48	53
70-74	67	19.0	82	3	13	15	28	31	31
75-79	129	26.4	259	13	14	22	33	55	72
80-84	132	17.2	69	8	12	16	20	35	36
85 +	51	12.4	67	2	2	12	20	25	25
SUBTOTAL	691	22.9	185	10	13	20	29	38	51
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	102	24.3	112	8	19	27	33	36	42
70-74	94	26.3	330	11	14	20	29	37	80
75-79	58	25.5	340	2	10	23	34	63	63
80-84	14	33.0	906						
85 +	15	16.2	32						
SUBTOTAL	281	25.2	269	9	11	23	33	42	63
GRAND TOTAL	972	23.6	210	9	13	21	31	42	54

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	75	19.8	235	4	11	14	28	48	51
18-34	136	15.8	84	6	7	16	27	33	50
35-49	209	17.6	88	9	11	15	21	31	41
50-69	104	28.3	291	11	14	31	48	61	99 +
70 +	0								
SUBTOTAL	524	19.6	168	7	11	15	28	44	56
0-17	60	27.6	711	1	3	29	62	92	99 +
18-34	335	12.5	121	2	4	10	16	25	39
35-49	252	15.2	120	3	5	15	22	29	41
50-69	102	21.8	247	8	13	16	27	38	68
70 +	0								
SUBTOTAL	749	15.9	204	2	4	13	22	38	45
GRAND TOTAL	1273	17.4	192	3	8	15	24	39	51

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	8	47.0							
18-34	96	27.9	417	13	16	21	29	42	89
35-49	44	25.8	53	14	21	29	32	35	35
50-69	37	22.8	335						
70 +	0								
SUBTOTAL	183	27.2	315	9	16	22	32	47	58
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	101	19.3	143	3	8	21	27	30	47
35-49	36	25.2	171						
50-69	30	35.4	403						
70 +	0								
SUBTOTAL	167	23.4	229	7	11	21	29	47	49
GRAND TOTAL	350	25.4	277	8	14	22	30	47	58

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	8	62.0							
35-49	8	14.0							
50-69	0								
70 +	14	29.5	369						
SUBTOTAL	29	33.9	500						
0-17	0								
18-34	51	18.7	274	< 1	3	11	40	43	43
35-49	36	14.3	80						
50-69	37	7.4	25						
70 +	7	23.0							
SUBTOTAL	130	14.5	159	1	3	12	23	40	42
GRAND TOTAL	159	18.1	275	2	5	12	26	43	53

DRG 425: Acute Adjust React & Disturbances of Psychosocial Dysfunction

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	770	6.8	37	2	3	5	8	13	20
70-74	546	7.4	37	3	4	5	9	15	19
75-79	516	8.2	78	2	3	6	9	15	22
80-84	443	8.7	57	2	4	6	11	19	28
85 +	462	6.7	17	3	4	5	8	13	16
SUBTOTAL	2738	7.5	45	2	3	6	9	15	19
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	691	6.0	40	1	2	4	7	15	18
70-74	295	5.9	26	1	2	4	8	17	18
75-79	238	7.6	39	2	3	5	10	19	21
80-84	175	4.1	7	2	2	4	5	8	8
85 +	208	6.6	17	2	4	6	9	11	17
SUBTOTAL	1607	6.1	31	1	2	4	8	14	18
GRAND TOTAL	4345	6.9	40	2	3	5	8	15	19

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	179	4.7	20	1	2	3	6	7	13
18-34	308	6.1	56	< 1	1	3	9	16	21
35-49	346	6.3	47	1	2	4	6	18	19
50-69	380	7.1	46	1	2	5	10	18	24
70 +	44	12.2	75	2	4	15	21	24	24
	1257	6.5	48	1	2	4	8	18	24
	720	6.8	129	1	2	3	7	15	22
	921	6.8	68	1	2	4	7	16	28
	879	7.0	73	1	2	4	8	20	28
	733	6.5	58	1	2	4	9	14	21
	7	2.0							
	3261	6.8	81	1	2	4	7	16	25
	4518	6.7	71	1	2	4	7	16	24

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	134	6.0	42	< 1	2	4	7	16	28
18-34	229	7.4	69	1	2	5	10	16	19
35-49	158	4.9	21	1	2	4	7	8	17
50-69	86	3.7	2	2	3	4	5	5	6
70 +	0								
SUBTOTAL	607	5.9	43	1	2	5	7	14	19
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	390	12.6	306	1	2	6	19	33	76
18-34	464	7.4	66	1	2	5	10	21	27
35-49	291	7.1	41	2	3	5	10	16	21
50-69	100	6.3	53	1	2	3	8	20	26
70 +	0								
SUBTOTAL	1245	8.9	140	1	2	5	10	22	27
GRAND TOTAL	1852	7.9	110	1	2	5	8	20	26

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	46	6.8	26	2	4	5	9	17	17
18-34	211	6.8	78	1	2	3	8	18	27
35-49	148	5.8	27	1	3	5	6	15	23
50-69	145	6.4	46	1	2	4	9	19	21
70 +	73	6.4	9	3	5	6	9	12	12
	623	6.5	46	1	2	4	8	15	23
	250	7.7	61	2	2	5	10	17	30
	468	5.8	56	1	1	3	8	15	22
	332	4.0	18	1	1	2	5	10	12
	161	3.0	4	1	1	2	4	6	7
	43	5.5	55	1	2	2	5	22	22
	1254	5.4	42	1	1	3	6	13	22
	1876	5.7	44	1	2	3	7	14	22

DRG 426: Depressive Neuroses

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	844	12.9	92	3	6	10	18	29	34
70-74	288	10.7	40	4	7	9	14	20	28
75-79	340	9.9	53	3	4	7	16	22	24
80-84	161	8.1	36	2	3	7	13	19	21
85 +	101	11.2	42	4	6	10	17	19	26
SUBTOTAL	1734	11.4	70	3	5	9	16	22	30
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1062	9.0	65	2	4	7	12	19	22
70-74	292	11.0	53	3	6	10	13	19	30
75-79	185	9.9	46	3	6	7	13	20	22
80-84	145	12.5	86	2	7	12	17	22	25
85 +	131	10.1	43	3	6	8	14	21	25
SUBTOTAL	1815	9.7	62	2	5	8	13	20	22
GRAND TOTAL	3549	10.6	67	3	5	8	14	21	25

BLUE CROSS PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	744	17.7	218	3	7	12	28	44	52
18-34	1422	8.1	56	1	3	6	11	16	24
35-49	1088	8.4	55	2	3	6	11	17	20
50-69	429	7.6	30	2	4	6	10	16	20
70 +	22	14.4	27						
	3706	10.1	100	2	4	7	13	21	32
	4559	15.9	161	3	7	13	22	33	42
	3852	7.5	44	1	3	5	11	16	20
	2912	8.2	49	2	4	7	11	17	20
	773	8.5	44	2	4	7	11	15	22
	0								
	12095	10.9	104	2	4	8	14	23	31
	15801	10.7	103	2	4	8	14	23	32

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	379	21.9	356	5	8	16	38	56	68
18-34	1717	11.3	177	2	4	8	14	21	36
35-49	558	9.5	64	2	4	6	12	23	30
50-69	118	9.2	27	3	4	9	12	16	22
70 +	0								
SUBTOTAL	2773	12.3	188	3	4	8	15	27	42
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1711	17.3	189	3	7	16	24	38	50
18-34	2823	5.7	100	2	4	7	12	19	26
35-49	895	9.3	47	3	4	7	12	19	23
50-69	159	9.9	47	4	5	8	14	16	23
70 +	0								
SUBTOTAL	5588	11.9	130	2	5	9	16	26	37
GRAND TOTAL	8362	12.1	149	2	4	8	15	26	38

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	119	10.2	152	2	4	5	14	50	99 +
18-34	1097	6.4	41	1	2	4	8	15	22
35-49	416	6.4	53	1	2	4	7	17	22
50-69	161	7.7	26	2	4	7	11	14	17
70 +	44	24.1	528	3	8	10	32	69	69
	1837	7.2	68	1	2	4	8	18	23
	1399	10.3	131	1	3	5	13	24	34
	2321	5.7	38	1	2	4	8	14	20
	959	6.0	28	1	2	5	8	13	17
	192	5.7	45	1	2	3	7	17	21
	30	18.5	114						
	4901	7.2	68	1	2	4	9	17	23
	6738	7.8	68	1	2	4	9	17	23

DRG 427: Neuroses except Depressive

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	261	9.8	62	2	4	10	13	16	28
70-74	109	14.5	48	7	10	12	21	25	27
75-79	86	15.2	210	5	7	8	15	32	56
80-84	66	13.3	70	1	7	14	15	28	30
85 +	43	16.3	117	3	7	14	25	35	35
SUBTOTAL	565	12.4	92	3	6	10	15	25	32
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	502	10.7	90	2	4	7	15	24	33
70-74	99	12.4	56	5	6	11	18	21	30
75-79	64	15.2	76	1	8	18	19	28	28
80-84	51	9.9	17	4	7	10	12	18	18
85 +	51	8.3	14	2	5	8	12	14	14
SUBTOTAL	766	11.1	76	2	5	8	16	24	28
GRAND TOTAL	1330	11.7	84	3	5	10	15	24	30

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	343	11.7	92	3	5	9	15	27	41
18-34	533	8.9	89	2	4	7	9	22	35
35-49	318	7.4	39	1	3	6	10	15	23
50-69	139	8.0	47	2	3	5	11	19	29
70 +	0								
	1333	9.2	76	2	4	7	12	22	33
	2210	12.0	113	2	4	9	17	28	32
	1946	8.5	97	1	3	6	11	19	27
	1020	9.1	82	2	3	7	11	19	28
	327	8.1	43	1	4	6	10	14	20
	7	16.0							
	5510	10.0	100	2	4	7	14	23	29
	6842	9.8	96	2	4	7	13	23	30

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	170	19.1	413	2	7	12	34	45	92
18-34	475	14.6	312	3	4	7	18	37	60
35-49	107	11.5	67	4	5	8	17	26	28
50-69	65	8.3	41	1	4	6	12	19	19
70 +	8	3.0							
SUBTOTAL	825	14.5	286	3	4	7	19	35	60
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	1095	16.1	245	2	6	12	22	41	62
18-34	1146	10.4	158	2	3	7	12	22	30
35-49	366	7.2	29	1	3	7	10	15	18
50-69	64	10.6	59	2	3	9	18	22	22
70 +	8	9.0							
SUBTOTAL	2679	12.3	184	2	4	8	15	28	42
GRAND TOTAL	3504	12.8	209	2	4	8	16	28	45

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	134	7.9	47	1	4	6	9	17	26
18-34	506	6.8	33	1	2	4	11	16	19
35-49	116	9.4	102	3	4	6	12	18	45
50-69	44	9.8	175	< 1	1	2	14	38	38
70 +	8	11.0							
	807	7.6	53	1	2	5	11	17	19
	774	8.7	57	1	4	7	12	18	24
	1187	5.7	42	1	1	4	7	14	18
	426	8.0	34	1	3	7	12	18	20
	109	10.0	35	4	4	9	13	15	27
	15	20.5	32						
	2512	7.3	48	1	2	6	9	16	21
	3318	7.4	49	1	2	5	10	16	20

DRG 428: Disorders of Personality & Impulse Control

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	160	11.4	61	3	4	11	18	27	28
70-74	35	13.0	33						
75-79	15	5.9	4						
80-84	0								
85 +	8	7.0							
SUBTOTAL	218	11.1	53	3	5	10	17	23	28
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	487	12.5	89	3	5	10	16	28	30
70-74	21	14.3	281						
75-79	22	12.7	46						
80-84	15	10.0							
85 +	7	4.0							
SUBTOTAL	552	12.4	92	3	5	10	16	28	31
GRAND TOTAL	770	12.0	81	3	5	10	16	27	30

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	223	18.4	221	2	7	14	29	49	56
18-34	316	17.3	303	2	5	11	30	40	69
35-49	126	12.7	107	3	7	10	15	38	38
50-69	8	15.0							
70 +	0								
	672	16.8	239	2	6	11	28	39	56
	617	25.8	457	6	11	20	38	73	87
	720	14.9	251	2	4	10	20	37	50
	315	13.3	161	2	5	9	17	26	42
	67	12.5	33	5	9	11	14	23	23
	0								
	1719	18.4	330	2	6	13	25	48	72
	2391	18.0	305	2	6	12	25	47	66

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	44	34.6	925	3	19	24	97	99 +	99 +
18-34	425	14.2	144	2	4	12	21	37	45
35-49	75	14.9	95	6	7	14	16	19	41
50-69	7	3.0							
70 +	0								
SUBTOTAL	550	15.8	229	3	5	14	22	38	46
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	342	23.5	352	7	9	18	32	63	68
18-34	705	14.3	200	2	5	10	20	42	54
35-49	218	9.4	43	3	4	8	14	21	22
50-69	43	12.0	47	7	8	9	12	27	27
70 +	0								
SUBTOTAL	1308	15.8	232	3	5	11	22	41	55
GRAND TOTAL	1858	15.8	231	3	5	12	22	41	55

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	37	13.3	15						
18-34	161	10.3	75	2	3	10	12	20	26
35-49	59	7.6	85	1	2	4	11	30	30
50-69	7	11.0							
70 +	0								
	264	10.1	69	1	3	10	14	20	30
	88	24.3	246	11	14	21	27	33	70
	446	12.1	112	2	4	8	18	28	36
	125	5.6	44	1	3	3	5	16	28
	15	6.0	17						
	0								
	674	12.3	142	2	3	8	19	28	33
	938	11.7	123	2	3	8	17	27	32

North Central Region, July 1989 - June 1990

DRG 429: Organic Disturbances & Mental Retardation

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1343	15.6	124	5	8	14	20	28	37
70-74	967	14.5	99	5	7	13	18	29	34
75-79	1727	12.7	136	3	5	9	16	27	36
80-84	1532	13.6	120	4	6	11	17	29	35
85 +	1662	11.7	77	3	6	9	16	24	29
SUBTOTAL	7231	13.4	114	4	6	11	17	27	35
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1244	15.3	142	3	8	12	20	33	38
70-74	880	16.0	151	3	7	14	22	33	43
75-79	1339	13.9	94	4	6	11	20	30	33
80-84	1220	13.0	97	3	6	11	16	25	34
85 +	1209	11.0	72	2	4	9	15	22	26
SUBTOTAL	5893	13.7	112	3	6	11	18	28	34
GRAND TOTAL	13124	13.6	113	4	6	11	18	28	34

TYPE OF PATIENT	BLUE CROSS PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	45	6.5	21	2	4	5	7	16	16
18-34	200	19.5	204	3	10	18	30	52	57
35-49	244	12.5	69	3	7	11	16	25	29
50-69	386	14.9	95	4	7	12	21	32	34
70 +	80	14.5	51	8	8	14	19	27	29
	954	14.8	113	4	7	13	21	32	35
	219	11.5	225	1	3	4	15	40	51
	215	15.4	150	2	5	11	23	31	35
	213	15.6	85	6	8	15	23	32	33
	398	12.7	72	3	6	11	16	26	30
	43	8.1	44	2	3	5	12	21	21
	1087	13.4	123	2	4	10	21	30	34
	2041	14.1	119	3	6	12	21	30	35

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	46	16.8	317	4	5	8	27	52	52
18-34	231	12.5	93	4	6	10	18	20	39
35-49	220	14.1	112	2	6	12	18	31	39
50-69	129	13.8	85	3	7	11	17	34	35
70 +	44	13.5	57	3	8	15	17	27	27
SUBTOTAL	668	13.6	111	3	6	11	18	27	39
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	75	20.9	803	3	6	9	18	81	95
18-34	363	17.7	191	4	6	14	25	42	48
35-49	130	15.3	146	4	8	12	20	41	42
50-69	138	17.6	166	3	6	15	25	40	50
70 +	15	20.2	60						
SUBTOTAL	720	17.6	240	4	7	14	25	42	49
GRAND TOTAL	1388	15.7	182	4	6	12	20	35	42

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	10.0							
18-34	44	9.7	53	2	4	9	16	22	22
35-49	35	8.9	20						
50-69	66	14.9	150	1	3	16	28	32	32
70 +	265	11.5	63	4	5	10	18	31	99 +
	418	11.6	73	3	5	10	18	31	34
	22	13.7	4						
	73	14.2	111	3	3	14	17	31	35
	29	12.6	27						
	101	10.8	84	1	4	8	18	24	33
	229	12.1	139	3	7	9	12	23	37
	454	12.2	109	3	5	10	15	24	33
	872	11.9	92	3	5	10	16	28	34

North Central Region, July 1989 - June 1990

DRG 430: Psychoses

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	10656	17.5	134	5	9	15	23	32	42
70-74	2562	18.8	186	5	9	17	23	35	43
75-79	2233	17.9	143	5	9	15	25	34	42
80-84	1428	19.1	190	5	8	17	27	35	41
85 +	865	13.6	113	3	5	11	22	30	33
SUBTOTAL	17944	17.6	148	5	9	15	23	33	41
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	24176	18.4	184	5	8	15	25	37	46
70-74	3687	18.7	146	6	11	17	25	35	41
75-79	2608	18.3	150	5	9	16	25	35	44
80-84	1295	15.6	109	4	8	14	20	30	36
85 +	714	17.0	154	5	8	14	21	35	45
SUBTOTAL	32480	18.3	173	5	9	15	24	36	45
GRAND TOTAL	50424	18.1	164	5	9	15	24	35	43

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1231	25.1	336	6	11	22	35	52	68
18-34	4832	13.9	126	3	6	11	19	26	33
35-49	5936	13.6	110	4	7	11	17	25	32
50-69	3734	16.1	122	5	8	14	21	29	37
70 +	139	17.9	107	6	11	17	24	34	39
	15871	15.2	145	4	7	12	20	29	38
	7245	21.5	259	5	10	18	29	42	54
	16700	14.6	119	4	7	12	19	29	35
	19480	13.9	99	4	7	12	18	25	33
	9407	14.9	98	4	8	13	19	28	35
	139	14.0	65	4	10	10	21	27	28
	52971	15.3	133	4	7	13	20	30	37
	68842	15.3	136	4	7	13	20	30	38

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	613	29.3	400	4	16	29	43	92	99 +
18-34	6071	15.6	145	4	7	13	21	30	42
35-49	3872	16.0	114	5	8	14	21	30	38
50-69	1604	19.2	189	6	11	16	24	36	44
70 +	21	18.6	55						
SUBTOTAL	12182	16.9	163	5	8	14	22	34	44
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	2159	26.2	396	6	12	21	38	69	82
18-34	15090	17.6	199	4	8	14	24	36	48
35-49	8793	17.3	159	5	8	14	23	35	44
50-69	3019	18.9	152	6	10	16	26	36	43
70 +	58	13.3	88	2	4	10	20	31	31
SUBTOTAL	29119	18.3	202	5	8	15	25	38	48
GRAND TOTAL	41301	17.9	191	5	8	14	24	37	47

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	248	17.3	282	3	6	12	19	42	54
18-34	1976	12.4	94	3	5	10	17	26	32
35-49	1453	12.6	111	2	4	9	18	28	33
50-69	616	14.5	135	4	6	12	21	27	39
70 +	217	19.7	228	6	8	16	26	41	50
	4508	13.4	125	3	5	10	18	28	35
	1012	15.1	148	3	7	12	20	34	41
	6564	12.5	133	2	5	9	17	27	35
	4452	11.9	104	3	5	9	16	25	32
	1870	13.1	97	3	5	11	19	27	32
	410	16.1	102	3	9	16	22	30	36
	14308	12.7	120	2	5	10	17	27	34
	18817	12.8	121	2	5	10	17	27	34

DRG 431: Childhood Mental Disorders

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	37	5.1	14						
70-74	15	3.9	10						
75-79	0								
80-84	0								
85 +	14	6.0	27						
SUBTOTAL	66	5.0	16	1	1	3	8	11	11
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	44	12.1	39	6	7	9	16	24	24
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	44	12.1	39	6	7	9	16	24	24
GRAND TOTAL	109	7.8	37	1	3	7	11	16	24

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	565	24.7	328	6	9	20	38	54	63
18-34	44	9.6	21	5	5	11	11	18	18
35-49	0								
50-69	7	6.0							
70 +	0								
	617	23.4	321	6	8	18	35	54	62
0-17	2671	20.6	265	4	8	17	30	40	57
18-34	73	15.2	200	2	2	12	29	48	99 +
35-49	7	31.0							
50-69	0								
70 +	0								
	2750	20.5	263	4	8	17	30	40	57
	3367	21.0	275	4	8	17	31	44	59

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	381	20.8	378	3	8	15	28	51	85
18-34	65	31.6	974	2	9	16	58	87	92
35-49	23	3.7	4						
50-69	7	3.0							
70 +	0								
SUBTOTAL	476	21.2	469	2	7	14	29	70	85
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1981	22.2	335	4	7	18	33	51	64
18-34	196	20.9	520	3	5	13	43	69	99 +
35-49	14	14.5	46						
50-69	0								
70 +	0								
SUBTOTAL	2191	22.1	350	3	7	18	33	52	69
GRAND TOTAL	2667	21.9	371	3	7	17	33	53	74

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	201	14.5	225	2	5	7	26	36	48
18-34	28	9.5	74						
35-49	0								
50-69	0								
70 +	0								
	229	13.9	209	2	4	7	23	36	48
0-17	653	13.7	132	2	4	9	23	34	38
18-34	30	11.3	65						
35-49	0								
50-69	7	5.0							
70 +	0								
	689	13.5	128	2	4	9	22	34	38
	918	13.6	148	2	4	8	23	36	38

DRG 432: Other Mental Disorder Diagnoses

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	7	10.0							
70-74	8	13.0							
75-79	28	9.5	32						
80-84	8	7.0							
85 +	0								
SUBTOTAL	51	9.7	21	3	7	9	13	18	18
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	7	6.0		—					
70-74	7	1.0							
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	14	3.5	7						
GRAND TOTAL	64	8.4	24	1	6	7	10	18	18

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	61	8.8	156	1	2	4	8	41	41
18-34	98	16.7	112	4	6	17	26	33	33
35-49	44	13.0	64	5	7	14	16	28	28
50-69	15	8.3	53						
70 +	8	35.0							
	225	13.9	134	2	4	8	23	33	35
0-17	210	15.2	326	1	3	7	27	53	63
18-34	202	20.0	154	2	11	21	28	35	38
35-49	37	7.3	32						
50-69	14	1.0							
70 +	0								
	463	16.2	237	1	3	13	25	45	54
	688	15.4	204	1	4	11	25	35	52

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	30	12.8	145						
18-34	53	27.7	322	2	4	27	43	51	51
35-49	8	4.0							
50-69	0								
70 +	0								
SUBTOTAL	91	20.8	307	3	4	25	42	43	51
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	59	5.4	38	1	2	2	13	18	18
18-34	74	22.0	579	1	2	11	42	68	73
35-49	7	32.0							
50-69	15	2.5							
70 +	0								
SUBTOTAL	154	14.3	377	2	2	3	18	47	63
GRAND TOTAL	246	16.7	360	2	2	5	27	43	51

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	15	38.0	1						
18-34	30	16.8	97						
35-49	0								
50-69	0								
70 +	0								
	45	24.0	166	1	15	26	37	39	39
0-17	23	14.3	230						
18-34	53	9.2	97	< 1	< 1	6	19	28	28
35-49	15	6.2	27						
50-69	0								
70 +	0								
	90	10.0	124	< 1	1	7	19	28	35
	135	14.7	181	< 1	1	11	26	37	39

DRG 434: Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3115	9.2	74	2	3	5	14	23	28
70-74	845	9.9	57	3	4	8	14	21	28
75-79	482	10.9	81	3	5	8	14	28	30
80-84	297	6.8	20	2	4	5	11	14	15
85 +	175	7.1	57	2	3	5	7	11	11
SUBTOTAL	4914	9.2	69	2	3	6	13	22	28
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	4914	9.2	69	2	3	6	13	22	28

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	295	15.5	331	< 1	2	8	26	42	46
18-34	2148	9.8	95	2	3	5	17	25	28
35-49	3644	7.9	62	2	3	4	10	21	27
50-69	2536	9.4	83	2	3	5	14	24	28
70 +	44	6.3	23	2	3	4	10	15	15
	8667	9.1	88	2	3	4	14	23	28
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	8667	9.1	88	2	3	4	14	23	28

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	60	20.9	631	1	3	12	34	77	77
18-34	1713	6.9	47	2	3	5	8	16	22
35-49	1809	7.5	79	2	3	5	8	15	21
50-69	598	7.7	74	2	3	5	9	18	20
70 +	0								
SUBTOTAL	4180	7.5	75	2	3	5	8	16	22
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	4180	7.5	75	2	3	5	8	16	22

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
			—						
0-17	44	22.3	842	1	1	8	39	78	78
18-34	1336	5.9	67	1	2	3	5	16	26
35-49	1685	5.8	34	1	3	4	7	13	20
50-69	687	8.0	62	2	3	4	10	21	28
70 +	60	14.4	431	1	2	5	25	65	65
	3812	6.6	70	1	2	4	7	15	26
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3812	6.6	70	1	2	4	7	15	26

North Central Region, July 1989 - June 1990

DRG 435: Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	3808	10.0	94	2	2	5	14	25	29
70-74	588	8.9	62	2	3	5	14	21	28
75-79	291	10.2	83	3	3	7	14	28	29
80-84	79	10.3	81	2	4	8	14	25	32
85 +	145	8.7	78	2	2	5	14	27	31
SUBTOTAL	4911	9.8	89	2	3	5	14	25	29
GRAND TOTAL	4911	9.8	89	2	3	5	14	25	29

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	4703	25.3	309	2	10	26	36	45	59
18-34	19025	13.7	109	2	3	14	22	28	29
35-49	15022	10.4	93	2	3	4	21	27	28
50-69	4833	10.3	93	2	3	5	21	27	28
70 +	7	28.0							
	43591	13.4	143	2	3	9	21	28	31
	43591	13.4	143	2	3	9	21	28	31

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1277	23.8	366	2	7	22	35	52	61
18-34	6393	8.9	78	2	3	5	14	24	28
35-49	2757	7.3	50	2	3	5	9	18	26
50-69	624	7.6	51	1	3	5	10	18	27
70 +	0								
SUBTOTAL	11051	10.2	128	2	3	5	14	28	30
GRAND TOTAL	11051	10.2	128	2	3	5	14	28	30

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	859	17.3	303	< 1	2	13	26	43	47
18-34	7087	8.6	88	1	2	4	13	26	28
35-49	3969	6.8	54	1	2	3	9	18	26
50-69	1033	7.6	65	1	3	4	9	22	28
70 +	131	3.7	12	1	1	2	5	12	13
	13079	8.5	95	1	2	4	12	25	28
	13079	8.5	95	1	2	4	12	25	28

DRG 436: AIc/Drug Dependence w/ Rehabilitation Therapy *

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	361	19.6	71	9	12	21	25	29	36
70-74	96	18.8	67	10	10	21	27	28	30
75-79	50	19.6	99	6	10	26	29	30	30
80-84	15	17.4	210						
85 +	0								
SUBTOTAL	521	19.4	76	8	11	21	27	29	36
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	961	22.1	117	10	14	21	28	36	39
70-74	103	14.2	43	7	10	14	15	28	29
75-79	65	16.9	37	9	14	14	23	28	29
80-84	21	9.4	33						
85 +	8	20.0							
SUBTOTAL	1159	20.9	112	9	14	21	27	36	39
GRAND TOTAL	1680	20.4	101	9	13	21	27	35	38

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	135	37.9	358	17	22	37	49	65	79
18-34	311	19.9	63	9	17	21	27	28	29
35-49	213	18.5	37	11	14	20	22	27	28
50-69	213	22.1	43	12	20	22	28	29	33
70 +	8	15.0							
	879	22.8	139	10	17	21	28	33	46
	4033	34.9	241	16	26	35	41	56	66
	3889	20.5	83	8	14	21	27	28	29
	1674	20.3	53	10	15	21	27	28	28
	482	20.2	53	11	14	21	27	28	29
	7	3.0							
	10084	26.2	190	10	18	25	31	42	52
	10964	25.9	187	10	18	25	31	42	52

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	68	47.1	371	23	36	44	62	86	86
18-34	227	17.4	89	7	10	21	24	28	37
35-49	58	16.6	40	7	13	19	21	27	27
50-69	58	20.4	56	7	15	21	26	30	30
70 +	0								
SUBTOTAL	411	22.7	244	7	10	22	28	39	62
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1401	37.5	358	8	27	35	51	66	73
18-34	1866	16.8	99	7	10	13	23	28	28
35-49	433	16.5	58	7	10	14	22	28	28
50-69	59	18.1	132	4	8	21	28	37	37
70 +	0								
SUBTOTAL	3759	24.5	292	7	11	21	35	52	62
GRAND TOTAL	4170	24.3	287	7	11	21	34	50	62

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	15	39.4	69						
18-34	245	18.5	78	8	9	21	27	29	31
35-49	131	18.2	73	8	10	20	27	28	30
50-69	64	14.7	90	6	9	9	19	36	36
70 +	0								
	455	18.5	93	8	9	18	27	30	32
	522	26.8	215	8	14	29	38	45	48
	2541	17.8	86	6	10	17	27	28	30
	918	13.4	55	4	8	12	18	26	28
	248	16.0	83	6	9	14	28	28	29
	21	8.7	10						
	4250	17.8	109	6	10	15	27	29	35
	4704	17.9	108	6	10	15	27	29	35

* The patient records used in this table represent discharges from 10/01/89-6/30/90

DRG 437: Alc/Drug Dependence, Combined Rehab & Detox Therapy *

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	983	17.0	58	8	11	15	22	28	28
70-74	187	17.6	65	10	12	14	27	28	30
75-79	82	15.0	50	10	10	14	16	28	29
80-84	23	8.7	4						
85 +	0								
SUBTOTAL	1275	16.8	59	8	10	15	22	28	29
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	1251	17.3	57	6	13	17	22	28	29
70-74	118	16.5	54	6	10	17	23	26	29
75-79	111	15.3	42	10	10	12	23	24	27
80-84	23	11.7	3						
85 +	7	2.0							
SUBTOTAL	1509	16.9	56	6	11	17	22	27	28
GRAND TOTAL	2784	16.9	57	7	11	16	22	28	29

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	50	28.3	64	16	19	28	37	39	39
18-34	800	21.2	79	7	16	23	28	30	32
35-49	1273	17.5	68	3	10	18	26	28	31
50-69	678	21.1	75	7	14	25	28	30	31
70 +	7	30.0							
	2808	19.6	86	5	13	21	28	30	31
	1466	26.6	83	13	22	27	31	39	42
	8317	20.4	72	7	14	21	27	29	31
	6574	18.6	73	6	12	20	25	28	31
	1686	18.3	72	6	13	20	25	28	29
	8	22.0							
	18050	20.0	78	7	14	21	27	29	32
	20858	20.0	79	7	14	21	27	29	32

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	7	26.0							
18-34	308	14.2	66	3	9	13	21	25	29
35-49	259	17.8	104	8	10	16	24	28	28
50-69	42	7.0	6	3	5	7	9	10	10
70 +	0								
SUBTOTAL	616	15.3	86	4	9	14	22	27	29
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	128	26.0	383	6	15	20	28	71	75
18-34	1724	16.6	75	8	10	15	23	28	28
35-49	661	15.6	73	5	10	13	23	27	30
50-69	78	15.8	68	8	10	10	25	27	28
70 +	0								
SUBTOTAL	2590	16.8	94	7	10	15	23	28	30
GRAND TOTAL	3206	16.5	93	7	10	15	23	28	30

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	174	17.8	95	3	8	20	28	28	28
35-49	229	12.4	77	3	6	9	21	27	28
50-69	137	14.1	151	3	4	9	22	39	43
70 +	8	7.0							
	548	14.5	106	3	6	11	23	28	31
0-17	74	23.9	68	5	21	27	29	31	31
18-34	2035	17.2	83	5	9	18	26	28	29
35-49	1310	13.7	73	4	7	11	21	28	28
50-69	377	13.6	76	5	8	10	25	28	28
70 +	21	7.3	6						
	3818	15.7	83	5	8	14	25	28	28
	4366	15.6	86	4	8	13	25	28	28

* The patient records used in this table represent discharges from 10/01/89-6/30/90

DRG 439: Skin Grafts for Injuries

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	53	13.0	73	5	6	10	22	29	29
70-74	14	5.0							
75-79	0								
80-84	22	11.9	58						
85 +	15	4.9	10						
SUBTOTAL	103	10.6	62	5	5	8	12	22	29
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	15	8.5	2						
70-74	60	7.1	34	1	2	6	12	16	16
75-79	43	2.9	7	1	1	1	6	7	7
80-84	8	3.0							
85 +	8	1.0							
SUBTOTAL	133	5.3	24	1	1	4	8	16	16
GRAND TOTAL	236	7.6	47	1	2	6	10	16	22

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	46	13.5	73	1	8	13	18	28	28
18-34	22	8.3	65						
35-49	22	13.0	91						
50-69	82	12.2	132	3	5	9	11	23	44
70 +	0								
	172	12.2	103	2	3	9	18	25	28
0-17	149	3.6	12	1	1	2	6	7	15
18-34	134	6.2	27	1	2	5	9	13	22
35-49	53	4.2	6	2	2	3	8	8	8
50-69	51	3.9	5	1	1	5	6	7	7
70 +	0								
	387	4.6	17	1	1	3	7	9	13
	559	7.0	55	1	2	5	9	15	23

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	15	10.5	7						
18-34	0								
35-49	21	8.7	38						
50-69	8	8.0							
70 +	0								
SUBTOTAL	44	9.2	21	1	8	9	13	16	16
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	76	6.9	92	< 1	1	3	11	29	33
18-34	30	3.5	3						
35-49	0								
50-69	7	5.0							
70 +	0								
SUBTOTAL	113	5.9	64	1	2	3	6	12	33
GRAND TOTAL	158	6.8	54	1	2	4	9	13	24

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	20.0							
18-34	22	7.8	47						
35-49	0								
50-69	8	2.0							
70 +	0								
	37	9.1	64						
0-17	44	5.8	58	< 1	< 1	1	9	21	21
18-34	37	2.8	3						
35-49	8	1.0							
50-69	7	1.0							
70 +	8	2.0							
	103	3.8	29	< 1	1	2	2	9	21
	141	5.2	43	< 1	1	2	6	20	21

DRG 440: Wound Debridements for Injuries

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	316	16.1	135	4	7	17	22	31	39
70-74	190	23.3	505	5	7	18	27	56	70
75-79	111	13.9	107	2	4	15	22	28	36
80-84	94	14.2	107	5	7	12	17	32	39
85 +	72	16.7	155	7	7	11	19	46	46
SUBTOTAL	783	17.4	230	4	7	15	22	36	56
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	147	5.9	27	1	2	4	8	18	20
70-74	30	5.6	47						
75-79	88	10.4	149	2	3	7	11	18	49
80-84	58	10.2	82	1	4	5	17	29	29
85 +	28	6.2	25						
SUBTOTAL	351	7.7	72	1	2	6	9	18	20
GRAND TOTAL	1134	14.4	201	2	5	10	20	30	46

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	119	17.0	239	3	7	16	20	31	66
18-34	210	10.4	105	1	3	7	16	31	44
35-49	141	15.2	163	5	5	10	21	35	53
50-69	228	12.3	138	3	4	7	19	28	41
70 +	21	18.6	10						
	720	13.3	152	2	5	8	19	31	44
0-17	533	4.5	22	1	1	3	6	12	15
18-34	594	6.2	30	1	2	4	8	14	20
35-49	287	5.1	29	1	1	3	7	14	17
50-69	256	7.3	64	2	2	5	9	14	24
70 +	7	6.0							
	1677	5.6	33	1	2	3	7	13	18
	2397	7.9	81	1	2	5	10	20	25

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	68	16.1	122	3	6	13	27	34	34
18-34	91	8.9	30	3	5	9	12	13	23
35-49	66	18.8	459	1	4	7	31	56	56
50-69	71	13.6	159	1	6	11	15	27	48
70 +	0								
SUBTOTAL	296	13.9	190	2	5	10	16	33	52
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	192	5.9	13	1	3	7	9	11	12
18-34	132	6.9	35	2	3	6	8	21	23
35-49	51	7.0	99	1	1	2	8	30	30
50-69	58	15.6	154	3	7	16	19	44	44
70 +	0								
SUBTOTAL	433	7.6	59	1	3	7	9	17	23
GRAND TOTAL	729	10.2	121	1	3	7	11	23	34

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	37	10.6	10						
18-34	87	7.7	18	2	4	7	12	13	14
35-49	44	9.1	49	2	4	9	12	23	23
50-69	22	20.8	159						
70 +	15	24.1	97						
	205	11.1	70	2	5	9	13	27	32
0-17	133	5.3	37	1	1	2	9	18	21
18-34	364	4.2	29	1	2	3	6	10	17
35-49	35	5.9	19						
50-69	60	4.6	10	1	2	4	6	10	10
70 +	0								
	591	4.9	28	1	2	3	7	10	18
	796	6.5	47	1	2	4	9	15	21

DRG 441: Hand Procedures for Injuries

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	30	18.6	625						
70-74	8	7.0							
75-79	8	5.0							
80-84	0								
85 +	8	8.0							
SUBTOTAL	53	13.4	385	1	1	7	11	60	60
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	85	1.7	1	1	1	2	2	2	4
70-74	28	2.3	5						
75-79	28	3.3	5						
80-84	0								
85 +	0								
SUBTOTAL	141	2.1	3	< 1	1	2	2	5	6
GRAND TOTAL	193	5.2	131	1	1	2	5	8	11

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	15	6.0	17						
18-34	15	10.7	22						
35-49	29	7.7	20						
50-69	45	3.7	14	1	1	2	4	12	12
70 +	0								
	104	6.1	23	1	2	4	10	13	15
	265	2.9	13	1	1	2	3	7	12
	261	3.1	7	1	1	2	4	5	9
	183	2.7	3	1	2	2	3	6	6
	144	3.4	12	< 1	2	2	3	10	12
	7	2.0							
	860	3.0	9	1	1	2	3	6	10
	964	3.3	11	1	1	2	4	8	12

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	8	7.0							
18-34	7	11.0							
35-49	0								
50-69	7	14.0							
70 +	0								
SUBTOTAL	21	10.6	9						
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	75	2.4	6	< 1	1	1	3	7	8
18-34	66	3.4	33	1	1	1	2	18	20
35-49	37	4.0	2						
50-69	7	1.0							
70 +	0								
SUBTOTAL	186	3.0	15	< 1	1	1	3	6	8
GRAND TOTAL	208	3.8	20	< 1	1	2	5	10	14

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	7	3.0							
35-49	0								
50-69	0								
70 +	0								
	7	3.0							
0-17	201	2.2	3	1	1	2	3	5	6
18-34	118	2.3	3	1	1	2	3	4	7
35-49	51	3.1	18	1	1	1	2	13	13
50-69	28	4.4	13						
70 +	0								
	399	2.5	6	1	1	2	3	5	7
	406	2.5	5	1	1	2	3	5	7

DRG 442: Other O.R. Procedures for Injuries w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1905	8.9	122	1	3	5	11	21	29
70-74	874	10.0	100	2	3	7	13	24	33
75-79	654	8.3	71	1	2	7	11	16	27
80-84	385	9.7	64	2	3	8	13	20	27
85 +	298	9.6	100	2	3	7	12	18	37
SUBTOTAL	4116	9.1	103	1	3	6	12	21	29
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	4116	9.1	103	1	3	6	12	21	29

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	467	9.3	87	1	3	6	14	22	33
18-34	505	4.6	15	1	2	3	6	10	11
35-49	856	6.1	48	1	2	4	8	12	17
50-69	1103	8.3	80	2	3	6	10	18	23
70 +	81	11.0	137	2	3	5	23	29	37
	3012	7.3	66	1	2	5	9	17	23
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3012	7.3	66	1	2	5	9	17	23

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	250	14.6	362	1	3	7	20	59	99 +
18-34	376	6.9	59	1	2	5	8	13	22
35-49	223	10.3	89	4	5	7	13	27	35
50-69	192	11.5	116	1	3	8	17	29	37
70 +	30	5.0	42						
SUBTOTAL	1071	10.2	155	1	3	6	13	28	43
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	1071	10.2	155	1	3	6	13	28	43

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	91	13.1	63	4	5	13	21	24	27
18-34	188	6.1	20	2	2	5	9	12	15
35-49	162	9.1	128	1	2	5	12	19	32
50-69	191	12.6	178	2	4	7	19	36	36
70 +	44	3.7	14	1	2	2	4	12	12
	676	9.4	105	2	3	6	12	21	30
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	676	9.4	105	2	3	6	12	21	30

DRG 443: Other O.R. Procedures for injuries w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	752	4.6	18	1	2	3	6	10	11
70-74	454	5.5	43	1	2	3	7	12	15
75-79	373	5.8	72	1	2	4	8	10	10
80-84	207	4.1	19	1	2	2	4	10	17
85 +	125	4.5	18	1	2	3	6	13	15
SUBTOTAL	1911	5.0	35	1	2	3	7	10	13
GRAND TOTAL	1911	5.0	35	1	2	3	7	10	13

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1420	2.4	6	1	1	1	3	5	8
18-34	1512	3.1	17	1	1	2	3	6	9
35-49	1458	3.4	9	1	2	2	4	7	8
50-69	1143	4.0	16	1	1	3	5	8	12
70 +	37	9.4	67						
	5570	3.2	13	1	1	2	4	7	9
	5570	3.2	13	1	1	2	4	7	9

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	432	3.4	24	1	1	1	3	10	15
18-34	448	3.6	10	1	1	3	5	8	12
35-49	111	5.0	15	1	2	4	7	9	16
50-69	108	5.7	9	1	4	5	7	10	12
70 +	0								
SUBTOTAL	1100	3.9	17	1	1	2	5	9	12
GRAND TOTAL	1100	3.9	17	1	1	2	5	9	12

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	395	2.3	3	1	1	1	3	4	5
18-34	518	2.9	5	1	1	2	4	6	8
35-49	248	2.7	4	1	1	2	4	6	7
50-69	168	4.3	11	1	2	3	6	7	12
70 +	67	4.3	8	1	1	4	7	8	8
	1397	2.9	6	1	1	2	4	6	8
	1397	2.9	6	1	1	2	4	6	8

DRG 444: Traumatic Injury Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	195	6.1	12	2	3	6	9	11	13
70-74	80	7.6	75	3	3	5	8	17	33
75-79	159	5.7	13	2	3	5	6	11	13
80-84	116	6.8	18	3	4	5	10	12	18
85 +	106	5.9	16	3	3	5	6	12	17
SUBTOTAL	657	6.2	22	2	3	5	8	12	13
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	657	6.2	22	2	3	5	8	12	13

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	431	3.3	9	1	1	3	4	7	9
35-49	269	4.1	11	1	2	3	5	8	11
50-69	330	4.8	13	1	2	4	6	11	12
70 +	50	4.5	5	2	3	4	7	9	9
	1079	4.0	11	1	2	3	5	8	11
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1079	4.0	11	1	2	3	5	8	11

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	186	4.0	8	1	2	4	6	8	9
35-49	117	7.1	62	1	2	5	8	19	32
50-69	28	5.3	18						
70 +	7	2.0							
SUBTOTAL	338	5.1	29	1	2	4	6	9	12
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	338	5.1	29	1	2	4	6	9	12

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	300	3.3	9	1	1	2	4	6	7
35-49	102	6.5	18	1	3	6	10	11	15
50-69	50	3.7	4	1	2	3	5	7	7
70 +	30	20.7	1070						
	482	5.1	91	1	2	3	5	10	12
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	482	5.1	91	1	2	3	5	10	12

DRG 445: Traumatic Injury Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	135	4.7	18	1	2	4	5	12	17
70-74	109	4.0	8	2	2	3	6	7	12
75-79	94	3.5	3	1	1	4	5	6	6
80-84	102	4.7	16	1	2	3	8	12	14
85 +	57	3.8	4	1	2	3	5	8	8
SUBTOTAL	497	4.2	11	1	2	3	5	8	12
GRAND TOTAL	497	4.2	11	1	2	3	5	8	12

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	1326	2.7	3	1	1	2	3	5	6
35-49	771	2.8	4	1	2	2	3	5	6
50-69	432	3.6	3	1	2	3	5	6	8
70 +	64	2.1	2	1	1	2	2	6	6
	2594	2.9	4	1	2	2	4	5	6
	2594	2.9	4	1	2	2	4	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	474	3.0	5	<1	1	3	4	6	7
35-49	118	3.5	6	1	2	3	5	9	9
50-69	15	3.5							
70 +	8	2.0							
SUBTOTAL	614	3.1	5	1	2	3	4	6	8
GRAND TOTAL	614	3.1	5	1	2	3	4	6	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	792	2.6	3	1	1	2	3	5	6
35-49	243	2.9	4	1	1	3	4	5	6
50-69	80	2.5	1	1	2	2	4	4	5
70 +	15	4.4	7						
	1130	2.7	3	1	1	2	3	5	6
	1130	2.7	3	1	1	2	3	5	6

DRG 446: Traumatic Injury Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	291	3.4	8	1	1	3	4	8	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	291	3.4	8	1	1	3	4	8	9
0-17	1362	2.5	5	1	1	2	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1362	2.5	5	1	1	2	3	5	6
	1653	2.7	6	1	1	2	3	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	153	3.7	3	2	3	4	5	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	153	3.7	3	2	3	4	5	6	7
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	844	2.4	4	1	1	2	3	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	844	2.4	4	1	1	2	3	4	6
GRAND TOTAL	997	2.6	4	1	1	2	4	5	6

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	172	2.8	7	1	1	2	4	5	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	172	2.8	7	1	1	2	4	5	9
0-17	834	2.2	2	1	1	2	3	5	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	834	2.2	2	1	1	2	3	5	5
	1005	2.3	3	1	1	2	3	5	[illegible]

North Central Region, July 1989 - June 1990

DRG 447: Allergic Reactions Age >17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	188	2.8	7	1	1	2	3	5	6
70-74	101	3.1	2	2	2	3	4	5	6
75-79	87	2.5	1	1	2	2	3	4	4
80-84	35	4.9	5						
85 +	58	6.9	11	3	4	8	10	12	12
SUBTOTAL	468	3.5	7	1	2	3	4	6	10
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	102	1.8	2	1	1	1	2	4	5
70-74	70	2.3	2	1	1	2	3	4	5
75-79	28	4.7	5						
80-84	14	2.5	2						
85 +	21	2.3	2						
SUBTOTAL	236	2.4	3	1	1	2	3	5	7
GRAND TOTAL	704	3.1	6	1	1	2	4	6	9

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	116	2.4	1	1	1	2	3	4	5
35-49	202	3.0	4	1	2	2	4	7	7
50-69	271	3.5	11	1	1	3	5	7	10
70 +	7	7.0							
	596	3.2	7	1	1	2	4	6	7
	1059	2.3	3	1	1	2	3	4	6
	1655	2.6	5	1	1	2	3	5	7

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	44	2.3	2	< 1	1	2	3	5	5
35-49	29	2.7	9						
50-69	15	8.1	4						
70 +	0								
SUBTOTAL	87	3.4	9	1	1	2	5	8	10
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	37	2.4	1						
35-49	37	2.0	2						
50-69	28	2.2	1						
70 +	0								
SUBTOTAL	102	2.2	2	1	1	2	3	4	5
GRAND TOTAL	189	2.7	6	1	1	2	4	6	8

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	7	2.0							
35-49	59	3.2	4	< 1	1	3	5	6	6
50-69	23	1.0							
70 +	8	2.0							
	96	2.5	3	1	1	2	4	5	6
0-17	0								
18-34	117	1.9	2	1	1	1	3	4	5
35-49	94	2.0	2	1	1	2	3	3	6
50-69	58	2.0	4	1	1	1	2	7	7
70 +	8	6.0							
	277	2.1	3	1	1	1	3	5	6
	373	2.2	3	1	1	2	3	5	6

DRG 448: Allergic Reactions Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	125	2.7	5	1	1	2	3	6	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	125	2.7	5	1	1	2	3	6	10
0-17	461	1.9	1	1	1	2	2	3	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	461	1.9	1	1	1	2	2	3	4
	585	2.0	2	1	1	2	2	4	4

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	50	1.7	1	< 1	1	1	2	4	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	50	1.7	1	< 1	1	1	2	4	4
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	127	2.1	1	1	1	2	3	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	127	2.1	1	1	1	2	3	4	5
GRAND TOTAL	177	2.0	1	1	1	2	2	4	4

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	23	3.3	4						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	23	3.3	4						
0-17	142	2.7	20	< 1	1	1	2	5	21
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	142	2.7	20	< 1	1	1	2	5	21
	165	2.8	18	< 1	1	2	2	5	9

DRG 449: Poisoning & Toxic Effects of Drugs Age >17 w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2730	5.5	39	1	2	4	7	11	15
70-74	1309	5.7	18	2	3	4	7	10	14
75-79	1381	5.9	21	2	3	5	7	11	14
80-84	1100	6.7	23	2	4	5	9	12	15
85 +	942	6.9	20	2	4	6	9	13	18
SUBTOTAL	7461	6.0	27	1	3	5	8	12	15
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	7461	6.0	27	1	3	5	8	12	15

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2355	3.7	25	1	1	2	4	8	14
35-49	2000	4.4	22	1	2	3	5	9	13
50-69	1532	4.4	21	1	2	3	5	8	14
70 +	15	5.3	13						
	5902	4.1	23	1	1	3	5	9	13
	0								
	0								
	0								
	0								
	0								
	0								
	0								
	5902	4.1	23	1	1	3	5	9	13

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	2144	3.2	9	1	1	2	4	6	8
35-49	1006	4.2	20	1	2	3	5	8	13
50-69	623	4.7	12	2	2	3	6	9	12
70 +	37	5.1	19						
SUBTOTAL	3810	3.7	13	1	2	3	5	7	10
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	3810	3.7	13	1	2	3	5	7	10

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2228	2.5	9	1	1	2	3	5	6
35-49	953	3.3	12	1	1	2	4	7	10
50-69	303	4.5	21	1	1	3	7	10	12
70 +	92	3.7	4	2	2	3	5	7	7
	3576	2.9	11	1	1	2	4	6	8
	0								
	0								
	0								
	0								
	0								
	0								
	3576	2.9	11	1	1	2	4	6	8

North Central Region, July 1989 - June 1990

DRG 450: Poisoning & Toxic Effects of Drugs Age >17 w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	936	3.8	25	1	1	2	4	8	11
70-74	234	3.6	8	1	2	3	4	8	11
75-79	322	4.5	19	1	2	3	6	9	10
80-84	227	3.2	3	1	2	3	4	5	7
85 +	114	3.6	2	2	2	4	5	6	6
SUBTOTAL	1832	3.8	18	1	2	3	4	7	10
GRAND TOTAL	1832	3.8	18	1	2	3	4	7	10

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	4211	2.3	9	<1	1	1	2	4	6
35-49	2469	2.9	33	<1	1	2	3	4	9
50-69	959	3.6	17	1	1	2	4	8	13
70 +	7	3.0							
	7646	2.6	18	1	1	2	3	4	8
	7646	2.6	18	1	1	2	3	4	8

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	2145	2.3	6	1	1	2	3	4	6
35-49	723	2.9	5	1	1	2	3	7	9
50-69	191	2.9	14	1	1	2	3	5	9
70 +	14	2.5							
SUBTOTAL	3072	2.4	6	1	1	2	3	5	7
GRAND TOTAL	3072	2.4	6	1	1	2	3	5	7

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	3348	1.9	6	<1	1	1	2	3	4
35-49	1074	2.5	16	<1	1	1	2	4	6
50-69	212	2.3	5	<1	1	1	3	5	6
70 +	44	3.3	7	1	1	2	5	8	8
	4677	2.1	9	<1	1	1	2	4	5
	4677	2.1	9	<1	1	1	2	4	5

DRG 451: Poisoning & Toxic Effects of Drugs Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	22	5.4	32						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	22	5.4	32						
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	22	5.4	32						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1642	4.3	61	1	1	2	4	7	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1642	4.3	61	1	1	2	4	7	11
	6690	2.4	15	1	1	1	2	4	8
	8332	2.8	25	1	1	1	3	5	9

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	1192	2.9	7	1	1	2	4	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1192	2.9	7	1	1	2	4	6	7
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	5120	2.7	16	1	1	1	3	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	5120	2.7	16	1	1	1	3	6	7
GRAND TOTAL	6312	2.7	14	1	1	2	3	6	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	712	2.7	8	1	1	2	3	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	712	2.7	8	1	1	2	3	6	8
0-17	3652	2.5	21	1	1	1	3	6	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	3652	2.5	21	1	1	1	3	6	6
	4364	2.5	19	1	1	1	3	6	7

DRG 452: Complications of Treatment w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1849	6.6	49	1	2	4	8	15	22
70-74	1005	6.1	44	1	2	4	7	12	25
75-79	692	6.6	40	1	3	4	8	16	21
80-84	741	5.8	38	1	3	4	6	11	15
85 +	564	7.1	29	1	3	6	10	15	18
SUBTOTAL	4851	6.4	43	1	2	4	8	15	20
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	4851	6.4	43	1	2	4	8	15	20

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	761	5.1	27	1	2	3	7	12	16
18-34	751	5.5	63	1	2	3	6	13	17
35-49	742	5.5	34	1	2	4	6	14	17
50-69	1452	5.7	23	1	2	4	8	12	16
70 +	58	3.4	3	1	1	4	5	6	6
	3763	5.5	34	1	2	4	7	12	16
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3763	5.5	34	1	2	4	7	12	16

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	488	5.4	25	1	2	4	7	12	17
18-34	304	5.4	13	2	3	4	8	11	13
35-49	232	7.6	110	1	2	5	9	14	21
50-69	213	8.4	42	1	3	7	11	18	23
70 +	8	2.0							
SUBTOTAL	1244	6.3	42	1	2	5	8	14	17
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	1244	6.3	42	1	2	5	8	14	17

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	196	4.7	28	1	1	3	6	12	14
18-34	155	3.3	8	1	1	2	5	9	33
35-49	125	4.7	9	1	4	4	5	7	15
50-69	233	5.2	17	1	3	4	8	10	12
70 +	87	4.0	3	2	3	4	5	7	8
	797	4.5	16	1	2	4	6	9	12
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	797	4.5	16	1	2	4	6	9	12

North Central Region, July 1989 - June 1990

DRG 453: Complications of Treatment w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	581	3.2	7	1	1	3	4	6	6
70-74	510	3.8	11	1	2	3	4	6	8
75-79	382	4.1	18	1	2	3	4	8	15
80-84	197	2.9	7	1	1	2	3	7	10
85 +	103	5.7	26	2	3	4	7	11	22
SUBTOTAL	1773	3.7	12	1	2	3	4	6	10
GRAND TOTAL	1773	3.7	12	1	2	3	4	6	10

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	936	1.9	4	1	1	1	2	3	4
18-34	969	2.8	13	1	1	2	3	5	6
35-49	1016	2.8	4	1	1	2	4	5	7
50-69	1010	3.4	9	1	2	2	4	6	8
70 +	29	4.1	20						
	3960	2.7	8	1	1	2	3	5	7
	3960	2.7	8	1	1	2	3	5	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	274	3.2	10	1	1	2	4	7	13
18-34	153	3.3	3	2	2	3	4	6	7
35-49	118	3.1	3	1	2	3	4	6	7
50-69	66	3.6	9	1	1	3	5	9	10
70 +	15	2.0	1						
SUBTOTAL	627	3.2	7	1	1	2	4	6	7
GRAND TOTAL	627	3.2	7	1	1	2	4	6	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	221	2.6	38	< 1	1	1	2	3	5
18-34	255	2.4	1	1	2	2	3	4	5
35-49	202	2.4	3	1	1	2	3	5	7
50-69	169	2.9	5	1	1	2	4	5	7
70 +	51	4.0	28	1	1	2	4	17	17
	898	2.6	13	1	1	2	3	5	6
	898	2.6	13	1	1	2	3	5	6

DRG 454: Other Injury, Poisoning & Toxic Effect Diag w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	201	6.3	47	1	3	5	7	12	17
70-74	130	7.6	52	1	3	6	8	19	30
75-79	139	8.3	86	1	3	4	7	24	36
80-84	94	6.3	12	2	4	6	9	10	13
85 +	162	6.0	33	1	2	5	7	12	19
SUBTOTAL	725	6.8	48	1	3	5	8	15	24
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	725	6.8	48	1	3	5	8	15	24

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	129	5.3	66	1	1	2	5	10	36
18-34	188	3.3	12	1	1	2	3	10	11
35-49	168	2.9	6	1	1	2	3	6	9
50-69	138	6.1	12	1	4	6	8	11	13
70 +	29	10.5	45						
	652	4.5	26	1	2	2	6	10	13
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	652	4.5	26	1	2	2	6	10	13

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	226	4.1	17	1	2	2	5	9	13
18-34	59	2.4	1	1	1	2	3	4	4
35-49	42	4.1	12	1	1	3	6	11	11
50-69	64	10.6	37	2	5	8	17	19	19
70 +	0								
SUBTOTAL	392	4.9	24	1	2	3	6	13	18
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	392	4.9	24	1	2	3	6	13	18

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	82	3.0	4	1	1	2	6	6	6
18-34	116	5.5	100	1	2	2	3	11	42
35-49	80	3.7	13	1	1	3	4	8	14
50-69	37	7.9	31						
70 +	14	5.0	4						
	328	4.7	45	1	2	3	6	9	14
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	328	4.7	45	1	2	3	6	9	14

DRG 455: Other Injury, Poisoning & Toxic Effect Diag w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	50	2.6	5	1	1	2	3	8	8
70-74	43	4.3	6	1	3	4	5	9	9
75-79	42	2.9	3	1	1	3	4	6	6
80-84	69	2.7	6	1	1	2	4	7	9
85 +	62	2.9	4	< 1	1	2	4	6	6
SUBTOTAL	267	3.0	5	1	1	2	4	6	9
GRAND TOTAL	267	3.0	5	1	1	2	4	6	9

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	603	1.7	2	1	1	1	2	3	4
18-34	381	2.2	9	1	1	1	2	3	6
35-49	201	2.3	9	1	1	1	2	5	10
50-69	114	1.6	1	1	1	1	2	2	5
70 +	15	2.0							
	1313	1.9	5	1	1	1	2	3	5
	1313	1.9	5	1	1	1	2	3	5

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	451	2.5	8	< 1	1	1	3	5	10
18-34	88	2.0	2	< 1	1	1	3	4	6
35-49	14	6.5	7						
50-69	8	12.0							
70 +	0								
SUBTOTAL	560	2.7	9	< 1	1	1	3	6	11
GRAND TOTAL	560	2.7	9	< 1	1	1	3	6	11

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	340	2.1	3	< 1	1	1	3	4	5
18-34	175	2.1	2	1	1	1	3	4	5
35-49	92	3.0	5	< 1	1	2	5	5	8
50-69	22	1.9	2						
70 +	22	1.0							
	650	2.2	3	1	1	1	3	5	5
	650	2.2	3	1	1	1	3	5	5

D[illegible] 457: Extensive Burns w/o O.R. Procedure

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	7	1.0							
18-34	15	8.6	7						
35-49	8	3.0							
50-69	0								
70 +	0								
	29	5.3	15						
	29	5.3	15						

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	15	6.5	13						
18-34	0								
35-49	0								
50-69	8	2.0							
70 +	0								
SUBTOTAL	23	5.0	13						
GRAND TOTAL	23	5.0	13						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	0								

DRG 458: Non-extensive Burns w/ Skin Graft

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	127	20.3	386	4	10	12	24	43	87
70-74	44	25.7	446	5	6	8	46	58	58
75-79	21	19.2	121						
80-84	22	32.8	140						
85 +	15	16.5	97						
SUBTOTAL	229	22.2	344	6	8	16	34	43	58
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	44	12.7	28	6	9	12	15	23	23
70-74	15	11.0	52						
75-79	37	12.2	47						
80-84	30	4.3	3						
85 +	15	14.6	181						
SUBTOTAL	141	10.8	56	2	4	10	15	23	27
GRAND TOTAL	370	17.9	265	4	7	12	24	42	46

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	129	17.5	101	6	9	17	22	33	41
18-34	61	12.1	40	2	7	11	17	22	22
35-49	53	15.6	32	9	10	17	18	26	26
50-69	90	22.1	405	9	12	19	23	34	83
70 +	0								
	333	17.4	171	6	10	16	21	28	34
0-17	270	9.6	55	4	5	8	12	19	28
18-34	158	6.7	23	2	3	5	10	15	17
35-49	76	11.5	68	3	4	8	16	28	31
50-69	75	5.5	7	1	4	5	8	9	9
70 +	0								
	578	8.6	45	2	4	6	11	16	22
	911	11.8	109	3	5	9	16	22	31

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	90	26.5	272	9	10	22	35	51	60
18-34	53	19.6	143	6	8	19	26	42	42
35-49	46	14.0	137	5	5	11	13	39	39
50-69	15	25.0	1						
70 +	0								
SUBTOTAL	203	21.8	213	5	10	20	29	42	51
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	272	12.0	86	2	4	11	17	28	31
18-34	60	8.9	36	1	7	8	12	22	22
35-49	23	11.0	59						
50-69	15	3.5	2						
70 +	0								
SUBTOTAL	371	11.1	76	2	4	8	16	26	28
GRAND TOTAL	573	14.9	150	3	5	11	22	31	41

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	15	17.5							
18-34	30	17.0	25						
35-49	30	17.5	77						
50-69	8	27.0							
70 +	0								
	84	18.2	44	10	12	18	27	32	99 +
0-17	114	14.0	84	3	6	14	24	25	33
18-34	36	8.8	58						
35-49	23	10.0	63						
50-69	29	8.4	19						
70 +	0								
	202	11.8	74	3	5	8	19	25	25
	286	13.7	73	3	6	14	21	27	33

DRG 459: Non-extensive Burns w/ Wound Debridement or Other O.R. Proc

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	28	10.5	117						
70-74	8	12.0							
75-79	15	16.8	45						
80-84	7	11.0							
85 +	0								
SUBTOTAL	58	12.4	75	2	6	11	20	29	29
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	8	7.0							
85 +	0								
SUBTOTAL	8	7.0							
GRAND TOTAL	65	11.7	69	2	7	10	12	28	29

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	14	6.5	22						
18-34	15	4.0	10						
35-49	14	13.0	17						
50-69	7	16.0							
70 +	0								
	50	8.9	34	1	2	9	16	17	17
0-17	116	6.7	56	1	2	5	7	13	33
18-34	63	3.8	16	1	1	2	3	12	12
35-49	22	5.3							
50-69	15	4.8	17						
70 +	0								
	216	5.6	37	1	2	5	7	11	13
	265	6.2	38	1	2	5	9	13	17

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	21	27.2	817						
18-34	0								
35-49	7	13.0							
50-69	0								
70 +	0								
SUBTOTAL	28	23.8	649						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	88	3.5	5	1	1	3	5	6	8
18-34	21	6.7	11						
35-49	14	6.0	1						
50-69	14	9.0	27						
70 +	0								
SUBTOTAL	137	4.8	11	1	3	4	6	10	13
GRAND TOTAL	165	8.1	169	1	3	5	8	14	14

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	7	11.0							
70 +	0								
	7	11.0							
0-17	22	3.7	10						
18-34	14	4.5	7						
35-49	21	5.4	6						
50-69	0								
70 +	0								
	58	4.5	8	<1	2	4	7	8	8
	64	5.2	11	<1	2	7	7	11	11

DRG 460: Non-extensive Burns w/o O.R. Procedure

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	132	7.8	119	2	3	4	8	11	46
70-74	14	14.5	2						
75-79	30	11.1	72						
80-84	43	8.9	65	1	2	7	12	25	25
85 +	36	7.1	12						
SUBTOTAL	255	8.6	85	2	3	7	11	19	25
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	64	4.1	13	1	2	3	5	13	13
70-74	21	5.5	24						
75-79	14	7.5	22						
80-84	7	2.0							
85 +	28	6.8	30						
SUBTOTAL	135	5.1	20	1	2	3	8	13	14
GRAND TOTAL	389	7.4	65	1	2	5	11	15	20

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	145	7.4	50	1	3	6	10	17	30
18-34	89	2.7	5	< 1	1	2	4	5	9
35-49	81	5.6	16	2	2	4	9	11	14
50-69	50	8.5	8	5	5	8	11	13	13
70 +	0								
	366	6.0	30	1	2	4	9	14	14
0-17	1270	3.5	9	1	1	2	5	8	10
18-34	300	2.6	5	1	1	2	3	7	8
35-49	338	2.9	8	1	1	2	3	6	10
50-69	109	5.4	26	1	1	4	10	11	17
70 +	0								
	2017	3.4	10	1	1	2	4	8	10
	2383	3.8	14	1	1	2	5	9	11

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	248	7.3	27	1	4	5	10	15	16
18-34	80	8.2	150	1	2	3	6	26	43
35-49	51	4.3	16	1	2	3	6	13	13
50-69	36	8.3	72						
70 +	8	8.0							
SUBTOTAL	423	7.2	53	1	3	5	9	16	20
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1219	3.9	13	1	1	3	5	9	13
18-34	94	4.2	18	1	2	3	5	7	17
35-49	51	3.5	6	< 1	1	3	5	8	8
50-69	35	3.4	4						
70 +	0								
SUBTOTAL	1400	3.9	13	1	1	3	5	9	13
GRAND TOTAL	1823	4.7	24	1	1	3	6	12	14

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	82	5.9	9	2	4	6	8	9	11
18-34	43	3.3	4	1	2	3	5	7	7
35-49	21	4.5	12						
50-69	21	3.4	1						
70 +	7	6.0							
	175	4.8	8	1	2	4	7	9	9
0-17	854	3.9	13	1	1	3	5	9	12
18-34	273	3.7	17	1	1	2	4	11	15
35-49	71	4.4	17	1	2	3	7	14	14
50-69	15	2.9	4						
70 +	0								
	1212	3.9	14	1	1	2	5	9	14
	1387	4.0	14	1	1	3	5	9	13

DRG 461: O.R. Proc w/ Diagnoses of Other Contact w/ Health Services

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	341	12.5	164	1	3	7	23	30	39
70-74	261	13.6	205	1	2	5	22	30	50
75-79	190	15.6	361	1	1	4	25	47	53
80-84	130	15.8	229	1	2	14	33	39	41
85 +	64	11.2	125	1	3	7	16	38	38
SUBTOTAL	985	13.7	220	1	2	7	24	37	42
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	172	6.5	120	1	1	2	7	17	38
70-74	132	4.6	104	1	1	2	3	8	43
75-79	108	6.0	88	1	1	1	4	21	34
80-84	72	2.2	3	<1	1	2	2	7	7
85 +	43	4.2	22	1	1	2	4	14	14
SUBTOTAL	527	5.1	87	1	1	2	4	14	34
GRAND TOTAL	1512	10.7	190	1	1	3	17	33	41

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	179	12.1	449	1	1	2	25	81	99 +
18-34	148	18.7	594	1	2	23	79	99 +	99 +
35-49	170	8.6	165	1	1	4	18	99 +	99 +
50-69	268	16.3	446	1	2	6	28	55	86
70 +	7	23.0							
	772	14.2	422	1	2	5	37	99 +	99 +
	662	2.1	8	1	1	1	2	4	8
	512	2.7	16	1	1	1	3	6	9
	469	2.5	3	1	1	2	3	5	7
	468	4.8	103	1	1	2	4	8	29
	14	1.0							
	2126	2.9	31	1	1	1	3	6	8
	2897	5.9	159	1	1	2	4	27	59

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	75	6.4	119	1	1	1	12	44	99 +
18-34	42	18.3	343	2	3	20	53	99 +	99 +
35-49	52	6.6	54	1	2	2	8	23	23
50-69	8	25.0							
70 +	0								
SUBTOTAL	177	10.1	182	1	1	3	23	53	99 +
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	264	1.6	1	1	1	1	2	3	4
18-34	68	6.3	117	1	1	2	6	36	36
35-49	30	2.3	1						
50-69	29	10.9	215						
70 +	0								
SUBTOTAL	391	3.2	44	1	1	1	2	5	7
GRAND TOTAL	567	5.3	97	1	1	2	4	25	37

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	53	17.3	540	1	1	3	22	69	69
18-34	8	5.0							
35-49	37	5.6	32	1	1	10	14	99 +	99 +
50-69	57	6.5	139	1	1	2	5	36	36
70 +	21	2.3							
	175	9.0	243	1	1	2	12	36	69
	104	1.9	4	1	1	1	2	4	8
	124	2.4	2	1	1	2	3	5	7
	152	2.3	3	1	1	2	3	5	5
	161	1.4	1	1	1	1	1	3	3
	21	3.8	15						
	563	2.0	3	1	1	1	2	4	7
	738	3.7	68	1	1	1	3	7	22

North Central Region, July 1989 - June 1990

DRG 462: Rehabilitation

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	3630	21.3	225	6	10	19	28	40	54
70-74	2707	23.3	194	9	14	20	30	42	50
75-79	2856	21.7	135	8	14	20	29	37	48
80-84	2071	21.1	116	10	14	19	27	39	45
85 +	1635	19.9	114	8	14	19	25	35	50
SUBTOTAL	12898	21.6	168	7	13	19	28	39	49
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	907	17.5	119	6	10	14	25	35	39
70-74	818	19.9	128	7	13	17	26	37	40
75-79	788	18.2	86	8	12	17	22	34	37
80-84	805	17.9	74	8	12	16	22	30	36
85 +	507	21.1	105	9	14	19	28	35	37
SUBTOTAL	3825	18.7	104	8	12	16	24	35	38
GRAND TOTAL	16724	20.9	155	7	13	19	28	37	45

TYPE OF PATIENT	BLUE CROSS PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	400	15.2	250	2	5	14	26	94	99 +
18-34	958	25.2	420	6	9	24	34	84	99 +
35-49	1160	17.3	242	6	6	12	24	37	53
50-69	1693	24.8	302	7	11	21	35	54	65
70 +	249	19.6	171	5	12	16	24	35	52
	4460	21.8	315	6	8	18	29	52	78
0-17	737	10.2	163	1	2	4	12	36	39
18-34	237	22.7	378	2	7	20	31	56	65
35-49	272	23.2	268	7	9	23	33	44	55
50-69	484	18.2	122	7	10	16	23	35	46
70 +	58	13.7	21	8	12	14	20	99 +	99 +
	1788	16.1	221	2	4	11	24	38	49
	6248	20.2	295	4	7	16	28	46	65

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	120	17.5	280	2	4	17	22	67	99 +
18-34	447	23.1	404	6	8	27	28	41	75
35-49	325	22.5	143	7	9	25	28	32	42
50-69	400	22.5	185	7	12	21	31	44	56
70 +	21	19.5	23						
SUBTOTAL	1313	22.2	257	6	9	22	28	43	56
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	340	21.9	278	3	5	18	38	39	46
18-34	119	21.5	120	10	14	17	30	42	44
35-49	44	23.0	61	14	15	26	29	35	35
50-69	90	23.4	153	7	11	20	35	39	39
70 +	8	8.0							
SUBTOTAL	601	22.0	211	5	8	18	35	39	44
GRAND TOTAL	1914	22.1	242	6	9	21	30	39	53

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	53	11.1	86	1	3	8	16	30	30
18-34	246	27.1	519	6	6	24	39	68	75
35-49	290	17.4	251	6	6	11	24	34	58
50-69	244	21.2	191	7	12	16	30	37	51
70 +	201	16.0	82	4	10	17	24	37	99 +
	1034	20.0	279	6	7	16	28	51	63
0-17	68	3.3	10	1	1	2	4	11	11
18-34	29	13.7	99						
35-49	60	21.9	133	7	10	18	28	42	42
50-69	53	10.6	28	4	7	8	15	21	21
70 +	113	12.7	82	6	6	10	17	22	40
	323	12.2	103	2	6	9	17	28	33
	1357	18.1	248	4	6	14	27	39	59

DRG 463: Signs & Symptoms w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	520	6.4	23	2	3	5	9	14	18
70-74	269	7.4	30	2	3	6	9	16	22
75-79	370	5.8	10	2	4	5	8	11	11
80-84	231	7.4	38	2	3	6	8	12	24
85 +	466	5.5	12	2	3	5	7	9	13
SUBTOTAL	1857	6.3	21	2	3	5	8	11	16
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	1857	6.3	21	2	3	5	8	11	16

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	262	4.4	14	1	2	3	6	8	12
18-34	52	3.7	3	1	2	4	5	6	6
35-49	166	4.2	9	1	2	3	6	9	10
50-69	410	5.7	29	1	2	4	8	12	20
70 +	0								
	889	4.9	20	1	2	3	6	11	12
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	889	4.9	20	1	2	3	6	11	12

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	173	4.9	14	1	2	4	6	8	15
18-34	59	4.4	4	1	2	4	6	7	7
35-49	125	3.5	7	1	1	2	6	8	9
50-69	202	6.9	15	2	3	6	10	12	13
70 +	8	4.0							
SUBTOTAL	566	5.2	14	1	2	4	7	10	13
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	566	5.2	14	1	2	4	7	10	13

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	44	2.5	1	2	2	2	3	4	4
18-34	57	2.2	2	1	1	2	3	5	5
35-49	88	6.2	67	2	3	3	5	8	32
50-69	44	2.8	2	1	2	3	3	5	5
70 +	72	5.5	16	1	2	3	9	11	14
	305	4.3	27	1	2	3	5	8	11
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	305	4.3	27	1	2	3	5	8	11

North Central Region, July 1989 - June 1990

DRG 464: Signs & Symptoms w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	194	3.6	5	2	2	3	5	8	8
70-74	166	2.9	5	1	2	2	4	4	6
75-79	99	4.7	35	1	2	3	4	9	25
80-84	101	5.3	12	2	3	4	7	11	14
85 +	85	4.0	11	2	2	3	6	9	12
SUBTOTAL	646	3.9	12	1	2	3	4	8	11
GRAND TOTAL	646	3.9	12	1	2	3	4	8	11

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	293	3.8	45	1	1	2	3	9	10
18-34	115	3.2	4	1	2	2	5	6	7
35-49	190	2.9	4	1	1	2	4	5	7
50-69	240	3.0	5	1	1	2	4	6	8
70 +	21	3.7	6						
	859	3.3	18	1		2	4	7	8
	859	3.3	18	1	1	2	4	7	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	253	2.7	4	1	1	2	3	5	7
18-34	43	4.1	10	2	2	3	4	11	11
35-49	44	5.8	13	1	4	4	10	11	11
50-69	29	2.8	1						
70 +	8	7.0							
SUBTOTAL	377	3.3	7	1	2	3	4	7	11
GRAND TOTAL	377	3.3	7	1	2	3	4	7	11

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	141	2.0	1	<1	1	2	2	4	5
18-34	37	3.1	12						
35-49	28	2.2	5						
50-69	66	2.9	10	<1	1	1	3	11	11
70 +	44	4.7	12	1	1	4	5	12	12
	316	2.7	7	1	1	2	4	5	10
	316	2.7	7	1	1	2	4	5	10

DRG 465: Aftercare w/ History of Malignancy As Secondary Diagnosis

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	15	1.0							
70-74	8	3.0							
75-79	14	1.0							
80-84	15	3.9	10						
85 +	0								
SUBTOTAL	51	2.1	4	1	1	1	3	7	7
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	7	36.0							
75-79	8	1.0							
80-84	7	9.0							
85 +	0								
SUBTOTAL	21	14.9	234						
GRAND TOTAL	73	5.9	104	1	1	1	7	15	36

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	15	2.9	4						
70 +	0								
	15	2.9	4						
0-17	15	1.0							
18-34	0								
35-49	0								
50-69	21	2.3							
70 +	0								
	37	1.8	1						
	51	2.1	2	< 1	1	2	3	5	5

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	23	2.7	6						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	23	2.7	6						
GRAND TOTAL	23	2.7	6						

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	15	8.5	2						
70 +	7	11.0							
	22	9.3	3						
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	22	9.3	3						

DRG 466: Aftercare w/o History of Malignancy As Secondary Diagnosis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	240	2.9	35	<1	<1	1	1	5	18
70-74	94	3.8	31	1	1	1	5	22	99+
75-79	77	18.9	321	4	9	15	44	63	99+
80-84	99	7.5	24	2	3	8	10	14	18
85+	58	7.6	118	1	2	5	8	99+	99+
SUBTOTAL	567	6.5	107	<1	1	2	10	18	44
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	44	2.5	3	1	1	3	3	6	6
70-74	62	1.9	4	1	1	1	1	7	7
75-79	42	2.5	7	<1	1	1	3	8	8
80-84	15	1.5							
85+	78	15.2	758	2	2	2	11	33	98
SUBTOTAL	241	6.4	283	1	1	2	3	9	33
GRAND TOTAL	808	6.5	159	1	1	2	8	18	44

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	152	1.5	1	<1	<1	1	1	3	4
18-34	23	2.7	2						
35-49	75	2.1	3	<1	1	1	3	3	7
50-69	171	1.6	3	<1	<1	1	2	3	9
70+	7	1.0							
	428	1.7	2	<1	<1	1	2	3	6
0-17	212	2.3	13	1	1	1	2	4	6
18-34	85	1.5		1	1	1	2	2	3
35-49	60	1.1		<1	1	1	1	2	2
50-69	82	1.3		1	1	1	1	2	3
70+	0								
	439	1.8	7	1	1	1	2	3	4
	866	1.7	4	<1	1	1	2	3	5

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	129	4.8	37	<1	1	1	7	16	22
18-34	8	1.0							
35-49	23	3.0	2						
50-69	15	1.0							
70+	0								
SUBTOTAL	175	4.1	30	<1	1	1	5	12	16
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	75	1.2		1	1	1	1	2	2
18-34	15	3.0							
35-49	22	1.0							
50-69	0								
70+	0								
SUBTOTAL	113	1.4	1	1	1	1	2	3	3
GRAND TOTAL	288	3.0	20	<1	1	1	3	7	16

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	38	5.6	61						
18-34	0								
35-49	23	1.0							
50-69	37	2.1	3						
70+	97	30.2	578	2	21	40	99+	99+	99+
	194	16.7	484	1	1	14	47	99+	99+
0-17	91	1.2		<1	1	1	1	1	3
18-34	15	10.4	87						
35-49	7	1.0							
50-69	35	3.1	6						
70+	0								
	148	2.5	17	<1	1	1	2	7	19
	343	10.6	331	1	1	2	23	92	99+

DRG 471: Bilateral or Multiple Major Joint Procs of Lower Extremity

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	439	13.6	179	7	8	10	13	20	36
70-74	490	12.5	53	7	9	10	13	18	23
75-79	253	14.5	47	7	10	13	18	27	29
80-84	272	16.1	65	8	10	14	20	24	39
85 +	105	22.4	371	9	11	16	21	39	84
SUBTOTAL	1559	14.4	117	7	9	11	16	22	35
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	314	10.4	13	7	8	10	11	15	19
70-74	220	11.3	31	6	7	10	11	22	22
75-79	184	12.1	18	8	9	10	15	18	21
80-84	94	10.2	11	7	8	11	13	14	16
85 +	58	10.7	15	8	8	10	11	20	20
SUBTOTAL	870	11.0	[illegible]	7	8	10	12	18	21
GRAND TOTAL	2429	13.2	84	7	9	11	15	21	27

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	28	13.8	49						
50-69	369	12.2	106	6	8	10	12	17	24
70 +	42	11.5	5	9	10	11	14	15	15
	439	12.2	93	7	8	10	13	17	24
0-17	8	12.0							
18-34	7	5.0							
35-49	23	8.3	1						
50-69	465	10.1	10	7	8	9	11	16	16
70 +	7	12.0							
	510	10.0	10	7	8	9	11	15	16
	949	11.0	49	7	8	9	12	16	19

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	7	5.0							
50-69	22	17.5	11						
70 +	7	28.0							
SUBTOTAL	36	17.1	59						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	36	17.1	59						

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	8	6.0							
50-69	58	12.4	53	6	8	11	13	31	31
70 +	52	9.0	6	5	7	9	11	13	13
	118	10.5	33	6	7	9	12	14	31
0-17	0								
18-34	0								
35-49	15	9.0	1						
50-69	43	12.2	44	8	8	10	11	27	27
70 +	52	8.6	11	5	6	8	9	16	16
	109	10.1	25	6	8	9	10	16	27
	227	10.3	29	6	8	9	11	14	27

DRG 472: Extensive Burns w/ O.R. Procedure

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	8	39.0							
70-74	8	69.0							
75-79	0								
80-84	8	35.0							
85 +	0								
SUBTOTAL	23	47.7	241						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	23	47.7	241						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	54.3	581						
18-34	0								
35-49	15	47.5	167						
50-69	0								
70 +	0								
	46	52.0	446	31	35	47	60	91	91
0-17	8	77.0							
18-34	0								
35-49	0								
50-69	7	11.0							
70 +	0								
	15	45.5	1167						
	60	50.4	612	11	35	59	73	91	91

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	30	56.8	962						
18-34	8	50.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	38	55.4	772	23	33	61	99	99 +	99 +
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	23	39.7	373						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	23	39.7	373						
GRAND TOTAL	61	49.5	672	18	33	50	72	99 +	99 +

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	23.0							
18-34	8	71.0							
35-49	0								
50-69	0								
70 +	0								
	15	47.0	617						
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	15	47.0	617						

DRG 473: Acute Leukemia w/o Major O.R. Procedure Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	300	24.9	361	6	11	22	33	65	80
70-74	214	21.3	374	3	6	11	35	53	56
75-79	139	17.7	351	3	4	7	37	50	63
80-84	94	22.4	322	4	9	12	39	51	55
85+	64	12.9	190	1	6	7	11	49	49
SUBTOTAL	811	21.5	356	4	6	13	35	50	63
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	59	4.2	4	1	2	4	5	8	8
70-74	51	8.4	54	2	3	6	12	25	25
75-79	28	5.5	1						
80-84	14	9.5	33						
85+	42	14.4	100	3	5	17	25	28	28
SUBTOTAL	195	8.1	54	2	4	5	8	25	25
GRAND TOTAL	1005	18.9	325	3	6	11	32	49	56

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	135	19.3	205	2	4	18	34	38	43
35-49	177	22.3	273	5	6	20	34	41	56
50-69	426	30.5	427	7	12	27	44	59	74
70+	60	19.2	203	8	10	15	32	51	51
	798	26.0	362	5	10	25	37	55	59
0-17	0								
18-34	82	10.2	106	3	3	6	23	27	29
35-49	165	6.5	46	2	3	3	7	15	25
50-69	155	7.6	86	2	3	5	6	16	31
70+	8	4.0							
	430	7.6	72	2	3	4	7	25	30
	1229	19.5	338	3	5	11	31	45	56

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	44	24.3	1206	<1	1	7	33	96	96
35-49	53	24.0	314	5	8	17	48	50	50
50-69	30	13.4	70						
70+	0								
SUBTOTAL	127	21.6	582	1	6	10	32	50	96
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	52	4.7	4	3	3	4	7	8	8
35-49	7	22.0							
50-69	0								
70+	0								
SUBTOTAL	59	6.8	35	3	3	4	7	22	22
GRAND TOTAL	185	16.9	455	3	5	8	22	48	50

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	76	16.4	128	3	6	17	30	34	99+
35-49	38	22.0	147						
50-69	103	25.3	401	6	10	24	30	46	85
70+	7	5.0							
	224	21.1	275	5	6	23	30	35	85
0-17	0								
18-34	23	3.3							
35-49	23	16.7	154						
50-69	15	4.0	10						
70+	0								
	61	8.5	99	<1	3	4	13	33	33
	285	18.4	264	3	5	14	30	35	75

DRG 475: Respiratory System Diagnosis with Ventilator Support

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3492	14.9	115	5	8	12	20	28	34
70-74	2429	15.7	103	6	9	13	21	29	34
75-79	1954	15.8	119	6	8	13	19	30	41
80-84	1108	16.7	125	7	9	13	21	32	36
85 +	803	14.9	72	7	9	13	18	27	29
SUBTOTAL	9786	15.5	111	6	8	13	20	28	35
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	57	9.1	24	2	5	9	10	20	20
70-74	64	5.9	8	3	3	4	9	10	10
75-79	49	9.9	29	5	5	8	17	19	19
80-84	36	9.3	88						
85 +	36	7.2	18						
SUBTOTAL	242	8.2	31	3	4	7	9	17	20
GRAND TOTAL	10028	15.3	110	6	8	13	20	28	34

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	664	9.9	47	3	5	8	13	22	24
18-34	329	8.3	29	3	5	7	10	18	19
35-49	430	13.7	81	4	6	12	19	26	31
50-69	1873	14.3	114	5	7	12	19	25	34
70 +	49	19.9	217	3	12	14	32	50	50
	3345	12.9	95	4	7	10	17	24	29
	149	7.5	14	4	5	7	11	13	15
	87	4.1	7	2	3	3	4	5	12
	79	7.9	14	3	4	7	11	11	16
	74	7.1	12	1	4	7	10	12	12
	8	8.0							
	397	6.8	14	3	4	6	9	12	15
	3742	12.2	90	4	6	10	15	23	28

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	559	13.3	155	4	6	10	15	25	46
18-34	185	10.4	50	4	5	7	14	21	27
35-49	305	15.5	167	4	7	12	18	28	46
50-69	610	15.7	140	6	9	12	19	29	42
70 +	43	15.3	5	11	15	16	17	18	18
SUBTOTAL	1703	14.3	139	4	7	11	17	27	42
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	182	11.7	73	3	5	10	17	24	25
18-34	88	9.2	54	2	4	8	14	16	28
35-49	37	9.2	19						
50-69	44	8.3	5	5	7	7	10	12	12
70 +	7	3.0							
SUBTOTAL	358	10.2	56	3	5	9	13	20	25
GRAND TOTAL	2060	13.6	127	4	7	11	17	26	39

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	220	10.9	39	2	7	10	16	19	21
18-34	121	7.4	39	1	3	5	9	22	23
35-49	115	13.4	52	4	5	16	20	22	24
50-69	493	12.6	75	4	6	12	16	21	28
70 +	161	11.4	76	4	5	10	13	24	33
	1110	11.6	64	3	5	10	16	21	24
	45	7.8	11	2	7	7	10	13	13
	28	4.3	1						
	14	6.0	1						
	22	5.0	1						
	8	4.0							
	116	5.9	7	3	4	6	7	10	13
	1227	11.0	62	3	5	9	16	21	23

DRG 478: Other Vascular Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	6915	9.6	92	2	4	7	12	20	25
70-74	4639	11.3	89	3	5	9	15	22	30
75-79	4088	11.5	84	3	6	9	15	22	29
80-84	2174	13.1	74	4	7	11	17	25	30
85 +	1546	12.8	77	4	7	11	17	26	30
SUBTOTAL	19361	11.1	88	2	5	9	14	22	29
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	19361	11.1	88	2	5	9	14	22	29

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	213	6.5	52	1	2	3	9	21	23
18-34	187	6.9	53	1	2	4	11	20	24
35-49	788	7.4	32	2	4	6	10	13	17
50-69	3805	10.0	87	3	4	8	12	20	27
70 +	288	10.2	102	3	6	7	10	36	43
	5280	9.3	78	2	4	7	11	19	26
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	5280	9.3	78	2	4	7	11	19	26

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	137	13.4	217	2	4	9	15	36	61
18-34	75	12.7	145	1	3	9	21	37	40
35-49	314	11.5	92	2	4	8	18	23	29
50-69	627	12.2	88	4	6	10	15	23	33
70 +	21	15.5	36						
SUBTOTAL	1175	12.3	107	2	5	9	15	26	34
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	1175	12.3	107	2	5	9	15	26	34

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	38	9.8	31						
18-34	44	4.9	18	1	3	3	6	14	14
35-49	183	10.5	141	1	5	7	12	18	23
50-69	654	7.8	71	1	2	5	11	17	25
70 +	378	8.5	46	1	3	7	12	15	23
	1296	8.4	72	1	3	7	11	17	23
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1296	8.4	72	1	3	7	11	17	23

DRG 479: Other Vascular Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2261	5.3	18	1	3	5	7	9	12
70-74	1559	5.9	24	1	2	5	8	11	15
75-79	969	5.1	18	1	2	5	7	10	14
80-84	580	6.8	29	1	3	6	9	16	18
85 +	195	7.6	21	2	3	8	10	15	16
SUBTOTAL	**5564**	**5.7**	**21**	**1**	**2**	**5**	**7**	**10**	**14**
GRAND TOTAL	**5564**	**5.7**	**21**	**1**	**2**	**5**	**7**	**10**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	236	3.6	16	1	1	2	4	7	16
18-34	158	4.9	16	1	1	4	6	12	13
35-49	810	4.3	13	1	1	3	6	9	11
50-69	3035	4.5	10	1	2	4	6	8	10
70 +	87	5.7	25	1	2	5	10	11	18
	4326	**4.4**	**11**	**1**	**2**	**4**	**6**	**9**	**10**
	4326	**4.4**	**11**	**1**	**2**	**4**	**6**	**9**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	68	6.4	12	1	5	7	8	12	12
18-34	29	4.2	5						
35-49	87	4.1	17	1	1	2	9	10	13
50-69	260	5.3	22	1	2	4	6	9	13
70 +	7	3.0							
SUBTOTAL	**451**	**5.1**	**18**	**1**	**2**	**4**	**7**	**10**	**12**
GRAND TOTAL	**451**	**5.1**	**18**	**1**	**2**	**4**	**7**	**10**	**12**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	30	6.8	19						
18-34	42	3.2	8	1	1	2	4	9	9
35-49	117	4.2	7	1	1	4	7	8	8
50-69	595	3.4	7	1	1	3	5	7	8
70 +	205	3.4	8	1	1	2	5	9	9
	989	**3.6**	**8**	**1**	**1**	**3**	**5**	**7**	**9**
	989	**3.6**	**8**	**1**	**1**	**3**	**5**	**7**	**9**

DRG 480: Liver Transplant

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	46	25.8	16	18	24	27	28	30	30
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	46	25.8	16	18	24	27	28	30	30
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	46	25.8	16	18	24	27	28	30	30

TYPE OF PATIENT	BLUE CROSS PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	32.0	171						
18-34	38	31.8	177						
35-49	152	37.0	335	16	24	35	51	68	79
50-69	114	35.9	394	15	21	38	53	99 +	99 +
70 +	0								
	335	35.6	324	16	21	35	51	87	99 +
0-17	8	19.0	-						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	8	19.0							
	342	35.2	322	16	21	35	50	82	99 +

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	38	49.8	686	17	22	64	82	99 +	99 +
18-34	23	38.7	262						
35-49	38	20.8	12	16	18	22	25	99 +	99 +
50-69	0								
70 +	0								
SUBTOTAL	99	36.1	488	17	21	26	69	99 +	99 +
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	99	36.1	488	17	21	26	69	99 +	99 +

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	35.0							
18-34	0								
35-49	8	27.0							
50-69	0								
70 +	0								
	15	31.0	17						
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	15	31.0	17						

DRG 481: Bone Marrow Transplant

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	7	78.0	–						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	7	78.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	7	78.0							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	68	47.1	208	30	36	48	64	91	99 +
18-34	99	37.5	68	28	32	38	43	47	54
35-49	144	35.8	88	24	34	39	41	43	45
50-69	15	48.5	7						
70 +	0								
	327	39.3	126	30	33	40	46	54	64
0-17	30	34.8	453						
18-34	8	1.0							
35-49	8	3.0							
50-69	7	2.0				–			
70 +	0								
	53	21.0	525	1	1	3	43	58	58
	380	36.8	220	24	32	39	45	58	64

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	23	61.0	52						
18-34	30	35.8	66						
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	53	46.5	218	26	31	47	66	66	66
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	8	38.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	8	38.0							
GRAND TOTAL	61	45.5	199	26	33	39	51	66	66

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	38	51.4	313						
18-34	23	40.7	123						
35-49	15	33.5	13						
50-69	8	31.0							
70 +	0								
	84	43.4	239	31	33	37	56	72	73
0-17	8	35.0							
18-34	15	17.0	210						
35-49	0								
50-69	0								
70 +	0								
	23	23.0	212						
	106	39.0	301	30	31	35	42	72	73

DRG 482: Tracheostomy w/ Mouth, Larynx or Pharynx Disorder

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	687	19.3	150	9	11	16	24	32	38
70-74	439	17.3	73	9	12	16	22	28	48
75-79	195	15.4	76	7	9	14	20	27	34
80-84	142	21.1	220	7	12	17	25	46	68
85 +	35	13.1	137						
SUBTOTAL	1499	18.2	127	8	11	15	23	32	46
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	199	9.7	16	5	7	9	12	14	15
70-74	89	10.9	25	5	7	10	16	18	20
75-79	73	9.3	10	5	6	10	12	15	15
80-84	37	10.1	11						
85 +	0								
SUBTOTAL	398	9.9	17	5	7	10	12	15	18
GRAND TOTAL	1897	16.5	115	7	10	14	21	30	38

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	61	17.8	35	11	13	19	24	27	27
18-34	23	9.0	5						
35-49	177	14.7	104	6	9	12	18	22	23
50-69	963	15.8	107	8	10	13	17	31	39
70 +	8	14.0							
	1232	15.6	101	8	10	13	17	27	39
	68	12.1	64	1	4	14	16	27	27
	60	8.8	15	3	7	8	11	17	17
	118	8.8	16	4	5	9	13	14	14
	367	10.4	36	4	7	10	13	18	20
	7	17.0							
	620	10.2	34	4	6	10	14	17	20
	1852	13.8	85	5	9	12	16	25	34

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	91	28.3	232	10	23	26	48	99 +	99 +
18-34	21	14.1	8						
35-49	151	14.0	55	4	9	14	18	23	28
50-69	307	18.6	104	7	11	17	22	36	40
70 +	0								
SUBTOTAL	571	18.7	129	6	11	17	24	40	48
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	23	21.7	30						
18-34	15	6.5							
35-49	15	13.6	7						
50-69	60	8.0	24	1	4	8	12	16	16
70 +	7	1.0							
SUBTOTAL	110	10.7	54	1	7	10	16	22	28
GRAND TOTAL	690	17.4	125	5	10	16	23	35	44

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	15	17.5	13						
18-34	7	5.0							
35-49	53	12.4	39	3	7	13	15	24	24
50-69	171	15.4	72	8	9	13	21	30	32
70 +	45	11.1	41	4	5	8	15	22	22
	291	14.0	62	5	9	13	21	30	47
	30	17.2	264						
	15	5.9	4						
	15	13.8	27						
	102	10.7	16	5	9	11	13	16	17
	15	8.0	1						
	175	11.4	65	5	8	10	13	17	19
	466	13.1	64	5	8	13	15	25	37

DRG 483: Tracheostomy except for Mouth, Larynx or Pharynx Disorder

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1044	46.9	564	20	31	52	83	99+	99+
70-74	682	50.7	777	14	33	54	91	99+	99+
75-79	518	50.4	622	20	32	59	91	99+	99+
80-84	293	53.6	477	25	35	57	72	89	94
85+	117	36.4	274	13	26	37	60	99+	99+
SUBTOTAL	2655	48.8	619	19	32	54	84	99+	99+
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	75	17.2	144	4	7	16	22	26	48
70-74	37	7.6	42						
75-79	14	18.5	97						
80-84	0								
85+	0								
SUBTOTAL	125	14.5	128	2	5	14	17	28	48
GRAND TOTAL	2780	47.3	647	15	30	52	83	99+	99+

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	212	31.9	458	9	20	38	99+	99+	99+
18-34	424	32.5	472	9	15	31	49	69	90
35-49	353	40.3	511	15	25	43	61	99+	99+
50-69	800	44.0	504	14	29	48	73	99+	99+
70+	66	48.9	363	8	42	47	66	72	75
	1856	39.5	516	12	23	44	68	99+	99+
	113	18.5	504	2	7	10	21	38	94
	73	15.6	584	1	5	6	7	44	85
	15	5.0	1						
	130	13.6	270	1	2	8	18	49	60
	0								
	332	15.3	414	2	4	7	18	38	62
	2187	35.8	576	7	18	37	64	99+	99+

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	150	37.9	722	14	30	85	99+	99+	99+
18-34	133	33.2	598	7	21	50	99+	99+	99+
35-49	97	34.9	456	10	21	41	64	99+	99+
50-69	221	40.8	556	18	23	37	73	99+	99+
70+	0								
SUBTOTAL	601	37.4	597	11	23	49	99+	99+	99+
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	60	18.8	251	1	8	14	30	52	52
18-34	15	12.0	107						
35-49	14	5.5	13						
50-69	8	8.0							
70+	0								
SUBTOTAL	97	15.0	200	2	6	9	22	31	52
GRAND TOTAL	698	34.3	602	8	21	42	99+	99+	99+

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	91	49.8	591	25	45	90	99+	99+	99+
18-34	170	35.6	481	6	18	35	54	66	89
35-49	86	31.8	455	9	13	32	53	99+	99+
50-69	168	41.9	544	16	35	38	60	86	94
70+	87	50.9	515	27	28	44	75	77	92
	602	41.2	559	13	26	44	75	99+	99+
	30	21.3	412						
	22	6.1	9						
	14	4.5	13						
	8	21.0							
	0								
	74	13.6	234	2	2	8	21	46	48
	676	38.2	598	7	21	39	70	99+	99+

DRG 484: Craniotomy for Multiple Significant Trauma

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	8	12.0							
70-74	0								
75-79	0								
80-84	0								
85 +	7	12.0							
SUBTOTAL	15	12.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	15	12.0							

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	113	29.0	252	12	15	26	49	53	99 +
18-34	80	25.6	81	15	16	24	33	34	45
35-49	22	17.4	76						
50-69	0								
70 +	8	17.0							
	223	26.2	178	13	15	23	43	49	53
0-17	0								
18-34	8	14.0							
35-49	7	16.0							
50-69	0								
70 +	0								
	15	15.0	1						
	237	25.5	175	13	15	21	34	49	53

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	8	13.0							
35-49	23	16.0	13						
50-69	0								
70 +	0								
SUBTOTAL	30	15.3	12						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	8	11.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	8	11.0							
GRAND TOTAL	38	14.4	12						

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	15	73.0	181						
18-34	7	5.0							
35-49	0								
50-69	0								
70 +	7	22.0							
	29	44.6	1042						
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	29	44.6	1042						

DRG 485: Limb Reattachment, Hip And Femur Proc for Multiple Significant Trauma

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	51	15.9	115	4	7	14	26	36	36
70-74	37	15.9	106						
75-79	50	19.1	66	7	13	17	25	33	33
80-84	70	19.2	125	7	10	14	28	36	37
85 +	85	15.0	95	8	8	11	14	33	38
SUBTOTAL	293	17.0	104	7	9	14	25	34	36
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0		—						
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	293	17.0	104	7	9	14	25	34	36

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	204	14.7	94	8	10	12	15	32	52
18-34	486	17.6	195	7	9	13	20	32	58
35-49	180	19.3	120	9	12	17	24	38	43
50-69	80	21.7	251	9	11	13	40	45	55
70 +	45	23.8	151	13	14	21	26	49	49
	995	17.9	168	8	10	13	21	34	52
0-17	15	13.9	4						
18-34	21	10.6	9						
35-49	0								
50-69	0								
70 +	8	13.0							
	44	12.1	8	7	11	12	14	16	16
	1039	17.7	163	8	10	13	20	34	52

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	15	12.5	60						
18-34	87	28.3	540	9	14	18	32	67	83
35-49	22	43.8	29						
50-69	8	21.0							
70 +	0								
SUBTOTAL	132	28.7	438	5	17	20	41	67	79
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	132	28.7	438	5	17	20	41	67	79

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	28	8.4	21						
18-34	130	20.8	214	7	12	16	21	51	53
35-49	37	17.5	22						
50-69	15	9.0	1						
70 +	7	6.0							
	216	17.3	161	6	8	15	21	50	53
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	216	17.3	161	6	8	15	21	50	53

DRG 486: Other O.R. Procedures for Multiple Significant Trauma

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	80	19.8	176	8	8	16	31	43	44
70-74	36	21.8	28						
75-79	57	17.7	199	3	8	9	25	47	47
80-84	66	20.2	354	6	11	13	16	55	71
85 +	64	13.8	56	7	8	9	18	28	28
SUBTOTAL	303	18.5	181	7	9	15	26	32	44
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	303	18.5	181	7	9	15	26	32	44

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	357	15.7	176	5	7	11	22	39	52
18-34	1177	14.6	148	6	7	11	18	27	40
35-49	391	20.5	334	6	10	14	26	54	68
50-69	185	16.3	201	6	8	12	17	26	54
70 +	28	13.0	33						
SUBTOTAL	2138	16.0	194	6	8	12	19	33	52
0-17	37	9.5	19						
18-34	21	9.7	7						
35-49	14	9.0	53						
50-69	0								
70 +	0								
SUBTOTAL	72	9.5	22	3	6	8	13	16	16
GRAND TOTAL	2210	15.8	190	6	8	12	18	32	52

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	60	20.7	181	6	7	13	33	41	41
18-34	373	19.0	305	7	9	11	23	51	58
35-49	125	15.0	70	8	9	11	22	34	99 +
50-69	29	13.1	20						
70 +	0								
SUBTOTAL	587	18.0	232	7	9	11	23	45	55
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	7	5.0							
18-34	15	4.6	2						
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	21	4.7	2						
GRAND TOTAL	609	17.6	230	6	8	11	23	44	51

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	110	14.1	35	7	8	13	20	23	23
18-34	512	12.5	111	6	7	10	14	24	30
35-49	80	17.3	120	7	9	13	29	34	36
50-69	36	14.9	99						
70 +	8	10.0							
SUBTOTAL	746	13.4	101	6	7	11	16	24	30
0-17	0								
18-34	7	10.0							
35-49	15	7.0	1						
50-69	7	6.0							
70 +	0								
SUBTOTAL	29	7.5	3						
GRAND TOTAL	775	13.1	99	6	7	11	16	24	30

DRG 487: Other Multiple Significant Trauma

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	130	10.5	71	3	5	9	14	20	36
70-74	65	13.5	38	7	9	13	16	27	28
75-79	85	14.7	81	7	10	13	15	28	37
80-84	58	15.0	70	< 1	6	13	21	28	28
85 +	115	11.5	64	2	3	10	19	23	28
SUBTOTAL	452	12.6	69	3	7	12	16	23	28
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	7	20.0							
70-74	0								
75-79	15	3.5							
80-84	15	4.0	1						
85 +	0								
SUBTOTAL	37	6.8	42						
GRAND TOTAL	489	12.1	69	3	6	10	16	23	28

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	719	10.1	76	2	4	8	13	25	31
18-34	804	8.6	99	2	3	6	11	17	28
35-49	443	8.1	57	1	4	6	10	20	37
50-69	358	8.9	52	2	4	7	11	18	27
70 +	101	13.7	52	3	10	12	20	22	26
	2425	9.2	77	2	4	7	12	21	29
0-17	66	3.4	4	1	2	3	5	7	7
18-34	87	4.9	11	1	2	5	7	10	11
35-49	8	7.0							
50-69	14	2.5							
70 +	0								
	175	4.2	8	1	2	3	6	7	10
	2601	8.9	74	2	4	6	11	20	28

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	141	12.7	165	2	3	7	16	40	46
18-34	132	7.6	20	2	4	7	11	15	16
35-49	21	11.7	14						
50-69	0								
70 +	0								
SUBTOTAL	294	10.3	95	2	4	7	14	25	40
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	22	2.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	22	2.0							
GRAND TOTAL	316	9.7	93	2	3	7	12	16	35

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	231	8.2	53	1	3	5	14	22	23
18-34	391	7.1	43	2	4	5	8	12	25
35-49	144	9.2	116	2	4	5	8	21	39
50-69	66	8.6	43	2	3	5	14	21	21
70 +	14	5.5	2						
	846	7.9	58	2	3	5	9	17	25
0-17	21	5.9	13						
18-34	8	10.0							
35-49	22	7.0	12						
50-69	0								
70 +	0								
	51	7.0	12	3	3	7	11	11	11
	898	7.8	56	2	3	5	9	17	24

DRG 488: HIV w/ Extensive O.R. Procedure

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	21	41.2	874						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	21	41.2	874						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	21	41.2	874						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	139	19.4	137	7	8	20	28	34	50
35-49	66	15.0	71	5	10	14	21	32	32
50-69	8	22.0							
70 +	0								
	212	18.1	116	6	9	16	24	32	34
0-17	0								
18-34	8	1.0							
35-49	8	1.0							
50-69	0								
70 +	0								
	15	1.0							
	227	17.0	127	4	8	15	24	31	34

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	120	17.6	121	6	11	14	24	40	43
35-49	68	25.1	102	12	19	23	28	48	48
50-69	0								
70 +	0								
SUBTOTAL	187	20.3	126	8	11	19	25	40	43
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	187	20.3	126	8	11	19	25	40	43

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	76.0							
18-34	45	23.1	500	3	4	26	35	64	64
35-49	30	16.0	38						
50-69	8	24.0							
70 +	0								
	91	25.2	508	4	7	22	33	64	76
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	91	25.2	508	4	7	22	33	64	76

DRG 489: HIV w/ Major Related Condition

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	201	12.3	72	3	6	10	17	25	30
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	201	12.3	72	3	6	10	17	25	30
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	201	12.3	72	3	6	10	17	25	30

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	68	4.7	5	2	3	4	5	10	10
18-34	530	13.2	81	4	6	11	17	27	33
35-49	492	15.5	175	4	7	12	19	27	46
50-69	89	19.8	152	5	10	19	25	40	45
70 +	0								
	1178	14.1	129	4	6	11	19	27	39
0-17	8	5.0							
18-34	8	8.0							
35-49	15	9.5							
50-69	22	9.5	42						
70 +	0								
	52	8.6	20	3	5	8	10	18	18
	1230	13.9	126	4	6	11	19	27	37

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	122	10.6	72	2	6	8	16	24	33
18-34	621	14.3	144	4	7	12	19	25	33
35-49	374	15.1	108	5	7	12	22	31	38
50-69	8	26.0							
70 +	0								
SUBTOTAL	1124	14.2	126	4	6	11	20	26	33
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	8	8.0							
18-34	0								
35-49	0								
50-69	8	7.0							
70 +	0								
SUBTOTAL	15	7.5							
GRAND TOTAL	1140	14.1	125	4	7	11	20	26	33

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	23	9.7	39						
18-34	330	12.5	89	3	5	11	18	22	26
35-49	262	10.8	67	3	5	9	14	24	29
50-69	30	15.5	20						
70 +	0								
	645	11.8	76	3	5	9	17	23	26
0-17	0								
18-34	8	3.0							
35-49	0								
50-69	0								
70 +	0								
	8	3.0							
	653	11.7	76	3	5	9	17	23	26

DRG 490: HIV w/ or w/o Other Related Condition

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	132	9.9	49	2	6	7	15	18	30
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	132	9.9	49	2	6	7	15	18	30
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	132	9.9	49	2	6	7	15	18	30

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	83	9.4	320	1	2	4	7	13	65
18-34	206	7.0	65	1	2	3	7	14	30
35-49	131	10.1	68	3	4	7	14	25	29
50-69	51	6.7	26	1	1	5	12	14	14
70 +	0								
SUBTOTAL	471	8.3	108	1	3	5	10	17	29
0-17	8	5.0							
18-34	22	4.7	2						
35-49	7	20.0							
50-69	7	9.0							
70 +	0								
SUBTOTAL	44	7.8	32	3	5	5	9	20	20
	515	8.2	102	1	3	5	10	19	29

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	98	5.2	26	2	3	4	6	22	99 +
18-34	172	10.1	89	2	3	9	14	19	23
35-49	241	10.2	77	2	4	9	14	25	31
50-69	15	5.0							
70 +	0								
SUBTOTAL	525	9.1	73	2	3	5	13	23	31
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	91	6.9	30	1	2	3	10	12	20
18-34	51	12.2	364	< 1	1	2	11	56	56
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	142	8.8	153	1	1	6	10	20	56
GRAND TOTAL	667	9.0	90	2	3	6	12	22	31

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	3.0					–		
18-34	97	6.6	25	1	2	6	9	13	18
35-49	111	6.1	16	1	3	5	7	14	14
50-69	21	12.2	7						
70 +	0								
SUBTOTAL	237	6.8	21	1	3	6	9	14	15
0-17	8	5.0							
18-34	8	7.0							
35-49	8	1.0							
50-69	0								
70 +	0								
SUBTOTAL	23	4.3	7						
	260	6.6	20	1	3	6	9	14	15

Appendix

Appendix 1

1989-90 HOSPITAL CHARACTERISTICS
Short-Term, Nonfederal Hospitals[1]

HOSPITAL CATEGORY	UNIVERSE TOTAL[2]	LOS BY DRG SAMPLE
Region		
Northeastern	772	87
North Central	1,579	174
Southern	2,052	72
Western	1,022	159
Total	5,425	492
Location[3]		
Urban	2,844	247
Rural	2,581	245
Teaching Intensity[4]		
High Medium	983	366
Low	4,442	126

[1]Hospitals with average stay less than 30 days.

[2]1988 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

[3]Urban hospitals are those with a metropolitan statistical area designation on the AHA Annual Survey of Hospitals. Hospitals without a metropolitan statistical area designation represent rural hospitals.

[4]The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai.

Appendix 2

STATE INCLUSIONS BY REGION

Northeast	North Central	South	West
Connecticut	Illinois	Alabama	Alaska
Maine	Indiana	Arkansas	Arizona
Massachusetts	Iowa	Delaware	California
New Hampshire	Kansas	District of Columbia	Colorado
New Jersey	Michigan	Florida	Hawaii
New York	Minnesota	Georgia	Idaho
Pennsylvania	Missouri	Kentucky	Montana
Rhode Island	Nebraska	Louisiana	Nevada
Vermont	North Dakota	Maryland	New Mexico
	Ohio	Mississippi	Oregon
	South Dakota	North Carolina	Utah
	Wisconsin	Oklahoma	Washington
		South Carolina	Wyoming
		Tennessee	
		Texas	
		Virginia	
		West Virginia	

Appendix 3

DIAGNOSIS RELATED GROUPS

DRG	Description
1	Craniotomy Age >17 except for Trauma
2	Craniotomy for Trauma Age > 17
3	Craniotomy Age 0-17
4	Spinal Procedures
5	Extracranial Vascular Procedures
6	Carpal Tunnel Release
7	Periph & Cranial Nerve & Other Nerv Syst Proc w CC
8	Periph & Cranial Nerve & Other Nerv Syst Proc w o CC
9	Spinal Disorders & Injuries
10	Nervous System Neoplasms w CC
11	Nervous System Neoplasms w o CC
12	Degenerative Nervous System Disorders
13	Multiple Sclerosis & Cerebellar Ataxia
14	Specific Cerebrovascular Disorders except TIA
15	Transient Ischemic Attack & Precerebral Occlusions
16	Nonspecific Cerebrovascular Disorders w CC
17	Nonspecific Cerebrovascular Disorders w o CC
18	Cranial & Peripheral Nerve Disorders w CC
19	Cranial & Peripheral Nerve Disorders w o CC
20	Nervous System Infection except Viral Meningitis
21	Viral Meningitis
22	Hypertensive Encephalopathy
23	Nontraumatic Stupor & Coma
24	Seizure & Headache Age >17 w CC
25	Seizure & Headache Age >17 w o CC
26	Seizure & Headache Age 0-17
27	Traumatic Stupor & Coma, Coma >1 Hr
28	Traumatic Stupor & Coma, Coma <1 Hr Age >17 w CC
29	Traumatic Stupor & Coma, Coma <1 Hr Age >17 w o CC
30	Traumatic Stupor & Coma, Coma <1 Hr Age 0-17
31	Concussion Age >17 w CC
32	Concussion Age >17 w o CC
33	Concussion Age 0-17
34	Other Disorders of Nervous System w CC
35	Other Disorders of Nervous System w o CC
36	Retinal Procedures
37	Orbital Procedures
38	Primary Iris Procedures
39	Lens Procedures with or without Vitrectomy
40	Extraocular Procedures except Orbit Age > 17
41	Extraocular Procedures except Orbit Age 0-17
42	Intraocular Procedures except Retina, Iris & Lens
43	Hyphema
44	Acute Major Eye Infections
45	Neurological Eye Disorders
46	Other Disorders of the Eye Age >17 w CC
47	Other Disorders of the Eye Age >17 w o CC
48	Other Disorders of the Eye Age 0-17
49	Major Head & Neck Procedures
50	Sialoadenectomy
51	Salivary Gland Procedures except Sialoadenectomy
52	Cleft Lip & Palate Repair

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
53	Sinus & Mastoid Procedures Age > 17
54	Sinus & Mastoid Procedures Age 0-17
55	Miscellaneous Ear, Nose, Mouth & Throat Procedures
56	Rhinoplasty
57	T&A Proc, except Tonsillectomy & or Adenoidectomy Only, Age >17
58	T&A Proc, except Tonsillectomy & or Adenoidectomy Only, Age 0-17
59	Tonsillectomy & or Adenoidectomy Only, Age > 17
60	Tonsillectomy & or Adenoidectomy Only, Age 0-17
61	Myringotomy w/ Tube Insertion Age > 17
62	Myringotomy w/ Tube Insertion Age 0-17
63	Other Ear, Nose, Mouth & Throat O.R. Procedures
64	Ear, Nose, Mouth & Throat Malignancy
65	Dysequilibrium
66	Epistaxis
67	Epiglottitis
68	Otitis Media & URI Age >17 w/ CC
69	Otitis Media & URI Age >17 w/o CC
70	Otitis Media & URI Age 0-17
71	Laryngotracheitis
72	Nasal Trauma & Deformity
73	Other Ear, Nose, Mouth & Throat Diagnoses Age > 17
74	Other Ear, Nose, Mouth & Throat Diagnoses Age 0-17
75	Major Chest Procedures
76	Other Resp System O.R. Procedures w/ CC
77	Other Resp System O.R. Procedures w/o CC
78	Pulmonary Embolism
79	Respiratory Infections & Inflammations Age >17 w/ CC
80	Respiratory Infections & Inflammations Age >17 w/o CC
81	Respiratory Infections & Inflammations Age 0-17
82	Respiratory Neoplasms
83	Major Chest Trauma w/ CC
84	Major Chest Trauma w/o CC
85	Pleural Effusion w/ CC
86	Pleural Effusion w/o CC
87	Pulmonary Edema & Respiratory Failure
88	Chronic Obstructive Pulmonary Disease
89	Simple Pneumonia & Pleurisy Age >17 w/ CC
90	Simple Pneumonia & Pleurisy Age >17 w/o CC
91	Simple Pneumonia & Pleurisy Age 0-17
92	Interstitial Lung Disease w/ CC
93	Interstitial Lung Disease w/o CC
94	Pneumothorax w/ CC
95	Pneumothorax w/o CC
96	Bronchitis & Asthma Age >17 w/ CC
97	Bronchitis & Asthma Age >17 w/o CC
98	Bronchitis & Asthma Age 0-17
99	Respiratory Signs & Symptoms w/ CC
100	Respiratory Signs & Symptoms w/o CC
101	Other Respiratory System Diagnoses w/ CC
102	Other Respiratory System Diagnoses w/o CC
103	Heart Transplant
104	Cardiac Valve Procedures w/ Cardiac Cath
105	Cardiac Valve Procedures w/o Cardiac Cath
106	Coronary Bypass w/ Cardiac Cath
107	Coronary Bypass w/o Cardiac Cath
108	Other Cardiothoracic Procedures

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
109	No Longer Valid (Table Excluded)
110	Major Cardiovascular Procedures w/ CC
111	Major Cardiovascular Procedures w/o CC
112	Percutaneous Cardiovascular Procedures
113	Amputation for Circ System Disorders except Upper Limb & Toe
114	Upper Limb & Toe Amputation for Circ System Disorders
115	Perm Cardiac Pacemaker Implant w/ AMI, Heart Failure or Shock
116	Perm Cardiac Pacemaker Implant w/o AMI, Heart Failure or Shock
117	Cardiac Pacemaker Revision except Device Replacement
118	Cardiac Pacemaker Device Replacement
119	Vein Ligation & Stripping
120	Other Circulatory System O.R. Procedures
121	Circulatory Disorders w/ AMI & C.V. Comp Disch Alive
122	Circulatory Disorders w/ AMI w/o C.V. Comp Disch Alive
123	Circulatory Disorders w/ AMI, Expired (Table Excluded)
124	Circulatory Disorders except AMI, w/ Card Cath & Complex Diag
125	Circulatory Disorders except AMI, w/ Card Cath w/o Complex Diag
126	Acute & Subacute Endocarditis
127	Heart Failure & Shock
128	Deep Vein Thrombophlebitis
129	Cardiac Arrest, Unexplained
130	Peripheral Vascular Disorders w/ CC
131	Peripheral Vascular Disorders w/o CC
132	Atherosclerosis w/ CC
133	Atherosclerosis w/o CC
134	Hypertension
135	Cardiac Congenital & Valvular Disorders Age >17 w/ CC
136	Cardiac Congenital & Valvular Disorders Age >17 w/o CC
137	Cardiac Congenital & Valvular Disorders Age 0-17
138	Cardiac Arrhythmia & Conduction Disorders w/ CC
139	Cardiac Arrhythmia & Conduction Disorders w/o CC
140	Angina Pectoris
141	Syncope & Collapse w/ CC
142	Syncope & Collapse w/o CC
143	Chest Pain
144	Other Circulatory System Diagnoses w/ CC
145	Other Circulatory System Diagnoses w/o CC
146	Rectal Resection w/ CC
147	Rectal Resection w/o CC
148	Major Small & Large Bowel Procedures w/ CC
149	Major Small & Large Bowel Procedures w/o CC
150	Peritoneal Adhesiolysis w/ CC
151	Peritoneal Adhesiolysis w/o CC
152	Minor Small & Large Bowel Procedures w/ CC
153	Minor Small & Large Bowel Procedures w/o CC
154	Stomach, Esophageal & Duodenal Procedures Age >17 w/ CC
155	Stomach, Esophageal & Duodenal Procedures Age >17 w/o CC
156	Stomach, Esophageal & Duodenal Procedures Age 0-17
157	Anal & Stomal Procedures w/ CC
158	Anal & Stomal Procedures w/o CC
159	Hernia Procedures except Inguinal & Femoral Age >17 w/ CC
160	Hernia Procedures except Inguinal & Femoral Age >17 w/o CC
161	Inguinal & Femoral Hernia Procedures Age >17 w/ CC
162	Inguinal & Femoral Hernia Procedures Age >17 w/o CC
163	Hernia Procedures Age 0-17
164	Appendectomy w/ Complicated Principal Diag w/ CC

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
165	Appendectomy w/ Complicated Principal Diag w/o CC
166	Appendectomy w/o Complicated Principal Diag w/ CC
167	Appendectomy w/o Complicated Principal Diag w/o CC
168	Mouth Procedures w/ CC
169	Mouth Procedures w/o CC
170	Other Digestive System O.R. Procedures w/ CC
171	Other Digestive System O.R. Procedures w/o CC
172	Digestive Malignancy w/ CC
173	Digestive Malignancy w/o CC
174	G.I. Hemorrhage w/ CC
175	G.I. Hemorrhage w/o CC
176	Complicated Peptic Ulcer
177	Uncomplicated Peptic Ulcer w/ CC
178	Uncomplicated Peptic Ulcer w/o CC
179	Inflammatory Bowel Disease
180	G.I. Obstruction w/ CC
181	G.I. Obstruction w/o CC
182	Esophagitis, Gastroent & Misc Digest Disorders Age > 17 w/ CC
183	Esophagitis, Gastroent & Misc Digest Disorders Age > 17 w/o CC
184	Esophagitis, Gastroent & Misc Digest Disorders Age 0-17
185	Dental & Oral Dis except Extractions & Restorations, Age >17
186	Dental & Oral Dis except Extractions & Restorations, Age 0-17
187	Dental Extractions & Restorations
188	Other Digestive System Diagnoses Age >17 w/ CC
189	Other Digestive System Diagnoses Age >17 w/o CC
190	Other Digestive System Diagnoses Age 0-17
191	Pancreas, Liver & Shunt Procedures w/ CC
192	Pancreas, Liver & Shunt Procedures w/o CC
193	Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/ CC
194	Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/o CC
195	Total Cholecystectomy w/ C.D.E. w/ CC
196	Total Cholecystectomy w/ C.D.E. w/o CC
197	Total Cholecystectomy w/o C.D.E. w/ CC
198	Total Cholecystectomy w/o C.D.E. w/o CC
199	Hepatobiliary Diagnostic Procedure for Malignancy
200	Hepatobiliary Diagnostic Procedure for Non-malignancy
201	Other Hepatobiliary or Pancreas O.R. Procedures
202	Cirrhosis & Alcoholic Hepatitis
203	Malignancy of Hepatobiliary System or Pancreas
204	Disorders of Pancreas except Malignancy
205	Disorders of Liver except Malig, Cirr, Alc Hepa w/ CC
206	Disorders of Liver except Malig, Cirr, Alc Hepa w/o CC
207	Disorders of the Biliary Tract w/ CC
208	Disorders of the Biliary Tract w/o CC
209	Major Joint & Limb Reattachment Procedures
210	Hip & Femur Procedures except Major Joint Age >17 w/ CC
211	Hip & Femur Procedures except Major Joint Age >17 w/o CC
212	Hip & Femur Procedures except Major Joint Age 0-17
213	Amputation for Musculoskeletal System & Conn Tissue Disorders
214	Back & Neck Procedures w/ CC
215	Back & Neck Procedures w/o CC
216	Biopsies of Musculoskeletal System & Connective Tissue
217	Wnd Debrid & Skn Grft except Hand, for Muscskelet & Conn Tiss Dis
218	Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/ CC
219	Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/o CC
220	Lower Extrem & Humer Proc except Hip, Foot, Femur Age 0-17

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
221	Knee Procedures w/ CC
222	Knee Procedures w/o CC
223	Major Shoulder/Elbow Proc, or Other Upper Extremity Proc w/ CC
224	Shoulder, Elbow or Forearm Proc, exc Major Joint Proc, w/o CC
225	Foot Procedures
226	Soft Tissue Procedures w/ CC
227	Soft Tissue Procedures w/o CC
228	Major Thumb or Joint Proc, or Oth Hand or Wrist Proc w/ CC
229	Hand or Wrist Proc, except Major Joint Proc, w/o CC
230	Local Excision & Removal of Int Fix Devices of Hip & Femur
231	Local Excision & Removal of Int Fix Devices except Hip & Femur
232	Arthroscopy
233	Other Musculoskelet Sys & Conn Tiss O.R. Proc w/ CC
234	Other Musculoskelet Sys & Conn Tiss O.R. Proc w/o CC
235	Fractures of Femur
236	Fractures of Hip & Pelvis
237	Sprains, Strains, & Dislocations of Hip, Pelvis & Thigh
238	Osteomyelitis
239	Pathological Fractures & Musculoskeletal & Conn Tiss Malignancy
240	Connective Tissue Disorders w/ CC
241	Connective Tissue Disorders w/o CC
242	Septic Arthritis
243	Medical Back Problems
244	Bone Diseases & Specific Arthropathies w/ CC
245	Bone Diseases & Specific Arthropathies w/o CC
246	Non-specific Arthropathies
247	Signs & Symptoms of Musculoskeletal System & Conn Tissue
248	Tendonitis, Myositis & Bursitis
249	Aftercare, Musculoskeletal System & Connective Tissue
250	Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/ CC
251	Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/o CC
252	Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age 0-17
253	Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age > 17 w/ CC
254	Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age > 17 w/o CC
255	Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age 0-17
256	Other Musculoskeletal System & Connective Tissue Diagnoses
257	Total Mastectomy for Malignancy w/ CC
258	Total Mastectomy for Malignancy w/o CC
259	Subtotal Mastectomy for Malignancy w/ CC
260	Subtotal Mastectomy for Malignancy w/o CC
261	Breast Proc for Non-malignancy except Biopsy & Local Excision
262	Breast Biopsy & Local Excision for Non-malignancy
263	Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/ CC
264	Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/o CC
265	Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/ CC
266	Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/o CC
267	Perianal & Pilonidal Procedures
268	Skin, Subcutaneous Tissue & Breast Plastic Procedures
269	Other Skin, Subcut Tiss & Breast Proc w/ CC
270	Other Skin, Subcut Tiss & Breast Proc w/o CC
271	Skin Ulcers
272	Major Skin Disorders w/ CC
273	Major Skin Disorders w/o CC
274	Malignant Breast Disorders w/ CC
275	Malignant Breast Disorders w/o CC
276	Non-malignant Breast Disorders

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
277	Cellulitis Age >17 w/ CC
278	Cellulitis Age >17 w/o CC
279	Cellulitis Age 0-17
280	Trauma to the Skin, Subcut Tiss & Breast Age >17 w/ CC
281	Trauma to the Skin, Subcut Tiss & Breast Age >17 w/o CC
282	Trauma to the Skin, Subcut Tiss & Breast Age 0-17
283	Minor Skin Disorders w/ CC
284	Minor Skin Disorders w/o CC
285	Amputat of Lower Limb for Endocrine, Nutrit & Metabol Disorders
286	Adrenal & Pituitary Procedures
287	Skin Grafts & Wound Debrid for Endoc, Nutrit & Metab Disorders
288	O.R. Procedures for Obesity
289	Parathyroid Procedures
290	Thyroid Procedures
291	Thyroglossal Procedures
292	Other Endocrine, Nutrit & Metab O.R. Proc w/ CC
293	Other Endocrine, Nutrit & Metab O.R. Proc w/o CC
294	Diabetes Age > 35
295	Diabetes Age 0-35
296	Nutritional & Misc Metabolic Disorders Age >17 w/ CC
297	Nutritional & Misc Metabolic Disorders Age >17 w/o CC
298	Nutritional & Misc Metabolic Disorders Age 0-17
299	Inborn Errors of Metabolism
300	Endocrine Disorders w/ CC
301	Endocrine Disorders w/o CC
302	Kidney Transplant
303	Kidney, Ureter & Major Bladder Procedures for Neoplasm
304	Kidney, Ureter & Major Bladder Proc for Non-neopl w/ CC
305	Kidney, Ureter & Major Bladder Proc for Non-neopl w/o CC
306	Prostatectomy w/ CC
307	Prostatectomy w/o CC
308	Minor Bladder Procedures w/ CC
309	Minor Bladder Procedures w/o CC
310	Transurethral Procedures w/ CC
311	Transurethral Procedures w/o CC
312	Urethral Procedures Age >17 w/ CC
313	Urethral Procedures Age >17 w/o CC
314	Urethral Procedures Age 0-17
315	Other Kidney & Urinary Tract O.R. Procedures
316	Renal Failure
317	Admit for Renal Dialysis
318	Kidney & Urinary Tract Neoplasms w/ CC
319	Kidney & Urinary Tract Neoplasms w/o CC
320	Kidney & Urinary Tract Infections Age >17 w/ CC
321	Kidney & Urinary Tract Infections Age >17 w/o CC
322	Kidney & Urinary Tract Infections Age 0-17
323	Urinary Stones w/ CC, &/or ESW Lithotripsy
324	Urinary Stones w/o CC
325	Kidney & Urinary Tract Signs & Symptoms Age >17 w/ CC
326	Kidney & Urinary Tract Signs & Symptoms Age >17 w/o CC
327	Kidney & Urinary Tract Signs & Symptoms Age 0-17
328	Urethral Stricture Age >17 w/ CC
329	Urethral Stricture Age >17 w/o CC
330	Urethral Stricture Age 0-17
331	Other Kidney & Urinary Tract Diagnoses Age >17 w/ CC
332	Other Kidney & Urinary Tract Diagnoses Age >17 w/o CC

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
333	Other Kidney & Urinary Tract Diagnoses Age 0-17
334	Major Male Pelvic Procedures w/ CC
335	Major Male Pelvic Procedures w/o CC
336	Transurethral Prostatectomy w/ CC
337	Transurethral Prostatectomy w/o CC
338	Testes Procedures, for Malignancy
339	Testes Procedures, Non-malignancy Age > 17
340	Testes Procedures, Non-malignancy Age 0-17
341	Penis Procedures
342	Circumcision Age > 17
343	Circumcision Age 0-17
344	Other Male Reproductive System O.R. Procedures for Malignancy
345	Other Male Reproductive System O.R. Proc except for Malignancy
346	Malignancy, Male Reproductive System, w/ CC
347	Malignancy, Male Reproductive System, w/o CC
348	Benign Prostatic Hypertrophy w/ CC
349	Benign Prostatic Hypertrophy w/o CC
350	Inflammation of the Male Reproductive System
351	Sterilization, Male
352	Other Male Reproductive System Diagnoses
353	Pelvic Evisceration, Radical Hysterectomy & Radical Vulvectomy
354	Uterine, Adnexa Proc for Non-ovarian Adnexal Malig w/ CC
355	Uterine, Adnexa Proc for Non-ovarian Adnexal Malig w/o CC
356	Female Reproductive System Reconstructive Procedures
357	Uterine & Adnexa Proc for Ovarian or Adnexal Malignancy
358	Uterine & Adnexa Proc for Non-malignancy w/ CC
359	Uterine & Adnexa Proc for Non-malignancy w/o CC
360	Vagina, Cervix & Vulva Procedures
361	Laparoscopy & Incisional Tubal Interruption
362	Endoscopic Tubal Interruption
363	D&C, Conization & Radio-implant, for Malignancy
364	D&C, Conization except for Malignancy
365	Other Female Reproductive System O.R. Procedures
366	Malignancy, Female Reproductive System w/ CC
367	Malignancy, Female Reproductive System w/o CC
368	Infections, Female Reproductive System
369	Menstrual & Other Female Reproductive System Disorders
370	Cesarean Section w/ CC
371	Cesarean Section w/o CC
372	Vaginal Delivery w/ Complicating Diagnoses
373	Vaginal Delivery w/o Complicating Diagnoses
374	Vaginal Delivery w/ Sterilization & or D&C
375	Vaginal Delivery w/ O.R. Proc except Steril & or D&C
376	Postpartum & Post Abortion Diagnoses w/o O.R. Procedure
377	Postpartum & Post Abortion Diagnoses w/ O.R. Procedure
378	Ectopic Pregnancy
379	Threatened Abortion
380	Abortion w/o D&C
381	Abortion w/ D&C, Aspiration Curettage or Hysterotomy
382	False Labor
383	Other Antepartum Diagnoses w/ Medical Complications
384	Other Antepartum Diagnoses w/o Medical Complications
385	Neonates, Died or Transferred to Another Acute Care Facility (Table Excluded)
386	Extreme Immaturity or Respiratory Distress Syndrome, Neonate
387	Prematurity w/ Major Problems

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
388	Prematurity w o Major Problems
389	Full Term Neonate w Major Problems
390	Neonate w Other Significant Problems
391	Normal Newborn
392	Splenectomy Age > 17
393	Splenectomy Age 0-17
394	Other O.R. Procedures of the Blood And Blood Forming Organs
395	Red Blood Cell Disorders Age > 17
396	Red Blood Cell Disorders Age 0-17
397	Coagulation Disorders
398	Reticuloendothelial & Immunity Disorders w CC
399	Reticuloendothelial & Immunity Disorders w o CC
400	Lymphoma & Leukemia w Major O.R. Procedure
401	Lymphoma & Non-acute Leukemia w Other O.R. Proc w CC
402	Lymphoma & Non-acute Leukemia w Other O.R. Proc w o CC
403	Lymphoma & Non-acute Leukemia w CC
404	Lymphoma & Non-acute Leukemia w o CC
405	Acute Leukemia w o Major O.R. Procedure Age 0-17
406	Myeloprolif Disord or Poorly Diff Neopl w Maj O.R. Proc w CC
407	Myeloprolif Disord or Poorly Diff Neopl w Maj O.R. Proc w o CC
408	Myeloprolif Disord or Poorly Diff Neopl w Other O.R. Proc
409	Radiotherapy
410	Chemotherapy
411	History of Malignancy w o Endoscopy
412	History of Malignancy w Endoscopy
413	Other Myeloprolif Dis or Poorly Diff Neopl Diag w CC
414	Other Myeloprolif Dis or Poorly Diff Neopl Diag w o CC
415	O.R. Procedure for Infectious & Parasitic Diseases
416	Septicemia Age > 17
417	Septicemia Age 0-17
418	Postoperative & Post-traumatic Infections
419	Fever of Unknown Origin Age >17 w CC
420	Fever of Unknown Origin Age >17 w o CC
421	Viral Illness Age > 17
422	Viral Illness & Fever of Unknown Origin Age 0-17
423	Other Infectious & Parasitic Diseases Diagnoses
424	O.R. Procedure w Principal Diagnoses of Mental Illness
425	Acute Adjust React & Disturbances of Psychosocial Dysfunction
426	Depressive Neuroses
427	Neuroses except Depressive
428	Disorders of Personality & Impulse Control
429	Organic Disturbances & Mental Retardation
430	Psychoses
431	Childhood Mental Disorders
432	Other Mental Disorder Diagnoses
433	Alcohol/Drug Abuse or Dependence, Left AMA (Table Excluded)
434	Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w CC
435	Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w o CC
436	Alc/Drug Dependence w/ Rehabilitation Therapy
437	Alc/Drug Dependence, Combined Rehab & Detox Therapy
438	No Longer Valid (Table Excluded)
439	Skin Grafts for Injuries
440	Wound Debridements for Injuries
441	Hand Procedures for Injuries
442	Other O.R. Procedures for Injuries w CC
443	Other O.R. Procedures for Injuries w o CC

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
444	Traumatic Injury Age >17 w CC
445	Traumatic Injury Age >17 w o CC
446	Traumatic Injury Age 0-17
447	Allergic Reactions Age >17
448	Allergic Reactions Age 0-17
449	Poisoning & Toxic Effects of Drugs Age >17 w CC
450	Poisoning & Toxic Effects of Drugs Age >17 w o CC
451	Poisoning & Toxic Effects of Drugs Age 0-17
452	Complications of Treatment w CC
453	Complications of Treatment w o CC
454	Other Injury, Poisoning & Toxic Effect Diag w CC
455	Other Injury, Poisoning & Toxic Effect Diag w o CC
456	Burns, Transferred to Another Acute Care Facility (Table Excluded)
457	Extensive Burns w o O.R. Procedure
458	Non-extensive Burns w Skin Graft
459	Non-extensive Burns w Wound Debridement or Other O.R. Proc
460	Non-extensive Burns w o O.R. Procedure
461	O.R. Proc w Diagnoses of Other Contact w Health Services
462	Rehabilitation
463	Signs & Symptoms w CC
464	Signs & Symptoms w o CC
465	Aftercare w History of Malignancy As Secondary Diagnosis
466	Aftercare w o History of Malignancy As Secondary Diagnosis
467	Other Factors Influencing Health Status (Table Excluded)
468	Extensive O.R. Procedure Unrelated to Principal Diagnosis (Table Excluded)
469	Principal Diagnosis Invalid As Discharge Diagnosis (Table Excluded)
470	Ungroupable (Table Excluded)
471	Bilateral or Multiple Major Joint Procs of Lower Extremity
472	Extensive Burns w O.R. Procedure
473	Acute Leukemia w o Major O.R. Procedure Age > 17
474	No Longer Valid (Table Excluded)
475	Respiratory System Diagnosis with Ventilator Support
476	Prostatic O.R. Procedure Unrelated to Principal Diagnosis (Table Excluded)
477	Non-extensive O.R. Procedure Unrelated to Principal Diagnosis (Table Excluded)
478	Other Vascular Procedures w CC
479	Other Vascular Procedures w o CC
480	Liver Transplant
481	Bone Marrow Transplant
482	Tracheostomy w Mouth, Larynx or Pharynx Disorder
483	Tracheostomy Except for Mouth, Larynx or Pharynx Disorder
484	Craniotomy for Multiple Significant Trauma
485	Limb Reattach., Hip and Femur Procs for Multi Sign Trauma
486	Other O.R. Procedures for Multiple Significant Trauma
487	Other Multiple Significant Trauma
488	HIV w Extensive O.R. Procedure
489	HIV w Major Related Condition
490	HIV w or w o Other Related Condition

BH465-5.4



United States, Southern Region, 1989-90

Healthcare Knowledge Resources
Ann Arbor, Michigan
March, 1991

LENGTH OF STAY BY DRG AND PAYMENT SOURCE

This volume is one of five books in the Length of Stay by DRG and Payment Source series:

Length of Stay by DRG and Payment Source, United States, 1989-90
ISSN 1043-9285

Length of Stay by DRG and Payment Source, Northeastern Region, 1989-90
ISSN 1043-9307

Length of Stay by DRG and Payment Source, North Central Region, 1989-90
ISSN 1043-9323

Length of Stay by DRG and Payment Source, Southern Region, 1989-90
ISSN 1043-9293

Length of Stay by DRG and Payment Source, Western Region, 1989-90
ISSN 1043-9315

For further information, please contact Healthcare Knowledge Resources, P.O. Box 303, Ann Arbor, Michigan 48106-0303, or call 800-521-6210.

Statistics reported in this volume are drawn from individual patient discharge records for the time period July 1, 1989 through June 30, 1990. Neither the Commission on Professional and Hospital Activities (CPHA) nor Healthcare Knowledge Resources assumes any liability for any use, furnishing, analysis, interpretation, conclusions, or utilization review decisions based on data reported herein. Any such liability shall be the responsibility of the user of the data, who agrees to hold CPHA or Healthcare Knowledge Resources harmless from any damages, litigation, liability or claimed liability, claims, and any expenses including legal expenses incident thereto resulting from any such use, furnishing, analysis, interpretation, conclusions, or utilization review decisions.

Copyright 1991 by Healthcare Knowledge Resources, Ann Arbor, Michigan, based on data from the Commission on Professional and Hospital Activities. Printed in the United States of America.

All rights reserved. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any other form, or by any other means, or stored in a database or retrieval system, without prior written permission of the publisher.

CONTENTS

Introduction v

Description of the Database vi

Source of the Data
Data Quality
Hospital Characteristics
Projecting to the Universe

Organization of the Tables x

Diagnosis Related Groups
Expected Principal Payment Source
Presence or Absence of Complications and Comorbidities (CCs)
Patient Age and/or Birth Weight

Explanation of the Statistics xii

Total Number of Patients
Average Length of Stay
Variance
Percentiles
Subtotal and Grand Total

Using the Tables xiii

Length of Stay Tables 1

Appendix 1: 1989-90 Hospital Characteristics 481

Appendix 2: State Inclusions By Region 482

Appendix 3: Diagnosis Related Groups 483

ACKNOWLEDGEMENTS

1989-90 LENGTH OF STAY BY DRG AND PAYMENT SOURCE SERIES

PROJECT TEAM

Jennifer Goewey, Publications Specialist, Normative Products

Information Services
Joyce Beach, Senior Programmer Analyst
Lale Olson, Senior Electronic Publishing Analyst
Jan Sweet, Electronic Publishing Analyst

Additionally, the following individuals made valuable contributions to the development of this publication:

Nancy Ramirez, Medical Systems Specialist, Healthcare Knowledge Resources
Linda Vanek, Manager, Normative Products, Healthcare Knowledge Resources.

We offer a special thank-you to the following individuals for their assistance:

Clyde McCollum and Donna Witkowski.

Finally, we gratefully acknowledge the hospitals and state organizations that support this and other publications by making their data available.

INTRODUCTION

Healthcare Knowledge Resources is the official vendor and distributor of products derived from the clinical research and classification development activities of the Commission on Professional and Hospital Activities (CPHA). Now in its fourth decade as a reliable source for clinical record information, CPHA retains ownership of its databases and classification systems while Healthcare Knowledge Resources develops and markets high quality, information-oriented products and services to the healthcare industry and related fields.

Length of Stay data have been available from CPHA since 1963. This book is one volume in a set of five books presenting statistics on hospital stay during 1989-90 in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from other organizations contributing to CPHA are also included in the series.

The *Length of Stay by DRG and Payment Source* series has been designed as a companion to the standard reference, *Length of Stay by Diagnosis and Operation*, to provide length of stay data by another patient classification system. *Length of Stay by DRG and Payment Source* is designed to assist the healthcare professional in utilization review and other cost containment and evaluation activities.

Notable differences between the *Length of Stay by DRG and Payment Source* series and the *Length of Stay by Diagnosis and Operation* series are primarily with the data source. Data used for the *Length of Stay by DRG and Payment Source* series have been projected to the universe of short-term, nonfederal general hospitals based on patient records from 492 hospitals. A detailed description of the projection methodology is given on page viii. It is important to keep in mind that the numbers and calculations in *Length of Stay by DRG and Payment Source* represent projections rather than actual numbers.

The *Length of Stay by DRG and Payment Source* series is enhanced by providing length of stay data by the following four principal payment sources: Medicare, Medicaid, Blue Cross/Private Insurance, and No Insurance. This allows for comparison of length of stay by clinical condition and patient age among the major healthcare reimbursement systems.

Healthcare Knowledge Resources offers a range of information products, available through books, magnetic media, and educational seminars. In addition to *Length of Stay by DRG and Payment Source*, other titles in the Cost Containment Series include: *Psychiatric Length of Stay* and *Length of Stay by Diagnosis and Operation*. Each series is available on an annual basis for the United States, Northeastern, North Central, Southern, and Western regions. Pediatric Length of Stay (19 years and under) and Geriatric Length of Stay (65 years and over) are also available in the Diagnosis and Operation series for the United States.

These statistics, also available on magnetic tape and diskette, provide a valuable perspective for utilization review, quality assurance professionals, physicians, consultants, hospital administrators, third party payors, and researchers interested in cost containment and quality care.

DESCRIPTION OF THE DATABASE

Source of the Data

Data in the *Length of Stay by DRG and Payment Source* tables were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS). In addition, discharge data from hospitals participating in information systems other than PAS are included.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer or magnetic tape.
2. The disk or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected.
4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.
5. Data are standardized to create an aggregated patient record base.

Annually these data are utilized to create the *Length of Stay by DRG and Payment Source* series and other reference tools.

Data Quality

Data quality is a primary concern. Although the hospital has basic responsibility for the quality of PAS data, considerable effort is exerted to prevent and correct errors. Over 600 automated checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, numerous edits are done to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death, stillborn
2. admission from other short-term hospital
3. discharge to other short-term hospital
4. discharge against medical advice

Hospital Characteristics

Data chosen for inclusion in the *Length of Stay by DRG and Payment Source* series are from general, nonfederal, short-term hospitals in the United States with twelve complete months of discharge data beginning July 1, 1989. The American Hospital Association (AHA)[1] defines these characteristics in the following manner:

General – The primary function of the institution is to provide patient services, diagnostic and therapeutic, for a variety of medical conditions.

Nonfederal –Controlled by state, county, city, city-county, hospital district or authority, church.

Short-term – The average length of stay for all patients is less than 30 days, or over 50 percent of all patients are admitted to units where the average length of stay is less than 30 days.

Most data used in the Length of Stay tables are from hospitals participating in PAS. In addition, the following organizations have sent data: Colorado Hospital Association, Hospital Association of New York State, Michigan Hospital Association, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), New Hampshire Hospital Association, Oregon Hospital Association, Southern Kaiser Foundation Hospitals, Vermont Hospital Association, and Wyoming Hospital Association. Several individual hospitals throughout the United States have also sent data for special studies.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from long-term specialty institutions, e.g., long-term psychiatric or rehabilitation facilities, are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

The characteristics of all hospitals with discharge data included in the Length of Stay books are displayed in Appendix 1.

[1]American Hospital Association Guide to the Health Care Field, 1989.

Projecting to the Universe

To make the *LOS by DRG and Payment Source* sample reflect the activity of U.S. nonfederal, short-term general hospitals the following steps are taken:

Step 1 - Stratification

First, the hospitals are stratified by factors known to affect inpatient utilization. The two factors used are teaching intensity and geographical region:

A. **Teaching Intensity** is determined by a weighted index measuring program intensity created by Phillip and Hai[1]. The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by the Joint Commission on Accreditation of Healthcare Organizations (JCA)
- Cancer Program approved by the American College of Surgeons (CP)
- Residency approved by the American Medical Association (RES)
- Medical School Affiliation reported by the American Medical Association (MS)
- Hospital-controlled professional nursing school, reported by the National League for Nursing (PNS)
- Member of the Council of Teaching Hospitals of the Association of American Medical Colleges (COT)

Based on this index, hospitals are classified by one of three teaching status groups:

- Low Teaching Intensity Hospitals
- Medium Teaching Intensity Hospitals
- High Teaching Intensity Hospitals

The statistical formula is:

$$Ip = 9.9(JCA) + 14.0(CP) + 28.0(RES) + 14.7(MS) + 13.3(PNS) + 20.1(COT)$$

The numerical values in the formula are weights that have been assigned to each of the approvals incorporated in the index.

For the *Length of Stay by DRG and Payment Source* series the following cut-offs are used to stratify hospitals by teaching status:

Ip value under 25.0	Nonteaching Institution (low teaching intensity)
Ip value 25.0+	Teaching Institution (medium/high teaching intensity)

[1] Phillip P., J., and Hai, Abdul, *An Index of Programs for Hospitals*, American Hospital Association, Chicago, Illinois, 1976.

B. **Census Division** places the 50 states and the District of Columbia into nine geographical areas defined by the U.S. Department of Commerce, Bureau of the Census. These nine divisions and their corresponding regions are:

Region	Division
Northeast	New England
	Mid Atlantic
North Central	East North Central
	West North Central
South	South Atlantic
	East South Central
	West South Central
West	Mountain
	Pacific

A list of the states included in each region is provided in Appendix 2.

Step 2 - Projection

A matrix is constructed which identifies the number of actual discharges from hospitals by program intensity (nonteaching and teaching) and geographical region (Northeast, North Central, South, West). A projection factor is calculated for each cell within the matrix. This factor is calculated as follows:

$$\text{Projection Factor} = \frac{\text{Total discharges from the universe}}{\text{Number of actual discharges in LOS DRG sample}}$$

Each projection factor is multiplied by the number of actual discharges in a particular cell. The resulting numbers represent estimated patient discharges, the sum of which approximates total July 1989 through June 1990 discharges from the U.S. nonfederal, short-term, general hospital universe.

ORGANIZATION OF THE TABLES

The data are stratified by DRG, principal payment source, presence or absence of complications and comorbidities (CCs), and by age ranges.

Diagnosis Related Groups (DRGs)

There are 490 DRGs in the *1989-90 LOS by DRG and Payment Source* series. These DRGs are based on the seventh revision (version 8), effective October 1, 1990. Appendix 3 provides a list of all DRGs for the seventh revision.

Some DRGs have been excluded because they include invalid, ungroupable, or inappropriate categories for examining length of stay. The excluded DRGs are:

DRG Number	English Description
109	(No longer valid)
123	Circulatory Disorders w/AMI, Expired
385	Neonates, Died or Transferred to Another Acute Care Facility
433	Alcohol/Drug Abuse or Dependence, Left Against Medical Advice
438	(No longer valid)
456	Burns, Transferred to Another Acute Care Facility
467	Other Factors Influencing Health Status
468	Extensive Operating Room Procedure Unrelated to Principal Diagnosis
469	Principal Diagnosis Invalid as Discharge Diagnosis
470	Ungroupable
474	(No longer valid)
476	Prostatic Operating Room Procedure Unrelated to Principal Diagnosis
477	Non-extensive Operating Room Procedure Unrelated to Principal Diagnosis

A table is not displayed for the excluded DRGs listed above. Additionally, new ICD-9-CM procedure codes were created 10/1/89 for grouping to DRGs 436 and 437 (Alcohol/Drug Dependence with Rehab Therapy and Alcohol/Drug Dependence, Combined Rehab and Detox Therapy). Patient records used in this series include three months of discharges prior to the addition of the new codes. As a result, only nine months of patient records (from 10/01/89 - 6/30/90) have been grouped to DRGs 436 and 437.

Expected Principal Payment Source

For each DRG, there are four tables corresponding to one of four expected principal payment sources:

1. Medicare
2. Blue Cross/Blue Shield and Private Insurance
3. Medicaid
4. No Insurance

The 'No Insurance' category represents a collapsing of the following payment categories from the PAS abstract: 'Self Pay', 'Other', and 'No Charge'. These three payment categories have not been used consistently by all hospitals contributing data, and therefore this category should be interpreted with some caution.

Presence or Absence of Complications and Comorbidities (CCs)

To determine the presence of complications or comorbidities (CCs), a patient's secondary diagnoses are compared to those specific ICD-9-CM diagnosis codes defined by the Health Care Financing Administration (HCFA) as CCs.

HCFA definitions are:

- A complication is a condition that arises during the hospital stay that prolongs length of stay by at least one day in approximately 75 percent of the cases.
- A comorbidity is a pre-existing condition that will, because of its presence with a specific diagnosis, cause an increase in length of stay by at least one day in approximately 75 percent of the cases.

Determination of the existence of CCs corresponds to the DRG version effective October 1, 1990.

Patient Age and/or Birth Weight

Patient discharges in the Medicare payment source category are in one of the following age groups, recorded in years:

0 - 69
70 - 74
75 - 79
80 - 84
85+

The other three payment source age groups are collapsed as follows:

0 - 17
18 - 34
35 - 49
50 - 69
70+

For DRGs 386 - 391, which classify neonates, the age range is replaced by a birth weight range, recorded in grams. The categories are as follows:

1 - 999
1000 - 1499
1500 - 1749
1750 - 2499
2500 +

All discharge records for newborns and neonates with an unrecorded birth weight have been excluded.

EXPLANATION OF THE STATISTICS

The statistics are displayed by total number of patients, average length of stay, variance, and distribution percentiles. In addition, two subtotals and a grand total are included. Since the *LOS by DRG and Payment Source* series is drawn from patient discharges from 492 hospitals and then projected to the universe of U.S. hospitals, *the numbers and calculations represent projections rather than actual numbers.* One actual patient discharge represents multiple projected patients; the average projection factor is 10.6. If the total number of patients listed is based on five or fewer *actual* discharges, the percentile distribution columns are left blank.

Total Number of Patients

This number represents the total number of projected patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the lengths of stay for all projected patients and then dividing by the total number of projected patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. The smallest variance is zero, indicating all lengths of stay are equal.

When using tables in which there is a large variance, and the projected patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of projected patients is determined by arranging the projected patient stays from low to high. Counting up from the lowest stay to the point where half of the projected patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total projected patients gives the 10th percentile, and so on.

The 10th, 25th, 50th, 75th, 90th, and 95th percentiles of stay are displayed in days. If, for example, the 25th percentile for a group of projected patients is four, it means 25 percent of the projected patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients. (If a line of data consists solely of stays of 99+ days, the discharges in that line will be excluded from all portions of the table.)

Subtotal and Grand Total

The subtotal represents the total projected patients in one of the two complication and comorbidity groups, within each payment source. The grand total represents the total number of projected patients in the payment source categories. In cases where a total is off by one patient, it is the result of rounding the projections.

USING THE TABLES

The Length of Stay series can be used as a valuable supplement and reference in a variety of healthcare settings. Use of hospital stay data as an inpatient utilization measure allows the healthcare professional to compare regional and national norms to an individual institution or special population. The Length of Stay series assists in:

- projecting extended stay reviews;
- identifying candidates for utilization review;
- establishing baselines;
- developing forecasts; and
- service planning.

The following steps are intended to provide a guide in situations where a healthcare professional wishes to determine a reasonable length of stay by using one of the Length of Stay regional or national volumes:

Step 1: Consult Appendix 3 at the back of the book for the particular DRG to be reviewed.

Step 2: Find the corresponding table in the book. The DRG number precedes the title of each table.

Step 3: Find the appropriate portion of the table for review:

- Payment Source
- Complication/Comorbidity Status
- Age Group

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total stratified patient sample (Grand Total) and its variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

A sample table with descriptions of table elements is provided on page xiv.

These general steps can be followed, with more specific applications, by healthcare professionals in many diverse settings.

Length of Stay by DRG and Payment Source

Sample Table

DRG number and title

Payment source

DRG 1: Craniotomy Age >17 except for Trauma

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/CCs									
AGE GROUP									
0-69 (YRS.)	4827	19.3	238	6	9	15	24	42	58
70-74	3670	18.9	190	6	9	15	25	39	50
75-79	2887	19.4	184	7	10	16	23	39	48
80-84	1435	17.9	175	6	8	14	26	45	55
85 +	776	19.3	232	7	12	15	23	29	62
SUBTOTAL	**13594**	**19.0**	**207**	**6**	**9**	**15**	**24**	**40**	**50**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2607	10.0	62	4	6	8	12	18	24
70-74	1924	10.9	75	4	6	8	14	19	25
75-79	1360	10.3	38	4	6	9	13	17	19
80-84	727	10.0	43	4	6	8	14	19	21
85 +	437	10.4	42	5	7	9	11	14	30
SUBTOTAL	**7054**	**10.3**	**58**	**4**	**6**	**8**	**13**	**18**	**24**
GRAND TOTAL	**20648**	**16.1**	**173**	**5**	**8**	**12**	**20**	**34**	**46**

Presence or absence of Complications/ Comorbidities

Length of stay (in days) by percentile

Patient age group

(Note: Age groups for Medicare differ from those for Medicaid, Blue Cross/Private Insurance, and No Insurance)

Total number of projected patients

DRG Length of Stay Tables

All DRGS

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	749241	8.2	65	2	4	6	10	16	22
70-74	475541	8.4	64	2	4	6	10	16	22
75-79	461382	9.0	69	3	4	7	11	18	24
80-84	350768	9.2	67	3	4	7	11	18	24
85+	317853	9.7	72	3	5	7	12	18	25
SUBTOTAL	**2354785**	**8.7**	**67**	**2**	**4**	**7**	**11**	**17**	**23**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	324862	5.5	31	1	2	4	7	10	15
70-74	184749	5.3	23	1	2	4	7	10	13
75-79	164677	5.5	23	1	2	4	7	11	14
80-84	109543	6.0	28	1	3	5	8	12	15
85+	86386	6.3	28	2	3	5	8	12	15
SUBTOTAL	**870216**	**5.6**	**27**	**1**	**2**	**4**	**7**	**11**	**14**
GRAND TOTAL	**3225001**	**7.9**	**58**	**2**	**3**	**6**	**10**	**15**	**21**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	238269	6.2	84	1	2	3	6	13	22
18-34	226223	5.6	49	2	2	4	6	11	17
35-49	260066	6.7	56	2	3	5	8	13	20
50-69	420460	7.4	56	2	3	5	9	14	20
70+	26059	8.5	67	2	4	6	10	17	23
SUBTOTAL	**1171077**	**6.7**	**61**	**2**	**3**	**4**	**8**	**13**	**20**
0-17	1027302	3.3	18	1	2	2	3	5	7
18-34	1057648	3.3	15	1	2	2	4	5	7
35-49	622437	4.1	18	1	2	3	5	7	10
50-69	494135	4.3	16	1	2	3	5	8	11
70+	12825	4.9	19	1	2	4	7	10	14
SUBTOTAL	**3214346**	**3.6**	**17**	**1**	**2**	**3**	**4**	**6**	**9**
GRAND TOTAL	**4385424**	**4.4**	**31**	**1**	**2**	**3**	**5**	**8**	**12**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	170166	7.2	108	2	2	4	7	15	27
18-34	146480	5.8	52	2	2	4	6	11	18
35-49	64811	8.0	73	2	3	5	9	17	26
50-69	96159	8.6	81	2	4	6	10	18	27
70+	11579	9.4	77	3	5	8	12	27	99+
SUBTOTAL	**489194**	**7.2**	**82**	**2**	**3**	**4**	**8**	**15**	**25**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	682216	3.3	18	1	2	2	4	5	8
18-34	494470	3.2	12	1	2	2	3	5	7
35-49	67932	5.4	40	1	2	4	6	11	16
50-69	42035	5.7	28	1	3	4	7	11	15
70+	5280	6.4	45	2	3	5	9	15	99+
SUBTOTAL	**1291933**	**3.5**	**18**	**1**	**2**	**2**	**4**	**6**	**8**
GRAND TOTAL	**1781127**	**4.5**	**38**	**1**	**2**	**3**	**5**	**8**	**13**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	84759	6.7	101	1	2	4	7	15	26
18-34	128151	6.0	59	1	2	4	7	12	18
35-49	100283	7.2	62	2	3	5	8	15	21
50-69	101163	7.9	74	2	3	6	9	16	23
70+	6397	10.1	160	2	4	7	11	24	53
SUBTOTAL	**420753**	**6.9**	**74**	**1**	**2**	**4**	**8**	**15**	**22**
0-17	407096	3.1	14	1	2	2	3	5	7
18-34	366256	3.4	16	1	2	2	4	6	9
35-49	136138	4.5	25	1	2	3	5	9	12
50-69	79280	4.7	23	1	2	3	6	9	13
70+	3145	5.5	48	1	2	3	8	28	99+
SUBTOTAL	**991915**	**3.5**	**17**	**1**	**2**	**2**	**4**	**7**	**9**
GRAND TOTAL	**1412667**	**4.5**	**37**	**1**	**2**	**3**	**5**	**9**	**14**

DRG 1: Craniotomy Age >17 except for Trauma

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1849	19.4	188	8	10	16	25	35	47
70-74	1290	19.8	180	8	10	15	25	43	50
75-79	1163	21.0	222	8	10	17	25	44	50
80-84	433	21.3	319	6	8	14	36	48	61
85+	173	22.0	244	12	12	15	26	33	78
SUBTOTAL	**4909**	**20.1**	**208**	**8**	**10**	**15**	**25**	**43**	**50**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	939	9.5	39	4	6	8	10	17	24
70-74	615	13.4	90	4	7	13	16	21	30
75-79	400	10.4	33	5	8	9	12	16	17
80-84	183	8.0	12	5	6	8	8	14	19
85+	137	9.2	1	8	8	10	10	10	10
SUBTOTAL	**2274**	**10.6**	**50**	**4**	**7**	**8**	**13**	**18**	**24**
GRAND TOTAL	**7182**	**17.1**	**178**	**6**	**8**	**13**	**21**	**36**	**47**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	655	13.3	173	4	5	10	14	27	38
35-49	1065	13.9	134	6	7	10	16	27	40
50-69	1875	17.2	261	6	8	11	21	39	60
70+	73	10.1	5						
SUBTOTAL	**3668**	**15.4**	**207**	**5**	**8**	**10**	**18**	**35**	**43**
0-17	0								
18-34	865	8.0	35	3	5	7	9	14	16
35-49	1724	9.9	42	4	6	8	12	18	24
50-69	1727	9.9	34	4	6	8	12	18	22
70+	30	11.3	15						
SUBTOTAL	**4345**	**9.5**	**38**	**4**	**6**	**8**	**11**	**17**	**23**
GRAND TOTAL	**8014**	**12.2**	**124**	**4**	**7**	**9**	**14**	**23**	**34**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	253	15.1	279	3	5	13	17	31	34
35-49	296	18.2	242	5	7	10	25	51	53
50-69	296	24.8	284	11	14	20	34	37	70
70+	0								
SUBTOTAL	**846**	**19.6**	**284**	**5**	**8**	**15**	**25**	**37**	**53**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	313	9.4	28	4	5	8	11	19	20
35-49	153	24.2	430	4	5	14	55	55	55
50-69	60	7.7	28	3	5	7	19	99+	99+
70+	0								
SUBTOTAL	**526**	**13.5**	**192**	**4**	**5**	**8**	**18**	**29**	**55**
GRAND TOTAL	**1371**	**17.2**	**257**	**4**	**7**	**12**	**22**	**37**	**55**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	306	16.6	224	3	7	10	22	38	53
35-49	396	18.5	145	8	12	15	21	43	53
50-69	329	19.0	227	7	9	16	23	31	48
70+	0								
SUBTOTAL	**1031**	**18.1**	**195**	**4**	**9**	**15**	**23**	**40**	**52**
0-17	0								
18-34	319	10.7	80	4	6	9	13	16	25
35-49	356	13.6	94	4	7	10	23	25	34
50-69	360	13.8	75	3	7	12	22	29	29
70+	10	15.0							
SUBTOTAL	**1045**	**12.8**	**84**	**4**	**7**	**10**	**16**	**25**	**29**
GRAND TOTAL	**2076**	**15.4**	**146**	**4**	**7**	**13**	**20**	**31**	**43**

DRG 2: Craniotomy for Trauma Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	207	14.9	86	5	6	17	17	27	31
70-74	80	23.1	97	6	15	26	29	36	36
75-79	236	17.9	172	9	9	14	21	29	51
80-84	133	27.3	297	13	19	23	28	41	81
85+	103	22.7	235	12	13	13	32	40	63
SUBTOTAL	**759**	**19.9**	**190**	**6**	**10**	**17**	**26**	**35**	**51**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	40	8.8	24						
70-74	50	13.6	17						
75-79	103	10.6	37	5	9	9	10	18	27
80-84	20	9.0	1						
85+	20	5.5	2						
SUBTOTAL	**233**	**10.4**	**29**	**4**	**7**	**9**	**14**	**18**	**18**
GRAND TOTAL	**992**	**17.7**	**169**	**6**	**9**	**14**	**23**	**32**	**41**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	143	25.5	510	7	11	18	37	91	99+
35-49	70	17.7	136	3	11	18	19	43	43
50-69	157	19.4	127	9	10	17	28	28	48
70+	10	20.0							
SUBTOTAL	**380**	**21.4**	**279**	**7**	**10**	**18**	**28**	**48**	**91**
0-17	0								
18-34	250	10.9	81	3	6	7	15	28	28
35-49	180	10.6	43	6	7	8	14	14	34
50-69	210	8.5	28	3	3	9	15	15	16
70+	53	7.6	1						
SUBTOTAL	**694**	**9.9**	**50**	**3**	**6**	**8**	**14**	**20**	**28**
GRAND TOTAL	**1073**	**13.9**	**161**	**4**	**7**	**9**	**18**	**28**	**37**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	113	13.4	149	6	6	8	12	32	45
35-49	50	12.2	30						
50-69	30	10.3	24						
70+	0								
SUBTOTAL	**193**	**12.6**	**99**	**6**	**6**	**8**	**17**	**32**	**43**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	20	3.0	1						
35-49	30	21.3	311						
50-69	0								
70+	0								
SUBTOTAL	**50**	**14.0**	**267**						
GRAND TOTAL	**243**	**12.9**	**133**	**4**	**6**	**8**	**15**	**32**	**45**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	189	22.2	284	5	10	16	37	59	81
35-49	140	30.4	264	13	19	30	48	69	99+
50-69	43	12.0							
70+	0								
SUBTOTAL	**373**	**24.1**	**277**	**8**	**12**	**19**	**36**	**63**	**95**
0-17	0								
18-34	370	14.2	129	5	6	8	22	34	34
35-49	200	9.9	60	1	2	8	17	23	29
50-69	30	10.0	19						
70+	10	8.0							
SUBTOTAL	**610**	**12.5**	**104**	**2**	**6**	**8**	**19**	**34**	**34**
GRAND TOTAL	**982**	**16.9**	**201**	**4**	**7**	**12**	**25**	**39**	**56**

DRG 3: Craniotomy Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	2587	13.3	225	2	4	8	18	30	50
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**2587**	**13.3**	**225**	**2**	**4**	**8**	**18**	**30**	**50**
0-17	4485	6.6	46	2	3	4	7	14	18
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**4485**	**6.6**	**46**	**2**	**3**	**4**	**7**	**14**	**18**
	7072	**9.1**	**122**	**2**	**3**	**5**	**11**	**20**	**29**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	2099	11.9	191	2	4	6	15	30	48
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**2099**	**11.9**	**191**	**2**	**4**	**6**	**15**	**30**	**48**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	2631	6.7	58	2	3	5	7	15	22
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**2631**	**6.7**	**58**	**2**	**3**	**5**	**7**	**15**	**22**
GRAND TOTAL	**4730**	**9.0**	**124**	**2**	**3**	**5**	**9**	**23**	**38**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	951	13.7	191	3	4	8	20	33	44
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**951**	**13.7**	**191**	**3**	**4**	**8**	**20**	**33**	**44**
0-17	1499	6.2	53	2	3	4	6	12	18
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1499**	**6.2**	**53**	**2**	**3**	**4**	**6**	**12**	**18**
	2450	**9.1**	**120**	**2**	**3**	**5**	**10**	**26**	**33**

DRG 4: Spinal Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	496	14.6	169	6	7	9	15	34	47
70-74	140	21.3	150	4	9	23	33	36	40
75-79	187	11.1	14	6	9	10	14	14	21
80-84	83	26.3	54						
85 +	0								
SUBTOTAL	906	16.0	143	6	9	11	21	32	36
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	223	8.3	21	5	6	7	9	16	17
70-74	70	9.0	16	5	5	8	13	16	16
75-79	103	9.0	7	7	8	8	9	14	15
80-84	63	17.9	54						
85 +	0								
SUBTOTAL	459	9.9	32	5	6	8	13	21	21
GRAND TOTAL	1366	14.0	114	6	7	10	17	27	35

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	353	11.6	78	4	5	7	16	27	27
18-34	177	22.3	262	10	12	19	32	32	76
35-49	150	9.2	50	3	4	7	10	25	26
50-69	283	15.4	93	5	10	16	29	99 +	99 +
70 +	0								
SUBTOTAL	962	14.3	130	4	7	12	22	32	76
0-17	927	8.2	35	4	5	6	9	18	25
18-34	499	6.4	27	2	3	4	9	12	20
35-49	786	5.9	11	2	3	5	8	9	13
50-69	590	5.2	9	2	3	4	6	9	12
70 +	0								
SUBTOTAL	2802	6.6	23	2	4	5	8	11	17
GRAND TOTAL	3764	8.6	61	3	4	6	10	20	27

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	100	10.3	43	3	5	8	12	22	24
18-34	20	14.0	9						
35-49	73	13.1	2						
50-69	0								
70 +	0								
SUBTOTAL	193	11.7	26	5	8	12	15	20	23
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	309	8.7	43	4	5	6	10	24	24
18-34	40	6.0	7						
35-49	113	6.0	7	3	4	5	9	10	11
50-69	20	12.0	38						
70 +	0								
SUBTOTAL	482	8.0	34	3	5	6	9	18	24
GRAND TOTAL	675	9.1	34	3	5	7	12	18	24

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	90	13.6	62	5	7	10	23	25	25
18-34	70	20.4	377	4	7	13	34	62	62
35-49	123	14.0	60	8	8	10	17	27	32
50-69	93	16.8	370	5	7	7	9	54	54
70 +	0								
SUBTOTAL	376	15.8	201	5	7	9	19	34	54
0-17	209	11.5	71	4	5	7	20	25	25
18-34	90	6.7	15	2	3	5	10	13	13
35-49	120	5.6	16	2	3	4	7	13	14
50-69	70	6.7	22	< 1	< 1	6	12	14	14
70 +	0								
SUBTOTAL	489	8.5	47	2	4	5	12	23	25
GRAND TOTAL	865	11.7	127	3	5	8	14	25	32

DRG 5: Extracranial Vascular Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2399	8.4	54	3	4	6	10	14	19
70-74	2160	7.8	38	3	4	6	9	13	20
75-79	1874	8.9	26	4	5	8	10	15	17
80-84	489	8.2	23	4	5	7	9	16	17
85 +	327	12.4	55	5	6	12	15	22	26
SUBTOTAL	**7250**	**8.5**	**41**	**3**	**4**	**7**	**10**	**15**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1778	5.4	11	3	3	5	6	10	12
70-74	1636	5.0	11	3	3	4	6	8	9
75-79	1633	5.3	9	3	3	4	6	9	12
80-84	583	6.3	11	3	4	6	7	13	13
85 +	177	4.3	1	3	4	4	5	6	6
SUBTOTAL	**5808**	**5.3**	**10**	**3**	**3**	**4**	**6**	**9**	**12**
GRAND TOTAL	**13057**	**7.1**	**30**	**3**	**4**	**5**	**9**	**13**	**16**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	32.0							
18-34	43	6.0							
35-49	167	7.5	11	3	6	7	9	14	15
50-69	1363	6.7	13	3	4	6	9	11	15
70 +	197	5.7	9	3	4	5	7	10	14
SUBTOTAL	**1779**	**6.8**	**16**	**3**	**4**	**6**	**8**	**11**	**15**
0-17	43	5.0							
18-34	20	4.5	7						
35-49	480	4.7	8	3	3	4	6	8	12
50-69	1505	4.9	8	2	3	4	5	9	11
70 +	100	6.1	30	2	3	5	5	14	22
SUBTOTAL	**2148**	**4.9**	**9**	**2**	**3**	**4**	**5**	**8**	**11**
GRAND TOTAL	**3928**	**5.8**	**13**	**3**	**4**	**5**	**7**	**10**	**12**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	10	5.0							
18-34	0								
35-49	20	4.0							
50-69	73	7.5	22						
70 +	0								
SUBTOTAL	**103**	**6.6**	**18**	**4**	**4**	**6**	**6**	**10**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	10	3.0							
35-49	20	4.0							
50-69	123	3.5	3	2	2	4	4	4	8
70 +	0								
SUBTOTAL	**153**	**3.6**	**2**	**2**	**2**	**4**	**4**	**4**	**8**
GRAND TOTAL	**256**	**4.8**	**11**	**2**	**3**	**4**	**6**	**7**	**8**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	40	13.5	57						
35-49	10	18.0							
50-69	143	6.0	18	2	2	5	9	13	15
70 +	0								
SUBTOTAL	**193**	**8.2**	**39**	**2**	**3**	**6**	**13**	**18**	**23**
0-17	40	4.0	5						
18-34	113	2.1	3	1	1	1	3	5	6
35-49	83	26.5	463						
50-69	300	7.4	46	2	3	4	9	21	21
70 +	10	2.0							
SUBTOTAL	**546**	**8.8**	**157**	**1**	**2**	**3**	**7**	**21**	**47**
GRAND TOTAL	**739**	**8.7**	**127**	**1**	**2**	**4**	**9**	**21**	**47**

DRG 6: Carpal Tunnel Release

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	50	9.8	316						
70-74	30	5.0	33						
75-79	63	2.4	1						
80-84	0								
85 +	10	2.0							
SUBTOTAL	**153**	**5.3**	**119**	**< 1**	**< 1**	**1**	**3**	**13**	**45**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	263	1.2		< 1	< 1	< 1	1	1	2
70-74	199	1.0		< 1	< 1	< 1	< 1	< 1	1
75-79	193	1.0		< 1	< 1	< 1	< 1	1	1
80-84	60	1.1		< 1	< 1	< 1	< 1	2	2
85 +	40	1.0							
SUBTOTAL	**775**	**1.1**		**< 1**	**< 1**	**< 1**	**< 1**	**1**	**1**
GRAND TOTAL	**928**	**1.8**	**22**	**< 1**	**< 1**	**< 1**	**1**	**2**	**3**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	20	1.0							
35-49	93	2.0	2	1	1	2	2	6	6
50-69	53	4.6	1						
70 +	0								
SUBTOTAL	**167**	**2.7**	**3**	**1**	**1**	**2**	**5**	**5**	**6**
0-17	10	5.0							
18-34	330	1.2		< 1	< 1	< 1	1	2	2
35-49	732	1.1		< 1	< 1	< 1	1	1	2
50-69	502	1.0		< 1	< 1	< 1	< 1	1	1
70 +	10	1.0							
SUBTOTAL	**1584**	**1.1**		**< 1**	**< 1**	**< 1**	**1**	**1**	**2**
GRAND TOTAL	**1751**	**1.3**	**1**	**< 1**	**< 1**	**< 1**	**1**	**2**	**3**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	10	14.0							
18-34	0								
35-49	43	10.0							
50-69	0								
70 +	0								
SUBTOTAL	**53**	**10.7**	2						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	10	1.0							
18-34	63	1.0							
35-49	113	1.5		< 1	< 1	1	2	2	2
50-69	73	1.0							
70 +	0								
SUBTOTAL	**260**	**1.2**		**< 1**	**< 1**	**1**	**1**	**2**	**2**
GRAND TOTAL	**313**	**2.8**	**13**	**< 1**	**1**	**1**	**2**	**10**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	10	1.0							
18-34	10	2.0							
35-49	117	1.0							
50-69	20	1.0							
70 +	0								
SUBTOTAL	**157**	**1.1**		**< 1**	**1**	**1**	**1**	**1**	**2**
GRAND TOTAL	**157**	**1.1**		**< 1**	**1**	**1**	**1**	**1**	**2**

DRG 7: Periph & Cranial Nerve & Other Nerv Syst Proc w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	630	11.5	97	2	4	10	15	27	31
70-74	400	17.5	185	6	6	12	27	43	43
75-79	313	11.7	197	4	5	6	16	25	31
80-84	197	12.2	325	2	5	8	10	19	67
85 +	73	10.5	125						
SUBTOTAL	**1613**	**13.1**	**174**	**3**	**5**	**9**	**17**	**29**	**43**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1613**	**13.1**	**174**	**3**	**5**	**9**	**17**	**29**	**43**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	100	6.1	50	2	2	3	19	99 +	99 +
18-34	246	5.4	20	1	2	5	8	14	16
35-49	140	12.4	141	6	7	8	10	38	43
50-69	413	10.4	125	1	3	6	14	32	32
70 +	97	5.6	2						
SUBTOTAL	**996**	**8.5**	**89**	**1**	**3**	**6**	**10**	**32**	**38**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
GRAND TOTAL	**996**	**8.5**	**89**	**1**	**3**	**6**	**10**	**32**	**38**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	103	12.7	747	1	1	4	5	31	95
18-34	50	6.4	1						
35-49	30	6.7	17						
50-69	20	11.0	1						
70 +	0								
SUBTOTAL	**203**	**10.1**	**390**	**1**	**2**	**5**	**8**	**13**	**43**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**203**	**10.1**	**390**	**1**	**2**	**5**	**8**	**13**	**43**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	90	4.8	4	2	3	4	6	9	9
18-34	130	6.0	49	1	1	3	7	17	25
35-49	60	3.5	6	< 1	2	3	5	8	8
50-69	147	23.9	430	1	4	19	54	54	54
70 +	0								
SUBTOTAL	**426**	**11.5**	**245**	**1**	**2**	**5**	**17**	**51**	**54**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
GRAND TOTAL	**426**	**11.5**	**245**	**1**	**2**	**5**	**17**	**51**	**54**

DRG 8: Periph & Cranial Nerve & Other Nerv Syst Proc w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	442	3.4	12	< 1	1	2	5	10	10
70-74	183	2.5	6	< 1	1	2	2	7	10
75-79	223	3.4	22	1	1	2	3	5	14
80-84	80	3.5	20	< 1	1	2	3	15	15
85 +	73	7.2	14						
SUBTOTAL	**1002**	**3.5**	**15**	**< 1**	**1**	**2**	**4**	**10**	**12**
GRAND TOTAL	**1002**	**3.5**	**15**	**< 1**	**1**	**2**	**4**	**10**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	1125	3.3	14	1	1	3	4	5	8
18-34	972	3.4	20	1	1	3	3	6	8
35-49	1332	2.8	5	< 1	1	2	4	6	7
50-69	1339	2.9	8	< 1	1	2	4	5	6
70 +	43	2.0							
4812	**3.1**	**11**	**< 1**	**1**	**2**	**4**	**6**	**7**
4812	**3.1**	**11**	**< 1**	**1**	**2**	**4**	**6**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	432	7.4	180	1	1	2	9	17	27
18-34	90	8.3	49	2	2	7	11	21	21
35-49	60	2.3	3	1	1	2	4	5	5
50-69	10	12.0							
70 +	10	2.0							
SUBTOTAL	**602**	**7.0**	**140**	**1**	**1**	**2**	**8**	**17**	**23**
GRAND TOTAL	**602**	**7.0**	**140**	**1**	**1**	**2**	**8**	**17**	**23**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	472	4.6	27	1	1	3	4	18	18
18-34	583	3.1	10	1	1	2	4	6	8
35-49	213	4.6	18	1	1	2	8	12	12
50-69	100	3.8	12	1	1	3	5	9	13
70 +	0								
1368	**3.9**	**18**	**1**	**1**	**3**	**5**	**9**	**16**
1368	**3.9**	**18**	**1**	**1**	**3**	**5**	**9**	**16**

DRG 9: Spinal Disorders & Injuries

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	70	15.0	488	1	1	2	18	66	66
70-74	73	5.2	42						
75-79	40	8.0	23						
80-84	20	16.0	17						
85 +	0								
SUBTOTAL	**203**	**10.2**	**209**	**1**	**1**	**6**	**15**	**20**	**36**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	53	2.6	1						
70-74	20	6.0							
75-79	0								
80-84	0								
85 +	53	5.6	30						
SUBTOTAL	**127**	**4.4**	**15**	**3**	**3**	**3**	**3**	**6**	**17**
GRAND TOTAL	**330**	**8.0**	**142**	**1**	**1**	**3**	**9**	**18**	**20**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	40	6.5	17						
18-34	73	12.4	15						
35-49	10	5.0							
50-69	53	18.5	10						
70 +	10	14.0							
	187	**12.6**	**33**	**5**	**8**	**14**	**20**	**20**	**76**
0-17	110	7.6	159	1	1	2	9	11	46
18-34	230	5.0	20	2	3	4	7	7	7
35-49	80	8.4	137	< 1	1	3	9	38	38
50-69	73	2.8	1						
70 +	0								
	493	**5.8**	**70**	**1**	**2**	**3**	**6**	**11**	**24**
	680	**7.7**	**69**	**1**	**2**	**4**	**11**	**20**	**24**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	40	9.5	18						
18-34	73	12.7	69						
35-49	0								
50-69	10	83.0							
70 +	0								
SUBTOTAL	**123**	**17.4**	**431**	**3**	**10**	**10**	**14**	**31**	**83**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	133	11.5	131	2	2	8	23	26	36
18-34	20	6.0	4						
35-49	0								
50-69	10	10.0							
70 +	0								
SUBTOTAL	**163**	**10.7**	**110**	**2**	**2**	**8**	**16**	**26**	**36**
GRAND TOTAL	**286**	**13.6**	**258**	**2**	**2**	**10**	**16**	**31**	**36**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	50	28.0	1151						
18-34	63	22.2	52						
35-49	30	3.0	5						
50-69	10	12.0							
70 +	0								
	153	**19.7**	**476**	**1**	**6**	**20**	**26**	**94**	**99 +**
0-17	10	5.0							
18-34	210	3.7	20	2	2	2	3	6	10
35-49	30	2.3	2						
50-69	43	13.0							
70 +	0								
	293	**5.0**	**26**	**1**	**2**	**3**	**5**	**13**	**13**
	447	**10.0**	**228**	**1**	**2**	**3**	**13**	**26**	**26**

Southern Region, July 1989 - June 1990

DRG 10: Nervous System Neoplasms w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1756	9.9	59	2	4	8	14	20	25
70-74	1607	10.0	102	3	5	7	10	21	31
75-79	890	10.4	124	3	4	7	11	26	44
80-84	547	10.9	42	3	7	9	15	16	27
85 +	390	9.2	39	2	5	9	13	17	21
SUBTOTAL	**5191**	**10.0**	**80**	**3**	**4**	**7**	**14**	**20**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**5191**	**10.0**	**80**	**3**	**4**	**7**	**14**	**20**	**28**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	598	5.7	56	1	1	3	6	14	18
18-34	223	6.8	32	2	3	5	8	11	22
35-49	1043	6.8	41	2	3	4	9	14	15
50-69	2085	7.2	43	2	3	5	9	14	18
70 +	170	5.8	12	2	2	6	6	13	15
	4119	**6.8**	**43**	**2**	**3**	**5**	**9**	**14**	**18**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4119	**6.8**	**43**	**2**	**3**	**5**	**9**	**14**	**18**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	130	9.9	117	1	2	8	12	18	42
18-34	93	5.8	14	3	3	4	7	15	15
35-49	147	8.7	23	4	5	6	15	15	15
50-69	293	6.9	17	2	3	7	10	12	14
70 +	0								
SUBTOTAL	**662**	**7.7**	**39**	**2**	**3**	**7**	**11**	**15**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**662**	**7.7**	**39**	**2**	**3**	**7**	**11**	**15**	**15**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	150	5.2	22	1	2	3	7	14	16
18-34	50	9.6	82						
35-49	373	8.8	68	2	4	5	11	28	28
50-69	533	6.3	33	1	3	5	8	10	20
70 +	20	8.0	9						
	1125	**7.2**	**47**	**1**	**3**	**5**	**9**	**16**	**26**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1125	**7.2**	**47**	**1**	**3**	**5**	**9**	**16**	**26**

DRG 11: Nervous System Neoplasms w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	463	6.1	141	2	2	3	4	14	19
70-74	197	6.6	28	2	4	5	7	16	22
75-79	220	4.4	22	2	2	3	5	6	10
80-84	50	15.6	128						
85 +	97	3.2	1						
SUBTOTAL	**1026**	**6.0**	**86**	**2**	**2**	**3**	**5**	**12**	**19**
GRAND TOTAL	**1026**	**6.0**	**86**	**2**	**2**	**3**	**5**	**12**	**19**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	678	3.2	13	1	1	2	4	7	13
18-34	173	3.6	13	1	1	2	4	11	13
35-49	556	3.9	7	1	2	3	5	9	10
50-69	813	4.6	23	2	2	3	5	8	13
70 +	0								
2220	**3.9**	**16**	**1**	**2**	**3**	**5**	**8**	**12**	
2220	**3.9**	**16**	**1**	**2**	**3**	**5**	**8**	**12**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	273	6.6	59	1	1	5	7	17	29
18-34	53	7.1	4						
35-49	60	2.7	2	1	1	3	4	4	4
50-69	50	5.6	20						
70 +	0								
SUBTOTAL	**436**	**6.0**	**42**	**1**	**1**	**4**	**7**	**13**	**17**
GRAND TOTAL	**436**	**6.0**	**42**	**1**	**1**	**4**	**7**	**13**	**17**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	229	4.3	16	1	1	2	8	10	13
18-34	40	5.3	21						
35-49	133	3.4	2	2	2	3	4	5	7
50-69	60	9.7	159	< 1	2	4	9	37	37
70 +	10	2.0							
472	**4.8**	**34**	**1**	**2**	**3**	**5**	**10**	**13**	
472	**4.8**	**34**	**1**	**2**	**3**	**5**	**10**	**13**	

DRG 12: Degenerative Nervous System Disorders

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1077	10.5	89	2	3	6	17	25	34
70-74	823	12.5	186	2	4	8	17	50	71
75-79	1356	11.0	92	3	4	7	15	29	35
80-84	1078	11.5	95	5	5	7	16	23	24
85 +	878	12.2	153	4	5	8	14	28	59
SUBTOTAL	**5212**	**11.5**	**117**	**3**	**4**	**7**	**16**	**26**	**46**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	723	7.4	25	2	3	7	10	15	17
70-74	406	7.4	44	2	3	5	10	13	22
75-79	821	6.6	28	2	3	4	10	14	14
80-84	598	7.5	24	2	4	7	9	14	20
85 +	420	6.5	16	1	3	5	11	11	11
SUBTOTAL	**2967**	**7.1**	**27**	**2**	**3**	**6**	**10**	**14**	**17**
GRAND TOTAL	**8179**	**9.9**	**89**	**2**	**4**	**7**	**14**	**21**	**33**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	296	12.6	250	1	2	5	15	44	44
18-34	123	15.4	84	5	7	17	25	25	25
35-49	190	3.3	7	1	2	2	3	9	12
50-69	450	11.0	40	4	6	10	15	21	21
70 +	40	5.8	14						
SUBTOTAL	**1100**	**10.4**	**108**	**1**	**3**	**7**	**13**	**25**	**33**
0-17	482	3.9	7	1	2	3	5	8	10
18-34	266	5.4	14	1	2	5	6	12	14
35-49	286	6.5	28	2	3	5	8	15	16
50-69	333	5.9	17	1	3	6	8	12	14
70 +	10	2.0							
SUBTOTAL	**1378**	**5.2**	**16**	**1**	**2**	**4**	**7**	**12**	**14**
GRAND TOTAL	**2478**	**7.5**	**64**	**1**	**2**	**5**	**9**	**16**	**25**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	213	9.8	125	2	4	5	9	21	34
18-34	70	5.9	23	1	1	4	13	13	13
35-49	53	4.2	22						
50-69	90	10.8	24	7	8	10	99 +	99 +	99 +
70 +	107	15.4	97						
SUBTOTAL	**533**	**10.0**	**90**	**2**	**4**	**8**	**17**	**34**	**99 +**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	269	5.7	45	< 1	1	3	7	10	24
18-34	83	7.1	6						
35-49	83	23.2	389						
50-69	103	7.6	11	5	5	5	10	13	14
70 +	0								
SUBTOTAL	**539**	**9.0**	**123**	**1**	**3**	**5**	**9**	**24**	**42**
GRAND TOTAL	**1072**	**9.5**	**106**	**2**	**3**	**6**	**10**	**30**	**42**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	50	3.8	12						
18-34	93	11.9	267	3	3	3	13	57	57
35-49	63	13.4	1						
50-69	103	8.5	103	1	3	3	9	25	33
70 +	10	23.0							
SUBTOTAL	**320**	**10.2**	**128**	**1**	**3**	**8**	**14**	**23**	**33**
0-17	110	4.5	25	1	1	3	5	12	17
18-34	244	15.0	396	2	2	2	16	56	56
35-49	40	3.3	5						
50-69	30	5.0	5						
70 +	20	1.5							
SUBTOTAL	**443**	**10.0**	**255**	**1**	**2**	**3**	**12**	**17**	**56**
GRAND TOTAL	**763**	**10.1**	**201**	**1**	**2**	**3**	**13**	**23**	**56**

DRG 13: Multiple Sclerosis & Cerebellar Ataxia

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	393	9.0	6	6	7	9	11	12	13
70-74	140	7.3	3						
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**534**	**8.6**	**6**	**6**	**6**	**9**	**10**	**12**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	493	5.9	8	3	3	5	8	11	11
70-74	140	4.4	7						
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**633**	**5.6**	**8**	**2**	**3**	**5**	**7**	**11**	**11**
GRAND TOTAL	**1167**	**6.9**	**9**	**3**	**5**	**7**	**9**	**11**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	50	4.2	14						
18-34	183	10.5	87	2	3	10	13	27	37
35-49	337	9.7	51	2	4	6	14	17	27
50-69	123	13.2	100	2	5	12	26	26	26
70 +	0								
	693	**10.1**	**71**	**2**	**4**	**6**	**14**	**26**	**27**
0-17	187	4.4	10	2	3	4	5	10	15
18-34	472	5.9	19	2	3	4	8	15	15
35-49	636	5.7	15	2	3	5	8	10	14
50-69	130	3.4	3	1	2	3	5	6	6
70 +	0								
	1425	**5.4**	**15**	**2**	**3**	**4**	**7**	**10**	**15**
	2118	**7.0**	**38**	**2**	**3**	**5**	**9**	**15**	**19**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	30	7.7	22						
18-34	117	5.8	5						
35-49	20	9.5	21						
50-69	20	33.0	17						
70 +	0								
SUBTOTAL	**187**	**9.4**	**79**	**4**	**4**	**9**	**99 +**	**99 +**	**99 +**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	123	2.9	2	1	2	3	3	4	6
18-34	113	5.7	10	3	4	6	6	6	15
35-49	83	7.2	7						
50-69	10	7.0							
70 +	0								
SUBTOTAL	**330**	**5.1**	**9**	**2**	**3**	**4**	**6**	**7**	**12**
GRAND TOTAL	**516**	**6.7**	**38**	**3**	**4**	**6**	**11**	**99 +**	**99 +**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	6.0							
35-49	40	14.3	414						
50-69	43	2.0							
70 +	0								
	93	**7.7**	**208**	**2**	**2**	**2**	**4**	**49**	**49**
0-17	60	3.5	2	2	2	3	5	6	6
18-34	209	8.2	28	3	4	8	11	18	18
35-49	113	3.3	8	1	1	1	6	6	9
50-69	30	5.0	8						
70 +	0								
	412	**6.0**	**23**	**1**	**3**	**5**	**9**	**11**	**18**
	506	**6.3**	**57**	**1**	**2**	**4**	**9**	**11**	**18**

DRG 14: Specific Cerebrovascular Disorders except TIA

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	13684	10.4	85	3	5	8	13	20	26
70-74	12279	10.6	64	3	5	8	14	21	27
75-79	15525	12.1	117	4	6	10	14	23	30
80-84	13765	11.5	95	3	6	9	14	23	31
85+	13615	11.4	88	4	6	9	15	23	29
SUBTOTAL	**68867**	**11.2**	**92**	**4**	**6**	**9**	**14**	**22**	**29**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	5939	6.8	25	2	4	6	8	13	16
70-74	4601	7.0	32	2	4	5	9	12	18
75-79	5270	7.5	32	2	4	6	10	15	16
80-84	4551	8.6	34	3	5	7	11	16	20
85+	4233	8.7	47	2	4	7	12	17	22
SUBTOTAL	**24594**	**7.6**	**34**	**2**	**4**	**6**	**10**	**15**	**18**
GRAND TOTAL	**93461**	**10.3**	**79**	**3**	**5**	**8**	**13**	**20**	**26**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	80	7.1	71	1	2	4	8	28	28
18-34	450	9.7	168	3	5	7	12	14	20
35-49	1447	10.4	130	3	4	7	12	19	26
50-69	6284	8.7	56	3	4	7	10	16	21
70+	610	12.9	87	3	7	10	16	27	36
SUBTOTAL	**8872**	**9.3**	**77**	**3**	**5**	**7**	**11**	**17**	**25**
0-17	140	4.1	7	2	2	3	6	7	11
18-34	480	5.1	24	1	2	4	5	11	14
35-49	1655	6.6	30	2	3	5	9	13	14
50-69	4970	6.5	42	2	3	5	8	13	16
70+	300	9.8	43	4	5	9	12	17	17
SUBTOTAL	**7545**	**6.5**	**39**	**2**	**3**	**5**	**8**	**13**	**16**
GRAND TOTAL	**16417**	**8.0**	**62**	**2**	**4**	**6**	**10**	**15**	**20**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	40	14.8	121						
18-34	100	12.8	80	3	6	10	19	27	28
35-49	413	10.0	42	3	5	8	14	17	25
50-69	1815	11.9	134	4	6	8	12	29	43
70+	370	9.1	41	5	6	8	99+	99+	99+
SUBTOTAL	**2738**	**11.3**	**107**	**4**	**6**	**8**	**14**	**40**	**99+**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	60	6.5	9	2	4	6	10	10	10
18-34	127	8.4	31	3	3	6	14	14	17
35-49	293	9.9	109	4	5	7	11	16	16
50-69	660	8.4	63	1	3	7	10	23	23
70+	137	10.6	14	5	9	9	14	14	17
SUBTOTAL	**1277**	**8.9**	**63**	**3**	**4**	**7**	**11**	**16**	**23**
GRAND TOTAL	**4015**	**10.5**	**94**	**3**	**5**	**8**	**13**	**28**	**49**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	20.0							
18-34	110	13.4	109	3	7	11	17	19	42
35-49	486	13.5	246	3	5	7	16	29	53
50-69	2321	13.7	268	3	5	8	16	38	70
70+	260	27.4	1050	4	8	10	26	89	89
SUBTOTAL	**3186**	**14.8**	**336**	**3**	**5**	**8**	**16**	**38**	**71**
0-17	20	3.5	2						
18-34	130	5.6	20	2	2	3	9	12	15
35-49	516	10.1	93	3	4	6	12	24	38
50-69	1557	6.4	30	1	3	5	8	14	16
70+	53	7.1	6						
SUBTOTAL	**2277**	**7.2**	**45**	**2**	**3**	**5**	**9**	**16**	**24**
GRAND TOTAL	**5463**	**11.6**	**229**	**2**	**4**	**7**	**13**	**28**	**61**

DRG 15: Transient Ischemic Attack & Precerebral Occlusions

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	6846	5.1	14	2	3	4	7	10	11
70-74	5585	5.4	21	2	3	4	7	9	12
75-79	6316	5.8	25	2	3	5	7	11	14
80-84	6231	5.5	18	2	3	4	7	10	14
85 +	5022	5.9	17	2	3	5	8	11	14
SUBTOTAL	**30000**	**5.5**	**19**	**2**	**3**	**4**	**7**	**10**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	3901	3.6	6	1	2	3	5	7	8
70-74	3924	3.6	8	1	2	3	4	6	8
75-79	3524	4.1	10	1	2	3	5	8	9
80-84	3274	4.1	7	2	2	3	5	9	9
85 +	2520	4.2	7	2	2	3	5	9	10
SUBTOTAL	**17144**	**3.9**	**8**	**1**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**47144**	**4.9**	**16**	**2**	**3**	**4**	**6**	**9**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	5.0							
18-34	40	6.3	5						
35-49	664	3.8	9	1	2	3	5	6	8
50-69	2665	4.6	16	2	2	4	6	8	11
70 +	260	5.8	29	1	3	4	10	15	17
SUBTOTAL	**3639**	**4.5**	**16**	**2**	**2**	**3**	**5**	**8**	**11**
0-17	0								
18-34	190	1.9	1	1	1	2	2	4	4
35-49	1000	3.3	6	1	2	3	4	6	7
50-69	3796	3.3	5	1	2	3	4	6	7
70 +	167	3.7	7	1	2	2	7	7	8
SUBTOTAL	**5153**	**3.3**	**5**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**8792**	**3.8**	**10**	**1**	**2**	**3**	**5**	**7**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	107	2.8	1						
35-49	100	4.8	5	1	4	5	6	8	9
50-69	571	4.1	7	2	2	3	5	7	11
70 +	190	13.0	10	9	11	14	15	16	16
SUBTOTAL	**967**	**5.8**	**20**	**2**	**3**	**4**	**7**	**14**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	53	4.6	30						
35-49	224	5.7	38	1	1	5	6	9	9
50-69	367	3.7	7	1	2	3	5	6	9
70 +	97	4.4	9						
SUBTOTAL	**741**	**4.4**	**19**	**1**	**2**	**3**	**6**	**9**	**12**
GRAND TOTAL	**1708**	**5.2**	**20**	**1**	**2**	**3**	**6**	**12**	**14**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	53	1.7	2						
35-49	113	3.8	10	1	1	3	8	8	9
50-69	467	4.0	10	1	2	3	5	9	10
70 +	0								
SUBTOTAL	**633**	**3.8**	**10**	**1**	**1**	**3**	**5**	**8**	**10**
0-17	0								
18-34	30	2.3							
35-49	256	3.0	4	1	2	2	4	6	6
50-69	756	3.5	8	1	2	3	4	6	11
70 +	73	1.7	1						
SUBTOTAL	**1116**	**3.2**	**7**	**1**	**2**	**2**	**4**	**6**	**9**
GRAND TOTAL	**1749**	**3.4**	**8**	**1**	**2**	**3**	**4**	**6**	**10**

DRG 16: Nonspecific Cerebrovascular Disorders w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	510	8.9	37	3	4	7	11	19	19
70-74	751	6.0	11	2	3	6	8	10	12
75-79	724	8.6	30	2	5	7	11	14	22
80-84	791	11.7	94	3	5	8	13	28	37
85 +	434	9.7	77	4	4	6	11	21	34
SUBTOTAL	**3209**	**8.9**	**53**	3	4	7	11	18	28
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	3209	8.9	53	3	4	7	11	18	28

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17–	100	11.1	172	2	2	5	10	36	39
18-34	20	2.0	1						
35-49	30	7.0	34						
50-69	233	6.3	14	3	4	4	8	12	13
70 +	0								
SUBTOTAL	**383**	**7.4**	**61**	2	3	4	9	15	34
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
383	7.4	61	2	3	4	9	15	34	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	143	9.4	39	1	4	7	18	18	18
18-34	30	9.3	11						
35-49	20	14.5	139						
50-69	20	16.0	105						
70 +	0								
SUBTOTAL	**213**	**10.5**	**55**	3	6	7	18	18	26
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	213	10.5	55	3	6	7	18	18	26

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	40	2.3							
18-34	20	5.0							
35-49	53	4.3	2						
50-69	73	10.3	36						
70 +	0								
SUBTOTAL	**187**	**6.3**	**26**	2	3	5	8	15	23
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
187	6.3	26	2	3	5	8	15	23	

DRG 17: Nonspecific Cerebrovascular Disorders w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	113	9.5	11	5	8	10	10	13	17
70-74	157	6.5	11	3	4	7	10	10	12
75-79	257	5.8	10	3	4	5	5	12	12
80-84	170	6.6	23	3	3	6	9	9	23
85 +	200	16.5	606	2	2	3	10	63	63
SUBTOTAL	**898**	**8.9**	**163**	**2**	**4**	**5**	**10**	**12**	**23**
GRAND TOTAL	**898**	**8.9**	**163**	**2**	**4**	**5**	**10**	**12**	**23**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	170	6.4	43	1	1	3	9	19	20
18-34	137	3.9	3	2	2	4	6	6	6
35-49	167	3.8	2	2	2	4	5	6	7
50-69	323	3.9	48	< 1	2	2	3	7	9
70 +	0								
SUBTOTAL	**796**	**4.4**	**30**	**1**	**2**	**3**	**5**	**8**	**15**
GRAND TOTAL	**796**	**4.4**	**30**	**1**	**2**	**3**	**5**	**8**	**15**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	80	3.4	8	1	1	3	4	10	10
18-34	0								
35-49	20	4.5	2						
50-69	10	3.0							
70 +	10	4.0							
SUBTOTAL	**120**	**3.6**	**6**	**1**	**2**	**3**	**4**	**6**	**10**
GRAND TOTAL	**120**	**3.6**	**6**	**1**	**2**	**3**	**4**	**6**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	83	5.1	22						
18-34	20	1.5							
35-49	10	11.0							
50-69	73	8.0	20						
70 +	0								
SUBTOTAL	**187**	**6.2**	**23**	**1**	**2**	**5**	**6**	**16**	**17**
GRAND TOTAL	**187**	**6.2**	**23**	**1**	**2**	**5**	**6**	**16**	**17**

DRG 18: Cranial & Peripheral Nerve Disorders w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2348	7.4	37	2	3	6	9	13	22
70-74	1034	7.9	85	2	3	5	7	16	32
75-79	951	8.9	25	4	5	7	12	17	18
80-84	624	7.8	25	3	4	7	10	15	15
85 +	283	6.3	6	2	4	7	8	9	9
SUBTOTAL	5240	7.7	41	2	4	6	9	15	20
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	5240	7.7	41	2	4	6	9	15	20

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	60	4.8	13	1	2	4	6	12	12
18-34	303	3.6	5	2	2	3	4	6	9
35-49	740	7.0	25	2	4	6	9	13	17
50-69	1158	4.7	13	1	2	4	6	9	10
70 +	53	8.2							
SUBTOTAL	2314	5.4	17	2	3	4	7	11	13
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	2314	5.4	17	2	3	4	7	11	13

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	30	4.7	10						
18-34	90	7.2	31	2	4	5	8	21	21
35-49	123	6.8	15	4	4	6	6	14	15
50-69	177	5.3	20	1	2	5	7	14	14
70 +	0								
SUBTOTAL	420	6.1	21	1	2	6	8	14	14
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	420	6.1	21	1	2	6	8	14	14

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	20	3.5	2						
18-34	30	4.0	3						
35-49	153	5.4	21	2	2	4	8	15	16
50-69	283	4.4	6	1	3	4	6	9	9
70 +	0								
SUBTOTAL	487	4.6	11	1	2	4	6	9	9
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	487	4.6	11	1	2	4	6	9	9

DRG 19: Cranial & Peripheral Nerve Disorders w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1257	5.2	13	2	3	4	7	10	12
70-74	417	5.9	10	3	3	6	7	11	11
75-79	507	3.8	8	1	2	2	5	8	11
80-84	123	4.8	7	2	3	4	7	9	9
85 +	83	9.9	22						
SUBTOTAL	**2388**	**5.1**	**13**	**1**	**3**	**4**	**7**	**10**	**11**
GRAND TOTAL	**2388**	**5.1**	**13**	**1**	**3**	**4**	**7**	**10**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	273	3.6	10	1	1	3	5	7	10
18-34	947	2.9	9	1	1	2	3	7	9
35-49	2272	3.5	9	1	1	3	5	8	10
50-69	1881	3.6	8	1	2	3	6	7	8
70 +	40	5.0	34						
SUBTOTAL	**5413**	**3.4**	**9**	**1**	**1**	**3**	**5**	**7**	**9**
	5413	**3.4**	**9**	**1**	**1**	**3**	**5**	**7**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	30	2.7	2						
18-34	103	2.8	10	< 1	< 1	1	3	7	11
35-49	190	2.8	2	1	1	3	4	5	5
50-69	147	4.6	13	2	3	4	4	10	16
70 +	10	3.0							
SUBTOTAL	**480**	**3.3**	**8**	**1**	**1**	**3**	**4**	**5**	**10**
GRAND TOTAL	**480**	**3.3**	**8**	**1**	**1**	**3**	**4**	**5**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	223	1.9	1	1	1	1	3	3	4
18-34	383	3.2	5	1	1	3	4	7	7
35-49	550	2.7	6	1	1	2	4	6	10
50-69	260	2.9	5	1	2	2	3	7	8
70 +	0								
SUBTOTAL	**1416**	**2.8**	**5**	**1**	**1**	**2**	**3**	**6**	**8**
	1416	**2.8**	**5**	**1**	**1**	**2**	**3**	**6**	**8**

DRG 20: Nervous System Infection except Viral Meningitis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	450	14.1	91	3	4	12	20	33	33
70-74	283	16.7	188	4	5	12	22	37	37
75-79	133	19.4	269	2	8	19	24	24	68
80-84	103	8.3	24	4	5	5	11	15	20
85 +	103	17.4	90	6	10	19	19	27	40
SUBTOTAL	**1073**	**15.2**	**140**	**4**	**5**	**12**	**22**	**33**	**37**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	331	6.1	9	2	5	5	8	9	12
70-74	177	4.7	7	2	2	5	6	7	13
75-79	133	8.3	30	3	4	7	11	16	22
80-84	43	3.0							
85 +	0								
SUBTOTAL	**684**	**6.0**	**14**	**2**	**3**	**5**	**8**	**11**	**13**
GRAND TOTAL	**1757**	**11.6**	**111**	**3**	**5**	**8**	**15**	**24**	**33**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1059	11.8	31	4	9	10	16	17	21
18-34	187	10.3	89	3	4	5	21	28	30
35-49	270	10.8	83	2	5	7	14	19	29
50-69	447	21.8	570	5	5	13	28	78	79
70 +	0								
SUBTOTAL	**1962**	**13.8**	**185**	**4**	**7**	**10**	**16**	**25**	**30**
0-17	1960	8.0	21	2	4	8	10	13	15
18-34	734	6.0	23	1	3	4	10	11	11
35-49	647	5.9	27	2	2	4	8	14	16
50-69	333	7.5	15	1	6	8	10	12	13
70 +	43	4.0							
	3718	**7.1**	**22**	**2**	**3**	**7**	**10**	**13**	**15**
	5679	**9.4**	**89**	**2**	**4**	**8**	**11**	**16**	**21**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	992	11.7	72	4	6	11	14	22	28
18-34	100	16.4	80	6	10	14	22	30	34
35-49	70	18.0	100	8	8	16	28	35	35
50-69	97	8.3	44						
70 +	10	11.0							
SUBTOTAL	**1269**	**12.2**	**76**	**3**	**7**	**11**	**14**	**22**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1912	9.8	27	4	7	10	11	15	19
18-34	194	3.2	5	1	2	3	4	8	9
35-49	127	14.9	465	2	2	7	10	64	64
50-69	30	13.3	17						
70 +	0								
SUBTOTAL	**2262**	**9.6**	**55**	**3**	**6**	**9**	**11**	**15**	**19**
GRAND TOTAL	**3531**	**10.5**	**64**	**3**	**6**	**10**	**12**	**18**	**22**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	556	11.2	16	7	9	10	14	15	18
18-34	227	13.1	97	3	8	9	16	22	39
35-49	157	13.1	27	9	9	11	17	21	24
50-69	103	18.2	316	6	6	12	15	49	60
70 +	0								
	1042	**12.6**	**69**	**6**	**9**	**10**	**15**	**18**	**24**
0-17	942	9.4	25	3	5	10	12	15	20
18-34	357	10.4	61	3	4	10	12	27	27
35-49	180	8.1	15	4	5	7	13	13	14
50-69	137	8.1	20	3	3	9	12	13	14
70 +	0								
	1616	**9.4**	**32**	**3**	**5**	**10**	**12**	**15**	**20**
	2658	**10.6**	**49**	**3**	**7**	**10**	**14**	**17**	**22**

DRG 21: Viral Meningitis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	117	8.9	16						
70-74	40	7.8	31						
75-79	10	6.0							
80-84	0								
85+	0								
SUBTOTAL	**167**	**8.4**	**19**	**4**	**6**	**6**	**11**	**17**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	30	1.7	1						
70-74	0								
75-79	10	12.0							
80-84	0								
85+	43	9.0							
SUBTOTAL	**83**	**6.7**	**16**						
GRAND TOTAL	**250**	**7.9**	**18**	**3**	**6**	**7**	**11**	**12**	**17**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	683	4.7	8	2	3	4	5	10	11
18-34	260	5.0	6	2	3	5	7	9	9
35-49	220	5.4	5	3	4	4	8	9	9
50-69	30	6.7	7						
70+	0								
SUBTOTAL	**1193**	**5.0**	**7**	**2**	**3**	**4**	**7**	**9**	**11**
0-17	5503	3.4	3	2	2	3	4	6	7
18-34	2489	3.7	4	2	2	3	5	6	8
35-49	537	3.5	3	1	3	3	5	6	7
50-69	103	4.1	3	2	3	3	4	7	8
70+	0								
SUBTOTAL	**8633**	**3.5**	**4**	**2**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**9826**	**3.7**	**4**	**2**	**2**	**3**	**5**	**6**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	857	4.4	9	2	2	3	5	10	12
18-34	127	3.9	10	1	1	3	8	8	8
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**984**	**4.3**	**9**	**2**	**2**	**3**	**5**	**9**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	2937	4.4	6	2	3	4	5	8	9
18-34	264	3.0	2	1	2	3	3	5	6
35-49	53	4.4	1						
50-69	10	5.0							
70+	0								
SUBTOTAL	**3264**	**4.3**	**6**	**2**	**3**	**4**	**5**	**8**	**9**
GRAND TOTAL	**4248**	**4.3**	**7**	**2**	**3**	**3**	**5**	**8**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	469	3.9	7	2	2	3	4	7	10
18-34	254	4.3	13	2	2	2	5	8	10
35-49	103	4.4	10	2	3	3	4	8	13
50-69	10	1.0							
70+	0								
SUBTOTAL	**836**	**4.0**	**9**	**2**	**2**	**3**	**4**	**8**	**10**
0-17	1917	3.7	4	2	3	3	4	6	7
18-34	860	2.8	3	1	2	2	3	6	7
35-49	274	3.2	3	1	2	3	3	6	6
50-69	30	4.0	9						
70+	0								
SUBTOTAL	**3080**	**3.4**	**4**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**3916**	**3.5**	**5**	**2**	**2**	**3**	**4**	**6**	**8**

DRG 22: Hypertensive Encephalopathy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1399	10.1	306	2	4	5	7	14	63
70-74	598	5.4	6	2	3	6	7	9	10
75-79	227	8.2	27	2	6	7	7	17	17
80-84	291	6.5	16	2	2	7	8	9	9
85 +	444	5.5	5	3	4	5	7	8	10
SUBTOTAL	2959	7.9	155	2	3	6	7	10	18
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	344	3.1	4	1	1	2	5	6	7
70-74	441	6.1	7	3	4	6	8	10	10
75-79	271	2.4	1	1	2	2	3	4	4
80-84	281	4.7	3	2	3	5	6	7	7
85 +	140	4.3	1						
SUBTOTAL	1477	4.3	6	2	2	4	6	8	10
GRAND TOTAL	4435	6.7	108	2	3	5	7	10	11

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	5.0							
18-34	20	5.5							
35-49	427	6.2	12	2	3	5	10	10	11
50-69	481	3.9	6	2	2	3	5	7	7
70 +	0								
	938	5.0	10	2	3	4	7	10	11
0-17	10	5.0							
18-34	291	3.8	3	2	3	3	6	6	6
35-49	611	2.8	2	2	2	2	3	5	5
50-69	544	3.7	4	2	2	3	5	7	7
70 +	140	4.2	6						
	1596	3.4	3	2	2	3	5	6	7
	2534	4.0	6	2	2	3	5	7	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	53	5.7	2						
18-34	0								
35-49	10	4.0							
50-69	83	4.9	33						
70 +	87	6.0	9						
SUBTOTAL	234	5.5	16	2	3	4	9	9	9
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	10	13.0							
18-34	73	2.8	1						
35-49	107	3.7							
50-69	127	2.9	3	2	2	2	3	6	7
70 +	43	1.0							
SUBTOTAL	360	3.2	5	1	2	2	4	5	7
GRAND TOTAL	594	4.1	10	2	2	3	5	9	9

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	20	5.5							
18-34	10	11.0							
35-49	257	6.8	39	< 1	3	3	9	19	19
50-69	350	5.3	19	2	3	3	9	13	13
70 +	43	5.0							
	681	5.9	25	2	3	3	9	13	19
0-17	0								
18-34	10	4.0							
35-49	234	3.7	1	3	3	4	4	5	5
50-69	184	2.8	2						
70 +	0								
	427	3.3	2	1	3	3	4	5	5
	1108	4.9	18	2	3	3	5	11	13

DRG 23: Nontraumatic Stupor & Coma

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	297	8.0	33	2	3	5	13	14	22
70-74	83	4.7	4						
75-79	150	6.5	7						
80-84	297	6.1	6	3	3	6	7	9	11
85 +	204	5.9	17	1	4	4	8	13	13
SUBTOTAL	**1031**	**6.6**	**17**	**2**	**4**	**5**	**9**	**13**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	10	5.0							
70-74	10	3.0							
75-79	30	3.0	3						
80-84	0								
85 +	43	3.0							
SUBTOTAL	**93**	**3.2**	**1**	**1**	**3**	**3**	**3**	**5**	**5**
GRAND TOTAL	**1125**	**6.3**	**17**	**2**	**3**	**5**	**9**	**13**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	2.3	2						
18-34	63	2.0							
35-49	63	2.9	3						
50-69	20	8.5	13						
70 +	0								
SUBTOTAL	**177**	**3.1**	**7**	**1**	**2**	**2**	**3**	**7**	**12**
0-17	120	2.4	10	< 1	1	1	2	2	13
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**120**	**2.4**	**10**	**< 1**	**1**	**1**	**2**	**2**	**13**
	296	**2.8**	**8**	**1**	**1**	**2**	**2**	**6**	**12**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	20	2.5	2						
18-34	63	1.6	1						
35-49	43	1.0							
50-69	53	11.3	13						
70 +	0								
SUBTOTAL	**180**	**4.4**	**24**	**1**	**1**	**1**	**4**	**13**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	40	1.8	2						
18-34	30	3.7	1						
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**70**	**2.6**	**2**	**1**	**1**	**3**	**4**	**5**	**5**
GRAND TOTAL	**250**	**3.9**	**19**	**1**	**1**	**1**	**4**	**13**	**13**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	53	5.1	4						
35-49	43	1.0							
50-69	43	3.0							
70 +	10	16.0							
SUBTOTAL	**150**	**4.0**	**14**						
0-17	117	1.5	1						
18-34	43	3.0							
35-49	43	1.0							
50-69	0								
70 +	0								
SUBTOTAL	**204**	**1.7**	**1**	**1**	**1**	**1**	**3**	**3**	**4**
	354	**2.7**	**8**	**1**	**1**	**1**	**3**	**6**	**6**

DRG 24: Seizure & Headache Age >17 w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	6859	6.8	84	2	3	5	8	12	15
70-74	2803	6.6	31	2	3	4	8	14	18
75-79	3113	8.5	72	2	3	6	10	20	34
80-84	2266	9.5	95	2	4	7	10	21	31
85+	2210	9.7	51	3	5	7	11	22	26
SUBTOTAL	**17251**	**7.8**	**72**	**2**	**3**	**6**	**9**	**16**	**22**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**17251**	**7.8**	**72**	**2**	**3**	**6**	**9**	**16**	**22**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2345	4.7	39	1	2	3	6	9	14
35-49	4101	4.7	28	1	2	3	6	9	12
50-69	2819	6.0	46	2	2	4	7	14	16
70+	177	8.8	120	1	1	8	12	12	50
	9442	**5.1**	**38**	**1**	**2**	**3**	**6**	**10**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	9442	**5.1**	**38**	**1**	**2**	**3**	**6**	**10**	**15**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	1243	6.4	37	2	3	4	8	14	16
35-49	1477	5.8	24	2	2	4	7	11	17
50-69	1608	8.7	68	2	4	5	10	22	29
70+	43	2.0							
SUBTOTAL	**4372**	**7.0**	**46**	**2**	**3**	**5**	**8**	**16**	**22**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4372**	**7.0**	**46**	**2**	**3**	**5**	**8**	**16**	**22**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1704	3.2	10	1	2	2	4	5	9
35-49	2079	4.5	44	1	1	3	4	9	11
50-69	1187	6.5	75	2	2	5	8	10	13
70+	117	8.0	17						
	5087	**4.6**	**41**	**1**	**2**	**3**	**5**	**9**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	5087	**4.6**	**41**	**1**	**2**	**3**	**5**	**9**	**11**

DRG 25: Seizure & Headache Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	3430	3.6	14	1	2	3	4	6	9
70-74	1365	4.0	11	1	2	3	5	7	11
75-79	1064	4.3	6	2	3	4	5	8	8
80-84	717	3.0	3	1	2	3	4	4	4
85 +	610	5.0	7	2	3	5	6	10	10
SUBTOTAL	**7186**	**3.8**	**11**	**1**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**7186**	**3.8**	**11**	**1**	**2**	**3**	**5**	**7**	**9**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	8618	3.1	7	1	2	2	4	6	8
35-49	7091	3.2	6	1	1	3	4	6	9
50-69	3918	2.9	5	1	2	2	4	5	6
70 +	150	4.0	7						
19777	**3.1**	**6**	**1**	**2**	**2**	**4**	**6**	**8**
19777	**3.1**	**6**	**1**	**2**	**2**	**4**	**6**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	3066	3.6	9	1	2	3	4	7	8
35-49	817	3.8	8	< 1	2	3	5	8	8
50-69	778	4.5	9	1	2	4	6	8	12
70 +	87	11.0	82						
SUBTOTAL	**4748**	**3.9**	**11**	**1**	**2**	**3**	**5**	**8**	**10**
GRAND TOTAL	**4748**	**3.9**	**11**	**1**	**2**	**3**	**5**	**8**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	3011	3.0	5	1	1	2	4	6	7
35-49	1380	3.3	7	1	1	2	5	7	8
50-69	801	4.1	38	1	1	2	4	9	12
70 +	0								
5191	**3.3**	**11**	**1**	**1**	**2**	**4**	**7**	**8**
5191	**3.3**	**11**	**1**	**1**	**2**	**4**	**7**	**8**

DRG 26: Seizure & Headache Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	20	6.0	9						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	20	6.0	9						
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	10	2.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	10	2.0							
GRAND TOTAL	30	4.7	10						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	3842	3.8	18	1	2	2	4	7	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	3842	3.8	18	1	2	2	4	7	11
0-17	15734	2.7	10	1	1	2	3	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	15734	2.7	10	1	1	2	3	5	7
GRAND TOTAL	19577	3.0	11	1	1	2	3	5	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	2787	4.9	58	1	2	3	5	9	15
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	2787	4.9	58	1	2	3	5	9	15
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	10913	3.1	8	1	2	2	4	5	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	10913	3.1	8	1	2	2	4	5	8
GRAND TOTAL	13700	3.4	19	1	2	2	4	6	9

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1336	4.2	44	1	2	3	4	7	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1336	4.2	44	1	2	3	4	7	10
0-17	5828	2.8	14	1	1	2	3	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	5828	2.8	14	1	1	2	3	5	7
GRAND TOTAL	7164	3.1	20	1	1	2	3	5	8

DRG 27: Traumatic Stupor & Coma, Coma >1 Hr

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	20	11.5	7						
70-74	43	16.0							
75-79	53	13.5	10						
80-84	117	12.5	22						
85+	43	7.0							
SUBTOTAL	**277**	**12.3**	**18**	**7**	**9**	**12**	**16**	**17**	**17**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	43	5.0							
75-79	10	4.0							
80-84	0								
85+	0								
SUBTOTAL	**53**	**4.8**							
GRAND TOTAL	**331**	**11.1**	**23**	**5**	**7**	**12**	**16**	**17**	**17**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	190	8.7	39	2	6	9	11	11	31
18-34	430	6.2	48	1	2	2	8	19	20
35-49	50	5.4	40	1	1	4	17	99+	99+
50-69	73	10.0	38						
70+	0								
	744	**7.2**	**46**	**1**	**2**	**3**	**11**	**17**	**20**
0-17	743	5.0	55	1	2	3	6	8	15
18-34	537	3.2	5	1	1	2	5	6	7
35-49	283	4.9	12	1	2	5	7	11	11
50-69	117	4.7	7						
70+	43	7.0							
	1724	**4.4**	**28**	**1**	**2**	**3**	**6**	**7**	**11**
	2467	**5.3**	**35**	**1**	**2**	**3**	**7**	**11**	**17**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	60	9.8	30	1	6	10	14	17	17
18-34	10	31.0							
35-49	20	8.0	9						
50-69	20	10.5	95						
70+	0								
SUBTOTAL	**110**	**11.5**	**73**	**1**	**5**	**12**	**18**	**31**	**99+**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	253	6.2	129	1	1	2	4	18	24
18-34	0								
35-49	10	1.0							
50-69	0								
70+	0								
SUBTOTAL	**263**	**6.0**	**125**	**1**	**1**	**2**	**4**	**18**	**24**
GRAND TOTAL	**373**	**7.6**	**116**	**1**	**1**	**3**	**11**	**24**	**55**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	120	15.8	280	3	3	10	23	28	63
18-34	140	6.6	87	1	2	2	5	25	32
35-49	80	8.0	101	<1	1	3	11	32	32
50-69	53	11.1	15						
70+	0								
	392	**10.3**	**153**	**1**	**2**	**5**	**13**	**28**	**32**
0-17	269	4.4	28	<1	1	3	5	13	16
18-34	463	4.3	33	<1	1	2	4	13	19
35-49	177	4.7	54	1	1	1	3	18	27
50-69	20	2.5	2						
70+	0								
	929	**4.4**	**35**	**<1**	**1**	**2**	**4**	**13**	**19**
	1321	**6.1**	**77**	**<1**	**1**	**2**	**7**	**16**	**25**

DRG 28: Traumatic Stupor & Coma, Coma <1 Hr Age >17 w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	417	5.9	17	1	3	6	9	11	11
70-74	283	7.1	16	2	2	5	11	14	14
75-79	337	19.1	204	4	11	19	22	52	52
80-84	350	7.8	31	2	3	5	15	15	15
85 +	217	9.8	45	3	6	8	16	16	21
SUBTOTAL	**1604**	**9.8**	**89**	**2**	**3**	**7**	**13**	**20**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1604**	**9.8**	**89**	**2**	**3**	**7**	**13**	**20**	**22**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	790	3.8	20	<1	1	2	5	8	9
35-49	327	8.0	60	1	2	6	16	21	21
50-69	280	7.5	130	2	2	6	8	10	27
70 +	43	1.0							
	1440	**5.4**	**54**	**1**	**2**	**3**	**6**	**14**	**21**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1440	**5.4**	**54**	**1**	**2**	**3**	**6**	**14**	**21**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	197	5.8	24	1	1	3	9	13	13
35-49	117	6.6	70						
50-69	53	2.0							
70 +	0								
SUBTOTAL	**367**	**5.5**	**37**	**1**	**1**	**2**	**9**	**13**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**367**	**5.5**	**37**	**1**	**1**	**2**	**9**	**13**	**23**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	773	4.5	31	1	1	3	4	11	16
35-49	410	11.0	255	1	2	6	10	53	53
50-69	220	6.2	16	3	3	5	10	11	11
70 +	0								
	1403	**6.7**	**102**	**1**	**2**	**3**	**6**	**12**	**24**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1403	**6.7**	**102**	**1**	**2**	**3**	**6**	**12**	**24**

DRG 29: Traumatic Stupor & Coma, Coma <1 Hr Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	173	3.7	39	1	1	1	4	5	28
70-74	40	4.0	14						
75-79	224	6.5	8	2	5	6	8	11	11
80-84	117	7.0	5						
85+	234	4.0	13	1	1	3	6	6	6
SUBTOTAL	**787**	**5.1**	**18**	**1**	**1**	**5**	**7**	**9**	**11**
GRAND TOTAL	**787**	**5.1**	**18**	**1**	**1**	**5**	**7**	**9**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
0									
0-17	0								
18-34	1711	3.2	15	1	1	2	4	5	11
35-49	1011	2.3	8	1	1	2	3	4	4
50-69	541	3.0	6	1	1	2	3	6	7
70+	83	6.2	16						
3346	**3.0**	**12**	**1**	**1**	**2**	**3**	**5**	**10**
3346	**3.0**	**12**	**1**	**1**	**2**	**3**	**5**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	266	3.4	4	1	2	4	5	5	6
35-49	63	3.2							
50-69	73	7.6	14						
70+	20	4.5	13						
SUBTOTAL	**423**	**4.1**	**8**	**1**	**2**	**3**	**5**	**10**	**10**
GRAND TOTAL	**423**	**4.1**	**8**	**1**	**2**	**3**	**5**	**10**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
0									
0-17	0								
18-34	1811	3.0	9	1	1	2	3	7	8
35-49	591	3.7	23	<1	1	2	4	7	12
50-69	73	2.9	1						
70+	53	15.6	1						
2528	**3.4**	**15**	**1**	**1**	**2**	**4**	**7**	**12**
2528	**3.4**	**15**	**1**	**1**	**2**	**4**	**7**	**12**

DRG 30: Traumatic Stupor & Coma, Coma <1 Hr Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	10	7.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	10	7.0							
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	10	7.0							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	596	4.6	50	1	1	2	6	10	12
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	596	4.6	50	1	1	2	6	10	12
0-17	6216	2.0	4	1	1	1	2	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	6216	2.0	4	1	1	1	2	4	5
GRAND TOTAL	6811	2.3	9	1	1	1	3	4	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	439	6.5	57	1	2	4	8	13	19
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	439	6.5	57	1	2	4	8	13	19
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	2438	2.8	15	1	1	2	3	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	2438	2.8	15	1	1	2	3	6	8
GRAND TOTAL	2876	3.4	23	1	1	2	3	7	11

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	469	4.6	22	1	1	3	7	11	13
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	469	4.6	22	1	1	3	7	11	13
0-17	3225	2.2	4	1	1	1	2	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	3225	2.2	4	1	1	1	2	5	6
GRAND TOTAL	3694	2.5	7	1	1	1	3	6	8

DRG 31: Concussion Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	150	1.8	1						
70-74	331	3.1	6	1	1	3	3	9	9
75-79	194	3.6	1	2	2	4	4	5	5
80-84	474	5.3	16	2	3	4	7	10	15
85+	291	8.4	80	1	4	6	7	29	29
SUBTOTAL	**1440**	**4.9**	**27**	**1**	**2**	**4**	**6**	**9**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1440**	**4.9**	**27**	**1**	**2**	**4**	**6**	**9**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	905	2.1	2	1	1	2	3	4	5
35-49	471	3.2	9	1	2	2	3	8	12
50-69	214	3.8	8	1	2	3	5	7	7
70+	97	5.6	11						
	1686	**2.8**	**6**	**1**	**1**	**2**	**3**	**6**	**9**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	1686	**2.8**	**6**	**1**	**1**	**2**	**3**	**6**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	53	3.4	1						
35-49	10	2.0							
50-69	0								
70+	43	3.0							
SUBTOTAL	**107**	**3.1**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**107**	**3.1**							

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	781	3.3	5	1	2	2	5	6	6
35-49	250	1.9	1	<1	1	2	2	3	5
50-69	87	2.0	1						
70+	10	3.0							
	1128	**2.9**	**4**	**1**	**1**	**2**	**4**	**6**	**6**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	1128	**2.9**	**4**	**1**	**1**	**2**	**4**	**6**	**6**

DRG 32: Concussion Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	150	3.5	2						
70-74	170	5.4	12	2	3	5	8	8	16
75-79	227	3.2	6	1	2	2	3	8	8
80-84	291	2.8	6	1	2	2	3	6	11
85 +	107	4.3	4						
SUBTOTAL	**945**	**3.7**	**7**	**1**	**2**	**3**	**5**	**8**	**8**
GRAND TOTAL	**945**	**3.7**	**7**	**1**	**2**	**3**	**5**	**8**	**8**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	3013	1.6	1	1	1	1	2	3	3
35-49	1162	2.1	2	1	1	2	3	3	5
50-69	1032	2.0	1	1	1	2	3	3	4
70 +	194	6.9	37	1	1	1	14	14	15
5401	**2.0**	**3**	**1**	**1**	**1**	**2**	**3**	**5**	
5401	**2.0**	**3**	**1**	**1**	**1**	**2**	**3**	**5**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	50	2.0	1						
35-49	20	1.5							
50-69	0								
70 +	0								
SUBTOTAL	**70**	**1.9**	**1**	**1**	**1**	**2**	**2**	**4**	**4**
GRAND TOTAL	**70**	**1.9**	**1**	**1**	**1**	**2**	**2**	**4**	**4**

TYPE OF PATIENT	[illegible]URANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	2039	1.8	2	1	1	1	2	3	4
35-49	331	2.7	1	2	2	3	3	4	4
50-69	113	2.3	3	1	1	1	4	5	6
70 +	0								
2483	**2.0**	**2**	**1**	**1**	**2**	**2**	**3**	**5**	
2483	**2.0**	**2**	**1**	**1**	**2**	**2**	**3**	**5**	

DRG 33: Concussion Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	500	2.3	6	1	1	1	3	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**500**	**2.3**	**6**	**1**	**1**	**1**	**3**	**6**	**7**
0-17	6397	1.4	1	< 1	1	1	2	3	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**6397**	**1.4**	**1**	**< 1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**6897**	**1.5**	**1**	**< 1**	**1**	**1**	**2**	**3**	**4**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	110	2.7	3	1	1	3	3	4	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**110**	**2.7**	**3**	**1**	**1**	**3**	**3**	**4**	**7**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	1753	1.4	1	1	1	1	2	2	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1753**	**1.4**	**1**	**1**	**1**	**1**	**2**	**2**	**3**
GRAND TOTAL	**1863**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**3**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	353	2.6	10	1	1	2	3	4	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**353**	**2.6**	**10**	**1**	**1**	**2**	**3**	**4**	**7**
0-17	2887	1.6	2	1	1	1	2	2	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**2887**	**1.6**	**2**	**1**	**1**	**1**	**2**	**2**	**3**
GRAND TOTAL	**3240**	**1.7**	**3**	**1**	**1**	**1**	**2**	**3**	**3**

DRG 34: Other Disorders of Nervous System w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1240	6.2	23	2	3	4	8	12	19
70-74	597	8.5	58	2	3	6	10	18	28
75-79	697	8.6	42	2	3	8	10	17	26
80-84	835	7.8	24	3	4	6	13	16	16
85 +	347	9.9	46	3	5	9	13	15	25
SUBTOTAL	**3716**	**7.7**	**36**	**2**	**3**	**6**	**10**	**16**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3716**	**7.7**	**36**	**2**	**3**	**6**	**10**	**16**	**19**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	746	5.6	42	1	2	4	7	13	25
18-34	260	6.3	30	1	2	5	7	14	22
35-49	260	3.3	10	1	2	2	3	7	10
50-69	811	7.6	41	2	2	7	12	16	19
70 +	103	3.3	4	2	2	2	4	6	8
	2180	**6.1**	**37**	**1**	**2**	**4**	**8**	**13**	**19**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2180	**6.1**	**37**	**1**	**2**	**4**	**8**	**13**	**19**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	719	7.1	115	1	3	3	6	16	31
18-34	163	17.5	561	2	4	8	8	66	82
35-49	137	11.3	133	1	3	5	28	28	28
50-69	254	15.5	371	2	5	6	14	56	56
70 +	0								
SUBTOTAL	**1272**	**10.6**	**242**	**1**	**3**	**5**	**8**	**30**	**56**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1272**	**10.6**	**242**	**1**	**3**	**5**	**8**	**30**	**56**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	203	6.3	47	1	1	3	12	16	19
18-34	163	5.5	33	1	3	3	7	11	25
35-49	147	4.5	32	1	1	3	4	24	99 +
50-69	190	3.5	7	< 1	1	2	5	8	8
70 +	43	2.0							
	747	**4.8**	**30**	**1**	**2**	**3**	**6**	**15**	**23**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	747	**4.8**	**30**	**1**	**2**	**3**	**6**	**15**	**23**

DRG 35: Other Disorders of Nervous System w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	427	3.0	10	1	1	2	3	10	11
70-74	257	4.2	5	1	3	5	6	7	7
75-79	73	8.8	8						
80-84	227	4.3	13	2	2	3	5	6	6
85 +	147	4.3	3	2	2	5	6	6	6
SUBTOTAL	**1131**	**4.1**	**10**	**1**	**1**	**3**	**6**	**8**	**11**
GRAND TOTAL	**1131**	**4.1**	**10**	**1**	**1**	**3**	**6**	**8**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1607	4.1	70	1	1	2	3	7	13
18-34	707	2.6	7	1	1	2	3	5	5
35-49	807	2.8	12	< 1	1	2	3	4	7
50-69	720	3.5	15	1	1	3	4	5	10
70 +	0								
	3841	**3.5**	**36**	**1**	**1**	**2**	**3**	**5**	**9**
	3841	**3.5**	**36**	**1**	**1**	**2**	**3**	**5**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	1158	5.9	60	1	2	3	5	21	29
18-34	143	5.6	32	1	3	5	6	6	25
35-49	30	5.3	9						
50-69	80	6.0	13	2	3	6	7	14	14
70 +	0								
SUBTOTAL	**1411**	**5.9**	**54**	**1**	**2**	**4**	**6**	**14**	**26**
GRAND TOTAL	**1411**	**5.9**	**54**	**1**	**2**	**4**	**6**	**14**	**26**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	456	4.0	30	1	1	2	3	12	17
18-34	183	5.0	78	1	2	3	5	7	41
35-49	410	4.3	6	1	2	4	7	7	8
50-69	123	4.6	15	1	1	3	7	9	13
70 +	10	14.0							
	1182	**4.4**	**28**	**1**	**1**	**3**	**6**	**8**	**13**
	1182	**4.4**	**28**	**1**	**1**	**3**	**6**	**8**	**13**

DRG 36: Retinal Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	799	3.0	4	1	2	3	4	7	7
70-74	359	3.1	7	1	2	2	3	5	6
75-79	209	2.8	3	1	2	2	3	4	4
80-84	133	2.7	4	1	2	2	3	5	8
85 +	187	4.2	25	1	1	2	4	9	23
SUBTOTAL	**1687**	**3.1**	**7**	**1**	**2**	**2**	**4**	**6**	**7**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1214	2.7	5	1	1	2	3	4	5
70-74	861	2.2	1	1	1	2	3	4	5
75-79	529	2.2	1	1	1	2	3	4	4
80-84	259	2.6	2	1	2	3	3	5	5
85 +	80	2.1	1	1	1	2	3	3	3
SUBTOTAL	**2943**	**2.4**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**4629**	**2.7**	**4**	**1**	**2**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	60	5.3	56	2	2	2	2	22	22
18-34	150	2.3	3	1	1	2	3	4	8
35-49	199	4.0	10	1	2	3	5	9	12
50-69	452	2.7	8	1	2	2	3	4	6
70 +	0								
SUBTOTAL	**861**	**3.1**	**11**	**1**	**2**	**2**	**3**	**6**	**10**
0-17	466	2.0	1	1	1	2	2	4	4
18-34	582	2.0	2	1	1	2	2	3	5
35-49	851	2.2	2	1	1	2	3	4	5
50-69	2158	2.3	2	1	1	2	3	4	5
70 +	60	1.7	1	1	1	1	2	4	4
SUBTOTAL	**4117**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
	4978	**2.3**	**4**	**1**	**1**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	30	3.7	3						
18-34	70	3.6	3	2	2	3	5	7	7
35-49	60	3.8	4	2	2	3	6	7	7
50-69	100	4.0	7	1	2	3	6	8	9
70 +	0								
SUBTOTAL	**259**	**3.8**	**5**	**2**	**2**	**3**	**6**	**7**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	160	2.3	4	1	1	1	3	6	7
18-34	133	2.8	3	1	1	2	5	5	5
35-49	170	2.6	2	1	1	3	3	5	6
50-69	183	2.7	4	1	1	1	5	5	8
70 +	10	1.0							
SUBTOTAL	**655**	**2.5**	**3**	**1**	**1**	**2**	**4**	**5**	**6**
GRAND TOTAL	**915**	**2.9**	**4**	**1**	**1**	**2**	**4**	**6**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	50	1.4	1						
18-34	90	2.0	1	1	1	2	2	4	4
35-49	80	4.3	13	1	2	3	5	13	13
50-69	150	3.7	16	1	1	3	3	8	17
70 +	0								
SUBTOTAL	**369**	**3.1**	**11**	**1**	**1**	**2**	**3**	**6**	**13**
0-17	170	2.1	1	1	1	2	3	3	4
18-34	279	2.8	6	1	1	2	3	5	5
35-49	199	3.3	4	1	2	3	4	6	8
50-69	409	1.8	1	1	1	1	2	4	4
70 +	10	2.0							
SUBTOTAL	**1067**	**2.4**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
	1436	**2.6**	**5**	**1**	**1**	**2**	**3**	**4**	**6**

DRG 37: Orbital Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	163	4.0	7	1	2	3	6	8	9
70-74	103	10.0	79	1	2	15	15	18	29
75-79	40	3.3	5						
80-84	30	2.0	1						
85 +	50	8.2	20						
SUBTOTAL	**386**	**5.9**	**36**	**1**	**2**	**3**	**8**	**15**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	219	2.4	6	1	1	2	2	4	4
70-74	120	2.2	3	1	1	1	3	6	6
75-79	143	3.0	7	1	1	2	4	7	10
80-84	83	3.5	2						
85 +	10	1.0							
SUBTOTAL	**576**	**2.6**	**5**	**1**	**1**	**2**	**3**	**6**	**7**
GRAND TOTAL	**962**	**3.9**	**20**	**1**	**1**	**2**	**4**	**9**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	83	8.6	34						
18-34	163	6.2	24	2	2	5	9	12	20
35-49	133	4.2	34	1	2	2	3	10	23
50-69	200	4.0	5	2	2	4	7	7	8
70 +	10	2.0							
SUBTOTAL	**590**	**5.3**	**23**	**2**	**2**	**4**	**7**	**10**	**20**
0-17	526	3.4	8	1	1	2	5	7	8
18-34	377	2.6	4	1	1	1	5	5	6
35-49	160	1.9	3	1	1	1	2	4	8
50-69	193	2.3	3	1	1	1	3	6	7
70 +	0								
SUBTOTAL	**1255**	**2.8**	**6**	**1**	**1**	**2**	**5**	**6**	**7**
	1845	**3.6**	**13**	**1**	**1**	**2**	**5**	**7**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	93	6.6	16	1	5	5	7	15	15
18-34	30	3.0	5						
35-49	40	20.0	447						
50-69	10	2.0							
70 +	0								
SUBTOTAL	**173**	**8.8**	**150**	**1**	**5**	**5**	**7**	**15**	**56**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	143	5.9	15	1	3	6	11	11	11
18-34	83	2.6	1						
35-49	20	1.5							
50-69	30	3.7	3						
70 +	10	1.0							
SUBTOTAL	**286**	**4.2**	**11**	**1**	**2**	**3**	**6**	**11**	**11**
GRAND TOTAL	**459**	**6.0**	**68**	**1**	**2**	**5**	**6**	**11**	**12**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	40	5.0	9						
18-34	90	6.3	10	1	4	6	9	11	11
35-49	123	7.9	10	4	6	9	9	13	13
50-69	10	3.0							
70 +	0								
SUBTOTAL	**263**	**6.7**	**11**	**2**	**4**	**6**	**9**	**11**	**13**
0-17	180	3.4	7	1	1	3	5	8	10
18-34	343	2.4	4	1	1	2	2	4	7
35-49	90	3.4	7	1	1	3	5	8	8
50-69	103	4.4	5	1	4	5	5	6	9
70 +	0								
SUBTOTAL	**715**	**3.1**	**5**	**1**	**1**	**2**	**5**	**6**	**8**
	978	**4.1**	**10**	**1**	**1**	**3**	**6**	**9**	**10**

DRG 38: Primary Iris Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	10	2.0							
75-79	10	8.0							
80-84	0								
85+	150	1.6	1						
SUBTOTAL	170	2.0	3	1	1	1	3	3	8
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	40	1.5	1						
70-74	30	1.3							
75-79	83	1.6							
80-84	117	3.3	2						
85+	20	1.5							
SUBTOTAL	290	2.2	2	1	1	2	3	5	5
GRAND TOTAL	460	2.1	2	1	1	2	3	5	5

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	10	4.0							
50-69	0								
70+	0								
SUBTOTAL	10	4.0							
0-17	20	5.5	21						
18-34	63	1.3	1						
35-49	10	1.0							
50-69	20	1.0							
70+	0								
SUBTOTAL	113	2.0	7	1	1	1	1	3	10
	123	2.1	6	1	1	1	1	4	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	20	1.5							
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	20	1.5							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	10	2.0							
18-34	0								
35-49	10	9.0							
50-69	10	1.0							
70+	0								
SUBTOTAL	30	4.0	13						
GRAND TOTAL	50	3.0	9						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
0-17	0								
18-34	0								
35-49	0								
50-69	10	1.0							
70+	0								
SUBTOTAL	10	1.0							
	10	1.0							

DRG 39: Lens Procedures with or without Vitrectomy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	313	2.0	14	<1	<1	1	2	2	3
70-74	303	3.7	27	<1	<1	1	3	16	16
75-79	323	2.4	6	<1	1	1	2	6	9
80-84	246	1.8	1	<1	1	2	3	3	3
85+	177	2.5	6	<1	1	2	2	4	12
SUBTOTAL	**1361**	**2.5**	**12**	**<1**	**<1**	**1**	**2**	**5**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1373	1.2		<1	<1	<1	<1	2	3
70-74	1752	1.1	–	<1	<1	<1	<1	1	1
75-79	2227	1.0		<1	<1	<1	<1	1	1
80-84	1653	1.1		<1	<1	<1	<1	1	2
85+	1154	1.1		<1	<1	<1	1	2	2
SUBTOTAL	**8160**	**1.1**		**<1**	**<1**	**<1**	**<1**	**1**	**2**
GRAND TOTAL	**9521**	**1.3**	**2**	**<1**	**<1**	**<1**	**1**	**2**	**3**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	1.0							
18-34	20	1.0							
35-49	10	2.0							
50-69	197	2.1	3	<1	1	1	4	4	6
70+	20	2.0	1						
SUBTOTAL	**276**	**1.9**	**2**	**<1**	**1**	**1**	**3**	**4**	**4**
0-17	233	3.0	10	1	1	1	5	8	8
18-34	50	1.2							
35-49	189	1.2		<1	<1	<1	1	2	2
50-69	1101	1.1		<1	<1	<1	1	2	2
70+	90	1.0		<1	<1	1	1	1	1
SUBTOTAL	**1663**	**1.4**	**2**	**<1**	**<1**	**<1**	**1**	**2**	**3**
GRAND TOTAL	**1939**	**1.5**	**2**	**<1**	**<1**	**<1**	**1**	**2**	**4**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	10	1.0							
18-34	20	5.0	9						
35-49	30	1.0							
50-69	40	1.5							
70+	0								
SUBTOTAL	**100**	**2.0**	**4**	**<1**	**1**	**1**	**2**	**5**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	299	1.4	1	1	1	1	1	3	3
18-34	30	1.3							
35-49	20	1.0							
50-69	123	1.6		1	1	2	2	2	3
70+	30	1.0							
SUBTOTAL	**502**	**1.4**	**1**	**1**	**1**	**1**	**2**	**2**	**3**
GRAND TOTAL	**602**	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**3**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	20	1.5							
18-34	10	1.0							
35-49	0								
50-69	30	1.0							
70+	0								
SUBTOTAL	**60**	**1.2**		**1**	**1**	**1**	**1**	**2**	**2**
0-17	110	2.0	8	1	1	1	1	2	11
18-34	83	6.1	18						
35-49	30	1.0							
50-69	20	1.5							
70+	10	1.0							
SUBTOTAL	**253**	**3.1**	**14**	**1**	**1**	**1**	**2**	**10**	**10**
GRAND TOTAL	**313**	**2.8**	**12**	**1**	**1**	**1**	**2**	**10**	**10**

DRG 40: Extraocular Procedures except Orbit Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	227	6.1	18	1	3	6	7	11	15	0-17	0								
70-74	63	4.0								18-34	180	1.3		1	1	1	1	3	3
75-79	50	3.4	8							35-49	50	3.6	13						
80-84	50	4.0	4							50-69	63	4.6	9						
85 +	60	4.5	7	2	2	3	8	8	8	70 +	0								
SUBTOTAL	449	5.0	13	1	2	4	6	10	11		293	2.4	6	1	1	1	3	5	10
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	183	2.9	5	< 1	< 1	3	4	5	10	0-17	0								
70-74	223	3.3	10	< 1	< 1	1	6	8	8	18-34	457	2.1	2	1	1	2	3	4	5
75-79	279	2.0	2	< 1	< 1	1	3	4	5	35-49	376	1.6	1	< 1	1	1	2	4	4
80-84	250	1.6	2	< 1	< 1	1	2	2	6	50-69	213	2.0	3	< 1	< 1	1	3	3	6
85 +	120	4.3	27	< 1	< 1	1	8	12	15	70 +	63	4.1	54						
SUBTOTAL	1055	2.6	8	< 1	< 1	1	4	6	8		1109	2.0	5	< 1	1	1	3	4	5
GRAND TOTAL	1504	3.3	11	< 1	1	2	4	8	10		1403	2.1	5	< 1	1	1	3	4	5

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	0									0-17	0								
18-34	40	1.8	2							18-34	133	3.3	5	1	2	2	4	7	9
35-49	10	4.0								35-49	30	3.3	4						
50-69	0									50-69	83	2.2	1						
70 +	10	1.0								70 +	0								
SUBTOTAL	60	2.0	2	< 1	1	1	4	4	4		246	2.9	4	1	2	2	3	6	7
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	0									0-17	0								
18-34	153	.6	10	< 1	1	1	4	5	13	18-34	316	2.1	3	1	1	1	4	5	6
35-49	30	3.0	1							35-49	183	4.2	21	< 1	1	3	4	15	18
50-69	20	3.0	4							50-69	40	3.5	3						
70 +	0									70 +	0								
SUBTOTAL	203	2.7	8	< 1	1	1	4	5	8		539	2.9	10	1	1	2	4	5	7
GRAND TOTAL	263	2.6	7	< 1	1	1	4	5	5		786	2.9	8	1	1	2	4	5	7

DRG 41: Extraocular Procedures except Orbit Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	133	1.2		< 1	< 1	1	1	2	2
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**133**	**1.2**		**< 1**	**< 1**	**1**	**1**	**2**	**2**
0-17	1271	1.4	1	< 1	1	1	1	2	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1271**	**1.4**	**1**	**< 1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**1404**	**1.4**	**1**	**< 1**	**1**	**1**	**1**	**2**	**3**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	50	7.4	130						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**50**	**7.4**	**130**						
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	642	1.9	7	< 1	1	1	1	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**642**	**1.9**	**7**	**< 1**	**1**	**1**	**1**	**4**	**5**
GRAND TOTAL	**692**	**2.3**	**18**	**< 1**	**1**	**1**	**2**	**5**	**8**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	20	3.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**20**	**3.0**							
0-17	446	1.6	1	< 1	1	1	2	3	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**446**	**1.6**	**1**	**< 1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**466**	**1.7**	**1**	**< 1**	**1**	**1**	**2**	**3**	**3**

DRG 42: Intraocular Procedures except Retina, Iris & Lens

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	615	3.4	17	1	1	2	3	8	10
70-74	506	2.5	2	1	1	2	3	4	5
75-79	406	3.1	4	1	2	3	4	5	6
80-84	239	2.4	3	1	1	2	3	5	6
85 +	153	4.5	14	1	1	3	10	10	10
SUBTOTAL	1920	3.1	9	1	1	2	4	6	10
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1471	1.9	2	1	1	1	2	4	4
70-74	1104	1.7	2	1	1	1	2	3	4
75-79	1447	2.2	3	1	1	1	2	5	6
80-84	1008	2.0	3	1	1	2	2	4	5
85 +	556	1.7	2	< 1	1	1	2	3	5
SUBTOTAL	5586	1.9	2	1	1	1	2	4	5
GRAND TOTAL	7506	2.2	4	1	1	2	3	4	6

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	60	4.2	10	1	1	3	8	9	9
18-34	110	2.3	2	1	1	2	3	4	5
35-49	280	2.0	1	1	1	2	2	3	4
50-69	449	3.1	9	1	1	2	4	6	10
70 +	20	1.5							
	918	2.7	6	1	1	2	3	4	8
0-17	932	2.4	3	1	1	2	4	5	5
18-34	769	2.7	6	1	1	2	4	5	7
35-49	732	3.0	8	1	1	2	3	6	9
50-69	1387	1.8	3	1	1	1	2	3	6
70 +	153	1.3		1	1	1	1	2	3
	3974	2.3	4	1	1	2	3	5	6
	4892	2.4	5	1	1	2	3	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	50	2.0	2						
18-34	60	4.5	11	1	2	3	6	11	11
35-49	130	4.5	22	1	2	3	4	11	18
50-69	70	3.3	5	1	2	3	4	8	8
70 +	0								
SUBTOTAL	309	3.8	13	1	2	3	4	8	11
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	462	2.9	7	1	1	2	4	6	8
18-34	253	3.2	9	1	1	1	4	9	9
35-49	100	2.7	5	1	1	2	3	6	8
50-69	180	4.3	30	1	1	3	4	7	25
70 +	30	4.7	15						
SUBTOTAL	1024	3.2	12	1	1	2	4	8	9
GRAND TOTAL	1333	3.4	12	1	1	2	4	8	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	2.0							
18-34	90	5.8	20	1	2	5	7	16	16
35-49	90	3.6	2	1	3	3	5	5	5
50-69	70	2.9	4	1	1	2	6	6	6
70 +	10	1.0							
	269	4.0	10	1	1	3	5	7	9
0-17	323	3.5	9	1	1	3	4	6	9
18-34	440	3.1	3	1	2	2	5	5	5
35-49	130	2.8	4	1	1	2	4	5	8
50-69	199	1.7	3	1	1	1	2	3	6
70 +	20	1.5							
	1111	2.9	5	1	1	2	4	5	6
	1380	3.1	6	1	1	2	5	6	8

DRG 43: Hyphema

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	10	5.0							
80-84	0								
85+	10	2.0							
SUBTOTAL	20	3.5	2						
GRAND TOTAL	20	3.5	2						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	20	5.5	2						
18-34	53	2.0							
35-49	63	2.2							
50-69	0								
70+	0								
SUBTOTAL	137	2.6	2	2	2	2	2	4	7
0-17	526	4.0	4	2	2	4	5	7	9
18-34	244	3.8	3	2	2	4	5	6	6
35-49	40	4.3	2						
50-69	0								
70+	0								
SUBTOTAL	810	3.9	4	2	2	4	5	6	9
GRAND TOTAL	947	3.7	4	2	2	4	5	6	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	20	4.0	4						
18-34	10	4.0							
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	30	4.0	3						
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	197	4.6	1	4	4	4	5	7	8
18-34	30	5.0	2						
35-49	20	3.0							
50-69	0								
70+	0								
SUBTOTAL	246	4.5	2	3	4	4	5	7	7
GRAND TOTAL	276	4.5	2	3	4	4	5	7	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	107	3.8	6						
35-49	40	4.5	1						
50-69	10	17.0							
70+	0								
SUBTOTAL	157	4.8	14	1	1	5	6	6	17
0-17	180	4.0	3	1	3	4	5	7	7
18-34	123	3.8	1	2	4	4	4	5	5
35-49	43	2.0							
50-69	30	4.3	1						
70+	0								
SUBTOTAL	376	3.7	2	1	2	4	5	5	7
GRAND TOTAL	533	4.1	6	1	2	4	5	6	7

DRG 44: Acute Major Eye Infections

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	103	4.8	5	2	3	3	6	8	9
70-74	20	3.0							
75-79	40	8.0	50						
80-84	10	3.0							
85+	43	13.0							
SUBTOTAL	217	6.8	23	3	3	5	9	13	13
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	73	6.3	4						
70-74	63	3.4	5						
75-79	123	4.8	4	3	3	4	6	8	8
80-84	10	5.0							
85+	30	4.7	4						
SUBTOTAL	300	4.9	5	2	3	5	7	8	8
GRAND TOTAL	516	5.7	14	2	3	5	7	13	13

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	276	3.9	2	2	3	4	4	6	7
18-34	10	1.0							
35-49	30	22.7	144						
50-69	40	9.8	49						
70+	0								
SUBTOTAL	356	6.0	48	2	3	4	6	12	31
0-17	2445	3.4	4	2	2	3	4	6	7
18-34	187	4.1	3	2	3	4	6	6	7
35-49	103	5.1	8	3	3	4	8	10	11
50-69	83	3.5							
70+	10	3.0							
SUBTOTAL	2828	3.5	4	2	2	3	4	6	7
GRAND TOTAL	3184	3.8	9	2	2	3	4	6	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	303	5.5	21	3	4	4	5	8	14
18-34	10	5.0							
35-49	10	4.0							
50-69	0								
70+	0								
SUBTOTAL	323	5.4	20	3	4	4	5	8	14
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	1601	3.7	4	2	2	3	4	6	8
18-34	20	2.0							
35-49	10	9.0							
50-69	30	10.0	8						
70+	0								
SUBTOTAL	1661	3.8	5	2	2	3	5	7	8
GRAND TOTAL	1985	4.1	8	2	3	3	5	8	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	183	5.2	15	2	3	3	8	11	16
18-34	20	4.5	2						
35-49	20	3.0	1						
50-69	20	11.0	9						
70+	0								
SUBTOTAL	243	5.4	15	2	3	3	8	11	14
0-17	812	3.6	4	2	2	3	5	6	8
18-34	90	4.3	3	2	3	4	5	8	8
35-49	50	3.6							
50-69	0								
70+	0								
SUBTOTAL	952	3.7	4	2	2	3	5	6	8
GRAND TOTAL	1195	4.0	7	2	2	3	5	8	9

DRG 45: Neurological Eye Disorders

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	327	4.1	6	2	3	4	5	6	8
70-74	127	2.7	1	2	2	2	3	3	6
75-79	63	6.6	12						
80-84	150	3.0	4						
85 +	0								
SUBTOTAL	**667**	**3.8**	**6**	**1**	**2**	**3**	**5**	**6**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	100	7.2	81	1	2	3	7	24	28
70-74	40	5.3	9						
75-79	0								
80-84	97	4.4	2						
85 +	20	2.5							
SUBTOTAL	**256**	**5.5**	**36**	**2**	**2**	**3**	**6**	**10**	**21**
GRAND TOTAL	**924**	**4.3**	**15**	**1**	**2**	**3**	**5**	**8**	**9**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	4.0							
18-34	60	8.2	136	2	3	3	4	34	34
35-49	83	3.1	3						
50-69	207	3.0	5	1	2	3	4	4	9
70 +	0								
	360	**3.9**	**29**	**1**	**2**	**3**	**4**	**6**	**10**
0-17	30	2.8	2	1	2	3	4	5	5
18-34	130	2.5	1	1	2	3	3	4	4
35-49	227	4.1	4	2	2	4	5	7	7
50-69	274	2.7	3	1	1	2	4	4	6
70 +	0								
	759	**3.1**	**3**	**1**	**2**	**3**	**4**	**5**	**7**
	1119	**3.4**	**12**	**1**	**2**	**3**	**4**	**5**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	20	3.5							
18-34	53	2.0							
35-49	0								
50-69	20	10.5	7						
70 +	0								
SUBTOTAL	**93**	**4.1**	**13**	**2**	**2**	**2**	**4**	**13**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	20	3.5	2						
18-34	0								
35-49	10	4.0							
50-69	10	4.0							
70 +	0								
SUBTOTAL	**40**	**3.8**	**1**						
GRAND TOTAL	**133**	**4.0**	**9**	**2**	**2**	**3**	**4**	**8**	**13**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	3.0							
35-49	53	7.1	6						
50-69	40	5.8	14						
70 +	0								
	103	**6.2**	**10**	**3**	**4**	**6**	**6**	**12**	**12**
0-17	63	1.5	1						
18-34	40	4.5	2						
35-49	40	4.3	5						
50-69	83	3.3	4						
70 +	43	1.0							
	270	**2.8**	**4**	**< 1**	**1**	**2**	**4**	**7**	**7**
	373	**3.8**	**8**	**< 1**	**2**	**3**	**6**	**7**	**12**

DRG 46: Other Disorders of the Eye Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	187	3.3	13	1	1	2	3	7	16
70-74	103	4.7	21	1	2	2	6	11	16
75-79	127	7.8	26	5	6	7	8	8	24
80-84	53	1.8							
85 +	150	7.4	144						
SUBTOTAL	620	5.3	52	1	2	3	6	8	16
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	620	5.3	52	1	2	3	6	8	16

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	83	4.0	5						
35-49	163	13.1	475	1	4	5	9	71	71
50-69	230	3.8	9	2	2	3	4	7	7
70 +	0								
SUBTOTAL	477	7.0	187	1	3	4	5	9	16
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	477	7.0	187	1	3	4	5	9	16

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	83	17.7	88						
35-49	40	7.5	47						
50-69	50	6.0	7						
70 +	0								
SUBTOTAL	173	12.0	86	2	4	8	20	26	26
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	173	12.0	86	2	4	8	20	26	26

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	173	8.2	132	2	3	4	7	22	50
35-49	63	7.7	3						
50-69	157	2.2	4	1	1	1	3	6	7
70 +	10	3.0							
SUBTOTAL	403	5.7	67	1	1	3	7	9	17
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	403	5.7	67	1	1	3	7	9	17

DRG 47: Other Disorders of the Eye Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	170	3.7	2	2	2	3	4	7	7
70-74	113	3.2	3	< 1	1	3	5	5	5
75-79	200	4.1	6	2	2	3	7	8	8
80-84	10	8.0							
85 +	60	1.8	1	1	1	2	3	3	3
SUBTOTAL	**553**	**3.6**	**4**	**1**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**553**	**3.6**	**4**	**1**	**2**	**3**	**5**	**7**	**8**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	494	2.2	4	< 1	1	2	2	4	6
35-49	280	5.8	20	2	3	4	8	15	15
50-69	347	3.7	4	2	2	4	4	7	8
70 +	0								
1120	**3.6**	**10**	**1**	**1**	**3**	**4**	**7**	**10**	
1120	**3.6**	**10**	**1**	**1**	**3**	**4**	**7**	**10**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	63	2.3							
35-49	40	2.5	3						
50-69	40	5.8	19						
70 +	43	10.0							
SUBTOTAL	**187**	**4.9**	**14**	**1**	**2**	**3**	**10**	**10**	**11**
GRAND TOTAL	**187**	**4.9**	**14**	**1**	**2**	**3**	**10**	**10**	**11**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	236	1.8	1	1	1	1	3	3	4
35-49	113	3.3	2	2	2	3	4	5	7
50-69	177	3.3	1	2	3	3	4	5	5
70 +	0								
526	**2.6**	**2**	**1**	**1**	**3**	**3**	**4**	**5**	
526	**2.6**	**2**	**1**	**1**	**3**	**3**	**4**	**5**	

DRG 48: Other Disorders of the Eye Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	170	4.6	14	1	2	3	6	10	14
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	170	4.6	14	1	2	3	6	10	14
0-17	1687	2.8	11	1	1	2	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1687	2.8	11	1	1	2	3	5	6
GRAND TOTAL	1856	2.9	11	1	1	2	3	6	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	133	5.8	29	3	3	4	5	11	23
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	133	5.8	29	3	3	4	5	11	23
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	1106	3.6	7	1	2	3	5	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1106	3.6	7	1	2	3	5	6	7
GRAND TOTAL	1239	3.8	10	1	2	3	5	6	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	70	3.3	2	2	2	3	5	5	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	70	3.3	2	2	2	3	5	5	5
0-17	370	3.5	9	1	1	3	5	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	370	3.5	9	1	1	3	5	6	7
GRAND TOTAL	440	3.4	8	1	1	3	5	6	6

DRG 49: Major Head & Neck Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	333	12.8	104	5	6	9	16	36	36
70-74	130	17.1	330	3	4	11	26	32	68
75-79	120	15.6	117	6	7	12	22	34	37
80-84	117	6.4	4						
85 +	30	9.0	13						
SUBTOTAL	**729**	**12.8**	**138**	**4**	**5**	**7**	**16**	**33**	**36**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	167	3.5	4	1	3	3	5	5	9
70-74	70	4.0	9	1	2	3	4	11	11
75-79	20	4.5	13						
80-84	43	2.0							
85 +	0								
SUBTOTAL	**300**	**3.5**	**5**	**1**	**2**	**3**	**4**	**7**	**9**
GRAND TOTAL	**1029**	**10.1**	**117**	**2**	**4**	**6**	**12**	**26**	**36**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	20	10.0	67						
18-34	20	3.5	2						
35-49	80	9.6	37	2	5	7	15	20	20
50-69	306	11.4	95	4	5	9	11	26	40
70 +	10	11.0							
SUBTOTAL	**436**	**10.6**	**80**	**3**	**5**	**8**	**12**	**20**	**31**
0-17	110	4.4	4	3	3	4	4	7	9
18-34	70	5.1	34	2	2	2	6	19	19
35-49	163	5.3	17	1	3	3	8	10	17
50-69	400	4.4	12	1	2	4	5	9	12
70 +	10	1.0							
SUBTOTAL	**752**	**4.6**	**14**	**1**	**2**	**4**	**6**	**9**	**12**
GRAND TOTAL	**1188**	**6.8**	**46**	**1**	**3**	**5**	**9**	**14**	**19**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	20	11.0	52						
18-34	10	36.0							
35-49	30	24.3	75						
50-69	70	11.3	126	4	5	7	12	38	38
70 +	0								
SUBTOTAL	**130**	**16.2**	**155**	**4**	**6**	**12**	**21**	**36**	**38**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	40	11.0	28						
18-34	0								
35-49	20	3.5	2						
50-69	20	13.5	95						
70 +	0								
SUBTOTAL	**80**	**9.8**	**52**	**2**	**4**	**6**	**16**	**23**	**23**
GRAND TOTAL	**209**	**13.7**	**125**	**4**	**5**	**8**	**18**	**36**	**36**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	4.0							
18-34	0								
35-49	40	15.3	4						
50-69	110	10.7	62	4	6	8	18	18	30
70 +	0								
SUBTOTAL	**160**	**11.4**	**51**	**4**	**6**	**9**	**17**	**18**	**30**
0-17	70	8.7	41	3	4	5	15	21	21
18-34	20	3.0	1						
35-49	30	7.7	10						
50-69	60	6.7	8	3	4	6	10	10	10
70 +	0								
SUBTOTAL	**180**	**7.2**	**23**	**3**	**4**	**5**	**10**	**15**	**21**
GRAND TOTAL	**339**	**9.2**	**41**	**3**	**4**	**8**	**12**	**18**	**21**

DRG 50: Sialoadenectomy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	200	2.6	3	1	1	3	3	4	6
70-74	70	4.9	13	1	2	4	5	13	13
75-79	83	2.8	1						
80-84	150	5.5	30						
85 +	87	6.0	4						
SUBTOTAL	**591**	**4.1**	**13**	**1**	**2**	**3**	**4**	**9**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	534	1.7	1	1	1	1	2	3	3
70-74	333	2.2	1	1	2	2	3	4	4
75-79	177	2.2	1	1	2	2	3	3	4
80-84	113	4.1	11	1	2	3	4	11	11
85 +	73	2.1							
SUBTOTAL	**1230**	**2.1**	**2**	**1**	**1**	**2**	**3**	**3**	**4**
GRAND TOTAL	**1821**	**2.8**	**7**	**1**	**1**	**2**	**3**	**4**	**8**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	20	1.0							
18-34	30	9.0	89						
35-49	73	7.1	8						
50-69	103	2.5	6	1	1	1	4	6	9
70 +	0								
SUBTOTAL	**227**	**4.7**	**25**	**1**	**1**	**3**	**9**	**9**	**9**
0-17	153	1.7	1	1	1	2	2	3	3
18-34	647	1.8	1	1	1	2	2	3	3
35-49	730	1.9	1	1	1	2	2	3	3
50-69	933	2.1	1	1	1	2	2	3	3
70 +	40	1.8	1						
SUBTOTAL	**2503**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**3**
	2730	**2.1**	**3**	**1**	**1**	**2**	**2**	**3**	**4**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	10	17.0							
35-49	0								
50-69	10	1.0							
70 +	0								
SUBTOTAL	**20**	**9.0**	**67**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	30	1.3							
18-34	60	2.0		1	2	2	2	3	3
35-49	20	1.5							
50-69	10	1.0							
70 +	0								
SUBTOTAL	**120**	**1.7**		**1**	**1**	**2**	**2**	**2**	**3**
GRAND TOTAL	**140**	**2.7**	**16**	**1**	**1**	**2**	**2**	**3**	**17**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	2.0							
35-49	10	11.0							
50-69	10	2.0							
70 +	10	6.0							
SUBTOTAL	**40**	**5.3**	**14**						
0-17	83	1.2							
18-34	153	2.6	1	1	1	3	4	4	4
35-49	80	2.3	3	1	1	2	3	6	6
50-69	40	2.0	1						
70 +	0								
SUBTOTAL	**356**	**2.1**	**2**	**1**	**1**	**2**	**3**	**4**	**4**
	396	**2.5**	**4**	**1**	**1**	**2**	**3**	**4**	**6**

DRG 51: Salivary Gland Procedures except Sialoadenectomy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	53	8.3	13						
70-74	10	2.0							
75-79	0								
80-84	43	2.0							
85 +	0								
SUBTOTAL	**107**	**5.2**	**16**						
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	30	2.7	2						
70-74	0								
75-79	0								
80-84	20	3.0							
85 +	0								
SUBTOTAL	**50**	**2.8**	**1**						
GRAND TOTAL	**157**	**4.4**	**13**	**1**	**2**	**3**	**10**	**10**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	3.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**10**	**3.0**							
0-17	20	1.0							
18-34	83	1.1							
35-49	80	1.6		< 1	1	2	2	2	2
50-69	90	1.7	1	1	1	1	3	3	3
70 +	0								
SUBTOTAL	**273**	**1.4**		**< 1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**283**	**1.5**	**1**	**< 1**	**1**	**1**	**2**	**3**	**3**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	30	3.0	1						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**30**	**3.0**	**1**						
GRAND TOTAL	**30**	**3.0**	**1**						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	10	6.0							
70 +	0								
SUBTOTAL	**10**	**6.0**							
0-17	53	1.4	1						
18-34	0								
35-49	10	1.0							
50-69	43	3.0							
70 +	0								
SUBTOTAL	**107**	**2.0**	**1**						
GRAND TOTAL	**117**	**2.3**	**2**						

DRG 52: Cleft Lip & Palate Repair

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	53	1.8							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	53	1.8							
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	30	2.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	30	2.0							
GRAND TOTAL	83	1.9							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	100	3.4	2	1	2	3	4	6	6
18-34	0								
35-49	10	2.0							
50-69	0								
70 +	0								
	110	3.3	2	2	2	3	4	6	6
0-17	3279	2.1	1	1	1	2	3	4	4
18-34	50	2.6	2						
35-49	40	1.3							
50-69	80	1.9	1	1	1	2	3	4	4
70 +	10	2.0							
	3458	2.0	1	1	1	2	3	4	4
	3568	2.1	2	1	1	2	3	4	4

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	[illegible]	4.1	3	2	3	3	6	7	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	130	4.1	3	2	3	3	6	7	7
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	1467	2.5	2	1	2	2	3	4	5
18-34	10	2.0							
35-49	0								
50-69	10	7.0							
70 +	0								
SUBTOTAL	1487	2.6	2	1	2	2	3	4	5
GRAND TOTAL	1616	2.7	2	1	2	2	3	4	6

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	20	3.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	20	3.0							
0-17	871	2.4	7	1	2	2	3	4	4
18-34	0								
35-49	40	1.5	1						
50-69	10	1.0							
70 +	0								
	921	2.4	7	1	1	2	3	3	4
	941	2.4	6	1	1	2	3	3	4

DRG 53: Sinus & Mastoid Procedures Age >17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	236	7.4	74	2	2	4	10	14	17
70-74	157	6.3	33	1	2	3	12	12	21
75-79	214	7.5	27	2	2	5	12	15	15
80-84	10	2.0							
85 +	63	5.9	3						
SUBTOTAL	**680**	**7.0**	**43**	**2**	**2**	**5**	**12**	**15**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	636	2.9	7	1	1	2	3	7	7
70-74	393	2.3	4	1	1	2	3	4	5
75-79	133	2.0	2	< 1	1	2	2	3	6
80-84	73	2.5	5						
85 +	30	2.0	2						
SUBTOTAL	**1266**	**2.6**	**5**	**1**	**1**	**2**	**3**	**7**	**7**
GRAND TOTAL	**1946**	**4.1**	**23**	**1**	**1**	**2**	**5**	**11**	**12**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	236	7.9	35	1	2	7	11	18	18
35-49	230	3.8	9	1	2	2	7	9	9
50-69	553	6.1	55	1	2	3	9	15	28
70 +	0								
SUBTOTAL	**1020**	**6.0**	**42**	**1**	**2**	**3**	**9**	**15**	**18**
0-17	0								
18-34	1901	2.1	5	1	1	1	3	4	6
35-49	2614	2.5	4	1	1	2	3	5	8
50-69	1807	2.6	5	1	1	2	4	6	7
70 +	0								
SUBTOTAL	**6323**	**2.4**	**5**	**1**	**1**	**1**	**3**	**5**	**7**
GRAND TOTAL	**7343**	**2.9**	**11**	**1**	**1**	**2**	**3**	**6**	**9**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	10	2.0							
35-49	10	5.0							
50-69	50	2.6	8						
70 +	0								
SUBTOTAL	**70**	**2.9**	**6**	**< 1**	**< 1**	**2**	**5**	**8**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	130	3.0	12	1	1	2	3	5	14
35-49	50	2.2	2						
50-69	110	2.5	5	1	1	1	4	6	8
70 +	10	1.0							
SUBTOTAL	**299**	**2.6**	**8**	**1**	**1**	**2**	**3**	**6**	**8**
GRAND TOTAL	**369**	**2.7**	**7**	**1**	**1**	**2**	**3**	**6**	**8**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	60	5.0	22	1	2	3	5	15	15
35-49	30	11.7	84						
50-69	40	15.5	305						
70 +	0								
SUBTOTAL	**130**	**9.8**	**143**	**1**	**3**	**4**	**11**	**23**	**45**
0-17	0								
18-34	449	1.9	5	1	1	1	1	4	7
35-49	373	1.4	1	1	1	1	2	2	4
50-69	259	1.8	3	1	1	1	2	3	8
70 +	20	1.0							
SUBTOTAL	**1101**	**1.7**	**3**	**1**	**1**	**1**	**2**	**3**	**6**
GRAND TOTAL	**1230**	**2.5**	**24**	**1**	**1**	**1**	**2**	**4**	**8**

DRG 54: Sinus & Mastoid Procedures Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	266	3.4	12	1	1	1	5	7	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	266	3.4	12	1	1	1	5	7	11
0-17	1357	2.1	12	1	1	1	1	4	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1357	2.1	12	1	1	1	1	4	7
	1623	2.3	12	1	1	1	2	6	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	70	2.6	4	1	1	2	4	7	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	70	2.6	4	1	1	2	4	7	7
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	313	3.0	17	1	1	1	4	6	15
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	313	3.0	17	1	1	1	4	6	15
GRAND TOTAL	383	3.0	15	1	1	1	4	7	15

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	20.7	549						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	30	20.7	549						
0-17	479	1.9	5	1	1	1	2	7	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	479	1.9	5	1	1	1	2	7	7
	509	3.0	55	1	1	1	2	7	9

DRG 55: Miscellaneous Ear, Nose, Mouth & Throat Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	207	3.9	17	1	1	3	4	9	15
70-74	60	4.3	39	1	1	2	3	18	18
75-79	10	1.0							
80-84	53	9.3	13						
85 +	10	4.0							
SUBTOTAL	340	4.7	23	1	1	3	4	11	16
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	486	1.5	1	< 1	1	1	2	3	4
70-74	233	1.6	1	< 1	< 1	1	2	4	4
75-79	113	1.4		< 1	1	1	2	2	2
80-84	30	1.0							
85 +	70	1.3		< 1	< 1	< 1	1	3	3
SUBTOTAL	932	1.5	1	< 1	< 1	1	2	3	4
GRAND TOTAL	1271	2.4	9	< 1	1	1	2	4	11

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	330	4.6	14	1	2	4	6	12	12
18-34	170	5.6	5	2	5	6	7	7	11
35-49	117	2.3	8						
50-69	80	2.4	6	1	1	1	3	8	8
70 +	0								
SUBTOTAL	697	4.2	11	1	1	4	6	9	12
0-17	2671	1.7	3	< 1	1	1	2	3	5
18-34	843	1.5	2	< 1	1	1	1	3	3
35-49	1063	1.8	4	< 1	1	1	2	3	4
50-69	649	1.5	1	< 1	1	1	1	3	4
70 +	30	1.3							
SUBTOTAL	5256	1.7	3	< 1	1	1	2	3	4
GRAND TOTAL	5952	2.0	4	< 1	1	1	2	4	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	189	8.3	117	1	1	5	8	32	40
18-34	20	2.5							
35-49	20	3.0	1						
50-69	30	2.7	2						
70 +	0								
SUBTOTAL	259	6.8	92	1	2	3	6	23	32
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1021	2.8	30	< 1	1	1	3	5	8
18-34	80	1.3		< 1	< 1	1	2	2	2
35-49	83	2.3	1						
50-69	70	1.3		1	1	1	2	2	2
70 +	0								
SUBTOTAL	1254	2.6	25	< 1	1	1	3	5	7
GRAND TOTAL	1513	3.3	39	1	1	1	3	6	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	110	5.7	23	1	1	5	10	11	15
18-34	70	13.7	239	2	5	7	20	49	49
35-49	53	6.9	68						
50-69	10	14.0							
70 +	0								
SUBTOTAL	243	8.6	106	1	3	5	10	20	24
0-17	738	2.0	7	1	1	1	2	4	8
18-34	329	2.1	6	< 1	1	1	1	5	7
35-49	213	1.6	3	1	1	1	1	2	4
50-69	213	1.6	2	< 1	1	1	1	2	5
70 +	0								
SUBTOTAL	1493	1.9	6	1	1	1	1	4	7
GRAND TOTAL	1736	2.9	25	1	1	1	2	7	11

DRG 56: Rhinoplasty

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	30	1.3							
70-74	20	3.0	1						
75-79	10	1.0							
80-84	0								
85 +	0								
SUBTOTAL	**60**	**1.8**	**1**	**1**	**1**	**2**	**2**	**4**	**4**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	303	1.3		< 1	1	1	1	2	3
70-74	40	1.0							
75-79	63	1.0							
80-84	10	3.0							
85 +	0								
SUBTOTAL	**416**	**1.2**		**< 1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**476**	**1.3**		**< 1**	**1**	**1**	**1**	**2**	**3**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	63	1.2							
18-34	40	1.5							
35-49	40	3.3	3						
50-69	30	1.3							
70 +	0								
SUBTOTAL	**173**	**1.7**	**2**	**1**	**1**	**1**	**2**	**5**	**5**
0-17	623	1.4		1	1	1	2	2	2
18-34	1217	1.4	1	< 1	1	1	1	2	3
35-49	752	1.1		< 1	1	1	1	1	2
50-69	399	1.5	1	< 1	1	1	2	3	4
70 +	0								
SUBTOTAL	**2990**	**1.3**	**1**	**< 1**	**1**	**1**	**1**	**2**	**3**
	3163	**1.3**	**1**	**< 1**	**1**	**1**	**1**	**2**	**3**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	80	1.9	1	1	1	2	3	4	4
18-34	20	1.0							
35-49	30	1.0							
50-69	30	3.3	1						
70 +	0								
SUBTOTAL	**160**	**1.9**	**1**	**1**	**1**	**1**	**3**	**4**	**4**
GRAND TOTAL	**160**	**1.9**	**1**	**1**	**1**	**1**	**3**	**4**	**4**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	2.0							
18-34	20	1.5							
35-49	10	1.0							
50-69	0								
70 +	0								
SUBTOTAL	**40**	**1.5**							
0-17	90	1.6	1	1	1	1	2	4	4
18-34	605	1.2		1	1	1	1	2	2
35-49	359	1.2		1	1	1	1	2	3
50-69	140	1.0		1	1	1	1	1	1
70 +	0								
SUBTOTAL	**1194**	**1.2**		**1**	**1**	**1**	**1**	**2**	**2**
	1234	**1.2**		**1**	**1**	**1**	**1**	**2**	**2**

DRG 57: T&A Proc, except Tonsillectomy &/or Adenoidectomy Only, Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	147	3.0	7	1	1	2	3	7	11
70-74	10	1.0							
75-79	10	5.0							
80-84	0								
85 +	0								
SUBTOTAL	**167**	**3.0**	**7**	**1**	**1**	**2**	**3**	**7**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	50	2.8	2						
70-74	20	2.0	1						
75-79	20	1.5							
80-84	0								
85 +	0								
SUBTOTAL	**90**	**2.3**	**2**	**<1**	**1**	**2**	**3**	**5**	**5**
GRAND TOTAL	**256**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	103	4.8	6	1	2	7	7	7	7
35-49	167	1.9	1	1	1	2	2	3	6
50-69	10	6.0							
70 +	0								
SUBTOTAL	**280**	**3.1**	**5**	**1**	**1**	**2**	**6**	**7**	**7**
0-17	0								
18-34	863	2.2	2	1	1	2	3	4	5
35-49	370	1.6	1	1	1	1	2	3	4
50-69	173	2.1	2	1	1	2	2	4	6
70 +	20	2.0							
SUBTOTAL	**1426**	**2.0**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
	1706	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	20	2.5							
35-49	10	8.0							
50-69	30	3.3	2						
70 +	0								
SUBTOTAL	**60**	**3.8**	**5**	**2**	**2**	**3**	**5**	**8**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	207	2.0	2	1	1	2	2	3	5
35-49	30	1.3							
50-69	10	2.0							
70 +	0								
SUBTOTAL	**246**	**2.0**	**2**	**1**	**1**	**2**	**2**	**3**	**4**
GRAND TOTAL	**306**	**2.3**	**3**	**1**	**1**	**2**	**2**	**4**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	120	3.8	8	2	2	3	4	7	12
35-49	30	5.7	11						
50-69	30	4.0							
70 +	10	27.0							
SUBTOTAL	**189**	**5.3**	**34**	**2**	**2**	**3**	**5**	**12**	**27**
0-17	0								
18-34	420	1.8	1	1	1	1	2	3	4
35-49	207	1.9	1	1	1	2	3	3	3
50-69	60	6.2	27	1	2	4	11	15	15
70 +	0								
SUBTOTAL	**687**	**2.2**	**5**	**1**	**1**	**2**	**3**	**3**	**5**
	876	**2.9**	**12**	**1**	**1**	**2**	**3**	**5**	**10**

DRG 58: T&A Proc, except Tonsillectomy &/or Adenoidectomy Only, Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	10	1.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**10**	**1.0**							
GRAND TOTAL	**10**	**1.0**							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	376	2.9	20	1	1	2	3	6	13
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	376	**2.9**	**20**	**1**	**1**	**2**	**3**	**6**	**13**
0-17	7402	1.3	1	< 1	1	1	1	2	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	7402	**1.3**	**1**	**< 1**	**1**	**1**	**1**	**2**	**3**
	7779	**1.4**	**2**	**< 1**	**1**	**1**	**1**	**2**	**3**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	183	3.8	13	1	1	3	5	9	15
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**183**	**3.8**	**13**	**1**	**1**	**3**	**5**	**9**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	2299	1.6	3	< 1	1	1	1	3	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**2299**	**1.6**	**3**	**< 1**	**1**	**1**	**1**	**3**	**6**
GRAND TOTAL	**2482**	**1.8**	**4**	**< 1**	**1**	**1**	**2**	**3**	**6**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	170	4.2	29	1	1	2	4	14	20
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	170	**4.2**	**29**	**1**	**1**	**2**	**4**	**14**	**20**
0-17	1643	1.7	5	1	1	1	1	3	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1643	**1.7**	**5**	**1**	**1**	**1**	**1**	**3**	**5**
	1812	**2.0**	**7**	**1**	**1**	**1**	**2**	**4**	**5**

DRG 59: Tonsillectomy &/or Adenoidectomy Only, Age >17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	10	1.0							
70-74	43	1.0							
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	53	1.0							
GRAND TOTAL	53	1.0							

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	113	2.5	2	1	1	2	4	4	4
35-49	43	1.0							
50-69	10	7.0							
70+	0								
	167	2.4	3	1	1	1	4	4	7
0-17	0								
18-34	3725	1.3	1	1	1	1	1	2	3
35-49	467	1.5	2	1	1	1	1	5	5
50-69	160	2.2	2	1	1	2	4	4	4
70+	0								
	4352	1.4	1	1	1	1	1	2	3
	4519	1.4	1	1	1	1	1	2	4

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	10	1.0							
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	10	1.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	433	1.0		<1	1	1	1	1	1
35-49	53	1.0							
50-69	0								
70+	0								
SUBTOTAL	487	1.0		<1	1	1	1	1	1
GRAND TOTAL	496	1.0		<1	1	1	1	1	1

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	30	1.7							
35-49	0								
50-69	10	1.0							
70+	0								
	40	1.5							
0-17	0								
18-34	489	1.3	1	1	1	1	1	3	3
35-49	80	1.1		1	1	1	1	2	2
50-69	30	1.0							
70+	0								
	598	1.3		1	1	1	1	2	3
	638	1.3		1	1	1	1	2	3

DRG 60: Tonsillectomy &/or Adenoidectomy Only, Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	43	1.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	43	1.0							
GRAND TOTAL	43	1.0							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	573	2.8	17	1	1	1	3	4	14
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	573	2.8	17	1	1	1	3	4	14
0-17	16645	1.2	3	1	1	1	1	1	2
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	16645	1.2	3	1	1	1	1	1	2
GRAND TOTAL	17218	1.3	3	1	1	1	1	1	2

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	180	4.8	27	1	1	3	6	14	20
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	180	4.8	27	1	1	3	6	14	20
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	2804	1.3	1	1	1	1	1	2	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	2804	1.3	1	1	1	1	1	2	3
GRAND TOTAL	2983	1.6	3	1	1	1	1	3	4

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	233	2.8	7	1	1	2	3	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	233	2.8	7	1	1	2	3	4	5
0-17	2893	1.3	2	1	1	1	1	1	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	2893	1.3	2	1	1	1	1	1	3
GRAND TOTAL	3126	1.4	2	1	1	1	1	2	3

DRG 61: Myringotomy w/ Tube Insertion Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	40	7.5	15						
70-74	10	1.0							
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	50	6.2	19						
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	20	1.0							
70-74	20	1.0							
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	40	1.0							
GRAND TOTAL	90	3.9	17	<1	1	1	6	14	14

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	10	16.0							
50-69	0								
70+	0								
	10	16.0							
0-17	0								
18-34	83	2.2	11						
35-49	60	1.2		1	1	1	1	2	2
50-69	127	1.0		1	1	1	1	1	1
70+	0								
	270	1.4	4	<1	1	1	1	1	2
	280	1.9	11	<1	1	1	1	2	11

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	43	11.0							
70+	0								
SUBTOTAL	43	11.0							
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	10	1.0							
35-49	0								
50-69	10	4.0							
70+	0								
SUBTOTAL	20	2.5	2						
GRAND TOTAL	63	8.3	17						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	4.0							
35-49	0								
50-69	0								
70+	0								
	10	4.0							
0-17	0								
18-34	83	1.5	1						
35-49	10	5.0							
50-69	0								
70+	0								
	93	1.9	2	<1	1	1	2	5	5
	103	2.1	2	<1	1	1	4	4	5

DRG 62: Myringotomy w/ Tube Insertion Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	393	3.3	5	1	1	3	5	7	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	393	3.3	5	1	1	3	5	7	9
0-17	2430	1.5	3	< 1	< 1	< 1	1	3	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2430	1.5	3	< 1	< 1	< 1	1	3	5
	2824	1.8	3	< 1	< 1	< 1	1	4	5

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	70	4.7	63	1	1	1	3	24	24
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	70	4.7	63	1	1	1	3	24	24
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	1084	1.7	5	< 1	< 1	< 1	1	2	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1084	1.7	5	< 1	< 1	< 1	1	2	7
GRAND TOTAL	1154	1.9	9	< 1	< 1	< 1	1	2	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	93	4.1	15	1	2	2	4	14	14
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	93	4.1	15	1	2	2	4	14	14
0-17	436	3.4	14	< 1	< 1	1	6	7	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	436	3.4	14	< 1	< 1	1	6	7	8
	529	3.5	15	< 1	1	2	6	7	11

DRG 63: Other Ear, Nose, Mouth & Throat O.R. Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	323	7.1	22	2	4	5	10	12	17
70-74	220	3.9	11	1	2	3	4	8	11
75-79	90	5.6	22	1	3	4	5	14	14
80-84	163	9.7	23	2	7	12	12	17	17
85 +	0								
SUBTOTAL	796	6.6	23	2	3	4	11	14	16
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	591	3.0	5	1	2	3	4	4	4
70-74	90	2.4	2	1	2	2	3	5	5
75-79	200	2.9	3	1	2	3	4	5	7
80-84	117	4.6	13						
85 +	83	3.1	8						
SUBTOTAL	1081	3.1	5	1	2	3	4	4	5
GRAND TOTAL	1877	4.6	16	1	2	3	4	12	14

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
0-17	276	6.6	17	3	3	6	8	15	15
18-34	576	4.6	30	1	2	4	5	7	11
35-49	336	4.9	16	1	2	3	8	11	12
50-69	276	8.0	85	2	3	7	9	13	14
70 +	0								
	1465	5.7	37	1	2	4	7	11	14
0-17	2448	2.3	2	1	2	2	3	4	5
18-34	4718	2.3	2	1	1	2	3	4	5
35-49	2660	2.8	6	1	1	2	3	5	9
50-69	773	2.7	3	1	2	2	3	4	6
70 +	93	6.0	15	2	4	5	5	16	16
	10693	2.5	3	1	1	2	3	4	5
	12157	2.8	8	1	1	2	3	5	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	110	7.9	46	1	3	4	13	19	21
18-34	143	8.3	38	1	3	6	16	16	16
35-49	123	7.4	44	2	2	4	14	18	18
50-69	50	10.0	76						
70 +	0								
SUBTOTAL	426	8.2	46	2	3	5	16	18	19
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	369	3.9	17	1	2	3	4	7	16
18-34	229	2.8	2	1	2	3	4	5	5
35-49	140	2.6	3	1	1	2	3	5	6
50-69	53	2.2							
70 +	0								
SUBTOTAL	791	3.2	9	1	2	2	4	5	7
GRAND TOTAL	1217	4.9	28	1	2	3	5	16	17

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
0-17	133	4.8	22	2	2	2	5	13	15
18-34	918	4.5	18	1	2	3	6	7	13
35-49	259	6.0	21	3	3	5	7	12	17
50-69	143	6.2	16	3	3	4	9	11	16
70 +	0								
	1454	5.0	19	1	2	4	6	11	15
0-17	436	3.5	6	1	1	3	6	8	8
18-34	2684	2.7	5	1	1	2	3	5	6
35-49	782	3.6	5	2	2	3	5	7	9
50-69	203	4.6	54	1	2	3	4	6	17
70 +	0								
	4105	3.1	8	1	2	2	4	6	8
	5559	3.6	11	1	2	3	4	7	9

DRG 64: Ear, Nose, Mouth & Throat Malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	397	9.2	152	1	2	5	8	29	32
70-74	187	5.3	21	2	2	3	6	17	18
75-79	40	17.3	288						
80-84	93	20.4	251	< 1	2	33	33	38	38
85 +	30	17.0	298						
SUBTOTAL	747	10.4	168	1	2	5	9	33	38
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	343	4.8	7	1	2	5	6	9	9
70-74	110	2.7	6	1	1	1	6	7	7
75-79	127	4.9	8	1	5	5	6	6	12
80-84	63	1.3	1						
85 +	0								
SUBTOTAL	643	4.1	8	1	1	5	6	9	9
GRAND TOTAL	1390	7.5	103	1	2	5	7	18	33

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	50	10.2	104						
18-34	50	5.0	3						
35-49	90	4.4	41	1	1	2	4	22	22
50-69	326	6.7	41	2	4	5	6	15	22
70 +	0								
	516	6.5	45	1	2	4	7	15	22
0-17	60	5.0	2	3	4	5	7	7	7
18-34	0								
35-49	50	2.0	4						
50-69	193	2.3	5	< 1	1	1	2	8	9
70 +	0								
	303	2.8	6	< 1	1	2	4	7	8
	818	5.1	34	1	1	4	6	10	15

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	60	6.2	33	< 1	1	4	12	15	15
18-34	20	6.0	1						
35-49	70	10.4	93	1	5	6	13	32	32
50-69	140	6.4	13	3	4	5	9	12	13
70 +	0								
SUBTOTAL	289	7.3	38	1	4	5	11	13	15
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	40	3.0	9						
18-34	10	6.0							
35-49	40	6.5	9						
50-69	93	4.8	9	1	2	3	8	8	8
70 +	0								
SUBTOTAL	183	4.8	10	1	2	5	8	8	11
GRAND TOTAL	472	6.4	29	1	2	5	8	12	13

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	2.0							
35-49	120	3.6	3	1	2	4	5	6	6
50-69	153	5.5	12	1	4	5	6	10	16
70 +	0								
	283	4.5	9	1	3	5	5	6	10
0-17	10	7.0							
18-34	0								
35-49	100	7.5	87	2	4	5	6	20	35
50-69	120	4.8	21	1	1	3	7	11	16
70 +	10	1.0							
	239	5.8	49	1	2	4	6	11	16
	522	5.1	28	1	2	5	6	7	16

DRG 65: Dysequilibrium

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1870	3.8	5	1	2	3	5	6	9
70-74	1396	4.1	6	2	3	3	5	8	10
75-79	1382	3.9	8	1	3	3	4	7	8
80-84	1138	5.4	19	2	3	5	6	9	11
85 +	574	4.5	5	2	3	4	7	8	8
SUBTOTAL	**6361**	**4.3**	**9**	**2**	**3**	**3**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	1459	4.0	16	1	2	2	5	8	13
70-74	1309	3.6	12	1	2	3	4	5	7
75-79	1319	4.0	5	2	2	4	5	6	7
80-84	561	3.9	10	1	1	3	4	10	10
85 +	678	3.7	3	2	3	3	4	7	8
SUBTOTAL	**5326**	**3.8**	**10**	**1**	**2**	**3**	**5**	**7**	**10**
GRAND TOTAL	**11687**	**4.1**	**9**	**2**	**2**	**3**	**5**	**7**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	147	2.7	2	2	2	2	3	5	6
35-49	571	2.7	4	1	1	2	4	5	7
50-69	1630	3.7	7	1	2	3	4	6	11
70 +	30	2.7	1						
SUBTOTAL	**2377**	**3.3**	**6**	**1**	**2**	**3**	**4**	**5**	**9**
0-17	190	2.2	3	1	1	1	4	5	5
18-34	558	2.4	2	1	1	2	3	4	4
35-49	1586	2.7	2	1	2	2	3	5	5
50-69	2641	2.8	2	1	2	2	3	5	6
70 +	247	1.5	1	1	1	1	2	3	3
SUBTOTAL	**5223**	**2.6**	**2**	**1**	**1**	**2**	**3**	**5**	**5**
GRAND TOTAL	**7600**	**2.8**	**4**	**1**	**2**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	63	2.8	2						
35-49	0								
50-69	160	3.5	5	1	1	4	4	5	10
70 +	0								
SUBTOTAL	**224**	**3.3**	**4**	**1**	**2**	**4**	**4**	**5**	**6**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	117	3.1							
35-49	140	2.1	1						
50-69	170	4.0	5	1	1	5	6	6	6
70 +	43	7.0							
SUBTOTAL	**471**	**3.5**	**4**	**1**	**2**	**3**	**5**	**6**	**7**
GRAND TOTAL	**694**	**3.4**	**4**	**1**	**2**	**3**	**5**	**6**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	20	5.0	9						
35-49	73	2.1	3						
50-69	200	3.1	5	1	2	2	4	7	8
70 +	0								
SUBTOTAL	**293**	**3.0**	**5**	**1**	**1**	**2**	**4**	**7**	**8**
0-17	43	2.0							
18-34	230	2.7	4	< 1	1	2	4	6	6
35-49	247	3.4	12	1	2	2	2	11	11
50-69	293	2.3	1	1	2	2	3	4	4
70 +	10	5.0							
SUBTOTAL	**824**	**2.8**	**5**	**1**	**1**	**2**	**3**	**6**	**11**
GRAND TOTAL	**1118**	**2.8**	**5**	**1**	**1**	**2**	**3**	**6**	**8**

Southern Region, July 1989 - June 1990

DRG 66: Epistaxis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	264	5.9	25	2	2	4	9	16	19
70-74	281	7.0	44	1	2	4	10	21	21
75-79	190	4.9	6	2	4	5	7	7	12
80-84	170	8.0	27	2	2	6	12	14	20
85 +	214	3.4	3	2	3	4	4	4	5
SUBTOTAL	1118	5.9	25	2	2	4	7	12	19
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	514	2.9	2	1	2	3	4	4	4
70-74	137	2.0	1	1	1	2	2	4	5
75-79	190	3.7	2	2	2	4	4	6	6
80-84	127	3.2	1	3	3	3	3	4	6
85 +	117	3.3	1						
SUBTOTAL	1085	3.0	2	1	2	3	4	4	6
GRAND TOTAL	2203	4.4	15	1	2	4	5	9	12

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	5.0							
18-34	63	2.2							
35-49	73	4.3							
50-69	327	4.7	4	2	4	5	5	6	9
70 +	43	7.0							
	517	4.5	4	2	3	5	5	7	8
0-17	50	2.2	4						
18-34	113	3.6	2	2	3	4	4	5	6
35-49	491	3.9	3	2	3	4	5	7	7
50-69	430	2.9	2	1	1	3	5	5	5
70 +	10	5.0							
	1094	3.4	3	1	2	3	5	6	6
	1611	3.8	3	1	2	4	5	6	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	10	1.0							
18-34	97	5.3	6						
35-49	73	6.1	6						
50-69	40	5.5							
70 +	10	2.0							
SUBTOTAL	230	5.3	6	2	3	5	8	8	8
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	50	2.8	2						
18-34	10	3.0							
35-49	53	3.0							
50-69	10	1.0							
70 +	0								
SUBTOTAL	123	2.8	1	1	3	3	3	4	4
GRAND TOTAL	353	4.4	6	1	3	4	6	8	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	1.0							
18-34	53	4.6	1						
35-49	107	7.1	10						
50-69	103	2.7	4	1	1	1	4	6	7
70 +	0								
	274	4.7	10	1	3	4	7	10	10
0-17	20	5.0	9						
18-34	344	3.2	5	1	1	2	5	7	7
35-49	264	2.7	1	1	2	2	4	4	4
50-69	147	5.2	7	3	3	4	9	9	9
70 +	0								
	774	3.5	5	1	2	3	4	7	9
	1048	3.8	6	1	2	4	4	8	10

DRG 67: Epiglottitis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	53	4.4	1						
70-74	0								
75-79	43	2.0							
80-84	0								
85+	0								
SUBTOTAL	97	3.3	2						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	10	2.0							
85+	0								
SUBTOTAL	10	2.0							
GRAND TOTAL	107	3.2	2						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	60	6.7	15	3	4	6	6	15	15
18-34	10	2.0							
35-49	53	5.6	1						
50-69	63	7.2	1						
70+	0								
	187	6.3	7	3	5	6	8	8	15
0-17	390	3.9	3	1	3	4	4	6	8
18-34	224	2.4	2	1	1	2	4	4	4
35-49	174	2.5	3						
50-69	10	6.0							
70+	0								
	798	3.2	3	1	1	3	4	6	6
	984	3.8	6	1	2	4	6	6	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	53	3.6	1						
18-34	10	2.0							
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	63	3.3	1						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	50	6.0	7						
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	50	6.0	7						
GRAND TOTAL	113	4.5	6	3	3	3	6	8	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	20	9.0							
18-34	20	4.0							
35-49	0								
50-69	0								
70+	0								
	40	6.5	6						
0-17	137	4.4	3	2	3	5	6	6	6
18-34	40	3.8	4						
35-49	87	2.0							
50-69	43	3.0							
70+	0								
	307	3.4	3	2	2	3	5	6	6
	347	3.8	4	2	2	3	5	6	9

DRG 68: Otitis Media & URI Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	3183	5.4	14	2	4	5	6	9	12
70-74	1884	6.1	16	3	3	5	8	10	15
75-79	1817	6.7	26	2	4	5	7	13	16
80-84	1125	6.9	18	3	4	6	9	11	11
85 +	1326	7.1	22	3	4	5	8	13	15
SUBTOTAL	**9335**	**6.2**	**19**	**3**	**4**	**5**	**7**	**11**	**15**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**9335**	**6.2**	**19**	**3**	**4**	**5**	**7**	**11**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	3653	3.6	8	2	2	3	4	6	7
35-49	2541	4.0	5	2	2	4	5	6	9
50-69	1727	4.3	26	3	3	4	5	6	7
70 +	63	3.6	4						
SUBTOTAL	**7984**	**3.9**	**11**	**2**	**2**	**3**	**5**	**6**	**7**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**7984**	**3.9**	**11**	**2**	**2**	**3**	**5**	**6**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	627	3.7	3	2	2	3	5	6	6
35-49	250	4.4	6	2	3	4	7	7	8
50-69	414	5.2	5	3	3	5	7	8	8
70 +	53	5.1	4						
SUBTOTAL	**1344**	**4.3**	**5**	**2**	**3**	**4**	**6**	**7**	**8**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1344**	**4.3**	**5**	**2**	**3**	**4**	**6**	**7**	**8**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1037	3.2	3	1	2	3	4	6	7
35-49	254	3.0	2	1	2	3	4	5	5
50-69	260	3.1	3	1	2	3	3	6	6
70 +	0								
SUBTOTAL	**1551**	**3.2**	**3**	**1**	**2**	**3**	**4**	**6**	**6**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1551**	**3.2**	**3**	**1**	**2**	**3**	**4**	**6**	**6**

DRG 69: Otitis Media & URI Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	954	4.5	5	2	2	4	6	8	8
70-74	311	3.7	3	1	2	4	5	6	6
75-79	471	4.8	9	2	2	5	6	9	9
80-84	378	5.6	8	1	3	7	8	10	10
85 +	417	6.4	13	2	4	6	9	12	12
SUBTOTAL	**2531**	**4.9**	**8**	**2**	**3**	**5**	**7**	**8**	**10**
GRAND TOTAL	**2531**	**4.9**	**8**	**2**	**3**	**5**	**7**	**8**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	0								
18-34	5089	3.0	3	1	2	3	3	6	6
35-49	3200	3.4	6	1	2	3	4	6	7
50-69	3047	3.9	5	1	2	4	5	7	9
70 +	53	6.0							
SUBTOTAL	**11389**	**3.3**	**4**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**11389**	**3.3**	**4**	**1**	**2**	**3**	**4**	**6**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	751	3.0	2	1	2	3	3	4	6
35-49	311	3.1	2	2	2	2	4	6	6
50-69	127	6.4	16	5	5	6	6	8	19
70 +	87	4.5	6						
SUBTOTAL	**1275**	**3.4**	**5**	**2**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**1275**	**3.4**	**5**	**2**	**2**	**3**	**4**	**6**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	0								
18-34	1581	2.7	2	1	2	3	3	4	5
35-49	484	3.6	5	< 1	2	3	5	8	8
50-69	354	3.2	2	1	2	4	4	5	5
70 +	0								
SUBTOTAL	**2419**	**3.0**	**3**	**1**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**2419**	**3.0**	**3**	**1**	**2**	**3**	**4**	**5**	**6**

Southern Region, July 1989 - June 1990

DRG 70: Otitis Media & URI Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	73	2.1							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	73	2.1							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	43	2.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	43	2.0							
GRAND TOTAL	117	2.1							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10114	3.1	11	1	2	3	4	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	10114	3.1	11	1	2	3	4	5	6
0-17	18712	2.8	3	1	2	2	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	18712	2.8	3	1	2	2	3	5	6
GRAND TOTAL	28826	2.9	6	1	2	2	3	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	5089	3.5	8	1	2	3	4	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	5089	3.5	8	1	2	3	4	6	8
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	9932	3.1	4	1	2	3	4	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	9932	3.1	4	1	2	3	4	6	7
GRAND TOTAL	15020	3.2	5	1	2	3	4	6	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	2804	3.0	5	1	2	3	3	4	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	2804	3.0	5	1	2	3	3	4	8
0-17	5748	2.8	4	1	2	2	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	5748	2.8	4	1	2	2	3	5	6
GRAND TOTAL	8552	2.9	5	1	2	2	3	5	6

DRG 71: Laryngotracheitis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	10	8.0							
70-74	0								
75-79	0								
80-84	0								
85 +	43	3.0							
SUBTOTAL	53	3.9	4						
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	43	1.0							
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	43	1.0							
GRAND TOTAL	97	2.6	4						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1268	3.0	7	1	2	3	4	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	10	11.0							
	1278	3.0	7	1	2	3	4	5	6
0-17	10175	2.1	4	1	1	2	3	4	4
18-34	0								
35-49	10	4.0							
50-69	87	8.0	36						
70 +	0								
	10272	2.2	5	1	1	2	3	4	4
	11549	2.3	5	1	1	2	3	4	5

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	524	3.8	6	1	2	3	5	7	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	524	3.8	6	1	2	3	5	7	9
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	3167	2.8	5	1	1	2	3	6	7
18-34	10	4.0							
35-49	0								
50-69	0								
70 +	43	9.0							
SUBTOTAL	3220	2.9	5	1	1	2	3	7	8
GRAND TOTAL	3744	3.0	6	1	1	2	4	7	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	323	2.5	1	2	2	2	3	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	323	2.5	1	2	2	2	3	4	5
0-17	3064	2.1	2	1	1	2	3	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	3064	2.1	2	1	1	2	3	4	5
	3387	2.1	2	1	1	2	3	4	5

DRG 72: Nasal Trauma & Deformity

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	43	5.0							
75-79	10	2.0							
80-84	43	15.0							
85 +	10	9.0							
SUBTOTAL	107	9.2	26						
GRAND TOTAL	107	9.2	26						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	83	2.3	6						
18-34	214	1.9	1	1	1	2	2	3	3
35-49	87	1.5							
50-69	0								
70 +	0								
	384	1.9	2	< 1	1	2	2	3	6
0-17	260	1.8	1	< 1	1	2	2	3	3
18-34	230	1.7	4	< 1	1	1	1	3	4
35-49	53	6.7	8						
50-69	53	2.6	1						
70 +	43	1.0							
	640	2.2	4	< 1	1	1	3	3	8
	1024	2.1	3	< 1	1	1	2	3	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	53	5.8							
18-34	20	3.5							
35-49	43	2.0							
50-69	53	4.0							
70 +	0								
SUBTOTAL	170	4.0	2	2	2	4	6	6	6
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	20	2.0							
18-34	53	1.8							
35-49	63	3.3	3						
50-69	10	2.0							
70 +	0								
SUBTOTAL	147	2.5	2	1	2	2	3	3	7
GRAND TOTAL	317	3.3	3	2	2	3	4	6	6

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	157	2.5	1	1	2	2	3	4	4
35-49	83	5.4	5						
50-69	43	2.0							
70 +	0								
	283	3.3	4	1	2	3	4	7	7
0-17	83	1.6							
18-34	217	1.6	1	< 1	1	1	2	2	3
35-49	30	1.0							
50-69	0								
70 +	0								
	330	1.6		< 1	1	1	2	2	3
	613	2.4	3	1	1	2	3	4	7

DRG 73: Other Ear, Nose, Mouth & Throat Diagnoses Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	424	5.2	19	1	2	3	6	14	14
70-74	160	5.5	2	4	5	5	7	7	8
75-79	160	8.0	48	3	3	8	9	9	33
80-84	357	6.9	33	2	3	6	9	11	21
85 +	354	8.0	46	2	4	5	11	11	18
SUBTOTAL	1455	6.6	31	2	3	5	9	11	15
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	603	3.4	8	1	1	3	4	9	10
70-74	250	4.5	14	1	2	2	9	11	11
75-79	187	4.4	11	1	2	3	7	7	14
80-84	224	6.6	20	2	2	7	10	13	13
85 +	140	5.4	4						
SUBTOTAL	1404	4.4	12	1	2	3	7	10	12
GRAND TOTAL	2859	5.6	23	1	2	4	7	11	13

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	157	5.6	11	2	3	4	8	8	14
35-49	187	3.6	2	1	3	3	5	5	5
50-69	143	6.7	84	1	2	2	9	17	36
70 +	0								
SUBTOTAL	487	5.2	31	1	2	4	5	9	14
0-17	0								
18-34	757	3.4	5	< 1	2	3	5	6	8
35-49	660	2.9	4	1	1	2	4	6	6
50-69	397	2.7	5	1	1	2	4	[illegible]	7
70 +	43	6.0							
SUBTOTAL	1858	3.1	5	1	1	3	4	[illegible]	7
	2344	3.6	[illegible]	1	1	3	5	[illegible]	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	60	4.5	9	1	2	4	6	10	10
35-49	127	4.7	5	3	3	5	5	6	11
50-69	40	4.3	2						
70 +	0								
SUBTOTAL	227	4.6	5	2	3	4	5	6	10
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	190	2.8	2	2	2	2	4	5	5
35-49	30	2.0	1						
50-69	63	3.1	7						
70 +	0								
SUBTOTAL	283	2.8	3	2	2	2	3	5	5
GRAND TOTAL	510	3.6	5	2	2	3	5	6	9

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	137	4.3	10	2	2	5	5	5	14
35-49	50	6.2	33						
50-69	50	5.6	12						
70 +	0								
SUBTOTAL	236	5.0	16	2	2	5	5	10	14
0-17	0								
18-34	217	3.1	6	1	1	2	5	6	6
35-49	167	3.0	4	1	1	2	6	6	6
50-69	80	2.5	2	1	1	2	4	5	5
70 +	0								
SUBTOTAL	463	3.0	5	1	1	2	5	6	6
	699	3.6	9	1	1	3	5	6	10

Southern Region, July 1989 - June 1990

DRG 74: Other Ear, Nose, Mouth & Throat Diagnoses Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	10	6.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	10	6.0							
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	10	6.0							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	680	4.4	62	1	2	3	6	7	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	680	4.4	62	1	2	3	6	7	11
0-17	3455	2.4	6	<1	1	2	3	4	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	3455	2.4	6	<1	1	2	3	4	8
	4134	2.8	16	1	1	2	3	6	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	727	4.5	20	1	2	4	5	9	15
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	727	4.5	20	1	2	4	5	9	15
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	1788	2.6	7	1	1	2	3	5	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1788	2.6	7	1	1	2	3	5	8
GRAND TOTAL	2514	3.1	11	1	1	2	4	6	9

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	367	4.3	56	1	1	2	3	8	24
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	367	4.3	56	1	1	2	3	8	24
0-17	1222	2.8	10	<1	1	2	3	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1222	2.8	10	<1	1	2	3	6	8
	1589	3.2	21	<1	1	2	3	7	10

DRG 75: Major Chest Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3366	14.0	84	6	8	11	16	26	33
70-74	2196	12.9	58	7	8	11	15	24	29
75-79	1290	14.0	72	7	8	11	17	26	34
80-84	437	15.7	110	6	8	10	25	31	35
85 +	73	11.0	18						
SUBTOTAL	**7362**	**13.8**	**75**	**6**	**8**	**11**	**16**	**26**	**33**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	713	8.9	40	5	5	8	10	11	26
70-74	412	9.1	35	5	6	8	10	14	15
75-79	130	10.1	17	7	8	9	10	17	19
80-84	50	14.4	37						
85 +	10	10.0							
SUBTOTAL	**1315**	**9.3**	**37**	**5**	**6**	**9**	**10**	**15**	**23**
GRAND TOTAL	**8677**	**13.1**	**72**	**6**	**8**	**10**	**15**	**25**	**31**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	612	8.7	38	4	5	7	10	16	21
18-34	643	10.7	113	4	5	6	16	21	21
35-49	1002	13.1	102	6	8	10	14	26	34
50-69	3015	12.8	54	6	8	10	16	22	27
70 +	60	11.5	26	8	8	9	13	22	22
SUBTOTAL	**5332**	**12.1**	**70**	**5**	**7**	**10**	**15**	**22**	**28**
0-17	1267	5.9	10	3	4	5	7	9	13
18-34	570	7.1	6	4	5	7	9	11	11
35-49	870	9.0	23	4	6	7	12	18	19
50-69	1436	8.1	16	4	6	7	9	13	16
70 +	30	8.0	21						
SUBTOTAL	**4172**	**7.5**	**16**	**4**	**5**	**7**	**9**	**12**	**16**
	9504	**10.1**	**51**	**4**	**6**	**8**	**12**	**19**	**22**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	150	25.0	422	9	10	20	56	99 +	99 +
18-34	153	12.6	50	5	7	10	19	24	27
35-49	143	12.8	43	6	7	10	17	22	27
50-69	524	19.1	87	8	10	19	27	32	35
70 +	0								
SUBTOTAL	**969**	**18.1**	**143**	**7**	**9**	**17**	**23**	**33**	**56**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	209	7.4	12	4	5	7	9	12	14
18-34	50	12.6	18						
35-49	20	3.5	7						
50-69	93	16.4	105	2	7	13	27	27	27
70 +	0								
SUBTOTAL	**373**	**10.2**	**53**	**4**	**5**	**8**	**12**	**27**	**27**
GRAND TOTAL	**1342**	**15.9**	**130**	**5**	**8**	**13**	**23**	**32**	**35**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	150	11.3	95	4	5	7	17	37	99 +
18-34	313	10.9	38	4	6	9	16	19	25
35-49	450	13.8	32	6	9	15	19	20	21
50-69	763	14.2	92	7	8	11	17	27	38
70 +	0								
SUBTOTAL	**1675**	**13.2**	**68**	**5**	**8**	**11**	**17**	**23**	**32**
0-17	289	6.2	18	3	4	5	7	12	14
18-34	243	8.5	23	3	5	7	13	13	17
35-49	227	10.6	33	5	5	9	13	20	20
50-69	173	8.6	28	4	6	7	8	17	26
70 +	10	8.0							
SUBTOTAL	**942**	**8.3**	**27**	**3**	**5**	**7**	**11**	**17**	**20**
	2617	**11.4**	**59**	**4**	**6**	**9**	**16**	**20**	**27**

DRG 76: Other Resp System O.R. Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	3962	11.7	102	4	6	9	14	21	30
70-74	2472	11.5	73	2	6	10	15	20	28
75-79	2767	12.4	95	4	6	9	17	23	34
80-84	1202	14.3	144	6	8	11	16	22	60
85+	347	12.6	71	4	7	10	15	31	33
SUBTOTAL	10749	12.2	98	4	6	10	15	21	31
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
GRAND TOTAL	10749	12.2	98	4	6	10	15	21	31

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	120	13.8	276	2	2	8	19	28	61
18-34	520	11.6	71	3	5	9	16	28	28
35-49	1087	9.4	64	2	4	7	12	21	24
50-69	3292	9.9	49	2	5	9	13	22	25
70+	180	10.7	35	3	7	11	13	19	19
	5198	10.1	59	2	4	8	13	22	25
	0								
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	5198	10.1	59	2	4	8	13	22	25

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	130	15.2	391	2	2	4	27	35	71
18-34	223	11.1	44	6	6	9	15	22	24
35-49	103	12.7	16	8	9	12	17	17	17
50-69	624	12.5	95	2	7	9	17	27	40
70+	20	10.5							
SUBTOTAL	1100	12.5	111	2	6	9	17	27	35
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
GRAND TOTAL	1100	12.5	111	2	6	9	17	27	35

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	80	11.0	71	1	3	11	16	27	27
18-34	189	12.1	55	2	7	11	18	23	28
35-49	336	10.1	37	4	4	9	14	19	22
50-69	850	11.7	109	2	5	9	18	26	32
70+	53	16.0	158						
	1509	11.5	87	2	5	10	16	23	32
	0								
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	1509	11.5	87	2	5	10	16	23	32

DRG 77: Other Resp System O.R. Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	300	11.4	107	2	4	6	20	32	32
70-74	230	3.7	6	<1	2	2	6	7	7
75-79	200	8.2	18	2	4	9	13	13	14
80-84	127	9.0	34	4	5	7	10	19	23
85+	97	1.6							
SUBTOTAL	**954**	**7.6**	**56**	**1**	**2**	**5**	**10**	**20**	**23**
GRAND TOTAL	**954**	**7.6**	**56**	**1**	**2**	**5**	**10**	**20**	**23**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
0									
0-17	259	3.4	10	<1	1	2	5	8	10
18-34	173	3.8	22	1	1	2	5	13	18
35-49	417	5.5	17	1	2	5	8	11	11
50-69	981	6.7	26	1	2	6	11	14	15
70+	10	14.0							
1840	**5.7**	**23**	**1**	**1**	**4**	**9**	**13**	**14**
1840	**5.7**	**23**	**1**	**1**	**4**	**9**	**13**	**14**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	170	5.4	29	1	1	4	7	16	19
18-34	20	5.5							
35-49	30	8.0	64						
50-69	43	5.0							
70+	0								
SUBTOTAL	**263**	**5.6**	**26**	**1**	**1**	**5**	**6**	**16**	**19**
GRAND TOTAL	**263**	**5.6**	**26**	**1**	**1**	**5**	**6**	**16**	**19**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
0									
0-17	60	8.0	149	1	2	3	4	35	35
18-34	90	4.6	15	1	2	2	7	13	13
35-49	143	3.7	4	1	1	4	5	7	7
50-69	187	4.0	10	1	1	3	6	9	9
70+	0								
479	**4.5**	**28**	**1**	**1**	**3**	**5**	**9**	**9**
479	**4.5**	**28**	**1**	**1**	**3**	**5**	**9**	**9**

DRG 78: Pulmonary Embolism

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1474	9.7	25	5	6	9	12	16	23
70-74	1412	10.7	17	7	8	10	13	14	17
75-79	998	11.0	11	7	8	11	12	16	17
80-84	784	14.3	53	8	8	12	18	25	31
85 +	808	10.3	34	4	7	8	12	19	28
SUBTOTAL	5476	10.9	28	6	8	10	13	17	24
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	313	8.0	9	6	6	7	9	10	16
70-74	357	10.5	26	5	5	10	17	19	19
75-79	377	8.9	20	1	7	9	12	18	18
80-84	73	7.5	3						
85 +	20	5.0	9						
SUBTOTAL	1140	9.0	19	5	6	8	10	17	18
GRAND TOTAL	6617	10.6	27	5	7	10	12	17	22

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	60	4.2	1	3	3	4	5	6	6
18-34	220	7.4	7	5	5	7	9	11	11
35-49	320	8.5	8	6	7	9	9	10	14
50-69	1051	9.2	12	6	6	9	11	14	15
70 +	63	12.1	5						
	1714	8.7	11	5	6	9	10	13	15
0-17	0								
18-34	394	5.7	6	1	4	6	7	9	9
35-49	731	7.6	7	4	6	8	9	10	11
50-69	587	8.2	19	3	7	8	9	12	15
70 +	0								
	1712	7.4	12	3	6	8	9	10	12
	3425	8.1	12	4	6	8	9	12	14

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	40	5.0	10						
18-34	123	11.7	109	4	7	7	13	31	37
35-49	60	11.0	26	5	7	10	15	19	19
50-69	93	22.3	155	13	19	19	20	57	57
70 +	20	25.0	270						
SUBTOTAL	336	14.5	143	4	7	13	19	31	41
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	53	12.7	8						
35-49	53	10.3	2						
50-69	97	9.6	25						
70 +	53	15.5	10						
SUBTOTAL	257	11.6	19	6	7	14	15	17	17
GRAND TOTAL	593	13.3	91	5	7	13	17	20	36

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	3.7	2						
18-34	83	6.8	4						
35-49	254	12.7	57	1	8	13	16	25	25
50-69	187	10.5	13	5	9	10	13	13	21
70 +	63	7.3	9						
	617	10.3	36	3	6	10	13	17	25
0-17	10	6.0							
18-34	10	4.0							
35-49	83	7.9	8						
50-69	97	7.9	4						
70 +	0								
	200	7.6	6	5	6	8	10	11	11
	817	9.6	30	4	6	9	13	16	25

DRG 79: Respiratory Infections & Inflammations Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	7929	11.9	113	4	6	9	14	22	32
70-74	6062	11.0	49	4	6	9	14	20	24
75-79	6166	10.6	57	4	6	9	12	19	26
80-84	5805	12.5	96	4	6	9	15	24	34
85 +	7484	12.5	113	5	7	10	15	22	27
SUBTOTAL	**33446**	**11.7**	**89**	**4**	**6**	**9**	**14**	**21**	**28**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**33446**	**11.7**	**89**	**4**	**6**	**9**	**14**	**21**	**28**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	623	11.8	55	4	7	11	15	17	27
35-49	914	8.1	41	3	4	6	9	15	22
50-69	2244	11.0	61	4	6	9	13	20	26
70 +	60	15.3	16	8	15	15	18	21	21
SUBTOTAL	**3841**	**10.5**	**57**	**4**	**6**	**9**	**13**	**20**	**26**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3841**	**10.5**	**57**	**4**	**6**	**9**	**13**	**20**	**26**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	650	10.8	52	4	5	9	14	19	25
35-49	504	14.2	244	4	5	9	16	44	44
50-69	604	11.2	70	5	7	9	12	19	29
70 +	184	6.6	6	3	6	7	10	99 +	99 +
SUBTOTAL	**2002**	**11.4**	**106**	**4**	**6**	**9**	**13**	**25**	**44**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2002**	**11.4**	**106**	**4**	**6**	**9**	**13**	**25**	**44**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	549	10.0	37	4	6	9	12	21	21
35-49	717	10.5	40	5	7	9	13	16	19
50-69	823	11.4	80	4	5	7	17	29	29
70 +	40	11.8	3						
SUBTOTAL	**2129**	**10.8**	**54**	**4**	**6**	**9**	**13**	**21**	**26**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2129**	**10.8**	**54**	**4**	**6**	**9**	**13**	**21**	**26**

Southern Region, July 1989 - June 1990

DRG 80: Respiratory Infections & Inflammations Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	848	7.4	20	4	5	6	8	12	20
70-74	611	6.9	10	4	4	5	10	11	13
75-79	742	8.2	12	5	6	7	10	12	15
80-84	501	8.6	17	5	6	8	10	13	19
85 +	989	9.0	19	4	5	8	13	14	15
SUBTOTAL	**3690**	**8.1**	**16**	**4**	**5**	**7**	**10**	**14**	**15**
GRAND TOTAL	**3690**	**8.1**	**16**	**4**	**5**	**7**	**10**	**14**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	367	6.2	9	3	4	5	8	10	14
35-49	691	6.5	9	3	4	6	9	10	11
50-69	614	6.6	10	3	4	6	9	11	12
70 +	0								
1672	**6.5**	**9**	**3**	**4**	**5**	**9**	**10**	**11**	
1672	**6.5**	**9**	**3**	**4**	**5**	**9**	**10**	**11**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	180	7.5	9	5	5	5	9	12	12
35-49	97	8.4	7						
50-69	103	11.0	33	7	8	8	10	20	26
70 +	10	7.0							
SUBTOTAL	**390**	**8.6**	**17**	**5**	**7**	**9**	**11**	**56**	**99 +**
GRAND TOTAL	**390**	**8.6**	**17**	**5**	**7**	**9**	**11**	**56**	**99 +**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	133	7.5	10	4	6	6	11	12	13
35-49	417	6.5	9	2	4	6	10	10	10
50-69	137	19.1	199	6	8	10	39	39	39
70 +	0								
687	**9.2**	**71**	**3**	**5**	**7**	**10**	**14**	**39**	
687	**9.2**	**71**	**3**	**5**	**7**	**10**	**14**	**39**	

DRG 81: Respiratory Infections & Inflammations Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-[illegible] (YRS.)	0								
75[illegible]	0								
[illegible]-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1266	10.1	50	2	6	8	14	19	22
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**1266**	**10.1**	**50**	**2**	**6**	**8**	**14**	**19**	**22**
0-17	676	4.9	16	2	3	4	6	7	10
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**676**	**4.9**	**16**	**2**	**3**	**4**	**6**	**7**	**10**
	1942	**8.3**	**45**	**2**	**3**	**7**	**11**	**17**	**20**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	1189	11.7	136	4	5	9	12	24	38
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**1189**	**11.7**	**136**	**4**	**5**	**9**	**12**	**24**	**38**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	873	6.6	45	2	3	5	8	11	15
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**873**	**6.6**	**45**	**2**	**3**	**5**	**8**	**11**	**15**
GRAND TOTAL	**2062**	**9.5**	**104**	**2**	**4**	**8**	**11**	**18**	**28**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	273	13.1	241	2	4	7	18	30	51
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**273**	**13.1**	**241**	**2**	**4**	**7**	**18**	**30**	**51**
0-17	290	8.4	57	2	3	3	14	22	22
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**290**	**8.4**	**57**	**2**	**3**	**3**	**14**	**22**	**22**
	563	**10.7**	**151**	**2**	**3**	**6**	**15**	**22**	**30**

DRG 82: Respiratory Neoplasms

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4580	8.8	68	2	4	7	11	17	25
70-74	3852	8.3	39	2	4	7	11	15	20
75-79	2348	10.2	81	2	5	8	12	20	31
80-84	1164	7.8	32	2	3	6	11	17	20
85 +	951	13.5	283	5	7	9	13	17	33
SUBTOTAL	**12895**	**9.2**	**76**	**2**	**4**	**7**	**11**	**17**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	653	3.9	9	<1	2	3	6	8	8
70-74	764	6.5	27	<1	4	6	8	13	21
75-79	260	4.4	35	1	1	2	3	12	16
80-84	250	6.1	21	1	4	5	10	14	15
85 +	150	4.6	3						
SUBTOTAL	**2077**	**5.2**	**21**	**<1**	**2**	**4**	**7**	**10**	**15**
GRAND TOTAL	**14972**	**8.6**	**70**	**2**	**4**	**7**	**11**	**16**	**21**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	4.0	5						
18-34	189	8.4	80	2	3	4	12	30	31
35-49	1346	7.8	57	2	2	5	9	22	26
50-69	4892	7.4	40	2	3	6	10	16	22
70 +	167	9.1	27	5	6	7	12	15	25
SUBTOTAL	**6624**	**7.6**	**44**	**2**	**3**	**5**	**10**	**17**	**23**
0-17	80	4.1	3	2	3	4	5	7	7
18-34	0								
35-49	243	3.7	3	2	2	4	5	5	6
50-69	1044	4.2	10	1	2	3	6	9	10
70 +	20	16.0	17						
SUBTOTAL	**1386**	**4.3**	**11**	**1**	**2**	**4**	**6**	**9**	**10**
GRAND TOTAL	**8010**	**7.0**	**40**	**2**	**3**	**5**	**9**	**15**	**22**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	50	17.0	316						
18-34	40	5.5	4						
35-49	496	10.0	73	2	4	7	15	30	30
50-69	979	8.2	36	1	3	7	12	16	21
70 +	10	2.0							
SUBTOTAL	**1576**	**8.9**	**59**	**2**	**4**	**7**	**11**	**17**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	30	3.3	2						
18-34	0								
35-49	40	2.5	1						
50-69	83	9.3	18						
70 +	10	12.0							
SUBTOTAL	**163**	**6.7**	**21**	**2**	**3**	**8**	**8**	**12**	**20**
GRAND TOTAL	**1739**	**8.7**	**56**	**2**	**4**	**7**	**11**	**17**	**21**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	6.0							
18-34	60	7.8	12	4	4	7	11	13	13
35-49	426	9.3	53	3	5	7	11	20	20
50-69	1462	8.5	45	2	3	5	12	21	23
70 +	20	14.0	178						
SUBTOTAL	**1978**	**8.7**	**47**	**3**	**4**	**6**	**12**	**20**	**24**
0-17	10	1.0							
18-34	30	5.0							
35-49	50	8.6	124						
50-69	227	5.6	12	1	2	6	9	10	10
70 +	0								
SUBTOTAL	**316**	**5.9**	**30**	**1**	**2**	**5**	**8**	**10**	**12**
GRAND TOTAL	**2294**	**8.3**	**46**	**2**	**4**	**6**	**11**	**19**	**23**

DRG 83: Major Chest Trauma w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	591	6.3	16	2	4	5	8	14	14
70-74	571	6.9	19	3	4	6	10	15	15
75-79	1032	9.3	52	4	5	7	12	16	20
80-84	384	6.3	18	3	3	5	7	12	13
85+	277	10.7	65	3	5	11	13	17	17
SUBTOTAL	**2855**	**7.9**	**37**	**3**	**4**	**6**	**10**	**15**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2855**	**7.9**	**37**	**3**	**4**	**6**	**10**	**15**	**18**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	130	6.3	11						
18-34	257	7.2	19	2	5	7	8	16	16
35-49	507	4.0	14	1	2	3	5	8	8
50-69	1015	6.5	18	2	3	5	8	12	15
70+	257	6.4	13	2	4	5	7	13	13
	2167	**6.0**	**17**	**2**	**3**	**5**	**8**	**12**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	2167	**6.0**	**17**	**2**	**3**	**5**	**8**	**12**	**14**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	10	2.0							
35-49	53	2.6	1						
50-69	160	8.0	46	3	4	4	19	19	19
70+	0								
SUBTOTAL	**224**	**6.4**	**39**	**2**	**2**	**4**	**5**	**19**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**224**	**6.4**	**39**	**2**	**2**	**4**	**5**	**19**	**19**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	3.0							
18-34	123	3.4	3	2	2	2	5	6	6
35-49	360	5.3	101	1	2	3	5	6	18
50-69	224	7.2	8	2	6	6	9	11	11
70+	0								
	717	**5.5**	**56**	**2**	**2**	**4**	**6**	**9**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	717	**5.5**	**56**	**2**	**2**	**4**	**6**	**9**	**11**

DRG 84: Major Chest Trauma w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	167	2.6	1	2	2	2	3	4	4
70-74	180	6.9	23	2	5	5	8	15	15
75-79	368	4.4	6	1	3	5	5	9	9
80-84	97	6.6	2						
85 +	117	3.9	1						
SUBTOTAL	**928**	**4.7**	**10**	**2**	**3**	**4**	**5**	**9**	**10**
GRAND TOTAL	**928**	**4.7**	**10**	**2**	**3**	**4**	**5**	**9**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	93	1.7		1	1	2	2	2	2
18-34	467	2.8	4	1	1	2	4	5	7
35-49	437	3.4	2	1	3	3	4	6	6
50-69	825	2.7	2	1	2	2	4	5	6
70 +	87	3.0	1						
1910	**2.8**	**3**		**1**	**2**	**2**	**4**	**5**	**6**
1910	**2.8**	**3**		**1**	**2**	**2**	**4**	**5**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	20	15.5	76						
18-34	43	3.0							
35-49	0								
50-69	43	1.0							
70 +	0								
SUBTOTAL	**107**	**4.5**	**42**						
GRAND TOTAL	**107**	**4.5**	**42**						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	20	1.0							
18-34	264	2.9	5	1	2	3	4	4	5
35-49	384	2.6	3	< 1	1	2	4	6	6
50-69	250	2.5	1	1	2	3	3	3	5
70 +	43	3.0							
961	**2.7**	**3**		**1**	**1**	**2**	**3**	**4**	**6**
961	**2.7**	**3**		**1**	**1**	**2**	**3**	**4**	**6**

DRG 85: Pleural Effusion w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1117	6.7	16	3	4	6	8	13	16
70-74	804	9.5	80	2	3	7	13	28	31
75-79	988	11.4	70	4	6	9	13	19	29
80-84	487	10.1	51	2	4	8	14	23	23
85 +	888	11.1	100	4	5	7	15	19	33
SUBTOTAL	**4285**	**9.6**	**65**	**2**	**5**	**7**	**12**	**19**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4285**	**9.6**	**65**	**2**	**5**	**7**	**12**	**19**	**28**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	60	6.8	37	1	2	5	9	19	19
18-34	40	9.0	18						
35-49	373	6.4	24	1	2	5	12	13	14
50-69	524	7.0	33	3	3	5	7	22	22
70 +	40	6.5	23						
	1036	**6.8**	**29**	**2**	**3**	**5**	**9**	**13**	**22**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1036	**6.8**	**29**	**2**	**3**	**5**	**9**	**13**	**22**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	50	5.6	18						
18-34	73	6.0	17						
35-49	93	7.3	47	1	4	4	5	23	23
50-69	137	5.1	1	3	5	5	6	6	6
70 +	63	3.9	2						
SUBTOTAL	**417**	**5.6**	**17**	**3**	**4**	**4**	**6**	**11**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**417**	**5.6**	**17**	**3**	**4**	**4**	**6**	**11**	**14**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	40	9.3	42						
18-34	20	4.0	4						
35-49	117	7.0	39						
50-69	230	6.4	16	2	2	6	10	12	12
70 +	10	1.0							
	417	**6.6**	**26**	**1**	**2**	**6**	**8**	**12**	**19**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	417	**6.6**	**26**	**1**	**2**	**6**	**8**	**12**	**19**

DRG 86: Pleural Effusion w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	170	3.8	1	3	3	4	5	5	5
70-74	210	3.7	12	2	2	3	4	5	9
75-79	137	6.0	20	2	2	6	7	11	18
80-84	40	9.5	17						
85+	10	1.0							
SUBTOTAL	567	4.7	13	2	2	4	6	10	16
GRAND TOTAL	567	4.7	13	2	2	4	6	10	16

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	10	3.0							
18-34	147	4.5	6	2	2	4	7	7	8
35-49	127	2.7	2	1	1	3	4	4	4
50-69	200	5.4	10	2	2	4	9	9	10
70+	10	8.0							
	494	4.4	8	1	2	4	7	9	9
	494	4.4	8	1	2	4	7	9	9

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	20	5.0	4						
18-34	10	1.0							
35-49	0								
50-69	117	2.3	1						
70+	10	4.0							
SUBTOTAL	157	2.6	2	1	1	3	3	4	7
GRAND TOTAL	157	2.6	2	1	1	3	3	4	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	10	8.0							
18-34	10	4.0							
35-49	10	14.0							
50-69	20	2.5							
70+	0								
	50	6.2	20						
	50	6.2	20						

DRG 87: Pulmonary Edema & Respiratory Failure

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	7142	8.2	39	3	4	7	10	16	21
70-74	3567	8.7	74	4	5	6	10	15	18
75-79	4026	8.0	27	3	5	7	10	14	19
80-84	1870	8.5	29	3	5	7	11	16	21
85 +	1412	9.0	30	4	5	7	11	19	20
SUBTOTAL	**18017**	**8.4**	**42**	**3**	**5**	**7**	**10**	**15**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	107	4.5							
70-74	60	5.7	6	2	4	5	8	9	9
75-79	107	7.8	20						
80-84	43	1.0							
85 +	53	2.8							
SUBTOTAL	**370**	**5.0**	**12**	**1**	**3**	**4**	**5**	**13**	**13**
GRAND TOTAL	**18387**	**8.3**	**41**	**3**	**5**	**7**	**10**	**15**	**19**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	120	10.8	103	< 1	1	8	15	29	31
18-34	53	2.8							
35-49	240	9.7	53	3	4	6	16	20	20
50-69	2530	7.5	27	2	4	6	9	14	21
70 +	217	15.1	215	4	5	8	17	43	43
SUBTOTAL	**3160**	**8.2**	**49**	**2**	**4**	**6**	**9**	**18**	**23**
0-17	10	4.0							
18-34	20	2.5							
35-49	227	3.6	7	1	2	2	4	8	8
50-69	230	4.2	3	2	3	4	5	6	7
70 +	0								
SUBTOTAL	**487**	**3.8**	**5**	**1**	**2**	**4**	**5**	**8**	**8**
GRAND TOTAL	**3647**	**7.6**	**45**	**2**	**3**	**6**	**9**	**16**	**22**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	163	8.3	36	3	4	5	9	17	25
18-34	123	6.6	55	3	3	4	5	12	30
35-49	230	5.8	14	2	4	5	6	11	11
50-69	661	8.2	29	4	4	7	9	18	23
70 +	43	5.0							
SUBTOTAL	**1221**	**7.5**	**30**	**3**	**4**	**6**	**9**	**16**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	127	4.4	40	1	1	2	5	5	25
18-34	0								
35-49	63	3.6	1						
50-69	73	4.1	1						
70 +	0								
SUBTOTAL	**264**	**4.1**	**20**	**1**	**2**	**3**	**5**	**6**	**7**
GRAND TOTAL	**1484**	**6.9**	**29**	**2**	**4**	**5**	**8**	**12**	**21**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	110	19.2	374	5	5	8	36	49	60
18-34	93	2.4	4	1	1	1	4	7	7
35-49	250	6.9	10	3	5	7	10	10	10
50-69	821	6.6	11	3	4	6	8	12	13
70 +	194	5.6	10	3	3	5	5	11	11
SUBTOTAL	**1468**	**7.2**	**50**	**2**	**4**	**5**	**9**	**11**	**13**
0-17	63	5.1	38						
18-34	0								
35-49	30	4.0	3						
50-69	63	5.0							
70 +	0								
SUBTOTAL	**157**	**4.9**	**16**	**2**	**2**	**5**	**5**	**6**	**19**
GRAND TOTAL	**1625**	**7.0**	**47**	**2**	**4**	**5**	**8**	**11**	**13**

Southern Region, July 1989 - June 1990

DRG 88: Chronic Obstructive Pulmonary Disease

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	10882	7.9	49	3	5	7	9	14	16
70-74	6439	6.7	27	3	4	5	8	13	18
75-79	5129	8.1	47	3	5	7	9	13	16
80-84	2804	8.9	72	3	5	7	10	16	23
85 +	1763	7.0	19	3	4	7	9	14	16
SUBTOTAL	**27017**	**7.7**	**44**	**3**	**4**	**6**	**9**	**14**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	7166	5.6	9	2	3	5	7	9	10
70-74	2814	5.4	9	2	3	5	7	10	10
75-79	2929	5.5	10	2	3	4	7	9	10
80-84	1349	6.7	18	3	4	6	8	10	13
85 +	564	5.6	7	2	4	6	6	9	10
SUBTOTAL	**14822**	**5.6**	**10**	**2**	**3**	**5**	**7**	**9**	**10**
GRAND TOTAL	**41839**	**7.0**	**33**	**3**	**4**	**6**	**8**	**12**	**15**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	50	15.2	142						
18-34	153	6.2	6	5	5	5	7	10	13
35-49	557	5.9	11	2	4	5	8	10	12
50-69	4130	6.9	22	3	3	6	9	13	16
70 +	307	8.0	11	4	6	6	11	13	13
SUBTOTAL	**5197**	**6.9**	**21**	**3**	**4**	**6**	**9**	**13**	**15**
0-17	313	3.1	3	1	2	3	4	4	6
18-34	197	3.1	8	1	1	3	3	9	10
35-49	714	3.9	5	1	3	3	4	7	7
50-69	4079	5.0	7	2	3	4	6	8	10
70 +	117	6.6	4						
SUBTOTAL	**5421**	**4.7**	**7**	**2**	**3**	**4**	**6**	**8**	**10**
GRAND TOTAL	**10618**	**5.8**	**15**	**2**	**3**	**5**	**7**	**10**	**13**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	103	7.0	51	3	4	4	8	12	28
18-34	167	9.4	35	2	4	11	17	17	17
35-49	277	4.3	6	2	3	4	4	9	9
50-69	1816	5.9	12	2	4	5	7	10	13
70 +	93	10.1	6	6	8	11	12	12	12
SUBTOTAL	**2456**	**6.1**	**16**	**2**	**4**	**5**	**8**	**11**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	80	4.8	12	1	2	4	7	11	11
18-34	97	6.8	10						
35-49	177	5.1	10	3	3	5	5	9	16
50-69	1450	5.7	10	2	3	5	7	12	12
70 +	184	5.7	6						
SUBTOTAL	**1987**	**5.7**	**10**	**2**	**3**	**5**	**7**	**10**	**12**
GRAND TOTAL	**4443**	**5.9**	**13**	**2**	**3**	**5**	**7**	**11**	**12**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	50	7.0	27						
18-34	50	3.2	4						
35-49	260	3.0	5	1	1	3	3	7	8
50-69	794	6.0	17	3	3	5	8	9	10
70 +	53	5.4	1						
SUBTOTAL	**1207**	**5.3**	**15**	**1**	**3**	**4**	**7**	**9**	**10**
0-17	60	5.2	25	1	1	3	8	15	15
18-34	60	2.0	1	< 1	1	2	2	4	4
35-49	207	4.5	5	2	4	4	5	6	8
50-69	1051	4.9	9	2	3	4	6	9	13
70 +	130	11.0	146						
SUBTOTAL	**1508**	**5.2**	**24**	**2**	**3**	**4**	**6**	**10**	**13**
GRAND TOTAL	**2715**	**5.3**	**20**	**2**	**3**	**4**	**7**	**9**	**13**

Southern Region, July 1989 - June 1990

DRG 89: Simple Pneumonia & Pleurisy Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	32202	8.1	28	3	5	7	10	14	17
70-74	24124	8.3	30	4	5	7	10	14	18
75-79	25319	9.4	55	4	5	8	11	16	20
80-84	21304	9.3	33	4	6	8	11	16	21
85 +	27901	10.1	48	4	6	8	13	17	22
SUBTOTAL	**130849**	**9.0**	**39**	**4**	**5**	**7**	**11**	**15**	**19**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**130849**	**9.0**	**39**	**4**	**5**	**7**	**11**	**15**	**19**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	3970	5.9	31	2	3	5	7	10	12
35-49	7367	6.6	34	3	4	6	8	11	13
50-69	15211	7.2	21	3	5	6	8	12	15
70 +	1034	9.2	58	4	4	6	13	21	32
	27583	**6.9**	**28**	**3**	**4**	**6**	**8**	**11**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	27583	**6.9**	**28**	**3**	**4**	**6**	**8**	**11**	**14**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	2581	6.2	17	3	4	5	8	9	12
35-49	2094	7.9	26	4	4	7	11	14	19
50-69	4302	8.2	27	3	5	7	9	13	21
70 +	641	7.8	22	4	5	8	14	99 +	99 +
SUBTOTAL	**9619**	**7.6**	**24**	**3**	**4**	**7**	**9**	**13**	**21**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**9619**	**7.6**	**24**	**3**	**4**	**7**	**9**	**13**	**21**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2106	6.0	24	3	3	5	7	11	15
35-49	3719	6.7	17	3	4	6	9	12	14
50-69	3703	6.9	19	3	4	6	8	11	15
70 +	93	6.2	19	1	5	6	6	18	18
	9621	**6.6**	**19**	**3**	**4**	**6**	**8**	**12**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	9621	**6.6**	**19**	**3**	**4**	**6**	**8**	**12**	**15**

DRG 90: Simple Pneumonia & Pleurisy Age >17 w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	5310	5.6	10	3	4	5	7	9	11
70-74	3964	6.5	10	3	4	6	8	10	12
75-79	4533	6.4	17	2	4	6	8	11	13
80-84	3510	7.0	23	3	4	6	8	12	14
85+	3916	7.1	13	3	5	7	9	12	14
SUBTOTAL	**21233**	**6.5**	**14**	**3**	**4**	**6**	**8**	**11**	**13**
GRAND TOTAL	**21233**	**6.5**	**14**	**3**	**4**	**6**	**8**	**11**	**13**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
0									
0-17	0								
18-34	7871	4.5	5	2	3	4	6	7	9
35-49	8402	4.9	6	2	3	4	6	8	9
50-69	7809	5.9	10	3	4	5	7	10	12
70+	237	6.4	9	2	5	6	9	9	11
24319	**5.1**	**7**	**2**	**3**	**5**	**6**	**8**	**10**	
24319	**5.1**	**7**	**2**	**3**	**5**	**6**	**8**	**10**	

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	1222	4.8	5	2	3	5	6	8	10
35-49	938	5.5	13	2	4	5	7	8	11
50-69	989	5.9	11	3	4	5	6	9	11
70+	204	4.9	3	3	4	5	6	7	8
SUBTOTAL	**3352**	**5.3**	**9**	**2**	**4**	**5**	**6**	**8**	**10**
GRAND TOTAL	**3352**	**5.3**	**9**	**2**	**4**	**5**	**6**	**8**	**10**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
0									
0-17	0								
18-34	2757	4.5	6	2	3	4	5	9	10
35-49	1776	5.0	4	2	3	5	6	8	8
50-69	1455	6.0	15	3	4	5	7	12	14
70+	30	6.0	1						
6018	**5.0**	**8**	**2**	**3**	**4**	**6**	**8**	**10**	
6018	**5.0**	**8**	**2**	**3**	**4**	**6**	**8**	**10**	

DRG 91: Simple Pneumonia & Pleurisy Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	210	12.9	238	2	2	5	19	42	42
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**210**	**12.9**	**238**	**2**	**2**	**5**	**19**	**42**	**42**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	217	3.8	3						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**217**	**3.8**	**3**						
GRAND TOTAL	**427**	**8.3**	**139**	**1**	**2**	**4**	**6**	**42**	**42**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	15315	4.3	8	2	2	3	5	8	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**15315**	**4.3**	**8**	**2**	**2**	**3**	**5**	**8**	**10**
0-17	39426	3.6	4	2	2	3	4	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**39426**	**3.6**	**4**	**2**	**2**	**3**	**4**	**6**	**7**
	54741	**3.8**	**5**	**2**	**2**	**3**	**5**	**6**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	11691	4.9	13	2	3	4	6	9	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**11691**	**4.9**	**13**	**2**	**3**	**4**	**6**	**9**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	26869	3.6	5	2	2	3	4	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**26869**	**3.6**	**5**	**2**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**38560**	**4.0**	**8**	**2**	**2**	**3**	**5**	**7**	**9**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	4824	4.5	29	2	3	3	5	8	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**4824**	**4.5**	**29**	**2**	**3**	**3**	**5**	**8**	**10**
0-17	12577	3.4	4	2	2	3	4	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**12577**	**3.4**	**4**	**2**	**2**	**3**	**4**	**6**	**7**
	17400	**3.7**	**11**	**2**	**2**	**3**	**4**	**7**	**8**

DRG 92: Interstitial Lung Disease w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1130	9.3	77	3	5	6	10	19	33
70-74	831	6.8	13	2	5	5	9	13	13
75-79	534	8.8	28	4	6	8	10	20	22
80-84	638	10.1	78	3	4	8	10	28	28
85 +	504	6.7	34	3	3	5	7	16	16
SUBTOTAL	3638	8.4	51	3	4	6	10	16	28
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	3638	8.4	51	3	4	6	10	16	28

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	187	6.2	23	1	2	5	12	12	16
18-34	430	8.6	45	2	3	7	11	21	21
35-49	444	5.6	16	1	4	4	7	9	11
50-69	437	9.8	63	4	5	8	9	24	24
70 +	30	14.0	8						
SUBTOTAL	1527	7.9	42	2	4	6	9	16	21
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	1527	7.9	42	2	4	6	9	16	21

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	10	3.0							
18-34	123	5.8	15	3	3	4	7	13	14
35-49	137	7.3	28	3	3	6	9	10	24
50-69	147	8.7	37	4	6	6	7	22	22
70 +	10	3.0							
SUBTOTAL	427	7.2	28	3	3	6	7	14	22
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	427	7.2	28	3	3	6	7	14	22

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	3.0							
18-34	100	5.3	12	2	3	4	7	11	12
35-49	150	9.6	103	2	3	7	13	32	35
50-69	210	4.8	7	1	2	5	6	7	9
70 +	0								
SUBTOTAL	469	6.4	43	1	3	5	7	12	14
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	469	6.4	43	1	3	5	7	12	14

DRG 93: Interstitial Lung Disease w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	220	4.7	6	2	3	5	7	8	8
70-74	127	7.4	23	3	3	7	11	12	16
75-79	291	8.0	12	4	4	6	12	12	12
80-84	20	1.5							
85 +	140	10.7	15						
SUBTOTAL	**798**	**7.3**	**17**	**2**	**4**	**6**	**11**	**12**	**16**
GRAND TOTAL	**798**	**7.3**	**17**	**2**	**4**	**6**	**11**	**12**	**16**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	147	3.4	3	2	2	3	4	6	7
18-34	153	3.9	6	1	1	3	6	7	8
35-49	244	5.6	42	1	2	5	7	7	17
50-69	173	4.8	21	2	3	3	5	10	22
70 +	0								
SUBTOTAL	**717**	**4.6**	**22**	**1**	**2**	**3**	**6**	**7**	**10**
GRAND TOTAL	**717**	**4.6**	**22**	**1**	**2**	**3**	**6**	**7**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	137	3.5	1	2	3	4	4	4	4
18-34	130	9.0	42						
35-49	63	9.3	203						
50-69	10	2.0							
70 +	43	1.0							
SUBTOTAL	**384**	**6.0**	**58**	**1**	**3**	**4**	**5**	**18**	**18**
GRAND TOTAL	**384**	**6.0**	**58**	**1**	**3**	**4**	**5**	**18**	**18**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	73	2.5	1						
18-34	133	6.4	9	2	5	6	8	9	13
35-49	157	5.1	2	3	4	6	6	6	8
50-69	97	5.8	6						
70 +	0								
SUBTOTAL	**460**	**5.2**	**6**	**2**	**3**	**5**	**8**	**8**	**8**
GRAND TOTAL	**460**	**5.2**	**6**	**2**	**3**	**5**	**8**	**8**	**8**

DRG 94: Pneumothorax w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	860	9.1	78	3	4	7	11	14	23
70-74	387	6.5	6	4	5	6	9	10	10
75-79	517	8.7	32	3	4	7	11	19	22
80-84	491	12.1	38	5	6	11	18	20	22
85 +	301	10.1	31	3	4	10	17	18	18
SUBTOTAL	2556	9.3	47	3	5	7	12	18	22
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	2556	9.3	47	3	5	7	12	18	22

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	113	5.3	3	3	4	6	7	7	7
18-34	731	6.3	21	2	3	4	9	14	15
35-49	568	6.6	7	3	4	7	8	11	12
50-69	945	5.4	8	2	3	5	7	10	10
70 +	97	9.3	17						
SUBTOTAL	2453	6.1	13	2	3	5	8	11	13
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	2453	6.1	13	2	3	5	8	11	13

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	127	4.9	5	4	4	4	4	9	10
18-34	326	10.7	149	2	4	7	10	22	42
35-49	210	8.7	31	3	4	7	10	14	21
50-69	170	7.1	29	4	5	6	7	8	28
70 +	10	6.0							
SUBTOTAL	843	8.5	76	3	4	7	10	15	26
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	843	8.5	76	3	4	7	10	15	26

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	103	8.7	83	2	2	4	16	21	30
18-34	796	6.1	24	2	3	5	8	9	14
35-49	597	5.5	7	2	3	5	7	10	11
50-69	254	9.7	130	< 1	2	6	9	34	34
70 +	20	8.0	17						
SUBTOTAL	1770	6.6	39	2	3	5	8	11	19
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	1770	6.6	39	2	3	5	8	11	19

DRG 95: Pneumothorax w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	247	5.5	9	2	3	5	9	9	9
70-74	150	5.1	8						
75-79	0								
80-84	107	4.5	5						
85 +	10	5.0							
SUBTOTAL	**514**	**5.2**	**8**	**2**	**3**	**4**	**9**	**9**	**9**
GRAND TOTAL	**514**	**5.2**	**8**	**2**	**3**	**4**	**9**	**9**	**9**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	720	4.2	9	2	2	4	5	8	8
18-34	2289	4.4	7	1	3	4	6	7	9
35-49	751	4.4	10	2	3	4	5	9	9
50-69	621	4.1	7	1	3	3	5	10	10
70 +	53	15.6	26						
SUBTOTAL	**4435**	**4.4**	**10**	**2**	**3**	**4**	**5**	**8**	**10**
GRAND TOTAL	**4435**	**4.4**	**10**	**2**	**3**	**4**	**5**	**8**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	210	3.3	3	2	2	2	4	6	6
18-34	210	6.5	13	3	3	5	9	13	13
35-49	73	3.0	3						
50-69	140	6.5	7						
70 +	0								
SUBTOTAL	**634**	**5.0**	**10**	**2**	**2**	**4**	**6**	**10**	**13**
GRAND TOTAL	**634**	**5.0**	**10**	**2**	**2**	**4**	**6**	**10**	**13**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	350	3.8	3	2	3	4	4	6	8
18-34	2049	4.3	8	2	3	4	5	8	11
35-49	370	5.0	19	2	2	4	5	16	16
50-69	317	8.6	44	1	4	5	16	19	19
70 +	0								
SUBTOTAL	**3086**	**4.7**	**14**	**2**	**3**	**4**	**5**	**9**	**15**
GRAND TOTAL	**3086**	**4.7**	**14**	**2**	**3**	**4**	**5**	**9**	**15**

DRG 96: Bronchitis & Asthma Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	30769	6.6	17	3	4	6	8	11	14
70-74	17217	6.8	28	3	4	6	8	12	17
75-79	15304	7.3	28	3	4	6	9	13	17
80-84	9667	7.1	17	3	4	6	9	13	15
85 +	8268	7.4	24	3	4	6	9	13	15
SUBTOTAL	81226	6.9	22	3	4	6	8	12	15
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	81226	6.9	22	3	4	6	8	12	15

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2480	4.8	6	2	3	4	6	8	10
35-49	5722	5.2	9	2	3	4	6	9	11
50-69	12556	6.0	10	3	4	5	7	10	13
70 +	908	5.8	7	3	4	5	6	8	11
SUBTOTAL	21666	5.6	10	3	4	5	7	9	12
0-17	0		-						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	21666	5.6	10	3	4	5	7	9	12

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	1795	5.1	7	2	3	5	7	8	9
35-49	2024	4.8	4	3	3	5	6	7	8
50-69	4416	5.6	14	2	3	5	7	9	11
70 +	257	9.6	66	3	7	7	27	99 +	99 +
SUBTOTAL	8492	5.4	12	2	3	5	7	8	10
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	8492	5.4	12	2	3	5	7	8	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1754	4.4	8	2	3	3	5	8	11
35-49	1955	4.5	6	2	3	4	6	8	9
50-69	2565	6.0	12	3	4	5	7	10	13
70 +	137	5.5	24	1	3	7	20	99 +	99 +
SUBTOTAL	6410	5.1	10	2	3	4	7	9	12
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	6410	5.1	10	2	3	4	7	9	12

DRG 97: Bronchitis & Asthma Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	6411	4.9	8	2	3	4	6	8	11
70-74	3462	5.7	11	2	4	5	7	11	13
75-79	3066	5.3	7	2	3	5	7	9	9
80-84	2107	5.4	6	3	3	5	7	9	10
85 +	1917	5.9	19	2	3	5	7	11	13
SUBTOTAL	**16963**	**5.3**	**10**	**2**	**3**	**5**	**7**	**9**	**11**
GRAND TOTAL	**16963**	**5.3**	**10**	**2**	**3**	**5**	**7**	**9**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	8985	3.5	3	1	2	3	4	6	7
35-49	11333	4.2	5	2	3	4	5	7	8
50-69	10792	4.8	6	2	3	4	6	8	10
70 +	30	4.3	4						
31140	**4.2**	**5**	**2**	**3**	**4**	**5**	**7**	**8**	
31140	**4.2**	**5**	**2**	**3**	**4**	**5**	**7**	**8**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	3003	3.4	4	1	2	3	4	6	7
35-49	2276	4.2	8	2	2	4	5	8	11
50-69	2036	4.8	4	3	3	4	6	8	8
70 +	50	4.2	1						
SUBTOTAL	**7365**	**4.0**	**5**	**2**	**3**	**4**	**5**	**7**	**8**
GRAND TOTAL	**7365**	**4.0**	**5**	**2**	**3**	**4**	**5**	**7**	**8**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	3946	3.2	3	1	2	3	4	6	7
35-49	2832	4.0	4	2	3	4	5	7	8
50-69	1541	4.4	5	2	3	4	6	7	8
70 +	53	2.6	1						
8373	**3.7**	**4**	**1**	**2**	**3**	**5**	**6**	**7**	
8373	**3.7**	**4**	**1**	**2**	**3**	**5**	**6**	**7**	

DRG 98: Bronchitis & Asthma Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	117	9.2	42						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	117	9.2	42						
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	174	4.3	4						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	174	4.3	4						
GRAND TOTAL	291	6.2	25	2	3	5	7	11	11

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	13333	3.7	7	2	2	3	4	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	13333	3.7	7	2	2	3	4	6	8
0-17	54768	3.0	3	1	2	3	4	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	54768	3.0	3	1	2	3	4	5	6
	68101	3.1	4	1	2	3	4	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	12300	4.3	17	2	2	3	5	7	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	12300	4.3	17	2	2	3	5	7	9
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	43036	3.3	4	1	2	3	4	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	43036	3.3	4	1	2	3	4	6	7
GRAND TOTAL	55336	3.5	7	1	2	3	4	6	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	5213	3.5	8	1	2	3	4	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	5213	3.5	8	1	2	3	4	6	8
0-17	22879	2.8	3	1	2	2	4	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	22879	2.8	3	1	2	2	4	5	6
	28092	3.0	4	1	2	3	4	5	6

DRG 99: Respiratory Signs & Symptoms w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	5358	4.7	13	1	2	4	6	9	11
70-74	3002	5.2	28	2	2	4	6	9	13
75-79	2655	6.1	21	2	3	5	7	13	19
80-84	1613	5.3	13	2	3	4	7	11	11
85 +	1082	5.9	18	2	3	5	8	13	15
SUBTOTAL	**13709**	**5.2**	**18**	**2**	**2**	**4**	**7**	**10**	**13**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**13709**	**5.2**	**18**	**2**	**2**	**4**	**7**	**10**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	913	3.7	17	1	1	2	4	8	10
18-34	377	3.0	10	1	2	2	3	6	8
35-49	1552	3.6	8	1	2	3	4	6	8
50-69	2844	5.1	35	1	2	4	6	9	10
70 +	170	5.2	2	4	4	4	7	7	7
	5857	**4.3**	**23**	**1**	**2**	**3**	**5**	**8**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	5857	**4.3**	**23**	**1**	**2**	**3**	**5**	**8**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	946	4.9	17	2	3	4	6	9	17
18-34	117	4.1	4						
35-49	380	3.5	15	2	2	2	4	5	12
50-69	925	5.2	50	2	3	4	6	8	8
70 +	107	5.8	5						
SUBTOTAL	**2475**	**4.8**	**28**	**2**	**2**	**4**	**5**	**8**	**10**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2475**	**4.8**	**28**	**2**	**2**	**4**	**5**	**8**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	380	4.1	8	1	2	4	5	8	10
18-34	133	5.6	7	2	3	7	7	7	11
35-49	767	4.0	7	2	2	3	5	8	9
50-69	971	4.1	13	1	2	3	5	7	8
70 +	43	5.0							
	2294	**4.2**	**10**	**1**	**2**	**3**	**6**	**8**	**8**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2294	4.2	10	1	2	3	6	8	8

DRG 100: Respiratory Signs & Symptoms w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2010	3.3	8	1	2	3	4	5	7
70-74	744	3.3	5	1	2	3	4	7	8
75-79	504	3.2	6	1	2	2	4	7	9
80-84	655	6.1	38	2	2	4	7	16	24
85 +	247	3.0	3	1	2	2	4	5	5
SUBTOTAL	4160	3.7	13	1	2	3	4	7	9
GRAND TOTAL	4160	3.7	13	1	2	3	4	7	9

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	2618	2.5	4	1	1	2	3	4	6
18-34	1532	2.8	5	1	1	2	4	5	9
35-49	5513	2.6	2	1	2	2	3	4	5
50-69	4157	2.6	3	1	1	2	3	4	6
70 +	87	3.0							
	13907	2.6	3	1	1	2	3	4	6
	13907	2.6	3	1	1	2	3	4	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	2869	3.3	6	1	2	3	4	6	8
18-34	60	4.5	10	< 1	1	4	8	9	9
35-49	200	2.9	1	1	2	3	4	4	4
50-69	384	2.7	1	1	2	3	3	5	5
70 +	0								
SUBTOTAL	3512	3.2	5	1	2	3	4	5	8
GRAND TOTAL	3512	3.2	5	1	2	3	4	5	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1373	3.4	7	1	2	3	4	7	8
18-34	331	3.2	1	2	2	3	4	5	5
35-49	1405	3.1	8	1	2	2	3	5	7
50-69	801	2.7	3	1	1	2	4	7	7
70 +	0								
	3910	3.1	6	1	2	3	4	6	7
	3910	3.1	6	1	2	3	4	6	7

DRG 101: Other Respiratory System Diagnoses w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2239	7.4	50	2	3	6	9	12	19
70-74	1509	7.4	116	2	3	5	7	10	12
75-79	2104	7.7	43	3	4	6	9	15	18
80-84	691	6.0	27	1	3	5	9	11	13
85 +	711	9.0	149	3	4	5	9	10	55
SUBTOTAL	7253	7.5	70	2	3	6	9	14	18
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	7253	7.5	70	2	3	6	9	14	18

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1096	3.4	10	1	2	3	3	8	10
18-34	671	4.3	17	1	2	3	5	11	11
35-49	998	5.7	13	2	3	5	8	10	13
50-69	1408	5.6	9	2	3	5	7	10	12
70 +	107	4.8	3						
	4280	4.8	12	2	2	4	6	10	11
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4280	4.8	12	2	2	4	6	10	11

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	432	7.1	97	1	2	5	9	12	14
18-34	190	6.1	15	3	4	4	9	12	18
35-49	80	7.0	34	1	2	6	9	20	20
50-69	274	4.5	5	2	3	4	6	8	10
70 +	43	8.0							
SUBTOTAL	1019	6.3	49	2	3	5	8	10	13
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	1019	6.3	49	2	3	5	8	10	13

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	246	5.0	24	2	3	3	5	9	19
18-34	480	4.6	15	1	2	4	5	8	15
35-49	484	4.4	12	1	2	3	5	9	14
50-69	347	6.0	50	1	2	3	5	20	20
70 +	10	1.0							
	1567	4.9	23	1	2	3	5	9	17
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1567	4.9	23	1	2	3	5	9	17

DRG 102: Other Respiratory System Diagnoses w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	687	5.3	17	1	3	4	7	10	18
70-74	437	4.6	10	2	2	3	5	10	11
75-79	410	3.7	7	1	1	3	6	8	8
80-84	301	7.4	24	2	3	7	14	15	15
85 +	427	4.1	4	2	3	4	6	6	6
SUBTOTAL	**2263**	**4.9**	**14**	**1**	**2**	**4**	**7**	**10**	**14**
GRAND TOTAL	**2263**	**4.9**	**14**	**1**	**2**	**4**	**7**	**10**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	2804	2.5	3	1	1	2	3	4	7
18-34	761	3.1	5	1	1	3	4	5	9
35-49	915	2.2	1	1	1	2	3	4	4
50-69	1249	3.5	4	1	2	3	5	6	9
70 +	83	5.4	9						
5812	**2.8**	**4**	**1**	**1**	**2**	**4**	**5**	**7**	
5812	**2.8**	**4**	**1**	**1**	**2**	**4**	**5**	**7**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	1561	3.0	9	1	1	2	4	6	7
18-34	40	4.0	4						
35-49	53	5.4	1						
50-69	40	4.8	6						
70 +	0								
SUBTOTAL	**1695**	**3.1**	**9**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**1695**	**3.1**	**9**	**1**	**1**	**2**	**4**	**6**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	1153	2.9	31	1	1	2	3	4	7
18-34	307	3.9	9	2	2	3	4	8	8
35-49	230	3.7	18	< 1	1	2	3	12	12
50-69	254	5.9	18	1	2	5	8	13	13
70 +	43	6.0							
1987	**3.6**	**25**	**1**	**1**	**2**	**4**	**8**	**12**	
1987	**3.6**	**25**	**1**	**1**	**2**	**4**	**8**	**12**	

DRG 103: Heart Transplant

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	130	36.5	586	15	21	31	84	99+	99+
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**130**	**36.5**	**586**	**15**	**21**	**31**	**84**	**99+**	**99+**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**130**	**36.5**	**586**	**15**	**21**	**31**	**84**	**99+**	**99+**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	14.0							
18-34	60	28.3	49	17	23	29	34	38	38
35-49	60	42.2	265	15	36	50	82	99+	99+
50-69	120	30.2	592	15	16	25	29	92	99+
70+	0								
	249	**32.0**	**400**	**15**	**17**	**28**	**50**	**99+**	**99+**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	249	**32.0**	**400**	**15**	**17**	**28**	**50**	**99+**	**99+**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	10	8.0							
18-34	0								
35-49	40	31.3	362						
50-69	10	11.0							
70+	0								
SUBTOTAL	**60**	**24.0**	**347**	**8**	**11**	**14**	**36**	**60**	**60**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	10	18.0							
50-69	0								
70+	0								
SUBTOTAL	**10**	**18.0**							
GRAND TOTAL	**70**	**23.1**	**301**	**8**	**11**	**15**	**36**	**60**	**60**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	27.3	247						
18-34	30	19.3	32						
35-49	40	17.3	17						
50-69	70	19.4	14	13	15	21	22	24	24
70+	0								
	170	**20.3**	**69**	**14**	**14**	**19**	**22**	**27**	**49**
0-17	0								
18-34	10	12.0							
35-49	10	12.0							
50-69	20	13.5	7						
70+	0								
	40	**12.8**	**4**						
	209	**18.9**	**65**	**12**	**14**	**17**	**22**	**24**	**27**

Southern Region, July 1989 - June 1990

DRG 104: Cardiac Valve Procedures w/ Cardiac Cath

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1378	21.2	130	9	13	20	25	33	39
70-74	942	22.4	172	10	12	20	31	37	55
75-79	689	22.9	101	11	16	21	29	41	42
80-84	140	17.6	41	9	13	17	20	26	33
85 +	50	32.2	283						
SUBTOTAL	**3199**	**22.0**	**138**	**10**	**13**	**20**	**27**	**37**	**42**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	80	15.1	11	8	14	15	17	20	20
70-74	20	15.0	1						
75-79	20	14.0	9						
80-84	10	20.0							
85 +	0								
SUBTOTAL	**130**	**15.3**	**10**	**11**	**14**	**16**	**17**	**20**	**20**
GRAND TOTAL	**3329**	**21.7**	**134**	**10**	**13**	**19**	**27**	**37**	**42**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	90	14.3	154	6	8	10	12	48	48
18-34	93	23.7	46	17	20	23	23	42	42
35-49	373	17.5	116	7	11	14	22	28	39
50-69	1061	19.0	96	9	13	17	23	30	37
70 +	60	26.0	126	13	16	24	33	45	45
SUBTOTAL	**1677**	**18.9**	**107**	**9**	**12**	**16**	**23**	**30**	**39**
0-17	20	13.0	9						
18-34	40	11.5	11						
35-49	20	17.0	52						
50-69	90	13.4	31	7	10	12	14	23	23
70 +	10	19.0							
SUBTOTAL	**180**	**13.7**	**28**	**7**	**10**	**12**	**16**	**23**	**24**
GRAND TOTAL	**1856**	**18.4**	**101**	**9**	**12**	**16**	**23**	**30**	**39**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	40	13.8	56						
18-34	20	52.5	685						
35-49	90	26.7	651	9	10	23	28	95	95
50-69	213	22.7	132	14	17	20	23	34	49
70 +	0								
SUBTOTAL	**363**	**24.3**	**338**	**9**	**14**	**20**	**27**	**56**	**95**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	40	8.8	90						
18-34	0								
35-49	10	12.0							
50-69	20	13.0	4						
70 +	0								
SUBTOTAL	**70**	**10.4**	**56**	**1**	**1**	**11**	**15**	**24**	**24**
GRAND TOTAL	**432**	**22.1**	**319**	**9**	**12**	**20**	**24**	**49**	**78**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	40	16.5	11						
18-34	30	23.0	185						
35-49	60	22.7	194	10	14	16	28	51	51
50-69	207	17.9	40	14	14	18	19	22	29
70 +	0								
SUBTOTAL	**336**	**19.0**	**81**	**12**	**14**	**18**	**20**	**28**	**41**
0-17	0								
18-34	10	8.0							
35-49	10	20.0							
50-69	20	21.0	17						
70 +	0								
SUBTOTAL	**40**	**17.5**	**39**						
GRAND TOTAL	**376**	**18.8**	**77**	**10**	**14**	**18**	**20**	**28**	**41**

DRG 105: Cardiac Valve Procedures w/o Cardiac Cath

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	961	17.0	103	9	10	14	20	29	36
70-74	598	13.0	26	8	9	11	16	20	23
75-79	502	13.5	35	8	10	11	16	22	26
80-84	236	14.9	124	1	11	12	21	24	43
85 +	20	23.5	44						
SUBTOTAL	**2318**	**15.1**	**74**	**8**	**10**	**12**	**18**	**25**	**30**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	170	9.4	8	7	8	9	10	16	17
70-74	30	13.0	2						
75-79	50	10.4	1						
80-84	0								
85 +	0								
SUBTOTAL	**249**	**10.0**	**8**	**8**	**8**	**9**	**11**	**14**	**16**
GRAND TOTAL	**2567**	**14.6**	**70**	**8**	**9**	**12**	**17**	**24**	**30**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	459	12.0	228	5	6	7	10	24	41
18-34	209	14.0	76	8	9	11	16	23	35
35-49	333	12.0	34	8	9	10	12	18	31
50-69	1055	10.9	21	8	8	10	13	16	18
70 +	10	12.0							
SUBTOTAL	**2066**	**11.7**	**75**	**6**	**8**	**10**	**12**	**17**	**24**
0-17	299	7.9	25	3	5	8	10	10	12
18-34	60	8.0	2	7	7	8	8	11	11
35-49	153	8.2	1	7	8	8	9	9	10
50-69	213	10.5	46	8	8	9	10	12	19
70 +	0								
SUBTOTAL	**725**	**8.7**	**25**	**5**	**7**	**8**	**9**	**10**	**12**
GRAND TOTAL	**2791**	**10.9**	**64**	**6**	**8**	**9**	**11**	**17**	**23**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	269	14.2	138	5	6	12	18	27	33
18-34	100	29.0	716	9	11	18	30	78	97
35-49	30	19.7	140						
50-69	80	17.9	248	8	9	10	20	56	56
70 +	0								
SUBTOTAL	**479**	**18.3**	**309**	**5**	**8**	**12**	**22**	**36**	**59**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	110	7.9	4	5	7	8	10	10	11
18-34	10	8.0							
35-49	40	7.3	4						
50-69	0								
70 +	0								
SUBTOTAL	**160**	**7.8**	**4**	**4**	**7**	**8**	**9**	**10**	**11**
GRAND TOTAL	**638**	**15.6**	**253**	**5**	**7**	**10**	**17**	**30**	**56**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	100	14.6	62	6	7	14	20	26	32
18-34	60	12.0	20	5	9	12	15	19	19
35-49	100	11.0	22	8	8	9	11	19	23
50-69	189	14.9	55	8	9	14	22	30	67
70 +	40	17.3	15						
SUBTOTAL	**489**	**13.9**	**45**	**7**	**9**	**12**	**18**	**23**	**32**
0-17	30	5.0	1						
18-34	20	7.5							
35-49	10	10.0							
50-69	60	9.8	15	6	7	9	10	18	18
70 +	0								
SUBTOTAL	**120**	**8.3**	**12**	**5**	**6**	**8**	**9**	**10**	**18**
GRAND TOTAL	**608**	**12.8**	**44**	**6**	**8**	**11**	**16**	**23**	**25**

DRG 106: Coronary Bypass w/ Cardiac Cath

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	6808	15.5	54	9	11	14	18	23	30
70-74	3923	16.9	67	10	12	15	21	27	32
75-79	2297	17.9	71	11	12	16	21	29	32
80-84	789	17.7	39	13	14	16	21	25	28
85 +	123	16.0	66	10	10	12	18	27	37
SUBTOTAL	**13941**	**16.4**	**60**	**10**	**11**	**14**	**19**	**26**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	821	12.4	20	8	9	11	14	20	21
70-74	299	13.2	37	7	10	12	16	22	30
75-79	239	13.5	22	8	10	12	16	22	23
80-84	60	17.0	26	12	12	16	18	27	27
85 +	0								
SUBTOTAL	**1420**	**13.0**	**25**	**8**	**10**	**11**	**16**	**21**	**23**
GRAND TOTAL	**15361**	**16.1**	**58**	**9**	**11**	**14**	**18**	**25**	**30**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	7.0							
35-49	2022	12.3	30	7	9	11	14	17	23
50-69	7551	13.6	57	8	10	12	15	20	22
70 +	227	20.3	171	8	12	15	20	43	43
SUBTOTAL	**9809**	**13.5**	**55**	**8**	**10**	**12**	**15**	**20**	**23**
0-17	0								
18-34	20	8.5							
35-49	562	10.8	12	8	8	10	12	15	20
50-69	1510	11.5	16	8	9	11	14	16	18
70 +	30	18.0	17						
SUBTOTAL	**2122**	**11.4**	**16**	**8**	**8**	**11**	**13**	**16**	**19**
	11931	**13.1**	**49**	**8**	**9**	**12**	**15**	**19**	**22**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	133	13.0	7	9	11	14	15	15	17
50-69	343	13.7	16	9	11	13	17	19	21
70 +	20	14.0	17						
SUBTOTAL	**496**	**13.5**	**14**	**9**	**11**	**13**	**16**	**18**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	20	8.5							
50-69	50	14.2	10						
70 +	0								
SUBTOTAL	**70**	**12.6**	**14**	**8**	**9**	**12**	**16**	**19**	**19**
GRAND TOTAL	**566**	**13.4**	**14**	**9**	**10**	**13**	**16**	**18**	**20**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	30	16.0	17						
35-49	376	13.4	28	8	9	12	16	22	27
50-69	1218	14.8	99	8	10	13	16	22	24
70 +	20	9.5	2						
SUBTOTAL	**1644**	**14.4**	**81**	**8**	**10**	**12**	**16**	**22**	**24**
0-17	0								
18-34	10	19.0							
35-49	130	12.1	15	9	9	12	13	15	23
50-69	243	10.5	14	8	8	9	13	13	15
70 +	0								
SUBTOTAL	**383**	**11.3**	**16**	**8**	**9**	**11**	**13**	**15**	**23**
	2027	**13.8**	**70**	**8**	**9**	**12**	**16**	**21**	**23**

DRG 107: Coronary Bypass w/o Cardiac Cath

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	3679	10.5	22	7	8	9	12	15	18
70-74	2046	12.8	75	8	8	10	13	19	30
75-79	1084	11.7	17	8	9	10	13	17	21
80-84	203	15.1	20	10	11	16	17	20	24
85 +	10	19.0							
SUBTOTAL	**7022**	**11.5**	**38**	**8**	**8**	**10**	**13**	**17**	**21**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	512	8.0	1	7	7	8	9	10	10
70-74	160	10.0	26	6	7	9	11	14	28
75-79	180	11.1	7	8	9	10	13	16	16
80-84	10	14.0							
85 +	0								
SUBTOTAL	**861**	**9.0**	**9**	**7**	**7**	**8**	**10**	**12**	**14**
GRAND TOTAL	**7883**	**11.2**	**35**	**7**	**8**	**9**	**12**	**17**	**21**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	30	8.7	1						
35-49	1051	9.0	24	7	7	8	9	11	12
50-69	4153	9.7	22	7	8	8	10	13	17
70 +	83	10.1	7						
5318	**9.6**	**22**	**7**	**8**	**8**	**10**	**13**	**16**	
0-17	0								
18-34	0								
35-49	399	8.3	7	6	7	7	9	13	15
50-69	947	8.2	3	7	7	8	9	10	12
70 +	10	7.0							
1356	**8.2**	**4**	**7**	**7**	**8**	**9**	**10**	**13**	
6674	**9.3**	**19**	**7**	**7**	**8**	**10**	**12**	**15**	

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	80	14.3	66	7	8	10	20	30	30
50-69	289	11.7	20	8	9	10	14	18	18
70 +	0								
SUBTOTAL	**369**	**12.2**	**31**	**8**	**9**	**10**	**14**	**18**	**29**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	10	7.0							
50-69	20	8.0							
70 +	0								
SUBTOTAL	**30**	**7.7**							
GRAND TOTAL	**399**	**11.9**	**30**	**8**	**8**	**10**	**14**	**18**	**27**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	6.0							
35-49	283	10.5	64	7	8	8	9	19	21
50-69	888	9.9	22	7	8	8	11	15	16
70 +	30	18.0	67						
1210	**10.2**	**34**	**7**	**8**	**8**	**10**	**15**	**19**	
0-17	0								
18-34	0								
35-49	60	8.3	1	7	8	8	9	10	10
50-69	199	9.0	11	6	7	8	9	15	17
70 +	0								
259	**8.8**	**9**	**7**	**7**	**8**	**9**	**15**	**16**	
1470	**9.9**	**30**	**7**	**8**	**8**	**10**	**15**	**19**	

DRG 108: Other Cardiothoracic Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1234	16.2	84	8	10	14	19	25	37
70-74	695	17.0	110	9	10	13	21	28	36
75-79	389	20.5	194	9	12	15	22	51	57
80-84	70	20.3	27	12	17	20	25	29	29
85 +	20	13.5	2						
SUBTOTAL	2408	17.2	110	9	10	14	20	29	43
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	90	10.4	13	7	8	9	11	19	19
70-74	60	15.3	33	8	12	14	18	26	26
75-79	20	12.5	2						
80-84	0								
85 +	0								
SUBTOTAL	170	12.4	24	8	8	11	14	19	26
GRAND TOTAL	2577	16.9	105	8	10	14	20	27	37

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	2204	11.9	73	6	7	9	14	21	36
18-34	140	9.1	11	6	7	9	11	13	15
35-49	349	11.8	26	7	8	10	14	20	22
50-69	1321	13.2	28	8	10	12	16	20	22
70 +	20	11.5	13						
	4033	12.2	53	6	8	10	15	20	25
	1755	7.6	14	4	5	7	9	12	14
	193	7.7	2	6	6	8	9	10	11
	120	8.7	18	6	7	7	10	14	19
	199	11.1	20	6	7	11	13	18	21
	0								
	2267	7.9	15	5	6	7	9	12	15
	6301	10.7	43	5	7	9	13	18	22

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	1007	15.6	132	6	8	11	20	33	38
18-34	50	15.6	84						
35-49	20	19.0	38						
50-69	40	11.5	13						
70 +	0								
SUBTOTAL	1117	15.5	125	7	8	11	20	33	38
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	977	9.6	39	5	6	8	10	16	23
18-34	30	9.7	6						
35-49	0								
50-69	10	8.0							
70 +	0								
SUBTOTAL	1017	9.6	38	5	7	8	10	15	22
GRAND TOTAL	2134	12.7	92	6	7	9	15	27	35

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	588	15.3	138	5	7	12	21	32	44
18-34	10	7.0							
35-49	130	16.4	332	7	8	11	14	18	78
50-69	249	12.5	18	8	9	12	15	19	21
70 +	20	15.5	44						
	997	14.7	132	5	8	12	18	27	36
0-17	419	8.0	12	5	6	7	9	11	16
18-34	10	4.0							
35-49	60	9.2	7	6	6	9	11	13	13
50-69	70	9.3	21	2	7	9	12	18	18
70 +	0								
	558	8.2	13	5	6	7	9	13	17
	1556	12.3	99	5	7	9	15	22	30

DRG 110: Major Cardiovascular Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4220	14.1	89	7	9	11	17	26	30
70-74	2836	14.4	87	7	9	12	16	26	32
75-79	2153	14.9	70	7	10	13	18	23	34
80-84	870	13.7	67	7	9	12	17	22	26
85 +	290	16.2	112	8	9	13	16	33	48
SUBTOTAL	10368	14.4	83	7	9	12	17	25	32
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	10368	14.4	83	7	9	12	17	25	32

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1197	12.0	137	4	6	8	13	27	34
18-34	133	12.1	41	5	9	9	17	19	27
35-49	440	9.5	10	6	8	8	12	13	16
50-69	2962	11.7	52	7	8	10	13	18	25
70 +	283	17.6	192	7	10	14	16	49	49
	5015	11.9	78	6	8	9	13	19	29
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	5015	11.9	78	6	8	9	13	19	29

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	818	14.4	210	4	6	10	16	33	56
18-34	90	9.6	29	3	6	9	10	22	22
35-49	113	11.8	59	7	7	7	14	22	32
50-69	207	12.2	94	6	6	8	15	23	32
70 +	0								
SUBTOTAL	1227	13.4	165	5	7	9	15	28	46
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	1227	13.4	165	5	7	9	15	28	46

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	279	7.7	13	3	6	7	9	13	15
18-34	80	10.1	80	4	5	7	9	33	33
35-49	183	22.6	276	5	7	19	39	48	48
50-69	660	15.2	101	7	9	12	17	27	33
70 +	50	11.6	22						
	1252	14.1	124	6	7	11	17	27	38
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1252	14.1	124	6	7	11	17	27	38

DRG 111: Major Cardiovascular Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	617	9.9	42	6	7	8	11	14	14
70-74	386	8.0	5	5	7	8	9	10	13
75-79	246	9.2	9	7	7	9	11	12	14
80-84	190	10.6	59	7	8	8	10	16	42
85 +	10	10.0							
SUBTOTAL	**1450**	**9.4**	**29**	**6**	**7**	**8**	**10**	**13**	**14**
GRAND TOTAL	**1450**	**9.4**	**29**	**6**	**7**	**8**	**10**	**13**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	1296	6.0	10	3	4	5	7	9	11
18-34	70	8.0	8	5	6	7	9	14	14
35-49	227	8.2	16	5	6	8	8	12	17
50-69	1450	8.1	7	6	7	8	9	10	12
70 +	10	10.0							
SUBTOTAL	**3053**	**7.2**	**10**	**4**	**5**	**7**	**8**	**10**	**12**
GRAND TOTAL	**3053**	**7.2**	**10**	**4**	**5**	**7**	**8**	**10**	**12**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	658	6.8	16	4	5	6	8	11	17
18-34	20	7.0	4						
35-49	30	9.7	3						
50-69	73	3.6	6						
70 +	20	8.0	9						
SUBTOTAL	**801**	**6.6**	**16**	**3**	**4**	**6**	**8**	**11**	**15**
GRAND TOTAL	**801**	**6.6**	**16**	**3**	**4**	**6**	**8**	**11**	**15**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	319	7.9	79	3	4	6	8	11	22
18-34	60	6.5	13	3	3	5	9	13	13
35-49	50	11.2	45						
50-69	207	9.0	17	5	7	7	15	15	16
70 + –	10	6.0							
SUBTOTAL	**645**	**8.4**	**50**	**3**	**4**	**7**	**10**	**15**	**16**
GRAND TOTAL	**645**	**8.4**	**50**	**3**	**4**	**7**	**10**	**15**	**16**

DRG 112: Percutaneous Cardiovascular Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	8291	7.1	24	3	4	6	9	13	15
70-74	4532	8.6	44	3	4	8	10	16	19
75-79	2921	9.3	37	3	5	8	13	16	20
80-84	855	12.1	64	4	7	10	15	21	33
85 +	263	9.6	20	5	7	9	10	15	18
SUBTOTAL	**16861**	**8.2**	**35**	**3**	**4**	**7**	**10**	**15**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	3202	5.3	14	2	3	4	7	11	13
70-74	1504	6.4	15	3	4	6	7	12	14
75-79	782	6.0	13	2	3	6	7	11	13
80-84	340	6.6	11	3	4	6	8	11	14
85 +	40	7.5	5						
SUBTOTAL	**5868**	**5.8**	**14**	**2**	**3**	**5**	**7**	**11**	**13**
GRAND TOTAL	**22730**	**7.6**	**31**	**2**	**4**	**7**	**10**	**14**	**17**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	110	3.6	7	1	2	2	7	8	8
18-34	213	6.4	18	2	4	6	7	14	15
35-49	2933	5.9	14	2	3	6	8	10	12
50-69	9859	6.5	22	2	3	5	8	12	15
70 +	180	9.2	44	3	4	8	11	20	26
SUBTOTAL	**13293**	**6.4**	**21**	**2**	**3**	**5**	**8**	**12**	**14**
0-17	429	2.1	5	1	1	1	2	4	7
18-34	383	4.4	13	1	2	3	6	10	13
35-49	3609	5.4	12	2	3	5	8	10	11
50-69	7199	5.3	13	2	3	4	7	10	12
70 +	30	9.3	37						
SUBTOTAL	**11649**	**5.2**	**13**	**2**	**2**	**4**	**7**	**10**	**12**
	24943	**5.8**	**17**	**2**	**3**	**5**	**8**	**11**	**13**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	60	5.3	79	< 1	1	1	2	25	25
18-34	50	7.0	40						
35-49	369	7.5	15	4	5	6	9	15	16
50-69	748	7.9	54	3	3	6	9	15	19
70 +	150	9.4	15						
SUBTOTAL	**1377**	**7.8**	**41**	**2**	**4**	**6**	**9**	**15**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	80	2.0	3	< 1	1	1	2	6	6
18-34	50	4.4	2						
35-49	253	4.5	8	2	3	4	5	9	12
50-69	160	6.8	13	2	3	6	10	12	13
70 +	0								
SUBTOTAL	**542**	**4.8**	**11**	**2**	**2**	**4**	**6**	**11**	**12**
GRAND TOTAL	**1919**	**6.9**	**34**	**2**	**3**	**6**	**9**	**13**	**17**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	2.3	1						
18-34	70	10.9	78	2	3	8	15	29	29
35-49	1278	7.3	21	3	4	6	11	13	14
50-69	1920	6.0	12	2	3	6	8	11	13
70 +	20	3.5	7						
SUBTOTAL	**3327**	**6.5**	**18**	**2**	**3**	**6**	**8**	**12**	**14**
0-17	160	2.8	14	< 1	< 1	1	2	8	15
18-34	143	5.0	7	2	4	4	7	8	12
35-49	992	4.6	9	1	2	4	7	9	11
50-69	1441	4.4	7	1	2	4	6	9	9
70 +	30	2.3	2						
SUBTOTAL	**2765**	**4.4**	**8**	**1**	**2**	**4**	**7**	**9**	**10**
	6093	**5.6**	**15**	**2**	**3**	**5**	**7**	**11**	**12**

DRG 113: Amputation for Circ System Disorders except Upper Limb & Toe

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3008	17.3	183	6	9	13	21	31	45
70-74	1875	14.3	130	5	8	10	16	29	41
75-79	2389	14.7	109	6	9	12	18	27	37
80-84	1515	15.6	130	5	9	12	19	26	37
85 +	2648	14.1	136	5	8	12	16	22	36
SUBTOTAL	**11435**	**15.3**	**142**	**6**	**8**	**12**	**18**	**27**	**40**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	147	8.5	19	3	3	8	12	12	18
70-74	137	11.6	58	3	3	11	18	18	26
75-79	204	14.4	105	6	9	9	22	33	33
80-84	40	15.8	29						
85 +	93	9.5	31	4	4	11	12	18	18
SUBTOTAL	**620**	**11.7**	**65**	**3**	**6**	**9**	**18**	**22**	**33**
GRAND TOTAL	**12055**	**15.1**	**139**	**6**	**8**	**12**	**18**	**27**	**39**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	43	2.0							
35-49	147	15.5	113	4	4	16	24	24	40
50-69	940	15.5	138	5	7	13	24	35	41
70 +	90	14.3	105	2	8	10	23	36	36
	1220	**14.9**	**134**	**3**	**5**	**13**	**24**	**33**	**41**
0-17	0								
18-34	0								
35-49	20	7.5	7						
50-69	127	7.5	25	4	4	5	9	17	19
70 +	0								
	147	**7.5**	**23**	**4**	**4**	**5**	**10**	**17**	**19**
	1367	**14.1**	**127**	**3**	**5**	**11**	**22**	**32**	**41**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	10	7.0							
35-49	60	28.0	447	5	14	18	47	65	65
50-69	884	17.0	149	6	8	15	22	32	43
70 +	117	16.3	38						
SUBTOTAL	**1071**	**17.4**	**159**	**6**	**8**	**15**	**22**	**34**	**47**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	10	29.0							
50-69	20	6.0	1						
70 +	0								
SUBTOTAL	**30**	**13.7**	**122**						
GRAND TOTAL	**1101**	**17.3**	**159**	**6**	**8**	**15**	**22**	**33**	**47**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	12.0							
35-49	167	17.4	203	8	8	12	16	31	65
50-69	253	17.6	148	7	10	15	21	38	47
70 +	20	34.5	95						
	449	**18.1**	**175**	**8**	**10**	**12**	**23**	**44**	**55**
0-17	0								
18-34	0								
35-49	0								
50-69	63	17.4	545						
70 +	0								
	63	**17.4**	**545**						
	513	**18.1**	**220**	**8**	**8**	**12**	**22**	**44**	**65**

DRG 114: Upper Limb & Toe Amputation for Circ System Disorders

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1438	12.7	115	3	5	8	21	26	30
70-74	514	9.0	41	3	5	8	10	25	25
75-79	608	9.1	25	3	5	8	13	15	17
80-84	380	15.2	104	4	7	12	26	35	35
85 +	297	11.6	158	3	3	6	17	19	24
SUBTOTAL	3237	11.6	93	3	5	8	15	25	29
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	170	10.0	46	2	2	9	20	20	20
70-74	10	5.0							
75-79	10	9.0							
80-84	140	8.0	17						
85 +	140	7.1	13						
SUBTOTAL	471	8.4	27	2	3	8	11	13	20
GRAND TOTAL	3708	11.2	86	3	5	8	14	24	26

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	20	9.5							
35-49	340	7.7	26	3	4	6	11	12	17
50-69	387	9.3	29	3	5	8	12	21	21
70 +	10	22.0							
	757	8.8	29	3	5	8	12	16	21
0-17	0								
18-34	0								
35-49	63	3.9	24						
50-69	97	8.1	3						
70 +	0								
	160	6.4	15	2	2	7	8	13	15
	917	8.3	28	3	4	8	11	15	21

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	10	53.0							
35-49	20	22.0	105						
50-69	90	17.4	256	2	6	16	18	54	54
70 +	40	12.8	48						
SUBTOTAL	160	19.1	252	2	6	16	26	53	54
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	43	15.0							
50-69	30	8.0	14						
70 +	0								
SUBTOTAL	73	12.1	18						
GRAND TOTAL	233	16.9	188	3	7	15	18	34	53

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	160	7.3	175	2	2	3	6	6	58
35-49	167	20.1	330	7	9	16	20	44	81
50-69	256	14.8	196	4	4	6	22	39	39
70 +	10	3.0							
	593	14.1	249	3	4	6	20	39	43
0-17	0								
18-34	20	14.0	52						
35-49	0								
50-69	53	18.3	62						
70 +	0								
	73	17.1	62						
	667	14.4	229	3	4	8	21	39	40

DRG 115 Perm Cardiac Pacemaker Implant w/ AMI, Heart Failure or Shock

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	400	12.7	21	9	10	11	14	20	21
70-74	434	17.5	175	8	10	12	20	32	32
75-79	447	12.3	89	5	5	10	17	29	35
80-84	400	11.9	19	7	9	11	13	18	20
85 +	444	15.1	32	8	14	17	20	22	23
SUBTOTAL	2126	14.2	73	6	9	12	18	22	31
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	43	6.0							
70-74	10	13.0							
75-79	87	5.5							
80-84	10	23.0							
85 +	30	15.0	17						
SUBTOTAL	180	8.6	29	5	6	6	10	20	23
GRAND TOTAL	2306	13.7	72	6	9	11	17	22	31

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	40	12.3	4						
70 +	10	13.0							
	50	12.4	4						
0-17	0								
18-34	0								
35-49	0								
50-69	10	12.0							
70 +	0								
	10	12.0							
	60	12.3	3	9	12	13	14	14	14

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	10	13.0							
70 +	0								
SUBTOTAL	10	13.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	10	13.0							

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	20	13.0	17						
70 +	0								
	20	13.0	17						
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	20	13.0	17						

DRG 116: Perm Cardiac Pacemaker Implant w/o AMI, Heart Failure or Shock

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2211	8.0	32	3	4	6	11	14	18
70-74	2505	7.8	25	3	4	7	11	14	15
75-79	2534	7.7	27	3	4	7	9	14	17
80-84	3039	7.6	20	3	5	7	10	14	16
85 +	2402	8.4	31	3	4	7	10	16	18
SUBTOTAL	**12692**	**7.9**	**27**	**3**	**4**	**7**	**10**	**15**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	857	4.8	8	2	3	4	6	9	11
70-74	847	5.8	27	2	3	4	8	9	24
75-79	857	5.0	8	2	3	4	7	8	12
80-84	934	4.8	8	2	3	5	6	8	10
85 +	1158	6.0	11	2	3	5	8	11	12
SUBTOTAL	**4653**	**5.3**	**12**	**2**	**3**	**4**	**7**	**10**	**12**
GRAND TOTAL	**17345**	**7.2**	**24**	**3**	**4**	**6**	**9**	**14**	**16**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	80	6.6	56	2	3	4	6	26	26
18-34	20	4.5	2						
35-49	167	6.6	21	2	3	5	9	13	20
50-69	563	8.0	23	2	3	7	12	14	17
70 +	260	5.0	12	1	4	4	6	7	14
SUBTOTAL	**1089**	**6.9**	**24**	**2**	**3**	**6**	**9**	**13**	**16**
0-17	160	4.1	6	2	2	3	5	7	11
18-34	123	3.6	6	2	2	2	3	7	10
35-49	153	3.1	5	1	1	2	5	7	8
50-69	447	4.9	11	2	2	4	7	9	10
70 +	40	4.5	11						
SUBTOTAL	**922**	**4.3**	**9**	**1**	**2**	**3**	**7**	**9**	**10**
GRAND TOTAL	**2012**	**5.7**	**19**	**2**	**2**	**4**	**7**	**12**	**14**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	40	13.5	34						
18-34	0								
35-49	10	11.0							
50-69	244	8.8	53	3	3	6	15	23	23
70 +	73	7.0	14						
SUBTOTAL	**367**	**9.0**	**45**	**3**	**5**	**6**	**15**	**23**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	40	5.0	6						
18-34	0								
35-49	10	13.0							
50-69	40	5.3	4						
70 +	53	12.5	10						
SUBTOTAL	**143**	**8.4**	**20**	**3**	**5**	**7**	**14**	**14**	**14**
GRAND TOTAL	**510**	**8.8**	**38**	**3**	**5**	**6**	**14**	**21**	**23**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	50	10.2	48						
18-34	0								
35-49	53	6.4	1						
50-69	123	5.5	16	3	3	3	5	10	17
70 +	87	10.5	31						
SUBTOTAL	**313**	**7.8**	**28**	**3**	**4**	**6**	**10**	**16**	**17**
0-17	20	6.5	13						
18-34	10	7.0							
35-49	30	1.7							
50-69	40	7.5	12						
70 +	43	4.0							
SUBTOTAL	**143**	**5.0**	**10**	**2**	**3**	**4**	**7**	**10**	**12**
GRAND TOTAL	**457**	**6.9**	**24**	**3**	**3**	**5**	**9**	**16**	**16**

Southern Region, July 1989 - June 1990

DRG 117: Cardiac Pacemaker Revision except Device Replacement

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	60	7.2	15	2	6	6	7	15	15
70-74	117	3.9	1						
75-79	127	7.0	33	4	5	5	6	9	26
80-84	30	1.7							
85 +	73	3.7	3						
SUBTOTAL	407	5.2	17	2	4	5	6	7	10
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	63	3.2							
70-74	103	2.6	13	< 1	1	1	2	7	13
75-79	30	1.3							
80-84	107	4.1	2						
85 +	53	2.6	1						
SUBTOTAL	357	3.0	5	1	1	3	4	5	7
GRAND TOTAL	764	4.2	13	1	2	4	5	7	9

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	60	2.3	1	1	1	2	3	4	4
18-34	10	1.0							
35-49	20	2.5							
50-69	107	10.9	1						
70 +	0								
	197	6.9	20	1	2	10	11	12	12
0-17	20	3.0							
18-34	10	3.0							
35-49	10	1.0							
50-69	53	2.1	6						
70 +	0								
	93	2.3	4	1	1	1	3	7	7
	290	5.4	19	1	1	3	10	12	12

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	10	4.0							
18-34	0								
35-49	0								
50-69	53	4.5	10						
70 +	0								
SUBTOTAL	63	4.4	8						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	43	2.0							
70 +	0								
SUBTOTAL	43	2.0							
GRAND TOTAL	107	3.4	6						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	4.0							
18-34	0								
35-49	10	1.0							
50-69	0								
70 +	0								
	20	2.5	2						
0-17	20	2.5							
18-34	10	4.0							
35-49	0								
50-69	0								
70 +	0								
	30	3.0	1						
	50	2.8	1						

DRG 118: Cardiac Pacemaker Device Replacement

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	80	3.9	12	1	1	2	6	11	11
70-74	267	4.1	10	2	2	3	3	11	11
75-79	93	2.0	1	1	1	2	3	3	3
80-84	327	4.8	19	2	2	3	5	15	15
85 +	220	4.9	36	1	2	3	7	9	9
SUBTOTAL	**987**	**4.3**	**19**	**1**	**2**	**3**	**4**	**11**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	123	2.4	4	1	1	1	5	5	5
70-74	147	2.4	1	2	2	2	2	5	5
75-79	227	1.9	1	1	1	2	2	3	3
80-84	120	2.2	4	1	1	1	3	5	7
85 +	244	1.4	1	1	1	1	1	2	3
SUBTOTAL	**860**	**2.0**	**2**	**1**	**1**	**2**	**2**	**5**	**5**
GRAND TOTAL	**1847**	**3.2**	**12**	**1**	**1**	**2**	**3**	**7**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	3.0							
18-34	10	3.0							
35-49	10	1.0							
50-69	40	1.8	1						
70 +	10	1.0							
	80	**1.9**	**1**	**1**	**1**	**2**	**3**	**3**	**3**
0-17	50	3.4	4						
18-34	10	2.0							
35-49	20	1.0							
50-69	73	1.1							
70 +	10	1.0							
	163	**1.9**	**2**	**1**	**1**	**1**	**2**	**5**	**6**
	243	**1.9**	**2**	**1**	**1**	**1**	**2**	**3**	**5**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	20	5.5	13						
18-34	20	1.0							
35-49	0								
50-69	0								
70 +	20	1.0							
SUBTOTAL	**60**	**2.5**	**9**	**1**	**1**	**1**	**2**	**9**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	10	3.0							
35-49	0								
50-69	20	2.0	1						
70 +	0								
SUBTOTAL	**30**	**2.3**	**1**						
GRAND TOTAL	**90**	**2.4**	**6**	**1**	**1**	**1**	**3**	**9**	**9**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	2.7							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	30	**2.7**							
0-17	0								
18-34	0								
35-49	10	2.0							
50-69	10	2.0							
70 +	0								
	20	**2.0**							
	50	**2.4**							

Southern Region, July 1989 - June 1990

DRG 119: Vein Ligation & Stripping

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	277	11.4	184	2	4	8	9	19	48
70-74	113	6.4	37	1	2	4	16	16	17
75-79	40	7.5	48						
80-84	50	31.6	95						
85 +	0								
SUBTOTAL	**480**	**12.0**	**178**	**1**	**4**	**6**	**19**	**33**	**42**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	290	1.9	2	1	1	2	2	2	2
70-74	93	5.6	13	1	2	8	8	11	11
75-79	93	2.8	13	1	1	2	2	13	13
80-84	10	1.0							
85 +	10	3.0							
SUBTOTAL	**496**	**2.8**	**8**	**1**	**1**	**2**	**2**	**8**	**8**
GRAND TOTAL	**977**	**7.3**	**113**	**1**	**2**	**3**	**8**	**19**	**33**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	204	9.7	89	1	2	8	8	27	27
50-69	380	6.9	43	2	2	4	9	22	22
70 +	0								
SUBTOTAL	**584**	**7.9**	**61**	**1**	**2**	**4**	**9**	**22**	**27**
0-17	63	1.8							
18-34	760	1.9	2	1	1	1	3	4	5
35-49	1190	2.0	2	1	1	2	3	3	4
50-69	1137	1.8	1	< 1	1	2	2	3	4
70 +	0								
SUBTOTAL	**3150**	**1.9**	**2**	**1**	**1**	**2**	**3**	**3**	**4**
GRAND TOTAL	**3734**	**2.9**	**16**	**1**	**1**	**2**	**3**	**5**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	10	44.0							
70 +	0								
SUBTOTAL	**10**	**44.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	40	1.8	1						
35-49	43	2.0							
50-69	0								
70 +	0								
SUBTOTAL	**83**	**1.9**							
GRAND TOTAL	**93**	**6.4**	**171**	**1**	**2**	**2**	**2**	**44**	**44**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	10	1.0							
50-69	10	3.0							
70 +	0								
SUBTOTAL	**20**	**2.0**	**1**						
0-17	10	1.0							
18-34	150	1.8	3	1	1	1	2	2	8
35-49	177	4.9	34	1	1	2	2	15	15
50-69	167	3.0	10	1	1	1	4	7	13
70 +	0								
SUBTOTAL	**503**	**3.3**	**17**	**1**	**1**	**2**	**4**	**13**	**15**
GRAND TOTAL	**523**	**3.2**	**17**	**1**	**1**	**2**	**3**	**13**	**15**

DRG 120: Other Circulatory System O.R. Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4129	9.4	102	2	3	6	12	20	29
70-74	1514	13.8	172	2	5	12	18	27	34
75-79	1697	13.5	172	2	4	10	17	32	41
80-84	727	13.4	118	3	6	12	16	23	40
85 +	591	15.0	136	4	9	13	15	30	47
SUBTOTAL	**8657**	**11.7**	**137**	**2**	**4**	**8**	**15**	**25**	**34**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	450	6.6	24	1	2	6	11	15	15
70-74	147	12.1	37	2	8	13	14	20	25
75-79	80	11.4	25	1	9	11	16	17	17
80-84	237	16.9	117	1	10	16	23	34	34
85 +	10	11.0							
SUBTOTAL	**924**	**10.6**	**68**	**1**	**3**	**10**	**15**	**23**	**25**
GRAND TOTAL	**9581**	**11.6**	**130**	**2**	**4**	**9**	**15**	**25**	**34**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	60	9.0	56	< 1	3	6	18	20	20
18-34	93	13.1	61	2	5	15	15	28	28
35-49	286	8.9	65	2	3	5	15	24	24
50-69	732	11.1	74	3	5	10	15	22	25
70 +	40	5.8	8						
SUBTOTAL	**1212**	**10.5**	**70**	**3**	**4**	**8**	**15**	**23**	**24**
0-17	50	3.8	4						
18-34	53	7.8							
35-49	113	4.4	12	1	2	4	4	11	12
50-69	404	6.7	36	1	3	5	8	11	18
70 +	70	2.3	2	< 1	1	2	4	4	4
SUBTOTAL	**690**	**5.8**	**26**	**1**	**3**	**5**	**8**	**10**	**14**
GRAND TOTAL	**1902**	**8.8**	**59**	**2**	**3**	**6**	**11**	**20**	**24**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	20	12.5							
18-34	80	5.5	29	1	2	3	7	18	18
35-49	233	12.3	152	1	3	11	16	27	45
50-69	503	14.8	179	2	5	9	25	35	38
70 +	10	7.0							
SUBTOTAL	**846**	**13.1**	**159**	**2**	**4**	**9**	**18**	**33**	**38**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	10	4.0							
18-34	10	8.0							
35-49	10	1.0							
50-69	127	6.3	9	3	3	7	7	10	13
70 +	0								
SUBTOTAL	**157**	**6.0**	**9**	**3**	**3**	**7**	**7**	**10**	**13**
GRAND TOTAL	**1002**	**12.0**	**142**	**2**	**3**	**8**	**15**	**29**	**36**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	16.0	75						
18-34	40	20.3	106						
35-49	73	25.2	194						
50-69	230	12.2	106	3	6	9	19	19	22
70 +	0								
SUBTOTAL	**373**	**15.9**	**147**	**3**	**6**	**11**	**24**	**32**	**40**
0-17	20	3.5							
18-34	20	6.5							
35-49	53	3.6	1						
50-69	20	10.0	38						
70 +	0								
SUBTOTAL	**113**	**5.2**	**13**	**3**	**4**	**4**	**6**	**7**	**16**
GRAND TOTAL	**487**	**13.4**	**136**	**3**	**4**	**9**	**19**	**32**	**34**

Southern Region, July 1989 - June 1990

DRG 121: Circulatory Disorders w/ AMI & C.V. Comp Disch Alive

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	8379	9.3	34	4	6	8	11	16	21
70-74	6701	10.3	28	5	7	9	12	17	20
75-79	8836	10.3	28	5	7	9	12	17	22
80-84	9034	10.3	35	5	7	9	13	16	20
85 +	6082	10.8	40	4	7	9	13	18	24
SUBTOTAL	**39033**	**10.2**	**33**	**5**	**7**	**9**	**12**	**17**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	180	7.2	3	6	7	7	7	9	13
70-74	157	5.8	10	2	2	6	8	10	13
75-79	123	7.2	6	4	6	7	10	10	10
80-84	234	9.0	7	7	7	9	10	13	13
85 +	63	7.6	2						
SUBTOTAL	**757**	**7.5**	**7**	**4**	**7**	**7**	**10**	**11**	**13**
GRAND TOTAL	**39790**	**10.1**	**33**	**5**	**7**	**9**	**12**	**17**	**21**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	73	10.5	57						
35-49	1231	7.8	48	3	5	8	9	11	12
50-69	4788	8.9	23	5	7	8	11	13	18
70 +	657	11.1	31	6	7	10	12	17	23
	6779	**8.9**	**30**	**4**	**6**	**8**	**10**	**13**	**17**
0-17	0								
18-34	20	4.5	13						
35-49	10	7.0							
50-69	113	6.8	2	5	6	7	8	8	8
70 +	43	1.0							
	187	**5.2**	**9**	**<1**	**1**	**6**	**8**	**8**	**8**
	6966	**8.8**	**30**	**4**	**6**	**8**	**10**	**13**	**17**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	53	22.5	56						
35-49	103	9.5	11	4	7	11	11	13	14
50-69	884	7.6	8	3	5	8	9	11	12
70 +	214	7.8	11	3	4	8	10	12	12
SUBTOTAL	**1254**	**8.4**	**20**	**3**	**5**	**8**	**9**	**12**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	10	3.0							
50-69	20	11.0	4						
70 +	0								
SUBTOTAL	**30**	**8.3**	**17**						
GRAND TOTAL	**1284**	**8.4**	**20**	**3**	**5**	**8**	**9**	**12**	**14**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	43	8.0							
35-49	664	7.8	19	3	6	8	9	11	14
50-69	1247	9.2	22	4	6	8	12	17	18
70 +	407	7.3	11	1	6	7	10	11	12
	2362	**8.5**	**19**	**4**	**6**	**8**	**11**	**14**	**17**
0-17	0								
18-34	0								
35-49	53	2.1	6						
50-69	43	6.0							
70 +	0								
	97	**3.9**	**7**						
	2459	**8.3**	**20**	**3**	**6**	**7**	**11**	**14**	**17**

DRG 122: Circulatory Disorders w/ AMI w/o C.V. Comp Disch Alive

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	5242	7.5	23	3	5	7	9	12	14
70-74	3051	7.8	18	3	5	8	10	13	15
75-79	2767	8.0	18	4	5	7	10	13	15
80-84	1987	8.6	48	4	5	7	10	14	18
85 +	861	7.7	22	4	5	7	9	11	13
SUBTOTAL	**13908**	**7.8**	**24**	**3**	**5**	**7**	**9**	**12**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	3449	6.7	10	3	4	7	8	10	11
70-74	2818	6.8	7	3	5	7	8	10	10
75-79	2371	7.3	10	4	6	7	9	11	13
80-84	1499	7.0	8	3	5	7	9	10	12
85 +	1005	8.3	18	5	6	8	10	13	16
SUBTOTAL	**11143**	**7.0**	**10**	**3**	**5**	**7**	**9**	**10**	**12**
GRAND TOTAL	**25050**	**7.5**	**18**	**3**	**5**	**7**	**9**	**12**	**13**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	30	7.3							
35-49	1101	6.5	13	2	4	7	9	12	13
50-69	3903	7.5	10	4	5	7	9	11	13
70 +	63	7.6	17						
5097	**7.3**	**10**	**3**	**5**	**7**	**9**	**11**	**13**	
0-17	0								
18-34	170	4.7	6	< 1	< 1	5	8	8	8
35-49	2886	6.4	8	3	5	6	9	10	11
50-69	5914	6.3	6	3	5		8	9	10
70 +	83	5.0	8	< 1	7		9 +	99 +	99 +
9054	**6.3**	**6**	**3**	**5**		**8**	**9**	**10**	
14151	**6.6**	**8**	**3**	**5**		**8**	**10**	**11**	

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	10	5.0							
35-49	143	10.1	19	6	6	10	16	16	16
50-69	942	6.8	8	4	5	6	9	12	13
70 +	150	8.0	2						
SUBTOTAL	**1245**	**7.3**	**10**	**4**	**5**	**7**	**9**	**13**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	220	6.5	4	5	5	6	7	10	11
50-69	197	6.3	5	4	5	6	7	10	12
70 +	20	6.0							
SUBTOTAL	**437**	**6.4**	**4**	**5**	**5**	**6**	**7**	**10**	**11**
GRAND TOTAL	**1682**	**7.1**	**9**	**4**	**5**	**6**	**9**	**12**	**14**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	30	5.0	8						
35-49	567	6.3	4	4	5	6	8	8	10
50-69	870	6.8	12	3	4	7	8	11	16
70 +	63	9.8							
1531	**6.7**	**9**	**3**	**5**	**7**	**8**	**10**	**11**	
0-17	0								
18-34	184	5.8	4						
35-49	624	6.1	5	3	4	6	8	9	9
50-69	1395	6.2	6	4	5	6	8	9	10
70 +	63	6.0							
2267	**6.2**	**5**	**4**	**4**	**6**	**8**	**9**	**9**	
3797	**6.4**	**7**	**3**	**5**	**6**	**8**	**9**	**10**	

DRG 124: Circulatory Disorders except AMI, w/ Card Cath & Complex Diag

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	12117	6.3	28	2	2	5	8	13	15
70-74	7088	6.1	24	1	3	5	8	12	14
75-79	4061	7.3	30	2	3	6	10	15	17
80-84	1953	8.0	56	2	3	6	10	16	23
85 +	370	9.2	34	4	5	8	11	17	27
SUBTOTAL	25593	6.6	30	2	3	5	9	13	16
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	4125	3.8	7	1	2	3	5	7	9
70-74	2175	3.9	7	1	2	3	6	7	9
75-79	1159	4.2	8	1	2	3	6	8	11
80-84	390	5.6	15	1	2	5	8	13	14
85 +	40	5.0	2						
SUBTOTAL	7889	4.0	8	1	2	3	6	8	10
GRAND TOTAL	33482	6.0	26	1	2	5	8	12	15

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	329	7.5	48	2	3	5	10	18	26
18-34	333	5.8	18	1	1	5	8	11	13
35-49	2591	4.7	19	1	2	4	7	10	12
50-69	7967	5.1	21	1	2	4	7	11	14
70 +	443	6.7	23	2	2	6	8	13	13
	11664	5.2	21	1	2	4	7	11	14
0-17	40	6.8	34						
18-34	50	6.4	8						
35-49	1605	3.9	12	1	2	3	5	7	7
50-69	4772	3.3	6	1	2	3	4	7	9
70 +	80	3.0	2	1	2	3	4	5	5
	6546	3.5	8	1	2	3	4	7	7
	18210	4.6	17	1	2	3	6	9	12

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	140	8.6	43	1	4	6	13	20	22
18-34	133	7.4	29	1	3	7	10	16	18
35-49	532	8.6	59	2	4	7	10	15	28
50-69	1385	7.7	66	2	4	6	9	13	19
70 +	40	5.5	5						
SUBTOTAL	2230	7.9	60	2	4	6	10	15	21
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	40	5.5	13						
18-34	30	3.0	3						
35-49	293	5.8	18	2	3	4	7	11	12
50-69	306	4.1	7	2	2	3	5	8	9
70 +	10	6.0							
SUBTOTAL	680	4.9	13	2	2	4	6	11	11
GRAND TOTAL	2909	7.2	51	2	3	6	9	13	19

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	110	15.5	158	3	5	14	21	38	39
18-34	220	5.9	19	3	3	4	9	12	16
35-49	725	5.5	19	1	2	5	7	12	16
50-69	1625	6.3	18	1	3	6	9	13	16
70 +	123	5.2	39	1	1	3	5	10	24
	2803	6.4	28	1	3	5	8	13	16
0-17	10	1.0							
18-34	83	1.6	1						
35-49	519	4.4	9	1	2	5	5	8	11
50-69	932	4.3	6	1	2	5	6	7	8
70 +	0								
	1545	4.1	7	1	2	4	6	7	8
	4348	5.6	22	1	2	5	7	11	15

DRG 125: Circulatory Disorders except AMI, w/ Card Cath w/o Complex Diag

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	7845	3.7	11	1	1	2	5	8	10
70-74	4339	4.0	15	1	2	3	5	8	14
75-79	2360	4.1	10	1	2	3	5	9	11
80-84	663	4.1	16	1	2	2	6	10	10
85 +	50	3.6	8						
SUBTOTAL	**15257**	**3.9**	**12**	**1**	**2**	**2**	**5**	**8**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	6952	2.6	5	1	1	2	3	5	6
70-74	4022	2.8	6	1	1	2	3	6	8
75-79	1729	2.8	7	1	1	2	4	5	7
80-84	493	3.7	6	1	1	3	6	7	9
85 +	70	3.1	10	1	1	1	7	9	9
SUBTOTAL	**13266**	**2.7**	**5**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**28523**	**3.3**	**10**	**1**	**1**	**2**	**4**	**7**	**9**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1386	2.0	7	1	1	1	2	3	7
18-34	283	3.0	4	1	1	3	5	5	6
35-49	3248	3.4	7	1	1	3	5	7	8
50-69	7530	3.3	14	1	1	2	4	8	9
70 +	283	4.0	14	1	2	2	7	7	7
	12731	**3.2**	**11**	**1**	**1**	**2**	**4**	**7**	**8**
0-17	2553	1.8	4	1	1	1	2	3	5
18-34	959	2.2	2	1	1	2	3	4	5
35-49	9044	2.6	4	1	1	2	3	6	7
50-69	17064	2.4	4	1	1	2	3	5	6
70 +	183	3.0	8	1	1	2	3	8	11
	29803	**2.4**	**4**	**1**	**1**	**2**	**3**	**5**	**7**
	42533	**2.6**	**6**	**1**	**1**	**2**	**3**	**6**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	798	2.9	70	1	1	1	2	4	8
18-34	40	1.8	1						
35-49	509	4.2	12	1	2	3	5	10	13
50-69	879	4.2	8	1	2	4	6	9	10
70 +	20	7.0	26						
SUBTOTAL	**2246**	**3.7**	**32**	**1**	**1**	**2**	**5**	**9**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1546	1.7	2	1	1	1	2	2	4
18-34	153	2.1	2	1	1	2	2	3	7
35-49	749	2.9	5	1	1	2	5	6	7
50-69	772	3.5	8	1	2	2	5	7	11
70 +	160	2.8	6	1	2	2	3	3	12
SUBTOTAL	**3381**	**2.4**	**5**	**1**	**1**	**2**	**2**	**5**	**7**
GRAND TOTAL	**5627**	**2.9**	**16**	**1**	**1**	**2**	**4**	**6**	**9**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	588	1.5	2	< 1	1	1	1	2	6
18-34	120	5.6	15	2	2	4	8	11	13
35-49	1185	3.5	8	1	1	2	5	9	9
50-69	1461	3.6	8	1	1	3	5	8	9
70 +	10	3.0							
	3364	**3.3**	**8**	**1**	**1**	**2**	**5**	**8**	**9**
0-17	997	2.0	10	< 1	1	1	2	3	6
18-34	303	2.5	9	1	1	2	3	5	7
35-49	2443	2.7	4	1	1	2	4	5	6
50-69	3262	2.4	4	1	1	1	3	6	7
70 +	130	2.2	9	< 1	1	1	1	3	12
	7134	**2.4**	**5**	**1**	**1**	**2**	**3**	**5**	**7**
	10498	**2.7**	**6**	**1**	**1**	**2**	**4**	**6**	**8**

DRG 126: Acute & Subacute Endocarditis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	310	24.4	132	12	18	21	31	35	45
70-74	160	19.0	99	11	11	13	29	29	43
75-79	167	16.1	138	< 1	< 1	15	28	33	36
80-84	93	31.8	204	11	13	43	43	43	43
85 +	40	30.0	137						
SUBTOTAL	770	22.7	161	11	13	19	33	43	43
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	43	30.0							
70-74	40	5.8	7						
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	83	18.4	152						
GRAND TOTAL	853	22.2	162	8	13	20	31	38	43

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	60	33.5	294	-15	15	32	52	55	55
18-34	113	18.7	106	12	13	16	27	31	43
35-49	143	27.6	122	10	19	33	33	42	42
50-69	190	23.5	227	1	7	30	35	43	44
70 +	10	4.0							
SUBTOTAL	516	24.4	202	3	14	28	35	43	44
0-17	20	8.5	32						
18-34	10	11.0							
35-49	63	14.6	13						
50-69	20	30.5	221						
70 +	0								
	113	16.0	101	8	11	16	17	17	45
	630	22.9	194	3	13	19	33	43	44

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	10	13.0							
18-34	189	26.4	194	5	14	28	31	45	57
35-49	130	25.5	104	14	15	28	30	37	46
50-69	107	40.5	529						
70 +	0								
SUBTOTAL	436	29.3	288	13	16	28	37	57	68
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	30	16.3	342						
18-34	20	4.0							
35-49	43	30.0							
50-69	0								
70 +	0								
SUBTOTAL	93	20.1	214	2	4	30	30	42	42
GRAND TOTAL	529	27.6	287	5	15	28	31	52	68

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	40	11.8	131						
18-34	279	22.5	319	3	5	21	31	48	50
35-49	263	26.1	184	10	11	27	29	46	49
50-69	30	24.7	31						
70 +	0								
	612	23.4	247	3	11	26	30	44	49
0-17	20	31.5	322						
18-34	0								
35-49	10	8.0							
50-69	0								
70 +	0								
	30	23.7	338						
	642	23.4	250	3	11	25	30	46	49

DRG 127: Heart Failure & Shock

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	39888	7.0	27	2	4	6	9	13	16
70-74	25607	7.3	30	3	4	6	9	13	17
75-79	31281	7.9	38	3	4	6	10	15	20
80-84	27012	7.7	33	3	4	6	10	14	18
85 +	28476	8.3	39	3	4	6	10	16	21
SUBTOTAL	**152265**	**7.6**	**34**	**3**	**4**	**6**	**9**	**14**	**18**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	5092	5.0	11	2	3	4	6	9	10
70-74	3545	6.0	14	2	3	5	8	11	14
75-79	4497	5.7	15	2	3	5	7	9	10
80-84	4642	5.9	19	2	3	4	8	12	14
85 +	4448	6.6	34	3	3	5	8	13	16
SUBTOTAL	**22224**	**5.8**	**19**	**2**	**3**	**5**	**7**	**10**	**14**
GRAND TOTAL	**174489**	**7.4**	**32**	**3**	**4**	**6**	**9**	**14**	**18**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	323	3.4	5	1	2	2	4	7	8
18-34	290	7.4	46	3	4	5	11	11	17
35-49	2195	6.4	37	2	3	5	8	10	12
50-69	10494	6.6	24	2	3	5	9	12	15
70 +	1286	8.5	37	3	5	7	11	16	20
SUBTOTAL	**14588**	**6.7**	**28**	**2**	**3**	**5**	**9**	**12**	**16**
0-17	90	4.8	12	1	3	3	6	12	12
18-34	43	4.0							
35-49	841	4.2	5	2	2	4	6	8	9
50-69	2210	4.5	10	1	2	4	6	8	9
70 +	127	5.5	1	4	6	6	6	6	6
SUBTOTAL	**3311**	**4.5**	**9**	**1**	**2**	**4**	**6**	**8**	**9**
GRAND TOTAL	**17900**	**6.3**	**25**	**2**	**3**	**5**	**8**	**11**	**15**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	360	6.7	35	2	3	4	8	16	22
18-34	403	4.9	21	1	2	3	7	10	13
35-49	2185	5.5	13	2	3	5	7	10	13
50-69	5248	6.6	20	3	4	5	8	12	16
70 +	1395	7.4	19	3	4	7	11	18	99 +
SUBTOTAL	**9592**	**6.4**	**19**	**2**	**4**	**5**	**8**	**12**	**17**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	30	5.3	24						
18-34	107	2.6	2						
35-49	297	4.4	6	2	3	3	5	9	9
50-69	784	4.7	3	3	4	5	6	6	7
70 +	254	5.2	6	2	4	6	7	99 +	99 +
SUBTOTAL	**1472**	**4.6**	**5**	**2**	**3**	**5**	**6**	**7**	**9**
GRAND TOTAL	**11064**	**6.2**	**18**	**2**	**3**	**5**	**8**	**12**	**17**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	130	4.7	19	2	2	3	5	11	17
18-34	286	5.7	10	2	2	5	7	12	12
35-49	1827	6.0	21	2	3	5	7	11	18
50-69	4361	6.3	47	2	3	5	7	11	16
70 +	217	8.2	43	4	4	7	11	11	17
SUBTOTAL	**6820**	**6.2**	**38**	**2**	**3**	**5**	**7**	**11**	**16**
0-17	73	4.4	19						
18-34	20	4.0	9						
35-49	457	7.7	95	2	3	5	6	11	37
50-69	1165	4.9	7	2	3	4	7	9	9
70 +	43	2.0							
SUBTOTAL	**1759**	**5.5**	**32**	**2**	**3**	**4**	**7**	**9**	**11**
GRAND TOTAL	**8580**	**6.1**	**37**	**2**	**3**	**5**	**7**	**11**	**15**

DRG 128: Deep Vein Thrombophlebitis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1165	9.0	25	5	6	8	10	15	20
70-74	865	9.5	29	4	6	8	12	14	22
75-79	1089	9.8	33	4	7	8	13	14	23
80-84	384	9.6	12	5	8	9	11	15	15
85 +	524	9.3	27	3	6	8	11	16	16
SUBTOTAL	**4027**	**9.4**	**27**	**4**	**6**	**8**	**12**	**15**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1129	6.5	7	3	5	6	8	11	11
70-74	608	7.0	20	2	4	6	8	14	14
75-79	434	7.2	10	3	5	7	10	10	11
80-84	210	5.9	3	4	4	5	7	7	9
85 +	441	8.5	9	6	7	8	10	14	14
SUBTOTAL	**2821**	**7.0**	**11**	**3**	**5**	**7**	**8**	**11**	**14**
GRAND TOTAL	**6849**	**8.4**	**22**	**4**	**5**	**6**	**10**	**14**	**16**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	20	7.5	44						
18-34	150	3.7	4						
35-49	350	7.9	20	2	4	7	13	13	13
50-69	848	7.1	14	2	5	6	9	11	11
70 +	10	21.0							
	1378	**7.1**	**17**	**2**	**5**	**6**	**9**	**13**	**13**
0-17	0								
18-34	264	6.1	3	4	5	6	7	9	10
35-49	1519	7.3	8	4	6	7	8	10	11
50-69	1673	6.9	7	4	5	6	8	10	11
70 +	10	8.0							
	3466	**7.0**	**7**	**4**	**5**	**7**	**8**	**10**	**11**
	4844	**7.0**	**10**	**4**	**5**	**7**	**8**	**11**	**12**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	53	6.3	2						
35-49	97	6.2							
50-69	117	8.5	21						
70 +	10	10.0							
SUBTOTAL	**277**	**7.3**	**11**	**4**	**6**	**6**	**9**	**10**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	53	2.8							
50-69	184	4.8	3						
70 +	0								
SUBTOTAL	**237**	**4.4**	**3**	**2**	**3**	**5**	**6**	**6**	**6**
GRAND TOTAL	**514**	**6.0**	**9**	**2**	**4**	**6**	**7**	**9**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	9.0							
18-34	30	4.7	28						
35-49	133	6.1	18	3	3	4	9	14	15
50-69	107	15.6	116						
70 +	0								
	280	**9.6**	**78**	**2**	**3**	**6**	**14**	**21**	**21**
0-17	0								
18-34	237	5.4	4	3	3	6	7	8	8
35-49	224	8.6	18	5	5	7	11	16	16
50-69	93	7.6	7	4	7	7	7	14	14
70 +	0								
	554	**7.1**	**12**	**3**	**5**	**7**	**8**	**13**	**16**
	834	**7.9**	**36**	**3**	**4**	**7**	**8**	**16**	**21**

DRG 129: Cardiac Arrest, Unexplained

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	63	7.5	89						
70-74	194	8.9	9	6	6	8	11	13	13
75-79	160	11.6	89	6	6	8	9	25	43
80-84	87	13.0	36						
85 +	53	1.0							
SUBTOTAL	**558**	**9.4**	**55**	**1**	**6**	**7**	**11**	**19**	**25**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	10	5.0							
80-84	0								
85 +	43	5.0							
SUBTOTAL	**53**	**5.0**							
GRAND TOTAL	**611**	**9.0**	**52**	**1**	**5**	**7**	**11**	**19**	**20**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	43	4.0							
35-49	0								
50-69	43	13.0							
70 +	43	7.0							
SUBTOTAL	**130**	**8.0**	**14**						
0-17	10	2.0	—						
18-34	0								
35-49	43	4.0							
50-69	20	1.0							
70 +	0								
SUBTOTAL	**73**	**2.9**	**2**						
GRAND TOTAL	**204**	**6.2**	**16**	**1**	**4**	**4**	**7**	**13**	**13**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	30	26.7	1111						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**30**	**26.7**	**1111**						
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	10	2.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**10**	**2.0**							
GRAND TOTAL	**40**	**20.5**	**943**						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	37.0							
18-34	10	1.0							
35-49	43	8.0							
50-69	0								
70 +	0								
SUBTOTAL	**63**	**11.5**	**130**						
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
	63	**11.5**	**130**						

DRG 130: Peripheral Vascular Disorders w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	6942	7.2	28	2	4	7	9	14	17
70-74	4069	7.9	30	2	4	7	10	14	15
75-79	4649	7.8	54	2	4	7	9	13	17
80-84	3784	7.3	28	2	4	7	8	12	16
85 +	2981	8.3	35	3	4	7	10	13	23
SUBTOTAL	**22426**	**7.6**	**35**	**2**	**4**	**7**	**9**	**13**	**16**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**22426**	**7.6**	**35**	**2**	**4**	**7**	**9**	**13**	**16**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	40	14.5	280						
18-34	397	8.3	23	2	4	8	11	17	18
35-49	1254	8.3	23	3	5	9	10	13	17
50-69	3084	6.9	27	2	4	7	9	11	13
70 +	140	5.1	31	1	1	3	8	16	18
SUBTOTAL	**4914**	**7.4**	**29**	**2**	**4**	**7**	**10**	**12**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4914**	**7.4**	**29**	**2**	**4**	**7**	**10**	**12**	**14**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	97	4.6	7						
18-34	393	8.0	27	2	5	7	8	16	21
35-49	440	9.1	30	3	5	8	10	19	19
50-69	750	5.4	43	1	2	5	9	99 +	99 +
70 +	10	7.0							
SUBTOTAL	**1690**	**6.9**	**36**	**1**	**3**	**6**	**9**	**19**	**51**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1690**	**6.9**	**36**	**1**	**3**	**6**	**9**	**19**	**51**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	10.0	42						
18-34	343	8.8	48	3	5	7	10	15	21
35-49	670	6.7	49	2	3	5	8	11	16
50-69	1023	8.1	38	2	4	8	10	13	19
70 +	10	2.0							
SUBTOTAL	**2075**	**7.8**	**44**	**2**	**4**	**7**	**9**	**15**	**21**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2075**	**7.8**	**44**	**2**	**4**	**7**	**9**	**15**	**21**

DRG 131: Peripheral Vascular Disorders w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	3210	5.7	9	2	3	6	8	9	11
70-74	2073	6.8	18	1	3	6	9	11	13
75-79	1819	6.1	8	2	4	6	8	10	11
80-84	1398	7.0	17	2	4	7	11	12	16
85 +	831	6.5	11	1	4	7	9	11	11
SUBTOTAL	**9330**	**6.2**	**12**	**1**	**3**	**6**	**8**	**11**	**12**
GRAND TOTAL	**9330**	**6.2**	**12**	**1**	**3**	**6**	**8**	**11**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	263	3.9	9	1	1	4	7	99 +	99 +
18-34	1001	5.4	14	2	2	5	8	11	12
35-49	2355	5.6	11	2	3	6	7	8	10
50-69	3683	4.8	10	1	2	5	7	9	11
70 +	50	2.6	1						
	7352	**5.1**	**11**	**1**	**2**	**5**	**7**	**9**	**11**
	7352	**5.1**	**11**	**1**	**2**	**5**	**7**	**9**	**11**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	50	4.4	2						
18-34	363	7.0	18	2	5	6	9	11	12
35-49	250	4.8	10	1	1	5	5	11	12
50-69	293	5.6	17	< 1	2	4	8	12	13
70 +	87	3.5							
SUBTOTAL	**1044**	**5.6**	**15**	**1**	**3**	**5**	**7**	**11**	**12**
GRAND TOTAL	**1044**	**5.6**	**15**	**1**	**3**	**5**	**7**	**11**	**12**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	20	3.5	7						
18-34	477	6.1	17	2	3	5	7	12	13
35-49	480	6.7	24	2	3	6	8	14	14
50-69	673	5.7	19	1	2	6	7	10	19
70 +	107	26.0	135						
	1757	**7.3**	**50**	**1**	**2**	**6**	**8**	**14**	**30**
	1757	**7.3**	**50**	**1**	**2**	**6**	**8**	**14**	**30**

DRG 132: Atherosclerosis w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	977	4.3	7	2	2	3	5	9	11
70-74	530	5.3	2	2	2	4	7	9	9
75-79	630	6.7	23	2	4	5	8	17	17
80-84	751	6.7	7	3	4	7	8	11	12
85 +	581	6.1	21	2	3	4	9	13	16
SUBTOTAL	3470	5.7	16	2	3	4	8	11	13
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	3470	5.7	16	2	3	4	8	11	13

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	2.0							
18-34	0								
35-49	157	3.8	2	2	2	4	5	5	6
50-69	951	4.4	8	1	3	3	6	9	11
70 +	30	6.0	19						
	1148	4.3	7	1	3	4	5	8	11
	0								
	0								
	0								
	0								
	0								
	0								
	1148	4.3	7	1	3	4	5	8	11

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	10	4.0							
35-49	83	4.4	3						
50-69	317	4.1	7	2	2	3	4	9	9
70 +	0								
SUBTOTAL	410	4.2	6	2	2	3	6	9	9
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	410	4.2	6	2	2	3	6	9	9

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	60	2.7	2	1	2	2	3	5	5
50-69	163	4.2	5	2	3	3	6	6	10
70 +	87	34.5	658						
	310	12.4	378	2	3	5	9	60	60
	0								
	0								
	0								
	0								
	0								
	0								
	310	12.4	378	2	3	5	9	60	60

DRG 133: Atherosclerosis w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	377	3.7	5	1	3	3	4	7	8
70-74	564	3.4	4	1	2	3	4	7	7
75-79	321	4.3	3	2	3	5	6	7	7
80-84	281	4.2	3	2	3	4	4	7	7
85 +	368	5.9	16	1	3	4	10	12	12
SUBTOTAL	**1910**	**4.2**	**7**	**1**	**3**	**4**	**5**	**7**	**10**
GRAND TOTAL	**1910**	**4.2**	**7**	**1**	**3**	**4**	**5**	**7**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	40	6.3	4						
18-34	107	3.0							
35-49	467	2.4	1	1	2	2	3	4	4
50-69	965	3.5	3	1	2	4	5	7	7
70 +	43	1.0							
1623	**3.2**	**3**		**1**	**2**	**3**	**4**	**5**	**7**
1623	**3.2**	**3**		**1**	**2**	**3**	**4**	**5**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	10	9.0							
18-34	0								
35-49	83	3.2	9						
50-69	30	5.7	1						
70 +	0								
SUBTOTAL	**123**	**4.2**	**10**	**1**	**1**	**5**	**7**	**8**	**9**
GRAND TOTAL	**123**	**4.2**	**10**	**1**	**1**	**5**	**7**	**8**	**9**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	63	4.9	3						
35-49	137	6.4	9	2	4	8	9	9	9
50-69	293	3.1	3	2	2	2	4	6	6
70 +	43	2.0							
537	**4.1**	**6**		**2**	**2**	**3**	**6**	**8**	**9**
537	**4.1**	**6**		**2**	**2**	**3**	**6**	**8**	**9**

DRG 134: Hypertension

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3299	4.7	8	2	3	4	6	8	11
70-74	1202	7.8	57	2	3	5	11	18	22
75-79	1212	5.0	15	2	2	3	7	11	13
80-84	1115	4.1	7	2	2	3	5	8	10
85+	514	4.6	10	2	3	4	4	7	14
SUBTOTAL	**7342**	**5.2**	**19**	**2**	**3**	**4**	**6**	**10**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1776	3.4	6	1	2	3	4	7	8
70-74	1055	3.3	4	1	2	3	5	6	7
75-79	1159	4.3	12	1	2	3	5	9	11
80-84	789	3.4	5	1	2	3	4	5	9
85+	591	7.0	39	2	3	5	8	16	25
SUBTOTAL	**5369**	**4.0**	**12**	**1**	**2**	**3**	**5**	**8**	**9**
GRAND TOTAL	**12712**	**4.7**	**16**	**2**	**2**	**3**	**6**	**9**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	133	2.3	3	1	1	2	3	4	7
18-34	584	3.8	7	1	2	3	5	7	11
35-49	1562	3.9	4	2	2	3	5	6	8
50-69	2170	4.8	12	2	3	4	7	10	11
70+	73	9.2	2						
SUBTOTAL	**4523**	**4.4**	**9**	**2**	**2**	**3**	**5**	**8**	**10**
0-17	189	3.1	3	1	2	3	4	7	7
18-34	598	3.4	4	1	2	3	4	6	7
35-49	2894	3.2	5	1	2	3	4	6	9
50-69	3679	3.4	4	1	2	3	4	6	6
70+	0								
SUBTOTAL	**7360**	**3.3**	**4**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**11883**	**3.7**	**6**	**1**	**2**	**3**	**5**	**7**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	103	5.4	10	3	3	5	5	9	14
18-34	113	6.1	3	4	4	7	7	7	9
35-49	374	3.4	2	2	2	3	4	5	6
50-69	818	4.3	7	2	2	3	6	8	12
70+	117	4.5	5	3	3	5	99+	99+	99+
SUBTOTAL	**1526**	**4.3**	**6**	**2**	**2**	**4**	**6**	**8**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	70	4.7	12	2	2	3	7	12	12
18-34	107	2.8	1						
35-49	387	4.0	4	1	3	4	5	8	8
50-69	394	3.8	3	2	3	4	4	5	8
70+	53	9.9	19						
SUBTOTAL	**1011**	**4.1**	**7**	**1**	**2**	**4**	**5**	**8**	**12**
GRAND TOTAL	**2537**	**4.2**	**6**	**2**	**2**	**4**	**5**	**8**	**12**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	60	4.5	2	2	4	4	5	7	7
18-34	173	2.8	3	1	1	3	4	6	6
35-49	670	4.4	17	1	2	4	6	7	7
50-69	677	5.4	20	2	2	4	7	11	17
70+	53	2.1	6						
SUBTOTAL	**1634**	**4.6**	**17**	**1**	**2**	**4**	**6**	**9**	**11**
0-17	100	3.4	1	2	3	3	4	5	6
18-34	331	3.6	4	1	3	3	6	6	6
35-49	1302	3.1	4	1	1	2	5	6	7
50-69	814	3.9	6	1	2	3	6	7	7
70+	10	2.0							
SUBTOTAL	**2556**	**3.4**	**5**	**1**	**2**	**3**	**5**	**6**	**7**
GRAND TOTAL	**4191**	**3.9**	**10**	**1**	**2**	**3**	**5**	**7**	**9**

DRG 135: Cardiac Congenital & Valvular Disorders Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	274	5.0	6	2	3	3	7	8	8
70-74	370	5.3	8	2	3	5	7	11	11
75-79	210	6.3	29	2	2	5	8	8	16
80-84	467	4.4	5	3	3	4	5	6	9
85+	246	6.5	8	3	5	6	8	9	9
SUBTOTAL	**1568**	**5.3**	**10**	**2**	**3**	**5**	**7**	**9**	**11**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1568**	**5.3**	**10**	**2**	**3**	**5**	**7**	**9**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	117	2.7	2						
35-49	187	4.8	11	1	3	3	8	10	10
50-69	400	4.1	5	2	3	3	5	7	8
70+	10	20.0							
SUBTOTAL	**714**	**4.3**	**10**	**2**	**3**	**3**	**5**	**8**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**714**	**4.3**	**10**	**2**	**3**	**3**	**5**	**8**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	60	12.3	86	4	4	8	24	26	26
35-49	93	5.8	5	1	6	7	7	8	8
50-69	53	2.9	4						
70+	0								
SUBTOTAL	**207**	**7.0**	**41**	**2**	**2**	**6**	**7**	**10**	**25**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**207**	**7.0**	**41**	**2**	**2**	**6**	**7**	**10**	**25**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	147	6.4	20	3	3	6	9	11	20
35-49	93	10.4	128	3	3	3	14	32	32
50-69	137	3.5	5	1	1	3	6	6	6
70+	0								
SUBTOTAL	**377**	**6.3**	**48**	**1**	**3**	**4**	**6**	**14**	**30**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**377**	**6.3**	**48**	**1**	**3**	**4**	**6**	**14**	**30**

DRG 136: Cardiac Congenital & Valvular Disorders Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69-(YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	190	2.4	3	1	1	2	2	6	8
70-74	53	6.3	2						
75-79	0								
80-84	20	2.0	1						
85+	63	3.0							
SUBTOTAL	327	3.1	4	1	2	3	3	7	7
GRAND TOTAL	327	3.1	4	1	2	3	3	7	7

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	0								
18-34	434	2.2	2	1	1	2	3	3	5
35-49	788	3.0	3	1	2	3	4	6	7
50-69	618	3.1	2	2	2	3	4	5	5
70+	53	3.4	1						
	1893	2.9	2	1	2	3	3	5	6
	1893	2.9	2	1	2	3	3	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	40	3.5	3						
35-49	10	1.0							
50-69	10	2.0							
70+	10	3.0							
SUBTOTAL	70	2.9	2	1	1	3	5	5	5
GRAND TOTAL	70	2.9	2	1	1	3	5	5	5

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	0								
18-34	301	2.0	2	1	1	2	3	3	3
35-49	160	2.9	5	1	1	2	6	6	6
50-69	53	5.1	4						
70+	0								
	514	2.6	4	1	1	2	3	6	6
	514	2.6	4	1	1	2	3	6	6

DRG 137: Cardiac Congenital & Valvular Disorders Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	678	6.8	111	1	1	3	6	22	24
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	678	6.8	111	1	1	3	6	22	24
0-17	1011	5.9	61	1	2	3	7	15	31
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1011	5.9	61	1	2	3	7	15	31
	1689	6.2	81	1	2	3	7	16	31

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	419	11.2	335	1	2	4	13	21	26
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	419	11.2	335	1	2	4	13	21	26
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	552	4.4	28	< 1	1	2	6	9	14
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	552	4.4	28	< 1	1	2	6	9	14
GRAND TOTAL	971	7.3	172	1	1	3	7	15	23

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	239	4.8	13	1	2	4	8	10	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	239	4.8	13	1	2	4	8	10	11
0-17	279	3.4	8	< 1	1	2	4	9	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	279	3.4	8	< 1	1	2	4	9	10
	519	4.1	11	1	1	3	6	10	11

Southern Region, July 1989 - June 1990

DRG 138: Cardiac Arrhythmia & Conduction Disorders w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	16050	5.1	15	2	3	4	7	9	12
70-74	14258	5.2	16	2	3	4	6	9	12
75-79	14586	5.7	34	2	3	4	7	10	14
80-84	11247	5.8	19	2	3	5	7	10	13
85 +	9236	6.4	27	2	3	5	8	12	16
SUBTOTAL	**65377**	**5.6**	**22**	**2**	**3**	**4**	**7**	**10**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	65377	5.6	22	2	3	4	7	10	13

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	306	3.7	10	1	2	2	4	7	12
18-34	1024	3.3	9	1	2	3	4	6	7
35-49	2246	2.9	4	1	2	2	4	5	6
50-69	7755	4.1	11	1	2	3	5	8	10
70 +	624	4.6	10	2	2	3	7	8	12
	11955	**3.8**	**9**	**1**	**2**	**3**	**5**	**7**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	11955	3.8	9	1	2	3	5	7	10

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	300	4.5	10	2	2	3	6	9	11
18-34	317	3.6	10	1	2	3	4	5	8
35-49	460	4.7	15	2	2	3	5	12	12
50-69	1923	5.6	42	2	3	5	6	9	13
70 +	311	6.8	12	3	4	6	8	14	14
SUBTOTAL	**3310**	**5.3**	**30**	**2**	**3**	**4**	**6**	**10**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	3310	5.3	30	2	3	4	6	10	13

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	123	2.7	5	1	1	2	3	5	9
18-34	273	4.4	23	1	1	3	6	12	18
35-49	1095	4.5	23	1	2	3	5	9	10
50-69	2079	6.0	123	1	2	3	6	9	18
70 +	147	3.8	7	1	1	2	7	7	7
	3716	**5.3**	**78**	**1**	**2**	**3**	**6**	**9**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3716	5.3	78	1	2	3	6	9	16

DRG 139: Cardiac Arrhythmia & Conduction Disorders w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	5406	3.5	5	1	2	3	4	7	8
70-74	5302	3.7	11	1	2	3	4	7	10
75-79	4941	4.0	14	1	2	3	5	7	10
80-84	3175	4.1	5	2	3	4	5	7	8
85 +	2160	4.6	15	2	3	4	5	8	13
SUBTOTAL	**20985**	**3.9**	**10**	**1**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**20985**	**3.9**	**10**	**1**	**2**	**3**	**5**	**7**	**9**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1106	2.7	4	1	1	2	3	5	7
18-34	2170	2.2	2	1	1	2	3	4	5
35-49	4461	2.4	3	1	1	2	3	4	6
50-69	8990	3.0	5	1	1	2	4	6	7
70 +	180	4.8	7	1	3	5	7	8	9
	16907	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**7**
	16907	**2.7**	**4**	**1**	**1**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	486	2.8	4	1	2	2	3	6	6
18-34	297	3.2	5	< 1	2	3	4	7	7
35-49	461	3.3	1	1	3	4	4	5	5
50-69	588	2.7	1	1	2	3	3	4	6
70 +	204	2.9	1	2	2	3	3	4	4
SUBTOTAL	**2035**	**3.0**	**3**	**1**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**2035**	**3.0**	**3**	**1**	**2**	**3**	**4**	**5**	**6**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	323	4.0	11	2	2	3	4	9	13
18-34	673	2.6	4	1	1	2	3	7	7
35-49	1010	2.3	3	1	1	2	3	4	5
50-69	997	2.5	5	1	1	2	3	5	8
70 +	50	2.4	1						
	3052	**2.6**	**5**	**1**	**1**	**2**	**3**	**6**	**7**
	3052	**2.6**	**5**	**1**	**1**	**2**	**3**	**6**	**7**

Southern Region, July 1989 - June 1990

DRG 140: Angina Pectoris

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	26563	4.6	18	2	3	4	6	8	10
70-74	17533	4.7	7	2	3	4	6	8	10
75-79	16535	4.8	12	2	3	4	6	9	10
80-84	14175	5.5	14	2	3	5	6	10	12
85 +	9941	5.2	10	2	3	4	7	9	12
SUBTOTAL	**84747**	**4.9**	**13**	**2**	**3**	**4**	**6**	**9**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	14737	3.4	3	1	2	3	4	6	7
70-74	8973	3.8	5	2	2	3	5	7	8
75-79	8044	4.0	4	2	3	3	5	6	7
80-84	6213	4.2	7	2	2	4	5	7	9
85 +	4294	4.1	6	2	3	4	5	7	8
SUBTOTAL	**42262**	**3.8**	**5**	**2**	**2**	**3**	**5**	**6**	**8**
GRAND TOTAL	**127009**	**4.5**	**11**	**2**	**3**	**4**	**6**	**8**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	291	2.9	2	1	2	2	4	6	6
35-49	2361	3.7	4	2	2	3	5	6	8
50-69	9006	4.1	8	2	2	4	5	7	9
70 +	567	4.1	7	2	2	3	7	7	9
	12225	**4.0**	**7**	**2**	**2**	**3**	**5**	**7**	**9**
0-17	0								
18-34	421	2.7	5	< 1	1	2	4	8	8
35-49	5637	3.0	3	1	2	3	4	5	7
50-69	11890	3.1	3	1	2	3	4	6	6
70 +	517	2.3	1	1	2	2	3	4	5
	18465	**3.1**	**3**	**1**	**2**	**3**	**4**	**5**	**6**
	30690	**3.4**	**5**	**1**	**2**	**3**	**4**	**6**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	30	3.0	2						
35-49	711	3.4	2	1	2	4	5	5	5
50-69	3323	4.8	9	2	3	4	6	7	10
70 +	511	4.9	12	3	3	4	5	11	15
SUBTOTAL	**4574**	**4.6**	**8**	**2**	**3**	**4**	**5**	**7**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	97	3.2	6						
35-49	1112	2.8	3	1	2	2	4	5	5
50-69	2046	3.5	3	2	2	3	4	6	7
70 +	214	4.2	3	3	3	4	5	5	8
SUBTOTAL	**3469**	**3.3**	**3**	**1**	**2**	**3**	**4**	**5**	**7**
GRAND TOTAL	**8043**	**4.0**	**6**	**2**	**3**	**4**	**5**	**7**	**8**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	220	5.5	12	2	2	4	7	11	11
35-49	751	3.5	4	1	2	3	5	5	8
50-69	1781	3.7	7	1	2	3	4	7	9
70 +	150	5.2	1						
	2903	**3.9**	**7**	**1**	**2**	**3**	**5**	**7**	**9**
0-17	0								
18-34	227	2.2		2	2	2	2	3	3
35-49	1665	3.2	4	1	2	3	4	7	7
50-69	1882	3.2	2	2	2	3	4	5	6
70 +	217	3.8	2						
	3992	**3.2**	**3**	**1**	**2**	**3**	**4**	**5**	**7**
	6894	**3.5**	**5**	**1**	**2**	**3**	**4**	**6**	**7**

DRG 141: Syncope & Collapse w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	5089	4.7	16	2	2	4	5	8	12
70-74	4366	4.7	13	2	3	4	6	9	11
75-79	5464	5.2	12	2	3	5	6	8	11
80-84	6150	5.8	19	2	3	5	7	11	13
85 +	4817	6.5	40	2	3	5	7	11	19
SUBTOTAL	25887	5.4	20	2	3	4	6	10	13
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	25887	5.4	20	2	3	4	6	10	13

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	377	2.2	1	1	1	2	3	4	4
18-34	992	2.7	2	1	2	2	3	4	7
35-49	1408	3.5	5	1	2	3	4	6	10
50-69	3445	4.0	18	1	2	3	4	8	10
70 +	377	4.4	19	< 1	1	3	7	11	16
	6598	3.6	12	1	2	3	4	7	10
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	6598	3.6	12	1	2	3	4	7	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	20	5.0	9						
18-34	244	2.1	2	< 1	1	1	2	5	5
35-49	414	3.8	4	2	3	3	4	9	9
50-69	674	5.3	14	2	3	4	6	13	13
70 +	210	6.4	10	4	4	5	8	10	11
SUBTOTAL	1561	4.6	11	1	2	4	5	9	13
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	1561	4.6	11	1	2	4	5	9	13

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	83	3.9	51						
18-34	414	2.4	3	1	1	2	3	4	7
35-49	447	4.1	6	2	3	3	6	7	9
50-69	607	4.6	5	2	3	4	6	7	8
70 +	0								
	1551	3.8	8	1	2	3	5	7	8
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1551	3.8	8	1	2	3	5	7	8

DRG 142: Syncope & Collapse w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2584	3.8	6	1	2	3	5	7	10
70-74	2036	3.5	4	2	2	3	4	6	7
75-79	2711	3.8	6	1	2	3	5	7	9
80-84	1886	3.8	5	2	2	3	5	7	8
85 +	1783	4.1	6	2	2	3	5	8	8
SUBTOTAL	**10999**	**3.8**	**5**	**2**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**10999**	**3.8**	**5**	**2**	**2**	**3**	**5**	**7**	**8**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1318	2.0	2	1	1	1	2	4	5
18-34	1682	2.9	6	1	2	2	3	5	7
35-49	2617	2.5	2	1	1	2	3	4	6
50-69	4089	2.9	22	1	1	2	4	5	6
70 +	190	2.7	4	1	1	2	4	6	6
	9895	**2.7**	**11**	**1**	**1**	**2**	**3**	**5**	**6**
	9895	**2.7**	**11**	**1**	**1**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	230	2.5	4	1	1	1	3	6	6
18-34	180	2.4		1	2	3	3	3	3
35-49	204	3.4	3	2	2	3	5	6	7
50-69	254	3.8	7	1	2	3	5	6	8
70 +	97	3.0	1						
SUBTOTAL	**964**	**3.1**	**4**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**964**	**3.1**	**4**	**1**	**2**	**3**	**4**	**6**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	240	2.3	1	1	2	2	3	4	4
18-34	420	2.6	2	1	2	2	3	5	5
35-49	684	2.2	2	< 1	1	2	3	5	5
50-69	410	3.5	8	1	1	3	5	7	8
70 +	10	3.0							
	1764	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
	1764	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**6**

DRG 143: Chest Pain

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	10966	3.8	6	2	2	3	5	7	8
70-74	5587	4.1	6	2	2	4	6	7	8
75-79	4999	4.2	9	2	2	4	5	7	8
80-84	3300	4.3	15	2	2	3	5	8	9
85 +	2545	5.1	15	2	3	4	6	11	16
SUBTOTAL	**27397**	**4.1**	**9**	**2**	**2**	**3**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	7677	2.9	3	1	2	3	4	5	6
70-74	3632	2.8	2	1	2	3	3	4	6
75-79	3312	3.2	4	1	2	3	4	5	6
80-84	1475	3.4	3	1	2	3	4	6	7
85 +	1225	3.4	4	1	2	3	5	6	7
SUBTOTAL	**17322**	**3.0**	**3**	**1**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**44718**	**3.7**	**7**	**1**	**2**	**3**	**5**	**7**	**8**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	103	3.9	9	1	2	2	7	9	10
18-34	918	2.3	1	< 1	1	2	3	5	5
35-49	5589	3.0	3	1	2	3	4	5	6
50-69	7923	3.1	4	1	2	3	4	5	6
70 +	287	3.4	4	1	2	3	5	7	7
	14821	**3.0**	**4**	**1**	**2**	**3**	**4**	**5**	**6**
0-17	220	2.0	1	1	1	2	2	4	5
18-34	3814	2.2	2	1	1	2	3	4	4
35-49	17810	2.4	2	1	1	2	3	4	5
50-69	17233	2.5	2	1	2	2	3	5	5
70 +	200	2.5	1	< 1	1	3	3	4	4
	39277	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
	54098	**2.6**	**2**	**1**	**2**	**2**	**3**	**5**	**5**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	20	4.5							
18-34	317	2.7	4	1	1	3	3	3	7
35-49	1249	3.9	5	1	2	3	5	8	8
50-69	2163	3.8	5	1	2	3	5	6	8
70 +	63	5.1	2						
SUBTOTAL	**3812**	**3.7**	**5**	**1**	**2**	**3**	**5**	**7**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	60	3.0	8	1	1	2	3	9	9
18-34	364	2.3	1	1	2	2	3	4	4
35-49	1465	2.7	2	1	2	2	4	5	5
50-69	1274	2.9	3	1	2	2	3	6	7
70 +	107	4.5							
SUBTOTAL	**3270**	**2.8**	**3**	**1**	**2**	**2**	**4**	**5**	**6**
GRAND TOTAL	**7082**	**3.3**	**4**	**1**	**2**	**3**	**4**	**6**	**8**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	3.0							
18-34	873	2.2	2	1	1	2	3	4	6
35-49	1890	2.4	2	1	1	2	3	4	5
50-69	2442	3.4	6	1	2	3	4	7	8
70 +	60	5.0	9	1	3	5	7	10	10
	5276	**2.9**	**4**	**1**	**2**	**2**	**4**	**5**	**7**
0-17	30	1.3							
18-34	1108	2.7	3	1	1	2	3	6	7
35-49	4846	2.4	2	1	1	2	3	4	5
50-69	3239	2.4	2	1	1	2	3	4	5
70 +	20	2.5							
	9242	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
	14518	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**6**

Southern Region, July 1989 - June 1990

DRG 144: Other Circulatory System Diagnoses w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	7723	6.7	42	2	3	5	8	13	18
70-74	3173	8.5	56	2	3	6	10	19	28
75-79	3074	7.0	46	3	4	5	8	11	20
80-84	2070	6.5	25	2	3	5	7	12	20
85 +	1128	6.2	16	3	3	5	8	9	18
SUBTOTAL	17168	7.0	42	2	3	5	8	14	20
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	17168	7.0	42	2	3	5	8	14	20

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	718	8.3	81	2	3	6	10	15	18
18-34	860	5.4	16	2	3	4	7	10	16
35-49	1667	7.0	43	1	3	5	8	18	20
50-69	2868	5.9	18	2	3	5	8	10	13
70 +	177	5.4	20	2	2	5	6	15	17
	6290	6.4	32	1	3	5	8	12	17
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	6290	6.4	32	1	3	5	8	12	17

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	771	9.2	66	2	4	7	13	22	28
18-34	266	7.0	91	2	3	3	8	15	17
35-49	457	6.9	19	3	3	6	8	15	15
50-69	988	5.2	11	3	3	4	6	9	13
70 +	53	4.6	30						
SUBTOTAL	2536	6.9	41	2	3	5	8	15	17
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	2536	6.9	41	2	3	5	8	15	17

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	279	8.5	77	1	3	6	11	15	24
18-34	490	3.7	9	1	2	2	4	10	10
35-49	546	6.4	11	2	3	7	9	11	11
50-69	967	5.8	17	1	2	6	8	11	12
70 +	43	7.0							
	2326	5.8	23	1	2	5	8	11	13
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2326	5.8	23	1	2	5	8	11	13

Southern Region, July 1989 - June 1990

DRG 145: Other Circulatory System Diagnoses w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	767	3.5	10	2	2	3	5	8	
70-74	527	3.6	5	1	2	3	4	8	8
75-79	380	2.3	4	1	1	2	2	4	8
80-84	180	4.6	5	2	2	4	6	7	10
85 +	73	4.5	3						
SUBTOTAL	**1928**	**3.4**	**7**	**1**	**2**	**3**	**4**	**7**	**8**
GRAND TOTAL	**1928**	**3.4**	**7**	**1**	**2**	**3**	**4**	**7**	**8**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	962	4.0	22	1	1	3	5	9	14
18-34	824	3.2	3	2	2	3	4	5	6
35-49	1294	3.3	5	1	2	3	4	6	7
50-69	1652	3.7	6	1	2	3	5	7	8
70 +	117	2.7	13						
	4849	**3.6**	**8**	**1**	**2**	**3**	**4**	**7**	**9**
	4849	**3.6**	**8**	**1**	**2**	**3**	**4**	**7**	**9**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	472	5.3	11	2	3	4	7	10	13
18-34	103	5.2	9	2	4	5	5	8	13
35-49	20	2.0							
50-69	123	4.5	9	2	3	3	6	8	12
70 +	43	4.0							
SUBTOTAL	**762**	**5.0**	**10**	**2**	**3**	**4**	**6**	**9**	**13**
GRAND TOTAL	**762**	**5.0**	**10**	**2**	**3**	**4**	**6**	**9**	**13**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	140	3.7	5	1	2	3	6	7	8
18-34	363	2.9	5	1	1	2	4	5	9
35-49	170	4.1	14	1	1	2	6	10	14
50-69	286	3.3	5	1	3	3	3	5	7
70 +	0								
	959	**3.3**	**7**	**1**	**1**	**3**	**4**	**7**	**9**
	959	**3.3**	**7**	**1**	**1**	**3**	**4**	**7**	**9**

DRG 146: Rectal Resection w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	661	11.2	18	8	9	10	13	15	21
70-74	714	11.3	18	7	8	11	14	18	22
75-79	384	11.2	19	3	9	11	15	18	18
80-84	113	15.1	26	9	10	17	20	20	20
85+	117	11.4	10						
SUBTOTAL	**1989**	**11.5**	**19**	8	9	11	14	18	20
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	1989	11.5	19	8	9	11	14	18	20

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	7.0							
18-34	20	22.0	67						
35-49	177	10.9	11	7	10	12	13	13	18
50-69	487	10.6	6	8	8	11	12	15	15
70+	20	9.0							
	714	**10.9**	**13**	7	8	11	12	15	15
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	714	10.9	13	7	8	11	12	15	15

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	50	13.2	42						
18-34	0								
35-49	43	9.0							
50-69	0								
70+	43	12.0							
SUBTOTAL	**137**	**11.5**	**18**	8	9	9	12	21	21
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	137	11.5	18	8	9	9	12	21	21

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	50	13.0	59						
50-69	73	17.2	35						
70+	0								
	123	**15.5**	**48**	8	10	12	22	22	28
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	123	15.5	48	8	10	12	22	22	28

DRG 147: Rectal Resection w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	50	10.0	4						
70-74	113	15.6	88	8	8	10	27	27	27
75-79	127	14.6	29	8	11	18	18	18	18
80-84	50	10.0	32						
85 +	10	9.0							
SUBTOTAL	**350**	**13.4**	**50**	**6**	**8**	**11**	**18**	**27**	**27**
GRAND TOTAL	**350**	**13.4**	**50**	**6**	**8**	**11**	**18**	**27**	**27**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	392	7.1	6	4	5	7	9	10	11
18-34	10	9.0							
35-49	287	7.7	8	3	8	9	10	10	10
50-69	527	10.2	6	8	9	9	11	14	16
70 +	0								
	1217	**8.6**	**9**	**4**	**7**	**9**	**10**	**12**	**14**
	1217	**8.6**	**9**	**4**	**7**	**9**	**10**	**12**	**14**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	209	7.0	5	4	6	7	8	10	10
18-34	0								
35-49	0								
50-69	0								
70 +	10	14.0							
SUBTOTAL	**219**	**7.4**	**6**	**4**	**6**	**7**	**8**	**10**	**11**
GRAND TOTAL	**219**	**7.4**	**6**	**4**	**6**	**7**	**8**	**10**	**11**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	100	6.7	6	3	6	7	7	10	12
18-34	10	7.0							
35-49	0								
50-69	30	9.0	1						
70 +	0								
	140	**7.2**	**5**	**5**	**6**	**7**	**8**	**10**	**12**
	140	**7.2**	**5**	**5**	**6**	**7**	**8**	**10**	**12**

DRG 148: Major Small & Large Bowel Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	10135	15.0	90	7	9	12	19	28	34
70-74	9169	14.5	88	8	9	11	17	24	31
75-79	7724	15.5	95	8	10	13	18	27	36
80-84	5376	16.6	113	8	10	14	19	31	36
85 +	3995	18.5	164	8	10	14	23	32	38
SUBTOTAL	**36398**	**15.6**	**103**	**8**	**9**	**12**	**19**	**28**	**35**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**36398**	**15.6**	**103**	**8**	**9**	**12**	**19**	**28**	**35**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	795	11.7	82	6	7	9	13	21	30
18-34	1436	14.7	118	6	7	10	18	29	40
35-49	4015	13.1	71	7	8	10	15	23	30
50-69	8654	13.9	87	7	8	11	16	23	33
70 +	519	12.1	43	5	8	9	16	21	21
	15419	**13.6**	**85**	**7**	**8**	**11**	**16**	**24**	**33**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	15419	**13.6**	**85**	**7**	**8**	**11**	**16**	**24**	**33**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	749	15.2	220	5	7	10	25	48	99 +
18-34	477	17.8	327	7	7	10	19	56	56
35-49	373	15.8	135	8	9	10	19	28	46
50-69	790	18.3	200	8	10	12	19	45	54
70 +	210	20.1	156	10	11	14	28	28	38
SUBTOTAL	**2599**	**17.1**	**218**	**6**	**9**	**11**	**22**	**46**	**56**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2599**	**17.1**	**218**	**6**	**9**	**11**	**22**	**46**	**56**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	539	14.8	118	5	8	12	17	32	35
18-34	1314	12.2	84	5	7	9	14	25	34
35-49	869	13.8	127	6	7	9	19	25	30
50-69	2110	13.0	61	7	9	10	16	22	28
70 +	20	9.0	1						
	4852	**13.1**	**86**	**6**	**8**	**10**	**16**	**24**	**31**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4852	**13.1**	**86**	**6**	**8**	**10**	**16**	**24**	**31**

DRG 149: Major Small & Large Bowel Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1608	10.1	36	6	7	8	11	15	26
70-74	1385	9.6	29	6	7	9	10	14	15
75-79	841	8.7	14	3	7	8	11	12	14
80-84	631	9.9	5	7	8	10	11	12	14
85 +	621	11.9	14	8	10	11	14	18	20
SUBTOTAL	**5086**	**9.9**	**25**	**6**	**8**	**9**	**11**	**14**	**19**
GRAND TOTAL	**5086**	**9.9**	**25**	**6**	**8**	**9**	**11**	**14**	**19**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1601	6.5	24	2	4	6	8	11	13
18-34	1286	7.6	22	2	6	7	9	14	15
35-49	2495	8.8	15	5	7	8	10	12	13
50-69	4631	9.1	13	6	7	9	10	13	16
70 +	83	7.4	6						
	10096	**8.4**	**17**	**4**	**6**	**8**	**10**	**12**	**15**
	10096	**8.4**	**17**	**4**	**6**	**8**	**10**	**12**	**15**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	838	6.5	22	3	4	5	8	12	15
18-34	343	6.9	12	3	4	7	8	10	13
35-49	160	9.2	4	6	8	9	12	12	12
50-69	160	15.3	96	8	8	12	31	31	31
70 +	0								
SUBTOTAL	**1502**	**7.8**	**33**	**3**	**4**	**7**	**9**	**13**	**17**
GRAND TOTAL	**1502**	**7.8**	**33**	**3**	**4**	**7**	**9**	**13**	**17**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	492	6.8	31	3	4	6	8	11	13
18-34	954	7.9	26	5	5	7	9	13	17
35-49	617	9.5	25	6	7	8	12	15	16
50-69	494	9.3	6	6	8	9	10	13	14
70 +	10	8.0							
	2566	**8.4**	**24**	**4**	**6**	**7**	**10**	**13**	**16**
	2566	**8.4**	**24**	**4**	**6**	**7**	**10**	**13**	**16**

Southern Region, July 1989 - June 1990

DRG 150: Peritoneal Adhesiolysis w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2101	14.4	95	6	8	11	19	27	40
70-74	1482	11.8	33	6	8	11	13	19	24
75-79	1268	14.8	68	6	9	11	21	28	32
80-84	1158	14.3	94	7	8	12	18	21	37
85 +	928	16.3	74	7	10	16	19	26	38
SUBTOTAL	**6937**	**14.1**	**76**	**6**	**8**	**12**	**18**	**26**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**6937**	**14.1**	**76**	**6**	**8**	**12**	**18**	**26**	**30**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	370	14.1	85	5	7	13	19	29	46
18-34	597	9.0	65	4	5	6	11	16	17
35-49	1134	10.5	36	5	7	8	13	17	21
50-69	1338	11.8	34	6	8	10	15	21	24
70 +	30	14.7	66						
	3468	**11.2**	**48**	**5**	**7**	**9**	**14**	**19**	**24**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3468	11.2	48	5	7	9	14	19	24

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	100	17.9	190	8	.	10	35	50	99 +
18-34	246	8.0	33	4	4	8	9	12	13
35-49	167	6.5	18	1	1	8	10	10	14
50-69	327	9.3	11	6	6	9	12	13	15
70 +	20	11.0							
SUBTOTAL	**860**	**9.4**	**50**	**4**	**6**	**9**	**11**	**14**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**860**	**9.4**	**50**	**4**	**6**	**9**	**11**	**14**	**22**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	100	14.6	198	5	7	11	15	36	55
18-34	310	10.1	46	7	7	8	12	13	20
35-49	307	12.3	28	5	7	13	17	19	19
50-69	327	11.3	26	6	8	10	14	15	22
70 +	43	15.0							
	1087	**11.7**	**49**	**6**	**7**	**10**	**15**	**19**	**20**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1087	11.7	49	6	7	10	15	19	20

DRG 151: Peritoneal Adhesiolysis w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	771	8.2	23	2	6	7	10	13	22
70-74	224	7.7	5	5	7	8	9	10	10
75-79	83	8.6	4						
80-84	170	8.4	3	7	7	8	9	9	15
85 +	204	11.1	33	4	9	10	12	21	21
SUBTOTAL	**1452**	**8.6**	**19**	**4**	**6**	**8**	**9**	**13**	**21**
GRAND TOTAL	**1452**	**8.6**	**19**	**4**	**6**	**8**	**9**	**13**	**21**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	386	8.4	43	3	5	8	9	12	17
18-34	1351	5.1	16	1	3	4	6	13	14
35-49	2022	5.8	14	2	3	5	7	10	15
50-69	1883	7.2	18	2	4	7	9	11	15
70 +	10	12.0							
	5652	**6.3**	**19**	**2**	**3**	**5**	**9**	**11**	**15**
	5652	**6.3**	**19**	**2**	**3**	**5**	**9**	**11**	**15**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	120	9.8	37	4	5	9	13	15	25
18-34	317	6.3	11	2	4	6	7	8	15
35-49	237	5.4	4	3	4	5	6	9	9
50-69	140	7.7	9						
70 +	30	10.0	19						
SUBTOTAL	**844**	**6.9**	**15**	**3**	**4**	**6**	**9**	**12**	**15**
GRAND TOTAL	**844**	**6.9**	**15**	**3**	**4**	**6**	**9**	**12**	**15**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	120	6.8	9	4	4	6	8	10	14
18-34	420	6.6	16	3	3	6	11	11	14
35-49	246	12.4	224	2	2	5	18	43	43
50-69	360	10.5	14	7	8	11	13	14	17
70 +	0								
	1147	**9.1**	**65**	**3**	**4**	**7**	**11**	**14**	**20**
	1147	**9.1**	**65**	**3**	**4**	**7**	**11**	**14**	**20**

DRG 152: Minor Small & Large Bowel Procedures w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	443	8.4	16	5	5	8	12	14	15
70-74	410	9.2	60	3	5	7	9	30	30
75-79	434	11.2	70	4	6	9	13	21	21
80-84	153	10.3	126	2	4	5	16	25	46
85 +	137	21.7	186	15	15	20	20	28	67
SUBTOTAL	**1577**	**10.7**	**80**	**4**	**5**	**8**	**14**	**20**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1577**	**10.7**	**80**	**4**	**5**	**8**	**14**	**20**	**28**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	123	10.2	62	6	7	7	12	35	99 +
18-34	90	10.9	63	4	7	9	10	32	32
35-49	123	9.9	20	5	7	11	11	15	21
50-69	310	9.4	64	3	5	7	12	15	15
70 +	53	4.7	2						
	699	**9.5**	**53**	**3**	**6**	**8**	**11**	**15**	**32**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	699	**9.5**	**53**	**3**	**6**	**8**	**11**	**15**	**32**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	110	13.3	73	7	7	11	15	21	36
18-34	40	12.8	63						
35-49	30	13.0	17						
50-69	20	18.5	95						
70 +	0								
SUBTOTAL	**199**	**13.7**	**67**	**6**	**7**	**11**	**17**	**27**	**32**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**199**	**13.7**	**67**	**6**	**7**	**11**	**17**	**27**	**32**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	50	5.6	5						
18-34	50	7.4	13						
35-49	147	12.3	61	3	3	13	15	26	27
50-69	70	6.9	15	2	4	6	8	15	15
70 +	0								
	316	**9.3**	**43**	**3**	**3**	**8**	**15**	**15**	**26**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	316	**9.3**	**43**	**3**	**3**	**8**	**15**	**15**	**26**

DRG 153: Minor Small & Large Bowel Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	130	6.7	29	< 1	5	6	8	12	22
70-74	244	8.4	9	4	8	9	10	12	12
75-79	50	8.2	2						
80-84	83	7.2	11						
85 +	63	9.3	13						
SUBTOTAL	**570**	**7.9**	**14**	**1**	**6**	**8**	**10**	**12**	**12**
GRAND TOTAL	**570**	**7.9**	**14**	**1**	**6**	**8**	**10**	**12**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	582	6.1	11	3	4	6	7	10	12
18-34	353	5.9	5	1	5	7	7	8	8
35-49	480	6.0	6	3	5	7	7	10	10
50-69	507	7.6	15	5	5	7	10	12	12
70 +	0								
	1923	**6.4**	**10**	**3**	**5**	**6**	**8**	**10**	**12**
	1923	**6.4**	**10**	**3**	**5**	**6**	**8**	**10**	**12**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	299	6.3	5	3	5	6	7	8	11
18-34	50	8.6	4						
35-49	127	3.7	7	1	1	3	6	8	8
50-69	10	9.0							
70 +	0								
SUBTOTAL	**486**	**5.9**	**8**	**2**	**4**	**6**	**7**	**9**	**11**
GRAND TOTAL	**486**	**5.9**	**8**	**2**	**4**	**6**	**7**	**9**	**11**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	80	6.9	5	5	5	6	8	12	12
18-34	213	6.7	5	4	5	6	8	10	10
35-49	113	4.8	8	2	2	5	8	8	9
50-69	73	4.2	2						
70 +	0								
	479	**5.9**	**6**	**2**	**4**	**6**	**8**	**9**	**10**
	479	**5.9**	**6**	**2**	**4**	**6**	**8**	**9**	**10**

DRG 154: Stomach, Esophageal & Duodenal Procedures Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	4073	15.6	161	5	8	12	19	38	50
70-74	2638	16.9	137	7	9	14	20	37	44
75-79	2890	14.9	88	6	8	12	17	27	36
80-84	1785	15.1	110	5	9	12	18	31	37
85 +	1135	16.6	135	7	10	12	18	39	40
SUBTOTAL	12521	15.7	130	6	9	12	19	34	43
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	12521	15.7	130	6	9	12	19	34	43

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	714	10.0	63	3	5	7	11	22	25
35-49	1791	13.9	132	5	7	10	15	29	52
50-69	3479	12.3	89	4	6	9	15	24	28
70 +	280	10.3	129	4	4	7	12	19	22
	6263	12.4	102	4	7	9	15	24	33
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	6263	12.4	102	4	7	9	15	24	33

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	227	14.5	218	4	7	9	22	22	23
35-49	323	19.8	175	7	7	16	29	31	49
50-69	573	14.5	80	6	8	13	17	26	39
70 +	53	19.3	2						
SUBTOTAL	1177	16.2	135	6	7	13	21	29	39
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	1177	16.2	135	6	7	13	21	29	39

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	514	9.6	25	3	6	9	14	16	21
35-49	884	11.0	39	5	7	9	13	18	21
50-69	936	14.0	74	6	8	12	15	24	32
70 +	73	8.4	19						
	2407	11.8	53	6	7	10	15	21	26
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2407	11.8	53	6	7	10	15	21	26

DRG 155: Stomach, Esophageal & Duodenal Procedures Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	771	6.8	9	2	5	7	9	10	13
70-74	143	5.9	10	2	2	6	8	10	12
75-79	277	8.7	8	3	7	9	11	11	12
80-84	80	5.8	12	1	3	6	9	11	11
85 +	160	10.8	21	6	6	13	15	15	17
SUBTOTAL	**1431**	**7.5**	**13**	**2**	**5**	**7**	**9**	**13**	**15**
GRAND TOTAL	**1431**	**7.5**	**13**	**2**	**5**	**7**	**9**	**13**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	577	6.6	14	3	4	7	8	10	10
35-49	1448	6.2	14	1	4	6	7	11	14
50-69	1445	8.4	20	5	6	7	9	14	21
70 +	20	3.0							
	3490	**7.2**	**17**	**3**	**5**	**7**	**8**	**13**	**15**
	3490	**7.2**	**17**	**3**	**5**	**7**	**8**	**13**	**15**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	113	9.4	12	5	5	10	13	13	13
35-49	63	11.8	44						
50-69	137	9.5	43	2	2	11	11	21	23
70 +	0								
SUBTOTAL	**313**	**9.9**	**33**	**2**	**6**	**9**	**13**	**13**	**23**
GRAND TOTAL	**313**	**9.9**	**33**	**2**	**6**	**9**	**13**	**13**	**23**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	444	7.2	9	4	5	7	8	13	13
35-49	564	6.8	10	4	5	6	9	10	14
50-69	297	7.6	11	2	7	8	8	12	12
70 +	53	9.8							
	1358	**7.2**	**10**	**4**	**5**	**7**	**9**	**12**	**13**
	1358	**7.2**	**10**	**4**	**5**	**7**	**9**	**12**	**13**

DRG 156: Stomach, Esophageal & Duodenal Procedures Age 0-17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	10	5.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**10**	**5.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**10**	**5.0**							

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1640	9.5	108	2	3	6	11	29	41
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1640	**9.5**	**108**	**2**	**3**	**6**	**11**	**29**	**41**
0-17	4226	3.8	9	2	2	3	4	8	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	4226	**3.8**	**9**	**2**	**2**	**3**	**4**	**8**	**9**
	5867	**5.4**	**43**	**2**	**2**	**3**	**6**	**11**	**17**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	1152	13.1	247	3	4	7	16	45	78
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1152**	**13.1**	**247**	**3**	**4**	**7**	**16**	**45**	**78**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1994	5.4	28	2	3	4	6	11	13
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1994**	**5.4**	**28**	**2**	**3**	**4**	**6**	**11**	**13**
GRAND TOTAL	**3146**	**8.2**	**122**	**2**	**3**	**5**	**8**	**18**	**37**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	596	10.8	156	2	3	7	15	23	31
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	596	**10.8**	**156**	**2**	**3**	**7**	**15**	**23**	**31**
0-17	1231	3.5	11	2	2	3	4	5	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1231	**3.5**	**11**	**2**	**2**	**3**	**4**	**5**	**8**
	1826	**5.9**	**70**	**2**	**2**	**3**	**5**	**15**	**20**

DRG 157: Anal & Stomal Procedures w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	2179	5.7	15	2	3	5	8	10	14
70-74	1215	7.3	21	2	3	4	8	12	13
75-79	844	7.5	34	3	4	5	9	13	24
80-84	654	5.7	9	3	4	5	7	11	12
85 +	661	9.6	59	2	4	8	11	18	31
SUBTOTAL	5553	6.5	26	2	3	5	8	12	17
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	5553	6.5	26	2	3	5	8	12	17

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	246	9.8	342	1	4	5	5	18	27
18-34	603	4.0	6	1	2	3	6	8	8
35-49	2081	4.6	17	1	2	4	5	10	12
50-69	1644	4.8	16	1	2	4	7	11	13
70 +	40	6.0	16						
	4615	4.9	34	1	2	4	6	10	12
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4615	4.9	34	1	2	4	6	10	12

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	110	5.7	4	3	4	6	8	8	9
18-34	167	5.6	35	2	4	4	4	9	28
35-49	147	7.8	58	1	1	3	19	19	19
50-69	234	5.3	6	3	3	5	7	9	9
70 +	10	26.0							
SUBTOTAL	667	6.3	31	2	3	4	7	9	19
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	667	6.3	31	2	3	4	7	9	19

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	13.0	121						
18-34	347	5.2	11	2	3	4	8	9	13
35-49	420	5.0	35	1	3	3	6	8	11
50-69	300	9.8	111	2	2	5	12	33	33
70 +	20	15.0							
	1116	6.7	56	2	2	4	8	15	33
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1116	6.7	56	2	2	4	8	15	33

DRG 158: Anal & Stomal Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	1759	3.0	4	1	2	3	4	6	6
70-74	1011	2.8	4	1	1	2	4	5	6
75-79	787	3.0	4	1	2	2	3	7	8
80-84	323	2.7	6	1	1	2	4	5	8
85+	224	3.9	5	1	2	3	6	7	7
SUBTOTAL	4104	3.0	4	1	2	2	4	6	7
GRAND TOTAL	4104	3.0	4	1	2	2	4	6	7

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	945	3.1	6	1	1	2	4	5	8
18-34	4543	2.5	4	1	1	2	3	5	7
35-49	7278	2.5	3	1	1	2	3	5	6
50-69	5298	2.7	3	1	1	2	4	5	6
70+	0								
	18065	2.6	3	1	1	2	3	5	6
	18065	2.6	3	1	1	2	3	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	422	3.9	10	1	2	3	5	8	10
18-34	680	3.4	8	1	2	2	3	8	11
35-49	207	2.7	2	1	1	3	4	4	5
50-69	227	4.8	3	3	3	5	5	8	8
70+	0								
SUBTOTAL	1536	3.7	7	1	2	3	5	8	10
GRAND TOTAL	1536	3.7	7	1	2	3	5	8	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	243	2.9	5	1	2	2	3	4	5
18-34	1170	3.4	10	1	1	2	4	7	10
35-49	896	2.7	4	1	1	2	3	5	6
50-69	363	2.2	2	1	1	2	3	3	7
70+	0		–						
	2672	3.0	7	1	1	2	4	6	9
	2672	3.0	7	1	1	2	4	6	9

DRG 159: Hernia Procedures except Inguinal & Femoral Age >17 w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1977	5.7	17	2	3	5	7	11	17
70-74	1341	6.1	24	2	3	5	7	11	15
75-79	964	7.0	18	3	3	6	8	14	15
80-84	497	8.4	54	2	4	6	9	27	27
85 +	264	7.4	23	3	4	5	12	13	13
SUBTOTAL	**5044**	**6.4**	**24**	**2**	**3**	**5**	**8**	**12**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**5044**	**6.4**	**24**	**2**	**3**	**5**	**8**	**12**	**17**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	194	4.8	11	1	2	5	7	9	9
35-49	490	5.7	10	2	3	5	6	11	11
50-69	1368	5.8	15	1	3	5	7	11	16
70 +	20	6.0	17						
	2071	**5.7**	**14**	**2**	**3**	**5**	**7**	**10**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2071	**5.7**	**14**	**2**	**3**	**5**	**7**	**10**	**15**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	103	3.7	4	2	2	2	6	6	7
35-49	213	8.1	106	2	5	5	8	10	11
50-69	387	6.6	24	1	2	7	10	10	16
70 +	43	3.0							
SUBTOTAL	**747**	**6.4**	**46**	**1**	**2**	**5**	**9**	**10**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**747**	**6.4**	**46**	**1**	**2**	**5**	**9**	**10**	**11**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	103	4.1	4	1	2	5	6	6	6
35-49	177	4.8	10	2	2	5	6	10	12
50-69	173	5.8	6	2	3	7	8	9	9
70 +	0								
	453	**5.0**	**7**	**2**	**2**	**5**	**7**	**9**	**9**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	453	5.0	7	2	2	5	7	9	9

DRG 160: Hernia Procedures except Inguinal & Femoral Age >17 w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2440	3.3	5	1	2	3	4	7	7
70-74	910	3.4	6	1	2	3	4	6	7
75-79	630	3.9	10	<1	1	3	5	8	8
80-84	133	2.3	4	<1	<1	1	3	5	8
85 +	73	4.9	5						
SUBTOTAL	**4188**	**3.4**	**6**	**1**	**2**	**3**	**4**	**7**	**7**
GRAND TOTAL	**4188**	**3.4**	**6**	**1**	**2**	**3**	**4**	**7**	**7**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	854	2.2	2	1	1	2	3	4	4
35-49	3222	2.9	3	1	2	2	4	5	6
50-69	3366	3.2	5	1	2	3	4	6	7
70 +	60	3.3	3	1	2	3	5	5	5
	7503	**2.9**	**4**	**1**	**2**	**3**	**4**	**5**	**6**
	7503	**2.9**	**4**	**1**	**2**	**3**	**4**	**5**	**6**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	444	2.7	3	1	1	2	3	7	7
35-49	551	3.8	4	1	3	4	5	6	8
50-69	274	3.6	5	2	2	2	4	8	8
70 +	20	2.0							
SUBTOTAL	**1288**	**3.3**	**4**	**1**	**2**	**3**	**4**	**7**	**8**
GRAND TOTAL	**1288**	**3.3**	**4**	**1**	**2**	**3**	**4**	**7**	**8**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	246	2.6	3	1	2	2	3	5	6
35-49	831	3.5	3	1	2	3	4	5	9
50-69	303	3.6	5	1	2	3	5	8	8
70 +	10	3.0							
	1390	**3.4**	**4**	**1**	**2**	**3**	**4**	**5**	**8**
	1390	**3.4**	**4**	**1**	**2**	**3**	**4**	**5**	**8**

DRG 161: Inguinal & Femoral Hernia Procedures Age >17 w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2856	3.7	15	1	2	3	5	7	11
70-74	2256	3.8	9	1	2	3	4	7	9
75-79	2103	4.5	15	1	2	3	6	9	14
80-84	1736	4.6	14	1	2	3	6	11	13
85+	1179	6.0	72	2	2	3	6	13	17
SUBTOTAL	**10129**	**4.3**	**21**	**1**	**2**	**3**	**5**	**9**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**10129**	**4.3**	**21**	**1**	**2**	**3**	**5**	**9**	**12**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	167	2.5	6	1	2	2	2	6	11
35-49	527	3.9	9	1	2	3	4	10	11
50-69	1822	3.9	15	1	1	3	5	9	12
70+	117	7.3	15						
	2633	**4.0**	**14**	**1**	**2**	**2**	**5**	**9**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	2633	**4.0**	**14**	**1**	**2**	**2**	**5**	**9**	**12**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	50	3.0	7						
35-49	10	1.0							
50-69	204	12.0	315	2	2	3	4	46	46
70+	43	8.0							
SUBTOTAL	**307**	**9.6**	**224**	**2**	**2**	**3**	**8**	**46**	**46**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**307**	**9.6**	**224**	**2**	**2**	**3**	**8**	**46**	**46**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	63	1.8	2						
35-49	123	3.5	17	1	1	1	3	11	13
50-69	153	3.7	8	1	1	2	7	7	9
70+	10	2.0							
	350	**3.2**	**10**	**1**	**1**	**2**	**5**	**7**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	350	**3.2**	**10**	**1**	**1**	**2**	**5**	**7**	**11**

DRG 162: Inguinal & Femoral Hernia Procedures Age >17 w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2812	2.1	2	1	1	1	3	4	6
70-74	1944	1.8	1	1	1	1	2	4	4
75-79	2460	2.2	2	1	1	2	3	4	5
80-84	1254	3.2	6	1	1	3	4	5	7
85 +	691	3.5	7	1	2	2	4	7	11
SUBTOTAL	**9162**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**9162**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**5**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	2149	1.4	1	1	1	1	2	3	3
35-49	4475	1.9	4	1	1	1	2	3	4
50-69	6975	2.0	2	1	1	2	2	4	5
70 +	214	2.5	2	1	2	2	3	5	5
	13813	**1.9**	**2**	**1**	**1**	**1**	**2**	**3**	**4**
	13813	**1.9**	**2**	**1**	**1**	**1**	**2**	**3**	**4**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	187	2.8	3	1	1	2	5	5	5
35-49	63	1.6	2						
50-69	350	1.4	1	1	1	1	2	2	3
70 +	10	2.0							
SUBTOTAL	**610**	**1.9**	**2**	**1**	**1**	**1**	**2**	**5**	**5**
GRAND TOTAL	**610**	**1.9**	**2**	**1**	**1**	**1**	**2**	**5**	**5**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	820	1.5	1	1	1	1	2	2	3
35-49	697	2.6	7	1	1	2	3	5	6
50-69	667	1.8	2	1	1	1	2	3	5
70 +	43	2.0							
	2227	**2.0**	**3**	**1**	**1**	**1**	**2**	**4**	**5**
	2227	**2.0**	**3**	**1**	**1**	**1**	**2**	**4**	**5**

DRG 163: Hernia Procedures Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	10	14.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	10	14.0							
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	10	3.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	10	3.0							
GRAND TOTAL	20	8.5	32						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	526	3.4	10	1	1	2	5	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	526	3.4	10	1	1	2	5	6	7
	6654	1.4	1	<1	1	1	1	2	3
	0								
	0								
	0								
	0								
	0								
	6654	1.4	1	<1	1	1	1	2	3
	7180	1.6	2	<1	1	1	2	2	4

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	456	3.2	8	1	1	3	3	7	10
18 34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	456	3.2	8	1	1	3	3	7	10
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	5093	1.6	2	1	1	1	2	3	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	5093	1.6	2	1	1	1	2	3	4
GRAND TOTAL	5549	1.7	3	1	1	1	2	3	5

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	60	2.2	1	1	1	2	3	4	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	60	2.2	1	1	1	2	3	4	4
	2147	1.7	3	1	1	1	2	3	3
	0								
	0								
	0								
	0								
	0								
	2147	1.7	3	1	1	1	2	3	3
	2207	1.7	3	1	1	1	2	3	3

DRG 164: Appendectomy w/ Complicated Principal Diag w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	671	8.8	25	5	6	7	10	14	14
70-74	277	12.3	45	5	7	11	14	26	26
75-79	424	12.5	71	4	6	10	15	34	34
80-84	140	16.1	6						
85 +	117	15.9	20						
SUBTOTAL	1629	11.5	45	5	6	10	14	21	26
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	1629	11.5	45	5	6	10	14	21	26

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	944	10.3	29	3	7	9	14	19	19
18-34	711	10.0	80	4	4	7	10	30	34
35-49	501	6.9	9	4	4	6	8	12	12
50-69	440	9.4	61	3	5	9	10	15	17
70 +	0								
	2596	9.4	46	4	6	8	11	19	21
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2596	9.4	46	4	6	8	11	19	21

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	283	11.0	44	5	7	10	10	26	28
18-34	187	8.5	11	4	6	8	13	13	13
35-49	0								
50-69	0								
70 +	10	17.0							
SUBTOTAL	480	10.1	33	5	6	9	13	17	26
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	480	10.1	33	5	6	9	13	17	26

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	187	9.6	10	7	7	9	11	15	19
18-34	177	10.6	57	5	8	8	9	17	39
35-49	110	9.0	37	4	5	7	12	12	26
50-69	127	13.1	29	10	10	11	13	19	29
70 +	10	9.0							
	610	10.5	34	7	8	9	12	15	20
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	610	10.5	34	7	8	9	12	15	20

DRG 165: Appendectomy w/ Complicated Principal Diag w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	397	7.7	10	5	6	7	10	15	15
70-74	194	6.9	3	4	6	8	8	9	9
75-79	130	6.3	3						
80-84	0								
85 +	0								
SUBTOTAL	**722**	**7.2**	**7**	**4**	**6**	**7**	**8**	**10**	**15**
GRAND TOTAL	**722**	**7.2**		**4**	**6**	**7**	**8**	**10**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	2752	6.6	6	3	5	6	8	11	11
18-34	2120	5.5	5	3	3	6	7	8	9
35-49	1689	6.1	8	3	4	6	8	9	10
50-69	978	6.6	6	3	5	6	8	10	10
70 +	0								
	7538	**6.2**	**7**	**3**	**4**	**6**	**8**	**9**	**11**
	7538	**6.2**	**7**	**3**	**4**	**6**	**8**	**9**	**11**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1301	6.9	7	3	5	7	9	10	11
18-34	334	5.8	4	3	4	6	8	9	9
35-49	87	13.0	36						
50-69	63	12.4	4						
70 +	0								
SUBTOTAL	**1786**	**7.2**	**11**	**3**	**5**	**7**	**9**	**11**	**13**
GRAND TOTAL	**1786**	**7.2**	**11**	**3**	**5**	**7**	**9**	**11**	**13**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1327	6.6	9	3	5	6	8	10	11
18-34	974	6.6	8	3	4	6	9	11	12
35-49	511	6.3	8	3	3	6	9	11	11
50-69	311	6.8	16	3	4	6	7	15	15
70 +	0								
	3123	**6.6**	**9**	**3**	**5**	**6**	**8**	**10**	**12**
	3123	**6.6**	**9**	**3**	**5**	**6**	**8**	**10**	**12**

DRG 166: Appendectomy w/o Complicated Principal Diag w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	688	6.3	11	4	4	6	6	9	14
70-74	247	6.8	4	3	7	7	8	9	9
75-79	237	11.8	34	7	7	8	16	22	22
80-84	43	15.0							
85 +	43	5.0							
SUBTOTAL	1259	7.7	20	4	5	7	8	15	16
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	1259	7.7	20	4	5	7	8	15	16

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	991	4.7	21	2	3	4	5	8	9
18-34	977	4.9	6	3	3	4	5	9	9
35-49	420	5.5	7	3	4	5	7	10	10
50-69	417	5.8	11	3	3	5	7	12	13
70 +	10	5.0							
	2815	5.1	12	3	3	4	6	9	10
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2815	5.1	12	3	3	4	6	9	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	323	5.2	21	2	3	4	7	10	16
18-34	293	4.6	6	3	3	4	4	9	9
35-49	63	9.0	128						
50-69	97	9.7	125						
70 +	0								
SUBTOTAL	777	5.9	40	2	3	4	7	9	16
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	777	5.9	40	2	3	4	7	9	16

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	270	5.2	11	2	4	4	6	9	15
18-34	563	5.0	5	2	3	5	6	9	9
35-49	123	4.0	3	3	3	4	4	5	9
50-69	10	7.0							
70 +	0								
	967	4.9	7	2	3	4	6	9	9
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	967	4.9	7	2	3	4	6	9	9

DRG 167: Appendectomy w/o Complicated Principal Diag w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	427	4.8	9	2	2	4	7	11	12
70-74	237	3.3	1	2	3	3	4	4	4
75-79	0								
80-84	87	5.5							
85 +	0								
SUBTOTAL	**751**	**4.4**	**6**	**2**	**3**	**4**	**6**	**7**	**12**
GRAND TOTAL	**751**	**4.4**	**6**	**2**	**3**	**4**	**6**	**7**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	13802	2.9	3	2	2	3	3	4	5
18-34	11956	3.1	2	2	2	3	4	5	5
35-49	4263	3.2	2	2	2	3	4	5	6
50-69	1793	3.5	2	2	3	3	4	5	6
70 +	43	3.0							
	31858	**3.1**	**2**	**2**	**2**	**3**	**4**	**5**	**5**
	31858	**3.1**	**2**	**2**	**2**	**3**	**4**	**5**	**5**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	2515	3.1	2	2	2	3	4	5	6
18-34	1202	3.7	2	2	3	3	4	6	7
35-49	30	4.0	3						
50-69	10	4.0							
70 +	10	12.0							
SUBTOTAL	**3767**	**3.3**	**3**	**2**	**2**	**3**	**4**	**5**	**7**
GRAND TOTAL	**3767**	**3.3**	**3**	**2**	**2**	**3**	**4**	**5**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	3474	3.0	3	2	2	3	3	5	6
18-34	5669	3.0	2	1	2	3	4	5	6
35-49	1065	3.8	3	2	3	3	5	5	6
50-69	187	3.7	2	2	2	4	5	6	6
70 +	43	4.0							
	10438	**3.1**	**3**	**2**	**2**	**3**	**4**	**5**	**6**
	10438	**3.1**	**3**	**2**	**2**	**3**	**4**	**5**	**6**

DRG 168: Mouth Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	360	4.4	66	1	1	3	3	7	19
70-74	187	4.6	5	2	3	5	6	7	12
75-79	73	2.7	1						
80-84	40	3.5	3						
85 +	63	5.3	5						
SUBTOTAL	723	4.3	35	1	2	3	5	6	12
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	723	4.3	35	1	2	3	5	6	12

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	83	2.0	2						
18-34	137	2.4	2	1	1	3	3	4	5
35-49	43	9.0							
50-69	123	1.9		1	2	2	2	3	3
70 +	20	6.0	1						
	407	3.1	6	1	1	2	4	9	9
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	407	3.1	6	1	1	2	4	9	9

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	73	3.6	1						
18-34	93	12.8	73	1	3	12	21	21	21
35-49	40	3.8	4						
50-69	73	4.9	22						
70 +	0								
SUBTOTAL	280	7.0	47	2	2	4	11	21	21
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	280	7.0	47	2	2	4	11	21	21

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	10.0	88						
18-34	250	2.9	3	< 1	2	2	3	5	6
35-49	80	3.8	7	1	2	3	5	9	9
50-69	60	4.3	10	1	1	3	8	9	9
70 +	0								
	420	3.8	14	< 1	2	3	4	8	9
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	420	3.8	14	< 1	2	3	4	8	9

DRG 169: Mouth Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	193	2.4	5	1	1	1	4	7	8
70-74	143	6.3	13	2	3	8	10	10	10
75-79	153	3.2	4	< 1	1	3	5	5	7
80-84	40	5.5	26						
85 +	20	5.0	9						
SUBTOTAL	**549**	**4.0**	**11**	**< 1**	**1**	**3**	**6**	**10**	**10**
GRAND TOTAL	**549**	**4.0**	**11**	**< 1**	**1**	**3**	**6**	**10**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	665	2.0	2	< 1	1	2	3	3	4
18-34	266	2.3	3	< 1	1	2	2	4	5
35-49	363	2.2	2	< 1	1	2	3	5	5
50-69	386	2.8	3	< 1	1	3	3	6	7
70 +	0								
	1681	**2.3**	**2**	**< 1**	**1**	**2**	**3**	**4**	**6**
	1681	**2.3**	**2**	**< 1**	**1**	**2**	**3**	**4**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	239	2.7	6	1	1	2	3	5	9
18-34	50	2.4	1						
35-49	70	2.1	1	1	1	2	3	4	4
50-69	50	4.2	7						
70 +	0								
SUBTOTAL	**409**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**8**
GRAND TOTAL	**409**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**8**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0	—							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	140	1.6	1	< 1	< 1	1	2	3	3
18-34	286	4.9	10	1	2	4	8	10	10
35-49	83	3.6	3						
50-69	80	1.9	3	< 1	1	1	2	6	6
70 +	0								
	589	**3.5**	**8**	**< 1**	**1**	**3**	**5**	**8**	**10**
	589	**3.5**	**8**	**< 1**	**1**	**3**	**5**	**8**	**10**

DRG 170: Other Digestive System O.R. Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1304	13.0	139	3	5	11	16	25	32
70-74	654	16.1	249	6	8	9	19	39	44
75-79	737	13.1	61	3	7	12	20	24	26
80-84	581	16.9	90	10	10	14	21	24	34
85 +	327	17.7	148	6	8	14	24	40	40
SUBTOTAL	3602	14.7	139	4	7	12	18	27	39
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	3602	14.7	139	4	7	12	18	27	39

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	180	10.2	122	1	5	7	12	15	52
18-34	390	7.5	42	1	3	5	12	16	21
35-49	437	10.7	47	4	7	9	14	20	36
50-69	486	10.0	45	3	7	9	11	18	23
70 +	0								
	1492	9.6	56	3	5	8	14	19	25
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1492	9.6	56	3	5	8	14	19	25

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	100	7.5	40	1	3	7	10	24	99 +
18-34	230	7.9	49	3	3	5	9	21	22
35-49	167	8.1	31	4	4	7	9	12	27
50-69	103	14.4	40	7	10	17	17	27	99 +
70 +	0								
SUBTOTAL	600	9.0	47	3	4	7	11	22	27
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	600	9.0	47	3	4	7	11	22	27

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	70	14.7	97	5	5	10	25	31	31
18-34	274	10.8	35	3	7	10	17	20	20
35-49	110	19.2	497	7	9	14	17	19	88
50-69	193	14.1	174	2	7	11	15	31	57
70 +	0								
	646	13.6	170	4	7	10	17	20	31
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	646	13.6	170	4	7	10	17	20	31

DRG 171: Other Digestive System O.R. Procedures w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	234	4.6	12	2	2	4	6	6	12
70-74	10	3.0							
75-79	150	11.4	31						
80-84	53	13.9	19						
85 +	0								
SUBTOTAL	447	8.0	33	2	3	6	9	16	20
GRAND TOTAL	447	8.0	33	2	3	6	9	16	20

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	703	4.5	11	1	3	4	6	9	11
18-34	1222	4.3	5	1	3	4	6	7	9
35-49	591	4.1	10	1	2	4	4	12	12
50-69	373	8.7	37	1	3	8	10	21	21
70 +	10	6.0							
	2898	4.9	14	1	3	4	6	9	12
	2898	4.9	14	1	3	4	6	9	12

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	123	4.1	7	1	3	3	5	7	11
18-34	123	4.4	14	1	3	3	4	7	16
35-49	63	5.8	18						
50-69	0								
70 +	0								
SUBTOTAL	310	4.6	12	1	3	3	5	11	12
GRAND TOTAL	310	4.6	12	1	3	3	5	11	12

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	173	4.5	10	2	2	3	7	10	12
18-34	516	4.4	11	1	2	3	6	11	11
35-49	224	7.0	12	4	5	6	8	13	13
50-69	160	4.2	5	1	1	4	7	7	7
70 +	0								
	1073	4.9	11	1	2	4	7	10	12
	1073	4.9	11	1	2	4	7	10	12

DRG 172: Digestive Malignancy w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1827	8.5	72	1	3	7	9	18	23
70-74	1551	8.7	74	2	4	7	9	18	22
75-79	1287	8.8	60	2	3	6	11	19	30
80-84	1024	8.6	33	2	4	7	12	17	24
85 +	1034	10.3	97	3	4	7	12	28	33
SUBTOTAL	6723	8.9	68	2	4	7	11	19	27
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	6723	8.9	68	2	4	7	11	19	27

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	130	3.3	8	< 1	1	2	4	8	10
18-34	93	6.6	44	2	2	5	8	24	24
35-49	410	9.3	46	3	5	7	13	16	19
50-69	1442	7.7	62	2	3	6	10	14	17
70 +	50	6.6	9						
	2124	7.6	55	2	3	6	10	14	18
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2124	7.6	55	2	3	6	10	14	18

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	10	23.0							
18-34	30	5.3	6						
35-49	207	11.2	117	2	2	10	15	21	33
50-69	420	12.0	158	2	3	7	17	20	35
70 +	53	12.3	2						
SUBTOTAL	719	11.7	129	2	3	9	16	21	35
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	719	11.7	129	2	3	9	16	21	35

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	1.0							
18-34	40	8.5	11						
35-49	103	13.1	344	2	3	3	17	33	65
50-69	573	9.8	55	2	4	7	14	20	23
70 +	63	8.9	11						
	789	10.0	88	2	4	7	13	20	23
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	789	10.0	88	2	4	7	13	20	23

DRG 173: Digestive Malignancy w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	420	3.1	7	< 1	1	2	5	5	6
70-74	207	4.1	20	< 1	< 1	2	11	11	12
75-79	250	4.0	40	< 1	1	2	7	7	11
80-84	103	3.7	35	< 1	< 1	1	4	9	21
85 +	214	7.3	15	3	3	7	11	12	12
SUBTOTAL	**1193**	**4.3**	**22**	**< 1**	**1**	**2**	**5**	**11**	**12**
GRAND TOTAL	**1193**	**4.3**	**22**	**< 1**	**1**	**2**	**5**	**11**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	70	2.3	4	< 1	< 1	1	5	6	6
18-34	10	32.0							
35-49	313	3.4	6	1	2	2	5	6	9
50-69	610	3.6	9	< 1	1	3	5	9	9
70 +	30	3.3	3						
	1033	**3.7**	**15**	**< 1**	**1**	**3**	**5**	**8**	**9**
	1033	**3.7**	**15**	**< 1**	**1**	**3**	**5**	**8**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	10	2.0							
18-34	20	4.5	7						
35-49	20	1.0							
50-69	40	7.0	32						
70 +	10	11.0							
SUBTOTAL	**100**	**5.2**	**23**	**< 1**	**1**	**2**	**11**	**13**	**14**
GRAND TOTAL	**100**	**5.2**	**23**	**< 1**	**1**	**2**	**11**	**13**	**14**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	10	2.0							
18-34	50	4.2	10						
35-49	10	6.0							
50-69	150	4.1	10	1	2	2	7	10	10
70 +	0								
	219	**4.1**	**10**	**1**	**2**	**3**	**6**	**10**	**10**
	219	**4.1**	**10**	**1**	**2**	**3**	**6**	**10**	**10**

DRG 174: G.I. Hemorrhage w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	13231	6.1	17	2	3	5	8	11	13
70-74	9080	6.5	37	3	3	5	7	11	14
75-79	9688	6.9	32	3	4	5	8	12	18
80-84	8393	6.5	20	2	4	5	8	12	16
85 +	8096	8.1	39	3	4	6	10	17	19
SUBTOTAL	**48488**	**6.7**	**28**	**3**	**4**	**5**	**8**	**12**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	48488	6.7	28	3	4		8	12	16

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	443	3.1	3	2	2	2	4	5	5
18-34	1551	4.1	6	2	3	4	5	7	7
35-49	3943	4.3	9	1	3	4	5	8	9
50-69	7875	5.0	8	2	3	4	6	9	10
70 +	524	5.9	13	3	4	5	7	8	14
	14336	**4.7**	**8**	**2**	**3**	**4**	**6**	**8**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	14336	4.7	8	2	3	4	6	8	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	269	5.3	11	1	3	5	7	11	11
18-34	547	7.2	58	2	3	5	10	13	21
35-49	600	5.5	15	2	3	5	6	9	10
50-69	1588	6.4	25	2	3	5	8	12	14
70 +	307	5.8	20	4	4	4	6	6	20
SUBTOTAL	**3311**	**6.2**	**27**	**2**	**3**	**5**	**8**	**11**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	3311	6.2	27	2	3	5	8	11	14

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	246	3.6	8	2	2	3	5	5	5
18-34	1274	3.5	4	1	2	3	4	6	6
35-49	2509	5.0	12	2	3	4	6	8	11
50-69	2224	6.2	52	2	3	4	6	11	17
70 +	190	6.8	5	4	4	8	8	10	10
	6443	**5.1**	**25**	**2**	**3**	**4**	**6**	**9**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	6443	5.1	25	2	3	4	6	9	12

DRG 175: G.I. Hemorrhage w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2210	3.7	3	2	2	4	5	6	7
70-74	1179	3.9	4	1	3	3	5	7	8
75-79	1519	4.3	7	1	2	4	6	7	10
80-84	1125	5.2	13	2	3	4	7	10	12
85 +	728	4.1	9	1	2	4	7	9	9
SUBTOTAL	**6762**	**4.2**	**7**	**1**	**2**	**4**	**5**	**8**	**9**
GRAND TOTAL	**6762**	**4.2**	**7**	**1**	**2**	**4**	**5**	**8**	**9**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1063	3.1	35	1	1	2	3	6	6
18-34	2501	2.9	3	1	2	2	4	5	6
35-49	2547	3.7	5	1	2	4	4	6	7
50-69	4562	3.8	4	2	2	4	5	6	7
70 +	163	3.1	1	2	3	3	4	4	5
	10836	**3.5**	**7**	**1**	**2**	**3**	**4**	**6**	**7**
	10836	**3.5**	**7**	**1**	**2**	**3**	**4**	**6**	**7**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	376	3.1	3	1	2	3	4	6	6
18-34	180	4.7	18	2	2	2	6	12	12
35-49	73	1.9							
50-69	353	5.5	14	2	3	4	8	13	13
70 +	107	4.1	3						
SUBTOTAL	**1090**	**4.1**	**10**	**1**	**2**	**3**	**4**	**10**	**12**
GRAND TOTAL	**1090**	**4.1**	**10**	**1**	**2**	**3**	**4**	**10**	**12**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	326	2.8	2	1	2	2	3	4	5
18-34	1479	3.5	3	1	2	3	5	6	7
35-49	1272	3.7	3	2	3	3	5	5	8
50-69	684	3.8	6	1	3	3	5	6	7
70 +	53	2.8							
	3815	**3.5**	**4**	**1**	**2**	**3**	**5**	**6**	**7**
	3815	**3.5**	**4**	**1**	**2**	**3**	**5**	**6**	**7**

DRG 176: Complicated Peptic Ulcer

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	898	6.2	16	2	3	6	8	12	14
70-74	404	8.5	41	4	4	8	8	20	23
75-79	624	7.6	24	3	4	6	10	17	17
80-84	437	7.1	92	1	3	5	9	13	13
85+	514	6.8	14	2	3	6	10	13	13
SUBTOTAL	**2877**	**7.1**	**33**	**3**	**4**	**6**	**8**	**13**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	507	3.6	8	<1	1	4	4	9	9
70-74	173	6.7	15	1	3	7	10	11	14
75-79	350	3.6	1	3	3	3	4	4	6
80-84	150	5.5	3						
85+	214	8.1	108	1	1	1	7	28	28
SUBTOTAL	**1395**	**4.9**	**25**	**1**	**2**	**4**	**6**	**9**	**11**
GRAND TOTAL	**4272**	**6.4**	**31**	**2**	**3**	**5**	**8**	**12**	**17**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	107	7.0	32						
18-34	204	5.0	14	3	3	3	10	10	12
35-49	360	5.9	38	3	3	3	6	11	18
50-69	624	5.1	7	2	4	5	6	9	9
70+	0								
	1295	**5.5**	**19**	**2**	**3**	**4**	**6**	**10**	**13**
0-17	83	5.2	5						
18-34	277	3.8	11	<1	1	3	4	11	11
35-49	467	3.5	5	<1	2	3	4	7	7
50-69	494	4.0	7	<1	2	4	5	7	10
70+	0								
	1321	**3.9**	**7**	**<1**	**2**	**3**	**5**	**7**	**10**
	2616	**4.7**	**14**	**1**	**3**	**4**	**6**	**9**	**11**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	10	6.0							
18-34	20	4.5	2						
35-49	10	16.0							
50-69	63	7.2	2						
70+	0								
SUBTOTAL	**103**	**7.4**	**11**	**4**	**6**	**8**	**8**	**10**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	40	3.0	4						
18-34	93	3.6	2	1	2	4	5	5	5
35-49	10	9.0							
50-69	184	6.9	4						
70+	0								
SUBTOTAL	**327**	**5.5**	**6**	**2**	**5**	**5**	**7**	**10**	**10**
GRAND TOTAL	**430**	**6.0**	**8**	**2**	**5**	**6**	**8**	**10**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	20	4.5							
18-34	20	10.5	95						
35-49	107	5.7	3						
50-69	73	9.0	3						
70+	43	7.0							
	264	**7.1**	**12**	**2**	**6**	**7**	**9**	**10**	**10**
0-17	0								
18-34	10	6.0							
35-49	113	4.9	14	1	3	5	5	6	16
50-69	40	5.5	25						
70+	0								
	163	**5.1**	**16**	**1**	**3**	**5**	**5**	**14**	**16**
	427	**6.3**	**15**	**2**	**4**	**6**	**7**	**10**	**14**

DRG 177: Uncomplicated Peptic Ulcer w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2518	4.8	7	2	3	4	6	8	10
70-74	1383	5.6	9	3	4	5	7	9	11
75-79	1633	6.2	12	2	4	6	9	10	14
80-84	588	4.7	4	2	3	5	6	7	9
85 +	384	5.9	18	1	1	6	7	14	14
SUBTOTAL	**6505**	**5.4**	**9**	**2**	**3**	**5**	**7**	**9**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**6505**	**5.4**	**9**	**2**	**3**	**5**	**7**	**9**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	12.7	193	-					
18-34	591	4.3	10	1	2	4	5	7	8
35-49	1215	4.4	14	2	2	3	4	7	14
50-69	1780	3.8	3	2	3	3	5	6	7
70 +	0								
	3616	**4.1**	**10**	**2**	**3**	**3**	**5**	**7**	**8**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3616	**4.1**	**10**	**2**	**3**	**3**	**5**	**7**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	20	3.0							
18-34	234	5.9	27	1	2	4	7	16	16
35-49	374	5.5	11	2	3	4	8	11	11
50-69	331	4.4	4	2	3	5	5	5	9
70 +	53	8.9	6						
SUBTOTAL	**1011**	**5.4**	**13**	**2**	**3**	**4**	**7**	**11**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1011**	**5.4**	**13**	**2**	**3**	**4**	**7**	**11**	**14**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	53	4.6	1						
18-34	70	4.1	11	2	2	3	4	12	12
35-49	210	3.1	2	2	2	3	5	5	5
50-69	150	6.0	2						
70 +	0								
	484	**4.3**	**5**	**2**	**3**	**4**	**5**	**8**	**8**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	484	**4.3**	**5**	**2**	**3**	**4**	**5**	**8**	**8**

DRG 178: Uncomplicated Peptic Ulcer w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1158	3.2	6	< 1	2	3	4	5	6
70-74	768	4.0	6	1	2	3	5	7	11
75-79	655	3.6	3	2	2	3	5	6	6
80-84	317	5.8	12	3	3	5	8	13	13
85 +	133	3.1	2	< 1	2	3	4	5	6
SUBTOTAL	**3031**	**3.8**	**6**	**1**	**2**	**3**	**5**	**6**	**9**
GRAND TOTAL	**3031**	**3.8**	**6**	**1**	**2**	**3**	**5**	**6**	**9**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	317	2.7	3	1	2	2	4	4	7
18-34	1519	3.7	4	2	2	3	4	6	8
35-49	3066	3.7	4	2	2	3	5	6	7
50-69	2638	3.3	4	1	2	3	4	5	7
70 +	0								
	7540	**3.5**	**4**	**2**	**2**	**3**	**4**	**6**	**7**
	7540	**3.5**	**4**	**2**	**2**	**3**	**4**	**6**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	93	2.1	8	1	1	1	1	10	10
18-34	267	2.8	2	1	2	2	4	5	5
35-49	257	5.4	10	2	3	3	8	10	10
50-69	180	11.1	34	4	7	8	13	20	20
70 +	0								
SUBTOTAL	**798**	**5.4**	**24**	**1**	**2**	**4**	**8**	**13**	**20**
GRAND TOTAL	**798**	**5.4**	**24**	**1**	**2**	**4**	**8**	**13**	**20**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	73	2.4	6						
18-34	390	2.3	2	< 1	1	2	3	4	6
35-49	825	3.6	4	1	2	3	5	6	10
50-69	364	2.5	1	2	2	2	3	3	5
70 +	0								
	1653	**3.0**	**4**	**1**	**2**	**3**	**4**	**5**	**6**
	1653	**3.0**	**4**	**1**	**2**	**3**	**4**	**5**	**6**

DRG 179: Inflammatory Bowel Disease

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	594	10.6	117	3	5	6	9	22	39
70-74	340	6.3	24	3	4	5	6	9	21
75-79	464	8.8	50	4	5	7	8	24	28
80-84	287	9.5	29	5	6	8	9	21	21
85 +	220	9.9	101	5	5	8	9	15	18
SUBTOTAL	**1905**	**9.1**	**71**	**4**	**5**	**6**	**9**	**21**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	534	6.6	26	3	4	5	6	9	23
70-74	53	5.6	1						
75-79	53	4.4	1						
80-84	10	5.0							
85 +	10	2.0							
SUBTOTAL	**661**	**6.2**	**22**	**3**	**4**	**5**	**6**	**8**	**23**
GRAND TOTAL	**2566**	**8.4**	**60**	**4**	**5**	**6**	**8**	**21**	**23**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	456	10.8	157	2	3	7	14	23	40
18-34	809	6.6	20	2	4	6	8	10	13
35-49	880	8.9	77	4	5	6	8	17	27
50-69	500	11.8	143	3	5	8	11	35	46
70 +	10	3.0							
	2655	**9.1**	**89**	**3**	**4**	**7**	**9**	**17**	**28**
0-17	628	7.5	58	1	3	5	8	15	25
18-34	1213	5.0	10	2	3	4	6	10	12
35-49	1084	5.4	14	2	3	5	6	9	12
50-69	638	5.9	21	1	3	5	7	14	18
70 +	0								
	3563	**5.7**	**22**	**2**	**3**	**5**	**7**	**12**	**14**
	6218	**7.1**	**54**	**2**	**3**	**5**	**8**	**13**	**18**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	130	15.0	91	6	7	14	25	36	99 +
18-34	160	10.7	50	3	4	10	16	23	23
35-49	70	7.9	74	2	2	6	8	28	28
50-69	107	10.2	81						
70 +	53	6.7	2						
SUBTOTAL	**519**	**10.9**	**72**	**2**	**4**	**8**	**15**	**25**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	120	4.3	7	2	2	4	6	7	11
18-34	177	7.1	23	2	5	6	7	16	22
35-49	40	6.5	12						
50-69	20	1.0							
70 +	3								
SUBTOTAL	**356**	**5.8**	**18**	**2**	**2**	**5**	**7**	**11**	**16**
GRAND TOTAL	**875**	**8.8**	**56**	**2**	**3**	**6**	**12**	**22**	**26**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	90	12.3	133	4	6	10	11	44	44
18-34	519	7.4	31	2	4	7	9	12	20
35-49	123	5.1	11	3	3	4	5	8	15
50-69	117	5.0	1						
70 +	0								
	849	**7.3**	**39**	**3**	**4**	**6**	**8**	**12**	**16**
0-17	160	5.4	9	2	3	5	7	10	12
18-34	400	6.7	15	3	4	5	6	12	16
35-49	254	4.7	3	3	4	4	6	7	7
50-69	0								
70 +	0								
	813	**5.8**	**11**	**3**	**4**	**5**	**7**	**12**	**12**
	1663	**6.6**	**26**	**3**	**4**	**5**	**8**	**12**	**14**

Southern Regi ., July 1989 - June 1990

DRG 180: G.I. Obstruction w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	5190	6.4	21	2	4	6	8	12	13
70-74	3815	6.2	14	2	4	5	8	11	13
75-79	3275	7.7	37	2	4	7	10	15	16
80-84	3930	6.9	32	3	3	5	8	14	19
85 +	3776	7.5	35	3	3	6	10	14	16
SUBTOTAL	19986	6.9	28	2	4	6	9	13	15
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	19986	6.9	28	2	4	6	9	13	15

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	279	4.6	26	1	1	3	5	15	16
18-34	543	6.1	24	2	2	4	8	12	15
35-49	1264	4.8	6	2	3	5	7	8	8
50-69	2118	6.9	32	2	3	5	8	17	20
70 +	287	9.1	51	3	3	9	11	24	24
	4492	6.2	26	2	3	5	7	13	18
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4492	[illegible]	26	2	3	5	7	13	18

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	223	5.0	5	2	3	5	6	9	9
18-34	256	7.0	36	2	4	5	8	15	23
35-49	531	10.3	67	4	4	8	11	20	33
50-69	557	7.0	28	3	4	6	7	15	15
70 +	97	6.9	1						
SUBTOTAL	1664	7.8	40	3	4	6	9	15	20
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	1664	7.8	40	3	4	6	9	15	20

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	120	8.6	125	2	2	3	8	32	34
18-34	173	7.0	19	1	4	5	12	13	14
35-49	293	8.0	26	3	5	6	11	16	16
50-69	229	6.0	20	1	3	5	9	12	16
70 +	20	5.0	4						
	836	7.3	38	2	3	5	11	16	16
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	836	7.3	38	2	3	5	11	16	16

DRG 181: G.I. Obstruction w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2510	4.8	13	2	3	4	6	8	11
70-74	1539	4.3	7	2	3	3	6	7	8
75-79	1516	4.4	9	1	2	3	6	10	10
80-84	1312	4.9	11	2	3	4	7	8	10
85 +	1039	5.1	9	2	3	5	6	11	12
SUBTOTAL	**7916**	**4.7**	**10**	**2**	**3**	**4**	**6**	**8**	**11**
GRAND TOTAL	**7916**	**4.7**	**10**	**2**	**3**	**4**	**6**	**8**	**11**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1359	2.7	10	1	1	2	3	5	6
18-34	1198	4.3	10	1	2	4	5	7	8
35-49	2480	4.0	5	1	3	3	5	8	8
50-69	2841	4.7	11	2	2	4	6	8	10
70 +	107	6.0	1						
	7984	**4.1**	**9**	**1**	**2**	**3**	**5**	**8**	**8**
	7984	**4.1**	**9**	**1**	**2**	**3**	**5**	**8**	**8**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	539	2.7	3	1	1	2	3	4	6
18-34	110	6.7	25	2	3	5	10	15	17
35-49	300	3.6	8	1	1	3	6	8	8
50-69	417	4.7	7	2	3	4	7	9	9
70 +	43	7.0							
SUBTOTAL	**1410**	**3.9**	**8**	**1**	**2**	**3**	**5**	**8**	**9**
GRAND TOTAL	**1410**	**3.9**	**8**	**1**	**2**	**3**	**5**	**8**	**9**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	400	2.8	4	1	1	2	4	7	7
18-34	550	3.3	5	1	2	3	4	5	7
35-49	373	3.5	2	1	3	3	4	6	6
50-69	543	4.9	12	2	2	3	7	9	13
70 +	10	1.0							
	1876	**3.7**	**7**	**1**	**2**	**3**	**5**	**7**	**8**
	1876	**3.7**	**7**	**1**	**2**	**3**	**5**	**7**	**8**

DRG 182: Esophagitis, Gastroent & Misc Digest Disorders Age >17 w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	35956	5.3	15	2	3	4	7	9	12
70-74	21798	5.5	17	2	3	4	7	10	12
75-79	21306	6.2	24	2	3	5	7	12	15
80-84	16199	6.6	35	2	3	5	8	12	18
85 +	14444	7.0	36	2	4	5	8	12	16
SUBTOTAL	**109703**	**5.9**	**23**	**2**	**3**	**5**	**7**	**11**	**14**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**109703**	**5.9**	**23**	**2**	**3**	**5**	**7**	**11**	**14**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	15914	3.2	6	1	2	3	4	6	7
35-49	19095	4.0	12	1	2	3	5	7	9
50-69	21197	4.7	11	2	3	4	6	9	11
70 +	1302	5.0	19	1	3	4	5	9	14
	57508	**4.1**	**11**	**1**	**2**	**3**	**5**	**7**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	57508	**4.1**	**11**	**1**	**2**	**3**	**5**	**7**	**10**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	3869	4.3	10	1	2	4	6	7	9
35-49	2857	4.4	10	2	2	4	5	8	12
50-69	4299	5.3	11	2	3	4	7	10	12
70 +	374	7.5	34	4	4	7	22	99 +	99 +
SUBTOTAL	**11398**	**4.8**	**12**	**2**	**2**	**4**	**6**	**9**	**12**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**11398**	**4.8**	**12**	**2**	**2**	**4**	**6**	**9**	**12**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	5399	3.3	9	1	2	3	4	6	9
35-49	4928	4.1	9	1	2	3	5	8	9
50-69	4448	5.0	20	2	2	4	6	8	15
70 +	220	5.4	17	1	3	3	9	9	13
	14996	**4.1**	**13**	**1**	**2**	**3**	**5**	**8**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	14996	**4.1**	**13**	**1**	**2**	**3**	**5**	**8**	**10**

DRG 183: Esophagitis, Gastroent & Misc Digest Disorders Age >17 w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	12535	3.6	5	1	2	3	5	6	8
70-74	7279	4.0	9	1	2	3	5	7	9
75-79	6167	4.2	10	1	2	3	5	9	11
80-84	4393	4.0	11	< 1	2	3	6	8	9
85 +	3059	4.7	9	1	2	4	6	9	10
SUBTOTAL	**33433**	**3.9**	**8**	**1**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**33433**	**3.9**	**8**	**1**	**2**	**3**	**5**	**7**	**9**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	30438	2.7	4	1	1	2	3	5	6
35-49	30280	3.3	5	1	2	3	4	6	7
50-69	26110	3.6	7	1	2	3	5	7	8
70 +	434	3.8	7	1	2	3	4	9	9
	87262	**3.2**	**5**	**1**	**2**	**3**	**4**	**6**	**7**
	87262	**3.2**	**5**	**1**	**2**	**3**	**4**	**6**	**7**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	4728	3.0	4	1	2	2	4	6	7
35-49	2701	3.8	6	1	2	3	5	7	9
50-69	2133	4.0	6	1	2	3	5	8	9
70 +	160	3.4	6	2	2	3	4	4	12
SUBTOTAL	**9722**	**3.4**	**5**	**1**	**2**	**3**	**4**	**7**	**8**
GRAND TOTAL	**9722**	**3.4**	**5**	**1**	**2**	**3**	**4**	**7**	**8**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	9325	2.7	4	1	1	2	3	5	6
35-49	5263	3.1	4	1	2	3	4	5	7
50-69	3871	3.7	7	1	2	3	5	7	9
70 +	204	2.4	6	1	1	1	4	7	7
	18662	**3.0**	**4**	**1**	**2**	**2**	**4**	**6**	**7**
	18662	**3.0**	**4**	**1**	**2**	**2**	**4**	**6**	**7**

Southern Region, July 1989 - June 1990

DRG 184: Esophagitis, Gastroent & Misc Digest Disorders Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	220	3.2	5	2	2	3	4	4	4
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	220	3.2	5	2	2	3	4	4	4
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	10	1.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	10	1.0							
GRAND TOTAL	230	3.1	5	1	2	3	4	4	4

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	33906	2.9	8	1	2	2	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	33906	2.9	8	1	2	2	3	5	6
	39648	2.6	5	1	1	2	3	5	6
	73554	2.7	6	1	1	2	3	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	16685	3.7	19	1	2	3	4	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	16685	3.7	19	1	2	3	4	6	8
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	19982	3.0	7	1	2	2	4	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	19982	3.0	7	1	2	2	4	5	7
GRAND TOTAL	36667	3.3	13	1	2	3	4	6	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8132	3.6	25	1	2	2	4	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	8132	3.6	25	1	2	2	4	6	8
	10629	2.9	9	1	1	2	3	5	7
	18761	3.2	16	1	2	2	4	6	8

DRG 185: Dental & Oral Dis except Extractions & Restorations, Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	474	4.2	10	1	2	3	7	7	10
70-74	370	11.6	74	3	4	10	21	23	23
75-79	237	4.6	3	2	4	4	6	7	7
80-84	237	8.3	16	4	6	8	9	16	16
85 +	83	8.3	78						
SUBTOTAL	1402	7.2	40	2	3	5	8	17	21
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	113	1.9	1	1	1	2	3	3	4
70-74	73	3.0	2						
75-79	107	8.0	16						
80-84	30	4.0	3						
85 +	20	2.0	1						
SUBTOTAL	343	4.2	13	1	2	3	7	8	8
GRAND TOTAL	1745	6.6	36	2	2	4	8	17	21

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	380	3.9	18	1	1	3	4	6	16
35-49	297	3.3	6	1	1	3	6	6	6
50-69	447	6.2	19	2	2	6	8	13	13
70 +	10	1.0							
SUBTOTAL	1135	4.6	17	1	1	4	6	8	13
0-17	0								
18-34	1232	2.6	3	1	1	3	3	5	5
35-49	250	3.1	11	1	1	2	2	8	12
50-69	340	3.2	5	< 1	1	3	6	7	7
70 +	20	1.0							
SUBTOTAL	1842	2.8	4	1	1	2	3	5	7
GRAND TOTAL	2977	3.5	10	1	1	3	4	7	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	153	4.4	7	2	2	4	5	7	12
35-49	30	5.0	9						
50-69	10	3.0							
70 +	0								
SUBTOTAL	193	4.4	7	2	2	4	5	9	11
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	254	2.5	2	1	1	2	3	5	5
35-49	40	2.0	1						
50-69	53	2.6	1						
70 +	0								
SUBTOTAL	347	2.4	2	1	1	2	3	5	5
GRAND TOTAL	540	3.1	5	1	2	3	4	5	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	567	3.1	4	1	2	2	5	6	7
35-49	280	2.3	3	1	2	2	2	3	6
50-69	63	2.9	5						
70 +	0								
SUBTOTAL	910	2.9	4	1	2	2	3	6	7
0-17	0								
18-34	677	2.3	1	1	1	2	3	4	4
35-49	236	2.4	2	< 1	1	2	3	5	5
50-69	40	3.0	6						
70 +	43	4.0							
SUBTOTAL	997	2.4	2	1	1	2	3	4	5
GRAND TOTAL	1907	2.6	3	1	1	2	3	5	6

DRG 186: Dental & Oral Dis except Extractions & Restorations, Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1528	3.6	8	1	2	3	4	6	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1528	3.6	8	1	2	3	4	6	10
0-17	1483	2.2	2	1	1	2	3	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1483	2.2	2	1	1	2	3	4	5
	3011	2.9	6	1	1	2	4	5	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	833	3.4	6	2	2	3	4	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	833	3.4	6	2	2	3	4	5	7
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	870	2.8	3	1	1	3	4	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	870	2.8	3	1	1	3	4	5	6
GRAND TOTAL	1703	3.1	5	1	2	3	4	5	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	313	5.6	27	2	2	4	8	8	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	313	5.6	27	2	2	4	8	8	11
0-17	646	2.8	7	<1	1	2	4	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	646	2.8	7	<1	1	2	4	5	6
	959	3.7	15	<1	1	3	4	8	8

DRG 187: Dental Extractions & Restorations

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	317	2.4	2	1	1	2	4	5	6
70-74	10	7.0							
75-79	43	6.0							
80-84	63	5.3	7						
85 +	43	2.0							
SUBTOTAL	**477**	**3.2**	**5**	**1**	**2**	**2**	**6**	**7**	**7**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	127	1.4		< 1	1	1	2	2	2
70-74	10	6.0							
75-79	0								
80-84	0								
85 +	10	4.0							
SUBTOTAL	**147**	**1.9**	**2**	**< 1**	**1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**624**	**2.9**	**4**	**1**	**1**	**2**	**4**	**6**	**7**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	203	2.4	7	1	1	2	2	4	8
18-34	110	2.9	3	1	1	2	5	5	5
35-49	63	2.0							
50-69	30	5.0	19						
70 +	0								
SUBTOTAL	**406**	**2.7**	**6**	**1**	**1**	**2**	**3**	**5**	**6**
0-17	628	1.3	1	< 1	< 1	< 1	1	2	3
18-34	213	1.6	1	< 1	1	1	2	3	4
35-49	30	2.0	1						
50-69	60	2.3	9	< 1	< 1	1	1	9	9
70 +	0								
SUBTOTAL	**931**	**1.4**	**1**	**< 1**	**< 1**	**< 1**	**1**	**2**	**4**
GRAND TOTAL	**1337**	**1.8**	**3**	**< 1**	**< 1**	**1**	**2**	**3**	**5**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	189	3.0	6	< 1	2	2	3	8	11
18-34	50	2.6	2						
35-49	50	5.0	4						
50-69	10	2.0							
70 +	0								
SUBTOTAL	**299**	**3.2**	**6**	**1**	**2**	**2**	**4**	**7**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1366	1.1		< 1	< 1	< 1	< 1	1	2
18-34	137	2.6	1	< 1	2	2	4	4	4
35-49	83	2.4	1						
50-69	10	1.0							
70 +	0								
SUBTOTAL	**1596**	**1.3**	**1**	**< 1**	**< 1**	**< 1**	**< 1**	**2**	**3**
GRAND TOTAL	**1896**	**1.6**	**2**	**< 1**	**< 1**	**< 1**	**2**	**3**	**4**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	50	4.0	11						
18-34	187	3.6	6	1	2	2	7	7	7
35-49	20	4.0	9						
50-69	10	6.0							
70 +	10	2.0							
SUBTOTAL	**276**	**3.8**	**7**	**1**	**1**	**2**	**7**	**7**	**7**
0-17	229	2.1	3	< 1	< 1	1	3	5	6
18-34	160	3.7	6	1	2	3	5	8	9
35-49	63	2.5	1						
50-69	73	1.5	1						
70 +	0								
SUBTOTAL	**526**	**2.6**	**4**	**< 1**	**1**	**2**	**3**	**6**	**7**
GRAND TOTAL	**802**	**3.0**	**5**	**< 1**	**1**	**2**	**4**	**7**	**7**

DRG 188: Other Digestive System Diagnoses Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	4774	6.2	30	2	3	5	8	13	16
70-74	2735	6.5	34	1	3	5	8	13	17
75-79	2551	7.2	38	2	3	6	8	15	23
80-84	2229	7.4	75	2	3	5	9	16	21
85 +	2169	8.4	38	2	4	7	11	18	21
SUBTOTAL	14458	6.9	41	2	3	5	8	14	18
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	14458	6.9	41	2	3	5	8	14	18

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	850	4.1	34	1	1	2	6	7	8
35-49	1623	4.4	10	1	2	4	6	8	10
50-69	2301	6.2	28	2	2	5	7	12	18
70 +	197	4.4	6	1	2	4	7	8	8
	4971	5.2	23	1	2	4	7	10	14
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4971	5.2	23	1	2	4	7	10	14

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	197	7.7	21	3	5	5	13	13	18
35-49	387	5.4	13	2	2	5	7	13	13
50-69	460	7.7	48	1	2	7	11	12	20
70 +	20	8.5	2						
SUBTOTAL	1063	6.9	31	2	2	5	10	13	13
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	1063	6.9	31	2	2	5	10	13	13

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	243	7.6	257	2	2	4	6	8	11
35-49	457	5.5	16	2	2	5	9	9	9
50-69	560	6.8	55	1	4	5	8	9	19
70 +	10	1.0							
	1269	6.4	80	1	2	5	8	9	14
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1269	6.4	80	1	2	5	8	9	14

DRG 189: Other Digestive System Diagnoses Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1742	3.3	9	< 1	< 1	2	5	8	9
70-74	1156	2.8	16	< 1	< 1	1	3	7	16
75-79	1133	2.2	4	< 1	< 1	1	3	5	8
80-84	553	4.7	14	< 1	< 1	4	7	10	13
85 +	591	4.9	16	< 1	2	3	7	10	15
SUBTOTAL	**5176**	**3.3**	**12**	**< 1**	**< 1**	**2**	**4**	**8**	**10**
GRAND TOTAL	**5176**	**3.3**	**12**	**< 1**	**< 1**	**2**	**4**	**8**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	2058	2.7	4	< 1	1	2	3	5	6
35-49	2839	2.6	5	< 1	1	2	3	5	7
50-69	2587	2.4	8	< 1	< 1	1	3	6	9
70 +	20	1.5							
7504	**2.5**	**6**	**< 1**	**< 1**	**2**	**3**	**5**	**7**
7504	**2.5**	**6**	**< 1**	**< 1**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	327	3.7	4	1	2	4	5	5	5
35-49	424	3.2	5	1	1	2	4	7	7
50-69	224	6.7	12	3	3	7	8	12	12
70 +	10	8.0							
SUBTOTAL	**984**	**4.2**	**8**	**1**	**2**	**4**	**5**	**8**	**12**
GRAND TOTAL	**984**	**4.2**	**8**	**1**	**2**	**4**	**5**	**8**	**12**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	1205	2.4	5	< 1	1	2	3	4	9
35-49	581	3.2	11	1	2	2	3	6	14
50-69	573	3.2	6	< 1	1	2	4	5	9
70 +	0								
2358	**2.8**	**7**	**< 1**	**1**	**2**	**3**	**5**	**9**
2358	**2.8**	**7**	**< 1**	**1**	**2**	**3**	**5**	**9**

DRG 190: Other Digestive System Diagnoses Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	130	7.2	59	3	3	5	6	12	32
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	130	7.2	59	3	3	5	6	12	32
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0	—							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	130	7.2	59	3	3	5	6	12	32

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1128	4.6	48	1	1	2	5	10	16
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1128	4.6	48	1	1	2	5	10	16
0-17	4956	2.0	5	< 1	1	1	2	3	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	4956	2.0	5	< 1	1	1	2	3	5
	6084	2.5	14	1	1	1	2	4	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	625	5.8	40	1	2	4	6	11	19
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	625	5.8	40	1	2	4	6	11	19
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	1861	2.2	6	< 1	1	1	2	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1861	2.2	6	< 1	1	1	2	5	6
GRAND TOTAL	2486	3.1	17	< 1	1	2	3	6	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	333	6.3	33	1	2	4	10	16	19
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	333	6.3	33	1	2	4	10	16	19
0-17	1228	2.1	6	< 1	1	1	2	4	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1228	2.1	6	< 1	1	1	2	4	7
	1561	3.0	15	< 1	1	1	3	9	12

DRG 191: Pancreas, Liver & Shunt Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1777	18.0	157	7	9	15	24	32	44
70-74	1057	22.2	252	9	11	17	27	45	64
75-79	1024	17.8	114	8	12	14	22	30	43
80-84	280	20.4	348	5	5	13	29	53	53
85 +	157	15.0	19	11	11	14	17	24	24
SUBTOTAL	**4295**	**19.0**	**181**	**7**	**10**	**15**	**24**	**36**	**53**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4295**	**19.0**	**181**	**7**	**10**	**15**	**24**	**36**	**53**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	80	22.0	398	5	9	17	24	71	71
18-34	380	20.9	375	8	8	10	27	58	58
35-49	706	12.4	60	6	7	11	14	21	26
50-69	1149	20.0	216	8	10	15	28	38	52
70 +	83	15.3	6						
SUBTOTAL	**2398**	**17.8**	**207**	**7**	**9**	**12**	**21**	**38**	**52**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2398**	**17.8**	**207**	**7**	**9**	**12**	**21**	**38**	**52**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	60	19.0	320	5	8	11	21	57	57
18-34	90	29.4	627	3	6	14	53	70	70
35-49	120	16.7	81	6	8	15	26	29	30
50-69	40	25.8	259						
70 +	0								
SUBTOTAL	**309**	**22.0**	**337**	**6**	**7**	**16**	**29**	**57**	**70**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**309**	**22.0**	**337**	**6**	**7**	**16**	**29**	**57**	**70**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	17.7	76						
18-34	453	17.3	296	4	7	10	26	43	52
35-49	346	15.5	106	5	6	13	22	34	37
50-69	223	16.6	123	4	11	16	24	43	46
70 +	10	11.0							
SUBTOTAL	**1062**	**16.5**	**189**	**4**	**7**	**13**	**23**	**37**	**46**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1062**	**16.5**	**189**	**4**	**7**	**13**	**23**	**37**	**46**

DRG 192: Pancreas, Liver & Shunt Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	157	12.0	21	7	9	10	12	19	24
70-74	230	11.1	79	1	6	7	20	20	31
75-79	63	8.3	3						
80-84	97	6.8	3						
85 +	0								
SUBTOTAL	547	10.3	44	5	6	8	12	20	24
GRAND TOTAL	547	10.3	44	5	6	8	12	20	24

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	100	10.1	14	5	8	9	14	16	16
18-34	163	10.2	8	6	9	10	11	15	17
35-49	543	9.2	43	4	5	8	10	16	24
50-69	343	9.4	12	5	8	9	12	13	16
70 +	0								
	1149	9.5	26	4	6	9	11	15	18
	1149	9.5	26	4	6	9	11	15	18

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	40	22.0	79						
18-34	0								
35-49	20	12.0	1						
50-69	0								
70 +	0								
SUBTOTAL	60	18.7	75	11	11	15	24	35	35
GRAND TOTAL	60	18.7	75	11	11	15	24	35	35

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	60	10.7	58	4	6	7	14	26	26
18-34	157	8.2	6	4	7	9	9	12	12
35-49	73	13.4	74						
50-69	50	9.8	10						
70 +	0								
	340	10.0	34	5	7	9	11	14	26
	340	10.0	34	5	7	9	11	14	26

DRG 193: Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	910	13.8	47	8	10	12	16	21	24
70-74	751	13.8	64	6	8	12	17	22	33
75-79	961	15.6	90	8	10	14	19	26	29
80-84	514	19.9	147	10	12	15	22	35	54
85+	507	15.0	62	9	9	14	19	25	26
SUBTOTAL	3643	15.3	82	8	10	13	19	25	31
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
GRAND TOTAL	3643	15.3	82	8	10	13	19	25	31

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	93	9.1	45	4	4	7	14	24	24
18-34	123	9.6	88	5	5	5	8	24	36
35-49	286	11.7	55	4	6	11	14	21	25
50-69	729	15.7	136	7	8	12	20	27	38
70+	70	14.1	57	6	9	12	21	29	29
	1302	13.7	109	5	7	10	17	27	30
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	1302	13.7	109	5	7	10	17	27	30

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	40	19.8	52						
18-34	190	6.9	7	4	5	6	8	12	14
35-49	40	24.5	257						
50-69	190	19.4	296	4	8	14	17	50	50
70+	63	12.7	9						
SUBTOTAL	524	14.5	174	4	6	11	14	50	50
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
GRAND TOTAL	524	14.5	174	4	6	11	14	50	50

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	21.3	73						
18-34	87	13.0	4						
35-49	140	14.5	46						
50-69	140	17.8	100	8	9	14	26	33	38
70+	10	19.0							
	407	15.9	62	6	11	15	19	30	32
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	407	15.9	62	6	11	15	19	30	32

DRG 194: Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	133	7.2	30	1	2	7	9	17	19
70-74	113	4.1	3	1	2	5	5	5	7
75-79	70	11.4	52	2	3	12	19	22	22
80-84	63	6.9	3						
85 +	107	12.0	27						
SUBTOTAL	**487**	**8.1**	**32**	**2**	**5**	**7**	**9**	**18**	**19**
GRAND TOTAL	**487**	**8.1**	**32**	**2**	**5**	**7**	**9**	**18**	**19**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	100	10.4	33	6	6	8	11	20	25
18-34	127	10.6	15	5	10	10	14	14	16
35-49	220	6.5	12	4	5	6	7	9	9
50-69	430	10.0	49	3	4	9	13	24	24
70 +	10	11.0							
	887	**9.3**	**35**	**4**	**5**	**9**	**11**	**17**	**24**
	887	**9.3**	**35**	**4**	**5**	**9**	**11**	**17**	**24**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	40	11.0	14						
18-34	107	8.2	16						
35-49	20	22.5	59						
50-69	10	10.0							
70 +	0								
SUBTOTAL	**177**	**10.5**	**39**	**5**	**5**	**10**	**11**	**18**	**30**
GRAND TOTAL	**177**	**10.5**	**39**	**5**	**5**	**10**	**11**	**18**	**30**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	20	12.0							
18-34	30	5.3	6						
35-49	53	8.5	10						
50-69	63	10.5	1						
70 +	10	1.0							
	177	**8.7**	**12**	**2**	**7**	**9**	**11**	**12**	**15**
	177	**8.7**	**12**	**2**	**7**	**9**	**11**	**12**	**15**

DRG 195: Total Cholecystectomy w/ C.D.E. w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1870	10.4	18	6	8	9	13	17	19
70-74	1559	10.4	29	5	7	9	12	15	17
75-79	1436	11.2	56	4	7	10	14	18	20
80-84	1062	15.2	109	8	10	11	16	30	39
85 +	614	14.6	45	8	10	13	18	25	30
SUBTOTAL	6541	11.8	50	6	8	10	13	19	25
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	6541	11.8	50	6	8	10	13	19	25

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	8.0							
18-34	1583	6.8	8	4	5	6	8	10	11
35-49	885	8.4	17	4	5	8	10	12	15
50-69	1551	8.6	20	5	6	8	9	13	18
70 +	20	18.5	192						
	4049	7.9	16	4	5	7	9	12	15
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4049	7.9	16	4	5	7	9	12	15

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	63	7.8	4						
18-34	685	7.0	7	3	6	7	8	11	12
35-49	287	7.9	11	4	5	6	10	12	13
50-69	140	13.9	13						
70 +	10	10.0							
SUBTOTAL	1185	8.1	13	4	6	7	10	13	16
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	1185	8.1	13	4	6	7	10	13	16

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	307	6.9	5	5	5	6	8	11	12
35-49	224	8.7	19	4	7	7	13	15	15
50-69	214	10.3	50	1	6	10	12	22	22
70 +	0								
	744	8.4	24	4	6	7	11	15	22
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	744	8.4	24	4	6	7	11	15	22

DRG 196: Total Cholecystectomy w/ C.D.E. w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	401	6.0	3	3	5	6	7	9	9
70-74	93	9.2	16	4	8	8	8	17	17
75-79	184	10.0	20						
80-84	73	6.7	2						
85 +	10	9.0							
SUBTOTAL	**761**	**7.5**	**12**	**5**	**5**	**7**	**8**	**13**	**16**
GRAND TOTAL	**761**	**7.5**	**12**	**5**	**5**	**7**	**8**	**13**	**16**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	681	5.9	5	3	4	6	8	9	9
35-49	618	6.7	6	3	4	7	9	10	11
50-69	744	5.7	4	4	4	6	6	8	9
70 +	0								
	2043	**6.0**	**5**	**3**	**4**	**6**	**7**	**9**	**10**
	2043	**6.0**	**5**	**3**	**4**	**6**	**7**	**9**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	220	4.8	3	3	4	4	6	7	8
35-49	30	8.7	11						
50-69	87	7.5	2						
70 +	0								
SUBTOTAL	**337**	**5.8**	**6**	**3**	**4**	**5**	**7**	**9**	**9**
GRAND TOTAL	**337**	**5.8**	**6**	**3**	**4**	**5**	**7**	**9**	**9**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	20	6.5							
18-34	230	7.3	8	4	5	10	10	10	10
35-49	150	7.1	4						
50-69	73	5.7	1						
70 +	0								
	474	**7.0**	**6**	**4**	**5**	**6**	**10**	**10**	**10**
	474	**7.0**	**6**	**4**	**5**	**6**	**10**	**10**	**10**

DRG 197: Total Cholecystectomy w/o C.D.E. w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	9264	8.0	28	4	5	7	10	13	18
70-74	6159	8.5	21	5	6	7	10	14	17
75-79	4250	9.6	27	4	6	8	11	17	20
80-84	3029	12.3	74	5	7	9	15	22	29
85+	1502	11.7	68	6	7	9	14	26	27
SUBTOTAL	**24203**	**9.1**	**37**	**4**	**6**	**8**	**11**	**16**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**24203**	**9.1**	**37**	**4**	**6**	**8**	**11**	**16**	**21**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	60	6.3	2	4	6	6	7	8	8
18-34	2742	6.1	11	3	4	5	8	10	14
35-49	4834	6.8	17	3	4	5	9	12	15
50-69	6741	7.3	17	3	4	7	9	12	15
70+	110	5.6	2	5	5	5	6	8	8
	14486	**6.9**	**16**	**3**	**4**	**6**	**9**	**12**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	14486	**6.9**	**16**	**3**	**4**	**6**	**9**	**12**	**14**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	83	9.6	29						
18-34	1297	6.8	16	3	4	6	9	11	12
35-49	571	6.9	11	4	5	6	8	10	10
50-69	898	8.2	11	5	6	8	10	12	15
70+	20	8.5							
SUBTOTAL	**2868**	**7.3**	**14**	**4**	**5**	**7**	**9**	**11**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2868**	**7.3**	**14**	**4**	**5**	**7**	**9**	**11**	**15**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	20	4.5							
18-34	1140	6.0	10	3	4	5	7	10	14
35-49	1604	6.6	14	3	4	6	8	9	17
50-69	1314	8.8	50	3	5	6	12	16	20
70+	0								
	4077	**7.1**	**26**	**3**	**4**	**6**	**8**	**14**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	4077	**7.1**	**26**	**3**	**4**	**6**	**8**	**14**	**16**

DRG 198: Total Cholecystectomy w/o C.D.E. w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	6187	5.5	6	3	4	5	7	9	10
70-74	3392	5.5	8	3	4	5	7	9	11
75-79	1833	6.0	6	3	4	6	7	9	10
80-84	768	6.8	9	4	5	6	7	11	14
85 +	277	6.0	5	4	4	6	7	8	8
SUBTOTAL	12457	5.7	7	3	4	5	7	9	11
GRAND TOTAL	12457	5.7	7	3	4	5	7	9	11

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	667	4.5	4	2	3	4	5	7	10
18-34	17239	4.0	3	2	3	4	5	6	7
35-49	21676	4.1	4	2	3	4	5	6	8
50-69	17183	4.6	5	3	3	4	6	7	9
70 +	127	5.0	3	3	4	4	7	7	7
	56892	4.2	4	2	3	4	5	7	8
	56892	4.2	4	2	3	4	5	7	8

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	110	4.6	5	2	3	4	7	8	9
18-34	5066	4.4	5	2	3	4	5	7	8
35-49	1716	4.6	4	2	3	4	6	8	8
50-69	667	6.3	7	4	4	6	8	10	10
70 +	0								
SUBTOTAL	7559	4.6	5	2	3	4	5	7	9
GRAND TOTAL	7559	4.6	5	2	3	4	5	7	9

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	224	3.9	3	1	3	4	5	6	6
18-34	4666	4.0	3	2	3	4	5	6	7
35-49	2893	4.3	6	2	3	4	5	8	9
50-69	2304	5.0	8	3	3	4	6	8	13
70 +	60	4.0	1	2	3	4	5	5	5
	10146	4.3	5	2	3	4	5	7	8
	10146	4.3	5	2	3	4	5	7	8

DRG 199: Hepatobiliary Diagnostic Procedure for Malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	93	17.9	84	10	10	17	22	38	38
70-74	93	9.9	26	7	7	7	12	23	23
75-79	224	13.2	120	5	8	9	9	35	35
80-84	107	21.3	97						
85 +	53	13.7	13						
SUBTOTAL	571	15.0	99	7	8	10	21	31	35
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	20	5.0	1						
70-74	10	9.0							
75-79	10	4.0							
80-84	10	2.0							
85 +	0								
SUBTOTAL	50	5.0	6						
GRAND TOTAL	620	14.2	98	5	7	10	21	31	35

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	20	17.0	4						
18-34	0								
35-49	93	11.4	62	5	8	8	9	32	32
50-69	340	15.1	68	6	9	14	19	26	32
70 +	0								
	453	14.4	66	6	8	14	18	26	32
0-17	50	6.0	30						
18-34	0								
35-49	10	1.0							
50-69	30	11.7	3						
70 +	0								
	90	7.3	29	1	1	10	11	14	14
	543	13.3	67	5	8	11	16	23	32

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	20	31.5	739						
18-34	10	9.0							
35-49	10	14.0							
50-69	43	84.0							
70 +	0								
SUBTOTAL	83	54.1	1207						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	83	54.1	1207						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	10	18.0							
50-69	20	11.0	26						
70 +	0								
	30	13.3	29						
0-17	10	2.0							
18-34	0								
35-49	0								
50-69	53	22.1	68						
70 +	0								
	63	18.9	112						
	93	17.1	91	2	6	18	26	26	26

DRG 200: Hepatobiliary Diagnostic Procedure for Non-malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	170	12.9	57	6	7	13	25	25	25
70-74	97	13.3	68						
75-79	63	6.0	8						
80-84	20	16.5	13						
85 +	10	38.0							
SUBTOTAL	360	12.7	74	6	6	8	16	25	33
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	40	7.3	36						
75-79	10	10.0							
80-84	43	4.0							
85 +	0								
SUBTOTAL	93	6.0	19	1	4	4	10	15	15
GRAND TOTAL	454	11.3	70	4	6	7	16	25	25

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	63	8.2	11						
35-49	220	22.9	226	8	12	21	26	50	50
50-69	113	15.3	48	5	7	18	18	19	30
70 +	0								
	397	18.4	171	5	8	16	21	50	50
0-17	50	3.0	3						
18-34	127	6.8	9	5	5	6	8	10	14
35-49	63	4.3	5						
50-69	93	5.3	43	1	2	2	5	23	23
70 +	0								
	333	5.3	19	1	2	4	8	9	14
	730	12.4	144	2	5	8	18	25	50

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	20	13.0	1						
18-34	0								
35-49	20	5.0	1						
50-69	20	5.5	13						
70 +	43	7.0							
SUBTOTAL	103	7.5	11	3	6	7	9	13	14
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	20	3.5							
18-34	30	5.7							
35-49	20	16.0							
50-69	0								
70 +	0								
SUBTOTAL	70	8.0	27	3	4	6	16	16	16
GRAND TOTAL	173	7.7	17	3	5	7	9	16	16

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	40	10.0	26						
35-49	40	9.3	58						
50-69	20	7.0							
70 +	0								
	100	9.1	34	4	5	7	15	19	22
0-17	10	2.0							
18-34	107	5.0	1						
35-49	50	6.8	53						
50-69	0								
70 +	0								
	167	5.4	18	2	3	5	6	6	21
	266	6.8	27	3	4	5	7	15	21

DRG 201: Other Hepatobiliary or Pancreas O.R. Procedures

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	561	7.5	42	1	3	6	10	19	23
70-74	347	7.1	28	1	4	5	12	13	15
75-79	160	13.7	115	6	6	7	31	31	31
80-84	43	26.0							
85 +	73	25.8	259						
SUBTOTAL	**1185**	**10.1**	**92**	**1**	**4**	**7**	**13**	**25**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	87	1.0							
70-74	0								
75-79	10	11.0							
80-84	0								
85 +	10	8.0							
SUBTOTAL	**107**	**2.6**	**11**						
GRAND TOTAL	**1291**	**9.4**	**89**	**1**	**3**	**7**	**12**	**23**	**31**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	100	5.0	16	1	1	4	10	11	11
18-34	10	2.0							
35-49	203	7.4	46	2	2	5	9	18	22
50-69	603	9.6	140	2	4	5	13	17	36
70 +	43	4.0							
—	**959**	**8.3**	**103**	**2**	**3**	**5**	**10**	**17**	**25**
0-17	30	3.3	4						
18-34	0								
35-49	20	7.5	2						
50-69	30	8.0	2						
70 +	0								
	80	**6.1**	**8**	**< 1**	**4**	**6**	**8**	**10**	**10**
	1039	**8.2**	**96**	**2**	**3**	**5**	**10**	**15**	**19**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	10	2.0							
18-34	10	11.0							
35-49	133	9.9	25	5	5	10	13	17	21
50-69	250	9.8	100	< 1	2	10	14	14	23
70 +	0								
SUBTOTAL	**403**	**9.7**	**72**	**< 1**	**4**	**10**	**13**	**16**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	43	1.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**43**	**1.0**							
GRAND TOTAL	**447**	**8.8**	**71**	**< 1**	**2**	**8**	**13**	**15**	**21**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	2.0							
18-34	137	6.6	29	1	1	7	8	16	17
35-49	113	6.9	45	1	1	4	13	15	22
50-69	254	6.2	7	3	4	5	8	10	10
70 +	0								
	514	**6.4**	**21**	**1**	**3**	**5**	**8**	**13**	**16**
0-17	10	2.0							
18-34	0								
35-49	53	1.6	1						
50-69	0								
70 +	0								
	63	**1.6**	**1**						
	577	**5.9**	**21**	**1**	**2**	**5**	**8**	**13**	**16**

DRG 202: Cirrhosis & Alcoholic Hepatitis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2358	8.6	52	4	5	7	9	15	24
70-74	1088	9.8	49	3	4	8	14	20	24
75-79	360	7.4	21	3	3	6	9	13	17
80-84	307	9.4	20	4	5	9	13	16	16
85 +	93	7.2	11	4	6	6	7	16	16
SUBTOTAL	**4208**	**8.8**	**46**	**3**	**4**	**7**	**10**	**16**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	167	3.5	24	1	2	2	2	6	22
70-74	73	2.1	1						
75-79	0								
80-84	43	16.0							
85 +	10	1.0							
SUBTOTAL	**293**	**4.9**	**36**	**1**	**2**	**2**	**5**	**16**	**16**
GRAND TOTAL	**4501**	**8.6**	**46**	**3**	**4**	**7**	**10**	**16**	**22**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	8.0	63						
18-34	187	4.2	2	2	2	5	5	6	7
35-49	1358	8.0	39	2	4	5	10	18	20
50-69	1270	9.2	47	2	5	7	13	17	24
70 +	140	5.4	9						
SUBTOTAL	**2985**	**8.1**	**41**	**2**	**4**	**6**	**10**	**17**	**20**
0-17	0								
18-34	97	5.1	1						
35-49	327	3.5	8	1	1	2	6	7	7
50-69	217	5.1	24	1	1	6	7	8	8
70 +	0								
SUBTOTAL	**640**	**4.3**	**13**	**1**	**1**	**5**	**6**	**7**	**8**
GRAND TOTAL	**3626**	**7.5**	**38**	**2**	**3**	**6**	**9**	**17**	**20**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	20	1.5							
18-34	190	5.0	20	2	2	2	6	13	18
35-49	680	11.7	139	5	6	8	12	28	40
50-69	591	9.4	39	1	4	9	12	19	22
70 +	0								
SUBTOTAL	**1481**	**9.8**	**88**	**2**	**5**	**8**	**12**	**19**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	10	6.0							
18-34	0								
35-49	43	1.0							
50-69	0								
70 +	0								
SUBTOTAL	**53**	**1.9**	**4**						
GRAND TOTAL	**1534**	**9.5**	**87**	**1**	**4**	**7**	**12**	**19**	**22**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	2.0							
18-34	534	11.5	205	2	3	7	12	30	49
35-49	1216	9.3	82	2	4	8	10	19	24
50-69	756	7.9	33	2	4	7	12	16	17
70 +	0								
SUBTOTAL	**2516**	**9.3**	**95**	**2**	**4**	**7**	**12**	**17**	**24**
0-17	10	1.0							
18-34	107	11.2	133						
35-49	73	3.1	3						
50-69	40	1.8	2						
70 +	0								
SUBTOTAL	**230**	**6.5**	**81**	**1**	**1**	**2**	**4**	**25**	**25**
GRAND TOTAL	**2746**	**9.1**	**94**	**2**	**3**	**7**	**11**	**19**	**25**

Southern Region, July 1989 - June 1990

DRG 203: Malignancy of Hepatobiliary System or Pancreas

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1497	8.1	84	2	3	6	11	15	20
70-74	1060	7.4	30	2	4	6	10	14	17
75-79	1108	6.9	20	2	3	6	9	13	16
80-84	557	8.8	42	2	4	7	11	19	26
85 +	737	7.0	20	3	4	6	8	10	16
SUBTOTAL	**4958**	**7.6**	**44**	**2**	**4**	**6**	**10**	**14**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	447	3.2	5	1	1	3	4	5	5
70-74	407	5.6	18	1	2	5	8	11	14
75-79	227	5.1	11	2	2	4	7	11	11
80-84	123	3.0	6	1	2	3	3	5	10
85 +	157	4.4	4	1	3	5	6	6	9
SUBTOTAL	**1360**	**4.4**	**11**	**1**	**2**	**4**	**6**	**10**	**11**
GRAND TOTAL	**6318**	**6.9**	**39**	**2**	**3**	**6**	**9**	**13**	**17**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	100	5.1	9	1	2	7	8	8	8
18-34	103	5.5	13	2	2	8	8	9	12
35-49	707	4.5	13	1	2	3	6	8	11
50-69	1698	9.1	112	2	3	5	12	18	26
70 +	113	5.7	15	2	2	5	7	7	16
	2721	**7.5**	**79**	**2**	**2**	**5**	**10**	**16**	**21**
0-17	100	3.3	4	2	2	2	4	7	8
18-34	70	1.7		1	1	2	2	2	2
35-49	376	2.3	3	1	2	2	2	3	5
50-69	967	3.2	6	1	1	3	4	7	8
70 +	10	12.0							
	1522	**3.0**	**5**	**1**	**2**	**2**	**4**	**7**	**8**
	4243	**5.9**	**57**	**1**	**2**	**4**	**7**	**13**	**17**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	120	7.6	36	1	2	7	12	14	20
18-34	40	10.0	126						
35-49	93	9.9	49	5	5	6	12	24	24
50-69	240	6.5	27	2	4	5	8	11	18
70 +	30	9.3	22						
SUBTOTAL	**523**	**7.8**	**42**	**2**	**4**	**5**	**10**	**18**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	60	1.7		1	1	2	2	2	2
18-34	0								
35-49	10	10.0							
50-69	97	8.0	4						
70 +	43	11.0							
SUBTOTAL	**210**	**6.9**	**14**	**2**	**2**	**7**	**10**	**11**	**11**
GRAND TOTAL	**733**	**7.5**	**34**	**2**	**4**	**6**	**10**	**14**	**21**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	80	6.8	57	1	3	4	6	26	26
18-34	20	10.5	13						
35-49	60	3.2	1	2	3	3	3	5	5
50-69	453	7.2	42	2	3	4	10	19	20
70 +	10	1.0							
	623	**6.8**	**41**	**2**	**3**	**4**	**9**	**18**	**20**
0-17	10	6.0							
18-34	20	9.0	38						
35-49	40	5.8	43						
50-69	93	8.8	32	1	2	13	13	16	16
70 +	20	1.5							
	183	**7.2**	**35**	**1**	**2**	**5**	**13**	**16**	**17**
	806	**6.9**	**40**	**2**	**3**	**4**	**10**	**16**	**20**

DRG 204: Disorders of Pancreas except Malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4749	8.1	40	3	4	6	9	16	19
70-74	1158	7.1	17	3	4	6	8	14	15
75-79	1653	9.0	57	4	5	6	10	17	26
80-84	1349	8.5	87	4	5	6	9	14	17
85 +	925	7.7	30	3	5	7	9	13	15
SUBTOTAL	**9834**	**8.1**	**46**	**3**	**4**	**6**	**9**	**15**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1475	5.8	14	2	3	5	8	10	11
70-74	758	5.8	11	2	3	5	7	11	13
75-79	544	5.0	6	2	3	5	7	8	9
80-84	237	7.3	22	4	5	5	7	17	17
85 +	311	7.4	3	6	6	7	9	10	10
SUBTOTAL	**3325**	**5.9**	**12**	**2**	**4**	**5**	**8**	**10**	**12**
GRAND TOTAL	**13159**	**7.6**	**38**	**3**	**4**	**6**	**9**	**14**	**19**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	137	5.6	10	3	4	5	5	12	14
18-34	1565	6.0	21	3	3	5	7	11	16
35-49	3609	6.9	28	3	4	6	8	12	14
50-69	2546	8.0	57	3	4	6	10	15	25
70 +	20	3.5							
SUBTOTAL	**7877**	**7.0**	**36**	**3**	**4**	**5**	**8**	**12**	**17**
0-17	167	6.6	8	3	5	6	8	8	15
18-34	1793	4.5	6	2	2	4	6	7	8
35-49	3061	6.0	25	2	3	4	7	9	14
50-69	1893	5.3	10	2	3	5	6	10	12
70 +	97	5.7	6						
SUBTOTAL	**7010**	**5.4**	**16**	**2**	**3**	**4**	**7**	**9**	**12**
GRAND TOTAL	**14886**	**6.3**	**27**	**2**	**3**	**5**	**7**	**11**	**14**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	63	6.5	32						
18-34	1024	8.6	56	2	3	6	14	18	23
35-49	1404	8.2	85	3	4	6	9	13	19
50-69	794	7.0	24	2	4	5	10	15	18
70 +	10	8.0							
SUBTOTAL	**3294**	**8.0**	**60**	**2**	**3**	**6**	**10**	**16**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	20	6.0	1						
18-34	491	4.5	8	1	3	4	6	9	10
35-49	918	6.4	11	4	4	6	7	9	10
50-69	301	7.2	6	5	7	7	8	11	11
70 +	43	6.0							
SUBTOTAL	**1773**	**6.0**	**10**	**3**	**4**	**6**	**7**	**9**	**11**
GRAND TOTAL	**5067**	**7.3**	**44**	**2**	**4**	**6**	**9**	**14**	**18**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	8.3	21						
18-34	2805	6.3	64	2	3	4	6	10	18
35-49	3700	7.8	48	2	4	6	9	16	22
50-69	1341	7.4	31	3	4	6	8	15	17
70 +	117	6.0	19						
SUBTOTAL	**7993**	**7.2**	**51**	**3**	**3**	**5**	**8**	**15**	**19**
0-17	10	4.0							
18-34	1138	4.7	6	2	3	4	6	8	9
35-49	945	4.7	8	2	3	4	5	7	9
50-69	390	5.7	17	3	3	4	7	12	17
70 +	10	1.0							
SUBTOTAL	**2493**	**4.9**	**9**	**2**	**3**	**4**	**6**	**8**	**9**
GRAND TOTAL	**10486**	**6.6**	**42**	**2**	**3**	**5**	**8**	**12**	**18**

DRG 205: Disorders of Liver except Malig, Cirr, Alc Hepa w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2708	10.3	92	3	5	8	13	19	32
70-74	1349	10.1	120	3	4	6	10	22	29
75-79	881	14.7	128	3	7	12	22	35	43
80-84	424	15.1	177	5	5	10	13	44	44
85 +	190	13.6	68	6	6	13	22	22	36
SUBTOTAL	5552	11.5	114	3	5	8	14	25	36
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	5552	11.5	114	3	5	8	14	25	36

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	692	5.6	31	1	2	4	7	14	18
18-34	877	6.2	48	2	2	4	7	11	19
35-49	1197	7.6	53	2	3	5	10	14	25
50-69	1397	7.3	19	2	4	6	10	13	17
70 +	107	6.2	24						
	4270	6.8	37	1	3	5	9	13	18
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4270	6.8	37	1	3	5	9	13	18

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	269	7.7	39	2	2	5	12	17	18
18-34	422	5.1	18	2	3	4	6	8	12
35-49	516	7.7	44	2	3	6	9	21	25
50-69	453	7.2	45	2	3	5	8	14	23
70 +	87	6.5	12						
SUBTOTAL	1748	6.9	37	2	3	5	9	14	23
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	1748	6.9	37	2	3	5	9	14	23

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	140	5.9	32	1	2	4	7	14	22
18-34	630	5.3	18	2	3	4	6	11	11
35-49	693	8.5	72	2	3	6	13	21	21
50-69	473	8.6	66	2	3	6	9	22	27
70 +	0								
	1935	7.3	52	2	3	5	8	16	22
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1935	7.3	52	2	3	5	8	16	22

DRG 206: Disorders of Liver except Malig, Cirr, Alc Hepa w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	647	4.7	16	1	2	4	6	12	16
70-74	20	1.0							
75-79	117	3.0	2						
80-84	63	5.3	8						
85 +	20	9.5							
SUBTOTAL	**867**	**4.5**	**14**	**1**	**2**	**4**	**5**	**10**	**15**
GRAND TOTAL	**867**	**4.5**	**14**	**1**	**2**	**4**	**5**	**10**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	1029	5.3	110	1	2	3	5	9	9
18-34	1224	3.2	9	1	1	2	4	9	10
35-49	1567	2.7	4	1	1	2	4	5	7
50-69	1090	3.3	10	1	1	2	5	8	8
70 +	0								
SUBTOTAL	**4909**	**3.5**	**30**	**1**	**1**	**2**	**4**	**7**	**9**
GRAND TOTAL	**4909**	**3.5**	**30**	**1**	**1**	**2**	**4**	**7**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	487	5.3	43	1	2	4	6	9	12
18-34	227	5.9	21	2	2	5	6	12	12
35-49	170	5.5	5	1	5	6	7	7	11
50-69	160	6.8	17	2	2	10	11	11	11
70 +	0								
SUBTOTAL	**1044**	**5.7**	**28**	**1**	**2**	**5**	**7**	**11**	**12**
GRAND TOTAL	**1044**	**5.7**	**28**	**1**	**2**	**5**	**7**	**11**	**12**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	280	3.6	5	1	2	4	4	6	8
18-34	850	3.9	5	1	2	4	5	6	7
35-49	543	6.4	23	1	2	6	9	12	17
50-69	244	4.9	15	1	2	5	5	10	10
70 +	0								
SUBTOTAL	**1918**	**4.7**	**12**	**1**	**2**	**4**	**6**	**9**	**12**
GRAND TOTAL	**1918**	**4.7**	**12**	**1**	**2**	**4**	**6**	**9**	**12**

DRG 207: Disorders of the Biliary Tract w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3755	5.9	20	2	3	5	8	11	14
70-74	2493	6.8	24	2	4	6	8	16	17
75-79	2460	7.1	31	2	4	6	9	14	18
80-84	2101	7.1	15	3	4	7	9	12	15
85 +	2811	7.6	22	3	5	7	8	14	16
SUBTOTAL	13620	6.8	23	2	4	6	8	13	16
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	13620	6.8	23	2	4	6	8	13	16

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	160	7.1	65	1	1	4	11	32	99 +
18-34	948	4.3	14	1	2	4	6	9	13
35-49	1392	4.3	6	2	3	3	6	8	10
50-69	1855	6.0	16	2	3	5	8	12	13
70 +	103	5.0	4	3	3	5	5	8	10
	4458	5.1	15	2	3	4	6	10	13
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4458	5.1	15	2	3	4	6	10	13

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	203	11.6	58	4	6	10	13	23	28
18-34	454	3.6	5	2	2	3	5	6	8
35-49	394	7.3	57	2	3	7	8	12	12
50-69	293	6.5	37	2	3	5	9	11	11
70 +	10	14.0							
SUBTOTAL	1354	6.6	42	2	3	5	8	12	14
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	1354	6.6	42	2	3	5	8	12	14

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	20	17.5	253						
18-34	287	6.6	7	3	4	7	8	11	11
35-49	190	6.5	20	2	3	3	11	13	14
50-69	350	5.5	17	1	2	5	9	10	15
70 +	73	6.1	1						
	920	6.4	21	2	3	6	8	11	13
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	920	6.4	21	2	3	6	8	11	13

DRG 208: Disorders of the Biliary Tract w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1679	3.3	3	1	2	3	4	5	6
70-74	1028	3.3	8	1	2	3	4	7	7
75-79	697	5.3	12	1	3	5	7	11	11
80-84	667	4.0	9	1	2	3	6	10	10
85 +	564	5.5	7	3	3	5	8	9	10
SUBTOTAL	**4636**	**4.0**	**8**	**1**	**2**	**3**	**5**	**8**	**10**
GRAND TOTAL	**4636**	**4.0**	**8**	**1**	**2**	**3**	**5**	**8**	**10**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	219	4.5	18	1	1	3	7	12	14
18-34	1856	2.7	8	1	1	2	3	5	5
35-49	2513	3.0	5	1	1	2	4	6	8
50-69	3438	3.3	5	1	1	3	4	6	8
70 +	40	4.3	1						
SUBTOTAL	**8116**	**3.1**	**6**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**8116**	**3.1**	**6**	**1**	**1**	**2**	**4**	**6**	**8**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	150	5.0	25	1	1	4	7	16	16
18-34	787	2.9	3	< 1	2	3	4	5	6
35-49	244	4.9	5	1	3	6	7	7	7
50-69	170	3.2	3	2	2	3	3	4	10
70 +	20	3.5							
SUBTOTAL	**1370**	**3.5**	**6**	**1**	**2**	**3**	**4**	**7**	**7**
GRAND TOTAL	**1370**	**3.5**	**6**	**1**	**2**	**3**	**4**	**7**	**7**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	123	3.1	10	1	1	2	2	8	12
18-34	945	2.2	2	< 1	1	2	3	4	5
35-49	320	2.3	1	1	1	2	3	3	4
50-69	770	3.2	6	1	1	2	5	7	8
70 +	10	1.0							
SUBTOTAL	**2168**	**2.6**	**4**	**1**	**1**	**2**	**3**	**6**	**7**
GRAND TOTAL	**2168**	**2.6**	**4**	**1**	**1**	**2**	**3**	**6**	**7**

DRG 209: Major Joint & Limb Reattachment Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	10344	11.9	53	7	8	10	14	19	21
70-74	10911	11.2	30	7	8	10	13	17	19
75-79	10044	12.3	47	7	8	11	14	19	23
80-84	6826	14.1	60	8	10	13	15	21	29
85 +	5974	13.7	54	8	10	12	15	20	29
SUBTOTAL	**44100**	**12.4**	**48**	**7**	**8**	**11**	**14**	**19**	**24**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	8883	9.3	11	6	8	9	11	13	15
70-74	7923	9.6	17	6	7	9	11	14	16
75-79	7307	10.3	11	7	8	10	12	14	16
80-84	4687	10.6	14	7	8	10	12	15	18
85 +	2603	10.9	13	7	9	10	13	14	16
SUBTOTAL	**31403**	**9.9**	**13**	**7**	**8**	**9**	**11**	**14**	**16**
GRAND TOTAL	**75503**	**11.4**	**35**	**7**	**8**	**10**	**13**	**17**	**20**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	8.0							
18-34	80	8.6	6	4	7	9	10	12	12
35-49	744	8.9	10	6	7	8	10	13	16
50-69	4742	10.0	37	6	7	9	11	15	17
70 +	781	10.0	30	6	8	9	11	13	14
SUBTOTAL	**6356**	**9.9**	**33**	**6**	**7**	**9**	**11**	**14**	**17**
0-17	73	2.1	6						
18-34	514	7.0	9	4	4	7	9	13	13
35-49	1297	7.3	9	4	5	7	9	11	13
50-69	8626	8.8	8	6	7	8	10	13	14
70 +	534	9.4	5	6	8	10	11	12	12
SUBTOTAL	**11044**	**8.5**	**9**	**5**	**7**	**8**	**10**	**12**	**14**
GRAND TOTAL	**17400**	**9.0**	**18**	**5**	**7**	**8**	**10**	**13**	**15**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	10	7.0							
18-34	73	6.4	3						
35-49	113	12.5	76	6	9	10	14	15	39
50-69	447	10.9	10	7	9	11	12	15	16
70 +	204	15.8	52	11	11	15	22	22	29
SUBTOTAL	**847**	**11.9**	**35**	**7**	**9**	**11**	**14**	**16**	**22**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	50	5.8	1						
18-34	147	11.3	18	7	7	10	15	15	20
35-49	180	10.3	23	7	9	9	10	13	29
50-69	394	10.9	32	6	9	10	11	16	16
70 +	43	7.0							
SUBTOTAL	**814**	**10.3**	**26**	**6**	**7**	**9**	**11**	**16**	**16**
GRAND TOTAL	**1661**	**11.1**	**31**	**7**	**8**	**10**	**12**	**16**	**22**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	60	8.2	2	6	7	8	10	10	10
50-69	256	12.0	159	7	8	8	11	15	53
70 +	150	15.2	90						
SUBTOTAL	**467**	**12.5**	**121**	**7**	**8**	**8**	**11**	**20**	**45**
0-17	0								
18-34	80	11.0	35	5	7	8	14	24	24
35-49	280	8.1	7	5	7	8	11	11	13
50-69	479	9.3	11	6	7	9	11	15	15
70 +	127	8.0	17	4	4	8	8	14	18
SUBTOTAL	**966**	**8.9**	**13**	**5**	**7**	**8**	**11**	**14**	**16**
GRAND TOTAL	**1432**	**10.1**	**51**	**6**	**7**	**8**	**11**	**15**	**20**

DRG 210: Hip & Femur Procedures except Major Joint Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	3691	13.1	57	7	9	11	16	22	27
70-74	3666	13.1	70	7	9	11	15	20	25
75-79	6198	13.4	49	7	9	11	16	23	27
80-84	7144	13.2	42	8	9	12	15	21	25
85 +	10108	13.3	55	7	9	12	15	21	26
SUBTOTAL	**30806**	**13.3**	**53**	**7**	**9**	**12**	**15**	**21**	**26**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**30806**	**13.3**	**53**	**7**	**9**	**12**	**15**	**21**	**26**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	680	11.5	39	5	8	10	14	20	23
35-49	804	12.6	88	5	6	11	15	23	27
50-69	1868	11.9	69	6	7	9	14	22	24
70 +	701	12.4	37	5	8	11	15	21	22
SUBTOTAL	**4053**	**12.1**	**62**	**6**	**8**	**10**	**15**	**22**	**24**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4053**	**12.1**	**62**	**6**	**8**	**10**	**15**	**22**	**24**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	227	11.5	35	6	8	9	14	21	24
35-49	157	8.8	112	4	4	5	9	13	48
50-69	393	16.5	78	8	10	13	23	34	34
70 +	234	17.0	324	9	10	10	19	24	24
SUBTOTAL	**1010**	**14.3**	**140**	**5**	**8**	**10**	**15**	**27**	**34**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1010**	**14.3**	**140**	**5**	**8**	**10**	**15**	**27**	**34**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	693	11.2	27	4	7	11	14	17	20
35-49	357	12.6	26	9	9	10	13	20	25
50-69	610	12.3	79	6	7	10	13	30	30
70 +	97	12.1	5						
SUBTOTAL	**1757**	**11.9**	**44**	**6**	**8**	**11**	**14**	**18**	**25**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1757**	**11.9**	**44**	**6**	**8**	**11**	**14**	**18**	**25**

DRG 211: Hip & Femur Procedures except Major Joint Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	1128	9.8	37	5	6	8	11	16	17
70-74	814	9.5	20	5	7	10	11	12	13
75-79	1452	11.5	28	6	8	11	13	18	20
80-84	1920	11.9	46	5	8	11	14	17	27
85+	2968	11.8	27	7	9	11	13	19	21
SUBTOTAL	**8282**	**11.3**	**33**	**6**	**8**	**11**	**13**	**17**	**20**
GRAND TOTAL	**8282**	**11.3**	**33**	**6**	**8**	**11**	**13**	**17**	**20**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
0-17	0								
18-34	1190	7.8	31	4	5	7	9	12	18
35-49	988	9.7	45	3	5	7	13	20	30
50-69	1555	9.2	68	4	6	7	10	13	22
70+	103	11.1	22	5	5	15	15	16	16
SUBTOTAL	**3836**	**8.9**	**50**	**4**	**5**	**7**	**10**	**14**	**20**
GRAND TOTAL	**3836**	**8.9**	**50**	**4**	**5**	**7**	**10**	**14**	**20**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	207	9.0	15	5	8	9	11	15	15
35-49	70	8.1	15	3	6	6	12	15	15
50-69	93	9.2	10	7	7	9	9	17	17
70+	30	31.0	386						
SUBTOTAL	**400**	**10.6**	**75**	**5**	**7**	**9**	**12**	**15**	**23**
GRAND TOTAL	**400**	**10.6**	**75**	**5**	**7**	**9**	**12**	**15**	**23**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
0-17	0								
18-34	794	9.2	22	4	6	8	12	17	18
35-49	517	8.5	16	5	6	7	10	13	16
50-69	197	9.7	15	5	5	11	13	15	15
70+	53	3.6	1						
SUBTOTAL	**1561**	**8.8**	**20**	**4**	**6**	**8**	**11**	**16**	**18**
GRAND TOTAL	**1561**	**8.8**	**20**	**4**	**6**	**8**	**11**	**16**	**18**

DRG 212: Hip & Femur Procedures except Major Joint Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	53	11.7	8						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	53	11.7	8						
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	10	5.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	10	5.0							
GRAND TOTAL	63	10.6	12						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	709	11.1	105	4	5	9	11	21	33
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	709	11.1	105	4	5	9	11	21	33
0-17	3463	6.3	38	2	3	4	7	15	22
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	3463	6.3	38	2	3	4	7	15	22
	4173	7.2	52	2	3	5	9	16	22

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	533	7.2	65	2	3	5	8	15	24
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	533	7.2	65	2	3	5	8	15	24
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	1334	6.4	37	1	3	4	9	15	21
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1334	6.4	37	1	3	4	9	15	21
GRAND TOTAL	1867	6.6	45	2	3	4	9	15	21

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	180	10.8	74	2	5	8	14	26	34
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	180	10.8	74	2	5	8	14	26	34
0-17	1158	7.1	33	2	3	5	8	15	22
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1158	7.1	33	2	3	5	8	15	22
	1338	7.6	40	2	4	5	9	16	22

DRG 213: Amputation for Musculoskeletal System & Conn Tissue Disorders

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	393	14.3	242	1	6	8	20	35	54
70-74	264	8.8	23	4	4	8	13	15	17
75-79	370	13.7	85	4	6	11	23	31	31
80-84	107	20.7	223						
85 +	127	7.8	32	5	5	5	7	13	25
SUBTOTAL	**1261**	**12.9**	**139**	**4**	**6**	**8**	**16**	**30**	**37**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	93	8.6	13	4	5	10	12	12	12
70-74	137	4.0	6	2	2	4	5	9	9
75-79	117	4.6	7						
80-84	43	5.0							
85 +	0								
SUBTOTAL	**390**	**5.4**	**11**	**2**	**2**	**5**	**5**	**12**	**12**
GRAND TOTAL	**1651**	**11.1**	**119**	**2**	**5**	**7**	**15**	**23**	**35**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	20	12.5	32						
18-34	10	34.0							
35-49	83	15.7	19						
50-69	103	10.1	47	1	8	8	14	17	26
70 +	0								
SUBTOTAL	**217**	**13.6**	**59**	**7**	**8**	**14**	**17**	**22**	**26**
0-17	60	5.7	29	1	2	4	6	17	17
18-34	83	5.7	22						
35-49	140	4.6	7						
50-69	70	5.3	5	2	3	6	6	9	9
70 +	0								
SUBTOTAL	**353**	**5.2**	**14**	**2**	**3**	**5**	**5**	**9**	**17**
GRAND TOTAL	**570**	**8.4**	**48**	**2**	**4**	**5**	**13**	**18**	**22**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	10	6.0							
18-34	20	6.0	17						
35-49	60	11.2	31	4	5	11	17	19	19
50-69	157	16.4	69	7	11	14	20	24	41
70 +	10	10.0							
SUBTOTAL	**256**	**13.7**	**64**	**5**	**10**	**11**	**19**	**20**	**24**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	20	5.0	1						
18-34	30	5.3	14						
35-49	10	5.0							
50-69	0								
70 +	0								
SUBTOTAL	**60**	**5.2**	**7**	**1**	**4**	**5**	**6**	**10**	**10**
GRAND TOTAL	**316**	**12.1**	**64**	**4**	**5**	**11**	**18**	**20**	**24**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	20	10.5							
18-34	20	14.5	32						
35-49	20	10.0	4						
50-69	137	15.9	36	9	9	14	23	23	23
70 +	0								
SUBTOTAL	**197**	**14.6**	**34**	**9**	**9**	**12**	**22**	**23**	**23**
0-17	20	8.5	21						
18-34	83	7.6	44						
35-49	70	6.6	18	1	2	8	11	12	12
50-69	73	9.6	4						
70 +	0								
SUBTOTAL	**246**	**8.0**	**24**	**3**	**4**	**8**	**10**	**13**	**13**
GRAND TOTAL	**443**	**10.9**	**39**	**4**	**7**	**10**	**13**	**23**	**23**

DRG 214: Back & Neck Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4660	9.9	59	4	5	8	11	19	26
70-74	3059	12.0	97	4	7	9	14	23	27
75-79	1762	11.5	79	5	7	9	13	20	29
80-84	850	13.8	65	7	9	10	15	25	32
85 +	400	13.9	52	6	9	11	19	20	21
SUBTOTAL	**10732**	**11.2**	**75**	**4**	**6**	**9**	**13**	**21**	**27**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**10732**	**11.2**	**75**	**4**	**6**	**9**	**13**	**21**	**27**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	506	10.8	22	7	8	10	12	18	22
18-34	779	10.2	146	4	5	8	10	16	30
35-49	3010	7.9	45	2	4	6	10	14	22
50-69	3470	7.8	35	3	4	6	9	14	21
70 +	267	12.7	78	5	6	9	12	29	29
	8031	**8.4**	**52**	**3**	**4**	**7**	**10**	**15**	**22**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	8031	8.4	52	3	4	7	10	15	22

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	259	19.5	169	7	9	16	25	35	50
18-34	266	9.7	25	5	6	9	10	19	20
35-49	253	13.9	85	3	7	10	24	25	30
50-69	243	11.1	44	4	5	10	11	22	27
70 +	10	9.0							
SUBTOTAL	**1031**	**13.5**	**94**	**4**	**7**	**10**	**18**	**25**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1031**	**13.5**	**94**	**4**	**7**	**10**	**18**	**25**	**30**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	100	12.7	26	5	9	12	17	20	22
18-34	366	13.5	151	4	6	13	15	25	26
35-49	582	10.3	65	3	4	9	13	19	26
50-69	486	10.4	88	3	4	7	14	26	30
70 +	30	7.7	1						
	1564	**11.2**	**90**	**3**	**5**	**9**	**14**	**22**	**26**
0-17	0								
18-34	0								
35-49	0								
50 69	0								
70 +	0								
	0								
	1564	11.2	90	3	5	9	14	22	26

DRG 215: Back & Neck Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	5160	6.7	19	3	4	6	8	12	14
70-74	2331	6.9	19	4	4	6	8	11	15
75-79	1772	6.8	11	3	4	7	8	10	12
80-84	500	8.5	15	4	7	8	11	11	14
85 +	50	5.2	4						
SUBTOTAL	**9812**	**6.9**	**18**	**3**	**4**	**6**	**8**	**11**	**14**
GRAND TOTAL	**9812**	**6.9**	**18**	**3**	**4**	**6**	**8**	**11**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	1413	7.3	14	3	5	7	8	11	11
18-34	8606	4.8	15	2	3	4	5	8	10
35-49	20409	4.7	8	2	3	4	6	8	10
50-69	13652	5.3	9	2	3	5	6	9	11
70 +	147	6.6	3	4	6	7	7	8	11
SUBTOTAL	**44228**	**5.0**	**10**	**2**	**3**	**4**	**6**	**8**	**10**
GRAND TOTAL	**44228**	**5.0**	**10**	**2**	**3**	**4**	**6**	**8**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	359	8.2	6	6	6	8	9	12	14
18-34	853	4.8	14	2	3	4	5	7	8
35-49	569	6.2	11	2	4	6	9	10	11
50-69	556	7.7	39	3	5	7	8	11	23
70 +	10	6.0							
SUBTOTAL	**2347**	**6.4**	**20**	**2**	**4**	**6**	**8**	**10**	**12**
GRAND TOTAL	**2347**	**6.4**	**20**	**2**	**4**	**6**	**8**	**10**	**12**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	359	7.6	10	5	6	7	8	11	20
18-34	1438	6.1	51	2	3	4	7	10	12
35-49	2475	4.8	14	2	2	4	6	10	12
50-69	1475	5.1	17	2	3	4	6	8	10
70 +	20	1.5							
SUBTOTAL	**5767**	**5.4**	**24**	**2**	**3**	**4**	**6**	**9**	**12**
GRAND TOTAL	**5767**	**5.4**	**24**	**2**	**3**	**4**	**6**	**9**	**12**

DRG 216: Biopsies of Musculoskeletal System & Connective Tissue

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	353	12.8	169	3	4	7	15	29	47
70-74	223	11.4	39	5	6	9	14	22	24
75-79	414	14.1	106	4	7	12	18	24	37
80-84	143	8.9	68	3	3	4	16	23	28
85 +	83	14.2	25						
SUBTOTAL	**1217**	**12.6**	**104**	**3**	**5**	**10**	**17**	**24**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	313	4.3	6	2	3	4	5	7	9
70-74	40	2.3	1						
75-79	254	6.4	20	2	2	6	10	13	13
80-84	93	8.1	64	1	1	3	16	21	21
85 +	117	13.0	51						
SUBTOTAL	**817**	**6.5**	**32**	**1**	**3**	**4**	**9**	**16**	**21**
GRAND TOTAL	**2034**	**10.2**	**84**	**2**	**4**	**7**	**15**	**21**	**26**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	18.3	404						
18-34	60	14.2	183	2	7	9	14	43	43
35-49	100	8.8	61	3	5	6	10	21	31
50-69	193	12.8	98	2	6	8	17	29	39
70 +	63	18.7	63						
SUBTOTAL	**446**	**13.3**	**126**	**2**	**6**	**8**	**21**	**31**	**43**
0-17	353	12.4	235	1	2	8	14	28	31
18-34	167	4.6	9	2	3	4	6	6	15
35-49	273	5.7	17	2	3	4	6	14	14
50-69	397	4.4	8	1	2	5	7	8	8
70 +	0								
SUBTOTAL	**1189**	**7.1**	**90**	**1**	**2**	**5**	**8**	**14**	**28**
GRAND TOTAL	**1635**	**8.8**	**107**	**2**	**3**	**6**	**10**	**24**	**28**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	10	17.0							
18-34	43	10.0							
35-49	10	21.0							
50-69	10	20.0							
70 +	0								
SUBTOTAL	**73**	**13.8**	**23**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	90	11.7	97	2	4	7	18	33	33
18-34	30	7.0	25						
35-49	20	2.5							
50-69	10	11.0							
70 +	0								
SUBTOTAL	**150**	**9.5**	**74**	**2**	**2**	**7**	**16**	**18**	**33**
GRAND TOTAL	**223**	**10.9**	**61**	**2**	**4**	**10**	**17**	**20**	**21**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	60	17.2	427	1	3	4	43	49	49
18-34	10	64.0							
35-49	43	1.0							
50-69	20	5.0	4						
70 +	10	65.0							
SUBTOTAL	**143**	**17.2**	**592**	**1**	**1**	**3**	**43**	**64**	**65**
0-17	120	6.9	34	1	2	5	11	14	20
18-34	40	4.5	25						
35-49	43	7.0							
50-69	10	2.0							
70 +	0								
SUBTOTAL	**213**	**6.3**	**25**	**1**	**2**	**6**	**8**	**13**	**14**
GRAND TOTAL	**356**	**10.6**	**281**	**1**	**1**	**4**	**8**	**43**	**64**

DRG 217: Wnd Debrid & Skn Grft except Hand,for Muscskelet & Conn Tiss Dis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1540	22.0	257	6	12	17	30	47	58
70-74	440	28.0	500	4	16	20	30	60	70
75-79	343	20.8	223	6	12	16	29	59	63
80-84	584	32.8	287	15	19	27	47	61	63
85 +	303	36.3	520	10	17	36	74	99 +	99 +
SUBTOTAL	**3211**	**26.0**	**346**	**7**	**12**	**21**	**36**	**61**	**67**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	524	11.6	75	1	4	9	17	19	29
70-74	264	15.2	335	2	3	5	16	53	53
75-79	204	9.0	133	1	2	3	5	31	31
80-84	117	9.0	111						
85 +	53	26.9	19						
SUBTOTAL	**1161**	**12.4**	**160**	**2**	**3**	**7**	**17**	**30**	**43**
GRAND TOTAL	**4372**	**22.4**	**333**	**4**	**9**	**17**	**31**	**53**	**63**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	343	19.4	86	4	17	19	25	26	38
18-34	730	19.5	196	4	8	17	28	44	44
35-49	514	15.6	117	3	7	18	22	32	39
50-69	550	18.7	428	4	4	10	29	43	82
70 +	10	71.0							
SUBTOTAL	**2147**	**18.6**	**233**	**4**	**6**	**17**	**25**	**43**	**44**
0-17	870	8.0	61	1	2	5	11	15	27
18-34	1358	6.5	42	1	2	4	9	15	17
35-49	864	6.8	61	2	2	5	7	17	20
50-69	617	6.5	30	2	2	5	8	13	21
70 +	0								
SUBTOTAL	**3709**	**6.9**	**49**	**1**	**2**	**5**	**9**	**15**	**21**
GRAND TOTAL	**5856**	**11.2**	**148**	**1**	**3**	**7**	**15**	**26**	**33**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	110	21.2	207	6	12	24	53	99 +	99 +
18-34	250	23.5	356	3	7	18	31	57	57
35-49	183	24.4	379	7	13	15	51	71	99 +
50-69	210	26.0	411	12	12	14	46	46	66
70 +	0								
SUBTOTAL	**753**	**24.1**	**356**	**6**	**12**	**18**	**46**	**64**	**99 +**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	460	8.2	73	1	1	4	17	20	25
18-34	177	8.4	51	2	4	6	7	20	30
35-49	157	28.9	899	2	6	12	76	76	76
50-69	43	15.0							
70 +	0								
SUBTOTAL	**837**	**12.5**	**282**	**1**	**3**	**6**	**16**	**25**	**76**
GRAND TOTAL	**1590**	**18.0**	**350**	**2**	**6**	**13**	**23**	**55**	**76**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	120	17.3	267	3	5	12	21	45	55
18-34	570	21.2	421	3	7	13	27	50	75
35-49	413	25.4	302	7	11	23	36	42	52
50-69	187	19.7	92	8	12	23	29	99 +	99 +
70 +	63	15.7	25						
SUBTOTAL	**1353**	**21.7**	**315**	**4**	**8**	**18**	**33**	**46**	**75**
0-17	353	9.1	35	3	5	8	14	16	21
18-34	1250	7.1	90	< 1	2	5	7	13	30
35-49	627	8.9	58	2	4	7	13	21	21
50-69	113	16.9	169	2	4	16	32	32	32
70 +	0								
SUBTOTAL	**2344**	**8.3**	**81**	**1**	**3**	**6**	**11**	**20**	**29**
GRAND TOTAL	**3696**	**13.2**	**208**	**2**	**4**	**8**	**18**	**33**	**43**

DRG 218: Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2273	8.6	39	3	5	7	11	16	20
70-74	1195	9.3	35	4	5	9	12	17	20
75-79	908	8.7	26	4	6	8	10	13	21
80-84	581	8.6	17	4	5	8	12	13	18
85 +	675	14.0	101	5	7	10	20	31	39
SUBTOTAL	**5631**	**9.4**	**44**	**4**	**5**	**8**	**11**	**17**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**5631**	**9.4**	**44**	**4**	**5**	**8**	**11**	**17**	**21**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	927	7.7	16	3	4	6	11	14	15
35-49	904	9.7	94	3	4	8	12	18	19
50-69	1508	9.3	45	4	5	7	12	16	27
70 +	40	10.3	15						
SUBTOTAL	**3379**	**9.0**	**51**	**4**	**4**	**7**	**12**	**15**	**19**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3379**	**9.0**	**51**	**4**	**4**	**7**	**12**	**15**	**19**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	350	8.4	57	4	5	7	8	13	19
35-49	197	10.0	19	5	7	8	12	18	19
50-69	323	6.9	16	3	5	5	9	14	16
70 +	0								
SUBTOTAL	**870**	**8.2**	**34**	**4**	**5**	**7**	**10**	**14**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**870**	**8.2**	**34**	**4**	**5**	**7**	**10**	**14**	**18**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	676	11.3	244	3	4	6	10	15	69
35-49	566	7.5	43	3	3	7	8	12	25
50-69	350	6.9	17	3	4	6	8	14	15
70 +	53	11.9	4						
SUBTOTAL	**1645**	**9.1**	**123**	**3**	**4**	**7**	**10**	**15**	**21**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1645**	**9.1**	**123**	**3**	**4**	**7**	**10**	**15**	**21**

DRG 219: Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2764	4.8	6	3	3	4	6	8	9
70-74	1255	5.1	9	2	3	5	6	10	11
75-79	978	5.8	9	2	4	6	7	9	12
80-84	457	5.1	6	3	3	4	7	8	9
85 +	340	11.6	170	3	7	7	10	45	45
SUBTOTAL	5795	5.4	19	2	3	5	6	9	11
GRAND TOTAL	5795	5.4	19	2	3	5	6	9	11

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	5913	3.8	6	1	2	3	5	6	8
35-49	6004	4.4	7	2	3	4	5	8	10
50-69	6010	4.7	11	2	3	4	5	9	11
70 +	107	5.8	5						
	17534	4.3	8	2	3	4	5	8	10
	17534	4.3	8	2	3	4	5	8	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	1097	5.6	23	2	3	5	6	11	13
35-49	654	5.9	20	3	4	5	6	9	10
50-69	331	5.1	15	1	4	5	5	6	8
70 +	63	9.2	127						
SUBTOTAL	2145	5.7	24	2	3	5	6	9	13
GRAND TOTAL	2145	5.7	24	2	3	5	6	9	13

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	3865	4.3	11	2	2	4	5	7	10
35-49	2124	4.9	19	2	3	4	6	8	10
50-69	997	4.2	5	2	2	4	6	7	7
70 +	10	5.0							
	6996	4.5	12	2	2	4	5	7	10
	6996	4.5	12	2	2	4	5	7	10

DRG 220: Lower Extrem & Humer Proc except Hip, Foot, Femur Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	10	7.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**10**	**7.0**							
GRAND TOTAL	**10**	**7.0**							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	457	5.5	18	1	3	5	6	9	15
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	457	**5.5**	**18**	**1**	**3**	**5**	**6**	**9**	**15**
0-17	6780	3.3	9	1	2	2	4	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	6780	**3.3**	**9**	**1**	**2**	**2**	**4**	**6**	**8**
	7236	**3.4**	**10**	**1**	**2**	**3**	**4**	**6**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	100	14.6	207	2	4	9	26	39	47
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**100**	**14.6**	**207**	**2**	**4**	**9**	**26**	**39**	**47**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1675	3.7	7	1	2	3	5	7	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1675**	**3.7**	**7**	**1**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**1775**	**4.3**	**24**	**1**	**2**	**3**	**5**	**8**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	153	10.8	138	3	4	7	12	12	53
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	153	**10.8**	**138**	**3**	**4**	**7**	**12**	**12**	**53**
0-17	1677	3.2	10	1	1	2	4	7	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1677	**3.2**	**10**	**1**	**1**	**2**	**4**	**7**	**8**
	1830	**3.8**	**25**	**1**	**1**	**2**	**4**	**7**	**12**

DRG 221: Knee Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	430	6.3	43	3	4	5	6	8	13
70-74	414	5.5	12	2	2	6	8	13	13
75-79	247	7.9	63	1	3	6	7	18	18
80-84	204	8.5	17	4	5	9	12	12	16
85 +	0								
SUBTOTAL	**1295**	**6.7**	**34**	**2**	**4**	**6**	**7**	**13**	**18**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1295**	**6.7**	**34**	**2**	**4**	**6**	**7**	**13**	**18**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	80	6.4	15	1	3	7	9	12	12
18-34	494	5.7	29	2	3	4	6	10	16
35-49	123	4.0	4	2	2	5	5	5	8
50-69	604	9.9	124	2	4	6	10	16	46
70 +	43	5.0							
	1344	**7.4**	**73**	**2**	**3**	**5**	**8**	**15**	**17**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1344	**7.4**	**73**	**2**	**3**	**5**	**8**	**15**	**17**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	30	5.0	6						
18-34	0								
35-49	63	5.8	18						
50-69	107	11.8	42						
70 +	0								
SUBTOTAL	**200**	**8.9**	**39**	**3**	**3**	**7**	**14**	**14**	**22**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**200**	**8.9**	**39**	**3**	**3**	**7**	**14**	**14**	**22**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	5.0	5						
18-34	143	7.1	11	3	4	6	11	11	11
35-49	10	2.0							
50-69	73	4.5	4						
70 +	0								
	256	**5.9**	**10**	**2**	**4**	**5**	**8**	**11**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	256	**5.9**	**10**	**2**	**4**	**5**	**8**	**11**	**11**

DRG 222: Knee Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1185	5.0	24	1	2	4	6	9	19
70-74	494	3.8	6	1	1	3	6	8	8
75-79	681	5.3	22	1	1	3	7	13	14
80-84	147	3.3	7	1	1	2	7	7	7
85 +	53	4.3	2						
SUBTOTAL	**2559**	**4.7**	**19**	**1**	**1**	**4**	**7**	**8**	**14**
GRAND TOTAL	**2559**	**4.7**	**19**	**1**	**1**	**4**	**7**	**8**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	3766	3.1	6	< 1	2	3	4	4	5
18-34	8884	3.0	6	< 1	2	3	4	4	6
35-49	3964	3.0	3	< 1	2	3	4	5	7
50-69	2535	3.1	7	< 1	1	2	4	6	8
70 +	63	4.8	78						
SUBTOTAL	**19212**	**3.0**	**6**	**< 1**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**19212**	**3.0**	**6**	**< 1**	**2**	**3**	**4**	**5**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	300	6.6	23	1	3	5	9	14	16
18-34	234	4.2	5	2	2	4	6	7	7
35-49	113	4.6	20	< 1	1	1	9	11	13
50-69	10	1.0							
70 +	0								
SUBTOTAL	**657**	**5.3**	**17**	**1**	**2**	**5**	**7**	**13**	**13**
GRAND TOTAL	**657**	**5.3**	**17**	**1**	**2**	**5**	**7**	**13**	**13**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	493	3.6	13	1	1	2	4	13	13
18-34	1496	2.9	3	1	2	3	4	6	6
35-49	417	3.8	4	2	3	4	4	9	9
50-69	70	4.6	12	< 1	1	4	6	12	12
70 +	0								
SUBTOTAL	**2475**	**3.2**	**6**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**2475**	**3.2**	**6**	**1**	**2**	**3**	**4**	**6**	**7**

DRG 223: Major Shoulder/Elbow Proc, or Other Upper Extremity Proc w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1045	3.8	3	2	2	3	5	7	7
70-74	614	4.9	8	2	3	4	6	9	10
75-79	501	4.8	6	1	4	5	8	8	8
80-84	344	9.2	65	2	3	6	15	27	27
85 +	190	6.2	22	2	3	3	13	13	15
SUBTOTAL	**2694**	**5.1**	**17**	**2**	**3**	**4**	**6**	**9**	**13**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	730	3.5	4	2	2	3	4	7	8
70-74	541	3.1	2	2	2	3	4	6	6
75-79	204	3.9	4	1	2	4	6	6	7
80-84	97	4.3	1						
85 +	43	7.0							
SUBTOTAL	**1615**	**3.6**	**4**	**2**	**2**	**3**	**4**	**7**	**7**
GRAND TOTAL	**4309**	**4.5**	**12**	**2**	**2**	**4**	**6**	**8**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	244	5.0	4	3	3	5	7	7	7
18-34	404	3.6	3	2	2	3	5	6	7
35-49	357	4.3	17	2	2	3	5	8	15
50-69	958	4.7	9	3	3	4	6	7	8
70 +	0								
SUBTOTAL	**1962**	**4.4**	**9**	**2**	**3**	**4**	**5**	**7**	**8**
0-17	100	4.2	17	1	2	3	6	11	15
18-34	703	2.1	1	1	1	2	2	4	4
35-49	1134	2.1	1	1	1	2	3	3	4
50-69	1943	2.7	2	2	2	2	3	4	6
70 +	53	1.2							
SUBTOTAL	**3933**	**2.5**	**2**	**1**	**2**	**2**	**3**	**4**	**4**
GRAND TOTAL	**5896**	**3.1**	**5**	**1**	**2**	**3**	**4**	**6**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	10	3.0							
18-34	10	8.0							
35-49	30	4.3	1						
50-69	73	7.6	17						
70 +	0								
SUBTOTAL	**123**	**6.5**	**13**	**3**	**3**	**5**	**11**	**11**	**11**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	40	9.5	2						
18-34	53	2.2							
35-49	10	1.0							
50-69	87	4.5	6						
70 +	0								
SUBTOTAL	**190**	**4.7**	**11**	**2**	**2**	**2**	**7**	**11**	**11**
GRAND TOTAL	**313**	**5.4**	**12**	**2**	**2**	**3**	**8**	**11**	**11**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	3.7	2						
18-34	240	4.9	71	1	2	3	4	7	11
35-49	177	6.0	51	2	2	2	6	23	23
50-69	73	4.0	2						
70 +	0								
SUBTOTAL	**520**	**5.1**	**51**	**2**	**2**	**3**	**5**	**11**	**23**
0-17	10	21.0							
18-34	183	1.8	1	1	1	1	2	4	5
35-49	133	2.5	1	2	2	2	3	3	4
50-69	130	2.2	1	1	1	2	2	4	5
70 +	0								
SUBTOTAL	**456**	**2.5**	**9**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**976**	**3.9**	**33**	**1**	**2**	**2**	**4**	**5**	**16**

DRG 224: Shoulder, Elbow or Forearm Proc,exc Major Joint Proc, w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	844	2.6	2	1	2	2	3	4	5
70-74	598	3.0	2	1	2	3	4	5	5
75-79	331	3.1	3	1	2	3	3	7	7
80-84	147	4.2	6	2	2	3	7	7	8
85 +	87	1.5							
SUBTOTAL	2006	2.9	3	1	2	2	4	5	7
GRAND TOTAL	2006	2.9	3	1	2	2	4	5	7

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	2108	2.4	2	1	1	2	3	4	4
18-34	2397	2.3	3	1	1	2	3	4	5
35-49	2313	2.9	4	1	2	3	3	5	7
50-69	2273	2.4	2	1	1	2	3	4	4
70 +	53	3.8							
	9144	2.5	3	1	1	2	3	4	5
	9144	2.5	3	1	1	2	3	4	5

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	246	2.4	4	1	1	2	3	3	7
18-34	283	3.4	9	2	2	3	4	4	6
35-49	267	2.5	2	1	2	2	3	4	4
50-69	53	3.0							
70 +	0								
SUBTOTAL	850	2.8	5	1	2	2	3	4	6
GRAND TOTAL	850	2.8	5	1	2	2	3	4	6

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	453	2.3	3	1	1	2	3	4	5
18-34	1378	3.5	5	2	2	3	4	8	8
35-49	403	2.8	3	1	2	2	3	6	6
50-69	327	2.5	1	2	2	2	3	4	4
70 +	10	2.0							
	2571	3.0	4	1	2	2	4	6	8
	2571	3.0	4	1	2	2	4	6	8

DRG 225: Foot Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	707	6.9	33	2	3	5	8	13	15
70-74	123	5.4	12	2	3	6	6	11	13
75-79	340	11.1	49	1	3	9	18	21	21
80-84	190	5.0	15	2	2	2	8	9	16
85 +	87	8.0	9						
SUBTOTAL	**1448**	**7.6**	**36**	**2**	**3**	**6**	**10**	**17**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1083	3.3	5	< 1	2	3	5	5	8
70-74	920	3.5	12	< 1	1	3	4	8	12
75-79	130	2.2	6	< 1	< 1	< 1	< 1	5	10
80-84	220	2.4	2	1	1	2	4	4	4
85 +	30	1.0							
SUBTOTAL	**2383**	**3.2**	**7**	**< 1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**3831**	**4.8**	**23**	**< 1**	**2**	**3**	**6**	**10**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	100	7.3	81	< 1	2	3	5	25	25
18-34	103	3.8	3	1	3	4	4	5	8
35-49	227	6.3	21	2	3	6	8	10	12
50-69	410	6.4	14	1	3	5	10	13	13
70 +	20	3.5	7						
	860	**6.1**	**23**	**1**	**3**	**5**	**8**	**10**	**13**
0-17	1452	2.7	6	1	1	2	3	4	9
18-34	1422	2.5	5	< 1	< 1	2	3	6	7
35-49	2089	2.2	7	< 1	< 1	1	2	4	7
50-69	2227	2.2	3	< 1	< 1	2	3	4	4
70 +	0								
	7190	**2.4**	**5**	**< 1**	**< 1**	**2**	**3**	**4**	**7**
	8050	**2.8**	**8**	**< 1**	**< 1**	**2**	**3**	**6**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	153	5.0	37	2	2	3	3	19	22
18-34	117	16.0	431						
35-49	0								
50-69	53	9.1	75						
70 +	0								
SUBTOTAL	**323**	**9.7**	**217**	**2**	**3**	**4**	**6**	**24**	**49**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	512	8.5	359	1	1	2	3	13	70
18-34	113	4.8	9	< 1	1	5	6	6	12
35-49	137	3.0	8	< 1	1	1	7	7	7
50-69	20	3.5							
70 +	10	12.0							
SUBTOTAL	**792**	**6.9**	**240**	**1**	**1**	**2**	**5**	**12**	**70**
GRAND TOTAL	**1115**	**7.7**	**235**	**1**	**1**	**3**	**6**	**13**	**49**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	70	4.3	15	1	2	2	5	13	13
18-34	137	7.5	28	2	4	4	15	15	15
35-49	83	8.4	32						
50-69	93	5.6	5	1	6	7	7	7	7
70 +	0								
	383	**6.7**	**23**	**2**	**2**	**5**	**10**	**15**	**15**
0-17	446	1.8	2	1	1	1	2	3	5
18-34	543	4.4	17	1	1	3	8	10	10
35-49	363	3.8	16	1	2	2	3	13	13
50-69	90	2.0	1	1	1	2	3	3	3
70 +	0								
	1442	**3.3**	**12**	**1**	**1**	**2**	**3**	**9**	**12**
	1826	**4.0**	**16**	**1**	**1**	**2**	**5**	**10**	**13**

Southern Region, July 1989 - June 1990

DRG 226: Soft Tissue Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1057	8.1	140	2	3	4	8	12	45
70-74	347	6.9	22	3	4	5	9	12	14
75-79	414	7.8	26	2	3	8	11	16	16
80-84	177	8.0	18	1	4	11	12	12	12
85 +	63	10.9	16						
SUBTOTAL	2058	7.9	83	2	3	5	11	12	17
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	2058	7.9	83	2	3	5	11	12	17

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	413	6.0	53	1	2	4	6	12	15
18-34	317	5.9	41	2	3	3	6	12	22
35-49	260	7.6	35	2	3	7	11	16	21
50-69	350	12.8	216	3	5	6	20	26	53
70 +	97	3.7	1						
SUBTOTAL	1437	7.8	92	2	3	4	9	21	26
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	1437	7.8	92	2	3	4	9	21	26

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	386	4.1	39	1	2	3	4	7	16
18-34	123	7.0	29	1	1	9	13	13	13
35-49	43	6.0							
50-69	40	11.0	121						
70 +	0								
SUBTOTAL	593	5.3	43	1	2	3	6	13	15
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	593	5.3	43	1	2	3	6	13	15

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
[illegible]	120	6.0	72	1	1	3	6	12	32
18-34	337	8.1	32	2	4	8	11	13	18
35-49	123	5.4	8	3	3	5	7	9	12
50-69	80	9.1	111	1	2	4	14	32	32
70 +	0								
SUBTOTAL	660	7.3	46	2	3	5	11	13	20
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	660	7.3	46	2	3	5	11	13	20

DRG 227: Soft Tissue Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	930	3.5	8	<1	2	3	4	5	8
70-74	654	3.0	4	1	2	2	5	6	6
75-79	531	2.6	3	1	1	2	3	5	5
80-84	257	2.8	5	1	2	2	3	4	4
85+	0								
SUBTOTAL	**2372**	**3.1**	**5**	**1**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**2372**	**3.1**	**5**	**1**	**2**	**3**	**4**	**5**	**6**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
0-17	2058	2.6	9	1	1	2	3	5	8
18-34	1847	2.1	3	<1	1	2	3	4	4
35-49	2588	2.4	7	<1	1	2	2	5	9
50-69	3283	2.9	5	<1	1	2	4	6	7
70+	10	2.0							
SUBTOTAL	**9786**	**2.6**	**6**	**<1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**9786**	**2.6**	**6**	**<1**	**1**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1403	2.9	11	1	2	2	3	5	5
18-34	233	3.2	3	1	1	4	4	5	6
35-49	167	6.2	10	2	3	8	9	9	10
50-69	60	3.5	16	<1	<1	1	4	12	12
70+	43	5.0							
SUBTOTAL	**1905**	**3.3**	**11**	**1**	**2**	**3**	**4**	**5**	**8**
GRAND TOTAL	**1905**	**3.3**	**11**	**1**	**2**	**3**	**4**	**5**	**8**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
0-17	543	2.7	7	1	1	2	3	4	9
18-34	1181	3.4	6	1	2	3	5	7	7
35-49	547	3.2	12	1	1	2	3	6	11
50-69	173	3.1	3	1	1	3	4	6	7
70+	43	1.0							
SUBTOTAL	**2487**	**3.1**	**8**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**2487**	**3.1**	**8**	**1**	**1**	**2**	**4**	**6**	**7**

DRG 228: Major Thumb or Joint Proc,or Oth Hand or Wrist Proc w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	517	2.5	2	1	2	2	3	5	5
70-74	87	4.5	2						
75-79	200	7.5	47	1	3	4	9	20	20
80-84	10	3.0							
85 +	53	16.3	82						
SUBTOTAL	**868**	**4.7**	**30**	**1**	**2**	**3**	**5**	**12**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	574	2.9	1	2	2	3	3	4	6
70-74	90	2.6	5	< 1	1	2	3	8	8
75-79	73	2.3	1						
80-84	0								
85 +	10	1.0							
SUBTOTAL	**747**	**2.8**	**2**	**1**	**2**	**3**	**3**	**4**	**6**
GRAND TOTAL	**1615**	**3.8**	**18**	**1**	**2**	**3**	**4**	**6**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	63	4.8							
18-34	53	3.0							
35-49	297	6.5	42	2	3	4	5	17	17
50-69	167	2.3	7	1	1	2	2	3	12
70 +	0								
	581	**4.8**	**27**	**1**	**2**	**3**	**5**	**13**	**17**
0-17	100	1.3		< 1	1	1	1	2	3
18-34	287	1.6		1	1	2	2	2	2
35-49	117	1.7	1						
50-69	420	2.1	2	1	1	2	2	4	5
70 +	0								
	923	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**4**
	1504	**3.0**	**13**	**1**	**1**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	60	2.3	3	< 1	1	2	3	6	6
18-34	63	2.2	1						
35-49	10	2.0							
50-69	63	7.4	28						
70 +	0								
SUBTOTAL	**197**	**3.9**	**16**	**1**	**2**	**2**	**6**	**6**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	83	1.2							
18-34	20	2.5							
35-49	30	1.7	1						
50-69	0								
70 +	0								
SUBTOTAL	**133**	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**330**	**2.9**	**11**	**1**	**1**	**2**	**3**	**6**	**6**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	100	5.5	3	1	2	5	7	12	15
35-49	40	4.8	29						
50-69	30	9.3	17						
70 +	0								
	170	**6.0**	**22**	**1**	**2**	**5**	**9**	**14**	**15**
0-17	10	1.0							
18-34	113	2.0	1	1	2	2	2	2	4
35-49	50	1.2							
50-69	70	2.6	10	1	1	1	2	10	10
70 +	0								
	243	**2.0**	**3**	**1**	**1**	**2**	**2**	**2**	**4**
	412	**3.6**	**15**	**1**	**1**	**2**	**4**	**10**	**14**

DRG 229: Hand or Wrist Proc, except Major Joint Proc, w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	680	1.6	1	< 1	< 1	1	2	3	3
70-74	296	1.2		< 1	< 1	< 1	1	2	2
75-79	173	1.0		< 1	< 1	< 1	1	1	1
80-84	30	1.3							
85 +	43	8.0							
SUBTOTAL	**1223**	**1.7**	**2**	**< 1**	**< 1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**1223**	**1.7**	**2**	**< 1**	**< 1**	**1**	**2**	**3**	**3**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	1647	1.8	3	< 1	1	1	2	3	4
18-34	1774	1.9	2	< 1	< 1	1	3	4	4
35-49	1531	2.2	3	< 1	< 1	1	3	4	6
50-69	1207	1.9	4	< 1	< 1	1	2	3	4
70 +	30	1.0							
6188	**2.0**	**3**	**< 1**	**< 1**	**1**	**2**	**4**	**5**
6188	**2.0**	**3**	**< 1**	**< 1**	**1**	**2**	**4**	**5**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	453	2.0	1	< 1	1	2	3	3	3
18-34	367	2.5	4	< 1	2	2	3	3	5
35-49	123	1.5		< 1	< 1	1	2	2	3
50-69	63	2.4	1						
70 +	0								
SUBTOTAL	**1007**	**2.1**	**2**	**< 1**	**1**	**2**	**3**	**3**	**3**
GRAND TOTAL	**1007**	**2.1**	**2**	**< 1**	**1**	**2**	**3**	**3**	**3**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	593	1.9	1	< 1	1	2	3	3	4
18-34	1551	2.3	3	< 1	1	2	3	4	6
35-49	367	2.2	1	< 1	1	3	3	3	4
50-69	70	2.1	1	< 1	1	2	3	4	4
70 +	0								
2581	**2.2**	**2**	**< 1**	**1**	**2**	**3**	**4**	**6**
2581	**2.2**	**2**	**< 1**	**1**	**2**	**3**	**4**	**6**

Southern Region, July 1989 - June 1990

DRG 230: Local Excision & Removal of Int Fix Devices of Hip & Femur

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	70	10.3	136	1	1	6	13	37	37
70-74	10	11.0							
75-79	43	3.0							
80-84	53	5.6	1						
85 +	127	6.4	2	5	5	6	8	8	8
SUBTOTAL	**303**	**6.8**	**38**	**3**	**4**	**6**	**8**	**10**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	177	3.2	9	1	1	3	4	4	14
70-74	60	2.8	3	< 1	1	3	4	5	5
75-79	190	3.4	2	1	3	4	5	5	5
80-84	170	3.1	9	1	1	2	3	9	12
85 +	150	3.6	2						
SUBTOTAL	**747**	**3.3**	**5**	**1**	**2**	**3**	**4**	**5**	**8**
GRAND TOTAL	**1051**	**4.3**	**17**	**1**	**2**	**3**	**5**	**8**	**9**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	60	3.2	7	1	1	2	5	8	8
18-34	20	3.0	1						
35-49	53	6.9	6						
50-69	63	2.2							
70 +	0								
SUBTOTAL	**197**	**3.8**	**7**	**2**	**2**	**2**	**8**	**8**	**27**
0-17	712	2.9	18	1	1	1	3	7	11
18-34	709	2.4	3	1	1	2	3	5	7
35-49	207	1.8	1	1	1	2	2	3	3
50-69	190	1.9	1	1	1	1	2	4	4
70 +	43	3.0							
SUBTOTAL	**1861**	**2.5**	**9**	**1**	**1**	**2**	**3**	**4**	**7**
GRAND TOTAL	**2058**	**2.6**	**9**	**1**	**1**	**2**	**3**	**6**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	30	4.7	15						
18-34	20	3.5	2						
35-49	0								
50-69	20	14.5	13						
70 +	0								
SUBTOTAL	**70**	**7.1**	**33**	**1**	**2**	**5**	**11**	**18**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	380	2.8	23	1	1	2	2	4	21
18-34	187	3.4	24	1	1	2	2	7	23
35-49	20	5.0	1						
50-69	10	1.0							
70 +	0								
SUBTOTAL	**596**	**3.0**	**22**	**1**	**1**	**2**	**2**	**6**	**16**
GRAND TOTAL	**666**	**3.5**	**25**	**1**	**1**	**2**	**2**	**7**	**18**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	20	21.0	178						
18-34	20	4.0	4						
35-49	0								
50-69	53	3.1	6						
70 +	0								
SUBTOTAL	**93**	**7.1**	**94**	**2**	**2**	**2**	**8**	**34**	**34**
0-17	276	2.9	27	1	1	2	3	3	6
18-34	199	2.2	6	1	1	1	2	5	9
35-49	60	1.5		1	1	1	2	2	2
50-69	10	1.0							
70 +	0								
SUBTOTAL	**546**	**2.5**	**16**	**1**	**1**	**2**	**2**	**3**	**8**
GRAND TOTAL	**639**	**3.1**	**30**	**1**	**1**	**2**	**2**	**6**	**8**

DRG 231: Local Excision & Removal of Int Fix Devices except Hip & Femur

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	377	6.6	24	2	3	7	9	10	15
70-74	307	11.1	196	1	2	6	21	21	40
75-79	287	6.3	7	3	4	6	9	9	12
80-84	70	17.1	211	3	5	17	23	48	48
85 +	30	7.3	26						
SUBTOTAL	**1071**	**8.5**	**90**	**2**	**3**	**6**	**9**	**21**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1224	4.4	27	< 1	1	3	5	10	19
70-74	707	4.0	41	1	1	2	4	9	9
75-79	230	2.6	4	< 1	1	2	4	6	6
80-84	307	4.7	15	< 1	1	5	6	9	14
85 +	73	1.1							
SUBTOTAL	**2542**	**4.1**	**27**	**< 1**	**1**	**2**	**5**	**9**	**12**
GRAND TOTAL	**3612**	**5.4**	**58**	**1**	**1**	**3**	**6**	**10**	**19**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	150	8.8	47	2	3	6	14	19	25
18-34	230	3.8	31	1	1	2	3	4	20
35-49	327	9.7	115	2	4	6	8	36	36
50-69	474	5.4	23	1	2	3	10	11	15
70 +	0								
	1180	**6.7**	**59**	**1**	**2**	**4**	**8**	**15**	**23**
0-17	1972	4.2	46	1	1	2	4	10	12
18-34	2727	2.3	6	< 1	1	1	3	4	5
35-49	1956	2.4	4	< 1	1	2	3	4	7
50-69	1768	2.9	10	1	1	2	3	5	9
70 +	50	4.0	4						
	8473	**2.9**	**16**	**< 1**	**1**	**2**	**3**	**5**	**8**
	9653	**3.4**	**23**	**< 1**	**1**	**2**	**3**	**7**	**11**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	60	22.2	651	1	5	10	33	74	74
18-34	50	6.8	77						
35-49	20	10.0	4						
50-69	70	17.7	185	3	8	11	29	44	44
70 +	0								
SUBTOTAL	**199**	**15.6**	**314**	**1**	**4**	**9**	**22**	**38**	**59**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	543	7.9	77	1	2	3	14	21	23
18-34	353	3.2	5	1	1	2	5	7	7
35-49	210	10.6	174	1	2	4	7	36	36
50-69	103	3.4	14	1	1	1	4	10	12
70 +	0								
SUBTOTAL	**1210**	**6.6**	**75**	**1**	**1**	**3**	**7**	**18**	**23**
GRAND TOTAL	**1409**	**7.9**	**119**	**1**	**1**	**4**	**8**	**23**	**36**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	20	11.0	26						
18-34	50	4.4	12						
35-49	80	6.5	15	1	3	7	10	11	11
50-69	10	4.0							
70 +	10	21.0							
	170	**7.1**	**30**	**1**	**3**	**6**	**9**	**16**	**21**
0-17	329	6.8	97	1	1	2	7	20	25
18-34	669	2.5	4	1	1	2	3	5	7
35-49	400	3.3	6	< 1	1	2	4	9	9
50-69	197	4.0	10	1	2	3	4	10	11
70 +	10	5.0							
	1604	**3.8**	**27**	**1**	**1**	**2**	**4**	**9**	**11**
	1774	**4.1**	**28**	**1**	**1**	**2**	**4**	**9**	**12**

DRG 232: Arthroscopy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	10	25.0							
80-84	43	24.0							
85 +	43	21.0							
SUBTOTAL	**97**	**22.8**	3						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	30	1.0							
70-74	43	3.0							
75-79	43	1.0							
80-84	0								
85 +	10	1.0							
SUBTOTAL	**127**	**1.7**	1	1	1	1	3	3	3
GRAND TOTAL	**224**	**10.8**	111	1	1	3	21	24	24

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	14.0							
18-34	10	15.0							
35-49	10	3.0							
50-69	0								
70 +	0								
	30	**10.7**	31						
0-17	296	4.0	104	< 1	< 1	2	3	5	6
18-34	407	1.7	1	< 1	< 1	1	2	4	4
35-49	170	3.1	6	< 1	1	3	7	7	7
50-69	200	5.0	17	1	1	3	8	11	11
70 +	0								
	1073	**3.2**	35	< 1	1	1	3	7	8
	1103	**3.4**	36	< 1	1	1	3	8	11

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	10	23.0							
18-34	0								
35-49	0								
50-69	10	28.0							
70 +	0								
SUBTOTAL	**20**	**25.5**	7						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	10	2.0							
18-34	43	11.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**53**	**9.3**	13						
GRAND TOTAL	**73**	**13.7**	63						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	10	23.0							
50-69	0								
70 +	10	21.0							
	20	**22.0**	1						
0-17	50	4.0	37						
18-34	103	5.1	23	1	3	3	5	14	15
35-49	10	8.0							
50-69	10	1.0							
70 +	0								
	173	**4.7**	26	< 1	1	3	5	15	16
	193	**6.5**	51	< 1	1	3	14	21	22

DRG 233: Other Musculoskelet Sys & Conn Tiss O.R. Proc w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	714	8.3	41	3	4	7	12	15	17
70-74	327	7.1	18	2	3	7	10	15	16
75-79	347	13.3	85	4	5	10	18	34	34
80-84	177	14.7	88	5	5	12	26	26	28
85 +	83	9.8	15						
SUBTOTAL	1648	9.9	57	3	4	8	13	18	26
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	1648	9.9	57	3	4	8	13	18	26

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	256	7.4	32	2	4	6	9	14	30
18-34	296	10.5	71	1	4	8	15	24	25
35-49	213	13.6	154	3	4	8	15	37	37
50-69	353	8.1	46	2	2	5	14	18	23
70 +	43	3.0							
	1163	9.4	74	2	3	6	13	24	30
	0								
	0								
	0								
	0								
	0								
	0								
	0								
	1163	9.4	74	2	3	6	13	24	30

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	150	9.4	71	2	4	7	12	23	33
18-34	60	10.5	50	3	5	7	18	22	22
35-49	30	13.7	34						
50-69	137	9.6	11	6	6	10	13	13	14
70 +	0								
SUBTOTAL	376	10.0	44	4	6	7	13	21	23
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	376	10.0	44	4	6	7	13	21	23

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	70	12.0	101	3	4	8	16	34	34
18-34	100	8.5	77	1	2	4	10	24	30
35-49	143	7.6	28	3	4	7	7	16	23
50-69	147	8.6	17	5	7	8	9	11	22
70 +	0								
	459	8.8	48	3	4	7	9	18	23
	0								
	0								
	0								
	0								
	0								
	0								
	459	8.8	48	3	4	7	9	18	23

DRG 234: Other Musculoskelet Sys & Conn Tiss O.R. Proc w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	187	8.3	19	2	7	8	11	11	21
70-74	340	7.4	26	1	4	8	10	16	16
75-79	240	5.6	27	1	1	3	10	11	17
80-84	120	7.7	33	1	4	6	10	16	21
85+	87	10.5	6						
SUBTOTAL	974	7.4	26	1	3	8	10	16	16
GRAND TOTAL	974	7.4	26	1	3	8	10	16	16

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
0-17	1626	4.2	5	2	3	4	5	7	7
18-34	940	3.1	5	1	1	3	5	5	7
35-49	1511	5.2	56	1	2	3	6	14	18
50-69	1401	4.6	12	1	2	4	6	9	12
70+	20	5.5	13						
SUBTOTAL	5498	4.4	21	1	2	3	5	8	12
GRAND TOTAL	5498	4.4	21	1	2	3	5	8	12

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	725	5.6	13	2	4	5	7	8	11
18-34	173	8.8	35	1	4	8	15	16	17
35-49	220	4.2	3	2	3	4	6	6	7
50-69	20	14.5	164						
70+	53	9.8	342						
SUBTOTAL	1192	6.1	35	1	3	5	7	14	15
GRAND TOTAL	1192	6.1	35	1	3	5	7	14	15

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
0-17	519	4.4	19	1	2	3	5	7	12
18-34	526	5.1	35	1	1	3	5	16	16
35-49	140	6.9	67	2	3	4	6	25	28
50-69	187	4.7	13	2	2	4	5	13	15
70+	0								
SUBTOTAL	1371	5.0	30	1	2	3	5	11	16
GRAND TOTAL	1371	5.0	30	1	2	3	5	11	16

DRG 235: Fractures of Femur

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	374	10.4	71	2	5	8	11	27	27
70-74	190	16.7	266	5	5	10	15	46	46
75-79	90	19.6	118	9	12	13	24	43	43
80-84	127	12.0	201	7	7	8	10	10	60
85 +	354	16.1	305	4	7	8	18	55	55
SUBTOTAL	**1135**	**14.1**	**204**	**4**	**7**	**9**	**14**	**43**	**55**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	50	5.6	46						
70-74	127	13.0	83	5	7	7	25	25	25
75-79	97	4.0	4						
80-84	103	6.8	33	3	3	3	10	13	22
85 +	204	5.1	6	2	4	5	6	7	11
SUBTOTAL	**581**	**7.0**	**41**	**2**	**3**	**5**	**7**	**19**	**25**
GRAND TOTAL	**1715**	**11.7**	**160**	**2**	**5**	**7**	**12**	**26**	**46**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	250	12.2	124	1	2	7	25	25	32
18-34	0								
35-49	73	4.4							
50-69	97	30.4	351						
70 +	0								
	420	**15.0**	**233**	**1**	**3**	**10**	**25**	**51**	**51**
0-17	3104	11.1	124	1	2	5	21	27	35
18-34	63	2.7	16						
35-49	140	14.8	311						
50-69	10	6.0							
70 +	10	4.0							
	3328	**11.1**	**131**	**1**	**2**	**4**	**21**	**28**	**35**
	3748	**11.5**	**144**	**1**	**2**	**5**	**21**	**28**	**36**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	90	13.9	89	3	4	11	23	29	29
18-34	10	11.0							
35-49	53	17.0	286						
50-69	0								
70 +	0								
SUBTOTAL	**153**	**14.8**	**153**	**4**	**9**	**11**	**23**	**29**	**52**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1363	10.2	104	2	2	5	18	27	30
18-34	10	2.0							
35-49	30	5.0							
50-69	10	1.0							
70 +	0								
SUBTOTAL	**1413**	**10.0**	**102**	**1**	**2**	**5**	**18**	**27**	**30**
GRAND TOTAL	**1566**	**10.4**	**109**	**2**	**2**	**5**	**18**	**27**	**30**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	90	17.3	64	3	10	21	24	26	26
18-34	10	2.0							
35-49	10	3.0							
50-69	43	8.0							
70 +	0								
	153	**12.8**	**70**	**3**	**7**	**8**	**22**	**24**	**26**
0-17	1351	10.4	89	1	3	6	19	25	27
18-34	117	3.7	7						
35-49	30	5.7	2						
50-69	10	12.0							
70 +	0								
	1508	**9.8**	**84**	**1**	**3**	**6**	**17**	**25**	**27**
	1661	**10.1**	**84**	**1**	**3**	**6**	**17**	**25**	**27**

DRG 236: Fractures of Hip & Pelvis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	681	9.8	30	4	6	9	11	19	21
70-74	801	8.3	25	3	5	7	9	16	20
75-79	1205	9.8	53	3	5	8	13	16	21
80-84	1435	10.6	52	4	6	9	13	22	28
85 +	2931	11.7	84	4	5	9	14	24	31
SUBTOTAL	**7052**	**10.6**	**62**	**4**	**5**	**8**	**13**	**20**	**28**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	491	8.4	84	2	2	6	11	30	32
70-74	564	5.7	10	3	3	6	7	9	10
75-79	865	6.0	14	1	3	6	9	11	11
80-84	691	8.4	49	2	4	7	12	15	20
85 +	1125	7.9	37	2	4	7	10	14	20
SUBTOTAL	**3735**	**7.3**	**37**	**2**	**3**	**6**	**9**	**12**	**20**
GRAND TOTAL	**10787**	**9.4**	**56**	**3**	**4**	**8**	**12**	**19**	**25**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	190	20.3	299	1	1	19	33	43	43
18-34	484	9.1	181	2	3	6	10	20	20
35-49	157	12.8	115	4	7	10	13	31	46
50-69	267	7.5	20	2	6	6	8	16	16
70 +	30	10.3	17						
	1128	**11.1**	**168**	**2**	**3**	**7**	**13**	**31**	**43**
0-17	831	6.5	54	1	2	3	7	21	26
18-34	608	5.3	6	2	4	5	7	8	10
35-49	360	8.0	29	3	4	6	11	20	20
50-69	394	8.0	39	1	4	7	10	15	22
70 +	43	3.0							
	2236	**6.6**	**35**		**3**	**5**	**8**	**15**	**21**
	3364	**8.1**	**84**		**3**	**6**	**10**	**20**	**26**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	127	29.9	187	6	22	36	41	41	41
18-34	113	7.3	16	4	4	6	11	13	16
35-49	30	9.3	17						
50-69	117	15.4	76						
70 +	53	6.2							
SUBTOTAL	**440**	**16.0**	**169**	**4**	**6**	**10**	**22**	**36**	**41**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	167	10.0	141	2	2	5	7	30	39
18-34	117	4.8	2						
35-49	43	3.0							
50-69	20	4.0	9						
70 +	53	5.4	1						
SUBTOTAL	**400**	**6.8**	**67**	**2**	**3**	**5**	**6**	**16**	**30**
GRAND TOTAL	**841**	**11.6**	**141**	**2**	**5**	**6**	**14**	**36**	**41**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	93	4.4	11	1	3	3	4	11	11
18-34	360	9.1	83	2	3	5	15	17	17
35-49	60	12.0	102	4	6	7	15	33	33
50-69	63	3.9	8						
70 +	10	25.0							
	587	**8.3**	**75**	**2**	**3**	**5**	**10**	**17**	**25**
0-17	227	6.5	42	2	2	4	7	19	21
18-34	477	4.1	6	1	2	4	5	7	10
35-49	190	4.6	11	2	2	3	7	7	16
50-69	63	17.2	33						
70 +	0								
	957	**5.7**	**28**	**2**	**2**	**4**	**7**	**16**	**20**
	1544	**6.7**	**47**	**2**	**3**	**4**	**7**	**17**	**20**

DRG 237: Sprains, Strains, & Dislocations of Hip, Pelvis & Thigh

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	10	7.0							
70-74	43	6.0							
75-79	10	6.0							
80-84	87	2.5	2						
85+	43	6.0							
SUBTOTAL	**194**	**4.5**	**4**	**1**	**4**	**6**	**6**	**6**	**7**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	10	5.0							
70-74	43	6.0							
75-79	107	6.5	9						
80-84	97	12.1	16						
85+	63	2.2							
SUBTOTAL	**321**	**7.2**	**20**	**2**	**4**	**6**	**10**	**16**	**16**
GRAND TOTAL	**514**	**6.2**	**16**	**2**	**4**	**6**	**10**	**10**	**16**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	97	4.4	7						
35-49	10	4.0							
50-69	43	20.0							
70+	0								
SUBTOTAL	**150**	**8.9**	**55**						
0-17	267	1.9		1	2	2	2	3	3
18-34	127	3.8	1	3	3	4	5	5	5
35-49	97	3.7	6						
50-69	10	1.0							
70+	0								
SUBTOTAL	**501**	**2.7**	**3**	**1**	**2**	**2**	**4**	**5**	**6**
GRAND TOTAL	**651**	**4.1**	**21**	**1**	**2**	**3**	**4**	**6**	**20**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	10	5.0							
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**10**	**5.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	63	3.2	1						
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**63**	**3.2**	**1**						
GRAND TOTAL	**73**	**3.5**	**2**						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	53	8.1	19						
35-49	53	6.9	6						
50-69	0								
70+	0								
SUBTOTAL	**107**	**7.5**	**12**						
0-17	50	1.8	1						
18-34	53	13.6	26						
35-49	0								
50-69	43	5.0							
70+	0								
SUBTOTAL	**147**	**7.0**	**36**	**1**	**3**	**5**	**16**	**16**	**16**
GRAND TOTAL	**254**	**7.2**	**26**	**1**	**3**	**6**	**8**	**16**	**16**

DRG 238: Osteomyelitis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	754	16.9	292	4	5	9	22	52	61
70-74	317	11.1	66	4	5	8	13	29	29
75-79	350	14.8	223	5	6	7	18	52	52
80-84	107	16.0	85						
85 +	157	17.6	70	11	14	15	20	36	39
SUBTOTAL	1685	15.4	206	4	5	9	21	36	52
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	40	8.0	37						
70-74	20	11.5	116						
75-79	217	12.8	44						
80-84	87	4.5							
85 +	97	17.2	101						
SUBTOTAL	461	11.7	67	3	4	9	19	22	28
GRAND TOTAL	2146	14.6	179	4	5	9	21	29	52

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	130	11.5	38	3	7	12	16	21	21
18-34	63	14.2	98						
35-49	217	9.5	40	5	5	6	13	17	21
50-69	264	8.8	13	2	6	9	11	13	13
70 +	0								
	673	10.0	37	5	6	10	13	16	21
0-17	303	9.2	42	4	6	7	10	16	21
18-34	53	3.4	1						
35-49	180	13.2	13	7	12	13	15	17	17
50-69	204	15.8	26	9	9	17	18	22	22
70 +	0								
	740	11.6	40	4	6	11	17	18	22
	1413	10.8	39	4	6	10	15	18	22

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	177	21.5	73	8	13	26	28	28	33
18-34	83	14.6	70						
35-49	127	17.2	115	7	7	17	17	36	38
50-69	30	12.7	69						
70 +	0								
SUBTOTAL	417	18.2	94	7	10	17	27	30	33
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	219	13.2	114	3	6	9	21	28	32
18-34	53	34.8	168						
35-49	43	12.0							
50-69	20	4.5	7						
70 +	0								
SUBTOTAL	336	16.0	173	3	7	10	22	41	41
GRAND TOTAL	753	17.2	130	5	8	12	27	33	41

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	73	14.0	16						
18-34	10	21.0							
35-49	90	20.1	274	6	9	11	24	58	58
50-69	157	12.8	68	6	6	12	15	16	40
70 +	0								
	330	15.3	120	6	7	15	17	24	40
0-17	180	7.9	34	< 1	4	8	10	17	22
18-34	117	9.4	64						
35-49	97	6.9	1						
50-69	53	9.9	19						
70 +	0								
	447	8.3	34	1	4	8	12	16	17
	776	11.3	82	2	6	9	16	17	25

DRG 239: Pathological Fractures & Musculoskeletal & Conn Tiss Malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	2525	10.5	91	2	4	7	13	24	29
70-74	2715	10.7	93	2	5	8	13	24	30
75-79	2957	9.1	50	3	4	7	10	21	24
80-84	2059	11.2	81	4	6	8	13	19	34
85 +	1839	10.3	43	4	5	8	14	22	23
SUBTOTAL	**12095**	**10.3**	**73**	**3**	**5**	**8**	**13**	**21**	**28**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	1117	8.0	34	2	4	7	10	15	16
70-74	1261	7.9	21	2	4	7	11	14	15
75-79	1492	9.2	61	4	5	7	10	14	20
80-84	914	9.5	53	2	4	7	11	22	28
85 +	915	8.2	48	3	4	6	10	13	30
SUBTOTAL	**5698**	**8.6**	**44**	**3**	**4**	**7**	**11**	**15**	**20**
GRAND TOTAL	**17793**	**9.7**	**64**	**3**	**5**	**8**	**12**	**19**	**26**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	596	5.1	19	1	2	3	8	12	13
18-34	350	4.6	10	2	3	4	5	9	13
35-49	583	8.5	79	2	3	6	10	21	33
50-69	2654	8.1	57	2	3	6	11	17	21
70 +	264	9.6	42	1	1	10	14	18	18
SUBTOTAL	**4446**	**7.6**	**52**	**1**	**3**	**5**	**10**	**16**	**21**
0-17	472	6.1	133	2	2	3	5	14	18
18-34	167	4.1	7	1	2	4	8	8	8
35-49	367	5.9	13	2	4	5	8	12	13
50-69	984	6.0	27	1	2	5	8	13	18
70 +	100	6.6	16	1	3	6	11	12	12
SUBTOTAL	**2089**	**5.9**	**47**	**1**	**2**	**4**	**7**	**11**	**17**
	6535	**7.0**	**51**	**1**	**3**	**5**	**10**	**15**	**18**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	243	7.8	145	1	4	5	7	13	16
18-34	20	2.5	2						
35-49	100	9.1	30	4	5	8	10	17	24
50-69	360	10.3	73	3	7	9	12	16	20
70 +	10	6.0							
SUBTOTAL	**732**	**9.0**	**90**	**3**	**4**	**7**	**11**	**15**	**20**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	203	4.5	12	2	2	3	6	8	12
18-34	50	2.0							
35-49	40	4.3	12						
50-69	143	5.1	5	3	3	4	8	8	9
70 +	0								
SUBTOTAL	**436**	**4.4**	**9**	**2**	**2**	**3**	**6**	**8**	**9**
GRAND TOTAL	**1168**	**7.3**	**65**	**2**	**3**	**5**	**9**	**13**	**16**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	160	7.8	30	1	4	7	11	18	19
18-34	189	8.6	152	1	1	4	7	33	49
35-49	133	8.0	30	3	5	5	8	19	20
50-69	160	8.9	29	4	4	7	13	16	22
70 +	73	2.5	3						
SUBTOTAL	**715**	**7.7**	**63**	**1**	**3**	**5**	**11**	**17**	**20**
0-17	193	11.7	134	2	3	5	25	31	31
18-34	40	4.5	5						
35-49	117	2.5	8						
50-69	173	5.8	7	2	4	6	8	8	11
70 +	10	1.0							
SUBTOTAL	**533**	**7.0**	**67**	**1**	**2**	**5**	**8**	**16**	**31**
	1248	**7.4**	**65**	**1**	**2**	**5**	**8**	**17**	**31**

DRG 240: Connective Tissue Disorders w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2212	8.2	51	3	4	6	10	18	21
70-74	907	6.7	23	3	4	5	8	16	19
75-79	598	9.4	49	3	4	8	12	17	27
80-84	321	9.5	39	3	4	7	14	17	17
85 +	150	5.5	16						
SUBTOTAL	**4188**	**8.1**	**43**	**3**	**4**	**6**	**10**	**17**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4188**	**8.1**	**43**	**3**	**4**	**6**	**10**	**17**	**20**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	626	5.2	8	2	3	5	7	9	9
18-34	739	7.9	55	2	4	6	8	20	20
35-49	466	7.7	35	2	5	7	9	11	18
50-69	499	8.5	81	2	4	7	9	14	20
70 +	10	8.0							
SUBTOTAL	**2341**	**7.3**	**45**	**2**	**3**	**6**	**8**	**13**	**20**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2341**	**7.3**	**45**	**2**	**3**	**6**	**8**	**13**	**20**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	180	8.2	61	2	4	5	8	25	26
18-34	283	5.6	14	2	3	5	6	13	14
35-49	163	10.3	56	4	6	6	12	25	30
50-69	280	9.7	62	2	6	9	27	99 +	99 +
70 +	10	9.0							
SUBTOTAL	**915**	**8.2**	**49**	**2**	**4**	**6**	**9**	**26**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**915**	**8.2**	**49**	**2**	**4**	**6**	**9**	**26**	**30**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	90	4.2	5	2	3	3	5	10	10
18-34	246	6.9	22	2	4	5	11	11	12
35-49	280	7.5	63	2	3	4	14	16	20
50-69	80	13.4	59	2	6	14	19	25	25
70 +	0								
SUBTOTAL	**696**	**7.5**	**46**	**2**	**3**	**5**	**11**	**16**	**22**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**696**	**7.5**	**46**	**2**	**3**	**5**	**11**	**16**	**22**

DRG 241: Connective Tissue Disorders w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	741	6.2	3	3	4	5	8	10	12
70-74	297	4.8		3	3	5	5	8	11
75-79	461	6.7	12	3	5	6	7	8	16
80-84	190	8.2	4	5	7	8	11	11	11
85 +	43	6.0							
SUBTOTAL	**1732**	**6.3**	**11**	**3**	**4**	**5**	**8**	**11**	**12**
GRAND TOTAL	**1732**	**6.3**	**11**	**3**	**4**	**5**	**8**	**11**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	2034	4.3	26	1	2	3	5	7	9
18-34	613	3.6	19	1	1	2	4	8	10
35-49	613	3.8	5	1	2	4	5	7	8
50-69	524	5.8	10	1	3	6	7	10	11
70 +	20	8.0	38						
SUBTOTAL	**3803**	**4.3**	**20**	**1**	**2**	**3**	**5**	**8**	**10**
GRAND TOTAL	**3803**	**4.3**	**20**	**1**	**2**	**3**	**5**	**8**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	512	5.1	30	1	2	4	5	8	21
18-34	444	3.6	5	2	2	3	5	7	8
35-49	147	4.9	2	3	3	5	6	6	8
50-69	73	3.4	4						
70 +	0								
SUBTOTAL	**1176**	**4.4**	**16**	**1**	**2**	**4**	**5**	**8**	**8**
GRAND TOTAL	**1176**	**4.4**	**16**	**1**	**2**	**4**	**5**	**8**	**8**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	652	4.0	5	1	2	4	5	7	9
18-34	289	2.8	10	1	1	1	4	7	9
35-49	662	1.6	3	1	1	1	1	4	8
50-69	120	2.3	5	1	1	1	2	5	9
70 +	10	5.0							
SUBTOTAL	**1732**	**2.8**	**7**	**1**	**1**	**1**	**4**	**7**	**8**
GRAND TOTAL	**1732**	**2.8**	**7**	**1**	**1**	**1**	**4**	**7**	**8**

DRG 242: Septic Arthritis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	83	11.3	19						
70-74	117	9.2	35						
75-79	117	21.9	257						
80-84	97	6.6	11						
85 +	43	7.0							
SUBTOTAL	**457**	**12.0**	**115**	**5**	**6**	**7**	**12**	**28**	**42**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	150	8.1	21						
70-74	53	7.3	2						
75-79	63	5.9	24						
80-84	117	9.6	10						
85 +	0								
SUBTOTAL	**384**	**8.1**	**17**	**3**	**5**	**8**	**13**	**15**	**15**
GRAND TOTAL	**841**	**10.2**	**74**	**4**	**5**	**7**	**12**	**16**	**42**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	60	12.5	56	2	6	13	20	21	21
18-34	127	6.1	2	5	6	6	7	7	8
35-49	50	11.8	68						
50-69	63	4.5	2						
70 +	0								
SUBTOTAL	**300**	**8.0**	**34**	**3**	**5**	**6**	**8**	**19**	**21**
0-17	422	7.4	18	3	5	7	9	12	16
18-34	311	5.6	12	2	4	4	6	13	13
35-49	133	7.3	16	3	3	8	11	12	14
50-69	160	5.4	20	1	1	3	12	12	12
70 +	0								
SUBTOTAL	**1026**	**6.5**	**17**	**2**	**3**	**6**	**9**	**12**	**13**
GRAND TOTAL	**1326**	**6.9**	**21**	**2**	**4**	**6**	**9**	**13**	**16**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	90	18.9	54	10	15	17	21	37	37
18-34	73	4.0							
35-49	60	10.8	67	3	4	7	20	24	24
50-69	0								
70 +	10	3.0							
SUBTOTAL	**233**	**11.4**	**80**	**3**	**4**	**7**	**19**	**22**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	193	13.5	90	2	4	14	22	28	28
18-34	40	4.5	1						
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**233**	**12.0**	**86**	**3**	**4**	**8**	**15**	**28**	**28**
GRAND TOTAL	**466**	**11.7**	**83**	**3**	**4**	**8**	**17**	**28**	**28**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	40	10.8	25						
18-34	133	5.9	3	4	5	5	7	7	10
35-49	30	16.0	179						
50-69	10	4.0							
70 +	0								
SUBTOTAL	**213**	**8.1**	**45**	**4**	**5**	**7**	**8**	**11**	**19**
0-17	233	8.8	44	3	4	7	14	21	21
18-34	240	4.4	8	2	2	3	8	9	9
35-49	73	5.4	4						
50-69	0								
70 +	0								
SUBTOTAL	**546**	**6.4**	**27**	**2**	**2**	**5**	**9**	**14**	**21**
GRAND TOTAL	**759**	**6.9**	**33**	**2**	**3**	**5**	**9**	**14**	**21**

DRG 243: Medical Back Problems

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	5745	7.0	33	2	3	6	9	15	18
70-74	4056	7.0	33	2	4	6	9	12	14
75-79	3946	7.1	45	2	3	5	9	13	18
80-84	3349	8.7	55	2	4	7	11	17	20
85 +	3319	8.8	27	4	5	7	11	16	20
SUBTOTAL	**20415**	**7.6**	**39**	**2**	**4**	**6**	**10**	**15**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	9594	4.6	16	1	2	4	7	9	11
70-74	4408	5.4	18	1	2	5	7	10	15
75-79	4332	4.5	16	1	2	3	5	10	14
80-84	2937	5.6	15	2	3	5	7	10	14
85 +	1378	6.4	20	2	4	6	7	9	14
SUBTOTAL	**22649**	**4.9**	**17**	**1**	**2**	**4**	**7**	**9**	**13**
GRAND TOTAL	**43065**	**6.2**	**29**	**1**	**3**	**5**	**8**	**12**	**16**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	317	5.4	48	1	2	2	6	11	23
18-34	1509	4.2	8	1	2	3	5	7	9
35-49	3141	5.6	19	1	3	4	7	10	14
50-69	4584	5.9	28	2	3	5	7	11	13
70 +	331	7.8	15	1	5	8	12	12	12
SUBTOTAL	**9880**	**5.6**	**23**	**1**	**3**	**5**	**7**	**11**	**13**
0-17	1385	3.8	10	1	2	3	5	7	9
18-34	11228	3.3	7	1	1	3	4	7	8
35-49	20618	4.0	14	1	1	3	5	8	10
50-69	15804	3.7	9	1	1	3	5	8	9
70 +	477	5.3	10	1	2	5	7	10	11
SUBTOTAL	**49512**	**3.8**	**11**	**1**	**1**	**3**	**5**	**8**	**9**
GRAND TOTAL	**59393**	**4.1**	**13**	**1**	**2**	**3**	**5**	**8**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	73	5.9	72						
18-34	210	7.5	41	2	2	9	10	10	13
35-49	274	6.0	19	2	3	5	8	10	12
50-69	568	5.7	8	2	4	6	7	9	9
70 +	0								
SUBTOTAL	**1125**	**6.1**	**21**	**2**	**3**	**6**	**9**	**10**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	417	3.5	35	< 1	1	2	3	5	13
18-34	1061	3.9	10	1	1	3	5	7	8
35-49	1504	4.8	11	1	2	4	7	8	10
50-69	680	3.6	7	1	1	3	6	8	8
70 +	43	10.0							
SUBTOTAL	**3705**	**4.2**	**13**	**1**	**1**	**3**	**6**	**8**	**10**
GRAND TOTAL	**4830**	**4.7**	**16**	**1**	**2**	**4**	**7**	**9**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	70	5.0	8	1	2	5	8	9	9
18-34	1007	4.6	16	1	2	3	5	10	12
35-49	888	5.1	12	1	2	4	8	10	11
50-69	681	5.9	14	1	3	5	7	12	15
70 +	117	4.7	6						
SUBTOTAL	**2762**	**5.1**	**14**	**1**	**3**	**4**	**6**	**10**	**12**
0-17	710	2.8	6	1	1	2	4	5	6
18-34	3401	4.0	11	1	2	3	5	7	9
35-49	3745	3.9	10	1	1	3	6	8	10
50-69	1997	3.9	11	1	1	3	6	9	11
70 +	53	7.3	2						
SUBTOTAL	**9905**	**3.9**	**10**	**1**	**1**	**3**	**5**	**8**	**10**
GRAND TOTAL	**12668**	**4.1**	**11**	**1**	**1**	**3**	**6**	**8**	**11**

DRG 244: Bone Diseases & Specific Arthropathies w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1158	5.0	35	2	2	4	5	10	12
70-74	821	6.0	13	3	3	5	8	11	16
75-79	1125	9.0	72	2	3	7	13	17	33
80-84	875	14.3	504	1	3	6	11	52	52
85 +	701	7.4	35	2	3	6	9	20	99 +
SUBTOTAL	**4678**	**8.2**	**138**	**2**	**3**	**5**	**9**	**14**	**33**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4678**	**8.2**	**138**	**2**	**3**	**5**	**9**	**14**	**33**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	90	6.2	6	3	4	5	9	10	10
18-34	30	4.3	2						
35-49	187	4.8	14	< 1	2	3	9	9	14
50-69	357	4.6	13	1	2	4	6	13	13
70 +	70	1.1		< 1	1	1	1	2	2
	733	**4.5**	**12**	**1**	**2**	**4**	**6**	**9**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	733	**4.5**	**12**	**1**	**2**	**4**	**6**	**9**	**13**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	209	3.8	34	1	1	2	3	6	11
18-34	80	2.3	1	1	1	2	3	4	4
35-49	63	2.3	1						
50-69	123	4.8	6	2	3	4	8	8	8
70 +	0								
SUBTOTAL	**476**	**3.6**	**18**	**1**	**2**	**2**	**4**	**8**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**476**	**3.6**	**18**	**1**	**2**	**2**	**4**	**8**	**8**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	40	21.8	150						
18-34	60	5.2	16	3	3	3	5	14	14
35-49	40	4.3	2						
50-69	50	2.6	8						
70 +	43	45.0							
	233	**14.7**	**286**	**1**	**2**	**5**	**29**	**45**	**45**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	233	**14.7**	**286**	**1**	**2**	**5**	**29**	**45**	**45**

DRG 245: Bone Diseases & Specific Arthropathies w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	845	4.3	7	2	3	3	5	8	11
70-74	404	4.1	7	2	2	3	7	8	8
75-79	561	3.3	7	1	2	3	4	6	10
80-84	631	4.4	10	1	2	4	6	10	10
85 +	291	3.3	5	2	2	2	4	5	5
SUBTOTAL	**2731**	**4.0**	**8**	**1**	**2**	**3**	**5**	**8**	**10**
GRAND TOTAL	**2731**	**4.0**	**8**	**1**	**2**	**3**	**5**	**8**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	499	4.3	15	1	2	3	6	9	11
18-34	160	1.8		< 1	< 1	2	2	2	3
35-49	404	3.9	7	2	3	3	4	5	6
50-69	744	3.3	10	1	1	3	4	7	10
70 +	93	4.6	7	2	2	5	5	11	11
1901	**3.6**	**10**	**1**	**2**	**3**	**4**	**7**	**10**
1901	**3.6**	**10**	**1**	**2**	**3**	**4**	**7**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	193	4.5	18	1	2	3	6	8	18
18-34	53	4.6	1						
35-49	10	2.0							
50-69	150	5.3	52						
70 +	10	9.0							
SUBTOTAL	**417**	**4.9**	**28**	**2**	**2**	**3**	**5**	**8**	**9**
GRAND TOTAL	**417**	**4.9**	**28**	**2**	**2**	**3**	**5**	**8**	**9**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	150	4.3	10	1	2	3	6	10	12
18-34	83	7.4	12						
35-49	63	2.5	2						
50-69	10	2.0							
70 +	0								
306	**4.7**	**12**	**1**	**2**	**3**	**6**	**10**	**10**
306	**4.7**	**12**	**1**	**2**	**3**	**6**	**10**	**10**

DRG 246: Non-specific Arthropathies

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	117	7.5	16						
70-74	63	5.7	3						
75-79	107	4.7	4						
80-84	53	3.0							
85 +	97	5.9	1						
SUBTOTAL	**437**	**5.6**	**8**	3	3	5	7	10	12
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	10	12.0							
70-74	0								
75-79	43	3.0							
80-84	0								
85 +	30	2.3							
SUBTOTAL	**83**	**3.8**	**9**						
GRAND TOTAL	**521**	**5.4**	**8**	3	3	5	7	12	12

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	43	2.0							
18-34	0								
35-49	63	9.4	7						
50-69	43	3.0							
70 +	0								
	150	**5.4**	**15**						
0-17	210	4.4	9	2	2	3	7	7	8
18-34	117	3.6	1						
35-49	30	9.7	25						
50-69	200	5.4	17	1	2	4	10	11	13
70 +	0								
	557	**4.9**	**13**	**2**	**3**	**4**	**6**	**10**	**14**
	707	**5.0**	**13**	2	3	3	7	11	12

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	43	4.0							
70 +	0								
SUBTOTAL	**43**	**4.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	83	4.2	4						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**83**	**4.2**	**4**						
GRAND TOTAL	**127**	**4.1**	**3**	2	3	4	6	6	6

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	20	10.0							
35-49	20	4.5	7						
50-69	0								
70 +	0								
	40	**7.3**	**11**						
0-17	40	4.0	13						
18-34	53	4.4	1						
35-49	40	5.0	17						
50-69	10	4.0							
70 +	0								
	143	**4.4**	**9**	**2**	**2**	**4**	**5**	**10**	**12**
	183	**5.1**	**11**	2	2	5	7	10	12

DRG 247: Signs & Symptoms of Musculoskeletal System & Conn Tissue

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	651	5.6	10	2	2	6	8	10	12
70-74	287	8.5	17	3	4	8	12	15	15
75-79	331	5.5	21	1	2	4	7	15	15
80-84	230	4.4	17	1	1	4	5	5	15
85 +	247	5.6	28	1	1	3	9	12	12
SUBTOTAL	**1746**	**5.9**	**18**	**1**	**2**	**5**	**8**	**12**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1038	2.9	5	1	1	2	4	5	6
70-74	331	3.1	8	1	1	2	5	6	6
75-79	234	2.6	2	1	2	2	4	4	4
80-84	254	4.7	4	2	3	4	6	8	8
85 +	194	3.5	5	1	1	3	5	5	9
SUBTOTAL	**2049**	**3.2**	**5**	**1**	**1**	**3**	**4**	**6**	**8**
GRAND TOTAL	**3795**	**4.4**	**13**	**1**	**2**	**4**	**6**	**10**	**12**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	147	3.2		2	3	3	4	4	4
18-34	147	3.0	7	2	2	2	3	6	12
35-49	354	4.2	10	2	3	4	5	6	6
50-69	511	3.8	4	1	2	4	5	7	7
70 +	0								
	1158	**3.8**	**6**	**2**	**2**	**3**	**5**	**6**	**7**
0-17	687	2.9	3	1	2	3	4	4	6
18-34	1058	2.9	6	1	1	2	3	5	10
35-49	1393	3.0	4	1	1	2	4	6	7
50-69	1686	3.1	5	1	1	2	4	7	7
70 +	0								
	4824	**3.0**	**5**	**1**	**1**	**2**	**4**	**6**	**7**
	5982	**3.1**	**5**	**1**	**1**	**3**	**4**	**6**	**7**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	83	4.5	1						
18-34	93	4.0	8	1	3	3	4	11	11
35-49	234	7.1	27	1	3	6	13	13	18
50-69	274	6.4	63	1	4	5	5	7	19
70 +	0								
SUBTOTAL	**684**	**6.1**	**37**	**1**	**3**	**5**	**6**	**13**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	133	2.8	3	1	1	2	5	5	6
18-34	147	3.5	7	1	1	3	4	7	10
35-49	127	3.4	2	1	3	3	5	5	5
50-69	113	2.9	2	2	2	2	4	5	6
70 +	43	5.0							
SUBTOTAL	**563**	**3.3**	**4**	**1**	**2**	**3**	**5**	**5**	**7**
GRAND TOTAL	**1247**	**4.8**	**24**	**1**	**2**	**4**	**5**	**7**	**13**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	20	5.5	7						
18-34	133	3.3	4	< 1	2	2	5	6	8
35-49	167	8.7	74	1	4	4	23	23	23
50-69	137	3.0	7	1	1	2	4	8	9
70 +	0								
	457	**5.3**	**38**	**1**	**2**	**3**	**6**	**9**	**23**
0-17	183	2.3	2	< 1	1	2	3	4	6
18-34	367	2.7	6	1	1	2	3	4	10
35-49	417	2.6	2	1	2	3	3	3	7
50-69	414	2.4	2	< 1	1	2	3	5	5
70 +	43	1.0							
	1424	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
	1881	**3.2**	**13**	**1**	**1**	**2**	**3**	**6**	**8**

DRG 248: Tendonitis, Myositis & Bursitis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	347	7.1	33	3	4	5	8	14	16
70-74	190	4.8	9	1	2	6	8	8	11
75-79	354	8.4	38	3	4	5	12	22	22
80-84	234	6.4	5	4	4	6	8	9	11
85+	227	6.5	8	4	5	5	6	12	12
SUBTOTAL	**1352**	**6.9**	**23**	**3**	**4**	**5**	**8**	**13**	**16**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	297	4.5	9	1	2	4	7	10	10
70-74	247	4.2	9	1	1	5	6	9	9
75-79	354	3.3	1	2	2	3	4	5	5
80-84	227	7.1	20	1	6	6	8	15	15
85+	117	4.3	2						
SUBTOTAL	**1242**	**4.6**	**10**	**1**	**2**	**4**	**6**	**9**	**10**
GRAND TOTAL	**2594**	**5.8**	**18**	**2**	**3**	**5**	**7**	**12**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	83	2.0							
18-34	157	4.5	2	3	3	4	6	6	7
35-49	524	3.9	19	1	2	3	5	7	7
50-69	561	5.6	13	3	3	5	6	10	11
70+	30	5.7	4						
SUBTOTAL	**1355**	**4.6**	**14**	**1**	**2**	**4**	**6**	**7**	**10**
0-17	1104	3.3	10	1	2	3	4	6	7
18-34	564	3.4	5	2	2	3	3	7	8
35-49	922	3.6	2	2	3	3	5	6	7
50-69	998	3.0	8	1	1	3	4	8	10
70+	43	8.0							
SUBTOTAL	**3631**	**3.4**	**7**	**1**	**2**	**3**	**4**	**7**	**8**
	4986	**3.7**	**9**	**1**	**2**	**3**	**5**	**7**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	40	7.3	7						
18-34	20	7.0	9						
35-49	73	5.1	4						
50-69	93	7.8	128	3	3	3	5	40	40
70+	0								
SUBTOTAL	**227**	**6.8**	**57**	**3**	**3**	**4**	**8**	**10**	**10**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	293	5.0	9	2	3	4	6	11	11
18-34	113	2.9	4	1	1	3	5	6	6
35-49	10	13.0							
50-69	30	3.0	3						
70+	0								
SUBTOTAL	**447**	**4.5**	**10**	**1**	**2**	**4**	**6**	**11**	**11**
GRAND TOTAL	**673**	**5.3**	**27**	**1**	**3**	**4**	**6**	**10**	**11**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	40	5.5	32						
18-34	93	3.5	5	1	2	2	5	8	8
35-49	137	5.3	6	2	2	6	7	7	10
50-69	73	18.9	127						
70+	0								
SUBTOTAL	**343**	**7.7**	**69**	**2**	**2**	**6**	**7**	**28**	**28**
0-17	320	2.9	4	1	1	2	4	5	7
18-34	167	2.5	1	1	1	3	3	4	4
35-49	103	4.6	5	2	3	4	7	7	7
50-69	93	2.9	2	1	2	3	3	6	6
70+	0								
SUBTOTAL	**683**	**3.1**	**4**	**1**	**2**	**3**	**4**	**6**	**7**
	1026	**4.6**	**30**	**1**	**2**	**3**	**6**	**7**	**15**

DRG 249: Aftercare, Musculoskeletal System & Connective Tissue

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	220	10.3	54	3	5	8	14	21	21
70-74	194	9.7	44	3	7	7	19	19	23
75-79	170	5.9	24	2	2	3	12	12	17
80-84	340	8.9	16	5	5	8	11	16	16
85 +	177	13.2	108	6	9	11	12	21	52
SUBTOTAL	**1101**	**9.5**	**49**	**3**	**5**	**8**	**12**	**19**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	618	7.8	145	1	2	3	6	20	42
70-74	447	9.0	61	2	4	5	11	21	28
75-79	147	3.5	3	2	2	3	6	6	6
80-84	264	3.6	7	1	1	3	7	8	8
85 +	127	5.2	6	2	4	4	8	8	8
SUBTOTAL	**1602**	**6.9**	**79**	**1**	**2**	**4**	**7**	**16**	**28**
GRAND TOTAL	**2703**	**7.9**	**69**	**1**	**3**	**5**	**10**	**18**	**21**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	11.0	168						
18-34	0								
35-49	0								
50-69	50	3.6	1						
70 +	0								
SUBTOTAL	**80**	**6.4**	**75**	**1**	**2**	**4**	**4**	**29**	**29**
0-17	303	1.6	1	< 1	1	1	3	3	3
18-34	60	2.0	3	< 1	< 1	1	2	6	6
35-49	153	4.5	75	1	1	1	3	13	35
50-69	400	6.3	32	1	2	5	9	20	20
70 +	0								
SUBTOTAL	**917**	**4.2**	**32**	**< 1**	**1**	**2**	**5**	**9**	**20**
GRAND TOTAL	**997**	**4.4**	**35**	**< 1**	**1**	**2**	**5**	**9**	**20**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	50	2.8	3						
18-34	0								
35-49	63	7.6	13						
50-69	10	3.0							
70 +	0								
SUBTOTAL	**123**	**5.3**	**14**	**1**	**2**	**5**	**10**	**10**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	120	3.7	18	1	1	2	4	5	17
18-34	20	1.0							
35-49	53	9.9	19						
50-69	0								
70 +	0								
SUBTOTAL	**193**	**5.1**	**26**	**< 1**	**1**	**2**	**12**	**12**	**16**
GRAND TOTAL	**316**	**5.2**	**21**	**1**	**1**	**3**	**10**	**12**	**12**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	15.3	115						
18-34	0								
35-49	10	4.0							
50-69	0								
70 +	43	30.0							
SUBTOTAL	**83**	**21.6**	**129**						
0-17	60	1.5	1	< 1	1	1	1	4	4
18-34	137	2.9	16	< 1	2	2	2	3	17
35-49	63	4.5	4						
50-69	20	2.5	2						
70 +	0								
SUBTOTAL	**280**	**3.0**	**10**	**< 1**	**1**	**2**	**4**	**4**	**9**
GRAND TOTAL	**363**	**7.2**	**99**	**< 1**	**1**	**2**	**4**	**30**	**30**

Southern Region, July 1989 - June 1990

DRG 250: Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	394	4.7	8	1	3	4	7	10	10
70-74	327	5.4	9	1	3	6	7	9	11
75-79	321	4.9	13	2	2	4	6	7	15
80-84	397	5.0	23	1	2	4	6	8	17
85 +	194	2.9	5	1	1	2	3	7	7
SUBTOTAL	**.633**	**4.7**	**13**	**1**	**2**	**4**	**7**	**9**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1633**	**4.7**	**13**	**1**	**2**	**4**	**7**	**9**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	287	7.9	165	< 1	1	2	5	38	38
35-49	157	3.9	4	3	3	3	4	8	9
50-69	301	3.7	5	1	2	3	5	7	7
70 +	0								
	744	**5.3**	**70**	**1**	**2**	**3**	**5**	**7**	**38**
	0								
	0								
	0								
	0								
	0								
	0								
	744	**5.3**	**70**	**1**	**2**	**3**	**5**	**7**	**38**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	83	7.8	21						
35-49	10	3.0							
50-69	63	4.8	19						
70 +	0								
SUBTOTAL	**157**	**6.3**	**21**	**2**	**2**	**3**	**12**	**12**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**157**	**6.3**	**21**	**2**	**2**	**3**	**12**	**12**	**13**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	140	2.6	6	1	1	2	3	5	10
35-49	30	2.3	1						
50-69	10	1.0							
70 +	43	4.0							
	223	**2.7**	**4**	**1**	**1**	**2**	**4**	**5**	**5**
	0								
	0								
	0								
	0								
	0								
	0								
	223	**2.7**	**4**	**1**	**1**	**2**	**4**	**5**	**5**

DRG 251: Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	337	2.2	1	1	2	2	2	3	3
70-74	194	4.9	21	1	1	2	5	13	13
75-79	267	2.4	1	1	1	3	3	4	4
80-84	378	2.2	1	1	1	2	3	4	4
85 +	224	4.1	5	1	4	5	5	5	5
SUBTOTAL	**1399**	**2.9**	**6**	**1**	**1**	**2**	**4**	**5**	**5**
GRAND TOTAL	**1399**	**2.9**	**6**	**1**	**1**	**2**	**4**	**5**	**5**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	0								
18-34	974	2.5	3	< 1	1	2	3	5	7
35-49	972	2.9	5	1	1	2	4	6	7
50-69	844	2.0	1	1	1	2	2	3	4
70 +	43	4.0							
SUBTOTAL	**2834**	**2.5**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**2834**	**2.5**	**3**	**1**	**1**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	103	1.6		< 1	1	2	2	3	3
35-49	43	1.0							
50-69	53	4.2	22						
70 +	43	3.0							
SUBTOTAL	**244**	**2.3**	**6**	**1**	**1**	**2**	**3**	**3**	**3**
GRAND TOTAL	**244**	**2.3**	**6**	**1**	**1**	**2**	**3**	**3**	**3**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	0								
18-34	747	3.1	5	1	2	3	4	5	9
35-49	380	2.2	1	1	1	2	3	4	4
50-69	224	1.7	3	< 1	1	1	1	4	4
70 +	10	3.0							
SUBTOTAL	**1361**	**2.6**	**4**	**1**	**1**	**2**	**4**	**4**	**7**
GRAND TOTAL	**1361**	**2.6**	**4**	**1**	**1**	**2**	**4**	**4**	**7**

DRG 252: Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	103	2.1	1	1	2	2	2	3	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	103	2.1	1	1	2	2	2	3	5
0-17	3683	1.5	1	1	1	1	2	2	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	3683	1.5	1	1	1	1	2	2	3
GRAND TOTAL	3787	1.5	1	1	1	1	2	2	3

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	20	2.5	2						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	20	2.5	2						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	868	1.5	1	1	1	1	2	2	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	868	1.5	1	1	1	1	2	2	3
GRAND TOTAL	888	1.6	1	1	1	1	2	2	3

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	50	7.2	29						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	50	7.2	29						
0-17	1421	1.6	3	< 1	1	1	2	3	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1421	1.6	3	< 1	1	1	2	3	4
GRAND TOTAL	1471	1.8	5	< 1	1	1	2	3	5

DRG 253: Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1275	5.8	18	1	2	5	10	12	13
70-74	1362	6.0	14	2	2	6	9	11	13
75-79	992	7.6	51	2	3	7	9	14	23
80-84	1132	7.9	53	3	3	5	8	22	27
85 +	1131	8.1	62	2	3	6	8	15	33
SUBTOTAL	**5891**	**7.0**	**39**	**2**	**3**	**6**	**8**	**13**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**5891**	**7.0**	**39**	**2**	**3**	**6**	**8**	**13**	**19**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	644	4.1	12	1	2	2	6	9	12
35-49	694	8.0	96	1	3	5	8	14	43
50-69	587	5.1	13	1	3	4	6	10	12
70 +	87	14.5	57						
SUBTOTAL	**2012**	**6.2**	**49**	**1**	**2**	**4**	**8**	**12**	**18**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2012**	**6.2**	**49**	**1**	**2**	**4**	**8**	**12**	**18**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	103	4.6	31	1	1	1	4	15	17
35-49	53	15.3	2						
50-69	190	6.0	19	2	4	4	8	10	22
70 +	87	2.5	2						
SUBTOTAL	**434**	**6.1**	**30**	**1**	**2**	**4**	**8**	**16**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**434**	**6.1**	**30**	**1**	**2**	**4**	**8**	**16**	**16**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	834	4.2	22	1	2	4	5	6	7
35-49	724	4.5	8	1	2	3	7	9	9
50-69	357	6.1	12	1	3	7	9	10	11
70 +	10	3.0							
SUBTOTAL	**1925**	**4.6**	**16**	**1**	**2**	**4**	**6**	**9**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1925**	**4.6**	**16**	**1**	**2**	**4**	**6**	**9**	**10**

DRG 254: Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1509	3.6	4	1	2	3	5	6	7
70-74	972	4.9	18	1	2	4	8	10	11
75-79	747	4.4	15	1	2	3	6	8	15
80-84	664	3.7	9	1	2	3	4	8	12
85+	912	5.1	20	1	2	4	7	10	12
SUBTOTAL	4804	4.3	13	1	2	4	5	9	11
GRAND TOTAL	4804	4.3	13	1	2	4	5	9	11

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	0								
18-34	2383	2.7	3	1	1	2	4	5	6
35-49	1769	4.4	58	1	2	2	4	6	11
50-69	1499	3.5	7	1	2	3	4	7	8
70+	160	3.3	6	1	1	2	5	7	9
	5811	3.4	22	1	1	3	4	6	8
	5811	3.4	22	1	1	3	4	6	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	274	5.5	76	1	2	3	6	9	9
35-49	267	2.5	1	<1	1	3	3	3	3
50-69	103	3.7	23	1	1	1	3	10	17
70+	0								
SUBTOTAL	644	4.0	38	1	1	3	3	8	9
GRAND TOTAL	644	4.0	38	1	1	3	3	8	9

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	0								
18-34	2044	3.0	5	1	1	3	4	6	8
35-49	1028	3.1	5	1	1	2	4	7	7
50-69	487	2.2	7	1	1	1	2	5	9
70+	0								
	3559	2.9	5	1	1	2	4	6	7
	3559	2.9	5	1	1	2	4	6	7

DRG 255: Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	43	1.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	43	1.0							
GRAND TOTAL	43	1.0							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	591	3.0	15	1	1	2	4	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	591	3.0	15	1	1	2	4	6	7
0-17	4851	2.2	4	1	1	2	3	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	4851	2.2	4	1	1	2	3	4	5
	5441	2.3	5	1	1	2	3	4	5

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	189	6.4	42	1	2	4	10	20	23
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	189	6.4	42	1	2	4	10	20	23
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1269	2.3	5	1	1	2	3	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1269	2.3	5	1	1	2	3	4	6
GRAND TOTAL	1458	2.8	11	1	1	2	3	6	9

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	240	7.8	183	1	2	5	8	8	26
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	240	7.8	183	1	2	5	8	8	26
0-17	2073	2.0	4	1	1	2	2	3	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2073	2.0	4	1	1	2	2	3	4
	2313	2.6	25	1	1	2	3	4	6

DRG 256: Other Musculoskeletal System & Connective Tissue Diagnoses

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	734	4.8	29	2	2	3	6	8	12
70-74	404	7.3	24	2	3	7	9	18	18
75-79	561	6.1	6	4	4	5	8	9	11
80-84	354	7.2	25	1	2	8	9	18	18
85+	127	9.7	39	4	4	7	18	18	18
SUBTOTAL	**2180**	**6.3**	**24**	**2**	**3**	**5**	**8**	**11**	**18**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	905	5.6	17	2	3	4	8	10	17
70-74	283	3.7	6	2	2	4	5	6	7
75-79	350	3.2	7	1	2	3	4	6	7
80-84	180	3.6	1	3	3	3	5	5	5
85+	87	2.5							
SUBTOTAL	**1806**	**4.5**	**12**	**1**	**2**	**3**	**5**	**9**	**13**
GRAND TOTAL	**3985**	**5.5**	**19**	**2**	**3**	**4**	**7**	**9**	**17**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	153	3.0	7	<1	<1	2	5	7	9
18-34	150	2.2							
35-49	387	4.5	34	1	1	2	4	9	16
50-69	337	4.0	8	1	2	3	4	8	11
70+	10	1.0							
SUBTOTAL	**1037**	**3.7**	**17**	**1**	**2**	**2**	**4**	**8**	**9**
0-17	778	3.7	19	1	1	2	4	8	16
18-34	911	2.3	2	1	1	2	3	5	5
35-49	1292	2.7	2	1	2	2	3	4	6
50-69	911	3.2	6	1	1	2	5	6	8
70+	0								
SUBTOTAL	**3892**	**2.9**	**7**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**4929**	**3.1**	**9**	**1**	**1**	**2**	**4**	**6**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	100	3.8	8	1	1	3	6	8	10
18-34	93	2.5	5	1	1	1	4	8	8
35-49	170	2.9	3	1	1	2	3	6	7
50-69	244	3.5	4	1	1	4	5	5	5
70+	10	14.0							
SUBTOTAL	**617**	**3.4**	**7**	**1**	**1**	**3**	**5**	**6**	**8**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	605	2.3	4	<1	1	2	3	4	4
18-34	167	3.6	2	2	3	3	5	5	7
35-49	63	2.2	1						
50-69	60	2.5	3	1	2	2	2	6	6
70+	0								
SUBTOTAL	**895**	**2.5**	**4**	**<1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**1512**	**2.9**	**5**	**1**	**1**	**2**	**4**	**5**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	3.3	7						
18-34	297	3.5	36	<1	1	3	3	4	7
35-49	180	5.5	14	<1	1	7	10	10	10
50-69	147	5.9	21	2	2	4	8	12	18
70+	0								
SUBTOTAL	**654**	**4.6**	**26**	**<1**	**2**	**3**	**7**	**10**	**10**
0-17	430	2.9	8	1	1	2	4	8	8
18-34	524	2.3	6	<1	1	1	2	6	6
35-49	293	2.0	1	1	1	2	3	3	3
50-69	180	2.3	3	1	1	2	3	5	7
70+	0								
SUBTOTAL	**1427**	**2.4**	**5**	**1**	**1**	**1**	**3**	**6**	**8**
GRAND TOTAL	**2081**	**3.1**	**13**	**<1**	**1**	**2**	**3**	**7**	**9**

DRG 257: Total Mastectomy for Malignancy w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3019	5.2	12	2	3	4	6	9	11
70-74	2459	5.3	18	3	3	4	6	8	11
75-79	1471	4.6	4	2	3	4	6	8	8
80-84	1358	5.6	13	2	4	5	6	8	13
85 +	1024	6.5	14	3	4	5	8	13	17
SUBTOTAL	**9331**	**5.3**	**13**	**2**	**3**	**4**	**6**	**9**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**9331**	**5.3**	**13**	**2**	**3**	**4**	**6**	**9**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	254	4.5	2	3	4	4	5	7	7
35-49	1737	4.1	4	2	2	4	5	7	9
50-69	3125	4.2	6	2	3	3	5	6	8
70 +	153	3.8	1	3	3	3	4	6	7
	5268	**4.2**	**5**	**2**	**3**	**4**	**5**	**7**	**8**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	5268	**4.2**	**5**	**2**	**3**	**4**	**5**	**7**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	30	7.3	39						
35-49	103	4.8	5	3	4	4	5	7	11
50-69	177	8.1	54	4	4	5	10	17	33
70 +	43	5.0							
SUBTOTAL	**353**	**6.7**	**34**	**3**	**4**	**5**	**6**	**14**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**353**	**6.7**	**34**	**3**	**4**	**5**	**6**	**14**	**17**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	107	3.8	7						
35-49	449	4.9	6	3	3	4	6	10	10
50-69	770	6.0	14	2	4	5	7	11	13
70 +	10	3.0							
	1336	**5.4**	**11**	**2**	**3**	**5**	**7**	**10**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1336	**5.4**	**11**	**2**	**3**	**5**	**7**	**10**	**11**

DRG 258: Total Mastectomy for Malignancy w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	2618	3.7	4	2	3	3	4	6	8
70-74	1567	4.1	5	2	3	4	5	6	8
75-79	1929	4.1	3	2	3	4	5	6	7
80-84	868	5.1	24	2	3	4	5	8	13
85 +	427	3.5	3	2	2	3	4	7	7
SUBTOTAL	**7409**	**4.0**	**6**	**2**	**3**	**4**	**5**	**6**	**8**
GRAND TOTAL	**7409**	**4.0**	**6**	**2**	**3**	**4**	**5**	**6**	**8**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0									
547	3.7	3	2	2	3	4	6	7	
3668	3.9	3	2	3	4	5	6	7	
6471	3.6	2	2	2	3	4	5	7	
40	3.0	6							
10726	**3.7**	**3**	**2**	**3**	**3**	**5**	**6**	**7**	
10726	**3.7**	**3**	**2**	**3**	**3**	**5**	**6**	**7**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	53	4.8							
35-49	307	4.7	1	3	4	5	5	6	6
50-69	210	3.6	2	2	3	3	4	5	6
70 +	0								
SUBTOTAL	**571**	**4.3**	**2**	**3**	**3**	**4**	**5**	**6**	**6**
GRAND TOTAL	**571**	**4.3**	**2**	**3**	**3**	**4**	**5**	**6**	**6**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0									
60	3.3	1	2	3	3	4	5	5	
370	3.8	1	3	3	3	5	6	6	
860	3.4	3	2	2	3	5	5	5	
63	2.8	1							
1353	**3.5**	**3**	**2**	**2**	**3**	**5**	**5**	**6**	
1353	**3.5**	**3**	**2**	**2**	**3**	**5**	**5**	**6**	

DRG 259: Subtotal Mastectomy for Malignancy w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	300	5.4	58	1	2	3	5	8	29
70-74	234	4.1	9	2	2	3	4	10	10
75-79	287	5.0	27	2	2	4	5	5	23
80-84	200	4.8	6	2	2	5	8	8	9
85 +	83	8.5	2						
SUBTOTAL	**1104**	**5.1**	**27**	**2**	**2**	**3**	**7**	**9**	**11**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1104**	**5.1**	**27**	**2**	**2**	**3**	**7**	**9**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	2.0							
35-49	353	3.9	5	1	2	4	5	7	9
50-69	400	3.6	6	1	2	3	4	8	9
70 +	43	3.0							
SUBTOTAL	**807**	**3.7**	**5**	**1**	**2**	**3**	**5**	**8**	**9**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**807**	**3.7**	**5**	**1**	**2**	**3**	**5**	**8**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	20	9.5	59						
35-49	53	1.8							
50-69	20	17.5	253						
70 +	0								
SUBTOTAL	**93**	**6.8**	**105**	**1**	**2**	**2**	**2**	**33**	**33**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**93**	**6.8**	**105**	**1**	**2**	**2**	**2**	**33**	**33**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	2.0							
35-49	50	5.6	33						
50-69	60	4.5	9	< 1	1	4	7	9	9
70 +	0								
SUBTOTAL	**120**	**4.8**	**19**	**1**	**2**	**3**	**6**	**9**	**17**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**120**	**4.8**	**19**	**1**	**2**	**3**	**6**	**9**	**17**

DRG 260: Subtotal Mastectomy for Malignancy w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	402	2.2	1	<1	<1	2	3	3	4
70-74	296	2.2	2	<1	<1	2	3	5	5
75-79	177	1.9	1	<1	1	1	3	3	4
80-84	40	2.3	5						
85+	103	1.8	1	<1	<1	1	3	3	3
SUBTOTAL	**1019**	**2.1**	**2**	**<1**	**<1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**1019**	**2.1**	**2**	**<1**	**<1**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
0									
0-17	10	1.0							
18-34	113	2.5	1	<1	2	2	3	4	5
35-49	885	2.1	1	<1	1	2	3	4	4
50-69	1078	2.1	2	<1	<1	2	3	4	4
70+	10	1.0							
2097	**2.1**	**2**	**<1**	**<1**	**2**	**3**	**4**	**4**
2097	**2.1**	**2**	**<1**	**<1**	**2**	**3**	**4**	**4**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	10	1.0							
35-49	40	2.3	1						
50-69	43	2.0							
70+	10	2.0							
SUBTOTAL	**103**	**2.0**	**1**	**<1**	**2**	**2**	**2**	**3**	**4**
GRAND TOTAL	**103**	**2.0**	**1**	**<1**	**2**	**2**	**2**	**3**	**4**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
0									
0-17	0								
18-34	40	2.8	2						
35-49	150	2.5	1	1	1	2	3	4	5
50-69	80	4.4	3	3	3	4	6	7	7
70+	0								
269	**3.1**	**3**	**1**	**2**	**3**	**4**	**5**	**7**
269	**3.1**	**3**	**1**	**2**	**3**	**4**	**5**	**7**

DRG 261: Breast Proc for Non-malignancy except Biopsy & Local Excision

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	113	5.3	6	2	3	5	8	8	8
70-74	137	2.4	3	2	2	2	2	2	8
75-79	30	2.7	2						
80-84	0								
85 +	0								
SUBTOTAL	**280**	**3.6**	**6**	**2**	**2**	**2**	**5**	**8**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	236	2.2	2	< 1	1	2	3	4	5
70-74	157	2.0	1	1	1	2	3	3	5
75-79	70	1.6	1	< 1	1	1	2	3	3
80-84	30	2.7	2						
85 +	10	2.0							
SUBTOTAL	**503**	**2.1**	**1**	**< 1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**783**	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**8**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	73	1.4	1						
18-34	40	3.0							
35-49	100	3.0	4	< 1	1	2	4	6	7
50-69	60	1.3		< 1	1	1	2	2	2
70 +	0								
SUBTOTAL	**273**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**6**
0-17	653	1.8	1	1	1	2	2	3	4
18-34	1502	2.1	2	1	1	2	3	3	4
35-49	2157	2.9	5	1	2	2	3	6	7
50-69	1149	2.5	2	< 1	1	2	4	4	5
70 +	20	2.5							
SUBTOTAL	**5481**	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**5754**	**2.4**	**3**	**1**	**1**	**2**	**3**	**4**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	20	2.0							
50-69	0								
70 +	0								
SUBTOTAL	**20**	**2.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	70	1.4	1	1	1	1	2	3	3
18-34	260	3.3	2	2	3	3	3	6	6
35-49	53	3.6	1						
50-69	40	1.8							
70 +	0								
SUBTOTAL	**423**	**2.9**	**2**	**1**	**2**	**3**	**3**	**6**	**6**
GRAND TOTAL	**443**	**2.9**	**2**	**1**	**2**	**3**	**3**	**4**	**6**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	30	2.7							
35-49	30	2.3							
50-69	20	3.5	2						
70 +	0								
SUBTOTAL	**80**	**2.8**	**1**	**2**	**2**	**3**	**3**	**5**	**5**
0-17	60	1.2		1	1	1	1	2	2
18-34	403	1.7	1	< 1	1	2	2	3	3
35-49	193	1.9	1	1	1	2	2	3	4
50-69	120	2.3	3	1	1	2	3	5	6
70 +	0								
SUBTOTAL	**776**	**1.8**	**1**	**< 1**	**1**	**2**	**2**	**3**	**4**
GRAND TOTAL	**856**	**1.9**	**1**	**< 1**	**1**	**2**	**2**	**3**	**4**

DRG 262: Breast Biopsy & Local Excision for Non-malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	143	2.3	6	1	1	1	3	8	8
70-74	20	6.0	9						
75-79	0								
80-84	10	1.0							
85 +	0								
SUBTOTAL	**173**	**2.7**	**7**	**< 1**	**1**	**1**	**3**	**8**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	556	1.7	3	< 1	< 1	< 1	1	2	8
70-74	283	1.2		< 1	< 1	< 1	1	2	2
75-79	209	1.0		< 1	< 1	< 1	< 1	< 1	1
80-84	120	1.0		< 1	< 1	< 1	< 1	< 1	1
85 +	20	1.0							
SUBTOTAL	**1187**	**1.4**	**2**	**< 1**	**< 1**	**< 1**	**< 1**	**2**	**2**
GRAND TOTAL	**1361**	**1.6**	**3**	**< 1**	**< 1**	**< 1**	**1**	**2**	**8**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	1.0							
18-34	0								
35-49	60	1.8	1	< 1	< 1	1	2	4	4
50-69	127	1.3	1	< 1	1	1	1	3	3
70 +	0								
	197	**1.5**	**1**	**< 1**	**1**	**1**	**2**	**3**	**4**
0-17	93	1.1		< 1	1	1	1	2	2
18-34	532	1.1		< 1	< 1	< 1	< 1	1	1
35-49	2013	1.3	1	< 1	< 1	< 1	< 1	2	2
50-69	1597	1.1		< 1	< 1	< 1	< 1	1	3
70 +	10	1.0							
	4245	**1.2**	**1**	**< 1**	**< 1**	**< 1**	**< 1**	**1**	**2**
	4442	**1.2**	**1**	**< 1**	**< 1**	**< 1**	**1**	**1**	**2**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	53	4.8							
70 +	0								
SUBTOTAL	**53**	**4.8**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	10	1.0							
18-34	60	1.5	1	< 1	< 1	< 1	< 1	4	4
35-49	40	1.5	1						
50-69	20	1.0							
70 +	0								
SUBTOTAL	**130**	**1.4**	**1**	**< 1**	**< 1**	**< 1**	**1**	**3**	**4**
GRAND TOTAL	**183**	**2.4**	**3**	**< 1**	**< 1**	**1**	**4**	**5**	**5**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	3.0							
35-49	40	2.5	1						
50-69	0								
70 +	0								
	50	**2.6**	**1**						
0-17	10	1.0							
18-34	70	1.3		< 1	< 1	< 1	1	3	3
35-49	70	1.6	1	< 1	< 1	< 1	3	3	3
50-69	187	2.2	2	< 1	1	2	3	4	4
70 +	0								
	336	**1.9**	**1**	**< 1**	**< 1**	**1**	**3**	**4**	**4**
	386	**2.0**	**1**	**< 1**	**< 1**	**1**	**3**	**4**	**4**

DRG 263: Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2287	23.0	373	5	8	16	30	53	60
70-74	1408	16.4	180	6	7	12	20	33	45
75-79	1108	19.3	349	5	7	13	29	56	80
80-84	1438	20.2	307	6	9	15	27	73	99 +
85 +	1711	15.3	127	5	8	12	23	29	36
SUBTOTAL	7952	19.2	280	5	8	14	25	46	62
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	7952	19.2	280	5	8	14	25	46	62

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	90	16.9	84	5	6	18	22	32	32
18-34	153	12.9	98	2	4	9	19	23	39
35-49	504	12.2	129	3	6	8	16	26	46
50-69	467	16.5	87	8	11	15	22	44	99 +
70 +	30	9.3	28						
	1243	14.2	108	4	7	11	19	35	46
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1243	14.2	108	4	7	11	19	35	46

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	30	6.3	6						
18-34	396	17.2	267	5	7	13	22	37	65
35-49	280	19.1	186	11	13	14	22	58	99 +
50-69	470	23.6	147	5	15	24	34	42	99 +
70 +	0								
SUBTOTAL	1176	19.9	205	5	11	17	31	42	83
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	1176	19.9	205	5	11	17	31	42	83

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	10.7	4						
18-34	260	14.1	58	3	10	14	16	21	26
35-49	133	8.8	26	6	6	7	11	11	25
50-69	387	15.3	63	9	10	13	17	30	35
70 +	10	82.0							
	820	14.5	114	6	9	12	16	25	35
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	820	14.5	114	6	9	12	16	25	35

DRG 264: Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	457	15.8	82	6	9	14	22	28	32
70-74	117	8.3	10						
75-79	257	6.9	50	1	1	7	8	12	12
80-84	117	13.0	49						
85 +	147	9.8	20	4	4	11	13	15	18
SUBTOTAL	**1094**	**11.8**	**69**	**2**	**7**	**9**	**14**	**25**	**28**
GRAND TOTAL	**1094**	**11.8**	**69**	**2**	**7**	**9**	**14**	**25**	**28**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	177	6.3	11	2	2	7	8	9	14
18-34	303	7.5	7	4	5	8	10	10	10
35-49	103	5.1	4	2	3	6	6	7	7
50-69	234	14.2	133	2	3	9	21	29	29
70 +	10	8.0							
SUBTOTAL	**827**	**8.9**	**55**	**2**	**4**	**7**	**10**	**19**	**29**
GRAND TOTAL	**827**	**8.9**	**55**	**2**	**4**	**7**	**10**	**19**	**29**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	93	13.1	106	3	5	14	14	40	40
18-34	163	9.8	122	2	3	7	10	20	48
35-49	73	5.2	10						
50-69	63	19.5	17						
70 +	10	2.0							
SUBTOTAL	**403**	**11.1**	**99**	**3**	**4**	**8**	**14**	**22**	**29**
GRAND TOTAL	**403**	**11.1**	**99**	**3**	**4**	**8**	**14**	**22**	**29**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	90	6.9	26	1	3	6	9	18	18
18-34	207	6.6	25	3	4	5	6	13	16
35-49	107	4.8	24						
50-69	93	11.4	14	7	10	10	14	20	20
70 +	0								
SUBTOTAL	**496**	**7.2**	**28**	**2**	**3**	**5**	**10**	**15**	**18**
GRAND TOTAL	**496**	**7.2**	**28**	**2**	**3**	**5**	**10**	**15**	**18**

DRG 265: Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	697	13.7	340	1	4	7	13	39	73
70-74	423	7.4	81	1	3	4	8	14	18
75-79	254	9.8	80	4	4	6	12	20	20
80-84	331	10.7	113	2	5	7	10	34	34
85 +	394	9.1	124	2	6	7	10	14	14
SUBTOTAL	**2098**	**10.6**	**185**	**2**	**4**	**7**	**11**	**24**	**35**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2098**	**10.6**	**185**	**2**	**4**	**7**	**11**	**24**	**35**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	173	3.8	12	1	2	2	6	11	11
18-34	250	4.9	58	1	1	2	5	11	19
35-49	393	6.2	31	3	3	4	8	9	14
50-69	363	8.9	73	2	4	6	11	15	36
70 +	63	11.6	97						
	1243	**6.7**	**54**	**1**	**3**	**4**	**9**	**14**	**19**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1243	**6.7**	**54**	**1**	**3**	**4**	**9**	**14**	**19**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	80	12.5	303	2	3	5	12	57	57
18-34	123	9.7	120	2	2	3	12	23	37
35-49	20	13.5	13						
50-69	93	17.8	94	5	11	18	18	34	34
70 +	0								
SUBTOTAL	**316**	**13.0**	**161**	**2**	**3**	**9**	**18**	**33**	**37**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**316**	**13.0**	**161**	**2**	**3**	**9**	**18**	**33**	**37**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	90	6.4	14	2	4	5	9	15	15
18-34	256	5.9	45	1	2	4	10	11	17
35-49	153	10.2	148	1	1	7	16	22	48
50-69	123	15.1	221	3	3	6	24	42	45
70 +	0								
	623	**8.9**	**113**	**1**	**2**	**5**	**11**	**22**	**32**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	623	**8.9**	**113**	**1**	**2**	**5**	**11**	**22**	**32**

DRG 266: Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	727	5.0	46	< 1	1	3	5	8	22
70-74	266	3.5	9	< 1	2	3	4	6	8
75-79	306	1.9	4	< 1	1	1	2	4	7
80-84	244	3.4	5	1	2	2	5	6	6
85 +	353	3.7	11	< 1	1	1	6	8	11
SUBTOTAL	**1896**	**3.8**	**23**	**< 1**	**1**	**2**	**5**	**7**	**11**
GRAND TOTAL	**1896**	**3.8**	**23**	**< 1**	**1**	**2**	**5**	**7**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	1589	4.3	24	1	1	3	5	10	17
18-34	1561	4.4	20	1	2	3	5	11	15
35-49	1517	4.1	11	1	2	3	6	7	9
50-69	1223	3.5	7	1	1	3	5	8	8
70 +	53	1.8							
SUBTOTAL	**5944**	**4.1**	**16**	**1**	**1**	**3**	**5**	**8**	**13**
	5944	**4.1**	**16**	**1**	**1**	**3**	**5**	**8**	**13**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	572	5.7	43	1	2	3	8	16	20
18-34	197	4.5	24	< 1	1	4	6	10	18
35-49	123	8.1	28	2	4	9	10	10	22
50-69	40	5.3	22						
70 +	0								
SUBTOTAL	**932**	**5.8**	**37**	**1**	**1**	**3**	**8**	**13**	**20**
GRAND TOTAL	**932**	**5.8**	**37**	**1**	**1**	**3**	**8**	**13**	**20**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	556	4.4	21	1	2	2	6	10	15
18-34	774	3.9	6	1	2	3	5	7	10
35-49	223	3.3	3	1	2	3	4	6	6
50-69	173	5.9	27	1	2	3	12	14	14
70 +	10	4.0							
SUBTOTAL	**1736**	**4.2**	**13**	**1**	**2**	**3**	**5**	**9**	**11**
	1736	**4.2**	**13**	**1**	**2**	**3**	**5**	**9**	**11**

DRG 267: Perianal & Pilonidal Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	30	2.7							
70-74	10	5.0							
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	40	3.3	1						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	43	2.0							
70-74	30	1.0							
75-79	10	1.0							
80-84	10	2.0							
85 +	0								
SUBTOTAL	93	1.6		< 1	1	2	2	2	2
GRAND TOTAL	133	2.1	1	< 1	1	2	2	3	5

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	63	1.7							
35-49	63	2.5	1						
50-69	0								
70 +	0								
SUBTOTAL	127	2.1	1	1	2	2	2	3	4
0-17	313	1.4	1	< 1	1	1	2	2	3
18-34	1371	2.1	4	1	1	1	2	5	7
35-49	588	1.9	1	1	1	2	2	3	3
50-69	43	2.0							
70 +	53	1.0							
SUBTOTAL	2369	1.9	2	1	1	1	2	3	5
GRAND TOTAL	2496	2.0	2	1	1	1	2	3	5

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	10	2.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	10	2.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	113	1.7		1	1	2	2	2	3
18-34	180	3.3	8	1	1	2	4	8	8
35-49	0								
50-69	10	3.0							
70 +	0								
SUBTOTAL	303	2.7	5	1	1	2	2	8	8
GRAND TOTAL	313	2.7	5	1	1	2	2	8	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	43	2.0							
18-34	40	1.5	1						
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	83	1.8							
0-17	90	1.7	1	1	1	1	2	3	3
18-34	463	2.1	1	1	1	2	3	4	4
35-49	80	4.1	29	1	1	2	4	18	18
50-69	10	1.0							
70 +	0								
SUBTOTAL	643	2.2	5	1	1	2	3	4	4
GRAND TOTAL	726	2.2	5	1	1	2	3	4	4

DRG 268: Skin, Subcutaneous Tissue & Breast Plastic Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	83	1.7	2						
70-74	113	5.4	6	3	3	6	7	7	10
75-79	117	4.7	15						
80-84	10	3.0							
85 +	97	11.9	11						
SUBTOTAL	420	5.9	21	1	1	6	10	13	13
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	90	1.6	1	< 1	< 1	< 1	1	4	4
70-74	90	3.9	13	1	1	3	4	13	13
75-79	80	1.6	1	< 1	< 1	< 1	2	3	3
80-84	30	3.0	5						
85 +	93	1.0		< 1	< 1	1	1	1	1
SUBTOTAL	383	2.1	5	< 1	< 1	1	3	4	6
GRAND TOTAL	803	4.1	17	< 1	1	2	6	13	13

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	63	1.2							
18-34	127	2.1	2	1	1	2	2	5	6
35-49	20	5.5	13						
50-69	40	2.8	3						
70 +	20	4.0	9						
	270	2.4	5	1	1	1	2	6	7
0-17	396	1.6	1	< 1	1	1	2	3	4
18-34	167	2.3	2	< 1	1	2	3	5	5
35-49	173	1.9	1	< 1	< 1	2	3	3	3
50-69	177	2.1	3	< 1	1	1	3	3	8
70 +	87	1.0							
	999	1.8	2	< 1	1	1	2	3	5
	1269	1.9	2	< 1	1	1	2	4	5

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	10	1.0							
50-69	10	20.0							
70 +	10	5.0							
SUBTOTAL	30	8.7	69						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	160	1.3		1	1	1	2	2	2
18-34	0								
35-49	10	4.0							
50-69	20	2.5							
70 +	0								
SUBTOTAL	189	1.6	1	1	1	1	2	3	4
GRAND TOTAL	219	2.5	16	1	1	1	2	4	5

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	53	1.0							
18-34	153	3.0	26	< 1	< 1	1	3	4	22
35-49	30	1.0							
50-69	20	2.5							
70 +	0								
	256	2.3	16	< 1	1	1	2	3	4
0-17	60	1.8	1	1	1	2	2	4	4
18-34	133	2.0	1	1	1	2	2	3	4
35-49	143	1.9		< 1	1	2	2	3	3
50-69	170	1.6	2	1	1	1	1	3	7
70 +	40	1.3							
	546	1.8	1	1	1	2	2	3	4
	802	1.9	6	< 1	1	1	2	3	4

DRG 269: Other Skin, Subcut Tiss & Breast Proc w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1471	9.8	62	2	4	7	14	22	24
70-74	484	9.6	19	4	7	8	14	16	16
75-79	494	7.6	46	2	4	5	8	20	25
80-84	727	9.9	58	2	5	8	14	23	29
85+	260	8.4	70	3	3	6	13	15	19
SUBTOTAL	**3435**	**9.4**	**54**	**2**	**4**	**7**	**14**	**21**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3435**	**9.4**	**54**	**2**	**4**	**7**	**14**	**21**	**24**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	410	5.2	26	2	2	4	6	7	13
18-34	407	6.9	30	1	3	6	8	12	17
35-49	506	8.6	94	1	4	7	8	22	22
50-69	883	7.3	56	1	2	4	10	19	24
70+	10	22.0							
SUBTOTAL	**2217**	**7.2**	**56**	**1**	**2**	**5**	**8**	**18**	**22**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
0									
2217	**7.2**	**56**	**1**	**2**	**5**	**8**	**18**	**22**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	143	3.8	7	2	2	3	4	8	11
18-34	300	4.9	10	1	1	5	7	9	9
35-49	217	10.7	74	3	5	7	16	26	26
50-69	217	11.6	71	3	3	10	18	18	24
70+	10	3.0							
SUBTOTAL	**886**	**7.8**	**51**	**1**	**3**	**6**	**9**	**18**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**886**	**7.8**	**51**	**1**	**3**	**6**	**9**	**18**	**26**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	153	3.4	3	2	2	3	4	6	8
18-34	724	5.6	37	2	3	4	7	11	12
35-49	600	6.5	16	2	4	6	7	15	15
50-69	120	17.0	263	3	8	15	23	65	99+
70+	0								
SUBTOTAL	**1597**	**6.6**	**52**	**2**	**3**	**5**	**7**	**15**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
0									
1597	**6.6**	**52**	**2**	**3**	**5**	**7**	**15**	**15**	

DRG 270: Other Skin, Subcut Tiss & Breast Proc w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	940	4.0	16	< 1	1	2	5	11	13
70-74	487	2.6	5	< 1	< 1	2	3	8	8
75-79	193	1.9	1	< 1	< 1	< 1	3	3	4
80-84	137	5.4	18	< 1	4	4	6	9	18
85 +	187	6.9	34	< 1	< 1	6	15	15	16
SUBTOTAL	**1942**	**3.8**	**15**	**< 1**	**< 1**	**2**	**5**	**10**	**14**
GRAND TOTAL	**1942**	**3.8**	**15**	**< 1**	**< 1**	**2**	**5**	**10**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	1738	2.6	5	< 1	1	2	3	6	7
18-34	1863	2.2	4	< 1	< 1	1	3	4	5
35-49	2039	2.8	8	< 1	< 1	2	4	8	10
50-69	1590	2.3	4	< 1	1	2	3	5	5
70 +	53	5.9	6						
SUBTOTAL	**7283**	**2.5**	**5**	**< 1**	**< 1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**7283**	**2.5**	**5**	**< 1**	**< 1**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	839	3.6	9	1	1	3	5	8	11
18-34	477	2.5	6	< 1	1	2	3	4	4
35-49	113	3.6	5	1	2	3	5	5	9
50-69	137	4.4	16	< 1	1	3	10	10	10
70 +	0								
SUBTOTAL	**1566**	**3.3**	**9**	**1**	**1**	**3**	**4**	**7**	**10**
GRAND TOTAL	**1566**	**3.3**	**9**	**1**	**1**	**3**	**4**	**7**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	829	3.5	9	1	1	2	5	8	11
18-34	1508	4.1	11	1	2	3	5	9	10
35-49	427	2.8	4	< 1	1	2	4	5	6
50-69	336	3.2	5	1	1	2	6	7	7
70 +	20	2.0	1						
SUBTOTAL	**3120**	**3.7**	**9**	**1**	**1**	**3**	**5**	**8**	**10**
GRAND TOTAL	**3120**	**3.7**	**9**	**1**	**1**	**3**	**5**	**8**	**10**

DRG 271: Skin Ulcers

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1024	8.1	17	4	5	7	12	14	16
70-74	764	21.8	748	3	8	11	18	83	96
75-79	1215	14.9	260	4	6	11	15	26	41
80-84	754	11.8	77	5	6	9	14	20	36
85 +	994	19.5	406	6	8	13	29	58	99 +
SUBTOTAL	**4753**	**15.0**	**311**	**4**	**6**	**10**	**14**	**35**	**78**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	50	5.8	4						
70-74	63	5.9	3						
75-79	287	10.5	46	5	6	10	20	99 +	99 +
80-84	137	24.8	723	5	5	8	64	64	64
85 +	307	7.1	50	1	3	5	8	12	13
SUBTOTAL	**844**	**11.0**	**191**	**3**	**4**	**7**	**12**	**39**	**64**
GRAND TOTAL	**5597**	**14.4**	**295**	**4**	**6**	**10**	**14**	**35**	**78**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	60	4.3	8	1	3	4	4	10	10
18-34	117	6.0	9						
35-49	137	6.8	14	3	3	7	7	12	15
50-69	487	7.2	19	2	5	7	8	17	17
70 +	63	8.9	121						
	864	**6.9**	**24**	**2**	**4**	**6**	**7**	**12**	**17**
0-17	20	3.5	2						
18-34	20	2.5							
35-49	20	3.0	4						
50-69	103	9.3	33	3	3	13	13	15	20
70 +	43	5.0							
	207	**6.6**	**25**	**2**	**3**	**5**	**13**	**13**	**15**
	1071	**6.8**	**24**	**2**	**4**	**6**	**7**	**13**	**17**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	60	13.8	99	6	7	10	14	35	35
18-34	277	16.9	204	4	7	8	34	41	41
35-49	63	14.7	149						
50-69	297	9.7	71	2	6	7	8	15	28
70 +	130	26.3	850						
SUBTOTAL	**828**	**15.4**	**276**	**3**	**7**	**8**	**15**	**41**	**67**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	10	37.0							
18-34	20	23.0	1						
35-49	117	7.4	14						
50-69	53	14.3	13						
70 +	0								
SUBTOTAL	**200**	**12.3**	**69**	**4**	**4**	**12**	**16**	**23**	**31**
GRAND TOTAL	**1028**	**14.8**	**237**	**4**	**6**	**8**	**15**	**39**	**45**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	53	6.4	1						
18-34	20	9.0	1						
35-49	113	7.1	16	3	4	4	11	12	14
50-69	103	6.5	28	2	3	3	12	15	16
70 +	0								
	290	**6.9**	**17**	**3**	**3**	**7**	**10**	**14**	**15**
0-17	40	5.3	23						
18-34	10	10.0							
35-49	43	20.0							
50-69	40	7.5	12						
70 +	0								
	133	**11.1**	**50**	**2**	**5**	**10**	**20**	**20**	**20**
	423	**8.2**	**31**	**3**	**4**	**7**	**12**	**20**	**20**

DRG 272: Major Skin Disorders w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	650	9.5	272	2	2	5	8	11	70
70-74	440	6.3	4	4	5	7	7	9	10
75-79	380	7.8	41	4	6	7	8	11	44
80-84	354	13.6	127	2	3	11	20	33	33
85 +	414	16.1	190	5	6	12	19	50	50
SUBTOTAL	**2239**	**10.5**	**154**	**2**	**4**	**7**	**11**	**20**	**42**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2239**	**10.5**	**154**	**2**	**4**	**7**	**11**	**20**	**42**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	229	5.8	10	3	4	5	7	9	14
18-34	197	4.8	11	2	2	5	6	7	13
35-49	227	6.1	9	2	3	8	8	9	11
50-69	574	6.7	11	4	4	6	8	11	15
70 +	0								
	1227	**6.1**	**11**	**2**	**4**	**5**	**8**	**11**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1227	**6.1**	**11**	**2**	**4**	**5**	**8**	**11**	**11**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	90	6.4	12	1	4	7	10	11	11
18-34	157	8.6	39	3	3	8	9	16	28
35-49	40	8.0	23						
50-69	107	3.8	1						
70 +	53	15.9	19						
SUBTOTAL	**447**	**7.8**	**33**	**3**	**3**	**7**	**10**	**18**	**18**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**447**	**7.8**	**33**	**3**	**3**	**7**	**10**	**18**	**18**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	73	11.3	336						
18-34	30	15.7	194						
35-49	53	5.6	30						
50-69	30	8.0	1						
70 +	43	10.0							
	230	**9.9**	**147**	**3**	**3**	**7**	**10**	**17**	**35**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	230	**9.9**	**147**	**3**	**3**	**7**	**10**	**17**	**35**

DRG 273: Major Skin Disorders w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	254	8.3	62	3	3	4	9	24	24
70-74	267	3.4	4	1	2	3	5	6	7
75-79	214	7.3	11	4	4	6	8	13	13
80-84	107	7.3	15						
85 +	150	4.3	5						
SUBTOTAL	992	6.0	26	2	3	4	7	12	18
GRAND TOTAL	992	6.0	26	2	3	4	7	12	18

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	449	4.8	29	2	2	3	5	9	16
18-34	327	4.4	6	2	3	4	6	8	8
35-49	197	5.9	15	3	3	5	6	14	16
50-69	558	4.0	11	1	2	4	5	6	7
70 +	0								
	1531	4.6	16	2	2	4	5	8	12
	1531	4.6	16	2	2	4	5	8	12

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	133	6.1	13	2	3	5	11	11	11
18-34	103	4.7	15	1	1	5	5	11	13
35-49	50	6.2	3						
50-69	10	6.0							
70 +	0								
SUBTOTAL	296	5.6	12	1	3	5	8	11	11
GRAND TOTAL	296	5.6	12	1	3	5	8	11	11

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	193	3.7	8	1	2	2	5	10	11
18-34	153	3.7	7	1	1	5	6	8	8
35-49	63	3.6	7						
50-69	30	4.7							
70 +	0								
	440	3.7	7	1	2	3	5	8	9
	440	3.7	7	1	2	3	5	8	9

DRG 274: Malignant Breast Disorders w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	293	5.7	23	1	4	5	5	16	18
70-74	60	8.8	85	2	4	5	7	29	29
75-79	194	9.5	112	3	4	8	12	12	48
80-84	50	18.6	353						
85 +	97	4.0	4						
SUBTOTAL	**694**	**7.7**	**87**	**2**	**4**	**5**	**9**	**16**	**22**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**694**	**7.7**	**87**	**2**	**4**	**5**	**9**	**16**	**22**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	30	9.3	127						
35-49	367	7.2	17	2	5	6	9	15	15
50-69	410	9.5	117	2	4	7	12	20	21
70 +	10	3.0							
	817	**8.4**	**72**	**2**	**4**	**6**	**10**	**15**	**20**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	817	**8.4**	**72**	**2**	**4**	**6**	**10**	**15**	**20**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH
1.PATIENTS W/ CCs AGE GROUP								
0-17 (YRS.)	0							
18-34	87	9.0	25					
35-49	63	5.7	1					
50-69	50	10.4	98					
70 +	0							
SUBTOTAL	**200**	**8.3**	**39**	**4**	**4**	**6**	**14**	**14**	**23**
2.PATIENTS W/OUT CCs AGE GROUP								
0-17	0							
18-34	0							
35-49	0							
50-69	0							
70 +	0							
SUBTOTAL	**0**							
GRAND TOTAL	**200**	**8.3**	**39**	**4**	**4**	**6**	**14**	**14**	**23**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	3.0							
35-49	70	5.3	22	1	2	4	6	16	16
50-69	83	11.8	296						
70 +	0								
	163	**8.5**	**172**	**2**	**2**	**3**	**5**	**37**	**47**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	163	**8.5**	**172**	**2**	**2**	**3**	**5**	**37**	**47**

DRG 275: Malignant Breast Disorders w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	53	4.2							
75-79	0								
80-84	0								
85 +	97	6.1	11						
SUBTOTAL	**150**	**5.4**	**8**						
GRAND TOTAL	**150**	**5.4**	**8**						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	0								
35-49	50	1.2							
50-69	110	6.6	85	2	2	3	7	7	35
70 +	0								
160	**4.9**	**65**	**< 1**	**1**	**2**	**5**	**7**	**35**	
160	**4.9**	**65**	**< 1**	**1**	**2**	**5**	**7**	**35**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	43	9.0							
35-49	20	13.0	127						
50-69	53	1.2							
70 +	0								
SUBTOTAL	**117**	**6.1**	**43**						
GRAND TOTAL	**117**	**6.1**	**43**						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	0								
35-49	0								
50-69	53	4.6	1						
70 +	0								
53	**4.6**	**1**							
53	**4.6**	**1**							

DRG 276: Non-maligant Breast Disorders

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	117	5.4	3						
70-74	53	5.4	1						
75-79	63	4.5	1						
80-84	20	3.5	7						
85+	40	4.8	2						
SUBTOTAL	**293**	**5.0**	**3**	**2**	**4**	**5**	**6**	**7**	**7**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	63	4.5	1						
70-74	10	14.0							
75-79	0								
80-84	0								
85+	10	5.0							
SUBTOTAL	**83**	**5.7**	**10**						
GRAND TOTAL	**377**	**5.2**	**4**	**3**	**4**	**5**	**6**	**7**	**8**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	4.3	12						
18-34	10	3.0							
35-49	97	6.7	4						
50-69	60	4.7	10	<1	1	4	8	9	9
70+	0								
	197	**5.5**	**9**	**1**	**3**	**5**	**9**	**9**	**9**
0-17	147	2.6	2	2	2	2	3	4	7
18-34	127	1.5		1	1	1	2	2	3
35-49	254	4.0	2	1	3	5	5	5	5
50-69	167	2.8	1	<1	3	3	3	3	4
70+	0								
	694	**3.0**	**2**	**1**	**2**	**3**	**4**	**5**	**5**
	890	**3.5**	**5**	**1**	**2**	**3**	**5**	**6**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	10	2.0							
18-34	40	9.5	40						
35-49	10	4.0							
50-69	10	4.0							
70+	0								
SUBTOTAL	**70**	**6.9**	**33**	**2**	**3**	**4**	**13**	**18**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	73	3.7	3						
18-34	147	5.2	18	1	2	3	11	11	11
35-49	73	3.3	26						
50-69	53	3.9	4						
70+	0								
SUBTOTAL	**347**	**4.3**	**15**	**1**	**2**	**3**	**4**	**11**	**11**
GRAND TOTAL	**417**	**4.7**	**19**	**1**	**2**	**3**	**4**	**11**	**13**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	63	1.6	1						
35-49	20	2.0	1						
50-69	20	4.0	1						
70+	0								
	103	**2.2**	**2**	**1**	**1**	**1**	**3**	**4**	**5**
0-17	53	3.2							
18-34	120	2.3	1	1	1	2	3	3	4
35-49	103	3.6	3	1	2	5	5	6	6
50-69	30	5.3	17						
70+	0								
	306	**3.2**	**4**	**1**	**2**	**3**	**4**	**5**	**6**
	410	**2.9**	**4**	**1**	**1**	**3**	**3**	**5**	**5**

DRG 277: Cellulitis Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	6436	7.5	38	3	4	6	9	12	17
70-74	3361	7.1	16	3	5	6	9	11	17
75-79	3696	8.6	40	3	5	6	10	16	21
80-84	2056	8.0	36	3	5	6	9	16	21
85+	3771	8.1	25	4	5	7	10	14	16
SUBTOTAL	**19321**	**7.8**	**32**	**3**	**5**	**6**	**9**	**14**	**17**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**19321**	**7.8**	**32**	**3**	**5**	**6**	**9**	**14**	**17**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1364	4.6	7	2	3	4	6	8	10
35-49	3237	6.1	15	2	3	5	8	11	14
50-69	4126	7.1	23	3	4	6	9	14	16
70+	236	10.1	11	6	7	9	13	14	15
SUBTOTAL	**8963**	**6.4**	**18**	**2**	**3**	**5**	**8**	**13**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
0									
GRAND TOTAL	**8963**	**6.4**	**18**	**2**	**3**	**5**	**8**	**13**	**15**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	976	6.3	16	2	4	5	8	12	14
35-49	1247	8.1	40	3	5	7	8	16	23
50-69	1508	7.1	21	3	5	6	8	12	24
70+	117	5.0	4						
SUBTOTAL	**3848**	**7.1**	**26**	**3**	**4**	**6**	**8**	**12**	**19**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3848**	**7.1**	**26**	**3**	**4**	**6**	**8**	**12**	**19**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1512	5.4	11	2	3	5	7	8	12
35-49	1918	7.1	35	2	4	6	9	12	15
50-69	1027	6.0	11	2	4	5	8	11	12
70+	10	10.0							
SUBTOTAL	**4468**	**6.3**	**22**	**2**	**4**	**5**	**8**	**11**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
0									
GRAND TOTAL	**4468**	**6.3**	**22**	**2**	**4**	**5**	**8**	**11**	**14**

DRG 278: Cellulitis Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	3031	4.8	9	2	3	4	6	8	11
70-74	1496	5.2	9	2	3	5	6	8	10
75-79	1452	6.1	12	3	3	5	9	12	13
80-84	1155	6.7	25	2	4	5	8	13	21
85 +	958	6.4	11	2	4	6	9	11	11
SUBTOTAL	**8092**	**5.6**	**13**	**2**	**3**	**5**	**7**	**11**	**13**
GRAND TOTAL	**8092**	**5.6**	**13**	**2**	**3**	**5**	**7**	**11**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	3979	4.1	6	2	3	4	5	7	9
35-49	3601	4.5	6	2	3	4	6	8	9
50-69	3298	4.9	9	2	3	4	6	9	12
70 +	150	5.9	3						
	11028	**4.5**	**7**	**2**	**3**	**4**	**6**	**8**	**10**
	11028	**4.5**	**7**	**2**	**3**	**4**	**6**	**8**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	1541	4.9	7	2	3	4	6	8	10
35-49	557	6.3	25	2	4	4	8	11	21
50-69	480	7.0	19	2	4	5	12	14	14
70 +	160	5.3	2	4	4	5	7	7	7
SUBTOTAL	**2739**	**5.5**	**13**	**2**	**3**	**5**	**7**	**10**	**13**
GRAND TOTAL	**2739**	**5.5**	**13**	**2**	**3**	**5**	**7**	**10**	**13**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	3193	4.1	7	1	2	4	6	7	8
35-49	1541	4.9	8	2	3	4	6	8	9
50-69	967	5.7	11	2	3	5	7	11	12
70 +	0								
	5701	**4.6**	**8**	**1**	**3**	**4**	**6**	**7**	**10**
	5701	**4.6**	**8**	**1**	**3**	**4**	**6**	**7**	**10**

DRG 279: Cellulitis Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	10	7.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	10	7.0							
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	10	7.0							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1727	4.4	8	2	3	3	6	8	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1727	4.4	8	2	3	3	6	8	10
0-17	5872	3.9	7	2	2	3	4	7	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	5872	3.9	7	2	2	3	4	7	10
GRAND TOTAL	7598	4.0	8	2	2	3	5	7	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	1253	5.1	14	2	3	4	7	11	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1253	5.1	14	2	3	4	7	11	11
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	3926	3.7	6	2	2	3	4	6	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	3926	3.7	6	2	2	3	4	6	9
GRAND TOTAL	5179	4.1	8	2	2	3	5	7	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	536	5.0	8	2	3	4	7	9	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	536	5.0	8	2	3	4	7	9	10
0-17	3057	4.0	5	2	3	4	5	7	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	3057	4.0	5	2	3	4	5	7	9
GRAND TOTAL	3593	4.2	6	2	3	4	5	7	9

DRG 280: Trauma to the Skin, Subcut Tiss & Breast Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1031	3.9	19	1	2	3	5	7	14
70-74	581	6.7	57	1	1	5	9	10	31
75-79	758	3.2	8	1	1	3	3	6	8
80-84	467	4.8	18	1	2	4	5	11	14
85 +	1449	7.6	80	2	3	4	8	14	25
SUBTOTAL	**4286**	**5.5**	**46**	**1**	**2**	**3**	**6**	**11**	**16**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4286**	**5.5**	**46**	**1**	**2**	**3**	**6**	**11**	**16**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2103	2.6	5	1	1	2	3	5	8
35-49	1048	5.1	74	1	2	3	6	7	8
50-69	1122	4.0	9	1	2	3	4	9	12
70 +	174	6.0	33						
SUBTOTAL	**4446**	**3.7**	**24**	**1**	**1**	**2**	**4**	**7**	**9**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4446**	**3.7**	**24**	**1**	**1**	**2**	**4**	**7**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	567	2.8	9	1	1	2	4	5	5
35-49	207	2.8	7	1	2	2	2	6	10
50-69	354	5.4	10	2	4	4	6	13	13
70 +	10	5.0							
SUBTOTAL	**1138**	**3.6**	**11**	**1**	**2**	**3**	**4**	**7**	**11**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1138**	**3.6**	**11**	**1**	**2**	**3**	**4**	**7**	**11**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	3277	2.5	7	< 1	1	2	3	4	6
35-49	1338	3.6	9	1	1	3	5	7	9
50-69	517	3.3	12	< 1	1	2	5	9	11
70 +	53	5.3	2						
SUBTOTAL	**5186**	**2.9**	**8**	**1**	**1**	**2**	**4**	**6**	**8**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**5186**	**2.9**	**8**	**1**	**1**	**2**	**4**	**6**	**8**

DRG 281: Trauma to the Skin, Subcut Tiss & Breast Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	922	2.8	7	1	1	2	3	4	12
70-74	521	3.8	7	2	2	3	4	9	11
75-79	712	5.8	15	2	3	4	9	14	14
80-84	728	3.9	10	1	2	3	5	6	12
85 +	558	3.6	8	1	2	3	4	9	9
SUBTOTAL	3440	3.9	11	1	2	3	4	9	12
GRAND TOTAL	3440	3.9	11	1	2	3	4	9	12

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	5334	2.1	2	< 1	1	2	2	4	5
35-49	2751	2.9	8	1	1	2	3	7	11
50-69	1075	2.9	4	1	1	2	4	7	7
70 +	97	7.1	19						
	9257	2.5	5	1	1	2	3	5	7
	9257	2.5	5	1	1	2	3	5	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	774	1.8	1	< 1	1	1	2	3	3
35-49	123	2.4	7	1	1	2	2	3	11
50-69	117	1.5							
70 +	20	1.0							
SUBTOTAL	1034	1.8	2	1	1	1	2	3	3
GRAND TOTAL	1034	1.8	2	1	1	1	2	3	3

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	7230	1.9	2	< 1	1	1	2	3	4
35-49	1884	2.3	3	1	1	1	3	5	7
50-69	477	2.7	3	1	1	2	4	5	7
70 +	0								
	9591	2.0	2	< 1	1	1	3	4	5
	9591	2.0	2	< 1	1	1	3	4	5

DRG 282: Trauma to the Skin, Subcut Tiss & Breast Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	43	5.0							
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	43	5.0							
GRAND TOTAL	43	5.0							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1355	2.6	4	1	1	2	3	5	5
18-34	0								
35-49	0								
50-69	0								
70+	0								
	1355	2.6	4	1	1	2	3	5	5
0-17	4483	1.8	2	1	1	1	2	3	4
18-34	0								
35-49	0								
50-69	0								
70+	0								
	4483	1.8	2	1	1	1	2	3	4
	5838	2.0	2	1	1	2	2	4	5

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	270	3.3	6	1	1	2	4	8	8
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	270	3.3	6	1	1	2	4	8	8
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1591	1.8	3	1	1	1	2	4	5
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	1591	1.8	3	1	1	1	2	4	5
GRAND TOTAL	1861	2.0	4	1	1	1	2	4	6

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	477	2.1	4	1	1	2	2	3	4
18-34	0								
35-49	0								
50-69	0								
70+	0								
	477	2.1	4	1	1	2	2	3	4
0-17	3433	2.0	9	<1	1	1	2	4	5
18-34	0								
35-49	0								
50-69	0								
70+	0								
	3433	2.0	9	<1	1	1	2	4	5
	3909	2.0	8	<1	1	1	2	4	5

DRG 283: Minor Skin Disorders w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	884	8.3	48	2	3	7	10	15	28
70-74	600	5.2	22	2	2	4	6	11	11
75-79	534	5.6	13	2	2	4	9	10	13
80-84	307	8.7	23	3	4	9	14	14	14
85 +	214	5.8	9	2	4	6	7	8	8
SUBTOTAL	2539	6.8	31	2	3	5	9	14	15
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	2539	6.8	31	2	3	5	9	14	15

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	433	3.1	5	1	2	2	5	7	8
18-34	310	4.9	26	1	3	3	5	9	14
35-49	300	5.4	68	1	1	3	6	9	16
50-69	577	6.7	21	2	3	5	8	16	18
70 +	20	10.0							
	1640	5.2	28	1	2	4	6	10	16
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1640	5.2	28	1	2	4	6	10	16

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	514	6.0	22	1	3	4	9	10	14
18-34	153	6.7	16	3	3	4	10	10	16
35-49	30	4.0	9						
50-69	117	7.9	24						
70 +	10	5.0							
SUBTOTAL	823	6.3	21	1	3	5	9	14	14
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	823	6.3	21	1	3	5	9	14	14

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	153	3.3	4	1	2	2	6	6	7
18-34	183	4.3	9	2	2	3	6	7	14
35-49	210	4.9	4	4	4	4	5	8	9
50-69	157	7.9	27	4	4	5	11	21	99 +
70 +	0								
	703	5.1	13	2	3	4	6	10	15
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	703	5.1	13	2	3	4	6	10	15

DRG 284: Minor Skin Disorders w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	444	3.3	6	< 1	1	3	6	7	7
70-74	217	3.8	7	< 1	< 1	4	5	8	8
75-79	240	4.5	17	< 1	2	3	5	9	9
80-84	30	1.7	1						
85 +	83	5.3	4						
SUBTOTAL	**1014**	**3.8**	**9**	**< 1**	**1**	**3**	**6**	**8**	**9**
GRAND TOTAL	**1014**	**3.8**	**9**	**< 1**	**1**	**3**	**6**	**8**	**9**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	1296	2.8	5	1	1	2	4	5	6
18-34	801	2.6	3	1	1	2	4	5	6
35-49	623	3.0	5	< 1	1	2	4	7	7
50-69	507	3.5	6	1	2	3	3	9	10
70 +	0								
3227	**2.9**	**5**	**1**	**1**	**2**	**4**	**6**	**7**
3227	**2.9**	**5**	**1**	**1**	**2**	**4**	**6**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	836	3.6	13	1	2	2	3	9	10
18-34	137	4.9	8	1	3	3	8	8	9
35-49	40	4.5	31						
50-69	40	3.3	3						
70 +	10	2.0							
SUBTOTAL	**1063**	**3.8**	**12**	**1**	**2**	**3**	**5**	**9**	**10**
GRAND TOTAL	**1063**	**3.8**	**12**	**1**	**2**	**3**	**5**	**9**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	279	2.7	3	1	1	2	4	5	6
18-34	280	3.2	19	1	1	1	4	8	14
35-49	333	2.9	2	1	2	3	3	4	7
50-69	113	4.1	6	1	1	4	6	8	9
70 +	0								
1006	**3.1**	**8**	**1**	**1**	**2**	**4**	**6**	**8**
1006	**3.1**	**8**	**1**	**1**	**2**	**4**	**6**	**8**

DRG 285: Amputat of Lower Limb for Endocrine, Nutrit,& Metabol Disorders

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	823	16.1	159	6	8	11	21	37	40
70-74	153	13.1	37	6	9	12	13	24	28
75-79	234	22.7	199	6	9	16	35	43	43
80-84	147	16.8	200	6	10	14	16	26	65
85 +	127	14.9	106	3	3	15	25	25	29
SUBTOTAL	**1484**	**16.8**	**159**	**6**	**9**	**12**	**23**	**35**	**43**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	40	8.0	20						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**40**	**8.0**	**20**						
GRAND TOTAL	**1524**	**16.6**	**158**	**6**	**9**	**12**	**23**	**35**	**43**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	10.0							
35-49	117	32.5	894						
50-69	400	16.0	92	4	10	15	20	38	38
70 +	0								
SUBTOTAL	**527**	**19.6**	**315**	**5**	**10**	**14**	**20**	**38**	**71**
0-17	0								
18-34	10	2.0							
35-49	43	6.0							
50-69	20	15.5	32						
70 +	0								
SUBTOTAL	**73**	**8.0**	**31**						
	600	**18.2**	**295**	**4**	**7**	**14**	**20**	**38**	**71**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	30	12.3	89						
35-49	40	20.8	65						
50-69	190	17.6	36	11	14	17	19	30	36
70 +	0								
SUBTOTAL	**260**	**17.5**	**51**	**9**	**14**	**17**	**19**	**30**	**32**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	43	3.0							
70 +	0								
SUBTOTAL	**43**	**3.0**							
GRAND TOTAL	**303**	**15.4**	**69**	**3**	**10**	**17**	**19**	**27**	**32**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	83	20.0	42						
50-69	167	18.1	36	13	16	17	18	31	33
70 +	0								
SUBTOTAL	**250**	**18.7**	**39**	**13**	**16**	**18**	**21**	**31**	**33**
0-17	0								
18-34	10	2.0							
35-49	10	30.0							
50-69	0								
70 +	0								
SUBTOTAL	**20**	**16.0**	**206**						
	270	**18.5**	**51**	**9**	**14**	**18**	**21**	**31**	**33**

DRG 286: Adrenal & Pituitary Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	157	13.9	69	7	8	10	17	26	38
70-74	93	17.0	262	4	12	12	17	62	62
75-79	63	9.1	27						
80-84	0								
85 +	0								
SUBTOTAL	**313**	**13.9**	**125**	**6**	**7**	**12**	**17**	**20**	**38**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	93	9.0	2	7	8	10	10	10	10
70-74	60	10.7	47	3	6	7	19	21	21
75-79	10	9.0							
80-84	0								
85 +	0								
SUBTOTAL	**163**	**9.6**	**19**	**6**	**7**	**9**	**10**	**19**	**21**
GRAND TOTAL	**477**	**12.4**	**92**	**6**	**7**	**10**	**17**	**20**	**26**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	160	10.4	11	6	7	10	13	14	17
18-34	110	10.6	18	6	7	10	17	17	17
35-49	227	8.2	15	5	5	7	12	12	15
50-69	190	10.0	26	5	5	10	16	20	65
70 +	10	9.0							
	696	**9.6**	**18**	**5**	**6**	**9**	**12**	**16**	**17**
0-17	40	7.0	10						
18-34	313	6.2	2	4	5	6	7	7	10
35-49	229	7.3	3	5	6	7	9	10	10
50-69	187	7.5	3	5	6	7	10	10	10
70 +	10	7.0							
	779	**6.9**	**4**	**4**	**6**	**7**	**8**	**10**	**10**
	1475	**8.2**	**12**	**5**	**6**	**7**	**10**	**14**	**16**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	10	8.0							
18-34	40	8.8	4						
35-49	30	16.7	156						
50-69	40	15.0	78						
70 +	0								
SUBTOTAL	**120**	**12.8**	**78**	**7**	**7**	**9**	**13**	**29**	**34**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	20	11.0	26						
18-34	10	16.0							
35-49	10	9.0							
50-69	10	7.0							
70 +	0								
SUBTOTAL	**50**	**10.8**	**19**						
GRAND TOTAL	**170**	**12.2**	**61**	**6**	**7**	**9**	**13**	**29**	**34**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	40	13.5	54						
18-34	20	5.5	2						
35-49	93	10.8	8	6	10	11	11	16	16
50-69	0								
70 +	0								
	153	**10.8**	**25**	**5**	**7**	**11**	**14**	**16**	**24**
0-17	20	8.0	9						
18-34	20	5.5	2						
35-49	20	5.5							
50-69	40	12.8	158						
70 +	0								
	100	**8.9**	**75**	**3**	**5**	**6**	**8**	**22**	**34**
	253	**10.1**	**45**	**4**	**6**	**8**	**11**	**16**	**24**

DRG 287: Skin Grafts & Wound Debrid for Endoc, Nutrit & Metab Disorders

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	610	16.2	181	3	6	10	20	39	39
70-74	340	18.1	200	8	9	11	22	47	47
75-79	340	10.8	70	3	4	7	19	27	27
80-84	113	26.9	502	11	14	14	31	70	75
85 +	30	13.3	21						
SUBTOTAL	**1434**	**16.1**	**197**	**4**	**6**	**11**	**21**	**39**	**47**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	10	7.0							
70-74	10	18.0							
75-79	10	5.0							
80-84	53	5.9	15						
85 +	0								
SUBTOTAL	**83**	**7.4**	**26**						
GRAND TOTAL	**1517**	**15.7**	**192**	**4**	**6**	**11**	**21**	**37**	**47**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	43	11.0							
35-49	177	11.0	33	5	8	9	12	22	28
50-69	203	10.9	38	6	7	9	12	18	26
70 +	20	8.0							
	443	**10.8**	**31**	**6**	**7**	**9**	**12**	**16**	**23**
0-17	0								
18-34	0								
35-49	10	4.0							
50-69	73	10.7	42						
70 +	0								
	83	**9.9**	**41**						
	526	**10.7**	**33**	**4**	**7**	**10**	**12**	**16**	**23**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	10	9.0							
35-49	113	20.7	181	12	13	13	28	45	50
50-69	113	16.6	308	5	5	7	28	39	61
70 +	10	13.0							
SUBTOTAL	**246**	**18.0**	**232**	**5**	**7**	**13**	**19**	**45**	**50**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**246**	**18.0**	**232**	**5**	**7**	**13**	**19**	**45**	**50**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	30	6.7	15						
35-49	80	16.8	73	5	10	17	20	34	34
50-69	280	7.8	24	2	4	8	9	16	18
70 +	0								
	390	**9.6**	**46**	**2**	**4**	**9**	**12**	**19**	**22**
0-17	0								
18-34	0								
35-49	0								
50-69	43	6.0							
70 +	0								
	43	**6.0**							
	433	**9.2**	**43**	**2**	**4**	**8**	**12**	**18**	**21**

DRG 288: O.R. Procedures for Obesity

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	70	7.1	12	4	5	6	8	15	15
70-74	0								
75-79	10	16.0							
80-84	0								
85 +	0								
SUBTOTAL	80	8.3	19	4	5	6	11	16	16
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	73	4.5	1						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	73	4.5	1						
GRAND TOTAL	153	6.5	14	4	4	5	7	15	16

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	140	6.2	1						
35-49	236	8.5	55	4	5	6	8	26	32
50-69	73	10.1	84						
70 +	0								
	450	8.0	45	5	5	6	7	24	32
0-17	20	4.5							
18-34	533	4.8	2	3	4	5	5	7	7
35-49	869	5.8	14	3	4	5	6	7	10
50-69	167	4.2	1	3	3	4	4	6	7
70 +	0								
	1588	5.3	9	3	4	5	6	7	8
	2039	5.9	18	3	4	5	6	7	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	30	9.0	3						
50-69	10	6.0							
70 +	0								
SUBTOTAL	40	8.3	4						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	50	6.2	9						
35-49	73	5.5	3						
50-69	0								
70 +	0								
SUBTOTAL	123	5.8	6	4	5	5	5	10	12
GRAND TOTAL	163	6.4	6	4	5	5	7	11	12

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	20	2.5							
70 +	0								
	20	2.5							
0-17	10	4.0							
18-34	207	4.8	9	1	2	5	9	9	9
35-49	100	2.4	4	< 1	1	2	3	6	7
50-69	20	4.5	13						
70 +	0								
	336	4.0	8	1	1	4	5	9	9
	356	3.9	8	1	1	3	5	9	9

DRG 289: Parathyroid Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	250	5.8	14	3	4	4	6	12	12
70-74	113	9.6	180	2	3	3	6	33	43
75-79	137	6.4	21	3	3	3	13	13	13
80-84	107	10.8	105						
85 +	10	10.0							
SUBTOTAL	**617**	**7.6**	**65**	**3**	**3**	**4**	**11**	**13**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	227	5.0	5	2	3	5	7	9	9
70-74	173	4.5	17	2	2	4	5	5	20
75-79	63	3.4	1						
80-84	150	5.0	5						
85 +	0								
SUBTOTAL	**613**	**4.7**	**8**	**2**	**3**	**4**	**6**	**8**	**9**
GRAND TOTAL	**1230**	**6.1**	**39**	**2**	**3**	**4**	**6**	**11**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	30	11.7	124						
35-49	63	4.3	3						
50-69	93	5.3	2	3	5	6	6	7	7
70 +	0								
SUBTOTAL	**187**	**6.0**	**28**	**2**	**4**	**5**	**6**	**8**	**27**
0-17	10	4.0							
18-34	53	3.2							
35-49	430	3.0	2	2	2	3	3	5	7
50-69	323	3.3	11	1	2	2	4	4	13
70 +	53	4.4	1						
SUBTOTAL	**870**	**3.2**	**5**	**2**	**2**	**3**	**3**	**5**	**7**
GRAND TOTAL	**1056**	**3.7**	**10**	**2**	**2**	**3**	**4**	**6**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	10	3.0							
50-69	63	3.0							
70 +	0								
SUBTOTAL	**73**	**3.0**							
GRAND TOTAL	**73**	**3.0**							

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	2.0							
35-49	30	10.0	102						
50-69	10	3.0							
70 +	0								
SUBTOTAL	**50**	**7.0**	**74**						
0-17	0								
18-34	10	3.0							
35-49	93	4.3	15	2	3	3	3	15	15
50-69	30	3.0	1						
70 +	0								
SUBTOTAL	**133**	**3.9**	**11**	**2**	**3**	**3**	**3**	**5**	**15**
GRAND TOTAL	**183**	**4.7**	**30**	**2**	**2**	**3**	**4**	**15**	**24**

Southern Region, July 1989 - June 1990

DRG 290: Thyroid Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	387	4.6	9	2	3	3	6	7	13
70-74	307	4.8	14	2	3	3	7	8	16
75-79	337	4.4	7	2	3	3	5	10	10
80-84	224	12.0	118	5	5	5	26	26	34
85 +	10	14.0							
SUBTOTAL	1264	6.0	38	2	3	4	6	10	21
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1044	3.0	3	2	2	3	4	4	6
70-74	514	3.0	4	2	2	3	3	4	4
75-79	297	2.7	1	2	2	2	3	4	4
80-84	127	3.5	1	3	3	4	4	4	4
85 +	30	6.7	36						
SUBTOTAL	2011	3.0	3	2	2	3	4	4	5
GRAND TOTAL	3275	4.2	19	2	2	3	4	7	10

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	50	2.4	1						
18-34	207	4.1	6	2	2	3	7	8	8
35-49	283	3.7	7	2	2	2	5	7	7
50-69	477	5.4	19	2	2	3	8	12	12
70 +	0								
	1016	4.5	13	2	2	3	5	10	12
	276	2.2	1	1	1	2	3	3	5
	2312	2.2	2	1	1	2	3	3	4
	3795	2.5	3	1	2	2	3	4	7
	2364	2.2	1	1	2	2	3	3	4
	20	1.0							
	8768	2.4	2	1	2	2	3	4	4
	9784	2.6	4	1	2	2	3	4	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	10	7.0							
18-34	20	3.0							
35-49	107	3.6	3						
50-69	20	2.0							
70 +	0								
SUBTOTAL	157	3.5	3	2	2	3	5	6	7
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	223	2.5	2	1	2	2	3	4	6
35-49	63	2.3							
50-69	103	3.2	1	2	3	3	4	4	5
70 +	10	2.0							
SUBTOTAL	400	2.7	2	1	2	2	3	4	5
GRAND TOTAL	556	2.9	2	2	2	2	3	5	6

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	50	4.2	6						
35-49	93	2.7	1	2	2	2	3	6	6
50-69	80	5.3	17	1	3	4	6	15	15
70 +	0								
	223	4.0	9	2	2	3	5	7	9
	20	2.0	1						
	256	2.1		1	2	2	2	3	3
	423	2.5	1	2	2	2	3	3	4
	227	2.4	1	1	2	2	3	3	4
	10	4.0							
	936	2.4	1	1	2	2	3	3	4
	1159	2.7	3	1	2	2	3	4	6

DRG 291: Thyroglossal Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	10	3.0							
80-84	0								
85 +	0								
SUBTOTAL	**10**	**3.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	10	1.0							
70-74	0								
75-79	0								
80-84	0								
85 +	10	1.0							
SUBTOTAL	**20**	**1.0**							
GRAND TOTAL	**30**	**1.7**	**1**						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	3.7							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**30**	**3.7**							
0-17	412	1.4	3	1	1	1	1	2	2
18-34	157	1.4		1	1	1	2	3	3
35-49	200	2.0	1	1	1	2	3	3	3
50-69	87	1.0							
70 +	0								
SUBTOTAL	**856**	**1.5**	**2**	**1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**886**	**1.6**	**2**	**1**	**1**	**1**	**2**	**3**	**3**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	150	1.1		<1	1	1	1	2	2
18-34	0								
35-49	10	1.0							
50-69	0								
70 +	0								
SUBTOTAL	**160**	**1.1**		**<1**	**1**	**1**	**1**	**2**	**2**
GRAND TOTAL	**160**	**1.1**		**<1**	**1**	**1**	**1**	**2**	**2**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	10	2.0							
70 +	0								
SUBTOTAL	**10**	**2.0**							
0-17	80	1.3		1	1	1	2	2	2
18-34	20	2.0	1						
35-49	10	1.0							
50-69	0								
70 +	0								
SUBTOTAL	**110**	**1.4**		**1**	**1**	**1**	**2**	**2**	**3**
GRAND TOTAL	**120**	**1.4**		**1**	**1**	**1**	**2**	**2**	**3**

DRG 292: Other Endocrine, Nutrit & Metab O.R. Proc w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	637	13.4	74	4	7	12	19	24	33
70-74	353	13.6	138	2	4	9	17	34	34
75-79	287	17.4	236	4	6	14	17	50	50
80-84	103	7.9	20	3	6	7	7	16	17
85 +	93	19.9	98	3	15	20	20	38	38
SUBTOTAL	**1474**	**14.2**	**126**	**4**	**6**	**12**	**19**	**33**	**38**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1474**	**14.2**	**126**	**4**	**6**	**12**	**19**	**33**	**38**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	70	11.4	37	6	6	8	17	23	23
18-34	50	24.6	719						
35-49	123	9.2	58	3	5	6	9	17	30
50-69	264	11.7	36	7	8	10	15	28	29
70 +	10	23.0							
	516	**12.5**	**124**	**6**	**7**	**9**	**15**	**23**	**30**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	516	**12.5**	**124**	**6**	**7**	**9**	**15**	**23**	**30**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	120	19.3	114	6	10	19	26	27	44
18-34	10	2.0							
35-49	10	12.0							
50-69	30	7.3							
70 +	0								
SUBTOTAL	**170**	**15.8**	**114**	**4**	**7**	**12**	**20**	**27**	**44**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**170**	**15.8**	**114**	**4**	**7**	**12**	**20**	**27**	**44**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	20	9.5	13						
18-34	43	6.0							
35-49	43	28.0							
50-69	103	20.8	395	4	5	19	19	46	73
70 +	0								
	210	**18.2**	**256**	**5**	**6**	**19**	**28**	**28**	**41**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	210	**18.2**	**256**	**5**	**6**	**19**	**28**	**28**	**41**

DRG 293: Other Endocrine, Nutrit & Metab O.R. Proc w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	117	4.2	3						
70-74	20	1.5							
75-79	30	4.7	21						
80-84	0								
85 +	43	2.0							
SUBTOTAL	**210**	**3.5**	**6**	**2**	**2**	**3**	**5**	**5**	**10**
GRAND TOTAL	**210**	**3.5**	**6**	**2**	**2**	**3**	**5**	**5**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	143	9.8	93	4	5	6	8	24	39
18-34	80	2.4	2	< 1	1	2	3	4	4
35-49	137	4.9	9	2	2	5	6	10	12
50-69	133	5.3	5	3	4	4	7	8	10
70 +	0								
SUBTOTAL	**493**	**6.0**	**38**	**2**	**3**	**5**	**6**	**10**	**16**
GRAND TOTAL	**493**	**6.0**	**38**	**2**	**3**	**5**	**6**	**10**	**16**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	30	4.7							
18-34	53	3.6	1						
35-49	0								
50-69	43	7.0							
70 +	0								
SUBTOTAL	**127**	**5.0**	**3**	**4**	**4**	**5**	**7**	**7**	**7**
GRAND TOTAL	**127**	**5.0**	**3**	**4**	**4**	**5**	**7**	**7**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	20	5.0							
18-34	20	6.0	4						
35-49	10	6.0							
50-69	10	9.0							
70 +	0								
SUBTOTAL	**60**	**6.2**	**3**	**4**	**5**	**6**	**8**	**9**	**9**
GRAND TOTAL	**60**	**6.2**	**3**	**4**	**5**	**6**	**8**	**9**	**9**

DRG 294: Diabetes Age >35

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	11325	6.7	22	3	4	6	8	12	15
70-74	6495	7.2	32	3	4	6	9	12	15
75-79	5116	8.1	44	3	4	6	10	13	24
80-84	3693	7.6	28	3	4	6	9	13	18
85+	2160	9.3	45	4	5	7	11	17	20
SUBTOTAL	**28789**	**7.4**	**31**	**3**	**4**	**6**	**9**	**13**	**18**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	6698	5.2	7	3	3	5	6	9	11
70-74	3155	5.3	7	3	4	5	6	8	10
75-79	2965	5.8	9	3	4	5	7	9	12
80-84	1292	4.8	6	2	4	4	6	9	10
85+	798	5.9	5	3	4	6	7	10	11
SUBTOTAL	**14910**	**5.4**	**7**	**3**	**4**	**5**	**7**	**9**	**11**
GRAND TOTAL	**43699**	**6.7**	**24**	**3**	**4**	**5**	**8**	**11**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	3564	5.8	16	2	3	5	7	10	14
50-69	4926	6.5	13	3	4	6	8	11	13
70+	190	8.1	17	3	4	10	10	14	14
SUBTOTAL	**8680**	**6.2**	**15**	**3**	**4**	**5**	**8**	**11**	**1**
0-17	0								
18-34	0								
35-49	5614	4.4	5	2	3	4	5	7	10
50-69	6856	4.6	5	2	3	4	6	8	10
70+	63	4.8	2						
SUBTOTAL	**12534**	**4.5**	**5**	**2**	**3**	**4**	**6**	**8**	**10**
GRAND TOTAL	**21214**	**5.2**	**10**	**2**	**3**	**4**	**6**	**9**	**11**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	1	6.9	24	3	4	6	7	14	15
50-69	2638	7.6	75	3	4	6	9	11	16
70+	247	6.6	12	4	6	7	7	99+	99+
SUBTOTAL	**4639**	**7.3**	**52**	**3**	**4**	**6**	**8**	**14**	**18**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	1566	4.7	14	2	3	4	5	7	11
50-69	1623	5.4	11	3	3	4	7	10	11
70+	107	6.1	7						
SUBTOTAL	**3295**	**5.1**	**13**	**2**	**3**	**4**	**7**	**9**	**12**
GRAND TOTAL	**7934**	**6.4**	**37**	**3**	**3**	**5**	**7**	**11**	**16**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	2271	6.2	19	2	4	6	8	10	11
50-69	1984	6.3	21	3	4	5	7	11	16
70+	63	24.2	101						
SUBTOTAL	**4319**	**6.5**	**26**	**3**	**4**	**5**	**8**	**11**	**16**
0-17	0								
18-34	0								
35-49	1485	4.5	5	2	3	4	6	8	9
50-69	1098	5.5	7	2	4	5	7	8	9
70+	43	9.0							
SUBTOTAL	**2626**	**5.0**	**7**	**2**	**3**	**5**	**6**	**8**	**9**
GRAND TOTAL	**6945**	**5.9**	**19**	**2**	**3**	**5**	**7**	**9**	**12**

DRG 295: Diabetes Age 0-35

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	680	6.4	17	1	3	7	9	11	11
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**680**	**6.4**	**17**	**1**	**3**	**7**	**9**	**11**	**11**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	173	4.0	10	1	3	3	5	7	15
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**173**	**4.0**	**10**	**1**	**3**	**3**	**5**	**7**	**15**
GRAND TOTAL	**853**	**5.9**	**17**	**1**	**3**	**5**	**8**	**10**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1760	4.4	9	2	2	4	6	7	8
18-34	2519	5.8	71	2	3	4	7	9	12
35-49	180	6.2	16	1	3	5	8	12	12
50-69	0								
70 +	0								
SUBTOTAL	**4460**	**5.3**	**45**	**2**	**3**	**4**	**6**	**8**	**12**
0-17	6656	4.3	8	2	3	4	5	7	7
18-34	5136	3.9	4	2	2	4	5	6	7
35-49	210	4.1	2	3	3	4	6	6	6
50-69	0								
70 +	0								
SUBTOTAL	**12002**	**4.1**	**6**	**2**	**3**	**4**	**5**	**7**	**7**
GRAND TOTAL	**16461**	**4.4**	**17**	**2**	**3**	**4**	**5**	**7**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	529	5.1	7	2	3	5	7	9	9
18-34	1858	5.9	25	3	4	5	6	10	11
35-49	140	6.5	10						
50-69	0								
70 +	0								
SUBTOTAL	**2527**	**5.8**	**21**	**3**	**3**	**5**	**7**	**10**	**11**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	1864	4.9	8	2	3	5	6	8	9
18-34	1358	4.5	5	2	3	4	5	7	9
35-49	97	5.5	3						
50-69	0								
70 +	0								
SUBTOTAL	**3319**	**4.8**	**7**	**2**	**3**	**4**	**6**	**8**	**9**
GRAND TOTAL	**5846**	**5.2**	**13**	**2**	**3**	**4**	**6**	**9**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	492	5.3	21	2	3	4	7	9	10
18-34	1873	4.8	9	2	3	4	6	9	11
35-49	160	5.7	3	4	4	5	8	8	8
50-69	0								
70 +	0								
SUBTOTAL	**2525**	**4.9**	**11**	**2**	**3**	**4**	**6**	**9**	**11**
0-17	1772	4.7	40	2	2	4	6	7	9
18-34	2715	4.4	9	2	2	4	6	8	9
35-49	170	4.5	11	2	2	4	10	10	10
50-69	0								
70 +	0								
SUBTOTAL	**4657**	**4.5**	**21**	**2**	**2**	**4**	**6**	**8**	**9**
GRAND TOTAL	**7182**	**4.7**	**17**	**2**	**3**	**4**	**6**	**8**	**10**

DRG 296: Nutritional & Misc Metabolic Disorders Age >17 w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	18592	7.2	44	2	3	5	9	16	20
70-74	11851	7.8	56	2	4	6	9	14	20
75-79	12704	8.0	63	3	4	6	10	15	21
80-84	12981	8.9	78	2	4	6	11	17	24
85+	13742	9.5	79	3	5	7	11	21	26
SUBTOTAL	**69869**	**8.2**	**63**	**2**	**4**	**6**	**10**	**16**	**23**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**69869**	**8.2**	**63**	**2**	**4**	**6**	**10**	**16**	**23**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2665	7.8	52	2	3	6	11	16	22
35-49	3242	6.6	43	2	3	4	8	13	19
50-69	5978	6.8	54	2	3	5	8	12	18
70+	610	7.2	39	2	3	5	8	15	20
	12496	**7.0**	**50**	**2**	**3**	**5**	**8**	**14**	**19**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	12496	**7.0**	**50**	**2**	**3**	**5**	**8**	**14**	**19**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	1316	6.5	28	1	2	5	11	13	15
35-49	1531	5.0	15	2	3	4	6	9	11
50-69	2780	7.4	45	2	3	6	9	16	21
70+	732	11.9	46	4	5	10	18	21	24
SUBTOTAL	**6359**	**7.1**	**38**	**2**	**3**	**5**	**10**	**16**	**21**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**6359**	**7.1**	**38**	**2**	**3**	**5**	**10**	**16**	**21**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	707	7.5	93	1	3	5	8	21	99+
35-49	1583	5.8	69	2	2	3	6	12	19
50-69	1850	6.4	60	2	3	5	7	10	16
70+	73	4.7	9						
	4213	**6.3**	**68**	**2**	**2**	**4**	**7**	**13**	**20**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	4213	**6.3**	**68**	**2**	**2**	**4**	**7**	**13**	**20**

DRG 297: Nutritional & Misc Metabolic Disorders Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	3958	4.8	9	2	3	4	6	8	11
70-74	2660	4.6	8	1	3	4	6	8	11
75-79	3532	5.8	19	2	3	5	7	12	15
80-84	2998	4.8	13	2	2	4	7	9	11
85 +	4224	5.8	21	2	3	4	7	11	13
SUBTOTAL	**17372**	**5.2**	**15**	**2**	**3**	**4**	**7**	**10**	**12**
GRAND TOTAL	**17372**	**5.2**	**15**	**2**	**3**	**4**	**7**	**10**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	0								
18-34	5060	3.7	13	1	2	2	4	8	11
35-49	3729	3.2	5	1	2	2	4	6	9
50-69	3869	3.8	8	1	2	3	5	7	9
70 +	291	2.7	2	1	1	3	4	4	4
SUBTOTAL	**12948**	**3.6**	**9**	**1**	**2**	**3**	**4**	**7**	**10**
GRAND TOTAL	**12948**	**3.6**	**9**	**1**	**2**	**3**	**4**	**7**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	800	6.4	16	2	3	4	10	13	14
35-49	303	4.4	16	1	2	4	6	7	15
50-69	855	3.9	7	1	2	4	5	7	11
70 +	190	6.0	3	3	5	6	8	8	9
SUBTOTAL	**2148**	**5.1**	**13**	**1**	**3**	**4**	**6**	**11**	**13**
GRAND TOTAL	**2148**	**5.1**	**13**	**1**	**3**	**4**	**6**	**11**	**13**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	0								
18-34	1091	4.4	56	1	1	2	4	9	12
35-49	660	3.1	6	1	2	2	4	6	8
50-69	427	4.5	10	2	3	4	5	6	6
70 +	20	3.5	7						
SUBTOTAL	**2198**	**4.0**	**32**	**1**	**2**	**3**	**4**	**6**	**10**
GRAND TOTAL	**2198**	**4.0**	**32**	**1**	**2**	**3**	**4**	**6**	**10**

DRG 298: Nutritional & Misc Metabolic Disorders Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	143	4.5	9	1	2	4	6	7	13
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	143	4.5	9	1	2	4	6	7	13
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	30	6.3	6						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	30	6.3	6						
GRAND TOTAL	173	4.8	9	1	3	4	7	9	13

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	5152	8.6	113	1	3	5	11	18	28
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	5152	8.6	113	1	3	5	11	18	28
0-17	14255	3.4	12	1	2	2	4	6	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	14255	3.4	12	1	2	2	4	6	10
	19407	4.8	44	1	2	3	5	11	14

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	3728	7.6	61	2	3	5	9	15	23
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	3728	7.6	61	2	3	5	9	15	23
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	8687	5.0	26	2	2	4	5	10	14
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	8687	5.0	26	2	2	4	5	10	14
GRAND TOTAL	12415	5.7	38	2	3	4	7	12	15

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1534	7.5	77	1	3	4	10	16	22
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1534	7.5	77	1	3	4	10	16	22
0-17	3876	3.9	16	1	2	3	4	7	13
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	3876	3.9	16	1	2	3	4	7	13
	5410	4.9	36	1	2	3	5	10	15

DRG 299: Inborn Errors of Metabolism

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	50	4.6	4						
70-74	10	4.0							
75-79	43	10.0							
80-84	0								
85 +	0								
SUBTOTAL	**103**	**6.8**	**10**	**3**	**4**	**7**	**10**	**10**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	93	2.3	1	< 1	2	2	3	5	5
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**93**	**2.3**	**1**	**< 1**	**2**	**2**	**3**	**5**	**5**
GRAND TOTAL	**197**	**4.7**	**11**	**1**	**2**	**3**	**7**	**10**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	489	5.7	76	1	3	4	6	11	14
18-34	103	2.2	2	1	1	2	2	5	6
35-49	10	1.0							
50-69	160	4.5	10	2	2	2	8	11	99 +
70 +	0								
SUBTOTAL	**762**	**4.9**	**53**	**1**	**2**	**3**	**6**	**10**	**14**
0-17	729	3.4	10	1	2	2	3	6	10
18-34	50	7.2	7						
35-49	287	3.5	2	2	2	4	4	6	6
50-69	93	1.7	5	1	1	1	1	8	8
70 +	0								
SUBTOTAL	**1159**	**3.4**	**8**	**1**	**2**	**3**	**4**	**6**	**10**
	1921	**4.0**	**26**	**1**	**2**	**3**	**4**	**8**	**11**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	229	6.7	39	2	2	4	11	19	19
18-34	120	5.2	20	1	2	3	7	12	16
35-49	20	9.5	2						
50-69	43	3.0							
70 +	0								
SUBTOTAL	**412**	**6.0**	**30**	**2**	**2**	**3**	**8**	**16**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	432	5.8	36	1	3	4	8	12	13
18-34	10	1.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**442**	**5.7**	**36**	**1**	**3**	**4**	**7**	**12**	**13**
GRAND TOTAL	**855**	**5.8**	**33**	**1**	**2**	**4**	**8**	**13**	**16**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	120	15.0	226	3	5	8	21	42	49
18-34	0								
35-49	20	10.5	44						
50-69	10	6.0							
70 +	0								
SUBTOTAL	**150**	**13.8**	**193**	**3**	**4**	**7**	**21**	**42**	**49**
0-17	160	3.8	6	1	2	3	7	7	8
18-34	43	1.0							
35-49	10	1.0							
50-69	0								
70 +	0								
SUBTOTAL	**213**	**3.1**	**6**	**1**	**1**	**2**	**5**	**7**	**7**
	363	**7.5**	**111**	**1**	**1**	**4**	**7**	**21**	**42**

Southern Region, July 1989 - June 1990

DRG 300: Endocrine Disorders w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1197	6.8	25	2	3	6	8	13	17
70-74	935	8.1	26	3	4	6	12	14	15
75-79	670	6.4	18	3	4	5	7	15	16
80-84	531	12.2	87	4	4	11	15	23	24
85 +	360	9.0	17	4	6	8	12	15	15
SUBTOTAL	3693	8.0	36	3	4	6	11	15	19
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	3693	8.0	36	3	4	6	11	15	19

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	529	5.9	117	1	2	4	6	8	12
18-34	236	6.5	16	3	4	5	8	11	17
35-49	370	6.6	49	2	3	4	6	15	19
50-69	930	7.3	77	2	3	4	9	14	23
70 +	20	3.5							
	2085	6.7	75	2	3	4	7	12	18
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2085	6.7	75	2	3	4	7	12	18

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	263	8.5	109	1	2	6	10	22	29
18-34	103	23.2	236	2	7	27	39	39	39
35-49	133	5.9	10	2	3	6	8	10	12
50-69	147	7.0	29	2	3	4	15	15	15
70 +	10	14.0							
SUBTOTAL	656	10.0	123	1	3	6	14	27	39
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	656	10.0	123	1	3	6	14	27	39

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	90	7.7	76	1	3	6	10	65	99 +
18-34	90	5.2	9	2	2	4	8	9	9
35-49	200	4.6	6	2	2	4	7	8	10
50-69	217	4.5	8	1	2	4	6	9	9
70 +	0								
	596	5.1	19	1	2	4	7	9	10
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	596	5.1	19	1	2	4	7	9	10

DRG 301: Endocrine Disorders w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	200	3.9	2	2	3	4	5	6	6
70-74	83	5.9	11						
75-79	73	3.8	2						
80-84	10	3.0							
85+	10	7.0							
SUBTOTAL	**377**	**4.4**	**5**	**2**	**3**	**4**	**6**	**9**	**9**
GRAND TOTAL	**377**	**4.4**	**5**	**2**	**3**	**4**	**6**	**9**	**9**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
0-17	779	2.8	8	1	1	2	3	6	12
18-34	366	3.3	5	1	2	3	4	7	7
35-49	596	4.1	11	1	2	3	5	10	10
50-69	610	3.3	3	1	2	3	4	5	7
70+	0								
SUBTOTAL	**2351**	**3.3**	**7**	**1**	**2**	**3**	**4**	**7**	**10**
GRAND TOTAL	**2351**	**3.3**	**7**	**1**	**2**	**3**	**4**	**7**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	259	3.8	10	1	1	3	6	8	11
18-34	80	3.9	6	<1	1	4	5	9	9
35-49	20	3.5							
50-69	73	2.8	2						
70+	0								
SUBTOTAL	**432**	**3.6**	**7**	**1**	**1**	**3**	**5**	**7**	**9**
GRAND TOTAL	**432**	**3.6**	**7**	**1**	**1**	**3**	**5**	**7**	**9**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
0-17	120	3.8	6	1	2	3	6	7	9
18-34	167	4.4	7	1	3	3	8	8	8
35-49	143	3.6	5	1	2	3	5	5	10
50-69	70	2.9	5	1	1	2	4	8	8
70+	0								
SUBTOTAL	**499**	**3.8**	**6**	**1**	**2**	**3**	**5**	**8**	**8**
GRAND TOTAL	**499**	**3.8**	**6**	**1**	**2**	**3**	**5**	**8**	**8**

DRG 302: Kidney Transplant

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1237	16.4	81	8	10	14	19	29	33
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	1237	16.4	81	8	10	14	19	29	33
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	379	12.9	35	8	9	11	15	19	24
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	379	12.9	35	8	9	11	15	19	24
GRAND TOTAL	1616	15.6	72	8	10	14	18	28	32

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	60	17.3	62	10	13	14	18	34	34
18-34	20	18.0	67						
35-49	130	13.3	30	7	9	13	17	19	26
50-69	30	17.3	101						
70 +	0								
	239	15.2	53	8	9	13	18	26	31
0-17	30	17.3	34						
18-34	40	9.0	7						
35-49	60	8.8	4	6	8	9	10	12	12
50-69	10	10.0							
70 +	0								
	140	10.8	22	6	8	9	12	18	24
	379	13.6	46	7	9	12	17	26	31

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	60	28.7	61	16	22	30	34	39	39
18-34	30	13.3	21						
35-49	10	7.0							
50-69	0								
70 +	0								
SUBTOTAL	100	21.9	115	7	13	20	33	36	39
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	20	8.0							
18-34	20	11.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	40	9.5	2						
GRAND TOTAL	140	18.4	114	8	8	14	28	34	39

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	17.7	31						
18-34	0								
35-49	20	10.0	9						
50-69	0								
70 +	0								
	50	14.6	36						
0-17	10	27.0							
18-34	10	8.0							
35-49	0								—
50-69	10	10.0							
70 +	0								
	30	15.0	75						
	80	14.8	50	7	9	12	21	27	27

DRG 303: Kidney, Ureter & Major Bladder Procedures for Neoplasm

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1301	13.0	51	7	9	12	15	20	33
70-74	920	14.2	45	7	9	13	18	25	25
75-79	841	15.3	63	8	10	12	18	29	38
80-84	470	14.1	86	7	9	12	15	22	29
85 +	297	16.9	73	10	13	14	17	32	32
SUBTOTAL	**3829**	**14.3**	**59**	**7**	**9**	**12**	**16**	**25**	**32**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	570	9.5	13	5	7	9	11	14	18
70-74	230	7.3	6	6	6	7	9	10	10
75-79	80	8.8	6	6	7	9	10	14	14
80-84	63	9.7	22						
85 +	63	14.3	7						
SUBTOTAL	**1007**	**9.2**	**14**	**6**	**7**	**9**	**10**	**15**	**16**
GRAND TOTAL	**4836**	**13.2**	**54**	**7**	**9**	**12**	**15**	**22**	**29**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	180	14.7	169	5	7	10	13	44	50
18-34	20	10.0	4						
35-49	260	9.3	6	6	7	9	11	13	13
50-69	1036	11.6	45	6	7	11	15	16	21
70 +	20	8.0	17						
SUBTOTAL	**1516**	**11.5**	**54**	**6**	**7**	**11**	**13**	**16**	**24**
0-17	150	8.6	9	6	7	8	10	12	17
18-34	117	6.7	3						
35-49	323	7.5	7	5	6	7	9	12	12
50-69	527	11.7	25	5	7	12	14	17	22
70 +	10	6.0							
SUBTOTAL	**1127**	**9.5**	**20**	**5**	**6**	**8**	**12**	**16**	**17**
GRAND TOTAL	**2643**	**10.7**	**40**	**5**	**7**	**9**	**13**	**16**	**21**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	60	20.2	88	12	13	15	30	36	36
18-34	43	9.0							
35-49	30	34.0	354						
50-69	10	7.0							
70 +	10	14.0							
SUBTOTAL	**153**	**18.4**	**185**	**9**	**9**	**13**	**30**	**36**	**58**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	110	10.8	30	6	7	9	13	15	26
18-34	0								
35-49	10	13.0							
50-69	20	24.0	341						
70 +	0								
SUBTOTAL	**140**	**12.9**	**91**	**6**	**7**	**9**	**13**	**26**	**42**
GRAND TOTAL	**293**	**15.8**	**148**	**6**	**9**	**12**	**15**	**36**	**42**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	40	10.8	65						
18-34	0								
35-49	20	8.5							
50-69	256	11.8	24	6	9	10	15	20	20
70 +	10	14.0							
SUBTOTAL	**326**	**11.5**	**27**	**6**	**8**	**10**	**15**	**20**	**20**
0-17	60	8.3	13	4	5	7	12	14	14
18-34	0								
35-49	63	7.3							
50-69	137	8.8	4	6	8	9	9	11	14
70 +	0								
SUBTOTAL	**260**	**8.3**	**6**	**5**	**7**	**8**	**9**	**12**	**14**
GRAND TOTAL	**586**	**10.1**	**20**	**5**	**7**	**9**	**11**	**19**	**20**

DRG 304: Kidney, Ureter & Major Bladder Proc for Non-neopl w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2167	11.7	87	4	7	9	14	23	31
70-74	1345	10.2	89	3	5	8	11	18	23
75-79	938	12.0	44	6	8	9	15	26	26
80-84	303	13.0	54	4	9	14	15	22	26
85 +	237	14.2	44	9	10	10	17	25	25
SUBTOTAL	**4990**	**11.6**	**77**	**4**	**7**	**9**	**14**	**23**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4990**	**11.6**	**77**	**4**	**7**	**9**	**14**	**23**	**26**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1348	9.2	38	5	5	7	11	17	19
18-34	633	9.8	105	4	5	7	10	16	45
35-49	1498	8.2	29	3	4	7	10	15	21
50-69	1254	9.9	47	3	5	8	15	20	23
70 +	63	20.1	24						
	4797	**9.3**	**48**	**3**	**5**	**8**	**11**	**19**	**22**
	0								
	0								
	0								
	0								
	0								
	0								
	4797	**9.3**	**48**	**3**	**5**	**8**	**11**	**19**	**22**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	406	14.1	264	5	7	9	15	30	40
18-34	390	8.8	65	2	4	7	11	18	27
35-49	283	12.3	99	2	4	9	15	33	33
50-69	117	11.8	25						
70 +	0								
SUBTOTAL	**1197**	**11.7**	**141**	**3**	**6**	**9**	**13**	**26**	**33**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1197**	**11.7**	**141**	**3**	**6**	**9**	**13**	**26**	**33**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	389	10.4	137	3	4	8	13	16	22
18-34	246	8.5	20	5	6	7	9	17	18
35-49	223	10.3	29	5	7	9	13	18	19
50-69	256	10.9	25	6	7	9	14	18	22
70 +	20	4.5	13						
	1135	**10.0**	**64**	**4**	**6**	**8**	**13**	**17**	**22**
	0								
	0								
	0								
	0								
	0								
	0								
	1135	**10.0**	**64**	**4**	**6**	**8**	**13**	**17**	**22**

DRG 305: Kidney, Ureter & Major Bladder Proc for Non-neopl w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	804	6.4	12	2	4	6	9	11	12
70-74	137	5.8	13	1	3	7	8	10	13
75-79	200	7.9	26	2	2	10	10	15	15
80-84	150	5.4	4						
85 +	0								
SUBTOTAL	**1291**	**6.5**	**14**	**2**	**4**	**6**	**9**	**11**	**12**
GRAND TOTAL	**1291**	**6.5**	**14**	**2**	**4**	**6**	**9**	**11**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	3203	5.5	10	2	3	5	7	9	11
18-34	1419	4.4	12	2	2	3	5	8	12
35-49	2363	5.1	22	1	2	4	7	9	11
50-69	1732	5.9	13	2	3	5	8	11	14
70 +	53	4.3	2						
SUBTOTAL	**8771**	**5.3**	**14**	**2**	**3**	**5**	**7**	**9**	**12**
GRAND TOTAL	**8771**	**5.3**	**14**	**2**	**3**	**5**	**7**	**9**	**12**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	994	6.2	24	2	3	5	8	12	19
18-34	167	6.6	9	2	3	8	9	9	9
35-49	70	5.7	16	1	3	5	7	14	14
50-69	150	7.6	5						
70 +	0								
SUBTOTAL	**1381**	**6.4**	**20**	**2**	**3**	**5**	**9**	**10**	**14**
GRAND TOTAL	**1381**	**6.4**	**20**	**2**	**3**	**5**	**9**	**10**	**14**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	678	5.4	10	2	3	5	6	9	12
18-34	727	4.9	9	1	2	5	6	8	9
35-49	530	4.8	9	2	2	5	6	7	8
50-69	254	5.2	9	1	2	6	7	8	8
70 +	0								
SUBTOTAL	**2188**	**5.1**	**9**	**2**	**3**	**5**	**6**	**8**	**10**
GRAND TOTAL	**2188**	**5.1**	**9**	**2**	**3**	**5**	**6**	**8**	**10**

DRG 306: Prostatectomy w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	841	4.8	9	2	2	4	6	9	11
70-74	1152	10.5	68	3	4	9	14	19	26
75-79	1245	8.4	33	4	4	7	10	18	21
80-84	844	7.7	32	3	4	6	9	16	17
85 +	608	8.7	31	3	4	8	11	16	22
SUBTOTAL	**4690**	**8.2**	**40**	**3**	**4**	**6**	**10**	**16**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4690**	**8.2**	**40**	**3**	**4**	**6**	**10**	**16**	**21**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	497	8.7	22	4	4	8	12	14	14
70 +	40	4.8	2						
	537	**8.4**	**22**	**4**	**4**	**8**	**12**	**14**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	537	**8.4**	**22**	**4**	**4**	**8**	**12**	**14**	**14**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	20	4.5							
70 +	10	25.0							
	30	**11.3**	**97**						
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	30	**11.3**	**97**						

DRG 307: Prostatectomy w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	481	5.3	19	2	2	3	6	12	16
70-74	457	3.6	2	2	2	3	5	6	6
75-79	368	4.6	6	2	2	4	7	9	9
80-84	150	3.8	3						
85 +	150	5.5	19						
SUBTOTAL	**1606**	**4.5**	**10**	**2**	**2**	**4**	**6**	**7**	**12**
GRAND TOTAL	**1606**	**4.5**	**10**	**2**	**2**	**4**	**6**	**7**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	0								
35-49	87	4.5							
50-69	414	4.9	8	2	2	4	7	11	11
70 +	10	7.0							
511	**4.8**	**7**	**2**	**3**	**4**	**7**	**8**	**11**	
511	**4.8**	**7**	**2**	**3**	**4**	**7**	**8**	**11**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	0								
35-49	0								
50-69	73	4.6	4						
70 +	43	20.0							
117	**10.3**	**58**							
117	**10.3**	**58**							

DRG 308: Minor Bladder Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1217	7.9	43	2	3	8	10	15	16
70-74	1065	6.1	22	2	3	4	9	12	15
75-79	778	11.6	103	3	4	10	13	20	35
80-84	434	9.1	88	4	5	8	9	11	14
85 +	400	9.9	61	2	4	7	13	25	25
SUBTOTAL	**3894**	**8.5**	**60**	**2**	**4**	**7**	**10**	**15**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3894**	**8.5**	**60**	**2**	**4**	**7**	**10**	**15**	**20**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	219	9.4	41	2	6	8	11	21	21
18-34	107	7.3	13						
35-49	147	16.1	157	6	9	13	18	24	58
50-69	387	10.4	249	2	3	5	9	38	38
70 +	53	5.1	19						
SUBTOTAL	**913**	**10.4**	**151**	**2**	**3**	**7**	**10**	**21**	**38**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**913**	**10.4**	**151**	**2**	**3**	**7**	**10**	**21**	**38**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	183	9.0	56	1	2	7	15	20	24
18-34	50	12.0	56						
35-49	53	4.6	1						
50-69	63	6.6	5						
70 +	10	3.0							
SUBTOTAL	**360**	**8.1**	**43**	**1**	**3**	**7**	**12**	**19**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**360**	**8.1**	**43**	**1**	**3**	**7**	**12**	**19**	**23**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	110	12.4	44	6	6	10	20	20	20
18-34	157	8.5	12	4	6	8	11	14	16
35-49	20	16.0	17						
50-69	147	10.3	17	4	6	12	14	14	99 +
70 +	20	6.5							
SUBTOTAL	**453**	**10.3**	**25**	**4**	**6**	**11**	**14**	**20**	**20**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**453**	**10.3**	**25**	**4**	**6**	**11**	**14**	**20**	**20**

DRG 309: Minor Bladder Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	300	4.0	6	1	2	4	5	7	7
70-74	447	4.0	7	1	2	3	6	8	8
75-79	177	3.8	7	1	2	2	6	6	11
80-84	117	3.8	3						
85 +	147	8.9	34	3	5	6	16	16	18
SUBTOTAL	**1187**	**4.5**	**12**	**1**	**2**	**4**	**6**	**8**	**12**
GRAND TOTAL	**1187**	**4.5**	**12**	**1**	**2**	**4**	**6**	**8**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	432	6.5	65	1	2	3	8	15	25
18-34	187	5.5	12	1	3	5	6	11	15
35-49	394	5.1	6	2	3	6	7	9	9
50-69	504	4.4	7	2	2	4	6	7	7
70 +	43	2.0							
SUBTOTAL	**1560**	**5.2**	**24**	**1**	**2**	**4**	**6**	**9**	**13**
GRAND TOTAL	**1560**	**5.2**	**24**	**1**	**2**	**4**	**6**	**9**	**13**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	193	5.3	12	1	2	7	7	9	13
18-34	73	4.3	1						
35-49	117	6.3	12						
50-69	87	7.5							
70 +	0								
SUBTOTAL	**470**	**5.8**	**9**	**2**	**4**	**5**	**7**	**9**	**13**
GRAND TOTAL	**470**	**5.8**	**9**	**2**	**4**	**5**	**7**	**9**	**13**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	160	5.9	17	1	2	6	8	14	15
18-34	60	3.0	2	2	2	3	3	6	6
35-49	50	6.0	27						
50-69	40	3.8	14						
70 +	0								
SUBTOTAL	**309**	**5.1**	**17**	**1**	**2**	**3**	**7**	**10**	**15**
GRAND TOTAL	**309**	**5.1**	**17**	**1**	**2**	**3**	**7**	**10**	**15**

DRG 310: Transurethral Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	3053	5.7	47	2	3	4	6	10	15
70-74	2891	4.6	12	2	2	4	6	8	11
75-79	2272	5.0	12	2	3	4	6	9	10
80-84	2013	6.5	44	2	3	5	7	14	16
85 +	1141	9.0	77	2	4	6	9	24	32
SUBTOTAL	**11370**	**5.7**	**35**	**2**	**3**	**4**	**7**	**11**	**15**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**11370**	**5.7**	**35**	**2**	**3**	**4**	**7**	**11**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	4.7	3						
18-34	1128	3.7	5	1	2	4	5	7	8
35-49	2090	3.8	4	1	2	3	5	6	8
50-69	2833	3.7	6	1	2	3	5	7	8
70 +	230	4.2	22	1	2	3	5	7	7
	6311	**3.8**	**6**	**1**	**2**	**3**	**5**	**7**	**8**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	6311	**3.8**	**6**	**1**	**2**	**3**	**5**	**7**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	20	1.5							
18-34	73	4.7	5						
35-49	83	6.2	31						
50-69	180	9.0	26	3	6	8	13	17	17
70 +	43	7.0							
SUBTOTAL	**400**	**7.1**	**24**	**2**	**3**	**6**	**8**	**17**	**17**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**400**	**7.1**	**24**	**2**	**3**	**6**	**8**	**17**	**17**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	283	3.6	3	2	2	4	5	5	7
35-49	293	3.7	9	1	2	3	5	7	10
50-69	337	3.0	5	1	1	2	4	6	7
70 +	10	12.0							
	924	**3.5**	**7**	**1**	**2**	**3**	**5**	**6**	**9**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	924	**3.5**	**7**	**1**	**2**	**3**	**5**	**6**	**9**

DRG 311: Transurethral Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	2179	2.5	3	1	1	2	3	5	5
70-74	1374	2.6	4	1	1	2	3	5	6
75-79	920	3.2	11	1	1	2	3	6	11
80-84	794	3.1	4	1	2	3	4	6	8
85+	337	4.9	4	3	3	5	7	8	8
SUBTOTAL	**5604**	**2.9**	**5**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**5604**	**2.9**	**5**	**1**	**1**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
0									
0-17	311	2.3	2	1	1	2	4	5	5
18-34	5009	3.1	3	1	2	3	4	5	6
35-49	7570	2.8	5	1	2	2	3	5	7
50-69	6559	2.9	5	1	1	2	4	5	7
70+	60	2.5	2	1	1	2	4	4	4
19508	**2.9**	**4**	**1**	**2**	**2**	**4**	**5**	**6**
19508	**2.9**	**4**	**1**	**2**	**2**	**4**	**5**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	157	3.4	4	1	1	4	5	6	6
35-49	267	3.5	4	1	2	4	4	7	7
50-69	117	4.1							
70+	130	2.7	2						
SUBTOTAL	**671**	**3.4**	**3**	**1**	**2**	**4**	**4**	**6**	**7**
GRAND TOTAL	**671**	**3.4**	**3**	**1**	**2**	**4**	**4**	**6**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
0									
0-17	63	2.5	1						
18-34	1128	2.6	2	1	2	3	3	5	5
35-49	650	3.1	3	2	2	3	4	4	6
50-69	677	1.9	2	1	1	1	2	4	6
70+	10	3.0							
2529	**2.6**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
2529	**2.6**	**2**	**1**	**1**	**2**	**3**	**4**	**5**

DRG 312: Urethral Procedures, Age >17 w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	608	3.8	7	1	2	3	5	8	9
70-74	244	6.1	23	2	4	5	5	16	16
75-79	180	7.2	11	3	4	6	8	12	12
80-84	374	6.3	123	1	3	4	5	10	14
85 +	170	5.6	5	4	4	5	6	9	13
SUBTOTAL	**1576**	**5.3**	**38**	**1**	**3**	**4**	**6**	**10**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1576**	**5.3**	**38**	**1**	**3**	**4**	**6**	**10**	**13**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	190	2.3	3	1	2	2	2	7	8
35-49	60	2.3	1	< 1	1	2	3	4	4
50-69	170	4.2	8	2	2	4	5	6	14
70 +	53	20.8	45						
	474	**5.1**	**42**	**1**	**2**	**2**	**5**	**14**	**24**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	474	**5.1**	**42**	**1**	**2**	**2**	**5**	**14**	**24**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	103	5.2	35	1	1	1	7	16	17
35-49	10	3.0							
50-69	97	8.0	8						
70 +	0								
SUBTOTAL	**210**	**6.4**	**23**	**1**	**1**	**6**	**11**	**11**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**210**	**6.4**	**23**	**1**	**1**	**6**	**11**	**11**	**16**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	20	3.0	4						
35-49	0								
50-69	20	14.5							
70 +	0								
	40	**8.8**	**36**						
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	40	**8.8**	**36**						

DRG 313: Urethral Procedures, Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	113	4.4	6	1	2	6	6	6	9
70-74	160	1.6		1	1	2	2	2	2
75-79	194	3.3	2	2	2	3	5	5	6
80-84	40	2.3	1						
85+	0								
SUBTOTAL	**507**	**2.9**	**3**	**1**	**2**	**2**	**3**	**6**	**6**
GRAND TOTAL	**507**	**2.9**	**3**	**1**	**2**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
0									
0-17	0								
18-34	464	3.2	5	1	2	2	5	8	8
35-49	307	2.5	2	1	1	3	3	5	5
50-69	236	5.5	40	1	1	2	5	16	16
70+	0								
1007	**3.5**	**14**	**1**	**1**	**2**	**4**	**8**	**16**
1007	**3.5**	**14**	**1**	**1**	**2**	**4**	**8**	**16**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	117	2.5	1						
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**117**	**2.5**	**1**						
GRAND TOTAL	**117**	**2.5**	**1**						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
0									
0-17	0								
18-34	117	1.7							
35-49	50	1.8	1						
50-69	20	3.0	1						
70+	0								
187	**1.9**	**1**	**1**	**1**	**2**	**2**	**4**	**4**
187	**1.9**	**1**	**1**	**1**	**2**	**2**	**4**	**4**

DRG 314: Urethral Procedures, Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	80	4.0	4	1	2	4	5	7	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**80**	**4.0**	**4**	**1**	**2**	**4**	**5**	**7**	**7**
0-17	346	2.9	3	< 1	1	3	4	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**346**	**2.9**	**3**	**< 1**	**1**	**3**	**4**	**5**	**6**
	426	**3.1**	**3**	**1**	**1**	**3**	**4**	**5**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	10	7.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**10**	**7.0**							
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	100	3.8	6	< 1	< 1	3	6	7	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**100**	**3.8**	**6**	**< 1**	**< 1**	**3**	**6**	**7**	**8**
GRAND TOTAL	**110**	**4.1**	**7**	**< 1**	**< 1**	**4**	**7**	**7**	**8**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	50	6.0	8						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**50**	**6.0**	**8**						
0-17	199	3.2	4	< 1	1	3	5	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**199**	**3.2**	**4**	**< 1**	**1**	**3**	**5**	**6**	**7**
	249	**3.7**	**6**	**1**	**1**	**3**	**5**	**7**	**7**

DRG 315: Other Kidney & Urinary Tract O.R. Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4352	8.7	97	2	3	5	11	20	27
70-74	1406	13.8	97	2	8	11	20	27	35
75-79	736	13.5	116	2	6	10	21	25	35
80-84	280	11.6	104	1	5	9	19	34	99+
85+	276	25.4	314	7	11	24	29	50	61
SUBTOTAL	**7050**	**11.0**	**121**	**2**	**3**	**8**	**15**	**25**	**34**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	982	4.6	32	1	2	3	5	9	12
70-74	449	4.0	15	1	1	3	4	10	13
75-79	207	8.0	22	2	3	9	12	13	13
80-84	137	6.1	16	1	4	4	11	11	11
85+	53	21.4	50						
SUBTOTAL	**1828**	**5.4**	**35**	**1**	**2**	**3**	**7**	**12**	**16**
GRAND TOTAL	**8878**	**9.9**	**109**	**2**	**3**	**6**	**13**	**24**	**32**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	213	11.3	175	3	3	9	17	21	26
18-34	504	6.2	29	3	5	7	12	14	20
35-49	830	8.7	61	2	3	6	11	22	28
50-69	1222	8.3	56	1	2	7	11	20	23
70+	50	10.8	5						
	2819	**8.8**	**62**	**2**	**3**	**7**	**12**	**20**	**24**
0-17	120	11.8	59	4	5	10	16	24	28
18-34	387	5.3	9	1	3	5	6	10	11
35-49	730	5.4	22	1	1	3	8	12	15
50-69	803	2.8	3	1	1	2	4	6	6
70+	10	2.0							
	2050	**4.7**	**19**	**1**	**2**	**3**	**6**	**10**	**13**
	4869	**7.1**	**48**	**1**	**2**	**5**	**9**	**17**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	168	24.5	477	4	8	20	35	46	91
18-34	383	8.3	48	1	3	6	10	18	20
35-49	376	7.6	39	2	2	7	10	17	25
50-69	723	10.5	81	2	2	7	17	24	25
70+	20	21.5	44						
SUBTOTAL	**1662**	**10.8**	**124**	**2**	**3**	**7**	**16**	**25**	**27**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	150	10.6	106	3	6	8	10	22	45
18-34	200	7.9	91	2	2	3	12	25	34
35-49	50	5.2	28						
50-69	90	5.0	16	1	2	3	9	13	13
70+	0								
SUBTOTAL	**489**	**7.9**	**80**	**2**	**2**	**5**	**10**	**15**	**34**
GRAND TOTAL	**2151**	**10.2**	**115**	**2**	**3**	**7**	**13**	**24**	**28**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	140	12.3	59	3	4	12	19	22	25
18-34	213	10.6	86	2	4	7	13	30	30
35-49	236	8.3	51	2	2	7	12	19	26
50-69	253	10.5	76	2	6	7	14	24	29
70+	0								
	842	**10.2**	**70**	**2**	**4**	**8**	**13**	**24**	**29**
0-17	93	13.7	607	2	5	5	5	84	84
18-34	187	7.0	27	1	4	6	10	15	21
35-49	70	9.1	45	2	3	6	18	19	19
50-69	140	7.1	18	3	4	7	8	11	19
70+	0								
	489	**8.6**	**143**	**2**	**4**	**6**	**10**	**18**	**19**
	1331	**9.6**	**98**	**2**	**4**	**7**	**13**	**20**	**27**

DRG 316: Renal Failure

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3062	7.4	36	2	4	6	9	14	17
70-74	1685	11.9	138	3	5	9	13	21	46
75-79	1736	9.3	24	4	5	8	11	18	18
80-84	1907	9.5	37	4	5	8	12	16	28
85+	1645	12.0	24	4	6	10	15	22	25
SUBTOTAL	**10035**	**9.6**	**64**	**3**	**5**	**8**	**12**	**18**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	356	3.8	8	1	1	2	7	8	10
70-74	173	4.4	3	2	3	5	5	7	8
75-79	83	3.6	6						
80-84	150	9.1	64						
85+	137	7.1	22	3	5	7	7	10	22
SUBTOTAL	**900**	**5.3**	**23**	**1**	**2**	**4**	**7**	**10**	**21**
GRAND TOTAL	**10935**	**9.3**	**62**	**3**	**5**	**7**	**11**	**18**	**23**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	299	6.6	50	1	1	3	12	19	23
18-34	313	7.9	34	1	4	7	9	14	21
35-49	664	6.0	19	3	4	4	7	10	14
50-69	1034	10.1	98	1	3	8	12	22	29
70+	153	8.8	25	4	6	7	11	16	23
SUBTOTAL	**2464**	**8.2**	**61**	**1**	**3**	**6**	**11**	**18**	**23**
0-17	329	4.0	17	1	1	2	4	11	13
18-34	150	4.0	3						
35-49	340	3.9	11	1	2	3	4	12	12
50-69	260	4.2	11	1	2	3	6	8	10
70+	0								
SUBTOTAL	**1080**	**4.0**	**12**	**1**	**2**	**3**	**4**	**10**	**12**
	3544	**6.9**	**50**	**1**	**3**	**4**	**9**	**14**	**22**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	180	12.1	119	4	6	9	13	28	49
18-34	243	5.4	13	1	4	4	7	12	13
35-49	266	5.6	20	2	2	4	8	11	12
50-69	610	8.3	79	2	4	5	9	18	35
70+	0								
SUBTOTAL	**1299**	**7.7**	**65**	**2**	**4**	**5**	**10**	**13**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	219	9.8	173	1	3	4	15	34	58
18-34	20	2.0	1						
35-49	60	9.2	44	1	5	7	14	21	21
50-69	73	5.3	6						
70+	0								
SUBTOTAL	**373**	**8.4**	**115**	**1**	**3**	**5**	**10**	**21**	**58**
GRAND TOTAL	**1672**	**7.9**	**76**	**2**	**3**	**5**	**10**	**16**	**34**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	140	10.9	144	3	3	8	12	26	48
18-34	250	9.1	144	2	3	4	8	35	35
35-49	443	5.9	32	1	3	4	8	13	16
50-69	343	7.6	45	2	2	5	13	16	24
70+	83	5.7	7						
SUBTOTAL	**1259**	**7.5**	**71**	**2**	**3**	**4**	**9**	**16**	**29**
0-17	120	5.3	13	1	2	5	8	9	13
18-34	93	3.8	4	1	2	5	5	7	7
35-49	83	3.2	5						
50-69	63	1.5	1						
70+	10	7.0							
SUBTOTAL	**370**	**3.8**	**9**	**<1**	**1**	**3**	**5**	**8**	**9**
	1629	**6.7**	**59**	**1**	**2**	**4**	**8**	**14**	**26**

DRG 317: Admit for Renal Dialysis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	331	6.8	62	1	1	2	15	15	15
70-74	117	7.7	32						
75-79	73	6.5	15						
80-84	10	4.0							
85 +	0								
SUBTOTAL	**531**	**6.9**	**48**	**1**	**2**	**4**	**15**	**15**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**531**	**6.9**	**48**	**1**	**2**	**4**	**15**	**15**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	189	1.1		1	1	1	1	1	2
18-34	53	3.2							
35-49	103	2.9	3	1	1	3	4	5	6
50-69	123	5.6	5	4	4	5	7	7	11
70 +	0								
SUBTOTAL	**469**	**2.9**	**5**	**1**	**1**	**2**	**4**	**7**	**7**
0-17	0								
18-34	0								
35-49	43	2.0							
50-69	87	1.5							
70 +	0								
SUBTOTAL	**130**	**1.7**							
GRAND TOTAL	**600**	**2.6**	**5**	**1**	**1**	**2**	**4**	**6**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	10	4.0							
18-34	87	2.0	1						
35-49	0								
50-69	63	6.6	13						
70 +	0								
SUBTOTAL	**160**	**3.9**	**11**	**1**	**1**	**3**	**5**	**5**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	10	4.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**10**	**4.0**							
GRAND TOTAL	**170**	**3.9**	**10**	**1**	**1**	**3**	**5**	**5**	**15**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	10	1.0							
70 +	0								
SUBTOTAL	**10**	**1.0**							
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**10**	**1.0**							

DRG 318: Kidney & Urinary Tract Neoplasms w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	404	13.7	103	5	8	12	13	39	39
70-74	390	7.4	34	1	2	7	16	16	16
75-79	327	14.5	94	3	6	14	23	30	30
80-84	350	5.4	8	2	3	5	8	10	10
85+	234	8.5	32	1	7	8	9	15	16
SUBTOTAL	**1705**	**10.0**	**69**	**2**	**4**	**8**	**13**	**22**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1705**	**10.0**	**69**	**2**	**4**	**8**	**13**	**22**	**30**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	203	7.3	31	2	5	6	8	11	20
18-34	20	5.0	9						
35-49	50	4.2	12						
50-69	400	4.3	8	1	2	4	5	7	9
70+	40	7.5	19						
	712	**5.3**	**17**	**2**	**2**	**5**	**6**	**9**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	712	**5.3**	**17**	**2**	**2**	**5**	**6**	**9**	**13**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	70	7.9	93	1	1	6	10	30	30
18-34	10	7.0							
35-49	10	8.0							
50-69	0								
70+	0								
SUBTOTAL	**90**	**7.8**	**72**	**1**	**1**	**6**	**8**	**30**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**90**	**7.8**	**72**	**1**	**1**	**6**	**8**	**30**	**30**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	100	10.0	141	<1	2	7	12	28	43
18-34	10	10.0							
35-49	63	8.4	16						
50-69	80	10.4	53	3	4	7	16	23	23
70+	0								
	253	**9.7**	**77**	**2**	**5**	**7**	**12**	**21**	**23**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	253	**9.7**	**77**	**2**	**5**	**7**	**12**	**21**	**23**

DRG 319: Kidney & Urinary Tract Neoplasms w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	170	3.5	11	1	1	2	9	9	9
70-74	40	1.5							
75-79	0								
80-84	50	1.4	1						
85 +	87	5.0	4						
SUBTOTAL	**347**	**3.3**	**8**	**1**	**1**	**2**	**4**	**9**	**9**
GRAND TOTAL	**347**	**3.3**	**8**	**1**	**1**	**2**	**4**	**9**	**9**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	163	5.2	31	1	1	3	7	14	22
18-34	0								
35-49	107	1.8							
50-69	83	1.4							
70 +	0								
SUBTOTAL	**353**	**3.3**	**17**	**1**	**1**	**2**	**3**	**7**	**14**
	353	**3.3**	**17**	**1**	**1**	**2**	**3**	**7**	**14**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	40	15.5	167						
18-34	0								
35-49	0								
50-69	0								
70 +	20	5.0	17						
SUBTOTAL	**60**	**12.0**	**141**	**1**	**1**	**7**	**25**	**31**	**31**
GRAND TOTAL	**60**	**12.0**	**141**	**1**	**1**	**7**	**25**	**31**	**31**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	40	6.5	21						
18-34	0								
35-49	0								
50-69	60	2.2	1	1	1	2	3	4	4
70 +	0								
SUBTOTAL	**100**	**3.9**	**13**	**1**	**2**	**3**	**5**	**10**	**14**
	100	**3.9**	**13**	**1**	**2**	**3**	**5**	**10**	**14**

DRG 320: Kidney & Urinary Tract Infections Age >17 w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	11522	7.1	32	3	4	6	9	12	15
70-74	7523	7.3	31	3	4	6	9	13	18
75-79	10308	7.9	47	3	4	6	9	13	19
80-84	10708	8.5	51	3	4	7	10	16	23
85 +	14652	9.4	73	3	5	7	11	19	24
SUBTOTAL	**54713**	**8.2**	**50**	**3**	**4**	**6**	**10**	**15**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**54713**	**8.2**	**50**	**3**	**4**	**6**	**10**	**15**	**20**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	3695	3.9	4	2	3	3	5	6	8
35-49	3237	5.6	15	2	4	5	7	9	11
50-69	4910	6.2	23	2	4	5	7	11	13
70 +	457	7.4	34	3	4	6	9	11	26
	12299	**5.4**	**17**	**2**	**3**	**5**	**7**	**9**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	12299	**5.4**	**17**	**2**	**3**	**5**	**7**	**9**	**12**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	2103	4.9	7	2	3	4	6	9	12
35-49	1067	8.4	43	3	4	6	12	22	28
50-69	1766	6.9	15	3	4	6	8	12	14
70 +	491	8.1	10	5	5	8	11	12	13
SUBTOTAL	**5427**	**6.5**	**19**	**3**	**4**	**5**	**8**	**12**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**5427**	**6.5**	**19**	**3**	**4**	**5**	**8**	**12**	**14**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1779	4.6	8	2	3	4	5	8	11
35-49	1173	7.6	58	2	4	6	8	15	23
50-69	1091	6.5	12	3	5	6	8	12	13
70 +	190	17.3	385	3	6	8	14	53	53
	4233	**6.5**	**47**	**2**	**3**	**5**	**8**	**11**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4233	**6.5**	**47**	**2**	**3**	**5**	**8**	**11**	**15**

DRG 321: Kidney & Urinary Tract Infections Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	3046	5.2	8	3	3	5	7	8	10
70-74	2324	5.6	20	2	3	5	7	9	11
75-79	2655	5.5	9	2	3	5	7	9	11
80-84	2244	5.8	24	2	4	5	7	9	12
85 +	3193	5.7	12	3	4	5	7	9	10
SUBTOTAL	**13462**	**5.6**	**14**	**2**	**3**	**5**	**7**	**9**	**10**
GRAND TOTAL	**13462**	**5.6**	**14**	**2**	**3**	**5**	**7**	**9**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	10766	3.6	3	2	2	3	4	6	7
35-49	5884	4.1	5	2	3	4	5	6	7
50-69	3396	4.7	12	2	3	4	5	8	14
70 +	227	6.0	17	2	4	5	6	14	14
20273	**3.9**	**5**	**2**	**3**	**4**	**5**	**6**	**8**
20273	**3.9**	**5**	**2**	**3**	**4**	**5**	**6**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	3431	3.9	5	2	3	4	5	6	7
35-49	544	5.0	9	3	3	4	5	8	13
50-69	651	7.3	17	3	4	6	10	15	16
70 +	204	7.0	3	4	6	8	9	99 +	99 +
SUBTOTAL	**4830**	**4.6**	**9**	**2**	**3**	**4**	**6**	**8**	**10**
GRAND TOTAL	**4830**	**4.6**	**9**	**2**	**3**	**4**	**6**	**8**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	4361	3.7	4	2	2	4	5	6	6
35-49	931	3.7	3	2	2	3	5	6	7
50-69	390	4.5	7	2	3	3	6	8	9
70 +	10	2.0							
5693	**3.7**	**5**	**2**	**2**	**3**	**5**	**6**	**7**
5693	**3.7**	**5**	**2**	**2**	**3**	**5**	**6**	**7**

DRG 322: Kidney & Urinary Tract Infections Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	70	3.9	3	1	2	4	6	6	6
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	70	3.9	3	1	2	4	6	6	6
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	20	3.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	20	3.0							
GRAND TOTAL	90	3.7	3	1	3	3	5	6	6

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	2747	4.6	9	2	3	4	6	8	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2747	4.6	9	2	3	4	6	8	10
0-17	9566	3.8	5	2	2	3	4	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	9566	3.8	5	2	2	3	4	6	8
	12312	3.9	6	2	2	3	5	7	9

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	1815	5.4	11	2	3	5	6	10	13
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1815	5.4	11	2	3	5	6	10	13
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	3972	4.6	7	2	3	4	6	8	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	3972	4.6	7	2	3	4	6	8	10
GRAND TOTAL	5787	4.9	8	2	3	4	6	9	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	863	5.2	19	2	3	4	6	9	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	863	5.2	19	2	3	4	6	9	11
0-17	3148	4.3	7	2	3	4	5	7	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	3148	4.3	7	2	3	4	5	7	8
	4011	4.5	10	2	3	4	5	7	10

DRG 323: Urinary Stones w/ CC, &/or ESW Lithotripsy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	4577	3.9	20	1	2	3	4	8	10
70-74	1759	5.0	38	1	2	3	6	9	18
75-79	1252	3.4	3	1	2	3	5	6	7
80-84	614	5.3	13	1	3	4	7	11	11
85 +	450	3.8	9	1	2	2	6	8	8
SUBTOTAL	**8653**	**4.1**	**20**	**1**	**2**	**3**	**5**	**8**	**11**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	569	1.5	1	< 1	< 1	1	2	3	3
70-74	249	1.8	3	< 1	< 1	1	2	3	7
75-79	153	3.9	8	< 1	< 1	3	7	7	8
80-84	93	1.1		< 1	1	1	1	2	2
85 +	63	1.0							
SUBTOTAL	**1128**	**1.8**	**3**	**< 1**	**< 1**	**1**	**2**	**4**	**7**
GRAND TOTAL	**9781**	**3.9**	**19**	**1**	**2**	**3**	**4**	**8**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	427	3.1	5	1	1	3	4	5	8
18-34	4069	2.5	5	1	1	2	3	5	6
35-49	6084	2.4	3	1	1	2	3	4	7
50-69	3959	3.2	8	1	1	2	4	6	9
70 +	63	1.9	2						
	14602	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**7**
0-17	63	3.9	3						
18-34	436	1.6	1	< 1	< 1	1	2	3	3
35-49	968	1.2		< 1	< 1	< 1	1	2	3
50-69	1152	1.5	1	< 1	< 1	1	1	3	4
70 +	43	2.0							
	2663	**1.5**	**1**	**< 1**	**< 1**	**1**	**2**	**3**	**4**
	17265	**2.5**	**5**	**< 1**	**1**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	73	4.1	2						
18-34	434	3.8	5	2	2	4	5	5	6
35-49	604	7.4	45	2	3	5	8	16	27
50-69	254	4.1	6	1	2	4	6	7	7
70 +	10	14.0							
SUBTOTAL	**1375**	**5.5**	**26**	**2**	**3**	**4**	**6**	**12**	**16**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	50	2.4	2						
35-49	20	4.5	2						
50-69	30	1.0							
70 +	0								
SUBTOTAL	**100**	**2.4**	**3**	**< 1**	**1**	**2**	**4**	**5**	**6**
GRAND TOTAL	**1474**	**5.3**	**25**	**1**	**2**	**4**	**6**	**12**	**16**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	70	2.0	1	1	1	2	3	4	4
18-34	1211	2.5	3	1	1	2	3	5	6
35-49	1054	2.3	2	1	1	2	3	5	5
50-69	687	2.9	2	1	2	2	4	6	6
70 +	0								
	3022	**2.5**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
0-17	0								
18-34	213	2.5	4	< 1	1	2	3	4	7
35-49	100	1.8	1	< 1	1	1	2	4	5
50-69	80	1.0		< 1	< 1	1	1	1	1
70 +	0								
	392	**2.0**	**3**	**< 1**	**< 1**	**1**	**2**	**4**	**6**
	3415	**2.4**	**3**	**1**	**1**	**2**	**3**	**5**	**6**

DRG 324: Urinary Stones w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2588	2.5	3	1	1	2	3	5	6
70-74	1169	2.4	4	1	1	2	3	4	7
75-79	628	2.3	2	1	1	2	2	4	7
80-84	481	2.7	2	1	1	3	4	4	5
85 +	117	3.3	8						
SUBTOTAL	**4982**	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**4982**	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**6**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	863	2.4	2	1	2	2	3	4	5
18-34	13440	1.8	1	1	1	1	2	3	4
35-49	18417	1.9	1	1	1	2	2	3	4
50-69	10625	2.0	2	1	1	2	2	4	5
70 +	73	1.9							
SUBTOTAL	**43418**	**1.9**	**2**	**1**	**1**	**2**	**2**	**3**	**4**
GRAND TOTAL	**43418**	**1.9**	**2**	**1**	**1**	**2**	**2**	**3**	**4**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	133	4.3	83	1	1	1	3	4	36
18-34	1009	2.2	1	1	2	2	3	3	4
35-49	484	2.4	5	1	1	1	3	6	8
50-69	204	2.7		2	2	3	3	3	4
70 +	43	5.0							
SUBTOTAL	**1873**	**2.5**	**8**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**1873**	**2.5**	**8**	**1**	**1**	**2**	**3**	**4**	**6**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	280	1.8	1	1	1	1	2	3	4
18-34	3501	1.9	2	1	1	1	2	3	4
35-49	2543	2.1	2	1	1	2	3	4	5
50-69	1311	1.7	2	1	1	1	2	3	5
70 +	43	2.0							
SUBTOTAL	**7679**	**1.9**	**2**	**1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**7679**	**1.9**	**2**	**1**	**1**	**1**	**2**	**4**	**5**

DRG 325: Kidney & Urinary Tract Signs & Symptoms Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	798	4.9	14	1	3	4	8	9	9
70-74	701	4.2	5	2	2	4	5	8	8
75-79	471	4.5	5	2	3	3	6	8	8
80-84	668	7.3	38	3	3	5	8	13	27
85+	694	8.1	24	3	6	7	9	15	22
SUBTOTAL	**3332**	**5.8**	**20**	**2**	**3**	**5**	**8**	**9**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3332**	**5.8**	**20**	**2**	**3**	**5**	**8**	**9**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	264	3.5	4	1	1	3	6	6	7
35-49	311	4.7	7	2	3	5	5	10	10
50-69	467	4.0	5	2	2	4	6	6	6
70+	40	6.3	2						
SUBTOTAL	**1081**	**4.2**	**6**	**1**	**2**	**4**	**5**	**7**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1081**	**4.2**	**6**	**1**	**2**	**4**	**5**	**7**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	63	3.6	4						
35-49	194	11.7	217	3	4	4	5	39	39
50-69	150	5.0	7						
70+	0								
SUBTOTAL	**407**	**8.0**	**119**	**2**	**3**	**4**	**8**	**39**	**39**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**407**	**8.0**	**119**	**2**	**3**	**4**	**8**	**39**	**39**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	137	6.5	150	2	3	3	4	4	50
35-49	30	2.7	6						
50-69	10	2.0							
70+	0								
SUBTOTAL	**177**	**5.6**	**120**	**1**	**2**	**3**	**4**	**6**	**50**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**177**	**5.6**	**120**	**1**	**2**	**3**	**4**	**6**	**50**

DRG 326: Kidney & Urinary Tract Signs & Symptoms Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	337	2.9	1	1	2	3	3	5	5
70-74	267	2.2	3	1	1	1	2	6	6
75-79	311	4.3	6	2	3	3	5	10	10
80-84	234	1.8	2	< 1	1	1	3	3	5
85 +	277	3.2	2	2	2	3	4	6	6
SUBTOTAL	**1425**	**3.0**	**4**	**1**	**1**	**3**	**4**	**6**	**6**
GRAND TOTAL	**1425**	**3.0**	**4**	**1**	**1**	**3**	**4**	**6**	**6**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	0								
18-34	420	2.7	2	< 1	1	3	4	6	6
35-49	558	3.4	5	2	2	3	5	5	8
50-69	400	2.1	2	1	1	2	3	5	5
70 +	10	1.0							
	1388	**2.8**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
	1388	**2.8**	**4**	**1**	**1**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	374	3.3	2	2	2	3	4	5	5
35-49	63	2.3	1						
50-69	30	3.7	4						
70 +	10	3.0							
SUBTOTAL	**477**	**3.2**	**2**	**2**	**2**	**3**	**4**	**5**	**5**
GRAND TOTAL	**477**	**3.2**	**2**	**2**	**2**	**3**	**4**	**5**	**5**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	0								
18-34	107	2.3							
35-49	147	3.8	3	1	2	4	6	6	6
50-69	20	1.0							
70 +	10	3.0							
	283	**3.0**	**3**	**1**	**2**	**3**	**4**	**6**	**6**
	283	**3.0**	**3**	**1**	**2**	**3**	**4**	**6**	**6**

DRG 327: Kidney & Urinary Tract Signs & Symptoms Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	197	2.1	2	1	1	2	3	3	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**197**	**2.1**	**2**	**1**	**1**	**2**	**3**	**3**	**6**
0-17	773	2.3	3	1	1	2	2	4	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**773**	**2.3**	**3**	**1**	**1**	**2**	**2**	**4**	**7**
GRAND TOTAL	**969**	**2.2**	**2**	**1**	**1**	**2**	**2**	**4**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	107	5.4	19						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**107**	**5.4**	**19**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	227	2.0		1	2	2	2	2	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**227**	**2.0**		**1**	**2**	**2**	**2**	**2**	**3**
GRAND TOTAL	**333**	**3.1**	**9**	**1**	**2**	**2**	**3**	**6**	**6**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	280	2.2	1	1	2	2	3	3	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**280**	**2.2**	**1**	**1**	**2**	**2**	**3**	**3**	**3**
GRAND TOTAL	**280**	**2.2**	**1**	**1**	**2**	**2**	**3**	**3**	**3**

DRG 328: Urethral Stricture Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	234	3.8	6	1	2	4	6	6	7
70-74	73	5.7	1						
75-79	80	3.3	8	<1	1	2	5	9	9
80-84	140	4.8	1						
85 +	130	7.3							
SUBTOTAL	657	4.9	6	1	3	5	7	7	8
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	657	4.9	6	1	3	5	7	7	8

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	97	3.2	1						
35-49	10	1.0							
50-69	63	3.0							
70 +	10	2.0							
	180	3.0	1	1	3	3	3	4	4
	0								
	0								
	0								
	0								
	0								
	0								
	0								
	180	3.0	1	1	3	3	3	4	4

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	10	2.0							
50-69	0								
70 +	0								
SUBTOTAL	10	2.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	10	2.0							

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	107	4.8	2						
35-49	43	15.0							
50-69	10	1.0							
70 +	0								
	160	7.3	24	2	4	6	15	15	15
	0								
	0								
	0								
	0								
	0								
	0								
	160	7.3	24	2	4	6	15	15	15

DRG 329: Urethral Stricture Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	40	2.5	7						
70-74	40	2.0	2						
75-79	43	1.0							
80-84	0								
85 +	0								
SUBTOTAL	**123**	**1.8**	**3**	**<1**	**<1**	**1**	**1**	**4**	**7**
GRAND TOTAL	**123**	**1.8**	**3**	**<1**	**<1**	**1**	**1**	**4**	**7**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	87	2.0							
35-49	170	2.5	3	1	1	3	5	5	5
50-69	40	1.5							
70 +	0								
297	**2.2**	**2**	**1**	**1**	**2**	**3**	**5**	**5**	
297	**2.2**	**2**	**1**	**1**	**2**	**3**	**5**	**5**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	43	1.0							
35-49	0								
50-69	0								
70 +	0								
43	**1.0**								
43	**1.0**								

DRG 330: Urethral Stricture Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	1.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	10	1.0							
0-17	50	4.2	8						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	50	4.2	8						
	60	3.7	8	< 1	< 1	3	6	8	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	2.0	1						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	30	2.0	1						
0-17	20	1.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	20	1.0							
	50	1.6	1						

DRG 331: Other Kidney & Urinary Tract Diagnoses Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	4465	6.1	19	2	3	5	8	12	16
70-74	1395	9.1	68	2	3	5	14	21	25
75-79	1976	7.4	33	2	3	6	10	14	22
80-84	1375	7.5	38	3	4	5	9	19	19
85+	1155	7.8	25	3	4	7	9	15	18
SUBTOTAL	**10366**	**7.1**	**33**	**2**	**3**	**5**	**9**	**15**	**19**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**10366**	**7.1**	**33**	**2**	**3**	**5**	**9**	**15**	**19**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	830	4.8	13	1	2	5	6	9	13
35-49	1343	5.1	14	2	3	4	8	9	10
50-69	1194	5.4	19	2	2	4	7	14	16
70+	127	6.7	36	2	2	4	10	10	23
	3494	**5.2**	**17**	**2**	**2**	**4**	**7**	**10**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	3494	**5.2**	**17**	**2**	**2**	**4**	**7**	**10**	**14**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	380	5.1	18	2	3	4	6	9	13
35-49	193	5.7	39	1	2	2	10	16	22
50-69	326	6.0	10	2	4	6	9	10	11
70+	63	7.2	2						
SUBTOTAL	**962**	**5.7**	**18**	**2**	**2**	**5**	**8**	**10**	**13**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**962**	**5.7**	**18**	**2**	**2**	**5**	**8**	**10**	**13**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	510	3.7	9	1	1	3	5	7	10
35-49	490	5.7	24	1	3	3	8	11	15
50-69	450	5.1	12	2	3	3	8	10	12
70+	87	3.5							
	1537	**4.7**	**15**	**1**	**2**	**3**	**6**	**10**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	1537	**4.7**	**15**	**1**	**2**	**3**	**6**	**10**	**12**

DRG 332: Other Kidney & Urinary Tract Diagnoses Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1127	4.7	21	1	1	4	5	10	17
70-74	554	5.2	13	2	2	4	8	9	14
75-79	297	5.0	11	1	3	4	7	11	11
80-84	333	3.9	3	1	2	4	5	6	6
85 +	127	1.9	1	1	1	1	3	3	4
SUBTOTAL	**2438**	**4.6**	**15**	**1**	**2**	**4**	**6**	**9**	**14**
GRAND TOTAL	**2438**	**4.6**	**15**	**1**	**2**	**4**	**6**	**9**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	0								
18-34	1130	2.9	5	1	1	2	4	8	8
35-49	1174	2.6	4	1	1	2	3	4	6
50-69	1228	2.5	5	1	1	2	3	5	9
70 +	20	5.0	9						
SUBTOTAL	**3552**	**2.7**	**5**	**1**	**1**	**2**	**4**	**5**	**8**
GRAND TOTAL	**3552**	**2.7**	**5**	**1**	**1**	**2**	**4**	**5**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	313	5.8	8	2	3	7	8	10	10
35-49	73	1.7							
50-69	137	5.5	23	1	2	2	12	12	12
70 +	0								
SUBTOTAL	**524**	**5.1**	**13**	**1**	**2**	**4**	**8**	**10**	**12**
GRAND TOTAL	**524**	**5.1**	**13**	**1**	**2**	**4**	**8**	**10**	**12**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	0								
18-34	530	2.4	4	1	1	2	2	4	7
35-49	333	3.2	7	1	1	2	4	5	8
50-69	90	2.6	9	< 1	1	1	2	10	10
70 +	10	10.0							
SUBTOTAL	**963**	**2.8**	**6**	**1**	**1**	**2**	**4**	**5**	**8**
GRAND TOTAL	**963**	**2.8**	**6**	**1**	**1**	**2**	**4**	**5**	**8**

DRG 333: Other Kidney & Urinary Tract Diagnoses Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	209	7.6	57	1	3	5	8	16	25
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	209	7.6	57	1	3	5	8	16	25
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	110	9.0	37	2	3	7	13	17	21
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	110	9.0	37	2	3	7	13	17	21
GRAND TOTAL	319	8.1	50	1	3	6	12	17	25

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1412	5.4	21	2	2	4	7	12	17
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1412	5.4	21	2	2	4	7	12	17
	3231	3.4	8	1	2	2	4	7	10
	0								
	0								
	0								
	0								
	0								
	3231	3.4	8	1	2	2	4	7	10
	4643	4.0	13	1	2	3	5	9	12

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	828	8.5	39	2	4	7	11	16	18
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	828	8.5	39	2	4	7	11	16	18
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	1058	4.3	21	1	2	3	6	8	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1058	4.3	21	1	2	3	6	8	11
GRAND TOTAL	1886	6.2	33	2	2	4	8	13	16

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	402	8.8	210	1	2	4	8	14	33
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	402	8.8	210	1	2	4	8	14	33
	872	4.7	28	1	2	3	6	10	10
	0								
	0								
	0								
	0								
	0								
	872	4.7	28	1	2	3	6	10	10
	1274	6.0	89	1	2	3	7	10	18

DRG 334: Major Male Pelvic Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1905	9.2	12	6	7	9	10	12	18
70-74	2210	11.7	157	7	8	9	12	15	17
75-79	1152	11.1	11	6	9	11	13	17	18
80-84	300	12.1	41	7	8	11	12	18	22
85 +	40	15.8	43						
SUBTOTAL	**5606**	**10.8**	**72**	**6**	**8**	**9**	**12**	**15**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**5606**	**10.8**	**72**	**6**	**8**	**9**	**12**	**15**	**18**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	9.0							
18-34	0								
35-49	30	7.3	2						
50-69	1093	9.4	17	6	7	8	12	16	17
70 +	60	11.0	53	7	7	8	9	27	27
	1193	**9.4**	**18**	**6**	**7**	**8**	**11**	**16**	**19**
	0								
	0								
	0								
	0								
	0								
	0								
	0								
	1193	**9.4**	**18**	**6**	**7**	**8**	**11**	**16**	**19**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	10	12.0							
70 +	0								
SUBTOTAL	**10**	**12.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**10**	**12.0**							

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	9.0							
18-34	0								
35-49	0								
50-69	177	12.2	83	6	8	10	14	17	47
70 +	10	20.0							
	197	**12.5**	**78**	**6**	**8**	**10**	**14**	**19**	**39**
	0								
	0								
	0								
	0								
	0								
	0								
	0								
	197	**12.5**	**78**	**6**	**8**	**10**	**14**	**19**	**39**

DRG 335: Major Male Pelvic Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	960	9.2	41	5	6	8	9	15	19
70-74	677	7.9	4	5	7	8	10	11	11
75-79	264	8.5	8	5	6	8	10	12	12
80-84	30	10.0	34						
85 +	63	11.1	16						
SUBTOTAL	**1994**	**8.8**	**23**	**5**	**6**	**8**	**9**	**12**	**18**
GRAND TOTAL	**1994**	**8.8**	**23**	**5**	**6**	**8**	**9**	**12**	**18**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	40	4.3	12						
18-34	20	9.5							
35-49	93	9.2	4	6	8	9	11	11	11
50-69	1040	8.7	6	6	7	8	10	12	14
70 +	63	9.3	7						
1257	**8.6**	**6**	**6**	**7**	**8**	**11**	**12**	**13**	
1257	**8.6**	**6**	**6**	**7**	**8**	**11**	**12**	**13**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	20	2.0	1						
18-34	10	4.0							
35-49	0								
50-69	30	9.3	2						
70 +	10	9.0							
SUBTOTAL	**70**	**6.4**	**12**	**1**	**3**	**8**	**9**	**11**	**11**
GRAND TOTAL	**70**	**6.4**	**12**	**1**	**3**	**8**	**9**	**11**	**11**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	53	3.2	22						
18-34	20	5.5	2						
35-49	0								
50-69	30	7.7	6						
70 +	20	8.0							
123	**5.5**	**16**	**1**	**1**	**5**	**8**	**11**	**13**	
123	**5.5**	**16**	**1**	**1**	**5**	**8**	**11**	**13**	

DRG 336: Transurethral Prostatectomy w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	8890	5.7	11	3	4	5	7	9	12
70-74	10038	5.8	16	3	3	5	7	10	15
75-79	8347	6.3	20	3	4	5	7	10	13
80-84	5461	7.2	16	3	5	6	8	13	16
85 +	3319	8.7	39	4	5	7	10	17	21
SUBTOTAL	36054	6.3	19	3	4	5	7	11	15
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	36054	6.3	19	3	4	5	7	11	15

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	20	5.5	2						
50-69	3173	5.4	9	3	3	4	7	9	12
70 +	433	5.9	23	2	3	5	7	9	12
	3626	5.4	11	3	3	4	7	9	12
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3626	5.4	11	3	3	4	7	9	12

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	10	33.0							
35-49	10	6.0							
50-69	210	7.1	78	3	4	6	7	7	9
70 +	43	5.0							
SUBTOTAL	274	7.7	85	3	4	5	7	7	33
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	274	7.7	85	3	4	5	7	7	33

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	40	5.0	13						
50-69	426	3.9	2	2	3	4	5	7	7
70 +	163	6.0	27	3	3	5	5	18	21
	629	4.5	10	2	3	4	5	7	7
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	629	4.5	10	2	3	4	5	7	7

DRG 337: Transurethral Prostatectomy w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	7098	3.9	3	2	3	4	4	6	7
70-74	7018	4.3	4	2	3	4	5	7	8
75-79	5050	4.0	3	2	3	4	5	6	7
80-84	2206	4.4	5	2	3	4	6	8	9
85 +	1292	5.3	6	3	3	5	6	8	10
SUBTOTAL	**22664**	**4.2**	**4**	**2**	**3**	**4**	**5**	**7**	**8**
GRAND TOTAL	**22664**	**4.2**	**4**	**2**	**3**	**4**	**5**	**7**	**8**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	0								
18-34	0								
35-49	244	3.3	1	2	2	3	4	5	5
50-69	7855	3.7	2	2	3	4	4	6	6
70 +	331	4.2	1	3	4	4	5	6	6
SUBTOTAL	**8429**	**3.7**	**2**	**2**	**3**	**4**	**4**	**6**	**6**
GRAND TOTAL	**8429**	**3.7**	**2**	**2**	**3**	**4**	**4**	**6**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	137	4.5	1	3	4	5	5	5	5
70 +	87	9.0	9						
SUBTOTAL	**224**	**6.2**	**9**	**3**	**5**	**5**	**6**	**12**	**12**
GRAND TOTAL	**224**	**6.2**	**9**	**3**	**5**	**5**	**6**	**12**	**12**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	0								
18-34	0								
35-49	30	2.3							
50-69	773	3.8	3	2	3	3	5	6	7
70 +	97	2.7							
SUBTOTAL	**900**	**3.6**	**3**	**2**	**3**	**3**	**5**	**6**	**7**
GRAND TOTAL	**900**	**3.6**	**3**	**2**	**3**	**3**	**5**	**6**	**7**

DRG 338: Testes Procedures, for Malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	260	8.9	86	1	3	8	9	18	37
70-74	430	3.7	18	1	1	2	3	13	14
75-79	564	7.8	84	1	2	3	11	20	34
80-84	317	8.3	30	2	3	8	12	16	16
85 +	127	4.7	12	2	2	3	7	7	13
SUBTOTAL	**1698**	**6.8**	**56**	**1**	**2**	**3**	**9**	**14**	**20**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	197	1.7	2	< 1	1	1	2	3	6
70-74	187	1.4		1	1	1	2	2	2
75-79	303	2.6	12	1	1	2	3	3	6
80-84	187	1.4		1	1	1	2	2	3
85 +	103	1.7		1	1	2	2	3	3
SUBTOTAL	**977**	**1.8**	**4**	**1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**2675**	**5.0**	**43**	**1**	**1**	**2**	**7**	**12**	**16**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	87	2.5							
35-49	50	4.4	6						
50-69	197	8.5	129	1	3	5	8	17	43
70 +	20	1.0							
SUBTOTAL	**353**	**6.0**	**81**	**1**	**2**	**3**	**7**	**10**	**18**
0-17	10	8.0							
18-34	220	1.6	1	1	1	1	2	3	3
35-49	137	1.5		1	1	1	2	2	2
50-69	30	1.0							
70 +	20	1.0							
SUBTOTAL	**417**	**1.6**	**1**	**1**	**1**	**1**	**2**	**2**	**3**
GRAND TOTAL	**770**	**3.7**	**43**	**1**	**1**	**2**	**3**	**7**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	53	4.2	22						
70 +	10	19.0							
SUBTOTAL	**63**	**6.6**	**48**						
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	10	7.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**10**	**7.0**							
GRAND TOTAL	**73**	**6.6**	**41**						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	5.0							
35-49	43	7.0							
50-69	20	19.0	38						
70 +	0								
SUBTOTAL	**73**	**10.0**	**41**						
0-17	10	1.0							
18-34	50	2.0	1						
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**60**	**1.8**	**1**	**1**	**1**	**2**	**2**	**4**	**4**
GRAND TOTAL	**133**	**6.3**	**40**	**1**	**2**	**5**	**7**	**13**	**25**

DRG 339: Testes Procedures, Non-malignancy Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	267	2.7	20	1	1	2	3	3	3
70-74	53	3.9	15						
75-79	247	7.5	50	1	4	5	12	21	21
80-84	150	2.7	3						
85 +	43	20.0							
SUBTOTAL	**761**	**5.4**	**43**	**1**	**1**	**3**	**5**	**20**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	447	2.1	4	< 1	1	1	3	4	7
70-74	277	2.1	5	1	1	1	2	7	7
75-79	80	2.9	9	< 1	< 1	1	4	10	10
80-84	107	3.4	5						
85 +	0								
SUBTOTAL	**911**	**2.3**	**5**	**< 1**	**1**	**1**	**3**	**7**	**7**
GRAND TOTAL	**1672**	**3.7**	**24**	**1**	**1**	**2**	**4**	**7**	**20**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	1.0							
35-49	107	1.8	1						
50-69	73	5.1	12						
70 +	0								
	190	**3.0**	**8**	**1**	**1**	**2**	**5**	**8**	**8**
0-17	0								
18-34	897	1.3	1	< 1	1	1	1	2	3
35-49	811	1.6	2	< 1	1	1	2	3	4
50-69	640	2.4	6	< 1	1	1	3	4	10
70 +	0								
	2347	**1.7**	**3**	**< 1**	**1**	**1**	**2**	**3**	**4**
	2537	**1.8**	**3**	**< 1**	**1**	**1**	**2**	**4**	**5**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	10	11.0							
35-49	10	2.0							
50-69	10	8.0							
70 +	0								
SUBTOTAL	**30**	**7.0**	**14**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	127	1.2		1	1	1	1	2	3
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**127**	**1.2**		**1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**157**	**2.3**	**8**	**1**	**1**	**1**	**2**	**8**	**11**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	63	2.5	1						
35-49	10	6.0							
50-69	0								
70 +	0								
	73	**3.0**	**2**						
0-17	0								
18-34	531	2.1	3	1	1	1	3	4	6
35-49	163	1.6	2	1	1	1	1	4	6
50-69	147	5.9	19	1	2	6	12	12	12
70 +	0								
	841	**2.7**	**8**	**1**	**1**	**1**	**4**	**6**	**12**
	914	**2.7**	**7**	**1**	**1**	**1**	**4**	**6**	**6**

DRG 340: Testes Procedures, Non-malignancy Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	187	1.9	2	1	1	2	2	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	187	**1.9**	**2**	**1**	**1**	**2**	**2**	**4**	**6**
0-17	2778	1.3		< 1	1	1	1	2	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2778	**1.3**		**< 1**	**1**	**1**	**1**	**2**	**3**
	2965	**1.4**	**1**	**< 1**	**1**	**1**	**2**	**2**	**3**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	30	2.3							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**30**	**2.3**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	766	1.4	2	1	1	1	1	2	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**766**	**1.4**	**2**	**1**	**1**	**1**	**1**	**2**	**4**
GRAND TOTAL	**796**	**1.5**	**2**	**1**	**1**	**1**	**1**	**2**	**4**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	1.3							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	30	**1.3**							
0-17	599	1.2		< 1	1	1	1	2	2
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	599	**1.2**		**< 1**	**1**	**1**	**1**	**2**	**2**
	629	**1.2**		**< 1**	**1**	**1**	**1**	**2**	**2**

DRG 341: Penis Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	727	4.3	8	1	2	4	5	6	12
70-74	397	5.7	22	1	3	4	7	18	18
75-79	324	3.4	1	2	3	3	4	6	6
80-84	234	10.6	34	7	7	8	11	22	22
85 +	227	9.2	92	1	5	6	12	13	13
SUBTOTAL	**1910**	**5.8**	**29**	**2**	**3**	**4**	**7**	**12**	**18**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	831	4.1	5	2	2	4	5	8	10
70-74	704	4.2	3	2	2	5	5	7	7
75-79	313	3.3	2	2	2	3	5	5	5
80-84	170	6.6	3	4	5	8	8	8	8
85 +	20	4.5							
SUBTOTAL	**2039**	**4.2**	**4**	**2**	**2**	**4**	**5**	**7**	**8**
GRAND TOTAL	**3948**	**5.0**	**17**	**2**	**3**	**4**	**6**	**8**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	173	5.8	18	1	2	6	8	13	14
18-34	40	13.5	3						
35-49	70	2.6	1	2	2	2	3	4	4
50-69	270	2.9	4	1	2	2	4	5	7
70 +	10	3.0							
SUBTOTAL	**563**	**4.5**	**15**	**1**	**2**	**3**	**6**	**12**	**14**
0-17	2071	2.4	6	1	1	1	3	5	7
18-34	323	3.1	5	1	1	2	4	7	8
35-49	343	3.0	4	1	2	3	3	5	6
50-69	1672	3.1	4	1	2	2	4	6	8
70 +	97	3.3							
SUBTOTAL	**4507**	**2.8**	**5**	**1**	**1**	**2**	**3**	**6**	**7**
GRAND TOTAL	**5070**	**3.0**	**7**	**1**	**1**	**2**	**4**	**6**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	30	8.3	2						
18-34	30	13.7	45						
35-49	20	5.0	1						
50-69	20	3.0							
70 +	10	9.0							
SUBTOTAL	**110**	**8.3**	**28**	**3**	**4**	**8**	**9**	**10**	**23**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	645	2.9	6	1	1	3	4	6	8
18-34	10	3.0							
35-49	43	2.0							
50-69	30	1.3							
70 +	43	6.0							
SUBTOTAL	**772**	**3.0**	**6**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**882**	**3.6**	**12**	**1**	**1**	**3**	**4**	**8**	**9**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	60	19.2	15	14	16	19	22	25	25
18-34	20	3.0	1						
35-49	93	4.6	43	< 1	< 1	2	5	23	23
50-69	113	5.8	48	1	1	4	6	6	27
70 +	10	1.0							
SUBTOTAL	**296**	**7.8**	**69**	**< 1**	**1**	**4**	**14**	**23**	**25**
0-17	831	3.4	7	1	1	3	5	7	8
18-34	120	2.3	2	1	1	2	3	3	5
35-49	170	4.1	6	1	3	3	6	6	12
50-69	113	3.5	21	1	1	1	3	11	15
70 +	10	4.0							
SUBTOTAL	**1244**	**3.4**	**8**	**1**	**1**	**3**	**5**	**7**	**8**
GRAND TOTAL	**1541**	**4.3**	**22**	**1**	**1**	**3**	**6**	**8**	**15**

DRG 342: Circumcision Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	97	2.3							
70-74	0								
75-79	53	1.0							
80-84	0								
85+	0								
SUBTOTAL	**150**	**1.9**	**1**						
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	20	1.0							
70-74	20	1.0							
75-79	0								
80-84	10	1.0							
85+	0								
SUBTOTAL	**50**	**1.0**							
GRAND TOTAL	**200**	**1.7**	**1**	**<1**	**<1**	**1**	**2**	**3**	**3**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	43	12.0							
35-49	63	1.0							
50-69	30	2.3	4						
70+	0								
SUBTOTAL	**137**	**4.8**	**25**	**<1**	**1**	**1**	**12**	**12**	**12**
0-17	0								
18-34	73	1.0							
35-49	187	1.7	2	<1	<1	1	1	4	4
50-69	147	4.3	25	<1	<1	1	12	12	12
70+	43	5.0							
SUBTOTAL	**450**	**2.7**	**11**	**<1**	**<1**	**1**	**4**	**5**	**12**
GRAND TOTAL	**587**	**3.2**	**15**	**<1**	**<1**	**1**	**4**	**12**	**12**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	10	13.0	-						
35-49	10	3.0							
50-69	0								
70+	0								
SUBTOTAL	**20**	**8.0**	**26**						
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**20**	**8.0**	**26**						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	1.0							
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**10**	**1.0**							
0-17	0								
18-34	0								
35-49	10	1.0							
50-69	0								
70+	0								
SUBTOTAL	**10**	**1.0**							
GRAND TOTAL	**20**	**1.0**							

DRG 343: Circumcision Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	103	1.0		< 1	< 1	1	1	1	1
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	103	1.0		< 1	< 1	1	1	1	1
0-17	130	1.0		< 1	< 1	< 1	< 1	1	1
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	130	1.0		< 1	< 1	< 1	< 1	1	1
	233	1.0		< 1	< 1	< 1	1	1	1

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	73	2.1							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	73	2.1							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	80	1.0		< 1	< 1	1	1	1	1
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	80	1.0		< 1	< 1	1	1	1	1
GRAND TOTAL	153	1.5	1	< 1	1	1	2	3	3

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	1.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	10	1.0							
0-17	107	1.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	107	1.0							
	117	1.0							

DRG 344: Other Male Reproductive System O.R. Procedures for Malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	167	6.2	40	2	2	2	8	16	25
70-74	257	4.4	5	2	2	3	6	7	9
75-79	615	3.5	11	2	2	2	3	7	7
80-84	204	3.7	12	2	2	2	4	6	14
85 +	97	3.2	1						
SUBTOTAL	1339	4.0	14	2	2	2	5	7	13
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	73	3.6	5						
70-74	204	3.8	6	2	2	2	7	7	8
75-79	140	1.9							
80-84	130	2.0							
85 +	0								
SUBTOTAL	548	2.9	4	2	2	2	2	7	7
GRAND TOTAL	1887	3.7	11	2	2	2	4	7	9

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	12.0							
18-34	0								
35-49	0								
50-69	153	7.4	18	5	6	6	7	8	23
70 +	87	2.0							
SUBTOTAL	250	5.7	19	2	2	6	7	8	12
0-17	0								
18-34	0								
35-49	0								
50-69	184	4.3	1						
70 +	0								
SUBTOTAL	184	4.3	1						
	434	5.1	12	2	3	5	6	7	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	10	6.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	10	6.0							
GRAND TOTAL	10	6.0							

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	6.0							
35-49	0								
50-69	20	10.5	13						
70 +	0								
SUBTOTAL	30	9.0	13						
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	30	9.0	13						

DRG 345: Other Male Reproductive System O.R. Proc except for Malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	83	7.5	91						
70-74	10	3.0							
75-79	53	3.0							
80-84	63	3.9	13						
85 +	0								
SUBTOTAL	**210**	**5.1**	**44**	**2**	**2**	**3**	**5**	**5**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	53	5.3	2						
70-74	10	9.0							
75-79	107	1.6							
80-84	0								
85 +	43	2.0							
SUBTOTAL	**214**	**2.9**	**5**	**1**	**2**	**2**	**4**	**6**	**6**
GRAND TOTAL	**424**	**4.0**	**25**	**1**	**2**	**3**	**5**	**6**	**9**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	87	10.0	9						
50-69	63	4.0							
70 +	0								
SUBTOTAL	**150**	**7.5**	**14**						
0-17	20	2.5							
18-34	0								
35-49	10	1.0							
50-69	337	2.6	7	1	1	1	3	9	9
70 +	0								
SUBTOTAL	**367**	**2.6**	**7**	**1**	**1**	**1**	**3**	**9**	**9**
GRAND TOTAL	**517**	**4.0**	**14**	**1**	**1**	**3**	**6**	**9**	**13**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	10	3.0							
70 +	0								
SUBTOTAL	**10**	**3.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**10**	**3.0**							

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	0								
18-34	43	4.0							
35-49	0								
50-69	63	4.4	18						
70 +	0								
SUBTOTAL	**107**	**4.2**	**11**						
GRAND TOTAL	**107**	**4.2**	**11**						

DRG 346: Malignancy, Male Reproductive System, w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	541	6.9	19	2	4	5	10	14	15
70-74	497	7.0	31	3	4	5	10	11	14
75-79	685	6.4	21	3	3	5	10	11	12
80-84	564	9.0	82	3	3	8	11	15	37
85 +	384	9.5	67	3	4	9	13	13	22
SUBTOTAL	**2670**	**7.6**	**43**	**3**	**4**	**5**	**10**	**13**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2670**	**7.6**	**43**	**3**	**4**	**5**	**10**	**13**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	7.0							
35-49	0								
50-69	93	11.2	14	5	7	13	13	18	18
70 +	73	14.3	50						
SUBTOTAL	**177**	**12.2**	**32**	**5**	**7**	**13**	**18**	**20**	**20**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
	177	12.2	32	5	7	13	18	20	20

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	30	14.0	67						
18-34	0								
35-49	0								
50-69	20	5.5	2						
70 +	43	8.0							
SUBTOTAL	**93**	**9.4**	**33**	**4**	**7**	**8**	**8**	**25**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**93**	**9.4**	**33**	**4**	**7**	**8**	**8**	**25**	**25**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	22.0							
18-34	20	5.0	1						
35-49	0								
50-69	40	7.3	18						
70 +	10	1.0							
SUBTOTAL	**80**	**7.8**	**42**	**< 1**	**2**	**6**	**11**	**22**	**22**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
	80	7.8	42	< 1	2	6	11	22	22

DRG 347: Malignancy, Male Reproductive System, w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	83	2.6	1						
70-74	20	8.5	44						
75-79	97	2.9	4						
80-84	40	3.3	4						
85+	30	6.7	15						
SUBTOTAL	**270**	**3.7**	**10**	**1**	**2**	**2**	**5**	**6**	**12**
GRAND TOTAL	**270**	**3.7**	**10**	**1**	**2**	**2**	**5**	**6**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
0									
0-17	10	6.0							
18-34	20	1.5							
35-49	43	4.0							
50-69	127	3.1	3	1	1	3	5	5	5
70+	0								
200	**3.3**	**3**	**1**	**1**	**4**	**5**	**5**	**6**	
200	**3.3**	**3**	**1**	**1**	**4**	**5**	**5**	**6**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	10	10.0							
18-34	10	8.0							
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**20**	**9.0**	**1**						
GRAND TOTAL	**20**	**9.0**	**1**						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
0									
0-17	10	1.0							
18-34	0								
35-49	0								
50-69	0								
70+	0								
10	**1.0**								
10	**1.0**								

DRG 348: Benign Prostatic Hypertrophy w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	444	3.3	6	1	1	3	5	6	6
70-74	210	4.8	10	1	3	5	7	10	10
75-79	210	6.4	20	1	2	4	9	13	14
80-84	384	4.5	6	1	2	5	6	7	7
85 +	397	6.4	11	2	4	6	10	11	11
SUBTOTAL	**1645**	**4.9**	**11**	**1**	**2**	**5**	**7**	**10**	**11**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1645**	**4.9**	**11**	**1**	**2**	**5**	**7**	**10**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	43	3.0							
50-69	224	3.5	1	2	2	3	5	5	5
70 +	0								
SUBTOTAL	**267**	**3.4**	**1**	**2**	**3**	**3**	**4**	**5**	**5**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**267**	**3.4**	**1**	**2**	**3**	**3**	**4**	**5**	**5**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	10	4.0							
50-69	10	15.0							
70 +	10	5.0							
SUBTOTAL	**30**	**8.0**	**26**						
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**30**	**8.0**	**26**						

DRG 349: Benign Prostatic Hypertrophy w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	70	1.3		< 1	< 1	1	2	2	2
70-74	177	1.5	1	< 1	1	1	2	3	3
75-79	127	3.2	3	< 1	2	2	5	5	6
80-84	63	5.8	11						
85 +	237	5.1	23	2	3	3	3	15	15
SUBTOTAL	**674**	**3.5**	**13**	**1**	**1**	**2**	**3**	**8**	**15**
GRAND TOTAL	**674**	**3.5**	**13**	**1**	**1**	**2**	**3**	**8**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	43	8.0							
35-49	0								
50-69	307	3.1	4	1	2	2	5	7	7
70 +	43	3.0							
394	**3.6**	**5**	**1**	**2**	**3**	**5**	**8**	**8**	
394	**3.6**	**5**	**1**	**2**	**3**	**5**	**8**	**8**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	10	1.0							
50-69	0								
70 +	0								
SUBTOTAL	**10**	**1.0**							
GRAND TOTAL	**10**	**1.0**							

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	0								
35-49	0								
50-69	10	1.0							
70 +	0								
10	**1.0**								
10	**1.0**								

DRG 350: Inflammation of the Male Reproductive System

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1112	5.0	5	3	4	4	6	8	10
70-74	491	6.5	5	4	4	6	8	10	10
75-79	350	5.3	4	4	4	5	6	9	9
80-84	257	6.4	13	4	5	5	6	14	14
85+	73	15.7	81						
SUBTOTAL	2284	5.9	12	3	4	5	7	10	12
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	634	4.2	3	2	3	4	5	7	8
70-74	321	5.7	2	4	4	6	7	8	8
75-79	224	4.4	3	3	3	4	5	7	7
80-84	73	6.7	53						
85+	63	8.3	7						
SUBTOTAL	1315	4.9	7	3	3	4	6	8	8
GRAND TOTAL	3599	5.5	10	3	4	5	7	8	10

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	103	3.4	1	2	2	4	4	5	5
18-34	301	4.9	1	4	4	5	5	6	6
35-49	661	5.4	30	1	3	4	5	10	24
50-69	858	4.9	11	2	2	4	6	8	14
70+	0								
	1923	5.0	16	2	3	4	6	8	12
0-17	504	3.7	4	1	3	3	5	8	8
18-34	1242	4.2	6	2	3	4	5	7	11
35-49	1573	3.8	3	2	3	3	5	6	6
50-69	1365	4.1	3	2	3	4	6	6	6
70+	43	2.0							
	4728	3.9	4	2	3	4	5	6	7
	6650	4.2	7	2	3	4	5	6	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	50	5.6	8						
35-49	53	4.4	1						
50-69	160	6.9	9	4	4	7	10	10	12
70+	0								
SUBTOTAL	264	6.2	8	4	4	6	9	10	10
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	217	2.4	1	1	1	3	3	4	4
18-34	53	7.1	4						
35-49	73	3.7	2						
50-69	63	5.5	1						
70+	43	1.0							
SUBTOTAL	450	3.4	5	1	1	3	5	7	8
GRAND TOTAL	714	4.4	8	1	3	4	7	9	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	63	4.0	22						
18-34	80	4.3	3	2	3	4	5	8	8
35-49	130	5.1	11	1	3	5	7	8	14
50-69	170	3.8	2	2	2	3	6	6	6
70+	10	13.0							
	453	4.5	10	1	2	3	6	8	13
0-17	133	3.4	2	<1	2	4	4	5	6
18-34	477	2.5	3	<1	1	2	4	5	6
35-49	220	3.7	2	2	2	4	5	5	5
50-69	93	3.1	2	1	2	3	3	7	7
70+	0								
	924	3.0	3	1	2	3	4	5	6
	1377	3.5	5	1	2	3	5	6	7

DRG 351: Sterilization, Male

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	0								
18-34	10	1.0							
35-49	20	1.0							
50-69	0								
70 +	0								
SUBTOTAL	**30**	**1.0**							
GRAND TOTAL	**30**	**1.0**							

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

DRG 352: Other Male Reproductive System Diagnoses

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	30	1.0							
70-74	43	3.0							
75-79	10	1.0							
80-84	10	1.0							
85 +	0								
SUBTOTAL	93	1.9	1	<1	1	1	3	3	3
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	10	4.0							
70-74	43	3.0							
75-79	10	2.0							
80-84	0								
85 +	0								
SUBTOTAL	63	3.0							
GRAND TOTAL	157	2.4	1	1	1	3	3	3	4

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	40	2.3	3						
18-34	73	4.0	6						
35-49	43	1.0							
50-69	60	5.0	25	<1	3	3	4	16	16
70 +	0								
SUBTOTAL	217	3.3	12	1	1	3	3	5	10
0-17	377	2.7	5	1	1	2	4	8	8
18-34	137	2.0	10	1	1	1	1	3	13
35-49	127	2.9	3	1	1	3	5	5	5
50-69	30	2.0							
70 +	0								
SUBTOTAL	670	2.6	6	1	1	1	4	5	8
	887	2.8	7	1	1	2	4	5	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	50	2.6	2						
18-34	0								
35-49	10	4.0							
50-69	0								
70 +	0								
SUBTOTAL	60	2.8	2	<1	1	3	4	5	5
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	40	1.5	1						
18-34	10	1.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	50	1.4	1						
GRAND TOTAL	110	2.2	2	<1	<1	1	3	4	5

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	1.0							
18-34	30	5.0							
35-49	20	1.0							
50-69	0								
70 +	0								
SUBTOTAL	60	3.0	4	1	1	3	5	5	5
0-17	123	2.0	7	1	1	1	1	2	11
18-34	93	2.9	14	1	1	1	3	13	13
35-49	43	3.0							
50-69	43	2.0							
70 +	0								
SUBTOTAL	303	2.4	7	1	1	1	3	4	11
	363	2.5	7	1	1	1	3	5	11

DRG 353: Pelvic Evisceration, Radical Hysterectomy & Radical Vulvectomy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	93	12.5	245	5	5	8	9	57	57
70-74	120	18.6	335	6	9	10	21	38	71
75-79	90	15.7	72	6	9	13	25	29	29
80-84	50	14.4	35						
85 +	10	7.0							
SUBTOTAL	**363**	**15.4**	**202**	**5**	**7**	**10**	**16**	**29**	**57**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	193	7.8	10	5	5	7	10	13	15
70-74	10	11.0							
75-79	63	5.9	3						
80-84	10	7.0							
85 +	20	13.0	26						
SUBTOTAL	**296**	**7.9**	**12**	**5**	**5**	**7**	**10**	**12**	**16**
GRAND TOTAL	**659**	**12.0**	**131**	**5**	**6**	**9**	**13**	**25**	**29**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	21.0							
18-34	70	10.3	87	6	6	7	7	33	33
35-49	383	8.6	6	6	7	8	10	11	14
50-69	160	10.4	16	6	8	9	11	19	21
70 +	0								
SUBTOTAL	**622**	**9.4**	**20**	**6**	**7**	**8**	**10**	**14**	**19**
0-17	0								
18-34	153	6.2	5	3	3	7	8	9	9
35-49	350	6.1	5	3	5	6	8	9	9
50-69	100	7.2	4	5	6	7	7	10	13
70 +	0								
SUBTOTAL	**603**	**6.3**	**5**	**3**	**5**	**7**	**7**	**9**	**9**
GRAND TOTAL	**1224**	**7.9**	**15**	**3**	**6**	**7**	**9**	**11**	**14**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	40	10.3	8						
35-49	20	11.5	7						
50-69	30	12.3	32						
70 +	0								
SUBTOTAL	**90**	**11.2**	**16**	**7**	**8**	**10**	**14**	**20**	**20**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**90**	**11.2**	**16**	**7**	**8**	**10**	**14**	**20**	**20**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	20	8.5	7						
35-49	50	7.4	1						
50-69	30	20.0	232						
70 +	0								
SUBTOTAL	**100**	**11.4**	**102**	**6**	**7**	**8**	**12**	**41**	**99 +**
0-17	0								
18-34	30	7.7							
35-49	83	4.5	9						
50-69	20	9.5	2						
70 +	0								
SUBTOTAL	**133**	**6.0**	**10**	**2**	**2**	**7**	**8**	**10**	**11**
GRAND TOTAL	**233**	**8.3**	**56**	**2**	**6**	**7**	**8**	**12**	**41**

Southern Region, July 1989 - June 1990

DRG 354: Uterine, Adnexa Proc for Non-ovarian/Adnexal Malig w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1244	7.7	19	4	5	6	9	12	17
70-74	670	9.3	40	5	6	8	9	16	17
75-79	623	7.2	8	4	5	7	8	10	14
80-84	236	11.5	71	6	6	7	19	19	19
85 +	103	9.7	6	6	8	11	11	12	13
SUBTOTAL	2876	8.3	27	5	5	7	9	16	17
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	2876	8.3	27	5	5	7	9	16	17

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	17.0							
18-34	303	5.9	7	4	4	5	7	8	11
35-49	406	7.8	51	4	4	5	7	28	28
50-69	833	7.4	19	4	5	6	8	12	21
70 +	40	6.3	2						
SUBTOTAL	1592	7.2	25	4	4	6	7	11	21
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	1592	7.2	25	4	4	6	7	11	21

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	157	4.2	6	3	3	3	4	9	12
35-49	70	9.1	51	2	5	6	12	25	25
50-69	113	6.4	3	4	6	6	8	8	10
70 +	0								
SUBTOTAL	340	6.0	18	3	3	5	8	10	12
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	340	6.0	18	3	3	5	8	10	12

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	80	3.5	1	2	2	3	4	5	5
35-49	236	5.8	6	4	4	5	7	9	10
50-69	197	8.4	27	5	5	8	8	20	23
70 +	0								
SUBTOTAL	513	6.4	16	3	4	5	8	9	13
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	513	6.4	16	3	4	5	8	9	13

DRG 355: Uterine, Adnexa Proc for Non-ovarian/Adnexal Malig w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	814	5.0	2	4	4	5	6	7	7
70-74	470	6.0	3	4	5	5	7	9	9
75-79	297	5.7	3	4	5	5	7	8	8
80-84	117	5.9	1						
85 +	20	6.5							
SUBTOTAL	1718	5.5	3	4	4	5	7	8	8
GRAND TOTAL	1718	5.5	3	4	4	5	7	8	8

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	2269	3.6	1	3	3	3	4	5	5
35-49	1965	4.4	2	3	3	4	5	6	6
50-69	1461	5.2	6	3	4	5	6	7	11
70 +	20	4.5							
	5715	4.3	3	3	3	4	5	6	7
	5715	4.3	3	3	3	4	5	6	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	600	3.7	1	3	3	4	4	5	5
35-49	244	4.0	1	3	3	4	4	6	6
50-69	127	5.9		5	6	6	6	6	7
70 +	43	11.0							
SUBTOTAL	1014	4.3	3	3	3	4	5	6	7
GRAND TOTAL	1014	4.3	3	3	3	4	5	6	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	236	4.2	2	3	3	4	5	7	7
35-49	333	4.0	3	2	3	4	4	5	6
50-69	311	5.1	2	4	4	5	5	8	8
70 +	0								
	880	4.4	3	3	4	4	5	7	8
	880	4.4	3	3	4	4	5	7	8

Southern Region, July 1989 - June 1990

DRG 356: Female Reproductive System Reconstructive Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1208	5.3	4	3	4	5	6	8	9
70-74	868	5.5	18	2	3	4	7	12	13
75-79	801	5.4	7	2	4	5	7	9	12
80-84	274	5.6	5	4	5	5	6	8	8
85 +	147	6.8	5	4	6	7	8	10	11
SUBTOTAL	3297	5.5	9	3	4	5	7	9	12
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	2840	4.1	3	2	3	4	5	6	7
70-74	2540	4.4	4	2	3	4	5	7	8
75-79	877	4.4	4	2	3	4	5	6	9
80-84	604	4.7	3	3	4	5	5	7	7
85 +	97	4.8	4						
SUBTOTAL	6958	4.3	3	2	3	4	5	6	7
GRAND TOTAL	10255	4.7	5	2	3	4	6	7	9

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	83	5.5	4						
35-49	871	4.9	4	3	3	4	6	9	10
50-69	1494	5.8	13	3	4	5	7	10	11
70 +	10	4.0							
SUBTOTAL	2459	5.5	10	3	4	5	6	9	10
0-17	40	6.8	8						
18-34	617	3.6	3	2	3	3	4	7	7
35-49	4373	3.8	2	2	3	4	5	6	6
50-69	5889	4.5	6	2	3	4	5	7	8
70 +	130	4.7	6						
SUBTOTAL	11049	4.2	4	2	3	4	5	6	7
	13507	4.4	5	2	3	4	5	7	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	83	4.8	2						
50-69	97	6.4	2						
70 +	0								
SUBTOTAL	180	5.7	3	4	5	5	8	8	8
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	204	4.6	1	4	4	4	5	5	6
35-49	421	5.0	3	2	3	5	6	8	8
50-69	170	3.9	3	2	2	4	6	6	6
70 +	0								
SUBTOTAL	795	4.6	3	2	4	4	6	7	8
GRAND TOTAL	975	4.8	3	2	4	5	6	8	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	20	3.0	1						
35-49	30	3.7	3						
50-69	120	4.8	3	2	3	5	6	7	7
70 +	0								
SUBTOTAL	170	4.4	3	2	3	5	6	7	7
0-17	0								
18-34	30	3.0	1						
35-49	514	3.7	2	2	3	3	5	6	7
50-69	650	3.9	3	2	3	4	5	6	7
70 +	0								
SUBTOTAL	1193	3.8	3	2	3	3	5	6	7
	1363	3.9	3	2	3	4	5	6	7

DRG 357: Uterine & Adnexa Proc for Ovarian or Adnexal Malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	593	14.4	118	6	8	9	15	34	34
70-74	306	13.4	246	8	9	11	12	16	20
75-79	454	14.4	45	7	9	15	19	24	26
80-84	200	15.7	52	10	11	13	14	29	29
85 +	184	10.0	7						
SUBTOTAL	**1737**	**13.9**	**104**	**6**	**8**	**11**	**15**	**28**	**29**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	360	5.5	1	4	5	5	6	7	8
70-74	63	7.2							
75-79	63	6.4	1						
80-84	97	12.1	67						
85 +	0								
SUBTOTAL	**584**	**6.9**	**18**	**4**	**5**	**6**	**7**	**9**	**21**
GRAND TOTAL	**2321**	**12.1**	**92**	**5**	**6**	**9**	**14**	**24**	**29**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	11.3	31						
18-34	177	5.7	6	4	4	5	6	10	13
35-49	333	10.2	32	6	8	9	12	14	24
50-69	843	8.9	29	5	6	7	11	15	20
70 +	40	9.8	14						
SUBTOTAL	**1422**	**8.9**	**28**	**5**	**6**	**7**	**11**	**15**	**20**
0-17	40	3.5	1						
18-34	230	4.4	1	4	4	4	5	5	6
35-49	471	4.1	1	3	4	4	4	5	6
50-69	163	5.8	3	4	4	6	7	8	8
70 +	0								
SUBTOTAL	**904**	**4.4**	**2**	**3**	**4**	**4**	**5**	**7**	**7**
GRAND TOTAL	**2326**	**7.2**	**23**	**4**	**4**	**6**	**8**	**12**	**16**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	10	4.0							
18-34	10	5.0							
35-49	93	9.6	10	4	7	11	11	16	16
50-69	50	12.4	12						
70 +	0								
SUBTOTAL	**163**	**9.8**	**15**	**4**	**7**	**10**	**11**	**16**	**17**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	10	4.0							
50-69	0								
70 +	0								
SUBTOTAL	**10**	**4.0**							
GRAND TOTAL	**173**	**9.5**	**16**	**4**	**7**	**10**	**11**	**16**	**17**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	13.0							
18-34	150	7.1	8						
35-49	167	9.2	19	4	4	8	14	14	16
50-69	70	11.9	24	8	8	10	13	23	23
70 +	10	18.0							
SUBTOTAL	**407**	**9.2**	**20**	**4**	**5**	**8**	**13**	**14**	**17**
0-17	0								
18-34	40	6.3	8						
35-49	40	4.5	2						
50-69	30	7.3	12						
70 +	0								
SUBTOTAL	**110**	**5.9**	**8**	**4**	**4**	**4**	**7**	**11**	**12**
GRAND TOTAL	**516**	**8.5**	**19**	**4**	**4**	**7**	**12**	**14**	**16**

DRG 358: Uterine & Adnexa Proc for Non-malignancy w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3696	6.4	18	4	4	5	7	8	17
70-74	2146	6.6	19	3	5	6	7	8	19
75-79	1007	7.6	20	4	6	6	8	13	15
80-84	818	7.2	26	4	5	6	7	9	24
85+	197	8.7	23	5	5	6	11	18	20
SUBTOTAL	**7864**	**6.8**	**20**	**4**	**5**	**6**	**7**	**9**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**7864**	**6.8**	**20**	**4**	**5**	**6**	**7**	**9**	**17**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	230	5.7	2	4	5	6	7	7	7
18-34	9032	4.9	6	3	4	4	6	8	10
35-49	20062	5.0	4	3	4	4	6	7	9
50-69	4333	5.8	6	4	4	5	7	8	11
70+	60	6.3	1	5	5	6	7	8	8
	33717	**5.1**	**5**	**3**	**4**	**5**	**6**	**8**	**9**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	33717	**5.1**	**5**	**3**	**4**	**5**	**6**	**8**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	30	4.0							
18-34	1908	6.4	39	3	4	5	7	9	12
35-49	1808	6.0	12	3	4	5	6	9	14
50-69	370	5.7	4	4	4	6	7	7	9
70+	20	7.0	9						
SUBTOTAL	**4135**	**6.2**	**24**	**3**	**4**	**5**	**7**	**9**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4135**	**6.2**	**24**	**3**	**4**	**5**	**7**	**9**	**12**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	60	7.2	23	3	4	5	11	16	16
18-34	2174	5.3	7	3	4	4	6	10	11
35-49	3131	5.4	18	3	4	5	6	7	9
50-69	747	6.0	8	4	4	5	7	9	11
70+	53	7.4	1						
	6165	**5.5**	**13**	**3**	**4**	**5**	**6**	**8**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	6165	**5.5**	**13**	**3**	**4**	**5**	**6**	**8**	**10**

DRG 359: Uterine & Adnexa Proc for Non-malignancy w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	4953	4.8	2	3	4	5	6	7	8
70-74	2009	5.1	5	3	4	5	6	7	9
75-79	1301	5.6	5	3	4	5	6	7	10
80-84	538	5.5	4	4	4	5	6	8	10
85 +	103	6.2	2	5	5	6	6	8	9
SUBTOTAL	**8905**	**5.1**	**3**	**3**	**4**	**5**	**6**	**7**	**8**
GRAND TOTAL	**8905**	**5.1**	**3**	**3**	**4**	**5**	**6**	**7**	**8**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	1174	3.3	2	2	2	3	4	5	6
18-34	54069	3.7	2	2	3	4	4	5	6
35-49	86364	4.1	2	3	3	4	5	5	6
50-69	15949	4.5	2	3	4	4	5	6	7
70 +	137	4.5		4	4	5	5	5	5
157692	**4.0**	**2**	**3**	**3**	**4**	**5**	**5**	**6**	
157692	**4.0**	**2**	**3**	**3**	**4**	**5**	**5**	**6**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	353	4.5	12	2	3	4	5	8	8
18-34	9975	4.3	4	3	3	4	5	6	7
35-49	4717	4.7	3	3	4	4	5	7	8
50-69	607	4.8	3	3	4	4	6	8	8
70 +	43	4.0							
SUBTOTAL	**15696**	**4.4**	**4**	**3**	**3**	**4**	**5**	**6**	**8**
GRAND TOTAL	**15696**	**4.4**	**4**	**3**	**3**	**4**	**5**	**6**	**8**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	400	4.2	11	2	3	4	4	6	7
18-34	7380	3.8	3	2	3	4	4	6	7
35-49	7528	4.1	2	3	3	4	5	6	7
50-69	1160	4.5	1	3	4	4	5	6	7
70 +	10	8.0							
16477	**4.0**	**3**	**2**	**3**	**4**	**5**	**6**	**7**	
16477	**4.0**	**3**	**2**	**3**	**4**	**5**	**6**	**7**	

DRG 360: Vagina, Cervix & Vulva Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	517	6.7	20	3	4	6	7	18	18
70-74	444	7.4	38	2	4	5	9	21	21
75-79	286	7.4	50	2	4	4	9	22	32
80-84	143	6.8	14	3	4	6	10	13	14
85 +	194	4.2	4	1	2	6	6	6	6
SUBTOTAL	**1584**	**6.7**	**29**	**2**	**4**	**5**	**8**	**16**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	717	3.5	4	1	2	3	5	6	7
70-74	430	4.4	3	2	3	5	5	6	6
75-79	477	2.9	3	< 1	2	3	4	5	6
80-84	283	7.2	36	2	2	5	10	20	20
85 +	133	2.4	2	< 1	1	2	3	4	6
SUBTOTAL	**2040**	**4.0**	**10**	**< 1**	**2**	**4**	**5**	**6**	**8**
GRAND TOTAL	**3624**	**5.2**	**20**	**1**	**3**	**4**	**6**	**9**	**18**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	3.0							
18-34	283	7.0	35	1	2	3	14	15	15
35-49	256	7.9	100	2	3	4	11	15	23
50-69	250	4.0	6	2	2	3	7	7	9
70 +	10	3.0							
SUBTOTAL	**830**	**6.2**	**47**	**2**	**2**	**3**	**9**	**14**	**15**
0-17	356	2.7	7	< 1	1	2	3	8	9
18-34	1321	1.9	2	< 1	< 1	1	2	4	5
35-49	1814	3.1	5	< 1	1	3	5	6	6
50-69	1222	3.7	10	< 1	1	3	6	7	12
70 +	0								
SUBTOTAL	**4713**	**2.9**	**6**	**< 1**	**< 1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**5543**	**3.4**	**14**	**< 1**	**< 1**	**2**	**5**	**6**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	20	9.0	38						
18-34	93	2.5	2	< 1	2	2	3	6	6
35-49	63	7.5	1						
50-69	100	3.2	3	1	2	3	4	6	7
70 +	0								
SUBTOTAL	**276**	**4.4**	**10**	**1**	**2**	**3**	**7**	**8**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	60	4.0	13	< 1	1	2	8	10	10
18-34	230	2.3	2	< 1	1	2	2	5	5
35-49	113	3.1	3	2	2	3	5	6	6
50-69	0								
70 +	0								
SUBTOTAL	**403**	**2.8**	**4**	**< 1**	**1**	**2**	**5**	**5**	**7**
GRAND TOTAL	**680**	**3.4**	**7**	**1**	**2**	**2**	**5**	**8**	**8**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	4.0							
18-34	93	6.8	10	2	5	5	10	10	10
35-49	127	6.4	10	4	4	5	10	10	10
50-69	83	5.8	17						
70 +	0								
SUBTOTAL	**313**	**6.3**	**11**	**2**	**4**	**5**	**10**	**10**	**10**
0-17	140	2.4	4	< 1	1	2	3	5	8
18-34	187	1.7	1	< 1	1	1	2	3	5
35-49	103	2.7	1	1	2	3	3	4	5
50-69	140	2.1	2	< 1	1	2	3	4	5
70 +	0								
SUBTOTAL	**569**	**2.2**	**2**	**< 1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**883**	**3.6**	**9**	**1**	**1**	**3**	**5**	**10**	**10**

DRG 361: Laparoscopy & Incisional Tubal Interruption

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	40	9.3	9						
75-79	0								
80-84	10	2.0							
85 +	0								
SUBTOTAL	**50**	**7.8**	**16**						
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	113	2.1	1	< 1	< 1	3	3	3	3
70-74	20	1.0							
75-79	10	3.0							
80-84	0								
85 +	0								
SUBTOTAL	**143**	**2.0**	**1**	**< 1**	**< 1**	**3**	**3**	**3**	**3**
GRAND TOTAL	**193**	**3.5**	**11**	**< 1**	**< 1**	**3**	**3**	**11**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	117	4.4	10						
18-34	387	3.5	6	1	1	3	5	8	8
35-49	180	4.2	5	1	1	5	6	7	8
50-69	30	1.3							
70 +	0								
SUBTOTAL	**714**	**3.8**	**7**	**1**	**1**	**3**	**6**	**8**	**8**
0-17	541	3.0	5	< 1	1	3	5	6	7
18-34	5905	2.8	7	< 1	< 1	2	4	5	8
35-49	2217	1.9	2	< 1	< 1	< 1	2	4	6
50-69	103	1.1		< 1	< 1	1	1	2	2
70 +	0								
SUBTOTAL	**8766**	**2.5**	**6**	**< 1**	**< 1**	**1**	**3**	**5**	**7**
GRAND TOTAL	**9480**	**2.6**	**6**	**< 1**	**< 1**	**2**	**4**	**5**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	30	4.0	3						
18-34	293	4.8	14	1	2	3	8	9	10
35-49	73	6.3	4						
50-69	10	3.0							
70 +	0								
SUBTOTAL	**407**	**5.0**	**12**	**1**	**2**	**4**	**8**	**9**	**10**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	137	5.7	8	3	3	7	7	9	11
18-34	1364	3.2	4	1	2	3	5	6	6
35-49	83	1.6	2						
50-69	10	6.0							
70 +	0								
SUBTOTAL	**1594**	**3.4**	**5**	**1**	**2**	**3**	**5**	**6**	**8**
GRAND TOTAL	**2001**	**3.7**	**6**	**1**	**2**	**3**	**5**	**7**	**9**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	4.0							
18-34	260	3.6	2	1	3	4	4	5	6
35-49	93	6.2	15	1	2	6	10	10	10
50-69	0								
70 +	0								
SUBTOTAL	**363**	**4.3**	**6**	**1**	**3**	**4**	**4**	**10**	**10**
0-17	210	3.1	10	1	2	2	3	4	8
18-34	1267	3.6	9	1	1	3	5	6	9
35-49	150	2.1	6	< 1	< 1	1	2	5	10
50-69	20	3.0							
70 +	0								
SUBTOTAL	**1647**	**3.4**	**9**	**< 1**	**1**	**3**	**5**	**6**	**9**
GRAND TOTAL	**2010**	**3.5**	**8**	**1**	**1**	**3**	**5**	**6**	**10**

DRG 362: Endoscopic Tubal Interruption

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	10	3.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	10	3.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	30	1.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	30	1.0							
GRAND TOTAL	40	1.5	1						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	10	4.0							
50-69	0								
70 +	0								
	10	4.0							
0-17	0								
18-34	1573	1.0		< 1	< 1	< 1	< 1	< 1	1
35-49	1097	1.0		< 1	< 1	< 1	< 1	< 1	< 1
50-69	53	1.8							
70 +	0								
	2723	1.0		< 1	< 1	< 1	< 1	< 1	1
	2733	1.0		< 1	< 1	< 1	< 1	< 1	1

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	73	1.6							
35-49	10	1.0							
50-69	0								
70 +	0								
SUBTOTAL	83	1.5							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	469	1.0		< 1	< 1	< 1	< 1	< 1	1
35-49	40	1.0							
50-69	0								
70 +	0								
SUBTOTAL	509	1.0		< 1	< 1	< 1	< 1	< 1	1
GRAND TOTAL	592	1.1		< 1	< 1	< 1	< 1	1	2

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	30	1.7							
35-49	0								
50-69	0								
70 +	0								
	30	1.7							
0-17	0								
18-34	113	1.0		< 1	< 1	< 1	< 1	1	1
35-49	40	1.0							
50-69	0								
70 +	0								
	153	1.0		< 1	< 1	< 1	1	1	1
	183	1.1		< 1	< 1	< 1	1	2	2

DRG 363: D&C, Conization & Radio-implant, for Malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	470	5.2	50	2	3	4	4	11	18
70-74	337	4.1	15	1	3	3	4	9	16
75-79	311	3.8	6	2	2	3	4	9	9
80-84	63	19.4	97						
85+	107	4.8	24						
SUBTOTAL	**1288**	**5.3**	**41**	**2**	**3**	**3**	**4**	**11**	**20**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	456	3.2	3	1	2	3	4	7	7
70-74	326	3.3	2	2	3	3	4	4	7
75-79	410	3.0	2	1	2	3	3	6	6
80-84	40	4.3	5						
85+	60	1.8	1	<1	<1	1	2	4	4
SUBTOTAL	**1292**	**3.1**	**3**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**2580**	**4.2**	**23**	**2**	**2**	**3**	**4**	**7**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	1.0							
18-34	43	2.0							
35-49	223	3.3	10	1	1	2	4	7	11
50-69	233	6.5	84	2	3	3	9	9	9
70+	20	3.0							
SUBTOTAL	**529**	**4.5**	**45**	**1**	**2**	**3**	**4**	**9**	**11**
0-17	0								
18-34	533	1.3	1	<1	<1	1	1	2	3
35-49	563	1.9	1	<1	1	2	2	3	4
50-69	690	2.4	2	<1	1	2	3	4	4
70+	73	3.9							
SUBTOTAL	**1858**	**2.0**	**1**	**<1**	**1**	**2**	**3**	**4**	**4**
GRAND TOTAL	**2388**	**2.6**	**12**	**<1**		**2**	**3**	**4**	**5**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	30	4.0	8						
35-49	150	6.3	24						
50-69	190	6.5	42	3	3	4	6	14	31
70+	10	7.0							
SUBTOTAL	**380**	**6.3**	**32**	**2**	**3**	**4**	**6**	**14**	**14**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	163	1.2		<1	<1	1	1	2	2
35-49	177	2.7	1	2	2	2	3	4	5
50-69	190	2.6	1	<1	2	3	3	3	4
70+	10	6.0							
SUBTOTAL	**540**	**2.3**	**1**	**<1**	**1**	**2**	**3**	**3**	**4**
GRAND TOTAL	**920**	**3.9**	**18**	**<1**	**2**	**3**	**4**	**7**	**14**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	53	2.2							
35-49	50	4.2							
50-69	103	8.2	78	3	4	4	9	20	32
70+	0								
SUBTOTAL	**207**	**5.7**	**46**	**2**	**2**	**4**	**4**	**9**	**20**
0-17	0								
18-34	133	2.0	1	<1	<1	1	3	3	4
35-49	183	2.1	1	1	1	2	3	4	4
50-69	173	3.1	2	1	2	3	4	4	8
70+	0								
SUBTOTAL	**489**	**2.4**	**2**	**<1**	**1**	**2**	**3**	**4**	**4**
GRAND TOTAL	**696**	**3.4**	**17**	**1**	**2**	**3**	**4**	**4**	**8**

DRG 364: D&C, Conization except for Malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	393	2.5	3	<1	<1	2	3	6	7
70-74	224	2.9	5		2	2	3	4	4
75-79	30	5.0	3						
80-84	20	4.0	4						
85+	0								
SUBTOTAL	**667**	**2.8**	**4**	**<1**	**2**	**?**	**4**	**6**	**7**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	453	1.4	1	<1	<1	<1	1	3	4
70-74	193	1.1		<1	<1	<1	1	1	2
75-79	157	1.0		<1	<1	1	1	1	1
80-84	103	2.5	2	<1	<1	3	3	4	5
85+	117	2.3	2						
SUBTOTAL	**1023**	**1.5**	**1**	**<1**	**<1**	**1**	**1**	**4**	**4**
GRAND TOTAL	**1690**	**2.0**	**2**	**<1**	**<1**	**1**	**2**	**4**	**5**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	40	2.5	2						
18-34	354	2.1	1	1	1	2	2	4	4
35-49	1178	2.5	3	1	1	2	3	5	5
50-69	360	3.2	12	1	1	2	4	5	7
70+	0								
SUBTOTAL	**1932**	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**5**
0-17	10	2.0							
18-34	2228	1.3	1	<1	<1	<1	1	2	4
35-49	4307	1.2	1	<1	<1	<1	1	1	2
50-69	1517	1.2		<1	<1	<1	<1	1	3
70+	0								
SUBTOTAL	**8062**	**1.2**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**3**
GRAND TOTAL	**9995**	**1.5**	**2**	**<1**	**<1**	**<1**	**1**	**3**	**4**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	43	5.0							
18-34	478	2.2	2	1	1	2	3	3	6
35-49	50	2.8	10						
50-69	53	2.8							
70+	0								
SUBTOTAL	**625**	**2.5**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	467	1.6	1	<1	<1	1	2	3	3
35-49	220	3.2	7	<1	<1	2	4	8	8
50-69	147	1.6	1	1	1	1	2	2	5
70+	0								
SUBTOTAL	**833**	**2.0**	**3**	**<1**	**<1**	**1**	**2**	**4**	**8**
GRAND TOTAL	**1458**	**2.2**	**3**	**<1**	**1**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	190	2.8	4	1	1	2	5	5	8
35-49	167	3.2	9	1	1	2	8	8	8
50-69	73	3.1	10						
70+	10	1.0							
SUBTOTAL	**440**	**3.0**	**7**	**1**	**1**	**2**	**3**	**8**	**8**
0-17	0								
18-34	450	2.5	8	<1	1	2	2	5	11
35-49	143	1.2		<1	<1	1	1	2	3
50-69	123	1.2		<1	<1	1	1	1	3
70+	0								
SUBTOTAL	**717**	**2.0**	**6**	**<1**	**<1**	**1**	**2**	**3**	**11**
GRAND TOTAL	**1157**	**2.4**	**6**	**<1**	**1**	**1**	**2**	**5**	**8**

DRG 365: Other Female Reproductive System O.R. Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	293	11.0	85	2	5	7	15	27	27
70-74	177	13.0	130	4	7	8	15	29	50
75-79	160	6.1	6	4	4	5	6	11	13
80-84	107	28.2	175						
85 +	63	16.8	24						
SUBTOTAL	**801**	**13.2**	**130**	**4**	**5**	**8**	**16**	**30**	**42**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	137	5.3	6	3	4	4	8	8	8
70-74	30	6.7	17						
75-79	10	1.0							
80-84	43	4.0							
85 +	0								
SUBTOTAL	**220**	**5.1**	**7**	**2**	**4**	**4**	**8**	**8**	**8**
GRAND TOTAL	**1021**	**11.5**	**114**	**3**	**4**	**7**	**13**	**27**	**42**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	43	10.0							
18-34	244	4.4	4	3	4	4	4	7	10
35-49	256	10.5	57	4	5	7	13	23	23
50-69	443	9.9	52	4	5	8	13	15	21
70 +	10	30.0							
SUBTOTAL	**997**	**8.9**	**49**	**3**	**4**	**7**	**11**	**18**	**23**
0-17	210	4.6	12	3	3	4	5	5	8
18-34	1038	4.4	4	2	3	4	5	7	9
35-49	784	5.0	6	2	3	5	6	8	11
50-69	283	4.4	2	3	3	4	6	6	7
70 +	0								
SUBTOTAL	**2315**	**4.6**	**5**	**3**	**3**	**4**	**5**	**7**	**9**
	3312	**5.9**	**23**	**3**	**3**	**4**	**7**	**11**	**14**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	10	31.0							
18-34	70	5.4	3	3	4	5	8	8	8
35-49	40	8.5	13						
50-69	93	10.6	82	5	5	5	14	34	34
70 +	10	13.0							
SUBTOTAL	**223**	**9.6**	**65**	**4**	**5**	**5**	**13**	**16**	**31**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	20	4.5	2						
18-34	297	3.7	4	2	3	3	4	5	6
35-49	97	5.4	2						
50-69	10	4.0							
70 +	10	2.0							
SUBTOTAL	**434**	**4.1**	**4**	**2**	**3**	**4**	**5**	**7**	**7**
GRAND TOTAL	**657**	**6.0**	**31**	**2**	**3**	**5**	**6**	**12**	**14**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-1	53	8.0							
18-34	83	4.4	3						
35-49	103	9.3	54	3	3	7	13	18	27
50-69	60	8.5	6	5	6	9	10	12	12
70 +	0								
SUBTOTAL	**300**	**7.5**	**25**	**3**	**4**	**8**	**8**	**13**	**15**
0-17	73	3.1	3						
18-34	113	3.6	1	2	3	4	4	5	6
35-49	167	6.5	7	3	5	6	10	10	11
50-69	73	3.5	5						
70 +	0								
SUBTOTAL	**427**	**4.7**	**7**	**2**	**3**	**4**	**6**	**10**	**10**
	727	**5.8**	**16**	**2**	**3**	**5**	**8**	**10**	**13**

DRG 366: Malignancy, Female Reproductive System w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	170	8.6	62	2	2	9	11	12	35
70-74	193	7.5	15	2	4	8	9	13	16
75-79	223	11.8	101	2	4	8	19	25	25
80-84	244	12.5	99	3	4	10	22	22	31
85 +	93	13.7	148	3	9	9	15	46	46
SUBTOTAL	**922**	**10.7**	**85**	**2**	**4**	**9**	**12**	**25**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**922**	**10.7**		**2**	**4**	**9**	**12**	**25**	**31**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	5.3							
18-34	40	5.0	4						
35-49	367	5.4	48	1	2	3	4	21	21
50-69	346	4.8	16	2	2	3	7	11	15
70 +	87	4.5							
	870	**5.1**	**27**	**1**	**2**	**3**	**5**	**11**	**21**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	870	**5.1**	**27**	**1**	**2**	**3**	**5**	**11**	**21**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	50	4.6	6						
18-34	10	7.0							
35-49	63	20.7	68						
50-69	163	9.2	63	3	4	6	12	22	33
70 +	10	15.0							
SUBTOTAL	**296**	**11.0**	**80**	**3**	**4**	**7**	**15**	**26**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**296**	**11.0**	**80**	**3**	**4**	**7**	**15**	**26**	**26**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	20	12.0	26						
18-34	0								
35-49	60	6.3	26	2	3	4	7	17	17
50-69	236	11.5	92	3	3	11	13	30	30
70 +	0								
	316	**10.6**	**79**	**3**	**3**	**7**	**13**	**30**	**30**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	316	**10.6**	**79**	**3**	**3**	**7**	**13**	**30**	**30**

DRG 367: Malignancy, Female Reproductive System w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	90	2.9	6	1	1	1	4	8	8
70-74	103	3.2	2	2	2	4	4	5	5
75-79	40	5.0	5						
80-84	107	5.1	6						
85 +	0								
SUBTOTAL	340	3.9	5	1	2	3	5	8	8
GRAND TOTAL	340	3.9	5	1	2	3	5	8	8

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	30	3.7	3						
18-34	30	2.0	2						
35-49	90	3.3	9	1	1	2	4	11	11
50-69	213	1.8	1	1	1	1	3	3	3
70 +	0								
	363	2.4	4	1	1	2	3	4	6
	363	2.4	4	1	1	2	3	4	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	97	1.0							
35-49	0								
50-69	40	2.0	2						
70 +	0								
SUBTOTAL	137	1.3	1	< 1	< 1	< 1	1	2	4
GRAND TOTAL	137	1.3	1	< 1	< 1	< 1	1	2	4

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	30	8.7	122						
50-69	63	1.5	1						
70 +	0								
	93	3.8	50	< 1	1	1	2	24	24
	93	3.8	50	< 1	1	1	2	24	24

DRG 368: Infections, Female Reproductive System

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	214	5.5	6	3	3	7	7	7	10
70-74	43	16.0							
75-79	174	6.8	7						
80-84	140	11.7	19						
85 +	97	18.8	243						
SUBTOTAL	**668**	**9.8**	**66**	**4**	**4**	**7**	**14**	**16**	**36**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	97	6.0	8						
70-74	0								
75-79	0								
80-84	87	7.0	9						
85 +	0								
SUBTOTAL	**184**	**6.5**	**8**						
GRAND TOTAL	**852**	**9.1**	**55**	**4**	**4**	**7**	**11**	**16**	**35**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	316	4.6	5	2	3	4	6	9	9
18-34	1401	4.4	7	2	3	4	5	8	9
35-49	367	5.1	6	3	3	4	7	9	11
50-69	147	5.7	6	3	3	7	7	9	10
70 +	20	8.5							
	2251	**4.7**	**6**	**2**	**3**	**4**	**6**	**9**	**9**
0-17	1431	3.8	3	2	2	3	5	7	7
18-34	8096	3.6	3	2	2	3	4	6	7
35-49	1930	4.3	3	2	3	4	5	6	7
50-69	184	5.1	4						
70 +	0								
	11640	**3.8**	**3**	**2**	**3**	**3**	**5**	**6**	**7**
	13891	**3.9**	**4**	**2**	**3**	**3**	**5**	**7**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	427	6.2	5	3	4	6	8	10	10
18-34	1357	4.0	4	2	2	4	5	7	8
35-49	236	4.1	3	3	3	4	4	6	7
50-69	97	6.6	3						
70 +	0								
SUBTOTAL	**2117**	**4.6**	**5**	**2**	**3**	**4**	**6**	**8**	**9**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	1293	4.5	7	2	3	4	5	7	8
18-34	3928	3.7	3	2	3	3	4	6	7
35-49	291	4.2	2	2	4	4	5	6	6
50-69	0								
70 +	0								
SUBTOTAL	**5511**	**3.9**	**4**	**2**	**3**	**4**	**5**	**6**	**7**
GRAND TOTAL	**7628**	**4.1**	**4**	**2**	**3**	**4**	**5**	**7**	**8**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	306	4.5	6	3	3	3	6	7	7
18-34	1890	4.6	5	3	3	4	5	7	8
35-49	236	4.5	3	2	3	5	6	7	7
50-69	10	11.0							
70 +	0								
	2443	**4.6**	**5**	**3**	**3**	**4**	**6**	**7**	**8**
0-17	1592	4.8	9	2	2	4	7	8	10
18-34	5367	3.9	4	2	3	3	5	6	7
35-49	373	5.8	10	3	3	5	10	11	11
50-69	10	3.0							
70 +	0								
	7343	**4.2**	**5**	**2**	**3**	**4**	**5**	**7**	**8**
	9786	**4.3**	**5**	**2**	**3**	**4**	**5**	**7**	**8**

Southern Region, July 1989 - June 1990

DRG 369: Menstrual & Other Female Reproductive System Disorders

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	254	4.7	4	2	4	4	7	7	7
70-74	127	6.4	25	4	5	5	6	6	23
75-79	20	4.0							
80-84	170	8.1	258	3	3	3	3	14	71
85 +	40	6.5	7						
SUBTOTAL	**610**	**6.1**	**81**	**3**	**3**	**4**	**6**	**7**	**12**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	177	2.4	1	< 1	< 1	3	3	4	5
70-74	140	3.6	4						
75-79	103	3.3	1	2	2	4	4	4	4
80-84	53	6.7	8						
85 +	97	3.4							
SUBTOTAL	**571**	**3.4**	**4**	**< 1**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**1181**	**4.8**	**45**	**1**	**3**	**4**	**5**	**7**	**8**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	254	4.6	5	2	3	4	6	6	10
18-34	1001	2.9	11	1	1	2	3	4	5
35-49	764	2.5	2	< 1	1	2	3	4	7
50-69	137	3.3	5	2	2	3	3	7	9
70 +	0								
SUBTOTAL	**2155**	**3.0**	**7**	**< 1**	**2**	**2**	**4**	**5**	**6**
0-17	1284	2.0	2	1	1	2	2	4	5
18-34	5101	2.3	4	1	1	2	3	4	6
35-49	2039	2.2	2	1	1	2	3	4	4
50-69	254	2.3	1	1	2	2	3	3	3
70 +	0								
SUBTOTAL	**8678**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**10833**	**2.4**	**4**	**1**	**1**	**2**	**3**	**4**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	93	3.1	2	2	2	3	3	7	7
18-34	123	4.1	10	1	2	4	4	6	13
35-49	147	3.8	7	1	2	3	4	9	11
50-69	53	5.4	1						
70 +	0								
SUBTOTAL	**417**	**3.9**	**6**	**1**	**2**	**4**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	250	1.5		< 1	< 1	1	2	2	2
18-34	1306	2.3	4	< 1	1	2	3	4	6
35-49	297	2.8	2	1	2	3	3	5	6
50-69	53	1.8							
70 +	0								
SUBTOTAL	**1906**	**2.3**	**3**	**< 1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**2323**	**2.6**	**4**	**< 1**	**1**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	127	2.8	2	2	2	3	3	3	7
18-34	387	4.1	15	1	1	2	8	9	9
35-49	357	3.0	3	1	2	2	5	5	5
50-69	123	6.2	218	1	1	1	1	10	55
70 +	0								
SUBTOTAL	**994**	**3.8**	**35**	**1**	**1**	**2**	**5**	**8**	**9**
0-17	581	1.3	1	< 1	1	1	1	2	3
18-34	1804	1.8	4	1	1	1	2	3	3
35-49	390	2.7	2	1	1	3	4	5	5
50-69	63	1.3	1						
70 +	0								
SUBTOTAL	**2838**	**1.8**	**3**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**3832**	**2.3**	**12**	**1**	**1**	**1**	**2**	**5**	**7**

DRG 370: Cesarean Section w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	190	6.2	2	5	5	6	7	8	11
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	190	6.2	2	5	5	6	7	8	11
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	190	6.2	2	5	5	6	7	8	11

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	774	5.4	5	4	4	5	6	8	9
18-34	27436	5.3	15	3	4	4	5	7	10
35-49	4209	6.3	39	3	4	4	6	9	16
50-69	0								
70 +	0								
	32419	5.4	18	3	4	4	6	8	10
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	32419	5.4	18	3	4	4	6	8	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH
1.PATIENTS W/ CCs								
AGE GROUP								
0-17 (YRS.)	4049	6.1	13	4	4	5	7	9
18-34	24546	5.5	18	3	4	5	6	8
35-49	1410	6.5	35	3	4	5	7	8
50-69	0							
70 +	0							
SUBTOTAL	30006	5.7	18	3	4	5	6	8
2.PATIENTS W/OUT CCs								
AGE GROUP								
0-17	0							
18-34	0							
35-49	0							
50-69	0							
70 +	0							
SUBTOTAL	0							
GRAND TOTAL	30006	5.7	18	3	4	5	6	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	712	5.7	6	3	4	5	7	8	9
18-34	8934	5.4	19	3	4	4	6	8	11
35-49	756	6.0	103	4	4	5	5	7	9
50-69	0								
70 +	0								
	10403	5.5	24	3	4	4	6	8	10
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	10403	5.5	24	3	4	4	6	8	10

DRG 371: Cesarean Section w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	608	3.7	1	3	3	4	4	5	5
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**608**	**3.7**	**1**	**3**	**3**	**4**	**4**	**5**	**5**
GRAND TOTAL	**608**	**3.7**	**1**	**3**	**3**	**4**	**4**	**5**	**5**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	2239	4.4	2	3	4	4	5	6	8
18-34	137532	3.9	3	3	3	4	4	5	5
35-49	16494	4.2	5	3	3	4	4	5	6
50-69	0								
70 +	0								
156265	**4.0**	**3**	**3**	**3**	**4**	**4**	**5**	**5**	
156265	**4.0**	**3**	**3**	**3**	**4**	**4**	**5**	**5**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	7648	4.3	2	3	3	4	5	6	7
18-34	68955	4.1	3	3	3	4	4	5	6
35-49	2710	4.1	4	3	3	4	4	5	5
50-69	43	5.0							
70 +	0								
SUBTOTAL	**79357**	**4.1**	**3**	**3**	**3**	**4**	**4**	**5**	**6**
GRAND TOTAL	**79357**	**4.1**	**3**	**3**	**3**	**4**	**4**	**5**	**6**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	1147	4.1	2	3	3	4	5	6	6
18-34	28059	3.8	2	3	3	4	4	5	5
35-49	2492	4.2	19	3	3	4	4	5	5
50-69	0								
70 +	0								
31698	**3.9**	**4**	**3**	**3**	**4**	**4**	**5**	**5**	
31698	**3.9**	**4**	**3**	**3**	**4**	**4**	**5**	**5**	

DRG 372: Vaginal Delivery w/ Complicating Diagnoses

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	137	2.8	1	2	2	3	3	4	5
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**137**	**2.8**	**1**	**2**	**2**	**3**	**3**	**4**	**5**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	83	2.2							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**83**	**2.2**							
GRAND TOTAL	**220**	**2.6**	**1**	**2**	**2**	**2**	**3**	**3**	**4**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	290	3.3	3	2	2	3	4	5	5
18-34	7687	3.3	10	2	2	3	4	5	6
35-49	1282	3.3	4	2	2	3	4	6	8
50-69	0								
70 +	0								
	9259	**3.3**	**9**	**2**	**2**	**3**	**4**	**5**	**7**
0-17	841	2.9	13	1	2	2	3	4	5
18-34	19102	2.8	4	2	2	2	3	4	5
35-49	2120	2.9	9	2	2	2	3	4	6
50-69	0								
70 +	0								
	22062	**2.8**	**5**	**2**	**2**	**2**	**3**	**4**	**5**
	31321	**2.9**	**6**	**2**	**2**	**2**	**3**	**4**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	1846	3.3	5	2	2	3	3	5	7
18-34	9358	3.4	7	2	2	3	4	6	7
35-49	239	3.9	11	2	2	3	4	7	14
50-69	0								
70 +	0								
SUBTOTAL	**11443**	**3.4**	**7**	**2**	**2**	**3**	**4**	**6**	**7**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	3668	3.2	12	2	2	2	3	4	7
18-34	15778	2.6	2	2	2	2	3	4	5
35-49	483	3.4	10	2	2	2	3	8	13
50-69	0								
70 +	0								
SUBTOTAL	**19930**	**2.8**	**4**	**2**	**2**	**2**	**3**	**4**	**5**
GRAND TOTAL	**31373**	**3.0**	**5**	**2**	**2**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	753	3.5	9	2	2	3	3	7	9
18-34	4718	3.5	10	2	2	3	4	5	7
35-49	300	2.5	3	1	1	2	3	4	7
50-69	0								
70 +	0								
	5771	**3.4**	**10**	**2**	**2**	**3**	**4**	**5**	**7**
0-17	929	2.6	3	2	2	2	3	3	4
18-34	6902	2.6	5	1	2	2	3	4	6
35-49	353	3.2	4	1	2	3	4	7	7
50-69	0								
70 +	0								
	8184	**2.7**	**5**	**1**	**2**	**2**	**3**	**4**	**6**
	13955	**3.0**	**7**	**1**	**2**	**2**	**3**	**5**	**6**

DRG 373: Vaginal Delivery w/o Complicating Diagnoses

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	110	2.4	1	1	2	2	3	3	5
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**110**	**2.4**	**1**	**1**	**2**	**2**	**3**	**3**	**5**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	885	2.0		1	2	2	2	3	3
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**885**	**2.0**		**1**	**2**	**2**	**2**	**3**	**3**
GRAND TOTAL	**994**	**2.0**	**1**	**1**	**2**	**2**	**2**	**3**	**3**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	794	2.9	4	2	2	2	3	4	9
18-34	13854	2.7	8	2	2	2	3	4	5
35-49	1326	3.1	8	1	2	3	3	6	6
50-69	0								
70 +	0								
SUBTOTAL	**15974**	**2.8**	**8**	**2**	**2**	**2**	**3**	**4**	**5**
0-17	9350	2.1	1	1	2	2	2	3	3
18-34	327445	2.1	1	1	2	2	2	3	3
35-49	25561	2.2	2	1	2	2	3	3	3
50-69	0								
70 +	0								
SUBTOTAL	**362356**	**2.1**	**1**	**1**	**2**	**2**	**2**	**3**	**3**
GRAND TOTAL	**378329**	**2.2**	**1**	**1**	**2**	**2**	**2**	**3**	**3**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	4240	2.7	3	2	2	2	3	4	5
18-34	22650	2.4	4	1	2	2	3	3	4
35-49	490	2.6	2	2	2	2	3	6	6
50-69	0								
70 +	0								
SUBTOTAL	**27380**	**2.5**	**3**	**1**	**2**	**2**	**3**	**3**	**4**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	41158	2.3	1	1	2	2	3	3	3
18-34	223519	2.1	1	1	2	2	2	3	3
35-49	5156	2.1	1	1	2	2	2	3	4
50-69	0								
70 +	0								
SUBTOTAL	**269833**	**2.1**	**1**	**1**	**2**	**2**	**2**	**3**	**3**
GRAND TOTAL	**297213**	**2.2**	**1**	**1**	**2**	**2**	**2**	**3**	**3**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1479	2.5	3	2	2	2	3	3	4
18-34	10312	2.3	5	1	2	2	2	3	4
35-49	410	2.2	1	1	2	2	3	3	4
50-69	0								
70 +	0								
SUBTOTAL	**12200**	**2.4**	**5**	**1**	**2**	**2**	**3**	**3**	**4**
0-17	9588	2.1	2	1	2	2	2	3	3
18-34	103511	2.0	1	1	1	2	2	3	3
35-49	6572	2.0	4	1	1	2	2	3	3
50-69	0								
70 +	0								
SUBTOTAL	**119671**	**2.0**	**2**	**1**	**1**	**2**	**2**	**3**	**3**
GRAND TOTAL	**131871**	**2.0**	**2**	**1**	**2**	**2**	**2**	**3**	**3**

DRG 374: Vaginal Delivery w/ Sterilization &/or D&C

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	20	3.5							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**20**	**3.5**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	301	2.6		2	2	2	3	3	3
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**301**	**2.6**		**2**	**2**	**2**	**3**	**3**	**3**
GRAND TOTAL	**321**	**2.6**		**2**	**2**	**3**	**3**	**3**	**4**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2862	3.5	7	2	2	3	4	5	6
35-49	527	3.1	3	2	2	3	3	7	7
50-69	0								
70 +	0								
	3389	**3.4**	**6**	**2**	**2**	**3**	**4**	**5**	**7**
0-17	43	1.0							
18-34	40386	2.5	1	2	2	2	3	3	4
35-49	7555	2.7	7	2	2	2	3	4	4
50-69	0								
70 +	0								
	47985	**2.5**	**2**	**2**	**2**	**2**	**3**	**3**	**4**
	51374	**2.6**	**3**	**2**	**2**	**2**	**3**	**3**	**4**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	73	3.5	1						
18-34	4384	3.3	13	2	2	3	3	4	7
35-49	337	3.2	1	2	2	3	4	5	5
50-69	0								
70 +	0								
SUBTOTAL	**4795**	**3.3**	**12**	**2**	**2**	**3**	**4**	**4**	**6**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	334	4.3	6	3	3	3	6	10	10
18-34	39229	2.4	1	2	2	2	3	3	4
35-49	2779	2.4		2	2	2	3	3	3
50-69	0								
70 +	0								
SUBTOTAL	**42342**	**2.4**	**1**	**2**	**2**	**2**	**3**	**3**	**4**
GRAND TOTAL	**47137**	**2.5**	**2**	**2**	**2**	**2**	**3**	**3**	**4**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	2.0							
18-34	680	3.1	6	2	2	3	3	4	6
35-49	133	2.8	2	2	2	2	3	5	6
50-69	0								
70 +	0								
	823	**3.1**	**6**	**2**	**2**	**2**	**3**	**4**	**6**
0-17	53	1.8							
18-34	7453	2.3	1	1	2	2	3	3	3
35-49	897	2.5	4	1	2	2	3	3	4
50-69	0								
70 +	0								
	8403	**2.3**	**1**	**1**	**2**	**2**	**3**	**3**	**3**
	9226	**2.4**	**1**	**2**	**2**	**2**	**3**	**3**	**4**

DRG 375: Vaginal Delivery w/ O.R. Proc except Steril &/or D&C

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	137	3.8	1	3	3	4	4	5	6
35-49	73	6.2	54						
50-69	0								
70 +	0								
SUBTOTAL	**210**	**4.6**	**21**	**2**	**3**	**3**	**4**	**6**	**12**
0-17	0								
18-34	264	1.9		1	2	2	2	3	3
35-49	10	2.0							
50-69	0								
70 +	0								
SUBTOTAL	**274**	**1.9**		**1**	**2**	**2**	**2**	**3**	**3**
GRAND TOTAL	**484**	**3.1**	**11**	**1**	**2**	**2**	**3**	**4**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	93	8.3	27	2	7	7	8	22	22
35-49	10	5.0							
50-69	0								
70 +	0								
SUBTOTAL	**103**	**8.0**	**25**	**4**	**5**	**7**	**8**	**13**	**22**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	43	3.0							
18-34	291	2.7	1	1	2	2	4	4	4
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**334**	**2.8**	**1**	**1**	**2**	**3**	**4**	**4**	**4**
GRAND TOTAL	**437**	**4.0**	**12**	**1**	**2**	**4**	**4**	**7**	**8**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	40	2.5	2						
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**40**	**2.5**	**2**						
0-17	0								
18-34	63	2.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**63**	**2.0**							
GRAND TOTAL	**103**	**2.2**	**1**	**1**	**2**	**2**	**2**	**3**	**5**

DRG 376: Postpartum & Post Abortion Diagnoses w/o O.R. Procedure

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	10	5.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**10**	**5.0**							
GRAND TOTAL	**10**	**5.0**							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	73	2.3							
18-34	1214	4.0	10	2	2	3	5	8	10
35-49	123	9.1	33	2	4	8	15	15	17
50-69	0								
70 +	0								
SUBTOTAL	**1411**	**4.3**	**14**	**2**	**2**	**3**	**5**	**9**	**12**
0-17	123	3.4	11	1	2	3	3	4	14
18-34	2250	3.2	5	1	2	2	4	6	9
35-49	377	2.7	3	1	2	2	3	7	7
50-69	0								
70 +	0								
SUBTOTAL	**2750**	**3.1**	**5**	**1**	**2**	**2**	**3**	**6**	**8**
	4161	**3.5**	**8**	**1**	**2**	**3**	**4**	**7**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	400	2.6	3	1	1	2	4	6	6
18-34	1430	3.6	5	1	2	3	5	8	8
35-49	30	3.0	2						
50-69	0								
70 +	0								
SUBTOTAL	**1861**	**3.4**	**5**	**1**	**2**	**3**	**5**	**7**	**8**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	828	2.4	1	1	2	2	3	5	5
18-34	3525	2.4	4	1	1	2	3	5	6
35-49	160	2.0		2	2	2	2	2	3
50-69	0								
70 +	0								
SUBTOTAL	**4513**	**2.4**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**6374**	**2.7**	**4**	**1**	**2**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	80	2.8	2	1	2	2	3	6	6
18-34	672	3.1	6	1	1	2	4	7	9
35-49	60	3.2	2	1	2	3	4	5	5
50-69	0								
70 +	0								
SUBTOTAL	**812**	**3.1**	**5**	**1**	**1**	**2**	**4**	**7**	**8**
0-17	297	2.8	1	2	2	3	3	4	4
18-34	1366	2.1	2	< 1	1	2	2	4	4
35-49	204	2.5	7	1	1	2	4	4	7
50-69	0								
70 +	0								
SUBTOTAL	**1867**	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**4**
	2679	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**7**

DRG 377: Postpartum & Post Abortion Diagnoses w/ O.R. Procedure

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	10	3.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	10	3.0							
GRAND TOTAL	10	3.0							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	440	4.0	8	2	2	3	6	8	8
35-49	167	6.8	24	2	3	5	10	10	22
50-69	0								
70 +	0								
	607	4.8	14	2	2	4	6	10	10
0-17	10	2.0							
18-34	1051	2.4	2	< 1	1	2	3	4	5
35-49	123	2.7	4	1	1	2	4	6	6
50-69	0								
70 +	0								
	1184	2.5	2	< 1	1	2	3	4	5
	1791	3.2	7	< 1	2	3	4	6	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	107	2.1	4						
18-34	530	3.7	6	1	2	3	5	6	10
35-49	10	3.0							
50-69	0								
70 +	0								
SUBTOTAL	647	3.4	6	1	2	3	5	6	8
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	10	2.0							
18-34	690	2.6	2	1	2	2	3	5	6
35-49	10	1.0							
50-69	0								
70 +	0								
SUBTOTAL	710	2.5	2	1	2	2	3	4	6
GRAND TOTAL	1357	3.0	4	1	2	2	4	6	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	97	3.1	3						
18-34	187	2.7	2	1	1	3	4	4	5
35-49	53	2.8							
50-69	0								
70 +	0								
	337	2.8	2	1	2	3	3	4	5
0-17	43	2.0							
18-34	310	2.6	5	1	1	1	3	5	7
35-49	30	4.0	8						
50-69	0								
70 +	0								
	383	2.6	5	1	1	2	3	5	8
	720	2.7	4	1	1	2	3	4	7

DRG 378: Ectopic Pregnancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	10	2.0							
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	10	2.0							
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
GRAND TOTAL	10	2.0							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	43	5.0							
18-34	3166	3.9	3	2	3	4	5	5	6
35-49	440	4.6	5	2	3	4	5	9	10
50-69	0								
70+	0								
	3649	4.0	3	2	3	4	5	6	7
0-17	150	1.9	1						
18-34	6714	3.0	2	1	2	3	4	4	5
35-49	1197	3.4	2	2	3	3	4	5	5
50-69	0								
70+	0								
	8062	3.1	2	1	2	3	4	4	5
	11711	3.4	2	1	3	3	4	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	83	3.6							
18-34	1207	4.1	2	3	3	4	5	6	7
35-49	123	4.4	2	2	3	5	6	6	6
50-69	0								
70+	0								
SUBTOTAL	1413	4.1	2	3	3	4	5	6	6
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	83	2.9							
18-34	2400	3.3	2		3	3	4	5	6
35-49	264	3.4	1	3	3	3	4	4	4
50-69	0								
70+	0								
SUBTOTAL	2747	3.3	2	2	3	3	4	5	5
GRAND TOTAL	4161	3.5	2	2	3	3	4	5	6

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	40	3.3	1						
18-34	1732	3.8	3	2	3	4	5	5	6
35-49	170	3.9	1	2	3	4	4	6	6
50-69	0								
70+	0								
	1942	3.8	3	2	3	4	5	5	6
0-17	194	2.7	2	<1	<1	2	3	5	5
18-34	3864	3.1	1	2	2	3	4	5	5
35-49	467	2.8	1	1	2	3	4	4	4
50-69	0								
70+	0								
	4525	3.0	1	1	2	3	4	4	5
	6466	3.3	2	2	2	3	4	5	5

DRG 379: Threatened Abortion

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	107	1.4							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**107**	**1.4**							
GRAND TOTAL	**107**	**1.4**							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	193	4.1	5	2	2	4	5	7	10
18-34	3525	2.8	6	1	2	2	3	5	6
35-49	323	4.0	32	1	1	2	4	6	21
50-69	0								
70 +	0								
	4041	**2.9**	**8**	**1**	**2**	**2**	**3**	**5**	**7**
0-17	600	1.9	2	< 1	1	1	3	4	5
18-34	16858	2.4	6	< 1	1	2	3	5	7
35-49	1663	2.7	14	1	1	2	3	4	6
50-69	0								
70 +	0								
	19121	**2.4**	**7**	**< 1**	**1**	**2**	**3**	**4**	**7**
	23162	**2.5**	**7**	**< 1**	**1**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	907	3.3	5	1	2	3	4	6	8
18-34	5013	3.1	11	1	2	2	4	6	8
35-49	40	6.8	61						
50-69	0								
70 +	0								
SUBTOTAL	**5959**	**3.2**	**11**	**1**	**2**	**2**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	3038	2.8	8	1	1	2	3	5	7
18-34	12651	2.4	6	1	1	2	3	4	6
35-49	143	1.9	2	1	1	1	3	4	6
50-69	0								
70 +	0								
SUBTOTAL	**15832**	**2.5**	**6**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**21792**	**2.7**	**8**	**1**	**1**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	326	3.9	20	1	2	3	4	5	11
18-34	1474	3.6	12	1	2	3	4	7	11
35-49	137	2.8	3	1	1	2	5	5	5
50-69	0								
70 +	0								
	1937	**3.6**	**13**	**1**	**2**	**3**	**4**	**7**	**11**
0-17	796	2.3	3	< 1	1	2	3	5	7
18-34	5467	2.4	10	< 1	1	2	3	4	5
35-49	266	1.8	1	1	1	2	2	3	3
50-69	0								
70 +	0								
	6530	**2.4**	**9**	**< 1**	**1**	**2**	**3**	**4**	**6**
	8467	**2.7**	**10**	**< 1**	**1**	**2**	**3**	**5**	**7**

DRG 380: Abortion w/o D&C

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	20	1.5							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	20	1.5							
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	20	1.5							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	43	3.0							
18-34	420	3.5	5	2	2	3	5	7	7
35-49	10	1.0							
50-69	0								
70 +	0								
	474	3.4	4	2	2	3	5	7	7
0-17	217	1.7	1	<1	1	2	2	3	3
18-34	2449	1.6	1	<1	1	1	2	3	4
35-49	423	1.8	4	1	1	1	2	3	7
50-69	0								
70 +	0								
	3089	1.7	2	<1	1	1	2	3	4
	3562	1.9	2	<1	1	1	2	4	5

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	150	2.9	1						
18-34	534	3.2	34	1	1	2	3	4	6
35-49	43	1.0							
50-69	0								
70 +	0								
SUBTOTAL	727	3.0	25	1	1	2	3	4	6
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	274	1.6	1	1	1	1	2	3	3
18-34	1865	2.0	2	1	1	2	2	4	5
35-49	20	1.5							
50-69	0								
70 +	0								
SUBTOTAL	2158	2.0	2	1	1	2	2	4	4
GRAND TOTAL	2886	2.2	8	1	1	2	3	4	5

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	107	1.0							
18-34	484	3.4	4	1	2	2	4	8	8
35-49	20	2.0	1						
50-69	0								
70 +	0								
	610	2.9	4	1	1	2	4	5	8
0-17	303	1.6		1	1	2	2	2	2
18-34	1432	1.8	2	<1	1	1	2	3	4
35-49	93	1.1		<1	<1	<1	1	2	2
50-69	0								
70 +	0								
	1829	1.7	2	<1	1	1	2	3	4
	2440	2.0	3	<1	1	2	2	4	5

DRG 381: Abortion w/ D&C, Aspiration Curettage or Hysterotomy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	20	3.5	7						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**20**	**3.5**	**7**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	170	1.5	4	1	1	1	1	2	9
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**170**	**1.5**	**4**	**1**	**1**	**1**	**1**	**2**	**9**
GRAND TOTAL	**190**	**1.7**	**4**	**1**	**1**	**1**	**1**	**6**	**9**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	20	1.0							
18-34	1167	2.2	4	1	1	2	2	4	6
35-49	267	2.8	8	1	1	1	3	9	9
50-69	0								
70 +	0								
	1454	**2.3**	**4**	**1**	**1**	**2**	**2**	**5**	**8**
0-17	764	1.5	1	< 1	1	1	2	3	4
18-34	11958	1.3	1	< 1	< 1	1	1	2	3
35-49	2225	1.3		< 1	< 1	1	1	2	3
50-69	0								
70 +	0								
	14947	**1.3**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**3**
	16401	**1.4**	**1**	**< 1**	**1**	**1**	**1**	**2**	**3**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	250	3.0	5	1	2	2	4	4	9
18-34	1281	2.3	2	1	1	2	3	4	5
35-49	123	2.8	14	1	1	2	2	3	15
50-69	0								
70 +	0								
SUBTOTAL	**1654**	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**7**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	697	1.4		< 1	< 1	1	2	2	2
18-34	4590	1.7	2	< 1	1	1	2	3	4
35-49	270	2.2	3	< 1	1	1	3	6	6
50-69	0								
70 +	0								
SUBTOTAL	**5557**	**1.7**	**2**	**< 1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**7211**	**1.9**	**2**	**< 1**	**1**	**1**	**2**	**3**	**4**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	200	1.8	3	1	1	1	2	5	6
18-34	786	2.1	3	< 1	1	1	2	5	7
35-49	10	1.0							
50-69	0								
70 +	0								
	997	**2.0**	**3**	**< 1**	**1**	**1**	**2**	**5**	**6**
0-17	1058	1.2		1	1	1	1	2	2
18-34	6383	1.4	1	< 1	1	1	1	3	3
35-49	407	1.4	1	< 1	1	1	2	2	3
50-69	0								
70 +	0								
	7848	**1.4**	**1**	**< 1**	**1**	**1**	**1**	**2**	**3**
	8844	**1.5**	**1**	**< 1**	**1**	**1**	**2**	**3**	**4**

DRG 382: False Labor

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	43	1.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**43**	**1.0**							
GRAND TOTAL	**43**	**1.0**							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	307	1.7		1	1	2	2	2	3
35-49	10	4.0							
50-69	0								
70 +	0								
SUBTOTAL	**317**	**1.8**		**1**	**1**	**2**	**2**	**2**	**3**
0-17	117	1.0							
18-34	4418	1.2		< 1	< 1	1	1	2	2
35-49	153	1.1		< 1	< 1	1	1	1	2
50-69	0								
70 +	0								
SUBTOTAL	**4688**	**1.2**		**< 1**	**< 1**	**1**	**1**	**2**	**2**
GRAND TOTAL	**5005**	**1.2**		**< 1**	**< 1**	**1**	**1**	**2**	**2**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	170	2.5	1	1	2	3	4	4	4
18-34	437	1.7	1	< 1	1	1	2	4	4
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**608**	**2.0**	**1**	**< 1**	**1**	**1**	**3**	**4**	**4**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	568	1.5	1	< 1	1	1	1	3	4
18-34	3368	1.2	1	< 1	< 1	1	1	2	2
35-49	93	1.0		< 1	< 1	< 1	< 1	1	1
50-69	0								
70 +	0								
SUBTOTAL	**4029**	**1.2**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**4636**	**1.3**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**3**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	107	1.4							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**107**	**1.4**							
0-17	127	1.0		< 1	< 1	< 1	< 1	1	1
18-34	1267	1.1		< 1	< 1	< 1	1	1	2
35-49	53	1.0							
50-69	0								
70 +	0								
SUBTOTAL	**1447**	**1.1**		**< 1**	**< 1**	**< 1**	**1**	**1**	**2**
GRAND TOTAL	**1554**	**1.1**		**< 1**	**< 1**	**< 1**	**1**	**2**	**2**

DRG 383: Other Antepartum Diagnoses w/ Medical Complications

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	200	4.9	2	2	4	6	6	6	7
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**200**	**4.9**	**2**	**2**	**4**	**6**	**6**	**6**	**7**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	127	3.6	10	2	2	3	3	6	14
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**127**	**3.6**	**10**	**2**	**2**	**3**	**3**	**6**	**14**
GRAND TOTAL	**327**	**4.4**	**6**	**2**	**2**	**4**	**6**	**6**	**7**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	797	3.5	14	< 1	1	3	4	6	17
18-34	12186	3.4	8	1	2	3	4	6	8
35-49	896	4.5	23	1	2	3	4	9	10
50-69	0								
70 +	0								
SUBTOTAL	**13879**	**3.5**	**9**	**1**	**2**	**3**	**4**	**6**	**8**
0-17	794	3.2	3	1	2	3	4	6	6
18-34	21402	2.8	5	1	2	2	3	5	6
35-49	2102	2.9	3	1	2	2	4	5	6
50-69	0								
70 +	0								
SUBTOTAL	**24298**	**2.9**	**5**	**1**	**2**	**2**	**3**	**5**	**6**
GRAND TOTAL	**38177**	**3.1**	**7**	**1**	**2**	**3**	**4**	**5**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	2065	3.7	4	2	2	3	4	6	8
18-34	11232	4.2	21	1	2	3	5	7	10
35-49	376	5.6	68	1	2	3	4	14	35
50-69	0								
70 +	0								
SUBTOTAL	**13673**	**4.1**	**20**	**1**	**2**	**3**	**4**	**7**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	2237	3.0	4	1	2	2	4	6	7
18-34	13996	2.9	5	1	2	2	4	5	6
35-49	670	3.1	7	1	2	2	3	7	11
50-69	0								
70 +	0								
SUBTOTAL	**16904**	**2.9**	**4**	**1**	**2**	**2**	**4**	**5**	**7**
GRAND TOTAL	**30577**	**3.4**	**12**	**1**	**2**	**3**	**4**	**6**	**8**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	653	3.7	3	2	2	3	4	7	10
18-34	5172	4.3	20	1	2	3	5	8	13
35-49	243	5.6	17	1	2	6	8	11	12
50-69	0								
70 +	0								
SUBTOTAL	**6068**	**4.3**	**18**	**1**	**2**	**3**	**5**	**8**	**11**
0-17	576	2.9	9	1	1	2	3	6	12
18-34	6219	2.7	10	1	1	2	3	5	6
35-49	484	3.4	5	1	2	3	4	6	6
50-69	0								
70 +	0								
SUBTOTAL	**7278**	**2.7**	**10**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**13347**	**3.4**	**14**	**1**	**2**	**3**	**4**	**6**	**8**

DRG 384: Other Antepartum Diagnoses w/o Medical Complications

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	43	3.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	43	3.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	43	3.0							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	20	11.0							
18-34	1451	3.4	11	1	1	2	5	8	9
35-49	113	3.8	4	< 1	1	4	6	6	6
50-69	0								
70 +	0								
SUBTOTAL	1584	3.6	11	1	1	2	5	8	9
0-17	187	2.5	3	< 1	1	2	3	5	5
18-34	8936	2.5	16	< 1	< 1	1	2	4	7
35-49	1014	1.9	3	< 1	< 1	1	2	3	8
50-69	43	4.0							
70 +	0								
SUBTOTAL	10180	2.4	14	< 1	< 1	1	2	4	7
GRAND TOTAL	11764	2.6	14	< 1	1	1	3	5	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	117	2.4	2						
18-34	760	3.4	8	1	1	3	4	8	12
35-49	10	1.0							
50-69	0								
70 +	0								
SUBTOTAL	887	3.2	8	1	1	3	4	7	11
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	691	2.6	7	1	1	2	3	4	5
18-34	4820	2.1	3	< 1	1	1	3	4	6
35-49	283	1.9	1	1	1	2	2	3	5
50-69	0								
70 +	0								
SUBTOTAL	5795	2.2	3	< 1	1	2	3	4	5
GRAND TOTAL	6681	2.3	4	< 1	1	2	3	4	6

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	50	3.6	6						
18-34	346	3.1	13	< 1	1	2	3	7	12
35-49	10	4.0							
50-69	0								
70 +	0								
SUBTOTAL	406	3.1	12	1	1	2	4	7	9
0-17	157	2.1	2	1	1	2	3	5	5
18-34	2686	2.4	6	1	1	2	3	4	9
35-49	200	3.1	4	1	2	2	6	6	7
50-69	0								
70 +	0								
SUBTOTAL	3043	2.5	6	1	1	2	3	4	9
GRAND TOTAL	3449	2.5	7	1	1	2	3	5	9

DRG 386: Extreme Immaturity or Respiratory Distress Syndrome, Neonate

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	639	72.7	220	53	66	87	99 +	99 +	99 +
1000-1499	1021	50.0	231	30	38	51	62	78	85
1500-1749	449	29.9	178	16	23	30	32	40	52
1750-2499	1792	15.1	102	5	8	13	19	27	35
2500 +	2345	7.8	65	1	4	6	10	14	17
SUBTOTAL	**6247**	**25.0**	**603**	**4**	**7**	**16**	**48**	**80**	**99 +**
1-999	0								
1000-1499	10	26.0							
1500-1749	0								
1750-2499	10	10.0							
2500 +	50	7.0	3						
SUBTOTAL	**70**	**10.1**	**46**	**5**	**6**	**7**	**10**	**26**	**26**
GRAND TOTAL	**6317**	**24.8**	**599**	**4**	**7**	**16**	**48**	**80**	**99 +**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999 (GMS.)	636	72.7	151	60	67	79	99 +	99 +	99 +
1000-1499	1169	49.8	219	33	40	50	57	71	84
1500-1749	623	31.9	97	18	24	34	40	45	46
1750-2499	1179	15.6	83	5	8	14	20	28	31
2500 +	980	8.0	78	3	4	7	9	13	13
SUBTOTAL	**4587**	**32.8**	**631**	**5**	**11**	**31**	**57**	**84**	**99 +**
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	10	41.0							
1000-1499	0								
1500-1749	0								
1750-2499	43	1.0							
2500 +	20	7.5	7						
SUBTOTAL	**73**	**8.2**	**181**						
GRAND TOTAL	**4661**	**32.4**	**633**	**5**	**10**	**31**	**57**	**83**	**99 +**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	279	75.1	225	62	75	93	99 +	99 +	99 +
1000-1499	516	47.3	262	30	39	49	65	99 +	99 +
1500-1749	189	31.5	291	19	22	27	31	48	95
1750-2499	799	14.6	75	1	7	15	22	28	28
2500 +	630	6.9	48	2	3	4	10	13	15
SUBTOTAL	**2413**	**27.9**	**655**	**3**	**8**	**25**	**57**	**99 +**	**99 +**
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	50	9.4	12						
SUBTOTAL	**50**	**9.4**	**12**						
GRAND TOTAL	**2463**	**27.5**	**649**	**3**	**8**	**24**	**57**	**99 +**	**99 +**

Southern Region, July 1989 - June 1990

DRG 387: Prematurity w/ Major Problems

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	10	40.0							
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	**10**	**40.0**							
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**10**	**40.0**							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	80	63.8	272	33	55	69	77	99 +	99 +
1000-1499	529	41.5	240	23	30	40	57	69	99 +
1500-1749	573	28.0	135	18	20	27	33	44	55
1750-2499	4418	10.1	42	4	5	9	13	21	23
2500 +	2648	5.4	20	2	3	5	7	8	10
SUBTOTAL	**8249**	**12.4**	**172**	**3**	**5**	**8**	**15**	**30**	**43**
1-999	20	68.5	2						
1000-1499	80	37.0	100	26	28	33	45	55	55
1500-1749	30	20.3	29						
1750-2499	707	9.4	37	3	4	8	14	18	20
2500 +	240	3.7	2	2	2	3	5	5	6
SUBTOTAL	**1077**	**11.5**	**160**	**3**	**4**	**6**	**17**	**26**	**35**
GRAND TOTAL	**9326**	**12.3**	**171**	**3**	**4**	**7**	**15**	**28**	**43**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999 (GMS.)	70	81.6	50	72	77	83	95	99 +	99 +
1000-1499	716	41.0	195	26	33	40	49	62	96
1500-1749	900	24.7	63	16	19	23	30	35	41
1750-2499	5426	10.3	52	3	5	9	14	19	21
2500 +	1814	6.6	22	3	4	5	8	11	16
SUBTOTAL	**8926**	**14.0**	**183**	**3**	**5**	**10**	**18**	**31**	**41**
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	10	70.0							
1000-1499	20	38.0	105						
1500-1749	83	20.3	109						
1750-2499	801	11.5	53	4	6	10	15	21	24
2500 +	414	5.5	11	2	3	4	8	13	13
SUBTOTAL	**1328**	**11.0**	**96**	**3**	**4**	**9**	**14**	**21**	**29**
GRAND TOTAL	**10254**	**13.6**	**173**	**3**	**5**	**10**	**17**	**30**	**41**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	80	71.3	119	57	62	70	85	99 +	99 +
1000-1499	293	42.4	167	25	36	39	48	56	72
1500-1749	402	22.7	83	14	17	21	26	38	46
1750-2499	2151	9.4	48	4	4	7	14	18	20
2500 +	1052	4.6	18	1	2	4	5	8	11
SUBTOTAL	**3978**	**13.1**	**221**	**2**	**4**	**7**	**17**	**34**	**48**
1-999	10	64.0							
1000-1499	70	32.1	74	17	24	35	38	45	45
1500-1749	70	20.4	47	12	12	21	29	29	29
1750-2499	303	11.0	88	4	5	8	13	19	31
2500 +	290	5.7	23	2	3	5	6	12	12
SUBTOTAL	**742**	**12.5**	**153**	**3**	**5**	**8**	**15**	**31**	**38**
GRAND TOTAL	**4721**	**13.0**	**210**	**2**	**4**	**7**	**16**	**31**	**48**

DRG 388: Prematurity w/o Major Problems

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	43	2.0							
2500 +	43	2.0							
SUBTOTAL	**87**	**2.0**							
GRAND TOTAL	**87**	**2.0**							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	203	8.9	33	3	4	9	11	14	22
2500 +	70	3.7	1	2	3	4	4	6	6
SUBTOTAL	**273**	**7.5**	**30**	**2**	**4**	**6**	**9**	**13**	**19**
1-999	0								
1000-1499	60	28.3	97	9	25	31	36	38	38
1500-1749	591	16.9	39	10	11	16	20	23	23
1750-2499	4646	5.1	11	2	3	4	7	10	12
2500 +	4460	3.0	2	2	2	2	4	5	6
SUBTOTAL	**9757**	**5.0**	**23**	**2**	**2**	**3**	**5**	**10**	**16**
GRAND TOTAL	**10030**	**5.0**	**23**	**2**	**2**	**3**	**6**	**10**	**16**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	130	21.7	30						
1750-2499	197	7.2	17	3	5	6	9	15	16
2500 +	117	4.7	4						
SUBTOTAL	**444**	**10.8**	**67**	**3**	**5**	**6**	**14**	**25**	**26**
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	0								
1000-1499	80	26.0	73	12	20	24	34	38	38
1500-1749	220	17.1	18	15	15	15	19	21	22
1750-2499	5448	5.0	14	2	2	4	6	10	13
2500 +	3777	3.0	3	2	2	3	4	5	6
SUBTOTAL	**9525**	**4.7**	**19**	**2**	**2**	**3**	**5**	**10**	**14**
GRAND TOTAL	**9969**	**4.9**	**22**	**2**	**2**	**3**	**5**	**10**	**14**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	0								
1500-1749	43	13.0							
1750-2499	197	9.4	41	4	6	9	10	11	28
2500 +	20	2.5							
SUBTOTAL	**260**	**9.5**	**37**	**3**	**6**	**9**	**11**	**13**	**13**
1-999	10	45.0							
1000-1499	90	33.6	59	17	30	34	38	44	44
1500-1749	199	18.8	51	12	15	17	20	24	35
1750-2499	3282	5.3	18	2	2	4	6	12	17
2500 +	2960	3.0	5	1	2	2	4	6	7
SUBTOTAL	**6541**	**5.1**	**35**	**1**	**2**	**3**	**6**	**11**	**17**
GRAND TOTAL	**6801**	**5.3**	**35**	**2**	**2**	**3**	**6**	**12**	**17**

DRG 389: Full Term Neonate w/ Major Problems

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	43	4.0							
2500 +	10	10.0							
SUBTOTAL	**53**	**5.1**	**6**						
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	43	3.0							
SUBTOTAL	**43**	**3.0**							
GRAND TOTAL	**97**	**4.2**	**4**						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	40	67.0	389						
1000-1499	103	37.6	247	26	26	36	58	70	99 +
1500-1749	60	18.2	21	14	14	16	21	27	27
1750-2499	1200	7.8	109	2	4	5	8	14	19
2500 +	24075	4.1	11	2	2	3	5	7	9
SUBTOTAL	**25479**	**4.6**	**28**	**2**	**2**	**4**	**5**	**8**	**10**
1-999	0								
1000-1499	10	32.0							
1500-1749	0								
1750-2499	557	5.1	12	2	3	4	5	12	13
2500 +	5981	3.2	2	2	2	3	4	5	6
SUBTOTAL	**6548**	**3.4**	**5**	**2**	**2**	**3**	**4**	**5**	**7**
GRAND TOTAL	**32027**	**4.3**	**24**	**2**	**2**	**3**	**5**	**7**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999 (GMS.)	20	51.0	17						
1000-1499	80	26.6	126	8	19	26	35	44	44
1500-1749	157	25.5	46	16	21	24	30	31	42
1750-2499	1918	6.3	24	2	3	5	9	12	16
2500 +	21168	4.6	15	2	2	4	6	8	10
SUBTOTAL	**23342**	**5.0**	**23**	**2**	**2**	**4**	**6**	**9**	**12**
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	20	9.5							
1750-2499	687	5.9	19	2	3	5	7	10	12
2500 +	4712	4.1	9	2	2	4	5	7	8
SUBTOTAL	**5419**	**4.4**	**11**	**2**	**3**	**4**	**5**	**7**	**9**
GRAND TOTAL	**28761**	**4.9**	**21**	**2**	**2**	**4**	**6**	**8**	**11**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	30	50.0	92						
1000-1499	10	47.0							
1500-1749	70	23.4	76	16	16	16	34	35	35
1750-2499	709	8.0	37	2	3	5	11	16	22
2500 +	11750	4.3	16	2	2	3	5	7	10
SUBTOTAL	**12569**	**4.7**	**27**	**2**	**2**	**4**	**5**	**8**	**11**
1-999	0								
1000-1499	0								
1500-1749	10	4.0							
1750-2499	380	6.8	17	3	3	6	9	13	14
2500 +	4997	3.8	9	2	2	3	4	7	10
SUBTOTAL	**5387**	**4.0**	**10**	**2**	**2**	**3**	**4**	**7**	**11**
GRAND TOTAL	**17955**	**4.5**	**22**	**2**	**2**	**3**	**5**	**8**	**11**

DRG 390: Neonate w/ Other Significant Problems

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	10	6.0							
SUBTOTAL	**10**	**6.0**							
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	10	2.0							
2500 +	87	3.5							
SUBTOTAL	**97**	**3.3**							
GRAND TOTAL	**107**	**3.6**	**1**						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	63	4.8	26						
2500 +	1848	3.9	9	2	2	4	4	7	7
SUBTOTAL	**1912**	**3.9**	**10**	**2**	**2**	**3**	**4**	**7**	**7**
1-999	0								
1000-1499	10	41.0							
1500-1749	10	18.0							
1750-2499	2786	3.7	8	2	2	3	4	7	8
2500 +	58059	2.7	2	2	2	2	3	4	5
SUBTOTAL	**60865**	**2.8**	**2**	**2**	**2**	**2**	**3**	**4**	**5**
	62777	**2.8**	**3**	**2**	**2**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	337	5.0	11	2	2	4	6	8	11
2500 +	1831	3.6	3	2	2	3	4	5	6
SUBTOTAL	**2168**	**3.8**	**5**	**2**	**2**	**4**	**5**	**6**	**8**
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	0								
1000-1499	10	22.0							
1500-1749	20	26.5	32						
1750-2499	5241	3.8	9	2	2	3	4	8	11
2500 +	54750	2.7	2	2	2	2	3	4	5
SUBTOTAL	**60021**	**2.8**	**3**	**2**	**2**	**2**	**3**	**4**	**5**
GRAND TOTAL	**62189**	**2.8**	**3**	**2**	**2**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	100	9.8	105	3	4	6	11	25	39
2500 +	1353	3.4	8	1	2	3	4	5	8
SUBTOTAL	**1452**	**3.8**	**17**	**1**	**2**	**3**	**4**	**6**	**12**
1-999	0								
1000-1499	10	26.0							
1500-1749	20	9.0	38						
1750-2499	2433	3.5	6	1	2	3	4	8	9
2500 +	35006	2.7	3	1	2	2	3	4	5
SUBTOTAL	**37469**	**2.7**	**3**	**1**	**2**	**2**	**3**	**4**	**5**
	38921	**2.8**	**4**	**1**	**2**	**2**	**3**	**4**	**6**

Southern Region, July 1989 - June 1990

DRG 391: Normal Newborn

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	43	1.0							
2500 +	775	2.8	1	2	2	2	4	5	5
SUBTOTAL	818	2.7	1	2	2	2	3	5	5
GRAND TOTAL	818	2.7	1	2	2	2	3	5	5

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
	0								
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	5565	2.6	1	2	2	2	3	4	5
2500 +	387005	2.5	1	1	2	2	3	4	4
	392570	2.5	1	1	2	2	3	4	4
	392570	2.5	1	1	2	2	3	4	4

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	8695	2.8	3	2	2	2	3	4	6
2500 +	256338	2.4	1	1	2	2	3	4	4
SUBTOTAL	265033	2.4	1	1	2	2	3	4	4
GRAND TOTAL	265033	2.4	1	1	2	2	3	4	4

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
	0								
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	3188	2.8	2	2	2	2	3	4	5
2500 +	155025	2.2	1	1	2	2	3	4	4
	158214	2.2	1	1	2	2	3	4	4
	158214	2.2	1	1	2	2	3	4	4

DRG 392: Splenectomy Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	200	18.4	170	5	5	17	31	38	38
70-74	50	17.6	78						
75-79	43	7.0							
80-84	10	9.0							
85 +	97	17.4	92						
SUBTOTAL	400	16.6	130	5	7	9	27	38	38
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	53	6.8							
70-74	0								
75-79	10	5.0							
80-84	0								
85 +	0								
SUBTOTAL	63	6.5	1						
GRAND TOTAL	464	15.2	124	5	7	8	26	31	38

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	293	8.0	8	5	6	7	10	11	14
35-49	283	9.7	19	6	7	8	13	18	18
50-69	217	13.2	77	5	7	8	22	22	25
70 +	10	18.0							
SUBTOTAL	803	10.1	35	5	7	8	11	18	22
0-17	0								
18-34	197	8.0	70	4	4	5	7	18	33
35-49	157	8.0	16	4	5	6	14	14	14
50-69	73	7.0	13						
70 +	0								
SUBTOTAL	427	7.8	40	4	4	6	8	14	15
	1230	9.4	38	4	6	7	11	18	22

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	30	7.7	3						
35-49	40	18.8	150						
50-69	10	6.0							
70 +	0								
SUBTOTAL	80	13.0	109	6	7	9	14	39	39
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	20	6.5							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	20	6.5							
GRAND TOTAL	100	11.7	94	6	6	8	10	28	39

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	143	7.5	7	5	6	6	9	13	13
35-49	93	10.9	85	5	6	9	9	37	37
50-69	20	13.0	1						
70 +	0								
SUBTOTAL	256	9.2	38	5	6	9	9	13	14
0-17	0								
18-34	153	5.1	3	3	4	5	6	7	10
35-49	10	6.0							
50-69	63	5.1	5						
70 +	0								
SUBTOTAL	227	5.1	3	4	4	4	6	7	10
	483	7.3	26	4	5	6	9	12	13

DRG 393: Splenectomy Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	270	9.2	53	4	6	7	8	16	16
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	270	9.2	53	4	6	7	8	16	16
0-17	566	4.9	4	3	4	5	6	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	566	4.9	4	3	4	5	6	6	8
	836	6.3	24	3	4	5	6	8	16

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	150	5.5	6	3	3	5	6	10	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	150	5.5	6	3	3	5	6	10	11
GRAND TOTAL	150	5.5	6	3	3	5	6	10	11

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	73	5.8	2						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	73	5.8	2						
0-17	40	5.5	1						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	40	5.5	1						
	113	5.7	2	5	5	5	6	7	9

DRG 394: Other O.R. Procedures of the Blood And Blood Forming Organs

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	264	5.1	6	2	4	5	6	6	9
70-74	160	5.3	18	1	1	3	8	8	17
75-79	53	7.6	30						
80-84	10	1.0							
85 +	63	3.7	9						
SUBTOTAL	551	5.2	13	2	2	5	6	8	14
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	110	7.1	56	3	3	5	7	8	30
70-74	30	1.0							
75-79	83	5.0	20						
80-84	0								
85 +	0								
SUBTOTAL	223	5.5	39	< 1	2	5	5	8	16
GRAND TOTAL	774	5.3	21	1	2	5	6	8	16

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	133	12.2	158	5	5	5	13	19	53
18-34	100	8.0	63	< 1	2	7	10	20	29
35-49	103	5.1	87	< 1	1	1	3	12	33
50-69	93	15.4	365	3	5	13	13	69	69
70 +	0								
	430	10.2	177	1	3	5	13	19	33
0-17	752	3.9	13	1	1	2	5	9	12
18-34	306	2.9	12	< 1	1	1	3	7	13
35-49	333	1.8	2	< 1	< 1	1	2	4	6
50-69	143	3.6	24	1	1	2	3	9	20
70 +	0								
	1535	3.2	12	< 1	1	2	4	8	11
	1965	4.7	57	1	1	2	5	12	13

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	30	38.0	74						
18-34	0								
35-49	10	7.0							
50-69	0								
70 +	0								
SUBTOTAL	40	30.3	240						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	219	4.9	13	< 1	1	5	7	8	12
18-34	20	5.0	9						
35-49	43	61.0							
50-69	53	1.0							
70 +	0								
SUBTOTAL	336	11.5	375	< 1	1	5	8	61	61
GRAND TOTAL	376	13.5	393	< 1	1	6	8	61	61

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	40	14.8	299						
18-34	30	6.3	7						
35-49	53	4.0							
50-69	0								
70 +	0								
	123	8.0	119	4	4	4	5	10	44
0-17	300	4.3	9	< 1	2	4	7	8	9
18-34	177	3.3	8	1	1	2	3	8	8
35-49	73	9.1	16						
50-69	10	6.0							
70 +	0								
	560	4.6	12	1	2	4	7	9	12
	683	5.2	33	1	2	4	7	10	12

DRG 395: Red Blood Cell Disorders Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	5671	6.0	21	2	3	5	8	12	15
70-74	3261	5.5	20	2	3	4	7	9	11
75-79	3633	6.7	35	1	4	5	7	12	20
80-84	3462	6.1	27	1	3	4	8	13	18
85 +	2457	6.7	35	2	3	6	8	12	19
SUBTOTAL	**18483**	**6.2**	**27**	**2**	**3**	**5**	**8**	**12**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	3184	5.8	22	2	3	5	7	10	17
70-74	905	4.0	8	1	2	4	5	7	12
75-79	1335	4.4	10	1	1	4	6	10	10
80-84	1025	3.6	19	< 1	1	2	4	9	19
85 +	697	4.6	12	1	2	3	7	9	14
SUBTOTAL	**7146**	**4.9**	**17**	**1**	**2**	**4**	**7**	**9**	**12**
GRAND TOTAL	**25629**	**5.8**	**25**	**1**	**3**	**5**	**7**	**12**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1053	7.2	46	2	2	5	9	14	21
35-49	1461	5.7	37	1	2	4	7	10	14
50-69	2037	4.7	23	1	1	3	6	10	13
70 +	180	4.8	13	1	2	6	7	10	14
	4731	**5.5**	**33**	**1**	**2**	**4**	**7**	**11**	**14**
0-17	0								
18-34	2426	3.8	7	< 1	2	3	5	8	10
35-49	1321	5.1	13	2	2	4	7	10	13
50-69	1222	4.6	10	2	2	3	6	10	11
70 +	73	2.2	5						
	5042	**4.3**	**10**	**1**	**2**	**3**	**6**	**8**	**12**
	9773	**4.9**	**22**	**1**	**2**	**4**	**6**	**10**	**13**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	1985	6.6	32	2	3	5	8	11	16
35-49	950	6.6	28	2	3	5	7	14	18
50-69	574	5.6	11	1	4	5	8	9	11
70 +	93	6.6	7	< 1	7	7	7	10	10
SUBTOTAL	**3602**	**6.4**	**27**	**2**	**3**	**5**	**8**	**11**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	4421	4.5	11	1	2	4	6	8	11
35-49	509	5.6	13	2	3	5	7	9	13
50-69	224	5.7	5	2	4	6	8	8	8
70 +	0								
SUBTOTAL	**5154**	**4.7**	**11**	**1**	**2**	**4**	**6**	**8**	**11**
GRAND TOTAL	**8756**	**5.4**	**18**	**2**	**3**	**4**	**7**	**9**	**13**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	749	6.5	25	2	3	5	9	12	13
35-49	690	5.4	17	2	3	4	6	9	16
50-69	720	6.5	30	3	3	6	7	10	15
70 +	43	2.0							
	2203	**6.1**	**24**	**2**	**3**	**5**	**7**	**11**	**14**
0-17	0								
18-34	1102	4.2	10	1	2	3	6	10	11
35-49	270	3.9	2	2	3	3	5	6	6
50-69	327	3.1	3	< 1	1	4	5	5	5
70 +	10	1.0							
	1709	**3.9**	**8**	**1**	**2**	**3**	**5**	**8**	**11**
	3912	**5.1**	**18**	**1**	**3**	**4**	**6**	**10**	**12**

Southern Region, July 1989 - June 1990

DRG 396: Red Blood Cell Disorders Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	80	1.5		1	1	1	2	2	2
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	80	1.5		1	1	1	2	2	2
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	60	2.7	3	< 1	1	2	4	6	6
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	60	2.7	3	< 1	1	2	4	6	6
GRAND TOTAL	140	2.0	2	1	1	2	2	4	6

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	2289	5.1	17	1	2	4	7	10	13
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2289	5.1	17	1	2	4	7	10	13
0-17	5845	3.4	10	1	1	2	4	7	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	5845	3.4	10	1	1	2	4	7	9
	8134	3.9	13	1	2	3	5	8	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	2344	5.4	18	1	3	4	7	10	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	2344	5.4	18	1	3	4	7	10	11
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	7040	3.3	7	1	2	3	4	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	7040	3.3	7	1	2	3	4	6	7
GRAND TOTAL	9383	3.9	10	1	2	3	5	7	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	699	5.3	20	2	3	4	7	9	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	699	5.3	20	2	3	4	7	9	11
0-17	2272	3.3	6	1	2	3	4	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2272	3.3	6	1	2	3	4	6	7
	2971	3.8	10	1	2	3	5	7	9

DRG 397: Coagulation Disorders

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	672	7.4	59	2	2	4	10	16	30
70-74	507	5.5	14	2	2	4	8	10	10
75-79	667	6.4	35	2	4	4	7	12	12
80-84	280	12.6	302	3	4	5	11	22	45
85+	404	7.2	12	2	5	7	9	13	13
SUBTOTAL	**2531**	**7.3**	**67**	**2**	**3**	**5**	**9**	**12**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	280	4.7	8	1	2	4	6	8	11
70-74	87	3.5							
75-79	167	3.9	10	2	2	2	5	11	12
80-84	73	2.5	9						
85+	63	5.8	2						
SUBTOTAL	**670**	**4.2**	**8**	**1**	**2**	**4**	**6**	**8**	**11**
GRAND TOTAL	**3201**	**6.7**	**56**	**2**	**3**	**5**	**9**	**12**	**17**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	576	4.0	16	1	2	3	4	9	11
18-34	163	4.8	9	1	3	4	7	10	11
35-49	383	8.7	53	2	3	6	15	20	21
50-69	587	5.7	17	1	3	5	8	11	11
70+	30	5.7	2						
SUBTOTAL	**1739**	**5.7**	**26**	**1**	**2**	**4**	**7**	**11**	**17**
0-17	2530	3.0	5	1	1	2	4	6	7
18-34	293	3.7	6	1	2	3	5	7	10
35-49	350	3.3	5	1	2	2	5	7	9
50-69	187	3.2	6	2	2	2	3	8	10
70+	0								
SUBTOTAL	**3359**	**3.1**	**5**	**1**	**2**	**2**	**4**	**6**	**7**
GRAND TOTAL	**5098**	**4.0**	**14**	**1**	**2**	**3**	**5**	**8**	**11**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	263	3.9	6	1	2	4	5	8	8
18-34	70	7.1	16	2	3	7	9	15	15
35-49	120	6.1	12	2	3	6	8	9	14
50-69	20	17.0							
70+	0								
SUBTOTAL	**472**	**5.5**	**16**	**1**	**2**	**5**	**7**	**11**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	566	3.7	12	1	2	3	4	6	10
18-34	120	4.4	29	1	2	3	4	8	21
35-49	63	1.8	1						
50-69	10	2.0							
70+	0								
SUBTOTAL	**759**	**3.6**	**14**	**1**	**2**	**3**	**4**	**6**	**10**
GRAND TOTAL	**1231**	**4.3**	**16**	**1**	**2**	**3**	**5**	**8**	**14**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	239	6.2	118	1	2	3	5	8	25
18-34	296	7.4	36	2	4	6	10	13	15
35-49	80	5.0	10	1	3	4	7	11	11
50-69	80	10.3	108	1	2	4	18	31	31
70+	0								
SUBTOTAL	**695**	**7.0**	**71**	**1**	**3**	**4**	**8**	**14**	**25**
0-17	1201	2.7	5	1	2	2	3	5	6
18-34	197	3.9	4	2	2	4	5	8	9
35-49	30	8.0	1						
50-69	0								
70+	0								
SUBTOTAL	**1428**	**3.0**	**5**	**1**	**2**	**2**	**3**	**5**	**8**
GRAND TOTAL	**2123**	**4.3**	**30**	**1**	**2**	**3**	**5**	**8**	**12**

DRG 398: Reticuloendothelial & Immunity Disorders w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1716	6.9	18	3	4	6	9	13	15
70-74	1174	7.7	27	3	4	7	10	14	22
75-79	974	7.6	35	3	4	6	9	14	22
80-84	581	7.7	20	3	4	7	12	13	18
85 +	204	8.0	17	3	4	11	12	12	13
SUBTOTAL	**4648**	**7.4**	**24**	**3**	**4**	**6**	**10**	**13**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4648**	**7.4**	**24**	**3**	**4**	**6**	**10**	**13**	**17**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	3205	5.6	18	2	3	4	7	10	13
18-34	799	4.6	8	1	2	4	7	8	10
35-49	1056	6.5	21	2	4	6	8	10	13
50-69	1743	6.9	24	3	5	5	7	11	16
70 +	103	7.0	22	2	4	4	13	13	13
	6906	**6.0**	**20**	**2**	**3**	**5**	**7**	**10**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	6906	**6.0**	**20**	**2**	**3**	**5**	**7**	**10**	**13**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	1550	6.4	26	2	4	5	7	12	15
18-34	236	5.1	25	< 1	2	3	7	10	12
35-49	120	6.7	15	3	4	5	9	12	15
50-69	153	5.5	12	2	3	5	8	10	14
70 +	0								
SUBTOTAL	**2059**	**6.2**	**24**	**2**	**3**	**5**	**7**	**12**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2059**	**6.2**	**24**	**2**	**3**	**5**	**7**	**12**	**14**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	805	6.8	59	2	3	4	8	14	17
18-34	346	8.3	72	3	4	6	9	14	20
35-49	260	5.6	19	1	3	3	9	11	14
50-69	276	6.6	25	2	3	6	8	17	19
70 +	10	6.0							
	1697	**6.9**	**50**	**2**	**3**	**5**	**8**	**14**	**19**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1697	**6.9**	**50**	**2**	**3**	**5**	**8**	**14**	**19**

DRG 399: Reticuloendothelial & Immunity Disorders w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	254	4.1	7	1	2	4	5	9	9
70-74	150	3.0	1						
75-79	63	3.0	1						
80-84	174	6.8	3						
85 +	63	10.2	32						
SUBTOTAL	**704**	**5.0**	**11**	**2**	**3**	**4**	**7**	**9**	**14**
GRAND TOTAL	**704**	**5.0**	**11**	**2**	**3**	**4**	**7**	**9**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	2589	4.4	8	2	3	4	6	7	10
18-34	497	4.3	6	2	2	4	7	7	8
35-49	266	6.4	21	2	3	5	8	15	15
50-69	487	3.1	15	1	1	2	3	7	9
70 +	0								
SUBTOTAL	**3839**	**4.4**	**10**	**1**	**2**	**4**	**6**	**8**	**10**
	3839	**4.4**	**10**	**1**	**2**	**4**	**6**	**8**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1518	5.1	16	2	3	4	6	8	11
18-34	73	5.0	2						
35-49	0								
50-69	10	14.0							
70 +	0								
SUBTOTAL	**1601**	**5.1**	**16**	**2**	**3**	**4**	**6**	**8**	**11**
GRAND TOTAL	**1601**	**5.1**	**16**	**2**	**3**	**4**	**6**	**8**	**11**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	765	4.3	6	2	2	4	6	8	9
18-34	183	4.0	4	1	3	4	5	7	8
35-49	100	3.6	11	1	2	2	4	9	12
50-69	30	5.7	4						
70 +	0								
SUBTOTAL	**1078**	**4.2**	**6**	**1**	**2**	**4**	**5**	**8**	**9**
	1078	**4.2**	**6**	**1**	**2**	**4**	**5**	**8**	**9**

DRG 400: Lymphoma & Leukemia w/ Major O.R. Procedure

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	506	10.9	65	3	5	9	17	18	23
70-74	320	12.9	65	5	6	11	19	25	25
75-79	353	14.8	59	4	6	16	22	25	26
80-84	257	15.2	39	8	11	16	17	24	24
85 +	354	14.3	226	4	5	7	23	50	50
SUBTOTAL	**1791**	**13.3**	**95**	**4**	**6**	**11**	**18**	**25**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	310	6.7	22	3	3	7	7	10	10
70-74	167	4.5	5	2	3	4	7	7	7
75-79	80	5.3	18	1	2	3	8	14	14
80-84	40	6.8	15						
85 +	20	6.0	4						
SUBTOTAL	**616**	**5.9**	**17**	**2**	**3**	**6**	**7**	**10**	**10**
GRAND TOTAL	**2407**	**11.4**	**85**	**3**	**5**	**8**	**17**	**23**	**26**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	187	14.1	155	5	5	10	20	54	87
18-34	193	8.4	25	3	5	8	9	20	21
35-49	303	13.0	131	1	7	10	19	23	58
50-69	677	12.1	96	3	5	10	15	27	32
70 +	0								
SUBTOTAL	**1360**	**12.0**	**104**	**3**	**5**	**9**	**15**	**27**	**34**
0-17	219	8.0	7	5	6	8	10	12	12
18-34	330	5.6	12	3	3	5	6	8	16
35-49	427	6.0	45	2	3	3	9	10	15
50-69	443	5.3	12	1	3	5	7	12	12
70 +	10	2.0							
SUBTOTAL	**1429**	**6.0**	**22**	**2**	**3**	**5**	**8**	**11**	**12**
GRAND TOTAL	**2789**	**8.9**	**71**	**3**	**4**	**6**	**11**	**19**	**27**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	20	28.0	9						
18-34	40	20.0	453						
35-49	20	16.0	105						
50-69	0								
70 +	0								
SUBTOTAL	**80**	**21.0**	**270**	**3**	**8**	**18**	**28**	**56**	**56**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	90	8.4	10	5	6	8	9	16	16
18-34	43	13.0							
35-49	10	5.0							
50-69	20	5.0	1						
70 +	0								
SUBTOTAL	**163**	**9.0**	**13**	**5**	**6**	**9**	**13**	**13**	**16**
GRAND TOTAL	**243**	**13.0**	**128**	**5**	**6**	**10**	**13**	**26**	**31**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	50	10.4	27						
18-34	10	10.0							
35-49	133	12.2	90	5	7	11	11	19	43
50-69	40	15.3	62						
70 +	0								
SUBTOTAL	**233**	**12.2**	**70**	**5**	**7**	**10**	**13**	**20**	**28**
0-17	60	7.0	8	4	5	6	11	11	11
18-34	80	7.8	5	4	6	7	9	11	11
35-49	103	11.4	37	3	6	11	18	18	18
50-69	60	4.7	5	2	2	4	7	8	8
70 +	0								
SUBTOTAL	**303**	**8.2**	**23**	**3**	**5**	**7**	**11**	**18**	**18**
GRAND TOTAL	**536**	**10.0**	**47**	**4**	**6**	**8**	**11**	**18**	**20**

Southern Region, July 1989 - June 1990

DRG 401: Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	640	9.7	55	2	5	8	13	19	28
70-74	333	7.0	31	2	3	6	7	19	19
75-79	557	12.7	108	5	6	9	14	27	47
80-84	210	10.9	89	1	2	12	15	18	25
85 +	73	21.3	673						
SUBTOTAL	1814	10.7	104	2	5	8	14	23	28
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	1814	10.7	104	2	5	8	14	23	28

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	50	21.2	113						
18-34	20	30.0	38						
35-49	177	10.4	47	4	4	12	12	23	28
50-69	403	10.0	78	3	5	7	12	17	25
70 +	10	1.0							
	660	11.4	90	3	4	10	13	24	28
	0								
	0								
	0								
	0								
	0								
	0								
	0								
	660	11.4	90	3	4	10	13	24	28

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	10	8.0							
18-34	30	6.0	3						
35-49	53	4.0							
50-69	83	9.1	24						
70 +	0								
SUBTOTAL	177	6.9	17	2	4	4	11	13	13
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	177	6.9	17	2	4	4	11	13	13

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	40	10.5	15						
18-34	70	18.9	122	9	13	15	33	99 +	99 +
35-49	70	18.1	579	3	5	10	15	76	76
50-69	153	10.9	111	5	6	8	10	21	48
70 +	0								
	333	14.0	212	5	8	9	15	44	76
	0								
	0								
	0								
	0								
	0								
	0								
	333	14.0	212	5	8	9	15	44	76

DRG 402: Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	410	5.8	17	< 1	4	5	8	14	14
70-74	367	2.6	4	1	1	2	3	6	7
75-79	200	2.5	2	1	1	2	4	4	6
80-84	63	6.7	6						
85 +	117	6.7	44						
SUBTOTAL	**1158**	**4.4**	**15**	**1**	**1**	**3**	**6**	**10**	**14**
GRAND TOTAL	**1158**	**4.4**	**15**	**1**	**1**	**3**	**6**	**10**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	100	5.1	19	< 1	1	3	10	12	14
18-34	323	4.1	9	1	1	3	7	8	9
35-49	260	4.0	24	1	1	1	6	10	14
50-69	380	3.3	18	< 1	1	2	3	8	12
70 +	0								
SUBTOTAL	**1063**	**3.9**	**17**	**1**	**1**	**2**	**6**	**9**	**12**
	1063	**3.9**	**17**	**1**	**1**	**2**	**6**	**9**	**12**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	80	4.6	31	1	1	2	6	18	18
18-34	10	1.0							
35-49	20	7.0	26						
50-69	10	2.0							
70 +	0								
SUBTOTAL	**120**	**4.5**	**27**	**1**	**1**	**2**	**6**	**12**	**18**
GRAND TOTAL	**120**	**4.5**	**27**	**1**	**1**	**2**	**6**	**12**	**18**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	40	6.3	10						
18-34	93	3.6	1	1	3	4	4	5	5
35-49	123	6.2	19	1	3	5	9	9	17
50-69	93	3.6	9	< 1	1	3	3	9	9
70 +	0								
SUBTOTAL	**350**	**4.8**	**12**	**1**	**3**	**4**	**7**	**9**	**11**
	350	**4.8**	**12**	**1**	**3**	**4**	**7**	**9**	**11**

DRG 403: Lymphoma & Non-acute Leukemia w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1915	10.5	65	3	4	8	14	24	27
70-74	1611	11.0	134	2	4	8	12	21	33
75-79	1680	10.2	100	2	4	7	14	21	28
80-84	1010	10.9	64	3	4	9	14	19	27
85 +	630	8.4	38	1	5	7	12	17	19
SUBTOTAL	6845	10.4	88	2	4	7	14	21	28
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	6845	10.4	88	2	4	7	14	21	28

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	422	8.3	57	1	3	5	11	19	26
18-34	323	8.5	109	1	2	5	9	22	42
35-49	852	11.6	226	1	3	6	12	33	43
50-69	1838	9.9	104	2	4	7	12	22	34
70 +	170	5.4	33	1	1	2	13	13	17
	3606	9.8	126	1	3	6	12	25	35
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3606	9.8	126	1	3	6	12	25	35

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	110	8.8	102	2	2	3	12	24	33
18-34	193	14.7	311	1	6	7	18	62	63
35-49	173	15.4	314	2	5	8	13	52	62
50-69	310	14.7	209	4	5	13	18	24	44
70 +	53	9.7	8						
SUBTOTAL	839	13.8	232	2	5	8	14	33	52
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	839	13.8	232	2	5	8	14	33	52

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	60	9.7	68	3	3	6	14	26	26
18-34	249	12.4	120	2	5	7	20	31	31
35-49	239	15.5	203	1	4	8	29	38	40
50-69	223	10.1	26	3	6	12	13	17	18
70 +	20	4.5	13						
	791	12.3	118	2	4	8	17	30	38
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	791	12.3	118	2	4	8	17	30	38

DRG 404: Lymphoma & Non-acute Leukemia w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	426	3.7	30	< 1	1	1	5	8	11
70-74	236	4.4	8	1	2	4	7	7	10
75-79	110	6.1	24	1	2	4	10	12	17
80-84	223	2.9	8	1	1	1	6	7	7
85 +	127	3.7	5	1	1	3	6	6	7
SUBTOTAL	**1122**	**3.9**	**18**	**1**	**1**	**2**	**6**	**7**	**10**
GRAND TOTAL	**1122**	**3.9**	**18**	**1**	**1**	**2**	**6**	**7**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	462	4.4	25	< 1	1	3	6	10	11
18-34	396	3.0	9	1	1	1	4	9	9
35-49	609	3.2	18	1	1	2	4	7	9
50-69	1219	3.5	9	1	1	3	5	7	8
70 +	0								
SUBTOTAL	**2687**	**3.5**	**14**	**1**	**1**	**2**	**5**	**7**	**10**
GRAND TOTAL	**2687**	**3.5**	**14**	**1**	**1**	**2**	**5**	**7**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	229	5.7	31	2	2	3	7	12	19
18-34	157	2.7	1	2	2	3	3	3	6
35-49	40	5.8	3						
50-69	140	2.4	19	1	1	1	1	4	18
70 +	0								
SUBTOTAL	**566**	**4.0**	**20**	**1**	**1**	**2**	**4**	**10**	**18**
GRAND TOTAL	**566**	**4.0**	**20**	**1**	**1**	**2**	**4**	**10**	**18**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	120	5.9	14	1	2	5	9	10	13
18-34	150	4.1	7	1	1	4	6	8	9
35-49	50	3.2	1						
50-69	50	7.2	18						
70 +	0								
SUBTOTAL	**369**	**5.0**	**12**	**1**	**2**	**4**	**7**	**10**	**13**
GRAND TOTAL	**369**	**5.0**	**12**	**1**	**2**	**4**	**7**	**10**	**13**

DRG 405: Acute Leukemia w/o Major O.R. Procedure Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1895	11.2	155	1	4	7	13	28	42
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1895	11.2	155	1	4	7	13	28	42
0-17	1815	5.4	35	1	2	4	7	11	14
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1815	5.4	35	1	2	4	7	11	14
	3710	8.4	104	1	3	6	10	16	28

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	748	11.4	177	1	3	7	12	31	46
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	748	11.4	177	1	3	7	12	31	46
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	548	6.4	37	1	2	4	9	15	21
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	548	6.4	37	1	2	4	9	15	21
GRAND TOTAL	1296	9.3	124	1	3	6	11	22	33

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	439	10.9	176	1	5	8	12	23	27
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	439	10.9	176	1	5	8	12	23	27
0-17	319	7.5	53	1	3	5	9	19	28
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	319	7.5	53	1	3	5	9	19	28
	758	9.5	126	1	4	7	11	21	28

DRG 406: Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R.Proc w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	316	9.4	83	3	3	7	11	21	34
70-74	227	14.6	61	6	11	13	21	21	22
75-79	230	10.9	57	1	5	9	15	21	21
80-84	190	22.8	275	7	12	14	47	47	49
85 +	10	8.0							
SUBTOTAL	**973**	**13.5**	**133**	**3**	**7**	**11**	**16**	**28**	**47**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**973**	**13.5**	**133**	**3**	**7**	**11**	**16**	**28**	**47**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	40	7.5	34						
18-34	20	49.5	1902						
35-49	256	16.4	373	7	8	9	11	53	60
50-69	479	9.6	60	3	5	7	11	19	31
70 +	10	2.0							
	806	**12.6**	**247**	**3**	**6**	**8**	**11**	**25**	**39**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	806	**12.6**	**247**	**3**	**6**	**8**	**11**	**25**	**39**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	30	33.7	649						
18-34	10	8.0							
35-49	0								
50-69	20	13.5	32						
70 +	0								
SUBTOTAL	**60**	**22.7**	**456**	**5**	**8**	**14**	**30**	**66**	**66**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**60**	**22.7**	**456**	**5**	**8**	**14**	**30**	**66**	**66**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	20	10.5	44						
18-34	20	13.5	13						
35-49	20	6.0	17						
50-69	60	10.3	30	4	7	9	12	21	21
70 +	0								
	120	**10.2**	**32**	**4**	**5**	**10**	**14**	**17**	**21**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	120	**10.2**	**32**	**4**	**5**	**10**	**14**	**17**	**21**

DRG 407: Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R.Proc w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	110	5.9	11	2	4	5	7	11	12
70-74	107	6.5	14						
75-79	43	23.0							
80-84	10	8.0							
85 +	87	4.5	2						
SUBTOTAL	**357**	7.9	40	3	3	6	11	23	23
GRAND TOTAL	**357**	7.9	40	3	3	6	11	23	23

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	60	6.8	20	1	2	7	10	14	14
18-34	50	7.2	23						
35-49	120	4.8	21	< 1	1	4	6	7	18
50-69	286	6.7	24	1	4	5	10	12	14
70 +	0								
SUBTOTAL	**516**	6.3	23	1	2	5	10	12	16
GRAND TOTAL	**516**	6.3	23	1	2	5	10	12	16

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	10	6.0							
18-34	0								
35-49	10	6.0							
50-69	10	12.0							
70 +	0								
SUBTOTAL	**30**	8.0	8						
GRAND TOTAL	**30**	8.0	8						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	20	5.5	2						
18-34	20	4.5							
35-49	73	9.5	10						
50-69	180	5.5	5	3	4	4	8	9	10
70 +	0								
SUBTOTAL	**293**	6.4	9	4	4	5	9	11	11
GRAND TOTAL	**293**	6.4	9	4	4	5	9	11	11

DRG 408: Myeloprolif Disord or Poorly Diff Neopl w/ Other O.R.Proc

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	290	10.7	77	2	3	6	21	24	24
70-74	230	7.5	38	1	2	7	16	16	16
75-79	83	8.5	17						
80-84	127	5.4	18	2	2	3	11	11	11
85 +	137	8.1	68	2	2	3	13	13	32
SUBTOTAL	**867**	**8.5**	**54**	**2**	**2**	**5**	**13**	**21**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	370	2.7	2	1	2	2	3	4	6
70-74	193	4.8	10	2	2	3	6	10	10
75-79	173	3.5	6	1	2	3	4	7	10
80-84	63	1.7							
85 +	127	3.2		2	3	3	3	3	8
SUBTOTAL	**926**	**3.3**	**5**	**1**	**2**	**3**	**3**	**7**	**10**
GRAND TOTAL	**1793**	**5.8**	**35**	**2**	**2**	**3**	**7**	**14**	**21**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	80	7.0	131	1	2	3	4	37	37
18-34	43	7.0							
35-49	266	10.3	149	2	4	8	13	19	23
50-69	353	9.1	74	1	3	5	19	19	28
70 +	0								
	743	**9.2**	**104**	**2**	**3**	**5**	**13**	**19**	**28**
0-17	123	2.9	7	1	1	1	5	7	8
18-34	93	4.0	4	2	3	4	4	9	9
35-49	543	3.5	6	1	2	3	5	6	10
50-69	687	4.3	25	1	2	3	5	11	11
70 +	0								
	1447	**3.8**	**15**	**1**	**2**	**3**	**5**	**7**	**11**
	2190	**5.6**	**51**	**1**	**2**	**3**	**6**	**13**	**19**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	70	22.1	412	3	5	6	47	47	47
18-34	83	11.1	67						
35-49	50	22.0	1437						
50-69	117	16.3	72						
70 +	0								
SUBTOTAL	**320**	**17.1**	**371**	**2**	**5**	**6**	**24**	**42**	**47**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	30	6.0	19						
18-34	127	3.8	2	2	4	4	5	5	5
35-49	20	1.5							
50-69	40	2.3	1						
70 +	0								
SUBTOTAL	**217**	**3.6**	**5**	**1**	**2**	**3**	**4**	**5**	**5**
GRAND TOTAL	**536**	**11.7**	**267**	**2**	**3**	**5**	**18**	**24**	**47**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	3.0							
35-49	103	6.4	22	2	5	5	6	13	18
50-69	50	7.2	67						
70 +	0								
	163	**6.4**	**35**	**1**	**3**	**5**	**6**	**18**	**23**
0-17	10	19.0							
18-34	40	4.3	5						
35-49	83	8.0	20						
50-69	80	3.4	4	1	2	3	4	8	8
70 +	0								
	213	**6.1**	**23**	**2**	**3**	**4**	**8**	**9**	**18**
	376	**6.2**	**28**	**2**	**3**	**5**	**8**	**18**	**19**

DRG 409: Radiotherapy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	493	10.4	115	1	3	5	16	23	41
70-74	263	8.5	120	2	4	4	10	18	19
75-79	253	11.4	74	2	4	5	19	24	24
80-84	133	13.1	46	4	7	15	16	22	26
85 +	93	10.0	2	8	9	10	10	12	12
SUBTOTAL	**1235**	**10.5**	**93**	**2**	**4**	**7**	**15**	**23**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	189	5.5	64	2	4	4	4	4	39
70-74	130	3.6	1	2	4	4	4	4	5
75-79	60	3.3	2	< 1	2	4	4	5	5
80-84	0								
85 +	0								
SUBTOTAL	**379**	**4.5**	**33**	**2**	**4**	**4**	**4**	**4**	**5**
GRAND TOTAL	**1614**	**9.1**	**86**	**2**	**4**	**4**	**13**	**22**	**24**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	80	5.0	12	2	2	4	6	13	13
18-34	60	4.5	10	2	2	3	5	11	11
35-49	170	4.5	4	2	4	4	5	7	10
50-69	346	5.3	25	2	3	3	5	10	17
70 +	30	9.3	6						
SUBTOTAL	**685**	**5.2**	**17**	**2**	**3**	**4**	**5**	**11**	**12**
0-17	20	1.5							
18-34	123	2.3	1	1	2	2	2	4	4
35-49	133	2.3	1	1	2	2	2	4	5
50-69	326	3.1	3	2	2	2	4	5	5
70 +	0								
SUBTOTAL	**603**	**2.7**	**2**	**1**	**2**	**2**	**4**	**5**	**5**
GRAND TOTAL	**1288**	**4.0**	**12**	**2**	**2**	**3**	**5**	**7**	**11**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	50	2.6	2						
18-34	53	4.0							
35-49	100	6.9	22	2	4	4	10	15	16
50-69	103	16.0	127	4	6	19	19	24	45
70 +	0								
SUBTOTAL	**306**	**8.8**	**79**	**2**	**4**	**4**	**13**	**19**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	10	2.0							
35-49	0								
50-69	10	11.0							
70 +	0								
SUBTOTAL	**20**	**6.5**	**21**						
GRAND TOTAL	**326**	**8.6**	**76**	**2**	**4**	**4**	**13**	**19**	**19**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	3.0							
35-49	63	6.4	1						
50-69	40	7.5	26						
70 +	10	7.0							
SUBTOTAL	**123**	**6.5**	**10**	**3**	**5**	**7**	**7**	**7**	**16**
0-17	20	1.5							
18-34	20	2.5							
35-49	30	3.7	4						
50-69	30	4.3							
70 +	0								
SUBTOTAL	**100**	**3.2**	**2**	**< 1**	**2**	**3**	**5**	**5**	**5**
GRAND TOTAL	**223**	**5.0**	**9**	**2**	**3**	**5**	**7**	**7**	**7**

DRG 410: Chemotherapy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	13197	3.3	5	1	2	3	4	6	6
70-74	7590	3.3	8	1	2	3	4	5	7
75-79	4124	3.6	18	1	2	3	4	5	6
80-84	646	4.1	30	1	2	3	4	5	8
85 +	624	5.0	24	2	3	4	5	6	9
SUBTOTAL	**26181**	**3.4**	**9**	**1**	**2**	**3**	**4**	**5**	**7**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2393	2.4	3	1	1	1	4	5	6
70-74	1108	2.3	2	1	1	2	3	4	5
75-79	742	2.4	3	1	1	2	4	5	5
80-84	511	1.7	2	1	1	1	2	3	3
85 +	177	3.5	4	1	1	5	5	5	5
SUBTOTAL	**4931**	**2.3**	**3**	**1**	**1**	**2**	**4**	**5**	**5**
GRAND TOTAL	**31112**	**3.2**	**8**	**1**	**2**	**3**	**4**	**5**	**6**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	12077	3.1	9	1	2	3	4	5	6
18-34	3239	3.3	6	1	2	3	4	6	7
35-49	6773	3.1	6	1	1	3	4	5	6
50-69	17520	3.3	11	1	2	3	4	5	7
70 +	177	2.0	4	< 1	1	1	2	4	9
	39786	**3.2**	**9**	**1**	**2**	**3**	**4**	**5**	**6**
0-17	6771	3.1	4	1	2	3	4	5	6
18-34	1742	3.3	5	1	2	3	5	5	5
35-49	2742	2.2	2	1	1	2	3	4	5
50-69	5349	2.0	4	1	1	1	3	4	5
70 +	30	1.3							
	16634	**2.6**	**4**	**1**	**1**	**2**	**4**	**5**	**5**
	56420	**3.0**	**8**	**1**	**1**	**3**	**4**	**5**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	5305	3.6	11	1	2	3	4	6	7
18-34	781	3.5	9	1	1	3	5	6	6
35-49	1532	4.1	16	1	2	3	5	7	9
50-69	2336	3.7	5	1	2	4	5	6	8
70 +	63	4.0							
SUBTOTAL	**10018**	**3.7**	**10**	**1**	**2**	**3**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	3012	3.7	5	2	2	3	5	6	6
18-34	283	2.7	2	1	1	3	3	5	5
35-49	443	2.8	8	1	1	1	5	6	6
50-69	737	3.4	4	1	2	4	5	6	6
70 +	0								
SUBTOTAL	**4474**	**3.5**	**5**	**1**	**2**	**3**	**5**	**6**	**6**
GRAND TOTAL	**14492**	**3.6**	**8**	**1**	**2**	**3**	**5**	**6**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	2204	3.4	11	1	2	3	4	5	6
18-34	728	3.8	2	1	3	4	5	5	6
35-49	1441	3.0	4	1	1	3	4	6	6
50-69	2861	3.2	6	1	2	3	4	6	7
70 +	40	2.5	1						
	7274	**3.3**	**7**	**1**	**2**	**3**	**4**	**5**	**6**
0-17	1117	3.6	3	2	2	3	5	6	6
18-34	366	3.9	3	1	3	4	5	6	7
35-49	729	3.3	2	1	2	3	5	5	5
50-69	809	2.5	3	1	1	2	4	4	6
70 +	20	2.5							
	3042	**3.2**	**3**	**1**	**2**	**3**	**5**	**5**	**6**
	10315	**3.3**	**6**	**1**	**2**	**3**	**4**	**5**	**6**

DRG 411: History of Malignancy w/o Endoscopy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	20	4.0	4						
85 +	0								
SUBTOTAL	**20**	**4.0**	4						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	10	1.0							
70-74	10	1.0							
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**20**	**1.0**							
GRAND TOTAL	**40**	**2.5**	4						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	2.0							
35-49	10	5.0							
50-69	10	5.0							
70 +	0								
SUBTOTAL	**30**	**4.0**	2						
0-17	30	9.0	117						
18-34	0								
35-49	10	3.0							
50-69	30	1.0							
70 +	0								
SUBTOTAL	**70**	**4.7**	63	< 1	1	1	3	24	24
GRAND TOTAL	**100**	**4.5**	45	< 1	1	2	5	14	24

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	50	2.2	2						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**50**	**2.2**	2						
GRAND TOTAL	**50**	**2.2**	2						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	20	1.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**20**	**1.0**							
GRAND TOTAL	**20**	**1.0**							

DRG 412: History of Malignancy w/ Endoscopy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	10	1.0							
70-74	10	1.0							
75-79	10	1.0							
80-84	0								
85 +	0								
SUBTOTAL	30	1.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	20	1.5							
70-74	20	3.0	4						
75-79	10	1.0							
80-84	10	1.0							
85 +	0								
SUBTOTAL	60	1.8	2	< 1	< 1	< 1	2	5	5
GRAND TOTAL	90	1.6	2	< 1	< 1	< 1	1	5	5

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	10	4.0							
50-69	43	2.0							
70 +	0								
	53	2.4	1						
0-17	0								
18-34	0								
35-49	0								
50-69	30	1.0							
70 +	0								
	30	1.0							
	83	1.9	1						

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTA .	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	20	2.5							
70 +	0								
	20	2.5							
0-17	0								
18-34	0								
35-49	0								
50-69	10	4.0							
70 +	0								
	10	4.0							
	30	3.0	1						

DRG 413: Other Myeloprolif Dis or Poorly Diff Neopl Diag w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	553	13.7	253	3	3	6	11	41	41
70-74	467	10.1	74	2	4	7	14	15	33
75-79	287	10.3	151	1	3	5	10	38	38
80-84	234	13.9	42	7	8	13	17	23	23
85 +	180	9.3	25	5		10	10	18	24
SUBTOTAL	1722	11.7	138	2	4	8	14	33	38
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	1722	11.7	138	2	4	8	14	33	38

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	5.3	7						
18-34	40	5.3	5						
35-49	360	10.3	47	3	5	9	12	20	23
50-69	524	10.5	57	4	6	9	14	16	28
70 +	43	11.0							
	997	10.1	49	4	5	9	12	19	22
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	997	10.1	49	4	5	9	12	19	22

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	20	7.0							
18-34	127	8.6	43	2	2	5	17	17	17
35-49	127	5.6	12	1	1	8	8	8	10
50-69	143	15.0	99	5	9	16	18	21	45
70 +	0								
SUBTOTAL	417	9.8	66	1	5	8	17	18	18
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	417	9.8	66	1	5	8	17	18	18

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	31.0							
18-34	10	6.0							
35-49	197	14.3	183	3	4	6	34	34	39
50-69	110	9.6	26	3	5	9	14	17	18
70 +	53	3.2							
	380	11.6	128	3	4	6	14	34	34
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	380	11.6	128	3	4	6	14	34	34

DRG 414: Other Myeloprolif Dis or Poorly Diff Neopl Diag w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	264	5.5	28	2	3	5	6	6	6
70-74	127	3.1	9	1	1	3	3	4	13
75-79	117	7.8	26						
80-84	140	9.5	155						
85 +	10	11.0							
SUBTOTAL	**657**	**6.4**	**56**	**1**	**2**	**3**	**6**	**14**	**28**
GRAND TOTAL	**657**	**6.4**	**56**	**1**	**2**	**3**	**6**	**14**	**28**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	40	4.3	6						
18-34	50	4.4	3						
35-49	153	3.8	8	1	2	3	5	9	11
50-69	407	4.3	5	2	2	4	7	8	8
70 +	30	1.7							
SUBTOTAL	**680**	**4.0**	**6**	**1**	**2**	**4**	**5**	**8**	**8**
GRAND TOTAL	**680**	**4.0**	**6**	**1**	**2**	**4**	**5**	**8**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	70	5.4	38	< 1	2	3	6	20	20
18-34	10	1.0							
35-49	10	6.0							
50-69	30	6.0	34						
70 +	0								
SUBTOTAL	**120**	**5.3**	**32**	**1**	**1**	**3**	**6**	**14**	**20**
GRAND TOTAL	**120**	**5.3**	**32**	**1**	**1**	**3**	**6**	**14**	**20**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	10	3.0							
18-34	53	27.6	130						
35-49	30	1.3							
50-69	73	2.1	1						
70 +	0								
SUBTOTAL	**167**	**10.2**	**185**	**1**	**2**	**2**	**33**	**33**	**33**
GRAND TOTAL	**167**	**10.2**	**185**	**1**	**2**	**2**	**33**	**33**	**33**

DRG 415: O.R. Procedure for Infectious & Parasitic Diseases

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2681	19.0	260	6	9	14	25	40	50
70-74	1227	19.9	248	7	9	15	24	40	48
75-79	1509	19.2	272	6	10	14	21	47	73
80-84	567	17.8	132	9	11	17	21	34	47
85 +	707	22.6	220	11	14	19	26	44	48
SUBTOTAL	**6691**	**19.5**	**247**	**6**	**10**	**14**	**23**	**44**	**51**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	383	9.0	74	2	4	6	10	20	20
70-74	333	7.6	22	3	4	6	8	13	21
75-79	220	9.4	27	3	5	11	14	15	15
80-84	53	6.7	8						
85 +	70	4.0	3	2	2	3	6	7	7
SUBTOTAL	**1060**	**8.2**	**42**	**3**	**4**	**6**	**11**	**15**	**20**
GRAND TOTAL	**7751**	**17.9**	**234**	**5**	**8**	**14**	**21**	**39**	**49**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	313	19.0	397	3	6	9	29	35	65
18-34	457	13.7	226	2	6	11	19	22	38
35-49	593	18.5	311	5	6	14	22	44	65
50-69	1056	17.6	261	4	7	11	27	52	53
70 +	60	20.3	75	7	10	24	28	28	28
	2479	**17.4**	**282**	**4**	**6**	**11**	**22**	**43**	**61**
0-17	593	7.6	22	2	4	7	9	16	16
18-34	557	6.4	21	1	3	5	9	11	11
35-49	504	8.9	29	3	6	7	11	17	18
50-69	757	6.6	23	1	4	6	8	14	16
70 +	43	9.0							
	2455	**7.3**	**24**	**2**	**4**	**6**	**9**	**14**	**17**
	4933	**12.3**	**179**	**3**	**5**	**8**	**14**	**29**	**43**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	223	17.1	168	4	10	12	19	31	40
18-34	240	16.7	47	5	13	20	20	23	33
35-49	143	21.6	213	8	12	23	23	27	70
50-69	197	23.9	367	7	12	13	57	57	66
70 +	0								
SUBTOTAL	**803**	**19.5**	**197**	**6**	**11**	**18**	**23**	**57**	**57**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	170	6.8	39	2	2	4	8	18	22
18-34	70	6.3	10	2	4	6	7	13	13
35-49	50	9.4	13						
50-69	20	6.5							
70 +	10	7.0							
SUBTOTAL	**319**	**7.1**	**26**	**2**	**3**	**6**	**8**	**15**	**18**
GRAND TOTAL	**1122**	**15.9**	**180**	**3**	**7**	**13**	**20**	**32**	**57**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	143	15.2	240	7	9	9	21	69	99 +
18-34	270	12.5	71	3	6	10	17	26	27
35-49	140	18.4	289	4	6	11	24	43	60
50-69	203	16.0	105	6	7	14	22	32	35
70 +	0								
	756	**15.0**	**156**	**4**	**7**	**10**	**18**	**33**	**43**
0-17	303	6.9	21	1	3	5	12	13	14
18-34	410	11.8	99	4	5	8	12	30	30
35-49	143	9.0	31	2	3	11	15	15	16
50-69	123	9.2	47	4	7	7	8	14	30
70 +	10	15.0							
	990	**9.6**	**62**	**3**	**4**	**7**	**13**	**25**	**30**
	1746	**12.0**	**110**	**3**	**5**	**8**	**15**	**29**	**32**

DRG 416: Septicemia Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	7641	9.6	38	4	6	8	11	17	20
70-74	5173	10.4	49	5	7	9	12	16	22
75-79	5343	14.0	167	4	7	10	16	28	41
80-84	5958	12.3	118	4	6	9	14	24	32
85+	6119	12.0	100	4	7	10	13	22	31
SUBTOTAL	**30234**	**11.5**	**94**	**4**	**6**	**9**	**13**	**20**	**30**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	260	11.5	46	4	8	11	15	16	22
70-74	311	6.7	22	1	2	6	10	15	15
75-79	387	5.4	8	2	3	6	8	9	9
80-84	160	6.3	18	4	4	5	7	7	22
85+	244	9.6	71	5	6	8	11	11	19
SUBTOTAL	**1362**	**7.7**	**36**	**2**	**4**	**6**	**10**	**15**	**16**
GRAND TOTAL	**31596**	**11.4**	**92**	**4**	**6**	**9**	**13**	**20**	**29**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	516	8.7	33	3	5	7	10	14	20
35-49	1204	8.4	32	3	5	7	10	15	19
50-69	3180	9.1	34	4	6	8	11	16	19
70+	220	8.0	13	4	5	9	10	10	12
	5120	**8.8**	**32**	**4**	**6**	**8**	**10**	**16**	**19**
0-17	0								
18-34	177	4.8	7	3	4	4	4	10	13
35-49	224	4.9	2	3	4	5	6	6	6
50-69	374	6.4	12	2	3	7	9	11	11
70+	53	5.2	22						
	828	**5.6**	**9**	**3**	**3**	**5**	**7**	**10**	**11**
	5948	**8.4**	**30**	**4**	**5**	**7**	**10**	**15**	**19**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	356	8.8	51	4	5	6	10	16	29
35-49	420	8.0	30	3	5	6	10	13	15
50-69	941	10.9	45	4	7	9	14	18	21
70+	204	11.8	11	7	7	13	15	16	16
SUBTOTAL	**1921**	**10.0**	**41**	**4**	**6**	**8**	**12**	**17**	**21**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	107	5.8	7						
35-49	10	4.0							
50-69	20	27.0	421						
70+	0								
SUBTOTAL	**137**	**8.8**	**121**	**3**	**4**	**4**	**9**	**9**	**47**
GRAND TOTAL	**2058**	**9.9**	**47**	**4**	**6**	**8**	**12**	**17**	**21**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	320	9.9	54	4	6	7	15	15	26
35-49	664	8.7	10	5	6	8	11	13	14
50-69	423	12.9	58	6	7	10	17	28	28
70+	43	5.0							
	1450	**10.0**	**38**	**5**	**6**	**8**	**11**	**19**	**27**
0-17	0								
18-34	83	5.5	3						
35-49	43	5.0							
50-69	63	6.6	11						
70+	0								
	190	**5.7**	**5**	**5**	**5**	**5**	**6**	**8**	**14**
	1640	**9.5**	**36**	**5**	**6**	**7**	**11**	**17**	**26**

DRG 417: Septicemia Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	10	3.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**10**	**3.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**10**	**3.0**							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	2644	7.9	73	2	3	5	10	17	21
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**2644**	**7.9**	**73**	**2**	**3**	**5**	**10**	**17**	**21**
0-17	4083	4.4	10	2	2	3	5	9	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**4083**	**4.4**	**10**	**2**	**2**	**3**	**5**	**9**	**10**
	6727	**5.8**	**38**	**2**	**3**	**4**	**7**	**12**	**16**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	2401	7.0	25	2	3	6	10	14	16
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**2401**	**7.0**	**25**	**2**	**3**	**6**	**10**	**14**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	3006	4.8	11	2	3	4	6	10	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**3006**	**4.8**	**11**	**2**	**3**	**4**	**6**	**10**	**11**
GRAND TOTAL	**5407**	**5.8**	**18**	**2**	**3**	**4**	**8**	**11**	**14**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1345	6.8	54	2	3	4	8	14	16
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1345**	**6.8**	**54**	**2**	**3**	**4**	**8**	**14**	**16**
0-17	2211	4.5	9	2	3	4	5	9	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**2211**	**4.5**	**9**	**2**	**3**	**4**	**5**	**9**	**11**
	3556	**5.4**	**27**	**2**	**3**	**4**	**7**	**11**	**14**

DRG 418: Postoperative & Post-traumatic Infections

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	984	7.3	29	3	4	5	10	13	18
70-74	496	10.1	73	3	5	6	14	28	30
75-79	293	7.6	20	4	4	5	12	15	15
80-84	123	7.6	43	4	5	5	7	8	29
85 +	133	10.7	208	2	5	8	8	14	60
SUBTOTAL	**2030**	**8.3**	**53**	**3**	**4**	**5**	**10**	**15**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	530	7.1	65	3	3	5	8	11	15
70-74	274	6.5	7	4	4	6	9	9	12
75-79	437	6.8	7	3	5	6	9	11	12
80-84	20	6.0	1						
85 +	107	4.2	0						
SUBTOTAL	**1368**	**6.6**	**30**	**3**	**4**	**5**	**8**	**11**	**12**
GRAND TOTAL	**3398**	**7.6**	**44**	**3**	**4**	**5**	**8**	**13**	**17**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	207	5.2	15	2	2	4	7	12	13
18-34	454	5.4	7	2	4	4	7	9	10
35-49	520	5.9	18	3	3	4	8	10	12
50-69	590	7.6	20	3	5	6	10	15	19
70 +	10	12.0							
SUBTOTAL	**1780**	**6.3**	**17**	**3**	**4**	**5**	**8**	**12**	**14**
0-17	616	4.3	7	2	2	4	5	7	7
18-34	760	5.2	14	1	2	4	7	10	15
35-49	843	5.7	24	2	3	4	7	8	23
50-69	883	5.5	17	3	4	5	6	9	10
70 +	0								
SUBTOTAL	**3103**	**5.2**	**16**	**2**	**3**	**4**	**7**	**9**	**13**
GRAND TOTAL	**4883**	**5.6**	**17**	**2**	**3**	**5**	**7**	**10**	**14**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	127	5.7	17	2	2	5	8	8	16
18-34	110	7.4	45	4	4	6	7	8	28
35-49	207	10.0	315	3	5	6	8	9	26
50-69	83	8.5	33						
70 +	10	14.0							
SUBTOTAL	**536**	**8.3**	**143**	**2**	**4**	**6**	**8**	**10**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	306	3.5	7	1	2	3	5	5	10
18-34	293	4.1	12	2	3	3	4	5	14
35-49	93	4.4	1	2	4	5	5	5	5
50-69	60	4.3	5	1	3	4	6	8	8
70 +	0								
SUBTOTAL	**753**	**3.9**	**8**	**2**	**2**	**3**	**5**	**5**	**10**
GRAND TOTAL	**1289**	**5.7**	**69**	**2**	**3**	**4**	**6**	**8**	**14**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	2.0							
18-34	217	5.9	12	2	2	7	10	10	11
35-49	60	6.2	20	1	3	4	10	14	14
50-69	103	7.2	28	3	3	4	9	17	18
70 +	0								
SUBTOTAL	**390**	**6.2**	**18**	**2**	**3**	**4**	**10**	**11**	**16**
0-17	213	4.2	5	2	3	4	5	7	8
18-34	510	5.9	14	2	4	5	8	8	10
35-49	213	5.7	8	3	3	5	8	9	10
50-69	214	6.3	6	3	5	7	8	8	8
70 +	0								
SUBTOTAL	**1150**	**5.6**	**10**	**2**	**3**	**5**	**7**	**8**	**10**
GRAND TOTAL	**1539**	**5.8**	**12**	**2**	**3**	**5**	**8**	**10**	**11**

DRG 419: Fever of Unknown Origin Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	2700	6.1	13	3	4	5	7	12	15
70-74	1619	8.0	136	2	4	5	7	9	21
75-79	1522	8.4	53	2	4	7	10	18	27
80-84	778	6.5	19	2	3	6	6	16	16
85+	791	7.3	7	4	5	8	9	10	11
SUBTOTAL	**7510**	**7.2**	**49**	**3**	**4**	**5**	**8**	**12**	**16**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**7510**	**7.2**	**49**	**3**	**4**	**5**	**8**	**12**	**16**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	617	4.2	6	2	2	3	5	8	9
35-49	870	5.7	9	3	4	5	7	10	11
50-69	1594	6.9	27	2	3	6	9	14	16
70+	10	5.0							
SUBTOTAL	**3091**	**6.0**	**19**	**2**	**3**	**5**	**8**	**10**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3091**	**6.0**	**19**	**2**	**3**	**5**	**8**	**10**	**15**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	157	5.2	1	3	4	6	6	6	6
35-49	133	4.3	9	2	2	3	5	5	14
50-69	93	6.5	6	3	6	6	7	11	11
70+	0								
SUBTOTAL	**383**	**5.2**	**6**	**2**	**3**	**5**	**6**	**7**	**11**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**383**	**5.2**	**6**	**2**	**3**	**5**	**6**	**7**	**11**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	296	4.4	11	2	2	3	5	8	14
35-49	70	7.9	16	3	3	7	11	15	15
50-69	387	8.4	66	2	3	6	8	29	29
70+	0								
SUBTOTAL	**753**	**6.8**	**43**	**2**	**3**	**5**	**7**	**14**	**29**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**753**	**6.8**	**43**	**2**	**3**	**5**	**7**	**14**	**29**

DRG 420: Fever of Unknown Origin Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	327	5.6	6	2	3	5	7	9	9
70-74	267	3.3	3	2	2	3	4	4	6
75-79	137	7.3	21	3	3	4	13	13	13
80-84	311	9.1	90	3	4	5	7	32	32
85+	237	4.3	4	2	2	5	6	7	7
SUBTOTAL	**1279**	**5.9**	**32**	**2**	**3**	**5**	**7**	**10**	**13**
GRAND TOTAL	**1279**	**5.9**	**32**	**2**	**3**	**5**	**7**	**10**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
0-17	0								
18-34	507	3.6	10	1	1	3	4	6	10
35-49	677	4.7	18	2	2	4	5	9	9
50-69	353	4.7	7	2	2	5	6	6	9
70+	107	4.1	3						
SUBTOTAL	**1645**	**4.3**	**12**	**1**	**2**	**4**	**5**	**7**	**9**
GRAND TOTAL	**1645**	**4.3**	**12**	**1**	**2**	**4**	**5**	**7**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	167	4.1	9	1	1	3	8	8	8
35-49	43	5.0							
50-69	10	2.0							
70+	0								
SUBTOTAL	**220**	**4.2**	**7**	**1**	**2**	**4**	**6**	**8**	**8**
GRAND TOTAL	**220**	**4.2**	**7**	**1**	**2**	**4**	**6**	**8**	**8**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
0-17	0								
18-34	254	3.3	1	2	2	3	5	5	5
35-49	190	3.6	24	1	1	3	3	5	24
50-69	53	11.9	4						
70+	0								
SUBTOTAL	**497**	**4.4**	**17**	**1**	**2**	**3**	**5**	**11**	**11**
GRAND TOTAL	**497**	**4.4**	**17**	**1**	**2**	**3**	**5**	**11**	**11**

DRG 421: Viral Illness Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1498	5.6	25	2	3	4	7	10	11
70-74	671	6.2	14	4	4	6	7	13	99+
75-79	1019	6.3	25	2	3	4	9	13	15
80-84	781	8.7	44	3	3	7	11	19	27
85+	374	8.1	16	3	5	7	13	13	16
SUBTOTAL	**4343**	**6.6**	**28**	**2**	**3**	**5**	**8**	**13**	**19**
2.PATIENTS W/OUT CCs AGE GROUP									
0-59	571	3.6	3	2	2	3	5	7	7
70-74	337	4.2	3	1	3	5	6	6	7
75-79	301	4.8	5	1	4	4	6	8	8
80-84	271	2.2	2	1	1	2	2	5	5
85+	277	5.2	14	3	3	4	7	9	10
SUBTOTAL	**1756**	**3.9**	**6**	**1**	**2**	**4**	**5**	**7**	**8**
GRAND TOTAL	**6099**	**5.9**	**23**	**2**	**3**	**4**	**7**	**12**	**16**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2734	3.9	10	1	2	3	5	8	10
35-49	1629	4.1	7	1	2	3	5	8	10
50-69	1509	4.9	10	1	3	4	7	11	11
70+	0								
SUBTOTAL	**5872**	**4.2**	**10**	**1**	**2**	**3**	**6**	**8**	**11**
0-17	0								
18-34	2904	3.2	3	1	2	3	4	6	7
35-49	1469	3.7	5	1	2	4	5	7	8
50-69	965	3.6	3	1	2	4	4	6	7
70+	10	5.0							
SUBTOTAL	**5348**	**3.4**	**4**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**11220**	**3.8**	**7**	**1**	**2**	**3**	**5**	**7**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	310	4.4	10	1	2	3	6	9	12
35-49	337	3.9	3	2	3	4	4	5	7
50-69	107	3.3	1						
70+	43	6.0							
SUBTOTAL	**797**	**4.1**	**6**	**2**	**2**	**4**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	434	3.3	3	1	2	3	4	6	7
35-49	127	6.6	29	2	3	3	14	14	14
50-69	0								
70+	0								
SUBTOTAL	**561**	**4.0**	**11**	**2**	**2**	**3**	**4**	**7**	**14**
GRAND TOTAL	**1358**	**4.1**	**8**	**2**	**2**	**3**	**5**	**7**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	720	3.6	6	1	2	3	4	8	8
35-49	283	3.9	5	1	2	3	5	7	8
50-69	214	4.8	5	2	3	4	7	7	7
70+	43	4.0							
SUBTOTAL	**1261**	**3.9**	**6**	**1**	**2**	**3**	**5**	**8**	**8**
0-17	0								
18-34	757	3.0	3	1	2	2	4	7	7
35-49	384	3.7	4	<1	2	4	5	8	8
50-69	63	2.5	1						
70+	0								
SUBTOTAL	**1205**	**3.2**	**4**	**1**	**2**	**3**	**4**	**7**	**7**
GRAND TOTAL	**2465**	**3.6**	**5**	**1**	**2**	**3**	**5**	**7**	**8**

DRG 422: Viral Illness & Fever of Unknown Origin Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	80	4.1	4	2	2	4	6	7	7
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**80**	**4.1**	**4**	**2**	**2**	**4**	**6**	**7**	**7**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	20	13.0	85						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**20**	**13.0**	**85**						
GRAND TOTAL	**100**	**5.9**	**32**	**2**	**2**	**4**	**6**	**14**	**22**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10115	3.5	15	1	2	3	4	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**10115**	**3.5**	**15**	**1**	**2**	**3**	**4**	**6**	**8**
0-17	22083	2.7	2	1	2	2	3	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**22083**	**2.7**	**2**	**1**	**2**	**2**	**3**	**4**	**5**
	32198	**2.9**	**6**	**1**	**2**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	5896	4.0	12	2	2	3	5	7	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**5896**	**4.0**	**12**	**2**	**2**	**3**	**5**	**7**	**8**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	14576	2.9	4	1	2	3	3	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**14576**	**2.9**	**4**	**1**	**2**	**3**	**3**	**4**	**6**
GRAND TOTAL	**20472**	**3.2**	**7**	**1**	**2**	**3**	**4**	**5**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	3482	3.2	7	1	2	3	4	5	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**3482**	**3.2**	**7**	**1**	**2**	**3**	**4**	**5**	**8**
0-17	7427	2.9	2	1	2	3	3	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**7427**	**2.9**	**2**	**1**	**2**	**3**	**3**	**4**	**5**
	10909	**3.0**	**3**	**1**	**2**	**3**	**4**	**5**	**6**

DRG 423: Other Infectious & Parasitic Diseases Diagnoses

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	887	11.8	67	4	7	9	15	21	29
70-74	450	8.5	65	1	4	7	9	20	20
75-79	303	9.2	116	2	2	5	11	27	28
80-84	214	14.7	54	7	8	13	19	21	21
85 +	137	11.8	221	3	3	4	14	39	51
SUBTOTAL	**1991**	**10.9**	**87**	**3**	**5**	**8**	**14**	**21**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	210	7.6	44	3	3	5	8	11	26
70-74	107	7.5	1						
75-79	63	3.3	6						
80-84	117	7.1	17						
85 +	43	8.0							
SUBTOTAL	**541**	**7.0**	**24**	**2**	**3**	**7**	**8**	**12**	**12**
GRAND TOTAL	**2532**	**10.1**	**76**	**3**	**5**	**8**	**13**	**21**	**27**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	697	5.9	37	2	2	3	7	14	16
18-34	407	4.8	10	2	3	4	5	8	12
35-49	173	9.4	55	2	4	7	13	22	29
50-69	347	8.5	72	2	3	7	11	15	47
70 +	0								
SUBTOTAL	**1623**	**6.5**	**42**	**2**	**3**	**4**	**8**	**14**	**18**
0-17	850	4.3	11	2	2	3	6	8	10
18-34	417	3.7	6	1	1	3	5	8	8
35-49	417	5.2	5	3	4	4	7	8	8
50-69	477	4.9	6	2	3	5	5	10	10
70 +	10	2.0							
SUBTOTAL	**2170**	**4.5**	**8**	**1**	**2**	**4**	**6**	**8**	**10**
GRAND TOTAL	**3794**	**5.4**	**24**	**2**	**2**	**4**	**7**	**10**	**13**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	289	12.1	324	2	4	7	10	29	60
18-34	143	7.6	56	3	3	5	8	19	30
35-49	210	14.5	82	6	6	11	28	28	28
50-69	117	5.4	2						
70 +	0								
SUBTOTAL	**759**	**10.9**	**167**	**3**	**4**	**6**	**11**	**28**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	503	6.1	18	3	4	4	8	10	11
18-34	20	7.5	13						
35-49	20	12.0							
50-69	0								
70 +	0								
SUBTOTAL	**543**	**6.4**	**18**	**3**	**4**	**5**	**9**	**11**	**12**
GRAND TOTAL	**1302**	**9.0**	**110**	**3**	**4**	**6**	**10**	**19**	**28**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	233	7.5	36	2	3	7	10	17	19
18-34	280	7.0	56	1	3	7	7	16	16
35-49	50	23.8	606	3	3	22	68	99 +	99 +
50-69	73	9.9	50						
70 +	0								
SUBTOTAL	**636**	**8.8**	**110**	**1**	**3**	**7**	**10**	**19**	**31**
0-17	536	4.9	10	2	2	4	7	9	11
18-34	373	4.2	8	2	2	3	6	10	10
35-49	170	8.4	27	2	2	7	14	14	18
50-69	20	4.5							
70 +	0								
SUBTOTAL	**1100**	**5.2**	**14**	**2**	**2**	**4**	**7**	**10**	**14**
GRAND TOTAL	**1736**	**6.5**	**52**	**2**	**2**	**5**	**7**	**14**	**17**

DRG 424: O.R. Procedure w/ Principal Diagnoses of Mental Illness

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	330	20.1	250	1	11	20	39	99+	99+
70-74	163	19.3	110	7	11	18	24	36	41
75-79	277	14.6	93	2	8	14	27	29	29
80-84	157	26.5	292	4	14	19	39	50	64
85+	220	25.1	172	15	15	19	41	42	42
SUBTOTAL	**1147**	**20.5**	**200**	**3**	**11**	**19**	**29**	**42**	**64**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	177	15.2	105	6	9	10	23	36	39
70-74	63	6.1	12						
75-79	53	13.2	35						
80-84	20	22.5							
85+	30	8.3	72						
SUBTOTAL	**343**	**13.0**	**66**	**4**	**6**	**10**	**17**	**26**	**36**
GRAND TOTAL	**1490**	**18.8**	**183**	**3**	**9**	**18**	**26**	**42**	**50**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	160	15.4	186	8	8	12	14	17	67
18-34	93	26.3	304	3	16	16	37	65	65
35-49	163	37.4	315	15	24	43	43	59	75
50-69	80	19.8	71	7	11	22	26	31	31
70+	0								
SUBTOTAL	**496**	**25.4**	**315**	**8**	**12**	**16**	**37**	**59**	**65**
0-17	100	19.1	357	1	7	13	42	62	99+
18-34	113	28.6	291	20	21	21	32	65	99+
35-49	230	13.6	190	1	6	11	17	40	40
50-69	167	9.5	86	2	2	8	8	28	34
70+	10	20.0							
SUBTOTAL	**620**	**16.2**	**247**	**2**	**6**	**11**	**21**	**42**	**63**
	1116	**20.3**	**298**	**3**	**8**	**15**	**28**	**51**	**65**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	50	16.4	275						
18-34	40	14.5	89						
35-49	20	36.5	855						
50-69	80	27.5	384	10	13	19	37	70	70
70+	10	17.0							
SUBTOTAL	**199**	**22.5**	**373**	**3**	**9**	**15**	**33**	**55**	**67**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	279	9.1	438	1	1	1	2	42	72
18-34	10	14.0							
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**289**	**9.3**	**424**	**1**	**1**	**1**	**2**	**42**	**72**
GRAND TOTAL	**489**	**14.7**	**444**	**1**	**1**	**3**	**15**	**46**	**70**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	2.0							
18-34	107	24.9	427						
35-49	20	9.0	26						
50-69	30	18.3	28						
70+	0								
SUBTOTAL	**167**	**20.4**	**330**	**4**	**8**	**13**	**32**	**32**	**79**
0-17	40	15.0	203						
18-34	83	13.6	85						
35-49	40	6.5	13						
50-69	10	9.0							
70+	0								
SUBTOTAL	**173**	**12.0**	**100**	**<1**	**6**	**7**	**22**	**28**	**31**
	340	**16.1**	**230**	**2**	**7**	**9**	**27**	**32**	**32**

DRG 425: Acute Adjust React & Disturbances of Psychosocial Dysfunction

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1853	7.1	62	2	2	5	9	14	29
70-74	714	9.1	70	3	3	7	10	21	29
75-79	868	6.6	47	2	2	4	8	17	23
80-84	1001	7.3	46	3	4	5	8	12	30
85+	821	6.0	46	2	2	5	6	9	15
SUBTOTAL	**5257**	**7.2**	**56**	**2**	**3**	**5**	**8**	**16**	**28**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	1395	6.2	29	1	3	4	10	13	18
70-74	815	8.9	72	2	3	5	13	20	28
75-79	544	8.4	37	2	3	7	12	16	22
80-84	230	8.5	54	3	3	6	12	15	20
85+	147	5.1	9	3	3	4	7	9	13
SUBTOTAL	**3131**	**7.4**	**44**	**2**	**3**	**5**	**11**	**16**	**22**
GRAND TOTAL	**8388**	**7.2**	**51**	**2**	**3**	**5**	**9**	**16**	**22**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	177	5.9	103	1	1	2	4	16	44
18-34	714	8.8	106	2	3	5	8	22	42
35-49	574	8.0	79	1	2	4	10	21	30
50-69	768	6.4	16	2	3	6	9	13	14
70+	107	4.0	1						
SUBTOTAL	**2339**	**7.4**	**67**	**2**	**3**	**4**	**9**	**14**	**26**
0-17	880	9.6	118	1	1	5	14	28	29
18-34	1742	7.5	107	1	2	3	10	21	24
35-49	2297	5.2	31	1	2	3	7	13	15
50-69	938	4.3	24	1	2	3	4	8	12
70+	43	1.0							
SUBTOTAL	**5901**	**6.4**	**68**	**1**	**2**	**3**	**7**	**15**	**24**
GRAND TOTAL	**8240**	**6.6**	**58**	**1**	**2**	**4**	**8**	**15**	**24**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	83	16.8	154						
18-34	283	12.3	285	2	2	7	13	38	44
35-49	337	6.8	31	1	1	5	12	15	21
50-69	214	20.9	357	6	6	8	50	50	59
70+	0								
SUBTOTAL	**917**	**12.7**	**226**	**1**	**2**	**7**	**15**	**38**	**50**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	573	12.6	204	1	3	6	18	37	42
18-34	511	5.3	15	2	3	3	8	12	12
35-49	718	8.7	37	1	3	7	14	18	18
50-69	147	3.1	9	1	1	2	4	5	13
70+	0								
SUBTOTAL	**1949**	**8.5**	**88**	**1**	**2**	**5**	**12**	**18**	**28**
GRAND TOTAL	**2866**	**9.9**	**136**	**1**	**2**	**6**	**13**	**22**	**38**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	7.0	17						
18-34	490	6.7	100	<1	2	3	7	13	39
35-49	150	8.9	126	2	3	5	6	27	43
50-69	264	5.1	14	2	4	4	6	7	13
70+	10	4.0							
SUBTOTAL	**943**	**6.6**	**78**	**2**	**3**	**4**	**6**	**13**	**27**
0-17	306	9.4	242	1	1	2	13	23	53
18-34	987	6.5	43	1	2	4	8	15	25
35-49	928	6.6	45	1	3	5	9	12	28
50-69	244	5.5	19	<1	2	4	11	11	12
70+	10	12.0							
SUBTOTAL	**2475**	**6.8**	**67**	**1**	**2**	**4**	**9**	**14**	**25**
GRAND TOTAL	**3418**	**6.8**	**70**	**1**	**2**	**4**	**8**	**14**	**25**

DRG 426: Depressive Neuroses

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1131	10.0	51	3	4	8	13	24	26
70-74	293	10.0	41	5	5	7	16	23	23
75-79	761	10.6	76	4	4	7	14	22	25
80-84	277	6.5	5	5	5	6	7	8	12
85 +	117	4.8	6						
SUBTOTAL	**2580**	**9.6**	**53**	**4**	**4**	**7**	**12**	**21**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1839	10.5	60	2	4	9	14	21	28
70-74	751	13.0	114	3	4	10	19	30	36
75-79	771	11.2	35	3	7	13	15	16	23
80-84	267	11.8	53	3	4	16	17	21	21
85 +	73	9.5	2						
SUBTOTAL	**3703**	**11.2**	**65**	**3**	**4**	**10**	**16**	**23**	**28**
GRAND TOTAL	**6283**	**10.5**	**61**	**3**	**4**	**8**	**15**	**22**	**27**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	874	17.7	224	2	7	14	26	41	42
18-34	1976	8.8	69	1	3	6	14	21	27
35-49	1024	7.4	51	2	3	5	8	14	30
50-69	784	7.9	46	3	3	5	10	17	25
70 +	0								
SUBTOTAL	**4658**	**10.0**	**104**	**2**	**3**	**6**	**14**	**25**	**33**
0-17	5532	19.4	208	2	7	17	29	37	43
18-34	5600	6.8	38	1	2	5	9	15	18
35-49	5172	8.4	48	2	4	7	11	17	23
50-69	2658	8.0	47	2	3	6	10	15	27
70 +	97	9.1	40						
SUBTOTAL	**19060**	**11.1**	**120**	**2**	**3**	**7**	**15**	**28**	**33**
	23718	**10.9**	**117**	**2**	**3**	**7**	**15**	**28**	**33**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	360	26.3	492	2	7	23	45	58	73
18-34	861	7.4	23	2	4	7	12	13	14
35-49	534	9.4	50	1	4	8	13	21	21
50-69	387	11.8	37	5	7	12	14	19	29
70 +	0								
SUBTOTAL	**2142**	**11.9**	**156**	**2**	**4**	**8**	**13**	**23**	**43**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	2818	19.7	215	4	8	17	28	42	49
18-34	2150	7.5	37	1	3	6	11	17	21
35-49	1450	8.5	52	3	4	5	12	18	24
50-69	220	8.5	18	3	5	9	12	12	15
70 +	20	11.5	44						
SUBTOTAL	**6657**	**12.9**	**149**	**2**	**4**	**9**	**18**	**29**	**42**
GRAND TOTAL	**8799**	**12.7**	**151**	**2**	**4**	**9**	**17**	**29**	**42**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	137	10.6	208	3	3	7	8	29	56
18-34	2057	6.6	43	1	2	4	10	14	19
35-49	683	8.4	40	3	4	7	12	15	19
50-69	327	7.1	23	2	2	5	11	16	16
70 +	0								
SUBTOTAL	**3204**	**7.2**	**49**	**1**	**3**	**5**	**10**	**15**	**19**
0-17	1227	12.0	136	1	2	7	18	28	35
18-34	5297	6.3	51	1	2	4	8	14	15
35-49	1565	9.8	104	1	4	6	11	29	35
50-69	340	11.9	74	1	3	12	21	22	22
70 +	0								
SUBTOTAL	**8429**	**8.0**	**80**	**1**	**2**	**5**	**10**	**20**	**28**
	11633	**7.8**	**71**	**1**	**2**	**5**	**10**	**17**	**25**

DRG 427: Neuroses except Depressive

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	357	7.1	55	2	2	6	7	20	27
70-74	204	7.0	15	4	5	7	7	7	13
75-79	117	18.1	332						
80-84	63	10.2	11						
85 +	0								
SUBTOTAL	**741**	**9.1**	**99**	**2**	**4**	**7**	**10**	**20**	**27**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	577	10.4	180	1	3	6	10	30	30
70-74	127	26.3	212	12	12	19	44	44	44
75-79	53	1.2							
80-84	20	30.5	685						
85 +	43	10.0							
SUBTOTAL	**821**	**12.8**	**224**	**1**	**3**	**8**	**13**	**39**	**44**
GRAND TOTAL	**1561**	**11.0**	**168**	**2**	**3**	**7**	**11**	**29**	**44**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	230	9.9	62	3	3	6	17	17	19
18-34	370	7.1	70	2	2	4	8	18	19
35-49	280	7.9	33	2	3	7	15	16	17
50-69	190	5.9	56	1	2	4	4	24	29
70 +	0								
SUBTOTAL	**1070**	**7.7**	**58**	**2**	**2**	**5**	**10**	**17**	**19**
0-17	2066	13.9	188	1	3	9	21	36	42
18-34	1975	7.7	84	1	2	5	9	21	27
35-49	1294	10.5	119	2	3	8	16	17	29
50-69	457	8.3	29	1	3	8	12	15	16
70 +	0								
SUBTOTAL	**5791**	**10.6**	**132**	**1**	**3**	**7**	**14**	**25**	**38**
GRAND TOTAL	**6861**	**10.1**	**121**	**1**	**3**	**6**	**14**	**24**	**34**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	133	16.1	106	7	7	14	21	29	39
18-34	200	10.2	44	3	4	9	14	20	26
35-49	160	7.5	28	3	3	4	13	13	19
50-69	53	3.6	1						
70 +	0								
SUBTOTAL	**547**	**10.2**	**65**	**3**	**4**	**7**	**14**	**21**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1249	18.0	255	3	7	13	23	40	55
18-34	634	7.7	50	2	4	7	8	16	18
35-49	194	9.4	80	2	4	5	15	30	30
50-69	63	8.3	1						
70 +	0								
SUBTOTAL	**2341**	**13.5**	**187**	**2**	**5**	**8**	**18**	**29**	**42**
GRAND TOTAL	**2888**	**12.9**	**165**	**3**	**4**	**8**	**17**	**28**	**39**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	73	15.5	386						
18-34	630	8.1	52	1	3	7	14	17	17
35-49	173	7.9	50	3	4	5	10	12	34
50-69	63	2.6	4						
70 +	0								
SUBTOTAL	**940**	**8.2**	**80**	**1**	**3**	**5**	**10**	**17**	**29**
0-17	717	12.0	140	1	4	8	19	28	31
18-34	1462	6.1	46	1	2	4	8	13	15
35-49	326	5.3	27	2	2	3	7	10	16
50-69	180	5.4	24	1	2	2	9	14	18
70 +	0								
SUBTOTAL	**2685**	**7.5**	**74**	**1**	**2**	**5**	**10**	**17**	**23**
GRAND TOTAL	**3624**	**7.7**	**76**	**1**	**2**	**5**	**10**	**17**	**23**

DRG 428: Disorders of Personality & Impulse Control

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	153	8.6	24	2	5	8	13	15	20
70-74	0								
75-79	20	32.0	658						
80-84	0								
85 +	0								
SUBTOTAL	**173**	**11.3**	**150**	**2**	**7**	**8**	**13**	**20**	**57**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	280	9.9	117	1	2	5	15	28	51
70-74	10	15.0							
75-79	43	5.0							
80-84	43	8.0							
85 +	0								
SUBTOTAL	**377**	**9.3**	**90**	**2**	**3**	**7**	**15**	**23**	**51**
GRAND TOTAL	**550**	**9.9**	**110**	**2**	**3**	**8**	**15**	**20**	**51**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	323	20.8	312	9	13	14	23	34	76
18-34	320	10.3	96	1	1	7	16	30	37
35-49	150	20.2	514	1	3	10	28	70	76
50-69	0								
70 +	0								
SUBTOTAL	**793**	**16.5**	**288**	**1**	**7**	**13**	**23**	**33**	**72**
0-17	756	22.6	326	4	11	18	30	57	74
18-34	716	20.3	380	2	6	14	30	45	54
35-49	310	12.6	86	3	6	11	14	25	25
50-69	150	7.0	42						
70 +	0								
SUBTOTAL	**1932**	**18.9**	**309**	**3**	**6**	**14**	**27**	**45**	**61**
	2725	**18.2**	**304**	**3**	**6**	**14**	**25**	**45**	**63**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	50	27.6	370						
18-34	250	14.8	153	3	4	9	26	26	29
35-49	60	12.5	14	7	10	12	15	18	18
50-69	0								
70 +	0								
SUBTOTAL	**360**	**16.2**	**181**	**3**	**8**	**11**	**26**	**29**	**55**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	374	12.8	304	2	3	3	24	31	44
18-34	641	12.5	94	1	3	12	18	23	23
35-49	160	10.4	45	2	2	10	13	19	28
50-69	0								
70 +	0								
SUBTOTAL	**1175**	**12.3**	**154**	**2**	**3**	**10**	**16**	**28**	**31**
GRAND TOTAL	**1535**	**13.2**	**163**	**2**	**3**	**10**	**19**	**28**	**35**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	63	8.6	88						
18-34	313	13.9	421	2	3	4	13	44	70
35-49	60	14.7	285	4	5	6	16	51	51
50-69	0								
70 +	43	2.0							
SUBTOTAL	**479**	**12.2**	**335**	**2**	**3**	**4**	**12**	**44**	**51**
0-17	113	20.0	637	5	5	6	28	71	73
18-34	633	7.7	94	1	1	6	10	15	30
35-49	210	7.0	67	1	1	2	12	12	20
50-69	83	4.6	38						
70 +	0								
SUBTOTAL	**1040**	**8.6**	**159**	**1**	**1**	**5**	**10**	**19**	**35**
	1519	**9.8**	**217**	**1**	**2**	**5**	**10**	**25**	**48**

DRG 429: Organic Disturbances & Mental Retardation

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1470	16.1	250	4	5	9	21	33	59
70-74	1197	12.5	104	3	6	10	15	24	35
75-79	2108	10.7	59	3	5	9	16	21	23
80-84	2306	13.5	176	3	5	10	19	24	30
85+	2062	14.0	189	3	6	9	18	49	99+
SUBTOTAL	**9143**	**13.2**	**157**	**3**	**5**	**9**	**18**	**29**	**47**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	1014	14.6	106	4	7	13	19	27	31
70-74	1425	10.6	63	3	5	10	13	18	27
75-79	1548	10.2	65	2	4	9	12	25	29
80-84	1309	11.4	94	6	7	8	12	18	43
85+	1218	9.9	63	3	4	7	11	24	26
SUBTOTAL	**6513**	**11.2**	**79**	**3**	**6**	**9**	**13**	**25**	**29**
GRAND TOTAL	**15657**	**12.4**	**126**	**3**	**5**	**9**	**16**	**26**	**36**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	263	13.2	228	2	3	6	21	28	28
18-34	113	9.1	30	3	5	8	15	16	21
35-49	170	15.5	178	3	7	13	22	56	99+
50-69	426	17.5	126	<1	10	17	27	30	32
70+	60	7.5	53	1	2	4	13	21	21
SUBTOTAL	**1031**	**14.6**	**155**	**2**	**4**	**13**	**21**	**29**	**33**
0-17	340	10.5	106	2	2	9	13	28	38
18-34	197	8.9	49	1	4	8	11	24	26
35-49	244	9.3	32	2	3	9	15	16	18
50-69	373	10.5	70	2	6	9	11	18	24
70+	30	10.7	26						
SUBTOTAL	**1183**	**10.0**	**68**	**2**	**4**	**9**	**13**	**19**	**26**
GRAND TOTAL	**2215**	**12.1**	**114**	**2**	**4**	**9**	**17**	**26**	**31**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	120	12.9	106	2	6	11	17	21	41
18-34	113	18.9	63	7	20	20	24	33	99+
35-49	100	21.2	444	3	8	15	25	55	78
50-69	217	16.9	174	1	8	25	34	99+	99+
70+	93	17.2	353	6	11	70	99+	99+	99+
SUBTOTAL	**643**	**17.2**	**215**	**3**	**10**	**19**	**34**	**99+**	**99+**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	243	15.5	243	2	4	8	24	40	47
18-34	173	13.2	77	4	4	14	17	29	30
35-49	113	8.8	13	2	6	11	11	11	12
50-69	167	12.3	50	7	7	7	16	21	32
70+	200	8.8	29	5	6	7	9	18	24
SUBTOTAL	**896**	**12.1**	**105**	**4**	**6**	**8**	**15**	**27**	**32**
GRAND TOTAL	**1539**	**14.2**	**157**	**4**	**7**	**11**	**24**	**60**	**99+**

TYPE OF PATIENT	[illegible] INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	40	20.0	397						
18-34	110	8.5	19	2	7	8	13	14	15
35-49	143	13.0	104	4	7	10	17	27	43
50-69	70	17.4	138	2	7	17	33	35	35
70+	20	7.5	13						
SUBTOTAL	**383**	**12.9**	**126**	**3**	**7**	**11**	**18**	**95**	**99+**
0-17	113	6.3	63	<1	<1	3	10	10	29
18-34	70	8.6	35	2	3	7	14	19	19
35-49	80	11.4	59	2	5	10	17	25	25
50-69	210	9.3	13	3	9	11	12	12	14
70+	40	4.0	13	3	99+	99+	99+	99+	99+
SUBTOTAL	**513**	**8.5**	**38**	**2**	**4**	**11**	**99+**	**99+**	**99+**
GRAND TOTAL	**895**	**10.4**	**81**	**2**	**7**	**11**	**25**	**99+**	**99+**

DRG 430: Psychoses

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	9913	15.4	162	4	6	12	21	33	43
70-74	3086	16.1	199	3	5	12	23	35	44
75-79	2755	18.3	308	4	6	11	25	39	51
80-84	1729	15.0	174	4	6	10	18	34	43
85 +	1241	15.3	241	2	6	10	17	37	44
SUBTOTAL	**18724**	**15.9**	**197**	**3**	**6**	**12**	**22**	**35**	**44**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	18755	13.7	138	3	6	11	17	28	36
70-74	3030	14.0	111	4	6	12	18	28	36
75-79	2616	16.7	163	4	7	14	23	33	39
80-84	1244	14.5	89	5	8	11	20	28	28
85 +	1075	11.2	97	3	4	7	17	28	32
SUBTOTAL	**26720**	**13.9**	**135**	**3**	**6**	**11**	**18**	**29**	**35**
GRAND TOTAL	**45444**	**14.8**	**161**	**3**	**6**	**11**	**20**	**31**	**40**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1578	23.1	289	4	13	21	29	46	60
18-34	4207	15.0	153	3	6	13	20	32	41
35-49	4348	15.9	147	4	8	13	22	32	39
50-69	3057	17.1	173	4	8	13	23	35	44
70 +	123	19.0	126	9	9	11	29	33	38
	13313	**16.8**	**178**	**4**	**8**	**13**	**22**	**33**	**43**
0-17	5775	20.9	202	5	11	19	28	39	47
18-34	13995	14.6	158	3	7	12	18	29	39
35-49	14874	14.2	110	3	7	12	19	27	33
50-69	7174	15.7	139	3	7	14	21	30	39
70 +	224	12.4	111	4	5	7	22	31	31
	42042	**15.5**	**149**	**3**	**7**	**13**	**21**	**30**	**39**
	55355	**15.8**	**156**	**3**	**7**	**13**	**21**	**31**	**40**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	366	29.8	342	8	19	23	45	62	78
18-34	2598	13.5	98	4	6	12	16	27	38
35-49	2509	11.8	68	4	6	11	15	24	28
50-69	1616	16.9	211	5	7	11	22	34	52
70 +	53	41.2	35						
SUBTOTAL	**7143**	**14.7**	**147**	**4**	**7**	**11**	**19**	**31**	**41**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	1643	25.2	264	7	14	22	33	53	58
18-34	9157	12.4	118	3	5	10	15	25	35
35-49	6221	12.0	78	3	6	11	16	21	29
50-69	2811	13.2	87	4	5	12	19	26	29
70 +	30	39.0	588						
SUBTOTAL	**19861**	**13.5**	**127**	**3**	**6**	**11**	**17**	**27**	**36**
GRAND TOTAL	**27004**	**13.8**	**133**	**3**	**6**	**11**	**18**	**28**	**39**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	227	26.8	479	3	13	24	28	68	68
18-34	2575	14.0	137	4	6	11	19	28	40
35-49	2344	11.6	83	2	5	10	16	21	28
50-69	1007	12.2	119	2	5	12	14	28	34
70 +	127	15.8	168	4	4	17	20	31	48
	6279	**13.3**	**135**	**3**	**6**	**11**	**17**	**27**	**34**
0-17	1353	17.5	188	4	9	14	25	32	50
18-34	8198	10.6	102	1	4	8	14	22	28
35-49	6698	11.1	117	2	5	8	13	22	30
50-69	2115	12.6	101	3	5	10	18	25	34
70 +	60	8.8	155	< 1	< 1	2	12	35	35
	18424	**11.5**	**117**	**2**	**5**	**9**	**15**	**23**	**30**
	24703	**12.0**	**122**	**2**	**5**	**9**	**15**	**24**	**32**

DRG 431: Childhood Mental Disorders

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	53	5.1	4						
70-74	0								
75-79	0								
80-84	0								
85 +	43	17.0							
SUBTOTAL	97	10.4	38						
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	73	6.8	22						
70-74	0								
75-79	10	9.0							
80-84	0								
85 +	43	6.0							
SUBTOTAL	127	6.7	13	3	3	6	9	13	13
GRAND TOTAL	224	8.3	27	3	6	6	13	17	17

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	570	18.2	262	1	5	15	28	43	53
18-34	43	3.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	613	17.1	259	1	5	14	28	37	52
0-17	3561	24.0	372	4	10	20	30	53	69
18-34	30	13.0	67						
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	3591	23.9	371	4	10	20	30	53	69
	4204	22.9	360	3	9	19	30	44	69

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	452	17.1	215	3	5	15	25	49	52
18-34	10	9.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	462	16.9	211	3	5	15	25	49	52
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	3723	21.2	225	5	10	20	29	42	49
18-34	73	12.0	17						
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	3796	21.0	222	5	10	19	29	42	48
GRAND TOTAL	4258	20.6	223	4	9	18	28	42	49

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	203	19.7	386	3	7	13	28	36	68
18-34	10	17.0							
35-49	0								
50-69	10	7.0							
70 +	0								
SUBTOTAL	223	19.0	358	3	7	13	28	29	62
0-17	1095	16.3	259	1	3	13	24	33	52
18-34	20	1.5							
35-49	10	2.0							
50-69	0								
70 +	0								
SUBTOTAL	1125	16.0	258	1	3	13	22	32	52
	1348	16.5	275	1	3	13	24	32	53

DRG 432: Other Mental Disorder Diagnoses

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	110	14.6	100	3	4	17	24	25	32
70-74	53	10.0							
75-79	0								
80-84	53	2.6	1						
85 +	0								
SUBTOTAL	**217**	**10.5**	**75**	**3**	**3**	**10**	**17**	**24**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	40	18.3	78						
70-74	0								
75-79	10	3.0							
80-84	0								
85 +	0								
SUBTOTAL	**50**	**15.2**	**100**						
GRAND TOTAL	**266**	**11.4**	**82**	**3**	**3**	**10**	**19**	**25**	**29**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	40	25.0	294						
18-34	319	17.0	67	7	11	17	21	28	31
35-49	120	19.3	119	6	10	19	26	30	42
50-69	20	4.0	4						
70 +	0								
SUBTOTAL	**499**	**17.7**	**107**	**5**	**10**	**18**	**23**	**30**	**37**
0-17	688	11.3	217	1	1	2	21	35	36
18-34	482	23.5	168	6	16	20	28	47	52
35-49	193	15.6	111	< 1	4	18	23	27	33
50-69	10	3.0							
70 +	0								
SUBTOTAL	**1373**	**16.1**	**215**	**1**	**1**	**16**	**27**	**35**	**47**
GRAND TOTAL	**1872**	**16.5**	**187**	**1**	**3**	**16**	**26**	**34**	**39**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	60	15.8	247	1	3	10	25	46	46
18-34	130	20.2	371	3	7	15	20	47	74
35-49	50	15.2	50						
50-69	0								
70 +	0								
SUBTOTAL	**239**	**18.0**	**277**	**2**	**6**	**15**	**21**	**46**	**47**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	353	5.4	88	1	1	1	4	14	28
18-34	189	19.4	58	9	17	19	21	28	40
35-49	70	16.6	34	7	10	18	21	24	24
50-69	10	3.0							
70 +	0								
SUBTOTAL	**622**	**10.9**	**115**	**1**	**1**	**9**	**19**	**24**	**28**
GRAND TOTAL	**861**	**12.9**	**170**	**1**	**1**	**12**	**20**	**25**	**40**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	120	11.7	69	2	4	12	17	19	29
35-49	50	20.6	6						
50-69	0								
70 +	0								
SUBTOTAL	**170**	**14.3**	**67**	**2**	**7**	**17**	**19**	**25**	**29**
0-17	50	1.4	1						
18-34	177	15.8	99	3	4	17	21	26	41
35-49	30	18.7	4						
50-69	20	26.5	116						
70 +	0								
SUBTOTAL	**276**	**14.3**	**116**	**1**	**3**	**17**	**21**	**26**	**37**
GRAND TOTAL	**446**	**14.3**	**97**	**1**	**3**	**17**	**19**	**25**	**29**

DRG 434: Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	4708	9.2	59	2	4	7	11	23	27
70-74	1355	8.9	62	2	4	7	11	23	25
75-79	900	7.0	27	3	4	5	8	18	18
80-84	504	7.8	41	3	3	7	9	15	15
85 +	254	18.9	764	3	3	7	12	79	79
SUBTOTAL	**7721**	**9.1**	**82**	**2**	**4**	**7**	**11**	**22**	**26**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**7721**	**9.1**	**82**	**2**	**4**	**7**	**11**	**22**	**26**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	214	6.0	104	1	1	2	7	12	12
18-34	1462	13.9	112	2	5	9	25	28	30
35-49	2838	9.5	85	2	3	6	15	28	28
50-69	2961	10.2	133	1	3	6	10	28	31
70 +	0								
SUBTOTAL	**7475**	**10.5**	**113**	**1**	**3**	**6**	**15**	**28**	**28**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**7475**	**10.5**	**113**	**1**	**3**	**6**	**15**	**28**	**28**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	50	12.6	157						
18-34	1227	17.7	210	2	5	14	33	42	42
35-49	1627	11.2	119	2	3	6	17	28	36
50-69	1205	10.9	99	3	4	8	13	24	28
70 +	30	7.7	12						
SUBTOTAL	**4139**	**13.0**	**149**	**2**	**4**	**7**	**21**	**33**	**39**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4139**	**13.0**	**149**	**2**	**4**	**7**	**21**	**33**	**39**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	123	5.2	51	1	2	2	3	16	25
18-34	2522	7.4	52	2	2	5	9	17	27
35-49	4753	6.3	33	2	2	5	9	11	17
50-69	1927	7.4	53	2	3	6	9	16	19
70 +	10	7.0							
SUBTOTAL	**9335**	**6.8**	**43**	**2**	**2**	**5**	**9**	**14**	**19**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**9335**	**6.8**	**43**	**2**	**2**	**5**	**9**	**14**	**19**

DRG 435: Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	3138	9.6	90	2	3	5	11	26	28
70-74	691	8.0	103	1	2	3	10	20	28
75-79	143	7.8	78	1	1	3	14	18	32
80-84	214	6.2	16	3	3	4	10	13	13
85 +	160	4.0	7	2	2	3	5	6	13
SUBTOTAL	**4346**	**8.9**	**87**	**2**	**3**	**5**	**10**	**26**	**28**
GRAND TOTAL	**4346**	**8.9**	**87**	**2**	**3**	**5**	**10**	**26**	**28**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	1912	16.5	205	1	2	15	28	33	42
18-34	9627	18.0	175	1	4	19	28	32	41
35-49	7094	14.3	153	2	3	7	28	28	32
50-69	3617	8.7	77	2	3	5	10	28	28
70 +	83	7.3	16						
22333	**15.1**	**165**	**1**	**3**	**10**	**28**	**30**	**37**	
22333	**15.1**	**165**	**1**	**3**	**10**	**28**	**30**	**37**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	560	14.8	283	1	2	7	18	43	58
18-34	2878	19.6	255	1	3	18	37	42	42
35-49	1515	8.5	113	2	2	3	8	23	38
50-69	751	8.7	71	2	4	5	9	28	28
70 +	87	24.5	310						
SUBTOTAL	**5790**	**14.9**	**225**	**1**	**3**	**7**	**28**	**42**	**42**
GRAND TOTAL	**5790**	**14.9**	**225**	**1**	**3**	**7**	**28**	**42**	**42**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	690	10.1	176	1	1	3	18	29	30
18-34	8768	8.6	92	1	2	4	11	25	28
35-49	7985	6.4	46	1	2	4	7	16	23
50-69	2414	7.2	58	2	3	5	9	20	25
70 +	53	7.7	8						
19910	**7.6**	**73**	**1**	**2**	**4**	**9**	**21**	**28**	
19910	**7.6**	**73**	**1**	**2**	**4**	**9**	**21**	**28**	

DRG 436: AIc/Drug Dependence w/ Rehabilitation Therapy *

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	150	23.1	54						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**150**	**23.1**	**54**						
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	53	23.1	105						
70-74	130	28.0							
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**184**	**26.6**	**35**						
GRAND TOTAL	**334**	**25.0**	**47**	**21**	**28**	**28**	**28**	**28**	**28**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	40	26.0	59						
18-34	43	6.0							
35-49	43	8.0							
50-69	53	9.2							
70 +	0								
SUBTOTAL	**180**	**11.9**	**71**	**6**	**8**	**9**	**10**	**30**	**32**
0-17	482	27.3	117	14	22	28	30	44	53
18-34	682	18.6	128	3	7	22	27	29	34
35-49	271	21.5	40	9	20	24	26	27	27
50-69	43	7.0							
70 +	0								
SUBTOTAL	**1478**	**21.6**	**126**	**6**	**12**	**23**	**28**	**30**	**35**
GRAND TOTAL	**1658**	**20.6**	**129**	**6**	**9**	**23**	**28**	**30**	**34**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	20	34.5	685						
18-34	53	17.6	1						
35-49	0								
50-69	43	28.0							
70 +	0								
SUBTOTAL	**117**	**24.3**	**157**						
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	180	30.2	487	7	12	24	45	60	89
18-34	140	24.6	13						
35-49	10	3.0							
50-69	0								
70 +	0								
SUBTOTAL	**330**	**27.0**	**295**	**9**	**18**	**22**	**32**	**49**	**60**
GRAND TOTAL	**447**	**26.3**	**260**	**9**	**17**	**22**	**28**	**49**	**60**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	50	21.6	21						
18-34	43	21.0							
35-49	43	7.0							
50-69	0								
70 +	0								
SUBTOTAL	**137**	**16.8**	**53**	**7**	**7**	**19**	**21**	**23**	**30**
0-17	309	23.2	69	15	18	24	30	30	32
18-34	247	13.6	118	1	2	13	28	28	28
35-49	87	6.5	12						
50-69	0								
70 +	0								
SUBTOTAL	**643**	**17.2**	**117**	**2**	**10**	**18**	**28**	**30**	**30**
GRAND TOTAL	**780**	**17.2**	**106**	**2**	**7**	**18**	**28**	**30**	**30**

* The patient records used in this table represent discharges from 10/01/89-6/30/90

DRG 437: Alc/Drug Dependence, Combined Rehab & Detox Therapy *

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	972	20.7	104	7	14	21	28	34	38
70-74	184	26.6	9						
75-79	107	26.1	32						
80-84	10	2.0							
85 +	0								
SUBTOTAL	**1272**	**21.9**	**92**	**8**	**16**	**25**	**28**	**33**	**35**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	861	26.4	57	21	24	28	30	36	36
70-74	20	22.0	17						
75-79	10	11.0							
80-84	43	28.0							
85 +	0								
SUBTOTAL	**935**	**26.2**	**56**	**20**	**24**	**28**	**28**	**35**	**36**
GRAND TOTAL	**2207**	**23.7**	**81**	**8**	**19**	**27**	**28**	**34**	**36**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	60.0							
18-34	370	22.2	136	6	8	25	29	43	43
35-49	400	22.4	60	13	17	23	28	28	34
50-69	311	24.1	109	9	14	28	29	40	40
70 +	0								
SUBTOTAL	**1091**	**23.1**	**112**	**8**	**14**	**25**	**29**	**38**	**43**
0-17	110	36.9	155	29	29	34	42	44	71
18-34	2674	20.5	96	6	11	22	28	32	34
35-49	1579	19.8	77	6	10	22	28	29	31
50-69	240	19.6	67	6	15	21	27	28	28
70 +	0								
SUBTOTAL	**4603**	**20.6**	**96**	**6**	**11**	**22**	**28**	**31**	**33**
	5694	**21.1**	**100**	**6**	**13**	**22**	**28**	**31**	**34**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	10	83.0							
18-34	143	17.7	16	13	16	18	22	22	22
35-49	73	22.6	23						
50-69	30	9.7	40						
70 +	0								
SUBTOTAL	**256**	**20.7**	**192**	**8**	**18**	**18**	**22**	**24**	**34**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	100	49.5	396	18	36	54	59	73	87
18-34	266	14.0	52	3	8	15	18	22	27
35-49	133	14.6	31	5	10	17	18	18	23
50-69	53	11.1	4						
70 +	0								
SUBTOTAL	**553**	**20.3**	**293**	**4**	**12**	**17**	**18**	**53**	**59**
GRAND TOTAL	**809**	**20.4**	**261**	**5**	**12**	**18**	**21**	**36**	**59**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	103	18.9	67	11	13	13	26	29	31
35-49	170	19.8	103	5	5	20	32	32	32
50-69	127	9.4	25	4	4	9	13	13	20
70 +	0								
SUBTOTAL	**400**	**16.3**	**91**	**4**	**7**	**13**	**24**	**32**	**32**
0-17	30	35.0	249						
18-34	583	19.8	124	3	8	24	28	31	37
35-49	296	15.5	120	3	5	11	28	29	33
50-69	40	17.8	70						
70 +	0								
SUBTOTAL	**950**	**18.8**	**136**	**3**	**8**	**21**	**28**	**31**	**37**
	1350	**18.1**	**124**	**4**	**7**	**20**	**28**	**31**	**33**

Southern Region, July 1989 - June 1990

* The patient records used in this table represent discharges from 10/01/89-6/30/90

DRG 439: Skin Grafts for Injuries

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	83	8.2	74						
70-74	10	2.0							
75-79	10	1.0							
80-84	43	9.0							
85 +	43	4.0							
SUBTOTAL	**190**	**6.7**	**39**	**2**	**4**	**5**	**9**	**9**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	93	2.9	3	1	2	2	3	7	7
70-74	10	1.0							
75-79	30	4.0	13						
80-84	43	29.0							
85 +	0								
SUBTOTAL	**177**	**9.4**	**131**	**1**	**2**	**2**	**9**	**29**	**29**
GRAND TOTAL	**367**	**8.0**	**85**	**1**	**2**	**5**	**9**	**29**	**29**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	80	9.8	134	1	2	3	14	37	37
18-34	10	16.0							
35-49	30	21.7	519						
50-69	97	20.4	152						
70 +	0								
SUBTOTAL	**217**	**16.5**	**214**	**2**	**3**	**10**	**34**	**34**	**37**
0-17	254	3.2	5	1	1	3	5	5	5
18-34	224	6.1	33	2	2	3	8	14	14
35-49	160	3.7	6	1	1	4	7	7	7
50-69	214	5.0	14	1	2	4	5	12	12
70 +	0								
SUBTOTAL	**851**	**4.5**	**16**	**1**	**2**	**4**	**5**	**12**	**14**
GRAND TOTAL	**1068**	**6.9**	**79**	**1**	**2**	**4**	**8**	**14**	**34**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	30	5.0	5						
18-34	0								
35-49	10	1.0							
50-69	0								
70 +	0								
SUBTOTAL	**40**	**4.0**	**7**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	133	3.8	17	1	1	1	5	10	14
18-34	0								
35-49	10	1.0							
50-69	43	1.0							
70 +	0								
SUBTOTAL	**187**	**3.0**	**14**	**<1**	**1**	**1**	**5**	**10**	**14**
GRAND TOTAL	**227**	**3.2**	**13**	**1**	**1**	**1**	**5**	**8**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	63	21.4	53						
35-49	20	10.0	17						
50-69	10	11.0							
70 +	0								
SUBTOTAL	**93**	**17.9**	**66**	**6**	**11**	**16**	**26**	**26**	**26**
0-17	93	4.0	59	1	1	1	2	26	26
18-34	40	6.0	29						
35-49	53	5.6	30						
50-69	87	1.5							
70 +	0								
SUBTOTAL	**274**	**3.8**	**33**	**1**	**1**	**2**	**3**	**15**	**17**
GRAND TOTAL	**367**	**7.4**	**79**	**1**	**1**	**3**	**14**	**26**	**26**

DRG 440: Wound Debridements for Injuries

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	563	15.7	195	3	5	14	20	39	39
70-74	90	11.4	25	5	8	10	14	20	20
75-79	230	21.3	259	1	8	24	36	36	51
80-84	137	18.3	191	10	10	11	29	35	54
85 +	180	33.5	836	7	11	18	48	81	81
SUBTOTAL	**1200**	**19.4**	**331**	**3**	**7**	**14**	**24**	**39**	**58**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	293	9.9	57	3	3	6	17	19	20
70-74	30	4.7	7						
75-79	73	7.4	10						
80-84	0								
85 +	43	5.0							
SUBTOTAL	**440**	**8.6**	**44**	**3**	**3**	**6**	**16**	**19**	**19**
GRAND TOTAL	**1640**	**16.5**	**277**	**3**	**5**	**11**	**20**	**39**	**51**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	70	5.4	19	1	3	4	7	15	15
18-34	236	10.4	158	4	4	4	13	18	33
35-49	183	13.1	60	4	5	13	19	24	24
50-69	217	11.5	141	1	7	9	12	20	24
70 +	10	28.0							
SUBTOTAL	**716**	**11.2**	**120**	**3**	**4**	**9**	**14**	**24**	**28**
0-17	497	5.0	10	2	3	4	7	10	10
18-34	246	3.4	12	1	2	2	4	5	8
35-49	420	4.7	34	1	1	2	5	15	15
50-69	457	8.0	57	1	3	6	9	20	25
70 +	20	9.5	76						
SUBTOTAL	**1641**	**5.6**	**33**	**1**	**2**	**3**	**7**	**13**	**20**
GRAND TOTAL	**2357**	**7.3**	**66**	**1**	**2**	**4**	**9**	**18**	**24**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	10	32.0							
18-34	70	18.6	294	2	3	14	28	54	54
35-49	40	10.3	7						
50-69	63	5.7	7						
70 +	0								
SUBTOTAL	**183**	**13.0**	**167**	**3**	**4**	**8**	**14**	**32**	**54**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	256	5.3	24	1	2	3	10	11	14
18-34	117	7.2	2						
35-49	50	4.8	8						
50-69	10	16.0							
70 +	0								
SUBTOTAL	**433**	**6.0**	**19**	**1**	**2**	**6**	**9**	**10**	**14**
GRAND TOTAL	**616**	**8.1**	**73**	**2**	**3**	**6**	**10**	**14**	**22**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	93	23.0	182	5	11	26	36	36	36
18-34	223	11.1	80	2	3	10	16	26	29
35-49	283	9.6	28	1	5	13	13	15	15
50-69	50	19.6	215						
70 +	0								
SUBTOTAL	**650**	**12.8**	**106**	**2**	**5**	**11**	**15**	**29**	**36**
0-17	233	8.1	74	1	2	3	14	19	22
18-34	623	7.3	26	1	4	6	11	13	17
35-49	254	7.0	29	1	2	7	11	12	16
50-69	160	7.0	63	2	2	2	20	20	20
70 +	0								
SUBTOTAL	**1270**	**7.4**	**40**	**1**	**2**	**5**	**11**	**17**	**20**
GRAND TOTAL	**1920**	**9.2**	**69**	**1**	**2**	**8**	**13**	**19**	**26**

Southern Region, July 1989 - June 1990

DRG 441: Hand Procedures for Injuries

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	53	12.9	19						
70-74	10	7.0							
75-79	10	2.0							
80-84	0								
85 +	0								
SUBTOTAL	**73**	**10.7**	**30**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	117	3.5	1						
70-74	10	1.0							
75-79	43	2.0							
80-84	0								
85 +	0								
SUBTOTAL	**170**	**3.0**	**2**	**1**	**2**	**4**	**4**	**4**	**4**
GRAND TOTAL	**244**	**5.3**	**22**	**1**	**2**	**4**	**4**	**15**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	4.0							
18-34	20	6.0							
35-49	30	5.0	8						
50-69	10	7.0							
70 +	0								
SUBTOTAL	**70**	**5.4**	**4**	**1**	**4**	**6**	**7**	**7**	**7**
0-17	163	2.5	2	< 1	1	3	4	4	5
18-34	437	3.9	9	2	2	3	3	8	11
35-49	374	3.3	7	1	1	2	4	10	10
50-69	93	6.5	26	< 1	2	3	12	12	12
70 +	0								
SUBTOTAL	**1068**	**3.7**	**10**	**1**	**2**	**3**	**4**	**10**	**11**
GRAND TOTAL	**1138**	**3.8**	**10**	**1**	**2**	**3**	**4**	**10**	**11**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	10	4.0							
50-69	0								
70 +	0								
SUBTOTAL	**10**	**4.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	93	4.1	21	< 1	2	2	4	16	16
18-34	43	5.0							
35-49	0								
50-69	0								
70 +	43	4.0							
SUBTOTAL	**180**	**4.3**	**11**	**1**	**2**	**4**	**5**	**8**	**16**
GRAND TOTAL	**190**	**4.3**	**10**	**1**	**2**	**4**	**5**	**8**	**16**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	80	8.0	17	3	5	7	9	17	17
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**80**	**8.0**	**17**	**3**	**5**	**7**	**9**	**17**	**17**
0-17	180	4.5	7	1	2	5	6	9	11
18-34	227	4.4	12	1	1	3	8	8	10
35-49	30	4.0	6						
50-69	117	1.5							
70 +	0								
SUBTOTAL	**553**	**3.8**	**9**	**1**	**1**	**3**	**6**	**8**	**10**
GRAND TOTAL	**633**	**4.3**	**12**	**1**	**1**	**3**	**6**	**9**	**10**

DRG 442: Other O.R. Procedures for Injuries w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	3582	9.0	97	2	3	6	11	18	27
70-74	1027	9.2	99	2	3	7	11	21	23
75-79	1221	8.1	45	2	3	6	12	18	21
80-84	420	6.8	27	1	2	6	11	13	15
85 +	377	13.3	66	3	7	15	18	25	25
SUBTOTAL	**6627**	**9.0**	**83**	**2**	**3**	**7**	**11**	**19**	**25**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**6627**	**9.0**	**83**	**2**	**3**	**7**	**11**	**19**	**25**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	359	10.6	116	3	4	7	14	19	35
18-34	781	6.3	29	1	3	5	8	13	24
35-49	841	8.1	75	1	2	5	12	17	35
50-69	903	10.5	117	2	3	8	14	21	28
70 +	60	6.2	12	1	3	6	9	11	11
	2943	**8.6**	**83**	**1**	**3**	**6**	**11**	**17**	**24**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2943	**8.6**	**83**	**1**	**3**	**6**	**11**	**17**	**24**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	286	15.0	347	1	3	5	18	39	42
18-34	286	5.3	44	1	3	3	5	9	27
35-49	113	5.4	19	3	3	3	8	8	18
50-69	270	11.0	87	2	7	9	11	20	23
70 +	53	6.6	1						
SUBTOTAL	**1009**	**9.6**	**153**	**2**	**3**	**6**	**9**	**23**	**36**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1009**	**9.6**	**153**	**2**	**3**	**6**	**9**	**23**	**36**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	189	13.6	108	3	4	10	21	29	37
18-34	630	5.7	26	1	3	5	7	12	12
35-49	290	7.6	18	2	5	7	10	12	12
50-69	233	7.2	83	1	2	4	7	16	24
70 +	63	6.1	37						
	1405	**7.4**	**52**	**1**	**3**	**5**	**9**	**15**	**23**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1405	**7.4**	**52**	**1**	**3**	**5**	**9**	**15**	**23**

Southern Region, July 1989 - June 1990

DRG 443: Other O.R. Procedures for Injuries w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	1424	4.9	24	1	2	3	6	10	19
70-74	597	5.2	29	1	1	4	6	9	22
75-79	370	3.5	11	1	1	2	4	10	10
80-84	187	4.9	29	1	1	3	9	9	23
85 +	137	5.3	29	1	1	2	13	13	13
SUBTOTAL	**2715**	**4.8**	**24**	**1**	**2**	**3**	**6**	**10**	**18**
GRAND TOTAL	**2715**	**4.8**	**24**	**1**	**2**	**3**	**6**	**10**	**18**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	1232	2.8	9	1	1	2	3	6	9
18-34	2101	3.5	16	1	1	2	5	7	9
35-49	1564	3.3	21	1	1	2	4	6	8
50-69	1183	4.7	14	1	2	4	7	10	12
70 +	30	2.3	2						
SUBTOTAL	**6110**	**3.6**	**16**	**1**	**1**	**2**	**4**	**7**	**10**
GRAND TOTAL	**6110**	**3.6**	**16**	**1**	**1**	**2**	**4**	**7**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	419	5.9	73	1	1	3	7	11	14
18-34	170	4.1	13	1	1	3	6	11	13
35-49	153	5.8	29	1	1	6	6	16	20
50-69	180	3.3	4	2	2	3	3	7	10
70 +	0								
SUBTOTAL	**922**	**5.0**	**42**	**1**	**1**	**3**	**6**	**11**	**14**
GRAND TOTAL	**922**	**5.0**	**42**	**1**	**1**	**3**	**6**	**11**	**14**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	376	3.6	16	< 1	1	2	5	10	15
18-34	1413	3.4	11	1	1	2	5	8	9
35-49	366	2.9	5	1	1	2	4	7	7
50-69	60	3.0	8	1	1	2	3	9	9
70 +	0								
SUBTOTAL	**2215**	**3.4**	**11**	**1**	**1**	**2**	**5**	**8**	**9**
GRAND TOTAL	**2215**	**3.4**	**11**	**1**	**1**	**2**	**5**	**8**	**9**

DRG 444: Traumatic Injury Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	851	4.5	10	1	3	4	6	8	10
70-74	601	6.9	30	2	3	5	9	12	23
75-79	311	7.2	13	2	4	8	10	13	13
80-84	321	4.4	4	3	3	3	6	7	8
85 +	317	5.5	18	2	3	3	10	13	13
SUBTOTAL	**2400**	**5.6**	**17**	**2**	**3**	**4**	**8**	**10**	**13**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2400**	**5.6**	**17**	**2**	**3**	**4**	**8**	**10**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	544	2.8	4	1	2	2	4	4	6
35-49	440	4.7	11	2	2	3	6	9	11
50-69	457	5.0	6	2	3	5	7	8	8
70 +	0								
SUBTOTAL	**1442**	**4.1**	**8**	**1**	**2**	**4**	**6**	**8**	**9**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1442**	**4.1**	**8**	**1**	**2**	**4**	**6**	**8**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	187	4.6	18	1	1	3	9	9	16
35-49	20	3.5							
50-69	97	7.5	21						
70 +	43	8.0							
SUBTOTAL	**347**	**5.8**	**18**	**1**	**2**	**6**	**8**	**9**	**16**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**347**	**5.8**	**18**	**1**	**2**	**6**	**8**	**9**	**16**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	877	2.8	5	1	1	2	4	6	6
35-49	447	7.4	23	2	4	7	10	15	15
50-69	200	6.0	7	3	4	6	9	10	10
70 +	10	8.0							
SUBTOTAL	**1534**	**4.6**	**15**	**1**	**2**	**4**	**6**	**10**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1534**	**4.6**	**15**	**1**	**2**	**4**	**6**	**10**	**11**

DRG 445: Traumatic Injury Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	210	2.8	2	2	2	2	4	4	4
70-74	160	7.8	15	1	5	10	12	12	12
75-79	214	4.3	5	1	3	5	6	6	6
80-84	180	6.9	28	3	4	4	8	16	16
85 +	281	6.1	11	2	3	6	8	9	10
SUBTOTAL	**1045**	**5.5**	**14**	**2**	**3**	**5**	**8**	**10**	**16**
GRAND TOTAL	**1045**	**5.5**	**14**	**2**	**3**	**5**	**8**	**10**	**16**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	2644	2.9	5	1	1	2	4	5	7
35-49	968	3.3	4	1	2	2	4	6	8
50-69	624	3.1	3	1	2	3	4	5	5
70 +	87	3.5	6						
4323	**3.0**	**5**	**1**	**1**	**2**	**4**	**5**	**7**	
4323	**3.0**	**5**	**1**	**1**	**2**	**4**	**5**	**7**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	467	2.5	3	1	1	2	4	5	5
35-49	170	3.8	2	1	3	5	5	5	5
50-69	0								
70 +	43	2.0							
SUBTOTAL	**680**	**2.8**	**3**	**1**	**1**	**2**	**4**	**5**	**5**
GRAND TOTAL	**680**	**2.8**	**3**	**1**	**1**	**2**	**4**	**5**	**5**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	2934	2.9	3	1	2	2	4	6	7
35-49	967	4.3	9	1	2	3	7	9	10
50-69	167	5.0	13	2	3	3	11	11	11
70 +	0								
4068	**3.3**	**6**	**1**	**2**	**3**	**4**	**7**	**8**	
4068	**3.3**	**6**	**1**	**2**	**3**	**4**	**7**	**8**	

DRG 446: Traumatic Injury Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	266	3.5	6	1	2	3	4	5	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**266**	**3.5**	**6**	**1**	**2**	**3**	**4**	**5**	**5**
0-17	1390	2.5	7	1	1	2	3	4	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1390**	**2.5**	**7**	**1**	**1**	**2**	**3**	**4**	**9**
	1657	**2.7**	**7**	**1**	**1**	**2**	**3**	**5**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	311	5.4	21	1	3	4	5	14	14
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**311**	**5.4**	**21**	**1**	**3**	**4**	**5**	**14**	**14**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	719	3.6	10	< 1	1	3	4	8	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**719**	**3.6**	**10**	**< 1**	**1**	**3**	**4**	**8**	**11**
GRAND TOTAL	**1030**	**4.1**	**14**	**1**	**1**	**3**	**5**	**11**	**14**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	60	5.0	10	< 1	2	5	8	9	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**60**	**5.0**	**10**	**< 1**	**2**	**5**	**8**	**9**	**9**
0-17	1100	2.7	4	1	1	3	3	4	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1100**	**2.7**	**4**	**1**	**1**	**3**	**3**	**4**	**7**
	1160	**2.8**	**4**	**1**	**1**	**3**	**4**	**5**	**7**

DRG 447: Allergic Reactions Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	274	2.6	3	1	1	2	3	4	5
70-74	40	3.0	1						
75-79	113	2.9	4	2	2	2	3	4	9
80-84	10	4.0							
85 +	107	5.3	14						
SUBTOTAL	543	3.2	6	1	2	3	4	4	9
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	311	3.1	4	1	1	2	5	5	5
70-74	150	1.9	2						
75-79	20	1.0							
80-84	10	2.0							
85 +	0								
SUBTOTAL	491	2.6	3	1	1	2	5	5	5
GRAND TOTAL	1034	2.9	5	1	1	2	4	5	5

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	107	1.1							
35-49	137	3.3	7	1	1	2	6	6	9
50-69	301	3.0	9	<1	1	2	3	10	10
70 +	0								
	544	2.7	7	1	1	2	3	6	10
0-17	0								
18-34	264	3.0	5	1	1	2	4	6	7
35-49	581	2.3	1	1	1	2	3	4	5
50-69	568	2.3	2	1	1	2	3	4	5
70 +	0								
	1412	2.4	2	1	1	2	3	5	6
	1957	2.5	4	1	1	2	3	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	63	1.8	2						
35-49	10	10.0							
50-69	20	10.0	38						
70 +	0								
SUBTOTAL	93	4.4	24	<1	<1	2	5	16	16
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	43	2.0							
35-49	40	1.5							
50-69	0								
70 +	0								
SUBTOTAL	83	1.8							
GRAND TOTAL	177	3.2	14	<1	1	2	2	10	16

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	53	2.8							
35-49	60	3.3	4	1	2	3	4	7	7
50-69	10	1.0							
70 +	0								
	123	2.9	2	1	2	3	3	4	7
0-17	0								
18-34	150	2.4	2						
35-49	107	1.0							
50-69	83	1.9							
70 +	0								
	340	1.8	1	<1	1	1	2	4	4
	464	2.1	2	1	1	2	3	4	4

DRG 448: Allergic Reactions Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	117	1.6							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	117	1.6							
0-17	420	1.9	2	1	1	1	2	5	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	420	1.9	2	1	1	1	2	5	5
	537	1.8	2	1	1	1	2	5	5

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	97	2.6							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	97	2.6							
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	127	2.3	2	< 1	< 1	2	4	4	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	127	2.3	2	< 1	< 1	2	4	4	4
GRAND TOTAL	224	2.4	1	< 1	1	2	3	4	4

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	4.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	10	4.0							
0-17	256	1.9	2	1	1	2	2	3	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	256	1.9	2	1	1	2	2	3	5
	266	2.0	2	1	1	2	2	4	5

DRG 449: Poisoning & Toxic Effects of Drugs Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3965	5.3	29	1	2	3	6	11	15
70-74	1796	5.5	19	2	3	4	6	12	14
75-79	1596	7.5	63	2	3	4	8	16	30
80-84	1339	6.5	42	3	3	4	7	16	20
85 +	1432	6.3	20	2	3	5	8	13	17
SUBTOTAL	**10129**	**6.0**	**34**	**2**	**3**	**4**	**7**	**13**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**10129**	**6.0**	**34**	**2**	**3**	**4**	**7**	**13**	**17**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2212	3.9	30	1	1	2	4	8	16
35-49	1695	3.8	19	1	1	2	6	8	9
50-69	1228	4.0	23	1	2	3	5	7	13
70 +	107	5.9	19						
SUBTOTAL	**5241**	**3.9**	**24**	**1**	**1**	**2**	**5**	**8**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**5241**	**3.9**	**24**	**1**	**1**	**2**	**5**	**8**	**12**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	1130	3.1	7	1	2	2	3	6	9
35-49	1214	5.2	23	1	2	3	6	12	13
50-69	640	6.9	29	2	3	4	12	14	19
70 +	107	11.3	35						
SUBTOTAL	**3092**	**5.0**	**22**	**1**	**2**	**3**	**6**	**12**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3092**	**5.0**	**22**	**1**	**2**	**3**	**6**	**12**	**16**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	3768	3.7	32	1	1	2	3	6	11
35-49	1704	3.9	18	1	1	2	5	8	12
50-69	717	5.9	48	1	2	4	6	14	14
70 +	20	5.5	21						
SUBTOTAL	**6209**	**4.0**	**31**	**1**	**1**	**2**	**5**	**8**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**6209**	**4.0**	**31**	**1**	**1**	**2**	**5**	**8**	**13**

DRG 450: Poisoning & Toxic Effects of Drugs Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1058	2.8	6	1	1	2	4	7	8
70-74	384	6.4	35	1	2	5	8	21	21
75-79	427	3.4	4	2	2	3	4	8	8
80-84	250	6.3	15	3	3	5	11	11	13
85 +	147	3.9	12	2	2	3	4	5	16
SUBTOTAL	**2267**	**4.0**	**14**	**1**	**2**	**3**	**5**	**8**	**11**
GRAND TOTAL	**2267**	**4.0**	**14**	**1**	**2**	**3**	**5**	**8**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	6505	2.2	10	1	1	1	2	3	7
35-49	3363	2.8	14	< 1	1	2	3	4	8
50-69	1620	2.1	2	1	1	2	3	4	5
70 +	20	4.5	13						
	11507	**2.4**	**10**	**1**	**1**	**2**	**3**	**4**	**7**
	11507	**2.4**	**10**	**1**	**1**	**2**	**3**	**4**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	1592	3.1	12	1	1	2	3	6	12
35-49	487	2.2	11	1	1	2	2	2	3
50-69	237	2.3	2	1	1	2	2	5	5
70 +	10	8.0							
SUBTOTAL	**2326**	**2.9**	**11**	**1**	**1**	**2**	**3**	**6**	**11**
GRAND TOTAL	**2326**	**2.9**	**11**	**1**	**1**	**2**	**3**	**6**	**11**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	6857	2.1	3	1	1	2	2	4	5
35-49	2017	2.6	6	1	1	2	3	5	8
50-69	618	2.6	11	< 1	1	1	2	8	13
70 +	0								
	9491	**2.2**	**4**	**1**	**1**	**2**	**2**	**4**	**6**
	9491	**2.2**	**4**	**1**	**1**	**2**	**2**	**4**	**6**

DRG 451: Poisoning & Toxic Effects of Drugs Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	10	1.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	10	1.0							
GRAND TOTAL	10	1.0							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1420	3.0	16	<1	1	2	4	7	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1420	3.0	16	<1	1	2	4	7	7
0-17	8675	2.2	12	<1	1	1	2	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	8675	2.2	12	<1	1	1	2	4	6
GRAND TOTAL	10096	2.3	13	<1	1	1	2	4	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	1032	4.9	91	1	1	2	4	8	19
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1032	4.9	91	1	1	2	4	8	19
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	5183	2.9	25	1	1	1	3	5	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	5183	2.9	25	1	1	1	3	5	8
GRAND TOTAL	6215	3.2	36	1	1	1	3	6	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	890	2.8	9	1	1	2	3	6	12
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	890	2.8	9	1	1	2	3	6	12
0-17	4973	2.1	8	1	1	1	2	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	4973	2.1	8	1	1	1	2	4	5
GRAND TOTAL	5863	2.2	8	1	1	1	2	4	6

DRG 452: Complications of Treatment w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2782	5.9	30	2	3	4	7	12	14
70-74	1604	6.2	46	2	3	4	7	15	22
75-79	1411	5.9	27	1	2	4	7	14	18
80-84	484	6.4	22	2	4	5	7	15	18
85 +	620	7.6	58	2	2	5	10	16	18
SUBTOTAL	**6902**	**6.1**	**35**	**2**	**3**	**4**	**7**	**14**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**6902**	**6.1**	**35**	**2**	**3**	**4**	**7**	**14**	**18**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1115	4.6	23	1	2	2	6	11	17
18-34	827	4.7	23	1	2	3	5	14	14
35-49	1153	5.3	26	1	2	3	7	10	19
50-69	1257	5.3	11	2	3	4	7	10	12
70 +	133	5.3	24	2	2	4	6	8	21
SUBTOTAL	**4485**	**5.0**	**20**	**1**	**2**	**3**	**7**	**11**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
GRAND TOTAL	**4485**	**5.0**	**20**	**1**	**2**	**3**	**7**	**11**	**14**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	665	10.5	128	1	3	7	14	20	38
18-34	170	12.4	182	1	5	8	13	28	59
35-49	183	5.5	8	2	3	6	7	9	12
50-69	223	6.0	36	2	3	3	6	14	15
70 +	0								
SUBTOTAL	**1241**	**9.2**	**107**	**2**	**3**	**6**	**12**	**20**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1241**	**9.2**	**107**	**2**	**3**	**6**	**12**	**20**	**28**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	170	8.9	46	1	3	7	11	23	23
18-34	230	10.4	170	2	3	5	10	37	37
35-49	153	4.7	24	1	1	4	5	10	21
50-69	219	6.2	70	1	1	3	9	23	35
70 +	0								
SUBTOTAL	**772**	**7.7**	**90**	**1**	**2**	**4**	**10**	**23**	**37**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
GRAND TOTAL	**772**	**7.7**	**90**	**1**	**2**	**4**	**10**	**23**	**37**

DRG 453: Complications of Treatment w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	756	4.9	29	1	2	3	6	12	14
70-74	323	3.0	2	2	2	3	3	6	6
75-79	333	2.8	3	1	1	3	3	4	5
80-84	250	2.2	3	1	1	2	2	5	6
85 +	157	4.2	14	1	1	2	10	10	10
SUBTOTAL	**1820**	**3.8**	**16**	**1**	**2**	**3**	**4**	**10**	**12**
GRAND TOTAL	**1820**	**3.8**	**16**	**1**	**2**	**3**	**4**	**10**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	1083	2.9	10	1	1	2	4	6	7
18-34	917	2.7	7	1	1	2	3	4	6
35-49	1455	3.0	7	1	1	2	4	8	9
50-69	1311	2.9	4	1	1	3	4	6	6
70 +	10	4.0							
4775	**2.9**	**7**	**1**	**1**	**2**	**4**	**6**	**8**	
4775	**2.9**	**7**	**1**	**1**	**2**	**4**	**6**	**8**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	462	3.9	13	1	1	3	6	8	12
18-34	187	3.1	6	1	2	2	3	9	10
35-49	210	2.4	1	2	2	2	2	4	4
50-69	127	2.7	3	1	1	3	3	6	6
70 +	20	8.0	52						
SUBTOTAL	**1006**	**3.4**	**10**	**1**	**1**	**2**	**4**	**7**	**10**
GRAND TOTAL	**1006**	**3.4**	**10**	**1**	**1**	**2**	**4**	**7**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	300	3.1	36	1	1	1	3	6	8
18-34	320	5.4	32	1	1	4	6	14	14
35-49	363	3.7	8	1	2	2	5	9	9
50-69	90	3.3	6	1	2	3	4	9	9
70 +	0								
1073	**4.0**	**24**	**1**	**1**	**2**	**5**	**9**	**14**	
1073	**4.0**	**24**	**1**	**1**	**2**	**5**	**9**	**14**	

DRG 454: Other Injury, Poisoning & Toxic Effect Diag w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	270	5.5	60	1	2	3	5	10	10
70-74	177	8.9	102	3	3	6	9	21	46
75-79	558	6.5	42	2	3	4	7	14	26
80-84	307	4.5	40	1	1	2	4	9	27
85 +	544	7.7	43	2	3	7	8	20	20
SUBTOTAL	**1856**	**6.6**	**52**	**2**	**3**	**4**	**8**	**14**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1856**	**6.6**	**52**	**2**	**3**	**4**	**8**	**14**	**24**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	477	2.3	10	1	1	1	2	5	6
18-34	317	2.3	2	1	1	2	3	3	6
35-49	224	3.0	3	< 1	2	2	4	4	6
50-69	257	6.1	10	2	4	5	7	11	11
70 +	0								
SUBTOTAL	**1274**	**3.2**	**9**	**1**	**1**	**2**	**4**	**6**	**9**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1274**	**3.2**	**9**	**1**	**1**	**2**	**4**	**6**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	293	8.1	199	1	2	2	9	24	70
18-34	93	2.0		1	2	2	2	3	3
35-49	103	5.9	14	1	2	7	10	10	10
50-69	73	11.6	39						
70 +	0								
SUBTOTAL	**563**	**7.1**	**119**	**1**	**2**	**3**	**9**	**17**	**39**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**563**	**7.1**	**119**	**1**	**2**	**3**	**9**	**17**	**39**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	343	2.0	2	1	1	2	2	3	7
18-34	313	3.2	14	1	1	2	3	4	16
35-49	360	4.9	9	1	3	3	6	10	11
50-69	190	4.3	23	1	2	2	6	6	23
70 +	0								
SUBTOTAL	**1207**	**3.5**	**12**	**1**	**1**	**2**	**4**	**7**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1207**	**3.5**	**12**	**1**	**1**	**2**	**4**	**7**	**10**

DRG 455: Other Injury, Poisoning & Toxic Effect Diag w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	107	3.1	2						
70-74	30	5.0	8						
75-79	63	3.1	2						
80-84	97	3.6	2						
85 +	83	5.0	40						
SUBTOTAL	**380**	**3.8**	**11**	**1**	**2**	**3**	**5**	**7**	**11**
GRAND TOTAL	**380**	**3.8**	**11**	**1**	**2**	**3**	**5**	**7**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	1639	1.4	1	1	1	1	1	2	4
18-34	654	1.6	1	1	1	1	2	3	3
35-49	407	1.7	1	< 1	1	1	2	3	3
50-69	277	3.2	6	1	1	3	3	8	8
70 +	43	2.0							
SUBTOTAL	**3021**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**3021**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**3**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	915	2.2	7	< 1	1	1	2	4	6
18-34	183	1.0		< 1	1	1	1	1	1
35-49	43	3.0							
50-69	0								
70 +	0								
SUBTOTAL	**1141**	**2.0**	**6**	**< 1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**1141**	**2.0**	**6**	**< 1**	**1**	**1**	**2**	**4**	**5**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	1421	1.4	3	< 1	1	1	1	2	3
18-34	524	1.3		< 1	1	1	2	2	2
35-49	167	2.8	5	1	1	2	6	6	6
50-69	170	2.0	1	1	1	2	3	3	5
70 +	0								
SUBTOTAL	**2282**	**1.5**	**3**	**< 1**	**1**	**1**	**2**	**2**	**3**
GRAND TOTAL	**2282**	**1.5**	**3**	**< 1**	**1**	**1**	**2**	**2**	**3**

DRG 457: Extensive Burns w/o O.R. Procedure

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	10	8.0							
85 +	0								
SUBTOTAL	**10**	**8.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**10**	**8.0**							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	10	5.0							
50-69	0								
70 +	0								
SUBTOTAL	**10**	**5.0**							
0-17	0								
18-34	43	12.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**43**	**12.0**							
GRAND TOTAL	**53**	**10.7**	**8**						

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	20	8.0	26						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**20**	**8.0**	**26**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	30	6.3	32						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**30**	**6.3**	**32**						
GRAND TOTAL	**50**	**7.0**	**30**						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	10	18.0							
70 +	0								
SUBTOTAL	**10**	**18.0**							
0-17	20	8.5	7						
18-34	10	12.0							
35-49	0								
50-69	10	13.0							
70 +	0								
SUBTOTAL	**40**	**10.5**	**7**						
GRAND TOTAL	**50**	**12.0**	**15**						

DRG 458: Non-extensive Burns w/ Skin Graft

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	167	29.9	773	8	9	12	74	74	74
70-74	20	27.5	164						
75-79	107	39.9	203						
80-84	93	23.6	411	5	5	21	44	57	57
85 +	63	19.1	113						
SUBTOTAL	**450**	**29.3**	**489**	**5**	**10**	**26**	**44**	**57**	**74**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	110	16.5	186	3	7	12	18	38	48
70-74	20	9.0	38						
75-79	10	41.0							
80-84	107	9.8	14						
85 +	10	50.0							
SUBTOTAL	**256**	**15.4**	**177**	**3**	**8**	**10**	**17**	**41**	**48**
GRAND TOTAL	**707**	**24.3**	**420**	**5**	**8**	**15**	**37**	**57**	**74**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	90	27.1	357	7	11	25	34	67	67
18-34	113	26.7	144	8	13	33	37	37	39
35-49	137	29.9	271	16	16	18	42	44	67
50-69	50	31.6	95						
70 +	0								
	390	**28.6**	**233**	**9**	**16**	**31**	**39**	**44**	**67**
0-17	723	15.5	466	1	1	6	18	39	87
18-34	333	11.5	94	3	3	10	16	27	27
35-49	103	13.6	171	4	4	10	15	28	49
50-69	133	7.6	101	2	2	4	9	13	40
70 +	0								
	1293	**13.5**	**316**	**1**	**2**	**6**	**18**	**35**	**40**
	1682	**17.0**	**337**	**1**	**3**	**11**	**25**	**40**	**44**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	100	27.7	531	3	11	18	46	66	66
18-34	133	15.3	95	9	11	11	14	35	41
35-49	20	11.0	4						
50-69	30	26.0	150						
70 +	0								
SUBTOTAL	**283**	**20.5**	**287**	**8**	**11**	**13**	**29**	**46**	**66**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	519	17.2	156	4	9	15	26	29	48
18-34	100	8.3	38	2	3	7	13	18	21
35-49	73	8.0	10						
50-69	73	8.9	115						
70 +	0								
SUBTOTAL	**766**	**14.3**	**139**	**1**	**4**	**12**	**19**	**28**	**43**
GRAND TOTAL	**1049**	**16.0**	**186**	**3**	**8**	**12**	**20**	**34**	**46**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	50	25.4	168						
18-34	40	50.3	790						
35-49	63	17.2	121						
50-69	87	29.0	50						
70 +	10	47.0							
	250	**29.4**	**327**	**10**	**20**	**29**	**36**	**60**	**91**
0-17	489	18.8	212	2	8	16	28	37	53
18-34	167	13.8	65	6	9	9	23	23	33
35-49	113	14.9	180	2	2	11	31	37	37
50-69	50	22.0	213						
70 +	0								
	819	**17.4**	**183**	**2**	**8**	**14**	**24**	**34**	**42**
	1069	**20.2**	**242**	**3**	**9**	**18**	**30**	**37**	**53**

DRG 459: Non-extensive Burns w/ Wound Debridement or Other O.R. Proc

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	53	17.1	4						
75-79	0								
80-84	0								
85 +	10	60.0							
SUBTOTAL	**63**	**23.8**	**252**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	20	8.5	59						
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**20**	**8.5**	**59**						
GRAND TOTAL	**83**	**20.2**	**247**						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	9.0							
35-49	30	15.0	19						
50-69	10	17.0							
70 +	0								
SUBTOTAL	**50**	**14.2**	**19**						
0-17	113	7.7	95	1	1	2	15	18	33
18-34	63	4.1	7						
35-49	20	8.0	1						
50-69	20	12.5	13						
70 +	0								
SUBTOTAL	**217**	**7.1**	**58**	**1**	**2**	**3**	**9**	**16**	**18**
	266	**8.4**	**58**	**1**	**3**	**7**	**15**	**18**	**18**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	20	23.0	85						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**20**	**23.0**	**85**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	83	8.7	270						
18-34	0								
35-49	0								
50-69	20	15.0	52						
70 +	0								
SUBTOTAL	**103**	**10.0**	**233**	**2**	**3**	**3**	**8**	**28**	**53**
GRAND TOTAL	**123**	**12.1**	**231**	**3**	**3**	**3**	**14**	**32**	**53**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	10	7.0							
50-69	0								
70 +	0								
SUBTOTAL	**10**	**7.0**							
0-17	93	14.0	29	3	12	16	16	24	24
18-34	30	12.0	71						
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**123**	**13.5**	**39**	**3**	**10**	**16**	**16**	**23**	**24**
	133	**13.0**	**39**	**3**	**9**	**13**	**16**	**23**	**24**

DRG 460: Non-extensive Burns w/o O.R. Procedure

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	234	6.2	21	3	4	5	7	7	10
70-74	117	4.0	18						
75-79	271	17.2	171	2	5	12	26	40	40
80-84	97	6.2							
85 +	0								
SUBTOTAL	**718**	**10.0**	**106**	**2**	**4**	**6**	**12**	**26**	**40**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	177	6.7	46	1	3	4	10	10	31
70-74	10	8.0							
75-79	20	16.5	95						
80-84	43	13.0							
85 +	53	20.6	50						
SUBTOTAL	**303**	**10.7**	**72**	**2**	**3**	**9**	**13**	**24**	**26**
GRAND TOTAL	**1021**	**10.2**	**96**	**2**	**4**	**6**	**13**	**26**	**31**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	270	7.1	49	2	2	3	9	17	25
18-34	63	5.5	40						
35-49	210	9.0	135	3	3	5	12	12	20
50-69	147	7.1	34	2	2	4	11	17	19
70 +	10	6.0							
	700	**7.5**	**71**	**2**	**3**	**4**	**9**	**17**	**20**
0-17	1871	5.9	27	1	2	4	8	13	17
18-34	1449	4.8	15	1	2	4	8	10	12
35-49	918	5.7	21	1	2	5	8	10	11
50-69	203	5.5	36	2	2	4	6	11	21
70 +	10	1.0							
	4451	**5.5**	**23**	**1**	**2**	**4**	**8**	**10**	**14**
	5151	**5.7**	**30**	**1**	**2**	**4**	**8**	**11**	**17**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	160	10.0	58	1	3	8	15	21	27
18-34	83	7.7	12						
35-49	73	10.7	15						
50-69	10	3.0							
70 +	10	2.0							
SUBTOTAL	**336**	**9.1**	**38**	**2**	**4**	**9**	**13**	**18**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	2190	6.3	28	1	2	6	8	13	18
18-34	187	7.2	45	1	2	4	14	18	18
35-49	30	7.0	19						
50-69	50	6.2	23						
70 +	10	16.0							
SUBTOTAL	**2467**	**6.4**	**30**	**1**	**2**	**6**	**8**	**14**	**18**
GRAND TOTAL	**2803**	**6.8**	**31**	**1**	**2**	**6**	**9**	**14**	**18**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	123	7.0	42	1	4	6	6	11	27
18-34	293	6.2	23	1	4	5	8	12	12
35-49	117	4.5	16						
50-69	73	7.0	102						
70 +	10	23.0							
	617	**6.4**	**39**	**1**	**2**	**5**	**7**	**12**	**23**
0-17	2703	6.5	40	1	2	4	8	16	19
18-34	1097	5.4	34	1	1	4	8	12	17
35-49	397	5.1	8	2	2	5	7	10	10
50-69	180	4.8	16	1	2	3	7	9	18
70 +	0								
	4376	**6.0**	**35**	**1**	**2**	**4**	**8**	**13**	**18**
	4993	**6.1**	**36**	**1**	**2**	**4**	**8**	**13**	**18**

DRG 461: O.R. Proc w/ Diagnoses of Other Contact w/ Health Services

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	713	11.3	300	1	2	2	16	39	69
70-74	397	14.8	276	2	3	4	28	47	51
75-79	397	16.2	364	2	3	5	27	44	96
80-84	230	12.4	263	2	2	4	14	36	49
85 +	220	15.3	483	2	2	5	20	40	48
SUBTOTAL	**1957**	**13.6**	**328**	**1**	**2**	**5**	**27**	**42**	**55**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	256	2.9	5	1	1	2	4	6	6
70-74	254	7.6	158	1	1	2	3	35	35
75-79	180	6.4	152	1	2	2	3	37	45
80-84	53	7.0	113						
85 +	87	3.0	1						
SUBTOTAL	**831**	**5.4**	**94**	**1**	**2**	**2**	**3**	**9**	**35**
GRAND TOTAL	**2787**	**11.1**	**272**	**1**	**2**	**3**	**15**	**36**	**50**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	220	2.7	9	1	1	1	2	7	8
18-34	140	2.9	4	1	2	2	3	5	9
35-49	296	4.2	29	1	2	3	5	7	8
50-69	504	10.9	275	2	2	3	10	38	57
70 +	30	11.7	59						
SUBTOTAL	**1190**	**6.8**	**141**	**1**	**2**	**3**	**5**	**17**	**37**
0-17	1592	1.2	1	1	1	1	1	2	3
18-34	737	1.7	1	1	1	1	2	3	4
35-49	620	2.5	5	1	1	2	3	5	7
50-69	653	3.0	9	1	2	2	4	6	7
70 +	0								
SUBTOTAL	**3602**	**1.9**	**3**	**1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**4792**	**3.1**	**42**	**1**	**1**	**2**	**3**	**5**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	133	3.3	24	1	1	1	4	4	20
18-34	137	4.9	19	1	1	5	5	9	18
35-49	20	12.5	116						
50-69	50	9.4	198						
70 +	20	48.0							
SUBTOTAL	**360**	**7.7**	**151**	**1**	**1**	**3**	**6**	**23**	**48**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	536	2.3	4	1	1	1	3	5	7
18-34	123	1.8	1	< 1	< 1	1	2	3	5
35-49	73	5.2	3						
50-69	53	5.1	4						
70 +	0								
SUBTOTAL	**786**	**2.7**	**5**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**1146**	**4.3**	**56**	**1**	**1**	**2**	**5**	**7**	**18**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	40	11.0	75						
18-34	147	3.0	8	1	1	3	3	5	12
35-49	50	1.8	1						
50-69	40	2.5	1						
70 +	0								
SUBTOTAL	**276**	**3.8**	**24**	**1**	**1**	**2**	**4**	**10**	**12**
0-17	230	1.4	1	< 1	1	1	2	2	2
18-34	283	2.1	3	< 1	1	2	2	6	7
35-49	100	1.8	1	1	1	2	2	3	4
50-69	93	2.3	1	< 1	2	2	3	3	3
70 +	10	1.0							
SUBTOTAL	**717**	**1.8**	**2**	**< 1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**993**	**2.4**	**9**	**< 1**	**1**	**2**	**2**	**4**	**7**

DRG 462: Rehabilitation

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	2961	23.8	212	9	14	21	34	44	65
70-74	2586	22.7	237	8	13	18	31	43	57
75-79	2542	24.2	207	9	12	21	34	43	52
80-84	1959	23.5	176	11	15	21	27	38	47
85 +	1400	20.8	120	7	15	21	25	32	36
SUBTOTAL	**11448**	**23.2**	**200**	**9**	**14**	**21**	**31**	**42**	**52**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	987	18.2	103	8	11	16	22	37	40
70-74	643	15.9	123	5	8	14	17	37	41
75-79	959	16.6	63	9	11	14	21	28	33
80-84	797	20.8	94	10	14	18	27	36	37
85 +	484	14.8	48	4	9	15	20	23	24
SUBTOTAL	**3870**	**17.5**	**91**	**7**	**11**	**15**	**22**	**32**	**37**
GRAND TOTAL	**15318**	**21.8**	**179**	**8**	**13**	**19**	**28**	**39**	**47**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	58.3	889						
18-34	276	27.1	638	7	8	19	35	95	99 +
35-49	649	32.4	522	6	15	29	54	63	87
50-69	1784	29.8	251	11	20	29	40	51	64
70 +	227	39.6	621	16	21	26	70	70	81
	2966	**31.2**	**396**	**8**	**17**	**29**	**43**	**59**	**79**
0-17	10	18.0							
18-34	167	15.0	221	2	2	4	25	37	46
35-49	273	25.0	180	8	9	25	36	43	45
50-69	426	19.0	163	6	9	16	28	38	47
70 +	43	23.0							
	919	**20.2**	**182**	**4**	**9**	**19**	**28**	**43**	**46**
	3885	**28.6**	**367**	**7**	**15**	**26**	**40**	**55**	**72**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	10	2.0							
18-34	170	44.3	456	16	37	57	72	99 +	99 +
35-49	90	27.2	678	2	7	16	42	77	77
50-69	140	32.6	187	15	23	35	44	47	55
70 +	20	82.0							
SUBTOTAL	**429**	**37.7**	**551**	**7**	**18**	**42**	**63**	**99 +**	**99 +**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	73	11.9	209						
18-34	87	51.5	1069						
35-49	50	29.4	66						
50-69	63	13.6	432						
70 +	0								
SUBTOTAL	**274**	**28.1**	**798**	**< 1**	**7**	**19**	**48**	**84**	**84**
GRAND TOTAL	**702**	**33.9**	**668**	**3**	**15**	**37**	**62**	**84**	**99 +**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	59.0							
18-34	160	19.9	257	4	7	14	24	49	58
35-49	133	11.3	38	4	5	14	14	21	21
50-69	219	23.8	224	13	14	21	29	38	38
70 +	50	36.2	197						
	572	**21.5**	**253**	**4**	**13**	**17**	**27**	**53**	**59**
0-17	0								
18-34	50	21.2	450						
35-49	50	22.8	66						
50-69	20	31.5	59						
70 +	10	37.0							
	130	**24.6**	**230**	**6**	**11**	**24**	**36**	**39**	**60**
	702	**22.1**	**250**	**5**	**13**	**21**	**28**	**49**	**59**

DRG 463: Signs & Symptoms w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1011	6.0	12	2	3	5	8	10	10
70-74	567	4.9	7	2	3	5	6	8	9
75-79	724	5.1	27	1	2	3	7	10	15
80-84	227	7.7	37	3	4	5	8	16	17
85 +	457	8.5	22	3	6	7	11	12	20
SUBTOTAL	**2987**	**6.1**	**20**	**2**	**3**	**5**	**7**	**11**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2987**	**6.1**	**20**	**2**	**3**	**5**	**7**	**11**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	100	6.2	21	1	3	4	10	13	16
18-34	70	5.7	7	2	2	6	8	10	10
35-49	307	5.4	6	3	4	4	8	9	9
50-69	748	6.0	22	2	3	4	8	12	17
70 +	43	3.0							
	1268	**5.8**	**17**	**2**	**3**	**4**	**8**	**11**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1268	**5.8**	**17**	**2**	**3**			**11**	**16**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	120	7.4	59	1	2	5	9	17	28
18-34	83	2.6							
35-49	83	4.0	11						
50-69	244	8.5	70	3	4	5	9	26	26
70 +	0								
SUBTOTAL	**530**	**6.6**	**53**	**1**	**3**	**4**	**5**	**21**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**530**	**6.6**	**53**	**1**	**3**	**4**	**5**	**21**	**26**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	80	4.3	7	1	2	4	7	8	8
18-34	97	4.4	6						
35-49	200	5.8	10	2	2	7	9	10	11
50-69	50	4.8	22						
70 +	0								
	427	**5.1**	**10**	**2**	**2**	**5**	**7**	**9**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	427	**5.1**	**10**	**2**	**2**	**5**	**7**	**9**	**10**

DRG 464: Signs & Symptoms w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	370	2.7	3	1	2	2	3	5	5
70-74	297	2.2	1	1	2	2	2	4	4
75-79	160	3.8	2	1	4	4	5	5	5
80-84	291	5.9	21	2	2	4	7	15	15
85 +	137	2.5	9	1	1	2	2	3	13
SUBTOTAL	**1255**	**3.4**	**9**	**1**	**2**	**2**	**4**	**7**	**11**
GRAND TOTAL	**1255**	**3.4**	**9**	**1**	**2**	**2**	**4**	**7**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	446	2.6	3	1	1	2	3	5	6
18-34	234	1.7	1	1	1	2	2	2	2
35-49	234	2.0	1	1	1	2	3	3	4
50-69	497	4.0	14	1	2	3	4	8	15
70 +	63	2.1	3						
1474	**2.8**	**7**		**1**	**1**	**2**	**3**	**6**	**6**
1474	**2.8**	**7**		**1**	**1**	**2**	**3**	**6**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	307	2.4	3	1	1	2	3	4	6
18-34	20	1.5							
35-49	0								
50-69	127	7.9	13	3	5	8	12	12	12
70 +	0								
SUBTOTAL	**454**	**3.9**	**12**	**1**	**1**	**2**	**5**	**8**	**12**
GRAND TOTAL	**454**	**3.9**	**12**	**1**	**1**	**2**	**5**	**8**	**12**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	153	1.5	1	1	1	1	2	2	4
18-34	83	2.6	2						
35-49	73	2.5	2						
50-69	20	2.0	1						
70 +	0								
330	**2.0**	**2**		**1**	**1**	**2**	**3**	**3**	**6**
330	**2.0**	**2**		**1**	**1**	**2**	**3**	**3**	**6**

DRG 465: Aftercare w/ History of Malignancy As Secondary Diagnosis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	40	6.3	23						
70-74	73	8.4	36						
75-79	50	10.0	105						
80-84	30	13.7	46						
85 +	30	18.7	84						
SUBTOTAL	**223**	**10.5**	**71**	**2**	**5**	**7**	**16**	**23**	**29**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	110	1.0		< 1	< 1	< 1	< 1	< 1	< 1
70-74	100	1.0		< 1	< 1	< 1	< 1	< 1	< 1
75-79	70	2.6	12	< 1	< 1	< 1	2	11	11
80-84	50	1.0							
85 +	40	6.0	7						
SUBTOTAL	**369**	**1.8**	**13**	**< 1**	**< 1**	**< 1**	**< 1**	**1**	**11**
GRAND TOTAL	**592**	**5.1**	**52**	**< 1**	**< 1**	**< 1**	**5**	**20**	**22**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	1.0							
18-34	0								
35-49	0								
50-69	20	2.5	2						
70 +	0								
SUBTOTAL	**30**	**2.0**	**2**						
0-17	10	1.0							
18-34	0								
35-49	80	1.0		< 1	< 1	< 1	< 1	1	1
50-69	199	1.1		< 1	< 1	< 1	< 1	1	2
70 +	0								
SUBTOTAL	**289**	**1.1**		**< 1**	**< 1**	**< 1**	**< 1**	**1**	**1**
	319	**1.2**		**< 1**	**< 1**	**< 1**	**1**	**1**	**3**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	43	4.0							
50-69	0								
70 +	0								
SUBTOTAL	**43**	**4.0**							
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	10	2.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**10**	**2.0**							
GRAND TOTAL	**53**	**3.6**	**1**						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	20	2.0	1						
70 +	0								
SUBTOTAL	**20**	**2.0**	**1**						
0-17	0								
18-34	0								
35-49	10	1.0							
50-69	10	1.0							
70 +	0								
SUBTOTAL	**20**	**1.0**							
	40	**1.5**	**1**						

DRG 466: Aftercare w/o History of Malignancy As Secondary Diagnosis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1371	8.6	135	1	2	4	11	20	34
70-74	466	15.7	75	6	10	14	22	31	33
75-79	549	11.9	90	2	2	11	18	25	32
80-84	582	17.6	91	6	11	17	25	31	37
85 +	542	15.5	106	5	8	14	19	26	34
SUBTOTAL	**3510**	**12.6**	**121**	**2**	**3**	**11**	**18**	**26**	**34**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	130	6.6	95	< 1	< 1	< 1	9	18	34
70-74	70	5.7	63	< 1	< 1	1	8	24	24
75-79	100	14.2	47	6	9	12	17	26	27
80-84	90	13.7	118	2	8	14	15	40	40
85 +	133	9.1	73	1	2	7	16	22	27
SUBTOTAL	**522**	**9.8**	**91**	**< 1**	**1**	**8**	**15**	**24**	**27**
GRAND TOTAL	**4032**	**12.3**	**118**	**1**	**3**	**10**	**18**	**25**	**33**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	199	2.2	3	1	1	2	3	4	6
18-34	199	1.4		1	1	1	2	2	2
35-49	289	3.9	61	1	1	1	2	17	25
50-69	649	3.9	54	1	1	1	3	6	22
70 +	30	8.3	31						
	1367	**3.4**	**41**	**1**	**1**	**1**	**2**	**5**	**17**
	259	1.9	3	< 1	1	1	2	4	6
	90	5.4	119	1	1	1	3	36	36
	193	1.0		< 1	< 1	1	1	1	1
	233	4.6	78	< 1	< 1	1	2	15	27
	40	1.0							
	815	**2.8**	**39**	**< 1**	**1**	**1**	**2**	**3**	**8**
	2182	**3.2**	**40**	**< 1**	**1**	**1**	**2**	**5**	**16**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	283	2.1	7	1	1	1	1	5	9
18-34	83	4.4	34						
35-49	60	2.0	5	1	1	1	1	7	7
50-69	150	5.5	31	1	2	3	8	16	19
70 +	43	11.0							
SUBTOTAL	**619**	**3.8**	**22**	**1**	**1**	**1**	**5**	**11**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	130	3.6	12	1	1	2	5	10	11
18-34	73	2.3	1						
35-49	10	33.0							
50-69	20	1.0							
70 +	0								
SUBTOTAL	**233**	**4.2**	**45**	**1**	**1**	**2**	**5**	**10**	**11**
GRAND TOTAL	**852**	**3.9**	**28**	**1**	**1**	**1**	**5**	**11**	**12**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	70	1.6	1	< 1	1	1	2	3	3
18-34	40	1.5							
35-49	40	1.0							
50-69	80	1.6		1	1	2	2	3	3
70 +	0								
	229	**1.5**		**1**	**1**	**1**	**2**	**2**	**3**
0-17	150	3.0	7	1	1	2	4	7	10
18-34	60	2.0	1	1	1	2	3	4	4
35-49	50	1.8	1						
50-69	63	1.0							
70 +	0								
	323	**2.2**	**4**	**1**	**1**	**1**	**3**	**4**	**7**
	552	**1.9**	**3**	**1**	**1**	**1**	**2**	**4**	**5**

DRG 471: Bilateral or Multiple Major Joint Procs of Lower Extremity

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	316	14.3	28	8	10	14	18	19	24
70-74	290	18.7	116	9	10	15	26	39	39
75-79	223	14.1	23	9	10	11	18	21	22
80-84	143	16.4	142	8	8	10	18	38	41
85 +	90	18.0	40	10	13	16	23	29	29
SUBTOTAL	**1062**	**16.1**	**71**	**8**	**10**	**14**	**18**	**27**	**38**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	193	13.0	23	7	9	11	18	21	23
70-74	153	12.0	7	9	10	12	14	16	18
75-79	140	10.9	12	8	8	11	11	15	20
80-84	73	11.0	10						
85 +	0								
SUBTOTAL	**559**	**11.9**	**15**	**8**	**9**	**11**	**14**	**18**	**20**
GRAND TOTAL	**1621**	**14.6**	**56**	**8**	**10**	**13**	**18**	**23**	**37**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	10	13.0							
35-49	30	12.7	22						
50-69	280	14.8	30	10	10	14	16	21	24
70 +	0								
SUBTOTAL	**320**	**14.5**	**29**	**10**	**10**	**14**	**16**	**19**	**24**
0-17	0								
18-34	10	10.0							
35-49	70	16.0	53	10	11	15	16	33	33
50-69	193	15.1	18	10	11	16	17	23	24
70 +	0								
SUBTOTAL	**273**	**15.1**	**28**	**10**	**11**	**15**	**16**	**23**	**24**
	593	**14.8**	**28**	**10**	**11**	**14**	**16**	**21**	**24**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	20	18.5	32						
50-69	10	13.0							
70 +	10	7.0							
SUBTOTAL	**40**	**14.3**	**39**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	10	4.0							
18-34	10	12.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**20**	**8.0**	**17**						
GRAND TOTAL	**60**	**12.2**	**40**	**4**	**7**	**12**	**13**	**24**	**24**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	20	14.0	26						
70 +	10	13.0							
SUBTOTAL	**30**	**13.7**	**17**						
0-17	0								
18-34	0								
35-49	43	26.0							
50-69	20	12.5	21						
70 +	0								
SUBTOTAL	**63**	**21.8**	**46**						
	93	**19.2**	**51**	**8**	**13**	**19**	**26**	**26**	**26**

Southern Region, July 1989 - June 1990

DRG 472: Extensive Burns w/ O.R. Procedure

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs	–								
AGE GROUP									
0-69 (YRS.)	10	65.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**10**	**65.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**10**	**65.0**							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	10	25.0							
18-34	20	41.5	164						
35-49	20	28.0	9						
50-69	0								
70 +	0								
SUBTOTAL	**50**	**32.8**	**120**						
0-17	20	48.0	38						
18-34	20	36.5	59						
35-49	43	26.0							
50-69	0								
70 +	10	3.0							
SUBTOTAL	**93**	**30.5**	**185**	3	26	26	42	54	54
GRAND TOTAL	**143**	**31.3**	**163**	**25**	**26**	**26**	**42**	**54**	**54**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	50	45.6	552	13	25	61	99 +	99 +	99 +
18-34	40	26.3	60						
35-49	0								
50-69	20	52.0	825						
70 +	0								
SUBTOTAL	**110**	**39.7**	**523**	**14**	**25**	**35**	**76**	**99 +**	**99 +**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	20	67.5	76						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**20**	**67.5**	**76**						
GRAND TOTAL	**130**	**44.0**	**555**	**14**	**25**	**53**	**76**	**99 +**	**99 +**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	20	41.5	192						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**20**	**41.5**	**192**						
0-17	20	47.5	685						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**20**	**47.5**	**685**						
	40	**44.5**	**436**			–			

DRG 473: Acute Leukemia w/o Major O.R. Procedure Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	366	19.4	301	3	3	12	32	43	52
70-74	120	15.8	157	3	4	12	32	33	33
75-79	210	12.4	98	3	3	15	24	24	25
80-84	133	28.9	481	2	7	36	51	51	51
85+	200	17.6	153	4	4	19	29	29	42
SUBTOTAL	**1029**	**18.4**	**259**	**3**	**4**	**15**	**29**	**46**	**51**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	93	12.9	106	4	8	8	13	33	33
70-74	30	14.7	308						
75-79	10	5.0							
80-84	53	10.5	10						
85+	0								
SUBTOTAL	**187**	**12.1**	**108**	**4**	**5**	**8**	**12**	**33**	**39**
GRAND TOTAL	**1216**	**17.5**	**241**	**3**	**4**	**12**	**29**	**41**	**51**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	339	27.3	304	6	9	28	40	49	61
35-49	319	32.5	304	5	27	34	43	52	57
50-69	773	24.5	504	1	2	17	42	50	67
70+	0								
SUBTOTAL	**1431**	**26.9**	**422**	**1**	**7**	**30**	**42**	**50**	**61**
0-17	0								
18-34	110	5.9	16	2	2	5	9	10	14
35-49	137	9.6	123	1	1	6	15	31	35
50-69	117	5.4	80						
70+	0								
SUBTOTAL	**363**	**7.1**	**80**	**1**	**1**	**4**	**8**	**19**	**34**
GRAND TOTAL	**1794**	**22.9**	**416**	**1**	**4**	**17**	**39**	**50**	**57**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	90	18.6	220	3	5	17	34	71	99+
35-49	60	35.3	321	20	26	29	33	74	74
50-69	40	22.8	372						
70+	20	29.0	421						
SUBTOTAL	**209**	**25.1**	**343**	**5**	**9**	**27**	**34**	**50**	**74**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	30	4.0	5						
35-49	10	7.0							
50-69	0								
70+	0								
SUBTOTAL	**40**	**4.8**	**5**						
GRAND TOTAL	**249**	**21.9**	**345**	**3**	**7**	**23**	**34**	**50**	**74**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	130	29.8	457	5	22	28	36	50	89
35-49	60	45.3	79	30	41	46	50	59	59
50-69	80	38.5	545	6	18	36	61	71	71
70+	10	2.0							
SUBTOTAL	**279**	**34.6**	**461**	**5**	**22**	**32**	**48**	**67**	**71**
0-17	0								
18-34	20	3.5							
35-49	10	17.0							
50-69	0								
70+	0								
SUBTOTAL	**30**	**8.0**	**42**						
GRAND TOTAL	**309**	**32.0**	**482**	**4**	**9**	**30**	**47**	**59**	**71**

DRG 475: Respiratory System Diagnosis with Ventilator Suppor

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	5463	17.4	195	5	9	13	22	34	47
70-74	2907	13.0	82	5	7	10	16	27	32
75-79	2380	15.0	129	7	8	12	17	27	35
80-84	1773	15.3	104	7	9	12	18	29	40
85 +	687	13.8	40	6	10	12	18	22	25
SUBTOTAL	**13210**	**15.5**	**141**	**6**	**8**	**12**	**19**	**30**	**39**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	127	10.2	58	3	3	10	14	14	30
70-74	0								
75-79	0								
80-84	87	9.5	6						
85 +	43	9.0							
SUBTOTAL	**257**	**9.8**	**31**	**3**	**7**	**9**	**12**	**14**	**14**
GRAND TOTAL	**13468**	**15.4**	**140**	**6**	**8**	**12**	**18**	**30**	**39**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	702	12.2	48	6	7	11	16	23	26
18-34	120	7.8	34	3	3	5	13	17	19
35-49	390	13.8	156	4	6	10	13	46	46
50-69	1764	13.3	90	4	7	11	15	30	34
70 +	80	13.6	94	3	4	11	22	31	31
	3056	**12.9**	**88**	**4**	**6**	**10**	**15**	**29**	**34**
0-17	160	7.7	49	1	2	6	12	15	28
18-34	20	3.0	1						
35-49	0								
50-69	20	5.0	4						
70 +	0								
	199	**7.0**	**42**	**1**	**2**	**4**	**10**	**14**	**21**
	3255	**12.5**	**87**	**4**	**6**	**10**	**15**	**29**	**34**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	655	19.0	314	4	10	14	20	53	59
18-34	207	13.3	51	6	6	13	21	21	24
35-49	250	25.0	282	9	11	17	47	50	50
50-69	714	15.3	92	7	10	13	17	22	36
70 +	20	28.5	221						
SUBTOTAL	**1846**	**17.8**	**206**	**6**	**10**	**13**	**21**	**36**	**50**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	286	8.7	31	2	5	8	12	16	19
18-34	30	14.0	75						
35-49	20	5.0							
50-69	0								
70 +	10	6.0							
SUBTOTAL	**346**	**8.9**	**36**	**2**	**5**	**6**	**13**	**19**	**21**
GRAND TOTAL	**2192**	**16.4**	**190**	**5**	**9**	**13**	**18**	**32**	**50**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	239	18.9	364	4	7	12	21	44	53
18-34	150	9.5	88	2	4	7	9	29	35
35-49	203	11.8	82	2	4	9	18	22	27
50-69	623	12.7	95	3	6	8	21	24	28
70 +	43	8.0							
	1259	**13.2**	**149**	**3**	**6**	**8**	**18**	**28**	**36**
0-17	60	6.5	8	1	5	7	9	9	9
18-34	40	7.3	4						
35-49	53	5.1	19						
50-69	10	5.0							
70 +	0								
	163	**6.1**	**11**	**3**	**3**	**5**	**9**	**9**	**14**
	1422	**12.4**	**138**	**3**	**6**	**8**	**18**	**24**	**35**

DRG 478: Other Vascular Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	10399	9.0	74	1	3	7	12	19	28
70-74	4726	10.6	79	3	5	8	13	22	27
75-79	4524	12.0	109	3	5	9	15	24	39
80-84	2381	10.7	64	4	6	8	14	21	26
85 +	1541	10.8	56	4	6	9	16	22	26
SUBTOTAL	**23570**	**10.2**	**81**	**2**	**4**	**8**	**13**	**21**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**23570**	**10.2**	**81**	**2**	**4**	**8**	**13**	**21**	**28**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	219	6.5	33	1	2	6	8	12	14
18-34	204	8.2	9	4	5	9	10	11	11
35-49	679	8.2	65	2	3	6	9	15	25
50-69	4168	10.0	79	2	5	8	12	19	26
70 +	203	11.6	147	4	4	7	13	29	43
	5473	**9.6**	**76**	**2**	**4**	**8**	**11**	**17**	**26**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	5473	**9.6**	**76**	**2**	**4**	**8**	**11**	**17**	**26**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	100	10.3	76	2	4	9	12	24	33
18-34	50	13.2	100						
35-49	330	11.4	67	2	7	9	16	24	31
50-69	1120	9.1	81	2	3	7	12	21	25
70 +	117	13.8	79						
SUBTOTAL	**1716**	**10.1**	**81**	**2**	**4**	**7**	**13**	**23**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1716**	**10.1**	**81**	**2**	**4**	**7**	**13**	**23**	**26**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	70	16.0	153	4	6	11	22	42	42
18-34	133	18.6	188	10	10	12	24	39	54
35-49	296	11.9	107	2	6	8	16	24	26
50-69	569	11.3	210	2	5	7	12	23	30
70 +	0								
	1068	**12.7**	**181**	**2**	**6**	**10**	**15**	**25**	**39**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1068	**12.7**	**181**	**2**	**6**	**10**	**15**	**25**	**39**

DRG 479: Other Vascular Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2093	5.8	35	1	2	5	8	10	12
70-74	966	5.4	14	1	2	5	7	10	14
75-79	883	6.6	25	1	3	5	9	14	18
80-84	393	5.8	16	1	3	4	9	10	11
85 +	311	6.7	21	3	4	5	6	16	16
SUBTOTAL	**4646**	**5.9**	**26**	**1**	**3**	**5**	**8**	**11**	**15**
GRAND TOTAL	**4646**	**5.9**	**26**	**1**	**3**	**5**	**8**	**11**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	259	4.5	22	1	1	2	8	13	15
18-34	110	5.9	27	2	2	4	8	9	20
35-49	880	4.6	12	1	2	3	7	9	13
50-69	3143	4.7	12	1	2	4	6	9	11
70 +	30	6.0	5						
SUBTOTAL	**4423**	**4.7**	**13**	**1**	**2**	**4**	**6**	**9**	**12**
GRAND TOTAL	**4423**	**4.7**	**13**	**1**	**2**	**4**	**6**	**9**	**12**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	100	6.2	39	1	1	3	10	17	17
18-34	53	2.4	1						
35-49	50	8.0	56						
50-69	323	6.6	14	2	3	6	11	11	11
70 +	0								
SUBTOTAL	**526**	**6.2**	**23**	**1**	**2**	**4**	**11**	**11**	**17**
GRAND TOTAL	**526**	**6.2**	**23**	**1**	**2**	**4**	**11**	**11**	**17**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	50	3.2	3						
18-34	137	5.2	6	2	2	5	8	8	8
35-49	123	5.0	11	1	2	7	7	8	12
50-69	436	5.5	46	1	2	5	6	8	9
70 +	0								
SUBTOTAL	**746**	**5.2**	**30**	**1**	**2**	**5**	**6**	**8**	**9**
GRAND TOTAL	**746**	**5.2**	**30**	**1**	**2**	**5**	**6**	**8**	**9**

DRG 480: Liver Transplant

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	40	32.3	24						
18-34	40	30.0	106						
35-49	160	43.6	385	20	28	40	53	75	89
50-69	70	25.3	111	16	18	23	39	99+	99+
70+	0								
SUBTOTAL	**309**	**36.2**	**302**	**18**	**24**	**33**	**44**	**70**	**89**
0-17	40	30.3	211						
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**40**	**30.3**	**211**						
GRAND TOTAL	**349**	**35.5**	**294**	**18**	**23**	**31**	**44**	**70**	**89**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	20	49.5	139						
18-34	20	27.5	287						
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**40**	**38.5**	**332**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**40**	**38.5**	**332**						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	50	32.8	305						
18-34	10	54.0							
35-49	40	51.3	1185						
50-69	40	50.3	772						
70+	0								
SUBTOTAL	**140**	**44.6**	**735**	**18**	**21**	**31**	**67**	**86**	**94**
0-17	0								
18-34	0								
35-49	10	18.0							
50-69	0								
70+	0								
SUBTOTAL	**10**	**18.0**							
GRAND TOTAL	**150**	**42.8**	**730**	**18**	**18**	**30**	**67**	**86**	**94**

DRG 481: Bone Marrow Transplant

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	229	49.3	313	33	37	49	60	78	95
18-34	369	42.5	559	2	38	45	55	72	86
35-49	319	51.5	160	40	42	49	59	65	83
50-69	100	39.1	196	15	38	43	45	51	56
70 +	0								
SUBTOTAL	**1017**	**46.5**	**363**	**22**	**39**	**46**	**59**	**70**	**83**
0-17	70	49.0	302	30	36	40	67	81	81
18-34	50	9.8	248						
35-49	20	41.5	13						
50-69	10	2.0							
70 +	0								
SUBTOTAL	**150**	**31.8**	**597**	**2**	**2**	**38**	**45**	**67**	**81**
GRAND TOTAL	**1167**	**44.6**	**417**	**2**	**38**	**45**	**57**	**70**	**83**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	50	60.0	205						
18-34	50	44.4	548						
35-49	0								
50-69	10	65.0							
70 +	0								
SUBTOTAL	**110**	**53.4**	**408**	**39**	**43**	**57**	**70**	**71**	**79**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	10	60.0							
18-34	10	61.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**20**	**60.5**							
GRAND TOTAL	**130**	**54.5**	**352**	**39**	**49**	**60**	**65**	**71**	**79**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	40	51.8	288						
18-34	10	31.0							
35-49	50	44.4	111	37	38	41	65	99 +	99 +
50-69	20	47.0	4						
70 +	0								
SUBTOTAL	**120**	**46.2**	**172**	**31**	**38**	**42**	**62**	**73**	**99 +**
0-17	30	43.0	14						
18-34	0								
35-49	20	2.0							
50-69	0								
70 +	0								
SUBTOTAL	**50**	**26.6**	**420**						
GRAND TOTAL	**170**	**40.4**	**323**	**2**	**37**	**42**	**49**	**73**	**99 +**

DRG 482: Tracheostomy w/ Mouth, Larynx or Pharynx Disorder

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	813	16.2	78	8	11	15	18	25	33
70-74	757	15.6	121	4	7	12	21	35	42
75-79	397	12.1	34	7	8	11	14	20	26
80-84	200	23.4	103	11	14	24	35	35	36
85+	73	10.4	87						
SUBTOTAL	**2240**	**15.7**	**96**	**5**	**10**	**13**	**18**	**33**	**37**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	193	8.9	21	4	4	9	12	15	17
70-74	177	14.1	96	4	6	11	27	28	28
75-79	30	12.3							
80-84	107	5.4	12						
85+	30	9.0	25						
SUBTOTAL	**536**	**10.1**	**53**	**3**	**4**	**8**	**13**	**18**	**28**
GRAND TOTAL	**2777**	**14.6**	**92**	**4**	**8**	**13**	**18**	**31**	**35**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	90	14.9	73	6	9	13	21	67	99+
18-34	60	8.0	5	6	7	7	8	13	13
35-49	163	13.9	26	8	10	14	17	20	26
50-69	823	15.7	124	7	10	12	17	25	53
70+	30	31.3	520						
SUBTOTAL	**1165**	**15.4**	**120**	**7**	**10**	**12**	**17**	**26**	**53**
0-17	83	16.7	77						
18-34	50	6.6	9						
35-49	163	6.8	10	4	4	5	10	11	13
50-69	510	10.2	40	6	6	8	12	17	28
70+	0								
SUBTOTAL	**806**	**10.0**	**43**	**4**	**6**	**8**	**12**	**16**	**28**
GRAND TOTAL	**1972**	**13.2**	**96**	**5**	**7**	**11**	**15**	**24**	**34**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	70	23.0	191	8	10	23	42	99+	99+
18-34	83	10.1	21						
35-49	30	21.3	247						
50-69	236	33.4	541	10	16	28	39	77	78
70+	0								
SUBTOTAL	**420**	**26.2**	**441**	**7**	**10**	**20**	**35**	**76**	**78**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	50	21.2	268						
18-34	0								
35-49	30	12.3	28						
50-69	40	12.3	5						
70+	0								
SUBTOTAL	**120**	**16.0**	**138**	**5**	**9**	**13**	**16**	**40**	**41**
GRAND TOTAL	**539**	**23.9**	**392**	**7**	**10**	**16**	**35**	**47**	**78**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	20	26.0	1						
18-34	83	18.3	213						
35-49	173	13.8	78	7	7	10	15	33	36
50-69	273	20.5	235	7	9	14	35	36	42
70+	20	8.5	2						
SUBTOTAL	**569**	**17.9**	**181**	**7**	**9**	**12**	**26**	**35**	**42**
0-17	20	8.5	13						
18-34	80	7.1	2	5	6	7	8	9	9
35-49	50	11.6	107						
50-69	133	9.8	79	5	5	8	10	13	39
70+	0								
SUBTOTAL	**283**	**9.3**	**60**	**5**	**5**	**7**	**9**	**13**	**32**
GRAND TOTAL	**852**	**15.1**	**157**	**5**	**7**	**10**	**16**	**35**	**36**

DRG 483: Tracheostomy except for Mouth, Larynx or Pharynx Disorder

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1159	44.2	571	16	28	46	74	99+	99+
70-74	623	57.0	852	11	45	77	97	99+	99+
75-79	683	41.6	417	13	34	49	64	99+	99+
80-84	227	34.2	492	7	14	40	57	99+	99+
85+	167	66.9	321	54	54	84	96	99+	99+
SUBTOTAL	**2859**	**46.9**	**642**	**13**	**33**	**50**	**84**	**99+**	**99+**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	100	16.3	195	4	5	9	28	40	43
70-74	83	26.9	448						
75-79	10	7.0							
80-84	0								
85+	0								
SUBTOTAL	**193**	**20.4**	**329**	**3**	**5**	**9**	**43**	**47**	**47**
GRAND TOTAL	**3052**	**45.2**	**664**	**11**	**30**	**49**	**81**	**99+**	**99+**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	486	39.3	270	23	30	43	77	99+	99+
18-34	493	38.0	771	10	14	38	78	99+	99+
35-49	580	36.3	321	20	22	34	52	73	99+
50-69	699	42.9	566	9	33	44	62	99+	99+
70+	50	32.2	127						
SUBTOTAL	**2308**	**39.2**	**483**	**13**	**24**	**41**	**65**	**99+**	**99+**
0-17	213	13.7	57	5	8	12	21	26	28
18-34	147	20.4	309	3	7	8	45	45	45
35-49	60	9.7	44	2	3	9	14	21	21
50-69	93	5.7	4	2	4	7	7	8	8
70+	0								
SUBTOTAL	**513**	**13.7**	**144**	**3**	**7**	**9**	**19**	**45**	**45**
GRAND TOTAL	**2821**	**34.6**	**518**	**7**	**18**	**37**	**61**	**99+**	**99+**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	243	43.8	662	11	38	69	99+	99+	99+
18-34	427	46.1	362	32	40	43	97	99+	99+
35-49	153	31.3	466	3	13	36	49	99+	99+
50-69	260	47.3	456	21	33	62	77	99+	99+
70+	10	8.0							
SUBTOTAL	**1093**	**43.4**	**499**	**11**	**36**	**52**	**99+**	**99+**	**99+**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	60	11.5	37	4	8	9	18	21	21
18-34	40	32.5	682						
35-49	43	69.0							
50-69	0								
70+	0								
SUBTOTAL	**143**	**34.8**	**789**	**8**	**10**	**21**	**69**	**69**	**77**
GRAND TOTAL	**1236**	**42.4**	**540**	**11**	**32**	**52**	**92**	**99+**	**99+**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	143	36.3	305	18	28	51	99+	99+	99+
18-34	433	36.0	642	9	17	31	59	99+	99+
35-49	263	38.1	600	9	28	30	58	90	99+
50-69	313	44.4	821	12	22	56	87	99+	99+
70+	0								
SUBTOTAL	**1153**	**38.8**	**650**	**12**	**18**	**41**	**76**	**99+**	**99+**
0-17	40	18.5	173						
18-34	30	8.0	1						
35-49	30	10.0	11						
50-69	20	9.5							
70+	0								
SUBTOTAL	**120**	**12.3**	**80**	**6**	**8**	**10**	**16**	**39**	**99+**
GRAND TOTAL	**1272**	**36.3**	**656**	**9**	**17**	**36**	**73**	**99+**	**99+**

DRG 484: Craniotomy for Multiple Significant Trauma

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	40	14.3	74						
70-74	10	20.0							
75-79	10	37.0							
80-84	0								
85 +	10	17.0							
SUBTOTAL	70	18.7	102	1	13	20	23	37	37
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	70	18.7	102	1	13	20	23	37	37

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	127	26.5	114	9	24	24	39	39	99 +
18-34	100	35.4	279	14	22	32	49	60	62
35-49	20	28.0	270						
50-69	53	19.1	223						
70 +	0								
SUBTOTAL	300	28.2	230	12	13	24	39	50	62
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	300	28.2	230	12	13	24	39	50	62

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	30	32.3	533						
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	30	32.3	533						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	30	32.3	533						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	19.7	133						
18-34	20	21.0	152						
35-49	40	24.0	219						
50-69	43	37.0							
70 +	0								
	133	26.8	168	8	12	37	37	39	99 +
0-17	0								
18-34	43	20.0							
35-49	0								
50-69	0								
70 +	0								
	43	20.0							
	177	25.1	135	8	16	27	37	39	99 +

DRG 485: Limb Reattachment, Hip And Femur Proc for Multiple Significant Trauma

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	83	15.9	151						
70-74	40	30.8	690						
75-79	204	22.0	508	8	9	12	14	65	65
80-84	53	27.7	82						
85 +	117	15.0	33						
SUBTOTAL	**497**	**20.6**	**329**	**8**	**9**	**12**	**29**	**65**	**65**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	10	8.0							
70-74	0								
75-79	10	7.0							
80-84	0								
85 +	0								
SUBTOTAL	**20**	**7.5**							
GRAND TOTAL	**517**	**20.1**	**322**	**7**	**9**	**12**	**28**	**65**	**65**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	390	18.1	170	5	9	12	26	43	43
18-34	760	20.9	177	10	12	17	26	42	55
35-49	333	25.8	240	12	15	19	33	51	51
50-69	117	21.9	112						
70 +	0								
SUBTOTAL	**1601**	**21.3**	**190**	**9**	**12**	**17**	**28**	**43**	**51**
0-17	43	13.0							
18-34	10	11.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**53**	**12.6**	**1**						
	1654	**21.0**	**186**	**9**	**12**	**16**	**26**	**43**	**51**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	93	21.1	53	7	23	23	25	31	31
18-34	60	15.3	36	10	10	12	22	25	25
35-49	10	16.0							
50-69	10	37.0							
70 +	0								
SUBTOTAL	**173**	**19.7**	**66**	**9**	**12**	**23**	**25**	**31**	**37**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**173**	**19.7**	**66**	**9**	**12**	**23**	**25**	**31**	**37**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	90	12.2	170	3	4	6	11	45	45
18-34	433	17.5	177	6	9	15	23	28	38
35-49	157	22.6	341	5	9	12	51	51	51
50-69	40	31.8	1505						
70 +	0								
SUBTOTAL	**719**	**18.7**	**302**	**6**	**9**	**11**	**23**	**45**	**51**
0-17	53	15.9	212						
18-34	0								
35-49	10	36.0							
50-69	0								
70 +	0								
SUBTOTAL	**63**	**19.1**	**232**						
	783	**18.8**	**296**	**6**	**9**	**11**	**25**	**45**	**51**

DRG 486: Other O.R. Procedures for Multiple Significant Trauma

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	220	14.6	34	8	9	15	19	19	20
70-74	117	10.6	36						
75-79	190	20.6	147	8	10	16	38	38	38
80-84	73	17.0	14						
85 +	30	21.7	56						
SUBTOTAL	**630**	**16.3**	**81**	**7**	**9**	**15**	**19**	**32**	**38**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	10	9.0							
80-84	0								
85 +	0								
SUBTOTAL	**10**	**9.0**							
GRAND TOTAL	**640**	**16.1**	**80**	**8**	**9**	**15**	**19**	**31**	**38**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	787	18.0	199	5	7	13	22	34	60
18-34	1167	13.7	142	5	6	10	15	32	45
35-49	690	19.3	269	6	9	12	24	46	66
50-69	167	20.1	86	7	15	21	32	32	99 +
70 +	130	16.3	58						
	2942	**16.6**	**186**	**6**	**7**	**12**	**23**	**34**	**54**
0-17	0								
18-34	97	10.6	6						
35-49	53	10.2							
50-69	0								
70 +	0								
	150	**10.4**	**4**						
	3092	**16.3**	**179**	**6**	**8**	**12**	**22**	**33**	**51**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	60	32.0	383	8	17	29	43	66	66
18-34	420	17.4	148	6	9	14	19	31	40
35-49	93	17.6	594	6	8	8	9	87	87
50-69	10	6.0							
70 +	0								
SUBTOTAL	**583**	**18.8**	**262**	**6**	**9**	**13**	**20**	**40**	**60**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**583**	**18.8**	**262**	**6**	**9**	**13**	**20**	**40**	**60**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	323	10.7	42	5	7	8	12	18	28
18-34	1670	13.9	145	5	7	10	17	30	35
35-49	310	12.2	33	6	8	11	14	19	26
50-69	133	14.2	50	8	8	13	21	25	27
70 +	10	16.0							
	2445	**13.3**	**113**	**5**	**7**	**10**	**16**	**26**	**33**
0-17	20	25.0	17						
18-34	87	5.0							
35-49	10	13.0							
50-69	0								
70 +	0								
	117	**9.1**	**60**						
	2562	**13.1**	**111**	**5**	**7**	**10**	**16**	**26**	**33**

DRG 487: Other Multiple Significant Trauma

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	113	12.7	119	4	9	9	13	23	44
70-74	190	9.9	87	4	4	6	11	31	38
75-79	214	10.1	60	3	4	8	14	24	24
80-84	53	4.2							
85 +	107	13.7	28						
SUBTOTAL	**677**	**10.6**	**73**	**4**	**4**	**8**	**11**	**24**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	43	7.0							
70-74	0								
75-79	10	9.0							
80-84	0								
85 +	0								
SUBTOTAL	**53**	**7.4**	**1**						
GRAND TOTAL	**731**	**10.3**	**68**	**4**	**5**	**8**	**11**	**23**	**24**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	846	10.9	84	3	5	8	12	24	31
18-34	1085	6.8	24	2	3	5	10	15	17
35-49	487	12.7	196	1	3	8	15	48	48
50-69	387	11.4	41	5	6	7	14	23	23
70 +	97	11.6	18						
SUBTOTAL	**2903**	**9.8**	**78**	**2**	**4**	**7**	**12**	**20**	**31**
0-17	137	8.1	17	4	5	5	14	14	14
18-34	30	6.7	15						
35-49	20	2.5							
50-69	0								
70 +	0								
SUBTOTAL	**187**	**7.3**	**18**	**3**	**4**	**5**	**12**	**14**	**14**
GRAND TOTAL	**3089**	**9.6**	**75**	**2**	**4**	**7**	**12**	**19**	**31**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	260	11.1	68	4	6	9	14	25	33
18-34	50	10.6	81	3	6	8	28	99 +	99 +
35-49	63	22.7	25						
50-69	10	24.0							
70 +	0								
SUBTOTAL	**383**	**13.3**	**83**	**4**	**6**	**9**	**24**	**28**	**34**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**383**	**13.3**	**83**	**4**	**6**	**9**	**24**	**28**	**34**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	449	13.5	87	3	7	10	22	26	26
18-34	873	7.3	25	2	3	7	11	13	17
35-49	143	9.8	97	5	5	6	12	16	43
50-69	133	16.0	309	5	8	8	16	27	74
70 +	10	12.0							
SUBTOTAL	**1609**	**10.0**	**82**	**2**	**4**	**8**	**12**	**20**	**26**
0-17	73	4.4	5						
18-34	0								
35-49	10	6.0							
50-69	0								
70 +	0								
SUBTOTAL	**83**	**4.6**	**5**						
GRAND TOTAL	**1692**	**9.8**	**80**	**2**	**4**	**8**	**12**	**20**	**26**

DRG 488: HIV w/ Extensive O.R. Procedure

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	20	27.0	9						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	20	27.0	9						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	20	27.0	9						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	210	15.2	80	8	8	11	23	23	26
35-49	133	11.2	102	3	3	8	15	27	32
50-69	10	4.0							
70 +	0								
	353	13.4	92	3	8	8	23	26	32
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	353	13.4	92	3	8	8	23	26	32

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	30	47.3	602						
18-34	197	20.4	135	8	12	18	24	34	49
35-49	107	24.7	297						
50-69	43	31.0							
70 +	0								
SUBTOTAL	377	25.0	255	8	12	24	31	49	71
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	377	25.0	255	8	12	24	31	49	71

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	83	29.9	195						
35-49	93	18.9	188	10	10	10	24	50	50
50-69	20	40.0	304						
70 +	0								
	197	25.7	251	7	10	24	36	49	55
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	197	25.7	251	7	10	24	36	49	55

DRG 489: HIV w/ Major Related Condition

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	586	14.4	195	2	3	9	23	38	45
70-74	87	25.5	158						
75-79	43	8.0							
80-84	0								
85 +	0								
SUBTOTAL	717	15.4	195	2	5	10	24	38	45
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	717	15.4	195	2	5	10	24	38	45

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	80	13.0	187	1	3	5	25	36	36
18-34	1012	11.4	69	3	6	9	15	23	29
35-49	1101	13.2	95	4	6	10	17	29	38
50-69	100	18.8	288	6	8	9	25	49	60
70 +	0								
SUBTOTAL	2292	12.6	97	3	6	9	17	27	36
0-17	0								
18-34	10	18.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	10	18.0							
	2302	12.6	97	3	6	9	17	27	36

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	329	9.4	113	1	3	5	9	24	38
18-34	1948	13.1	95	4	6	10	17	26	33
35-49	1159	12.7	129	2	4	9	21	27	39
50-69	43	22.0							
70 +	0								
SUBTOTAL	3480	12.7	109	3	5	9	18	26	33
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	10	15.0							
18-34	10	4.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	20	9.5	32						
GRAND TOTAL	3500	12.7	108	3	5	9	18	26	33

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	133	11.6	137	3	4	6	16	16	48
18-34	1237	14.6	142	2	6	12	20	32	36
35-49	682	13.0	151	3	5	8	16	30	38
50-69	40	14.5	81						
70 +	0								
SUBTOTAL	2092	13.9	144	2	6	10	18	31	37
0-17	0								
18-34	20	15.5	7						
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	20	15.5	7						
	2112	13.9	143	2	6	10	18	30	37

DRG 490: HIV w/ or w/o Other Related Condition

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	199	6.3	13	2	4	5	8	11	14
70-74	0								
75-79	43	7.0							
80-84	0								
85 +	0								
SUBTOTAL	**243**	**6.4**	**11**	3	4	6	7	11	12
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**243**	**6.4**	**11**	3	4	6	7	11	12

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	90	4.6	13	1	1	4	5	11	11
18-34	460	6.6	13	2	4	7	8	11	12
35-49	680	6.4	36	2	3	4	8	11	12
50-69	100	7.9	16	3	4	7	10	14	17
70 +	0								
SUBTOTAL	**1329**	**6.5**	**25**	2	4	5	8	11	12
0-17	10	10.0							
18-34	97	6.2	1						
35-49	97	18.6	279						
50-69	0								
70 +	0								
SUBTOTAL	**204**	**12.3**	**169**	4	4	6	10	37	37
GRAND TOTAL	**1533**	**7.3**	**48**	2	4	5	8	11	18

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	263	15.3	389	3	4	10	12	54	55
18-34	684	8.9	26	3	5	8	11	16	20
35-49	487	10.5	94	3	5	7	12	26	26
50-69	63	13.3	4						
70 +	0								
SUBTOTAL	**1497**	**10.7**	**117**	3	5	8	12	20	26
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	120	2.2	2	< 1	1	2	3	4	6
18-34	237	6.8	9	4	4	7	10	11	11
35-49	20	4.5	2						
50-69	0								
70 +	0								
SUBTOTAL	**377**	**5.2**	**11**	1	2	4	7	11	11
GRAND TOTAL	**1873**	**9.6**	**100**	2	4	7	11	16	26

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	30	5.0	13						
18-34	333	7.5	81	1	2	5	8	16	25
35-49	207	7.9	20	4	4	5	14	14	14
50-69	0								
70 +	0								
SUBTOTAL	**569**	**7.5**	**56**	2	3	5	10	14	24
0-17	10	1.0							
18-34	107	5.4	3						
35-49	53	10.6	1						
50-69	0								
70 +	0								
SUBTOTAL	**170**	**6.8**	**10**	1	5	7	11	11	11
GRAND TOTAL	**739**	**7.3**	**45**	2	4	5	10	14	16

Appendix

Appendix 1

1989-90 HOSPITAL CHARACTERISTICS
Short-Term, Nonfederal Hospitals[1]

HOSPITAL CATEGORY	UNIVERSE TOTAL[2]	LOS BY DRG SAMPLE
Region		
Northeastern	772	87
North Central	1,579	174
Southern	2,052	72
Western	1,022	159
Total	5,425	492
Location[3]		
Urban	2,844	247
Rural	2,581	245
Teaching Intensity[4]		
High/Medium	983	366
Low	4,442	126

[1]Hospitals with average stay less than 30 days

[2]1988 Annual Survey of Hospitals, magnetic tape, American Hospital Association

[3]Urban hospitals are those with a metropolitan statistical area designation on the AHA Annual Survey of Hospitals. Hospitals without a metropolitan statistical area designation represent rural hospitals.

[4]The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai.

Appendix 2

STATE INCLUSIONS BY REGION

Northeast	North Central	South	West
Connecticut	Illinois	Alabama	Alaska
Maine	Indiana	Arkansas	Arizona
Massachusetts	Iowa	Delaware	California
New Hampshire	Kansas	District of Columbia	Colorado
New Jersey	Michigan	Florida	Hawaii
New York	Minnesota	Georgia	Idaho
Pennsylvania	Missouri	Kentucky	Montana
Rhode Island	Nebraska	Louisiana	Nevada
Vermont	North Dakota	Maryland	New Mexico
	Ohio	Mississippi	Oregon
	South Dakota	North Carolina	Utah
	Wisconsin	Oklahoma	Washington
		South Carolina	Wyoming
		Tennessee	
		Texas	
		Virginia	
		West Virginia	

Appendix 3

DIAGNOSIS RELATED GROUPS

DRG	Description
1	Craniotomy Age >17 except for Trauma
2	Craniotomy for Trauma Age > 17
3	Craniotomy Age 0-17
4	Spinal Procedures
5	Extracranial Vascular Procedures
6	Carpal Tunnel Release
7	Periph & Cranial Nerve & Other Nerv Syst Proc w/ CC
8	Periph & Cranial Nerve & Other Nerv Syst Proc w/o CC
9	Spinal Disorders & Injuries
10	Nervous System Neoplasms w/ CC
11	Nervous System Neoplasms w/o CC
12	Degenerative Nervous System Disorders
13	Multiple Sclerosis & Cerebellar Ataxia
14	Specific Cerebrovascular Disorders except TIA
15	Transient Ischemic Attack & Precerebral Occlusions
16	Nonspecific Cerebrovascular Disorders w/ CC
17	Nonspecific Cerebrovascular Disorders w/o CC
18	Cranial & Peripheral Nerve Disorders w/ CC
19	Cranial & Peripheral Nerve Disorders w/o CC
20	Nervous System Infection except Viral Meningitis
21	Viral Meningitis
22	Hypertensive Encephalopathy
23	Nontraumatic Stupor & Coma
24	Seizure & Headache Age >17 w/ CC
25	Seizure & Headache Age >17 w/o CC
26	Seizure & Headache Age 0-17
27	Traumatic Stupor & Coma, Coma >1 Hr
28	Traumatic Stupor & Coma, Coma <1 Hr Age >17 w/ CC
29	Traumatic Stupor & Coma, Coma <1 Hr Age >17 w/o CC
30	Traumatic Stupor & Coma, Coma <1 Hr Age 0-17
31	Concussion Age >17 w/ CC
32	Concussion Age >17 w/o CC
33	Concussion Age 0-17
34	Other Disorders of Nervous System w/ CC
35	Other Disorders of Nervous System w/o CC
36	Retinal Procedures
37	Orbital Procedures
38	Primary Iris Procedures
39	Lens Procedures with or without Vitrectomy
40	Extraocular Procedures except Orbit Age > 17
41	Extraocular Procedures except Orbit Age 0-17
42	Intraocular Procedures except Retina, Iris & Lens
43	Hyphema
44	Acute Major Eye Infections
45	Neurological Eye Disorders
46	Other Disorders of the Eye Age >17 w/ CC
47	Other Disorders of the Eye Age >17 w/o CC
48	Other Disorders of the Eye Age 0-17
49	Major Head & Neck Procedures
50	Sialoadenectomy
51	Salivary Gland Procedures except Sialoadenectomy
52	Cleft Lip & Palate Repair

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
53	Sinus & Mastoid Procedures Age > 17
54	Sinus & Mastoid Procedures Age 0-17
55	Miscellaneous Ear, Nose, Mouth & Throat Procedures
56	Rhinoplasty
57	T&A Proc, except Tonsillectomy &/or Adenoidectomy Only, Age >17
58	T&A Proc, except Tonsillectomy &/or Adenoidectomy Only, Age 0-17
59	Tonsillectomy &/or Adenoidectomy Only, Age > 17
60	Tonsillectomy &/or Adenoidectomy Only, Age 0-17
61	Myringotomy w/ Tube Insertion Age > 17
62	Myringotomy w/ Tube Insertion Age 0-17
63	Other Ear, Nose, Mouth & Throat O.R. Procedures
64	Ear, Nose, Mouth & Throat Malignancy
65	Dysequilibrium
66	Epistaxis
67	Epiglottitis
68	Otitis Media & URI Age >17 w/ CC
69	Otitis Media & URI Age >17 w/o CC
70	Otitis Media & URI Age 0-17
71	Laryngotracheitis
72	Nasal Trauma & Deformity
73	Other Ear, Nose, Mouth & Throat Diagnoses Age > 17
74	Other Ear, Nose, Mouth & Throat Diagnoses Age 0-17
75	Major Chest Procedures
76	Other Resp System O.R. Procedures w/ CC
77	Other Resp System O.R. Procedures w/o CC
78	Pulmonary Embolism
79	Respiratory Infections & Inflammations Age >17 w/ CC
80	Respiratory Infections & Inflammations Age >17 w/o CC
81	Respiratory Infections & Inflammations Age 0-17
82	Respiratory Neoplasms
83	Major Chest Trauma w/ CC
84	Major Chest Trauma w/o CC
85	Pleural Effusion w/ CC
86	Pleural Effusion w/o CC
87	Pulmonary Edema & Respiratory Failure
88	Chronic Obstructive Pulmonary Disease
89	Simple Pneumonia & Pleurisy Age >17 w/ CC
90	Simple Pneumonia & Pleurisy Age >17 w/o CC
91	Simple Pneumonia & Pleurisy Age 0-17
92	Interstitial Lung Disease w/ CC
93	Interstitial Lung Disease w/o CC
94	Pneumothorax w/ CC
95	Pneumothorax w/o CC
96	Bronchitis & Asthma Age >17 w/ CC
97	Bronchitis & Asthma Age >17 w/o CC
98	Bronchitis & Asthma Age 0-17
99	Respiratory Signs & Symptoms w/ CC
100	Respiratory Signs & Symptoms w/o CC
101	Other Respiratory System Diagnoses w/ CC
102	Other Respiratory System Diagnoses w/o CC
103	Heart Transplant
104	Cardiac Valve Procedures w/ Cardiac Cath
105	Cardiac Valve Procedures w/o Cardiac Cath
106	Coronary Bypass w/ Cardiac Cath
107	Coronary Bypass w/o Cardiac Cath
108	Other Cardiothoracic Procedures

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
109	No Longer Valid (Table Excluded)
110	Major Cardiovascular Procedures w/ CC
111	Major Cardiovascular Procedures w/o CC
112	Percutaneous Cardiovascular Procedures
113	Amputation for Circ System Disorders except Upper Limb & Toe
114	Upper Limb & Toe Amputation for Circ System Disorders
115	Perm Cardiac Pacemaker Implant w/ AMI, Heart Failure or Shock
116	Perm Cardiac Pacemaker Implant w/o AMI, Heart Failure or Shock
117	Cardiac Pacemaker Revision except Device Replacement
118	Cardiac Pacemaker Device Replacement
119	Vein Ligation & Stripping
120	Other Circulatory System O.R. Procedures
121	Circulatory Disorders w/ AMI & C.V. Comp Disch Alive
122	Circulatory Disorders w/ AMI w/o C.V. Comp Disch Alive
123	Circulatory Disorders w/ AMI, Expired (Table Excluded)
124	Circulatory Disorders except AMI, w/ Card Cath & Complex Diag
125	Circulatory Disorders except AMI, w/ Card Cath w/o Complex Diag
126	Acute & Subacute Endocarditis
127	Heart Failure & Shock
128	Deep Vein Thrombophlebitis
129	Cardiac Arrest, Unexplained
130	Peripheral Vascular Disorders w/ CC
131	Peripheral Vascular Disorders w/o CC
132	Atherosclerosis w/ CC
133	Atherosclerosis w/o CC
134	Hypertension
135	Cardiac Congenital & Valvular Disorders Age >17 w/ CC
136	Cardiac Congenital & Valvular Disorders Age >17 w/o CC
137	Cardiac Congenital & Valvular Disorders Age 0-17
138	Cardiac Arrhythmia & Conduction Disorders w/ CC
139	Cardiac Arrhythmia & Conduction Disorders w/o CC
140	Angina Pectoris
141	Syncope & Collapse w/ CC
142	Syncope & Collapse w/o CC
143	Chest Pain
144	Other Circulatory System Diagnoses w/ CC
145	Other Circulatory System Diagnoses w/o CC
146	Rectal Resection w/ CC
147	Rectal Resection w/o CC
148	Major Small & Large Bowel Procedures w/ CC
149	Major Small & Large Bowel Procedures w/o CC
150	Peritoneal Adhesiolysis w/ CC
151	Peritoneal Adhesiolysis w/o CC
152	Minor Small & Large Bowel Procedures w/ CC
153	Minor Small & Large Bowel Procedures w/o CC
154	Stomach, Esophageal & Duodenal Procedures Age >17 w/ CC
155	Stomach, Esophageal & Duodenal Procedures Age >17 w/o CC
156	Stomach, Esophageal & Duodenal Procedures Age 0-17
157	Anal & Stomal Procedures w/ CC
158	Anal & Stomal Procedures w/o CC
159	Hernia Procedures except Inguinal & Femoral Age >17 w/ CC
160	Hernia Procedures except Inguinal & Femoral Age >17 w/o CC
161	Inguinal & Femoral Hernia Procedures Age >17 w/ CC
162	Inguinal & Femoral Hernia Procedures Age >17 w/o CC
163	Hernia Procedures Age 0-17
164	Appendectomy w/ Complicated Principal Diag w/ CC

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
165	Appendectomy w/ Complicated Principal Diag w/o CC
166	Appendectomy w/o Complicated Principal Diag w/ CC
167	Appendectomy w/o Complicated Principal Diag w/o CC
168	Mouth Procedures w/ CC
169	Mouth Procedures w/o CC
170	Other Digestive System O.R. Procedures w/ CC
171	Other Digestive System O.R. Procedures w/o CC
172	Digestive Malignancy w/ CC
173	Digestive Malignancy w/o CC
174	G.I. Hemorrhage w/ CC
175	G.I. Hemorrhage w/o CC
176	Complicated Peptic Ulcer
177	Uncomplicated Peptic Ulcer w/ CC
178	Uncomplicated Peptic Ulcer w/o CC
179	Inflammatory Bowel Disease
180	G.I. Obstruction w/ CC
181	G.I. Obstruction w/o CC
182	Esophagitis, Gastroent & Misc Digest Disorders Age > 17 w/ CC
183	Esophagitis, Gastroent & Misc Digest Disorders Age > 17 w/o CC
184	Esophagitis, Gastroent & Misc Digest Disorders Age 0-17
185	Dental & Oral Dis except Extractions & Restorations, Age >17
186	Dental & Oral Dis except Extractions & Restorations, Age 0-17
187	Dental Extractions & Restorations
188	Other Digestive System Diagnoses Age >17 w/ CC
189	Other Digestive System Diagnoses Age >17 w/o CC
190	Other Digestive System Diagnoses Age 0-17
191	Pancreas, Liver & Shunt Procedures w/ CC
192	Pancreas, Liver & Shunt Procedures w/o CC
193	Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/ CC
194	Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/o CC
195	Total Cholecystectomy w/ C.D.E. w/ CC
196	Total Cholecystectomy w/ C.D.E. w/o CC
197	Total Cholecystectomy w/o C.D.E. w/ CC
198	Total Cholecystectomy w/o C.D.E. w/o CC
199	Hepatobiliary Diagnostic Procedure for Malignancy
200	Hepatobiliary Diagnostic Procedure for Non-malignancy
201	Other Hepatobiliary or Pancreas O.R. Procedures
202	Cirrhosis & Alcoholic Hepatitis
203	Malignancy of Hepatobiliary System or Pancreas
204	Disorders of Pancreas except Malignancy
205	Disorders of Liver except Malig, Cirr, Alc Hepa w/ CC
206	Disorders of Liver except Malig, Cirr, Alc Hepa w/o CC
207	Disorders of the Biliary Tract w/ CC
208	Disorders of the Biliary Tract w/o CC
209	Major Joint & Limb Reattachment Procedures
210	Hip & Femur Procedures except Major Joint Age >17 w/ CC
211	Hip & Femur Procedures except Major Joint Age >17 w/o CC
212	Hip & Femur Procedures except Major Joint Age 0-17
213	Amputation for Musculoskeletal System & Conn Tissue Disorders
214	Back & Neck Procedures w/ CC
215	Back & Neck Procedures w/o CC
216	Biopsies of Musculoskeletal System & Connective Tissue
217	Wnd Debrid & Skn Grft except Hand, for Muscskelet & Conn Tiss Dis
218	Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/ CC
219	Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/o CC
220	Lower Extrem & Humer Proc except Hip, Foot, Femur Age 0-17

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
221	Knee Procedures w/ CC
222	Knee Procedures w/o CC
223	Major Shoulder/Elbow Proc, or Other Upper Extremity Proc w/ CC
224	Shoulder, Elbow or Forearm Proc, exc Major Joint Proc, w/o CC
225	Foot Procedures
226	Soft Tissue Procedures w/ CC
227	Soft Tissue Procedures w/o CC
228	Major Thumb or Joint Proc, or Oth Hand or Wrist Proc w/ CC
229	Hand or Wrist Proc, except Major Joint Proc, w/o CC
230	Local Excision & Removal of Int Fix Devices of Hip & Femur
231	Local Excision & Removal of Int Fix Devices except Hip & Femur
232	Arthroscopy
233	Other Musculoskelet Sys & Conn Tiss O.R. Proc w/ CC
234	Other Musculoskelet Sys & Conn Tiss O.R. Proc w/o CC
235	Fractures of Femur
236	Fractures of Hip & Pelvis
237	Sprains, Strains, & Dislocations of Hip, Pelvis & Thigh
238	Osteomyelitis
239	Pathological Fractures & Musculoskeletal & Conn Tiss Malignancy
240	Connective Tissue Disorders w/ CC
241	Connective Tissue Disorders w/o CC
242	Septic Arthritis
243	Medical Back Problems
244	Bone Diseases & Specific Arthropathies w/ CC
245	Bone Diseases & Specific Arthropathies w/o CC
246	Non-specific Arthropathies
247	Signs & Symptoms of Musculoskeletal System & Conn Tissue
248	Tendonitis, Myositis & Bursitis
249	Aftercare, Musculoskeletal System & Connective Tissue
250	Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/ CC
251	Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/o CC
252	Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age 0-17
253	Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age > 17 w/ CC
254	Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age > 17 w/o CC
255	Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age 0-17
256	Other Musculoskeletal System & Connective Tissue Diagnoses
257	Total Mastectomy for Malignancy w/ CC
258	Total Mastectomy for Malignancy w/o CC
259	Subtotal Mastectomy for Malignancy w/ CC
260	Subtotal Mastectomy for Malignancy w/o CC
261	Breast Proc for Non-malignancy except Biopsy & Local Excision
262	Breast Biopsy & Local Excision for Non-malignancy
263	Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/ CC
264	Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/o CC
265	Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/ CC
266	Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/o CC
267	Perianal & Pilonidal Procedures
268	Skin, Subcutaneous Tissue & Breast Plastic Procedures
269	Other Skin, Subcut Tiss & Breast Proc w/ CC
270	Other Skin, Subcut Tiss & Breast Proc w/o CC
271	Skin Ulcers
272	Major Skin Disorders w/ CC
273	Major Skin Disorders w/o CC
274	Malignant Breast Disorders w/ CC
275	Malignant Breast Disorders w/o CC
276	Non-malignant Breast Disorders

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
277	Cellulitis Age >17 w/ CC
278	Cellulitis Age >17 w/o CC
279	Cellulitis Age 0-17
280	Trauma to the Skin, Subcut Tiss & Breast Age >17 w/ CC
281	Trauma to the Skin, Subcut Tiss & Breast Age >17 w/o CC
282	Trauma to the Skin, Subcut Tiss & Breast Age 0-17
283	Minor Skin Disorders w/ CC
284	Minor Skin Disorders w/o CC
285	Amputat of Lower Limb for Endocrine, Nutrit & Metabol Disorders
286	Adrenal & Pituitary Procedures
287	Skin Grafts & Wound Debrid for Endoc, Nutrit & Metab Disorders
288	O.R. Procedures for Obesity
289	Parathyroid Procedures
290	Thyroid Procedures
291	Thyroglossal Procedures
292	Other Endocrine, Nutrit & Metab O.R. Proc w/ CC
293	Other Endocrine, Nutrit & Metab O.R. Proc w/o CC
294	Diabetes Age > 35
295	Diabetes Age 0-35
296	Nutritional & Misc Metabolic Disorders Age >17 w/ CC
297	Nutritional & Misc Metabolic Disorders Age >17 w/o CC
298	Nutritional & Misc Metabolic Disorders Age 0-17
299	Inborn Errors of Metabolism
300	Endocrine Disorders w/ CC
301	Endocrine Disorders w/o CC
302	Kidney Transplant
303	Kidney, Ureter & Major Bladder Procedures for Neoplasm
304	Kidney, Ureter & Major Bladder Proc for Non-neopl w/ CC
305	Kidney, Ureter & Major Bladder Proc for Non-neopl w/o CC
306	Prostatectomy w/ CC
307	Prostatectomy w/o CC
308	Minor Bladder Procedures w/ CC
309	Minor Bladder Procedures w/o CC
310	Transurethral Procedures w/ CC
311	Transurethral Procedures w/o CC
312	Urethral Procedures Age >17 w/ CC
313	Urethral Procedures Age >17 w/o CC
314	Urethral Procedures Age 0-17
315	Other Kidney & Urinary Tract O.R. Procedures
316	Renal Failure
317	Admit for Renal Dialysis
318	Kidney & Urinary Tract Neoplasms w/ CC
319	Kidney & Urinary Tract Neoplasms w/o CC
320	Kidney & Urinary Tract Infections Age >17 w/ CC
321	Kidney & Urinary Tract Infections Age >17 w/o CC
322	Kidney & Urinary Tract Infections Age 0-17
323	Urinary Stones w/ CC, &/or ESW Lithotripsy
324	Urinary Stones w/o CC
325	Kidney & Urinary Tract Signs & Symptoms Age >17 w/ CC
326	Kidney & Urinary Tract Signs & Symptoms Age >17 w/o CC
327	Kidney & Urinary Tract Signs & Symptoms Age 0-17
328	Urethral Stricture Age >17 w/ CC
329	Urethral Stricture Age >17 w/o CC
330	Urethral Stricture Age 0-17
331	Other Kidney & Urinary Tract Diagnoses Age >17 w/ CC
332	Other Kidney & Urinary Tract Diagnoses Age >17 w/o CC

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
333	Other Kidney & Urinary Tract Diagnoses Age 0-17
334	Major Male Pelvic Procedures w/ CC
335	Major Male Pelvic Procedures w/o CC
336	Transurethral Prostatectomy w/ CC
337	Transurethral Prostatectomy w/o CC
338	Testes Procedures, for Malignancy
339	Testes Procedures, Non-malignancy Age > 17
340	Testes Procedures, Non-malignancy Age 0-17
341	Penis Procedures
342	Circumcision Age > 17
343	Circumcision Age 0-17
344	Other Male Reproductive System O.R. Procedures for Malignancy
345	Other Male Reproductive System O.R. Proc except for Malignancy
346	Malignancy, Male Reproductive System, w/ CC
347	Malignancy, Male Reproductive System, w/o CC
348	Benign Prostatic Hypertrophy w/ CC
349	Benign Prostatic Hypertrophy w/o CC
350	Inflammation of the Male Reproductive System
351	Sterilization, Male
352	Other Male Reproductive System Diagnoses
353	Pelvic Evisceration, Radical Hysterectomy & Radical Vulvectomy
354	Uterine, Adnexa Proc for Non-ovarian/Adnexal Malig w/ CC
355	Uterine, Adnexa Proc for Non-ovarian/Adnexal Malig w/o CC
356	Female Reproductive System Reconstructive Procedures
357	Uterine & Adnexa Proc for Ovarian or Adnexal Malignancy
358	Uterine & Adnexa Proc for Non-malignancy w/ CC
359	Uterine & Adnexa Proc for Non-malignancy w/o CC
360	Vagina, Cervix & Vulva Procedures
361	Laparoscopy & Incisional Tubal Interruption
362	Endoscopic Tubal Interruption
363	D&C, Conization & Radio-implant, for Malignancy
364	D&C, Conization except for Malignancy
365	Other Female Reproductive System O.R. Procedures
366	Malignancy, Female Reproductive System w/ CC
367	Malignancy, Female Reproductive System w/o CC
368	Infections, Female Reproductive System
369	Menstrual & Other Female Reproductive System Disorders
370	Cesarean Section w/ CC
371	Cesarean Section w/o CC
372	Vaginal Delivery w/ Complicating Diagnoses
373	Vaginal Delivery w/o Complicating Diagnoses
374	Vaginal Delivery w/ Sterilization &/or D&C
375	Vaginal Delivery w/ O.R. Proc except Steril &/or D&C
376	Postpartum & Post Abortion Diagnoses w/o O.R. Procedure
377	Postpartum & Post Abortion Diagnoses w/ O.R. Procedure
378	Ectopic Pregnancy
379	Threatened Abortion
380	Abortion w/o D&C
381	Abortion w/ D&C, Aspiration Curettage or Hysterotomy
382	False Labor
383	Other Antepartum Diagnoses w/ Medical Complications
384	Other Antepartum Diagnoses w/o Medical Complications
385	Neonates, Died or Transferred to Another Acute Care Facility (Table Excluded)
386	Extreme Immaturity or Respiratory Distress Syndrome, Neonate
387	Prematurity w/ Major Problems

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
388	Prematurity w/o Major Problems
389	Full Term Neonate w/ Major Problems
390	Neonate w/ Other Significant Problems
391	Normal Newborn
392	Splenectomy Age > 17
393	Splenectomy Age 0-17
394	Other O.R. Procedures of the Blood And Blood Forming Organs
395	Red Blood Cell Disorders Age > 17
396	Red Blood Cell Disorders Age 0-17
397	Coagulation Disorders
398	Reticuloendothelial & Immunity Disorders w/ CC
399	Reticuloendothelial & Immunity Disorders w/o CC
400	Lymphoma & Leukemia w/ Major O.R. Procedure
401	Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/ CC
402	Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/o CC
403	Lymphoma & Non-acute Leukemia w/ CC
404	Lymphoma & Non-acute Leukemia w/o CC
405	Acute Leukemia w/o Major O.R. Procedure Age 0-17
406	Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R. Proc w/ CC
407	Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R. Proc w/o CC
408	Myeloprolif Disord or Poorly Diff Neopl w/ Other O.R. Proc
409	Radiotherapy
410	Chemotherapy
411	History of Malignancy w/o Endoscopy
412	History of Malignancy w/ Endoscopy
413	Other Myeloprolif Dis or Poorly Diff Neopl Diag w/ CC
414	Other Myeloprolif Dis or Poorly Diff Neopl Diag w/o CC
415	O.R. Procedure for Infectious & Parasitic Diseases
416	Septicemia Age > 17
417	Septicemia Age 0-17
418	Postoperative & Post-traumatic Infections
419	Fever of Unknown Origin Age >17 w/ CC
420	Fever of Unknown Origin Age >17 w/o CC
421	Viral Illness Age > 17
422	Viral Illness & Fever of Unknown Origin Age 0-17
423	Other Infectious & Parasitic Diseases Diagnoses
424	O.R. Procedure w/ Principal Diagnoses of Mental Illness
425	Acute Adjust React & Disturbances of Psychosocial Dysfunction
426	Depressive Neuroses
427	Neuroses except Depressive
428	Disorders of Personality & Impulse Control
429	Organic Disturbances & Mental Retardation
430	Psychoses
431	Childhood Mental Disorders
432	Other Mental Disorder Diagnoses
433	Alcohol/Drug Abuse or Dependence, Left AMA (Table Excluded)
434	Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w/ CC
435	Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w/o CC
436	Alc/Drug Dependence w/ Rehabilitation Therapy
437	Alc/Drug Dependence, Combined Rehab & Detox Therapy
438	No Longer Valid (Table Excluded)
439	Skin Grafts for Injuries
440	Wound Debridements for Injuries
441	Hand Procedures for Injuries
442	Other O.R. Procedures for Injuries w/ CC
443	Other O.R. Procedures for Injuries w/o CC

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
444	Traumatic Injury Age >17 w/ CC
445	Traumatic Injury Age >17 w/o CC
446	Traumatic Injury Age 0-17
447	Allergic Reactions Age >17
448	Allergic Reactions Age 0-17
449	Poisoning & Toxic Effects of Drugs Age >17 w/ CC
450	Poisoning & Toxic Effects of Drugs Age >17 w/o CC
451	Poisoning & Toxic Effects of Drugs Age 0-17
452	Complications of Treatment w/ CC
453	Complications of Treatment w/o CC
454	Other Injury, Poisoning & Toxic Effect Diag w/ CC
455	Other Injury, Poisoning & Toxic Effect Diag w/o CC
456	Burns, Transferred to Another Acute Care Facility (Table Excluded)
457	Extensive Burns w/o O.R. Procedure
458	Non-extensive Burns w/ Skin Graft
459	Non-extensive Burns w/ Wound Debridement or Other O.R. Proc
460	Non-extensive Burns w/o O.R. Procedure
461	O.R. Proc w/ Diagnoses of Other Contact w/ Health Services
462	Rehabilitation
463	Signs & Symptoms w/ CC
464	Signs & Symptoms w/o CC
465	Aftercare w/ History of Malignancy As Secondary Diagnosis
466	Aftercare w/o History of Malignancy As Secondary Diagnosis
467	Other Factors Influencing Health Status (Table Excluded)
468	Extensive O.R. Procedure Unrelated to Principal Diagnosis (Table Excluded)
469	Principal Diagnosis Invalid As Discharge Diagnosis (Table Excluded)
470	Ungroupable (Table Excluded)
471	Bilateral or Multiple Major Joint Procs of Lower Extremity
472	Extensive Burns w/ O.R. Procedure
473	Acute Leukemia w/o Major O.R. Procedure Age > 17
474	No Longer Valid (Table Excluded)
475	Respiratory System Diagnosis with Ventilator Support
476	Prostatic O.R. Procedure Unrelated to Principal Diagnosis (Table Excluded)
477	Non-extensive O.R. Procedure Unrelated to Principal Diagnosis (Table Excluded)
478	Other Vascular Procedures w/ CC
479	Other Vascular Procedures w/o CC
480	Liver Transplant
481	Bone Marrow Transplant
482	Tracheostomy w/ Mouth, Larynx or Pharynx Disorder
483	Tracheostomy Except for Mouth, Larynx or Pharynx Disorder
484	Craniotomy for Multiple Significant Trauma
485	Limb Reattach., Hip and Femur Procs for Multi Sign Trauma
486	Other O.R. Procedures for Multiple Significant Trauma
487	Other Multiple Significant Trauma
488	HIV w/ Extensive O.R. Procedure
489	HIV w/ Major Related Condition
490	HIV w/ or w/o Other Related Condition

B4465-5.5

United States, Western Region, 1989-90

Healthcare Knowledge Resources
Ann Arbor, Michigan
March, 1991

LENGTH OF STAY BY DRG AND PAYMENT SOURCE

This volume is one of five books in the Length of Stay by DRG and Payment Source series:

Length of Stay by DRG and Payment Source, United States, 1989-90
ISSN 1043-9285

Length of Stay by DRG and Payment Source, Northeastern Region, 1989-90
ISSN 1043-9307

Length of Stay by DRG and Payment Source, North Central Region, 1989-90
ISSN 1043-9323

Length of Stay by DRG and Payment Source, Southern Region, 1989-90
ISSN 1043-9293

Length of Stay by DRG and Payment Source, Western Region, 1989-90
ISSN 1043-9315

For further information, please contact Healthcare Knowledge Resources, P.O. Box 303, Ann Arbor, Michigan 48106-0303, or call 800-521-6210.

Statistics reported in this volume are drawn from individual patient discharge records for the time period July 1, 1989 through June 30, 1990. Neither the Commission on Professional and Hospital Activities (CPHA) nor Healthcare Knowledge Resources assumes any liability for any use, furnishing, analysis, interpretation, conclusions, or utilization review decisions based on data reported herein. Any such liability shall be the responsibility of the user of the data, who agrees to hold CPHA or Healthcare Knowledge Resources harmless from any damages, litigation, liability or claimed liability, claims, and any expenses including legal expenses incident thereto resulting from any such use, furnishing, analysis, interpretation, conclusions, or utilization review decisions.

Copyright 1991 by Healthcare Knowledge Resources, Ann Arbor, Michigan, based on data from the Commission on Professional and Hospital Activities. Printed in the United States of America.

All rights reserved. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any other form, or by any other means, or stored in a database or retrieval system, without prior written permission of the publisher.

CONTENTS

Introduction v

Description of the Database vi

Source of the Data
Data Quality
Hospital Characteristics
Projecting to the Universe

Organization of the Tables x

Diagnosis Related Groups
Expected Principal Payment Source
Presence or Absence of Complications and Comorbidities (CCs)
Patient Age and/or Birth Weight

Explanation of the Statistics xii

Total Number of Patients
Average Length of Stay
Variance
Percentiles
Subtotal and Grand Total

Using the Tables xiii

Length of Stay Tables 1

Appendix 1: 1989-90 Hospital Characteristics 481

Appendix 2: State Inclusions By Region 482

Appendix 3: Diagnosis Related Groups 483

ACKNOWLEDGEMENTS

1989-90 LENGTH OF STAY BY DRG AND PAYMENT SOURCE SERIES

PROJECT TEAM

Jennifer Goewey, Publications Specialist, Normative Products

Information Services
Joyce Beach, Senior Programmer Analyst
Lale Olson, Senior Electronic Publishing Analyst
Jan Sweet, Electronic Publishing Analyst

Additionally, the following individuals made valuable contributions to the development of this publication:

Nancy Ramirez, Medical Systems Specialist, Healthcare Knowledge Resources.
Linda Vanek, Manager, Normative Products, Healthcare Knowledge Resources.

We offer a special thank-you to the following individuals for their assistance:

Clyde McCollum and Donna Witkowski.

Finally, we gratefully acknowledge the hospitals and state organizations that support this and other publications by making their data available.

INTRODUCTION

Healthcare Knowledge Resources is the official vendor and distributor of products derived from the clinical research and classification development activities of the Commission on Professional and Hospital Activities (CPHA). Now in its fourth decade as a reliable source for clinical record information, CPHA retains ownership of its databases and classification systems while Healthcare Knowledge Resources develops and markets high quality, information-oriented products and services to the healthcare industry and related fields.

Length of Stay data have been available from CPHA since 1963. This book is one volume in a set of five books presenting statistics on hospital stay during 1989-90 in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from other organizations contributing to CPHA are also included in the series.

The *Length of Stay by DRG and Payment Source* series has been designed as a companion to the standard reference, *Length of Stay by Diagnosis and Operation*, to provide length of stay data by another patient classification system. *Length of Stay by DRG and Payment Source* is designed to assist the healthcare professional in utilization review and other cost containment and evaluation activities.

Notable differences between the *Length of Stay by DRG and Payment Source* series and the *Length of Stay by Diagnosis and Operation* series are primarily with the data source. Data used for the *Length of Stay by DRG and Payment Source* series have been projected to the universe of short-term, nonfederal general hospitals based on patient records from 492 hospitals. A detailed description of the projection methodology is given on page viii. It is important to keep in mind that the numbers and calculations in *Length of Stay by DRG and Payment Source* represent projections rather than actual numbers.

The *Length of Stay by DRG and Payment Source* series is enhanced by providing length of stay data by the following four principal payment sources: Medicare, Medicaid, Blue Cross/Private Insurance, and No Insurance. This allows for comparison of length of stay by clinical condition and patient age among the major healthcare reimbursement systems.

Healthcare Knowledge Resources offers a range of information products, available through books, magnetic media, and educational seminars. In addition to *Length of Stay by DRG and Payment Source*, other titles in the Cost Containment Series include: *Psychiatric Length of Stay* and *Length of Stay by Diagnosis and Operation*. Each series is available on an annual basis for the United States, Northeastern, North Central, Southern, and Western regions. Pediatric Length of Stay (19 years and under) and Geriatric Length of Stay (65 years and over) are also available in the Diagnosis and Operation series for the United States.

These statistics, also available on magnetic tape and diskette, provide a valuable perspective for utilization review, quality assurance professionals, physicians, consultants, hospital administrators, third party payors, and researchers interested in cost containment and quality care.

DESCRIPTION OF THE DATABASE

Source of the Data

Data in the *Length of Stay by DRG and Payment Source* tables were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS). In addition, discharge data from hospitals participating in information systems other than PAS are included.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer or magnetic tape.
2. The disk or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected.
4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.
5. Data are standardized to create an aggregated patient record base.

Annually these data are utilized to create the *Length of Stay by DRG and Payment Source* series and other reference tools.

Data Quality

Data quality is a primary concern. Although the hospital has basic responsibility for the quality of PAS data, considerable effort is exerted to prevent and correct errors. Over 600 automated checks are performed during the processing of each record to ensure the reasonableness of the data. Examples of discrepancies detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, sex-specific diagnosis or operation with the wrong sex recorded, miscalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to hospital staff through computer-generated error messages.

In addition to initial data editing, numerous edits are done to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death, stillborn
2. admission from other short-term hospital
3. discharge to other short-term hospital
4. discharge against medical advice

Hospital Characteristics

Data chosen for inclusion in the *Length of Stay by DRG and Payment Source* series are from general, nonfederal, short-term hospitals in the United States with twelve complete months of discharge data beginning July 1, 1989. The American Hospital Association (AHA)[1] defines these characteristics in the following manner:

General – The primary function of the institution is to provide patient services, diagnostic and therapeutic, for a variety of medical conditions.

Nonfederal –Controlled by state, county, city, city-county, hospital district or authority, church.

Short-term – The average length of stay for all patients is less than 30 days, or over 50 percent of all patients are admitted to units where the average length of stay is less than 30 days.

Most data used in the Length of Stay tables are from hospitals participating in PAS. In addition, the following organizations have sent data: Colorado Hospital Association, Hospital Association of New York State, Michigan Hospital Association, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), New Hampshire Hospital Association, Oregon Hospital Association, Southern Kaiser Foundation Hospitals, Vermont Hospital Association, and Wyoming Hospital Association. Several individual hospitals throughout the United States have also sent data for special studies.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from long-term specialty institutions, e.g., long-term psychiatric or rehabilitation facilities, are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

The characteristics of all hospitals with discharge data included in the Length of Stay books are displayed in Appendix 1.

[1]American Hospital Association Guide to the Health Care Field, 1989.

Projecting to the Universe

To make the *LOS by DRG and Payment Source* sample reflect the activity of U.S. nonfederal, short-term general hospitals the following steps are taken:

Step 1 - Stratification

First, the hospitals are stratified by factors known to affect inpatient utilization. The two factors used are teaching intensity and geographical region:

A. **Teaching Intensity** is determined by a weighted index measuring program intensity created by Phillip and Hai[1]. The index is based on programs, memberships, and affiliations approved by various bodies. The approvals incorporated in the index are:

- Accreditation by the Joint Commission on Accreditation of Healthcare Organizations (JCA)
- Cancer Program approved by the American College of Surgeons (CP)
- Residency approved by the American Medical Association (RES)
- Medical School Affiliation reported by the American Medical Association (MS)
- Hospital-controlled professional nursing school, reported by the National League for Nursing (PNS)
- Member of the Council of Teaching Hospitals of the Association of American Medical Colleges (COT)

Based on this index, hospitals are classified by one of three teaching status groups:

- Low Teaching Intensity Hospitals
- Medium Teaching Intensity Hospitals
- High Teaching Intensity Hospitals

The statistical formula is:

$$Ip = 9.9\,(JCA) + 14.0(CP) + 28.0(RES) + 14.7(MS) + 13.3(PNS) + 20.1(COT)$$

The numerical values in the formula are weights that have been assigned to each of the approvals incorporated in the index.

For the *Length of Stay by DRG and Payment Source* series the following cut-offs are used to stratify hospitals by teaching status:

Ip value under 25.0	Nonteaching Institution (low teaching intensity)
Ip value 25.0+	Teaching Institution (medium/high teaching intensity)

[1] Phillip P., J., and Hai, Abdul, *An Index of Programs for Hospitals*, American Hospital Association, Chicago, Illinois, 1976.

B. **Census Division** places the 50 states and the District of Columbia into nine geographical areas defined by the U.S. Department of Commerce, Bureau of the Census. These nine divisions and their corresponding regions are:

Region	Division
Northeast	New England
	Mid Atlantic
North Central	East North Central
	West North Central
South	South Atlantic
	East South Central
	West South Central
West	Mountain
	Pacific

A list of the states included in each region is provided in Appendix 2.

Step 2 - Projection

A matrix is constructed which identifies the number of actual discharges from hospitals by program intensity (nonteaching and teaching) and geographical region (Northeast, North Central, South, West). A projection factor is calculated for each cell within the matrix. This factor is calculated as follows:

$$\text{Projection Factor} = \frac{\text{Total discharges from the universe}}{\text{Number of actual discharges in LOS DRG sample}}$$

Each projection factor is multiplied by the number of actual discharges in a particular cell. The resulting numbers represent estimated patient discharges, the sum of which approximates total July 1989 through June 1990 discharges from the U.S. nonfederal, short-term, general hospital universe.

ORGANIZATION OF THE TABLES

The data are stratified by DRG, principal payment source, presence or absence of complications and comorbidities (CCs), and by age ranges.

Diagnosis Related Groups (DRGs)

There are 490 DRGs in the *1989-90 LOS by DRG and Payment Source* series. These DRGs are based on the seventh revision (version 8), effective October 1, 1990. Appendix 3 provides a list of all DRGs for the seventh revision.

Some DRGs have been excluded because they include invalid, ungroupable, or inappropriate categories for examining length of stay. The excluded DRGs are:

DRG Number	English Description
109	(No longer valid)
123	Circulatory Disorders w/AMI, Expired
385	Neonates, Died or Transferred to Another Acute Care Facility
433	Alcohol/Drug Abuse or Dependence, Left Against Medical Advice
438	(No longer valid)
456	Burns, Transferred to Another Acute Care Facility
467	Other Factors Influencing Health Status
468	Extensive Operating Room Procedure Unrelated to Principal Diagnosis
469	Principal Diagnosis Invalid as Discharge Diagnosis
470	Ungroupable
474	(No longer valid)
476	Prostatic Operating Room Procedure Unrelated to Principal Diagnosis
477	Non-extensive Operating Room Procedure Unrelated to Principal Diagnosis

A table is not displayed for the excluded DRGs listed above. Additionally, new ICD-9-CM procedure codes were created 10/1/89 for grouping to DRGs 436 and 437 (Alcohol/Drug Dependence with Rehab Therapy and Alcohol/Drug Dependence, Combined Rehab and Detox Therapy). Patient records used in this series include three months of discharges prior to the addition of the new codes. As a result, only nine months of patient records (from 10/01/89 - 6/30/90) have been grouped to DRGs 436 and 437.

Expected Principal Payment Source

For each DRG, there are four tables corresponding to one of four expected principal payment sources:

1. Medicare
2. Blue Cross/Blue Shield and Private Insurance
3. Medicaid
4. No Insurance

The 'No Insurance' category represents a collapsing of the following payment categories from the PAS abstract: 'Self Pay', 'Other', and 'No Charge'. These three payment categories have not been used consistently by all hospitals contributing data, and therefore this category should be interpreted with some caution.

Presence or Absence of Complications and Comorbidities (CCs)

To determine the presence of complications or comorbidities (CCs), a patient's secondary diagnoses are compared to those specific ICD-9-CM diagnosis codes defined by the Health Care Financing Administration (HCFA) as CCs.

HCFA definitions are:

- A complication is a condition that arises during the hospital stay that prolongs length of stay by at least one day in approximately 75 percent of the cases.
- A comorbidity is a pre-existing condition that will, because of its presence with a specific diagnosis, cause an increase in length of stay by at least one day in approximately 75 percent of the cases.

Determination of the existence of CCs corresponds to the DRG version effective October 1, 1990.

Patient Age and/or Birth Weight

Patient discharges in the Medicare payment source category are in one of the following age groups, recorded in years:

0 - 69
70 - 74
75 - 79
80 - 84
85+

The other three payment source age groups are collapsed as follows:

0 - 17
18 - 34
35 - 49
50 - 69
70+

For DRGs 386 - 391, which classify neonates, the age range is replaced by a birth weight range, recorded in grams. The categories are as follows:

1 - 999
1000 - 1499
1500 - 1749
1750 - 2499
2500 +

All discharge records for newborns and neonates with an unrecorded birth weight have been excluded.

EXPLANATION OF THE STATISTICS

The statistics are displayed by total number of patients, average length of stay, variance, and distribution percentiles. In addition, two subtotals and a grand total are included. Since the *LOS by DRG and Payment Source* series is drawn from patient discharges from 492 hospitals and then projected to the universe of U.S. hospitals, *the numbers and calculations represent projections rather than actual numbers.* One actual patient discharge represents multiple projected patients; the average projection factor is 10.6. If the total number of patients listed is based on five or fewer *actual* discharges, the percentile distribution columns are left blank.

Total Number of Patients

This number represents the total number of projected patients in the stratified group. Patients with stays over 99 days (99+) are not included.

Average Length of Stay

The length of stay is calculated from the admission and discharge dates by counting the day of admission as the first day. The average is figured by adding the lengths of stay for all projected patients and then dividing by the total number of projected patients. Patients discharged on the day of admission are counted as staying one day in the calculation of average length of stay. Patients with stays over 99 days (99+) are excluded from this calculation.

Variance

The variance is a measure of the spread of the data around the average. The smallest variance is zero, indicating all lengths of stay are equal.

When using tables in which there is a large variance, and the projected patient group size is relatively small, the average stay may appear high. This sometimes occurs when one or two patients with long hospitalizations fall into the group.

Distribution Percentiles

A length of stay percentile for a stratified group of projected patients is determined by arranging the projected patient stays from low to high. Counting up from the lowest stay to the point where half of the projected patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total projected patients gives the 10th percentile, and so on.

The 10th, 25th, 50th, 75th, 90th, and 95th percentiles of stay are displayed in days. If, for example, the 25th percentile for a group of projected patients is four, it means 25 percent of the projected patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 99+ days or longer are not included in the total patients, average stay, and variance categories. The percentiles, however, do include these patients. (If a line of data consists solely of stays of 99+ days, the discharges in that line will be excluded from all portions of the table.)

Subtotal and Grand Total

The subtotal represents the total projected patients in one of the two complication and comorbidity groups, within each payment source. The grand total represents the total number of projected patients in the payment source categories. In cases where a total is off by one patient, it is the result of rounding the projections.

USING THE TABLES

The Length of Stay series can be used as a valuable supplement and reference in a variety of healthcare settings. Use of hospital stay data as an inpatient utilization measure allows the healthcare professional to compare regional and national norms to an individual institution or special population. The Length of Stay series assists in:

- projecting extended stay reviews;
- identifying candidates for utilization review;
- establishing baselines;
- developing forecasts; and
- service planning.

The following steps are intended to provide a guide in situations where a healthcare professional wishes to determine a reasonable length of stay by using one of the Length of Stay regional or national volumes:

Step 1: Consult Appendix 3 at the back of the book for the particular DRG to be reviewed.

Step 2: Find the corresponding table in the book. The DRG number precedes the title of each table.

Step 3: Find the appropriate portion of the table for review:

- Payment Source
- Complication/Comorbidity Status
- Age Group

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total stratified patient sample (Grand Total) and its variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

A sample table with descriptions of table elements is provided on page xiv.

These general steps can be followed, with more specific applications, by healthcare professionals in many diverse settings.

Length of Stay by DRG and Payment Source

Sample Table

DRG number and title

Payment source

DRG 1: Craniotomy Age >17 except for Trauma

TYPE OF PATIENT	MEDICARE								
	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES					
				10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/CCs									
AGE GROUP									
0-69 (YRS.)	4827	19.3	238	6	9	15	24	42	58
70-74	3670	18.9	190	6	9	15	25	39	50
75-79	2887	19.4	184	7	10	16	23	39	48
80-84	1435	17.9	175	6	8	14	26	45	55
85 +	776	19.3	232	7	12	15	23	29	62
SUBTOTAL	**13594**	**19.0**	**207**	**6**	**9**	**15**	**24**	**40**	**50**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2607	10.0	62	4	6	8	12	18	24
70-74	1924	10.9	75	4	6	8	14	19	25
75-79	1360	10.3	38	4	6	9	13	17	19
80-84	727	10.0	43	4	6	8	14	19	21
85 +	437	10.4	42	5	7	9	11	14	30
SUBTOTAL	**7054**	**10.3**	**58**	**4**	**6**	**8**	**13**	**18**	**24**
GRAND TOTAL	**20648**	**16.1**	**173**	**5**	**8**	**12**	**20**	**34**	**46**

Presence or absence of Complications/ Comorbidities

Length of stay (in days) by percentile

Patient age group

(Note: Age groups for Medicare differ from those for Medicaid, Blue Cross/Private Insurance, and No Insurance)

Total number of projected patients

DRG Length of Stay Tables

All DRGS

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	270488	7.6	61	2	3	5	9	15	21
70-74	198692	7.6	54	2	3	6	9	15	20
75-79	193817	7.7	49	2	3	6	10	15	20
80-84	154644	7.9	50	2	4	6	10	15	20
85 +	149355	8.0	44	2	4	6	10	15	20
SUBTOTAL	**966995**	**7.7**	**53**	**2**	**3**	**6**	**10**	**15**	**20**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	154282	5.0	29	1	2	3	6	10	14
70-74	101245	4.7	21	1	2	4	6	9	12
75-79	86329	5.0	23	1	2	4	6	10	12
80-84	61917	5.2	22	1	2	4	7	10	13
85 +	50505	5.5	28	1	2	4	7	10	13
SUBTOTAL	**454278**	**5.0**	**25**	**1**	**2**	**4**	**6**	**10**	**13**
GRAND TOTAL	**1421274**	**6.9**	**46**	**2**	**3**	**5**	**9**	**14**	**18**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	80964	5.6	70	1	2	3	6	12	20
18-34	99783	5.2	42	1	2	3	6	10	16
35-49	111447	6.1	50	1	2	4	7	12	18
50-69	191250	6.9	51	1	3	5	8	13	19
70 +	37429	7.6	53	2	3	6	9	15	20
	520873	**6.2**	**53**	**1**	**2**	**4**	**7**	**13**	**18**
0-17	391429	2.8	21	1	1	2	3	4	7
18-34	504884	3.0	14	1	1	2	3	5	7
35-49	299384	3.7	17	1	2	3	4	6	9
50-69	228293	3.9	13	1	2	3	5	8	10
70 +	20153	4.8	26	1	2	3	6	9	12
	1444143	**3.2**	**17**	**1**	**1**	**2**	**4**	**6**	**8**
	1965017	**4.0**	**28**	**1**	**2**	**3**	**4**	**8**	**12**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	60197	6.2	80	1	2	3	7	14	22
18-34	68994	6.0	68	1	2	3	6	13	21
35-49	39923	8.0	90	2	3	5	9	17	27
50-69	49064	8.2	85	2	3	5	10	18	26
70 +	8701	9.0	107	2	3	6	10	18	27
SUBTOTAL	**226879**	**7.0**	**81**	**1**	**2**	**4**	**8**	**15**	**24**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	231610	3.0	26	1	1	2	3	5	8
18-34	243524	2.8	14	1	1	2	3	5	7
35-49	47618	4.8	36	1	2	3	5	10	15
50-69	29511	5.6	43	1	2	4	7	12	17
70 +	5513	5.1	31	1	2	4	6	10	14
SUBTOTAL	**557776**	**3.2**	**23**	**1**	**1**	**2**	**3**	**6**	**9**
GRAND TOTAL	**784655**	**4.3**	**43**	**1**	**1**	**2**	**4**	**9**	**15**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	45866	6.1	86	1	2	3	7	13	20
18-34	97305	5.4	51	1	2	3	6	11	17
35-49	76237	6.2	50	1	2	4	7	13	19
50-69	83656	7.2	62	1	3	5	9	15	21
70 +	25236	7.4	53	2	3	5	9	15	20
	328300	**6.3**	**59**	**1**	**2**	**4**	**8**	**13**	**19**
0-17	288906	2.5	12	1	1	2	3	4	6
18-34	393917	3.0	16	1	1	2	3	5	8
35-49	146753	4.0	23	1	1	3	4	8	11
50-69	93621	4.3	24	1	2	3	5	8	12
70 +	13856	4.9	30	1	2	3	6	10	14
	937053	**3.1**	**17**	**1**	**1**	**2**	**3**	**6**	**9**
	1265353	**4.0**	**30**	**1**	**1**	**2**	**4**	**8**	**12**

DRG 1: Craniotomy Age >17 except for Trauma

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	828	16.8	200	5	8	13	20	33	48
70-74	687	14.4	141	5	7	11	18	25	34
75-79	419	15.2	87	6	9	14	18	30	36
80-84	249	13.9	84	5	7	12	19	30	38
85+	170	16.9	163	5	9	14	22	26	28
SUBTOTAL	**2353**	**15.5**	**149**	**5**	**8**	**13**	**19**	**30**	**39**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	534	7.2	14	3	5	7	8	12	16
70-74	421	9.6	53	3	5	8	12	19	21
75-79	388	8.7	24	4	5	8	11	15	18
80-84	143	10.1	26	4	5	9	16	18	18
85+	76	7.7	8	5	6	7	10	12	12
SUBTOTAL	**1562**	**8.5**	**29**	**4**	**5**	**7**	**11**	**16**	**18**
GRAND TOTAL	**3914**	**12.7**	**113**	**4**	**6**	**9**	**16**	**24**	**32**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	329	13.0	191	3	5	8	14	29	54
35-49	673	11.9	113	4	5	9	14	21	27
50-69	930	18.3	288	5	8	12	23	40	68
70+	100	14.5	94	6	8	9	20	30	35
SUBTOTAL	**2033**	**15.1**	**213**	**4**	**6**	**10**	**17**	**31**	**51**
0-17	0								
18-34	485	6.3	11	2	4	6	8	12	14
35-49	1051	7.1	40	3	4	6	8	12	15
50-69	944	7.2	28	3	4	6	9	13	16
70+	55	12.7	40	6	8	11	19	25	25
SUBTOTAL	**2535**	**7.1**	**31**	**3**	**4**	**6**	**8**	**13**	**15**
GRAND TOTAL	**4568**	**10.7**	**128**	**3**	**5**	**7**	**12**	**21**	**32**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	211	14.6	140	5	8	11	18	37	54
35-49	135	16.1	73	7	8	17	23	30	30
50-69	156	21.2	574	5	6	11	25	57	85
70+	14	22.0							
SUBTOTAL	**516**	**17.2**	**257**	**5**	**7**	**11**	**23**	**35**	**54**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	248	10.1	89	3	4	7	13	19	25
35-49	219	11.6	52	4	7	10	16	19	25
50-69	170	12.6	91	3	7	9	16	33	35
70+	6	4.0							
SUBTOTAL	**642**	**11.2**	**78**	**3**	**5**	**8**	**15**	**20**	**33**
GRAND TOTAL	**1158**	**13.9**	**166**	**4**	**6**	**10**	**18**	**29**	**37**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	243	16.1	182	5	7	13	21	37	72
35-49	317	13.3	77	5	7	11	17	24	30
50-69	290	23.3	421	7	10	14	32	56	60
70+	78	16.5	52	7	14	15	21	30	31
SUBTOTAL	**929**	**17.4**	**226**	**5**	**8**	**13**	**20**	**39**	**56**
0-17	0								
18-34	387	9.2	55	3	4	8	11	16	25
35-49	319	12.4	173	4	6	9	15	20	28
50-69	303	12.1	62	4	6	10	16	24	26
70+	39	11.7	181	1	3	5	12	41	41
SUBTOTAL	**1048**	**11.1**	**100**	**3**	**5**	**9**	**14**	**21**	**26**
GRAND TOTAL	**1976**	**14.1**	**169**	**4**	**6**	**11**	**17**	**27**	**44**

DRG 2: Craniotomy for Trauma Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-[illegible] (YRS.)	166	20.6	308	7	9	17	25	55	79
70-74	102	20.6	456	5	7	13	23	44	94
75-79	70	15.8	63	10	10	12	22	29	30
80-84	63	11.6	30	6	9	10	14	24	24
85+	100	17.6	61	8	11	16	24	29	31
SUBTOTAL	**501**	**18.2**	**228**	**6**	**10**	**14**	**23**	**31**	**55**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	39	6.3	2	4	5	6	7	9	9
70-74	43	8.6	26	2	4	9	13	17	17
75-79	82	7.9	29	3	4	6	10	16	22
80-84	61	8.8	27	4	6	9	9	16	23
85+	88	8.9	24	4	5	7	12	16	19
SUBTOTAL	**313**	**8.3**	**24**	**4**	**5**	**7**	**10**	**16**	**19**
GRAND TOTAL	**814**	**14.4**	**173**	**5**	**7**	**10**	**17**	**29**	**31**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	133	12.8	134	5	8	11	14	44	99+
35-49	102	21.2	369	3	8	15	38	66	99+
50-69	78	13.7	45	4	9	13	17	27	28
70+	43	29.1	366	11	16	25	29	66	66
SUBTOTAL	**356**	**17.4**	**240**	**5**	**9**	**14**	**21**	**60**	**66**
0-17	0								
18-34	168	7.8	34	2	3	6	12	15	19
35-49	125	8.9	24	3	4	8	12	16	17
50-69	86	8.4	20	5	5	9	10	11	20
70+	35	7.4	5						
SUBTOTAL	**413**	**8.2**	**26**	**3**	**4**	**8**	**10**	**16**	**17**
GRAND TOTAL	**769**	**12.5**	**146**	**3**	**6**	**9**	**15**	**26**	**52**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	84	32.1	713	6	13	20	49	73	88
35-49	68	28.7	272	9	19	23	42	49	65
50-69	27	14.4	20						
70+	0								
SUBTOTAL	**178**	**28.2**	**475**	**7**	**13**	**20**	**42**	**65**	**67**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	170	9.7	52	3	4	6	13	20	23
35-49	39	11.4	77	4	4	4	18	27	27
50-69	18	14.3	88						
70+	6	13.0					-		
SUBTOTAL	**233**	**10.4**	**59**	**3**	**4**	**6**	**15**	**23**	**27**
GRAND TOTAL	**411**	**18.1**	**316**	**4**	**6**	**13**	**23**	**42**	**60**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	270	18.2	248	5	6	12	26	38	45
35-49	108	17.0	171	6	10	12	20	55	93
50-69	39	21.0	202	6	11	12	40	42	42
70+	49	14.9	123	6	7	11	19	41	41
SUBTOTAL	**466**	**17.8**	**214**	**6**	**7**	**12**	**24**	**41**	**55**
0-17	0								
18-34	401	10.0	77	3	5	7	10	23	30
35-49	182	9.1	48	3	4	8	10	20	24
50-69	59	8.3	42	3	6	6	7	24	24
70+	0								
SUBTOTAL	**642**	**9.6**	**66**	**3**	**5**	**7**	**10**	**23**	**29**
GRAND TOTAL	**1109**	**13.0**	**144**	**4**	**6**	**8**	**16**	**32**	**40**

DRG 3: Craniotomy Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	6	21.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	6	21.0							
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	6	4.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	6	4.0							
GRAND TOTAL	12	12.5	79						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1678	9.4	142	2	3	5	11	24	41
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1678	9.4	142	2	3	5	11	24	41
0-17	1840	4.9	21	1	2	3	6	8	14
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1840	4.9	21	1	2	3	6	8	14
	3518	7.1	84	2	2	4	8	16	25

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	1032	9.3	176	2	3	4	11	21	37
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1032	9.3	176	2	3	4	11	21	37
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	860	6.3	56	2	2	4	7	14	21
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	860	6.3	56	2	2	4	7	14	21
GRAND TOTAL	1891	7.9	124	2	2	4	9	18	25

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	387	12.0	235	2	3	7	16	23	46
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	387	12.0	235	2	3	7	16	23	46
0-17	598	6.0	27	2	3	4	8	14	17
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	598	6.0	27	2	3	4	8	14	17
	984	8.4	117	2	3	5	10	17	20

DRG 4: Spinal Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	302	13.3	135	1	5	10	17	27	35
70-74	135	17.4	181	3	7	13	24	40	51
75-79	76	12.2	84	1	7	13	14	17	38
80-84	29	7.9	23						
85 +	37	10.1	25						
SUBTOTAL	**578**	**13.6**	**132**	**2**	**6**	**11**	**17**	**30**	**35**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	194	8.6	91	1	3	5	10	19	28
70-74	80	4.8	3	3	3	5	6	7	8
75-79	96	7.1	24	2	3	6	12	13	16
80-84	41	4.8	11						
85 +	16	5.0	10						
SUBTOTAL	**427**	**7.1**	**52**	**1**	**3**	**5**	**9**	**13**	**19**
GRAND TOTAL	**1005**	**10.8**	**108**	**1**	**3**	**8**	**13**	**22**	**34**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	297	13.0	80	5	6	8	22	26	29
18-34	184	18.4	379	3	4	12	27	47	49
35-49	227	11.9	132	1	4	7	16	28	41
50-69	168	9.1	29	4	5	8	13	16	20
70 +	12	22.5	229						
SUBTOTAL	**888**	**13.2**	**157**	**3**	**5**	**8**	**17**	**27**	**38**
0-17	520	12.2	118	3	5	8	12	29	30
18-34	327	5.8	23	2	3	4	8	14	16
35-49	593	4.5	14	2	2	4	5	8	9
50-69	319	5.6	13	2	3	4	6	12	13
70 +	6	4.0							
SUBTOTAL	**1765**	**7.2**	**57**	**2**	**3**	**5**	**8**	**13**	**25**
GRAND TOTAL	**2653**	**9.2**	**98**	**2**	**3**	**6**	**11**	**24**	**29**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	127	9.9	20	6	7	9	13	20	21
18-34	61	23.9	135	7	16	17	35	40	40
35-49	27	24.6	102						
50-69	39	18.8	48	7	14	18	24	29	29
70 +	0								
SUBTOTAL	**254**	**16.2**	**102**	**7**	**8**	**14**	**21**	**38**	**40**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	233	10.6	76	3	4	7	13	26	30
18-34	74	10.4	31	1	5	12	15	17	18
35-49	43	5.2	10	2	2	5	7	11	11
50-69	14	3.7	4						
70 +	6	17.0							
SUBTOTAL	**370**	**9.8**	**60**	**2**	**4**	**7**	**13**	**19**	**27**
GRAND TOTAL	**624**	**12.4**	**87**	**3**	**6**	**9**	**17**	**26**	**35**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	37	16.5	411	5	5	9	10	61	61
18-34	82	16.8	216	1	1	16	26	28	54
35-49	159	9.7	82	1	1	5	16	25	25
50-69	106	7.4	204	1	1	2	5	37	54
70 +	55	6.6	240	1	1	1	2	50	50
SUBTOTAL	**439**	**10.6**	**197**	**1**	**1**	**3**	**16**	**26**	**50**
0-17	106	8.9	53	3	5	6	10	24	31
18-34	112	6.9	45	1	2	4	8	21	24
35-49	137	6.5	65	1	2	4	8	10	14
50-69	86	5.3	33	1	1	4	5	10	24
70 +	33	1.0							
SUBTOTAL	**474**	**6.5**	**50**	**1**	**2**	**4**	**8**	**14**	**24**
GRAND TOTAL	**914**	**8.5**	**125**	**1**	**1**	**4**	**10**	**24**	**28**

DRG 5: Extracranial Vascular Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1046	5.6	20	2	3	4	6	11	15
70-74	958	6.2	24	2	3	4	7	15	17
75-79	883	6.2	17	2	3	5	7	12	16
80-84	327	6.7	25	2	3	5	9	15	18
85+	212	5.5	15	2	3	4	7	10	10
SUBTOTAL	**3427**	**6.0**	**21**	**2**	**3**	**4**	**7**	**12**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1414	3.5	3	2	2	3	4	5	7
70-74	1154	3.5	3	2	2	3	4	5	6
75-79	1030	3.9	4	2	3	4	4	6	7
80-84	417	4.1	7	2	3	3	4	7	8
85+	118	3.7	2	2	3	3	4	6	7
SUBTOTAL	**4133**	**3.7**	**3**	**2**	**3**	**3**	**4**	**5**	**7**
GRAND TOTAL	**7560**	**4.7**	**13**	**2**	**3**	**4**	**5**	**9**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	16	3.0	1						
35-49	112	4.8	4	2	4	4	5	8	9
50-69	580	4.7	7	2	3	4	6	8	10
70+	98	6.7	8	3	4	7	8	11	12
SUBTOTAL	**807**	**4.9**	**7**	**2**	**3**	**4**	**7**	**8**	**10**
0-17	14	3.7	4						
18-34	16	5.0							
35-49	63	3.4	2	2	2	3	4	5	6
50-69	1134	3.5	5	2	2	3	4	6	7
70+	143	4.2	5	2	2	3	7	7	8
SUBTOTAL	**1371**	**3.6**	**5**	**2**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**2179**	**4.1**	**6**	**2**	**2**	**3**	**5**	**7**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	12	9.5	33						
35-49	0								
50-69	47	6.4	20	2	4	4	10	16	16
70+	16	31.5	806						
SUBTOTAL	**76**	**12.3**	**287**	**2**	**4**	**4**	**15**	**59**	**59**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	14	4.0							
35-49	6	14.0							
50-69	98	4.4	7	2	2	4	6	8	10
70+	12	3.5							
SUBTOTAL	**131**	**4.7**	**9**	**2**	**3**	**4**	**6**	**8**	**11**
GRAND TOTAL	**207**	**7.5**	**123**	**2**	**3**	**4**	**7**	**14**	**16**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	32.0							
18-34	18	11.7	71						
35-49	16	3.0	1						
50-69	166	7.2	51	2	3	5	8	14	23
70+	82	8.0	15	3	4	7	11	12	16
SUBTOTAL	**288**	**8.0**	**53**	**2**	**3**	**6**	**10**	**16**	**23**
0-17	0								
18-34	33	5.0	35						
35-49	72	3.6	14	1	2	2	4	8	14
50-69	362	3.7	4	2	2	3	4	6	8
70+	94	3.8	1	3	3	4	4	5	6
SUBTOTAL	**560**	**3.8**	**6**	**2**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**849**	**5.2**	**26**	**2**	**3**	**4**	**6**	**10**	**14**

DRG 6: Carpal Tunnel Release

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	35	3.0	11						
70-74	25	3.3	4						
75-79	8	2.0							
80-84	8	3.0							
85 +	0								
SUBTOTAL	**76**	**3.0**	**7**	**<1**	**1**	**2**	**3**	**6**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	86	1.6	1	<1	<1	1	2	3	4
70-74	55	1.1		<1	<1	<1	1	2	2
75-79	55	1.1		<1	<1	1	1	2	2
80-84	25	1.0							
85 +	8	1.0							
SUBTOTAL	**229**	**1.3**		**<1**	**<1**	**<1**	**1**	**2**	**3**
GRAND TOTAL	**304**	**1.7**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	8	4.0							
35-49	6	5.0							
50-69	12	5.5							
70 +	0								
	27	**4.9**	**1**						
0-17	22	1.0							
18-34	55	1.8	5	<1	<1	1	1	8	8
35-49	143	1.6	2	<1	<1	1	2	3	6
50-69	139	1.1		<1	<1	<1	1	1	2
70 +	6	1.0							
	366	**1.4**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**
	392	**1.6**	**2**	**<1**	**<1**	**1**	**1**	**4**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	6	22.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**6**	**22.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	25	1.0							
35-49	0								
50-69	6	1.0							
70 +	0								
SUBTOTAL	**31**	**1.0**							
GRAND TOTAL	**37**	**4.5**	**63**						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	6	1.0							
50-69	0								
70 +	0								
	6	**1.0**							
0-17	0								
18-34	12	2.0	1						
35-49	49	1.5	1	<1	1	1	2	3	3
50-69	53	1.7		<1	1	2	2	2	2
70 +	0								
	114	**1.7**		**<1**	**1**	**2**	**2**	**3**	**3**
	121	**1.6**		**<1**	**1**	**2**	**2**	**3**	**3**

DRG 7: Periph & Cranial Nerve & Other Nerv Syst Proc w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	256	9.8	100	2	3	6	16	25	42
70-74	125	11.7	232	2	3	6	16	22	43
75-79	88	6.6	8	2	5	7	9	10	11
80-84	70	16.3	173	3	3	14	28	40	40
85 +	61	11.8	52	3	4	13	16	23	24
SUBTOTAL	**599**	**10.7**	124	**2**	**3**	**7**	**16**	**23**	**35**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**599**	**10.7**	124	**2**	**3**	**7**	**16**	**23**	**35**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	63	16.4	542	2	4	6	12	45	82
18-34	129	4.6	5	2	3	4	6	9	9
35-49	205	8.2	68	2	4	5	9	24	27
50-69	162	5.5	21	1	2	4	8	12	16
70 +	55	6.9	21	1	5	6	7	17	17
	613	**7.4**	**98**	**1**	**3**	**5**	**7**	**14**	**24**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	613	**7.4**	**98**	**1**	**3**	**5**	**7**	**14**	**24**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	25	29.0	1005						
18-34	18	6.0	11						
35-49	27	17.6	375						
50-69	39	15.6	204	5	6	13	47	99 +	99 +
70 +	6	25.0							
SUBTOTAL	**115**	**17.9**	417	**1**	**5**	**10**	**38**	**68**	**90**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**115**	**17.9**	417	**1**	**5**	**10**	**38**	**68**	**90**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	27	16.8	289						
18-34	110	10.6	286	2	2	3	11	20	67
35-49	70	7.1	21	2	4	6	10	13	16
50-69	80	7.8	71	1	2	6	10	23	29
70 +	14	1.4							
	301	**9.1**	**163**	**1**	**2**	**5**	**10**	**19**	**29**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	301	**9.1**	**163**	**1**	**2**	**5**	**10**	**19**	**29**

DRG 8: Periph & Cranial Nerve & Other Nerv Syst Proc w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	298	3.4	9	1	1	3	4	7	10
70-74	166	3.8	15	1	1	2	5	9	11
75-79	92	3.5	10	< 1	1	2	3	8	11
80-84	49	5.0	6	2	2	5	7	8	8
85 +	14	6.1	1						
SUBTOTAL	**619**	**3.7**	**11**	**1**	**1**	**3**	**5**	**8**	**10**
GRAND TOTAL	**619**	**3.7**	**11**	**1**	**1**	**3**	**5**	**8**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	331	2.3	3	< 1	1	2	3	5	6
18-34	538	2.7	5	< 1	1	2	3	6	8
35-49	642	3.0	8	< 1	1	2	4	6	8
50-69	497	2.6	5	1	1	2	4	6	8
70 +	20	7.3	24						
2028	**2.7**	**6**	**1**	**1**	**2**	**4**	**6**	**8**	
2028	**2.7**	**6**	**1**	**1**	**2**	**4**	**6**	**8**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	125	1.9	1	< 1	1	2	2	3	4
18-34	180	3.7	16	1	1	2	4	7	8
35-49	37	3.1	2						
50-69	33	7.0	62						
70 +	0								
SUBTOTAL	**374**	**3.3**	**15**	**1**	**1**	**2**	**4**	**5**	**8**
GRAND TOTAL	**374**	**3.3**	**15**	**1**	**1**	**2**	**4**	**5**	**8**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	88	2.1	4	< 1	1	1	3	5	7
18-34	516	4.1	28	1	1	2	5	7	13
35-49	205	3.4	8	1	1	2	5	8	9
50-69	121	6.5	96	1	2	2	5	22	33
70 +	0								
929	**4.1**	**32**	**1**	**1**	**2**	**5**	**8**	**12**	
929	**4.1**	**32**	**1**	**1**	**2**	**5**	**8**	**12**	

DRG 9: Spinal Disorders & Injuries

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	51	6.8	6	3	6	6	8	11	11
70-74	16	10.5							
75-79	29	9.1	5						
80-84	8	45.0							
85 +	12	6.0	1						
SUBTOTAL	**117**	**10.5**	**97**	**4**	**6**	**8**	**11**	**13**	**45**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	20	3.4	5						
70-74	8	2.0							
75-79	16	13.0							
80-84	8	7.0							
85 +	0								
SUBTOTAL	**53**	**6.7**	**22**	**1**	**2**	**6**	**13**	**13**	**13**
GRAND TOTAL	**170**	**9.3**	**76**	**3**	**6**	**8**	**11**	**13**	**18**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	51	12.6	390	1	2	4	10	57	57
18-34	78	9.7	59	1	2	10	16	21	22
35-49	37	8.8	55						
50-69	47	9.9	110	2	3	6	14	35	35
70 +	6	5.0							
SUBTOTAL	**219**	**10.1**	**145**	**1**	**2**	**6**	**14**	**21**	**35**
0-17	295	1.3	1	< 1	< 1	< 1	1	2	3
18-34	98	5.5	21	1	1	3	10	13	13
35-49	57	2.6	4	1	1	1	4	6	7
50-69	37	5.1	9						
70 +	22	8.2	5						
SUBTOTAL	**509**	**2.9**	**10**	**< 1**	**< 1**	**1**	**3**	**7**	**12**
	728	**5.1**	**62**	**< 1**	**1**	**2**	**6**	**13**	**19**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	6	2.0							
18-34	31	22.4	1234						
35-49	14	8.7	85						
50-69	18	6.0	11						
70 +	8	3.0							
SUBTOTAL	**78**	**12.3**	**565**	**1**	**2**	**3**	**10**	**19**	**91**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	82	1.0		< 1	< 1	< 1	< 1	1	1
18-34	35	5.3	7						
35-49	14	4.1	7						
50-69	6	12.0							
70 +	0								
SUBTOTAL	**137**	**2.9**	**10**	**< 1**	**< 1**	**1**	**3**	**8**	**9**
GRAND TOTAL	**215**	**6.3**	**230**	**< 1**	**< 1**	**2**	**6**	**12**	**19**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	2.0							
18-34	53	9.2	56	< 1	4	7	14	25	25
35-49	27	16.5	544						
50-69	20	12.6	105						
70 +	6	12.0							
SUBTOTAL	**115**	**11.1**	**182**	**1**	**3**	**8**	**14**	**27**	**55**
0-17	55	3.7	24	< 1	< 1	1	2	15	15
18-34	174	8.9	116	1	2	5	11	18	35
35-49	88	5.5	40	1	1	5	6	10	26
50-69	14	7.2	38						
70 +	0								
SUBTOTAL	**331**	**7.1**	**81**	**1**	**2**	**4**	**9**	**17**	**26**
	446	**8.1**	**110**	**1**	**2**	**4**	**10**	**18**	**27**

Western Region, July 1989 - June 1990

DRG 10: Nervous System Neoplasms w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	771	7.3	31	2	4	6	9	15	20
70-74	624	8.3	62	2	4	6	10	18	23
75-79	362	10.9	62	3	5	9	15	24	26
80-84	180	7.7	18	3	4	8	10	12	17
85 +	170	5.3	11	2	3	5	6	9	12
SUBTOTAL	**2105**	**8.1**	**45**	**2**	**4**	**6**	**10**	**16**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2105**	**8.1**	**45**	**2**	**4**	**6**	**10**	**16**	**22**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	115	8.0	104	1	2	4	8	28	38
18-34	88	4.3	29	1	2	3	4	6	23
35-49	397	5.2	38	1	2	3	5	14	17
50-69	850	7.4	41	2	3	5	10	16	21
70 +	70	9.4	37	3	5	8	12	13	25
SUBTOTAL	**1519**	**6.8**	**45**	**1**	**2**	**5**	**8**	**16**	**21**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1519**	**6.8**	**45**	**1**	**2**	**5**	**8**	**16**	**21**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	104	4.7	22	1	2	3	6	7	19
18-34	82	8.5	44	3	4	6	12	17	25
35-49	166	8.9	35	3	4	7	13	17	17
50-69	158	7.0	18	2	4	6	9	14	15
70 +	12	29.0	353						
SUBTOTAL	**522**	**7.9**	**49**	**2**	**3**	**6**	**12**	**17**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**522**	**7.9**	**49**	**2**	**3**	**6**	**12**	**17**	**18**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	37	3.5	3	1	2	4	5	5	5
18-34	119	7.2	72	1	1	5	7	19	30
35-49	110	6.1	17	3	3	5	7	12	19
50-69	270	7.9	41	2	3	6	12	14	22
70 +	29	13.9	56						
SUBTOTAL	**564**	**7.4**	**45**	**1**	**3**	**5**	**9**	**16**	**21**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**564**	**7.4**	**45**	**1**	**3**	**5**	**9**	**16**	**21**

DRG 11: Nervous System Neoplasms w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	106	3.8	14	1	1	2	6	9	15
70-74	139	6.5	20	1	4	5	8	15	15
75-79	100	6.3	13	2	3	6	9	11	12
80-84	45	5.0	19	1	1	3	9	13	13
85 +	49	7.2	5	3	7	7	8	10	10
SUBTOTAL	439	5.7	16	1	2	5	8	12	14
GRAND TOTAL	439	5.7	16	1	2	5	8	12	14

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	180	2.3	8	< 1	1	1	2	4	12
18-34	102	3.8	8	1	1	3	5	6	11
35-49	182	2.8	4	1	2	2	4	7	7
50-69	280	3.8	18	1	1	2	4	10	15
70 +	0								
	744	3.2	11	1	1	2	4	7	12
	744	3.2	11	1	1	2	4	7	12

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	108	2.2	4	< 1	1	1	2	5	8
18-34	82	8.4	28	[illegible]	4	8	11	14	22
35-49	100	5.8	31	1	3	4	5	15	23
50-69	127	8.2	81	1	2	4	14	28	31
70 +	6	5.0							
SUBTOTAL	424	6.1	44	1	2	4	8	15	22
GRAND TOTAL	424	6.1	44	1	2	4	8	15	22

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	80	2.6	6	1	1	2	2	5	10
18-34	55	3.8	20	1	2	2	3	16	16
35-49	129	2.9	5	1	1	2	4	5	6
50-69	166	5.7	38	< 1	1	4	7	12	19
70 +	0								
	430	4.0	22	1	1	2	5	10	12
	430	4.0	22	1	1	2	5	10	12

DRG 12: Degenerative Nervous System Disorders

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	268	9.2	111	2	3	6	10	21	23
70-74	319	8.5	47	2	3	7	10	20	26
75-79	296	7.5	20	3	4	7	9	13	18
80-84	425	8.5	129	2	4	6	9	14	28
85 +	237	6.6	17	2	3	5	10	13	14
SUBTOTAL	**1545**	**8.1**	**72**	**2**	**4**	**6**	**9**	**14**	**21**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	296	5.1	18	1	2	4	6	9	17
70-74	366	5.3	14	2	2	4	7	11	13
75-79	327	5.0	13	1	2	4	6	11	13
80-84	296	5.1	7	2	3	5	6	9	10
85 +	166	5.0	16	2	3	4	5	7	12
SUBTOTAL	**1451**	**5.1**	**14**	**2**	**2**	**4**	**7**	**10**	**13**
GRAND TOTAL	**2996**	**6.7**	**46**	**2**	**3**	**5**	**8**	**13**	**17**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	49	4.0	9	1	2	3	5	11	11
18-34	39	11.5	134						
35-49	55	4.4	11	1	2	2	6	11	11
50-69	159	7.7	21	3	4	7	11	15	45
70 +	72	14.3	195	3	4	7	22	47	47
SUBTOTAL	**374**	**8.4**	**75**	**2**	**3**	**6**	**11**	**22**	**31**
0-17	110	3.0	30	< 1	< 1	1	2	6	24
18-34	65	4.1	9	1	1	4	7	9	10
35-49	102	5.1	18	1	2	3	7	13	15
50-69	168	5.4	34	1	2	4	7	14	28
70 +	27	8.4	45						
SUBTOTAL	**472**	**4.8**	**28**	**1**	**1**	**3**	**7**	**13**	**19**
GRAND TOTAL	**847**	**6.4**	**52**	**1**	**2**	**4**	**9**	**15**	**27**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	27	4.5	4						
18-34	65	17.7	536	2	3	11	22	37	83
35-49	33	9.3	70						
50-69	63	9.4	33	4	6	7	14	17	22
70 +	12	21.5	46						
SUBTOTAL	**201**	**12.2**	**224**	**2**	**3**	**7**	**14**	**25**	**32**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	104	3.7	28	< 1	< 1	1	4	9	23
18-34	65	4.8	17	< 1	2	3	6	10	15
35-49	59	5.8	15	2	3	5	6	14	14
50-69	151	10.6	172	1	2	5	10	36	38
70 +	51	4.0	6	1	3	3	5	8	8
SUBTOTAL	**432**	**6.6**	**81**	**< 1**	**1**	**4**	**7**	**15**	**26**
GRAND TOTAL	**632**	**8.4**	**133**	**1**	**2**	**4**	**9**	**22**	**32**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	27	1.7	1						
18-34	47	11.6	81	1	1	16	23	99 +	99 +
35-49	59	5.9	25	3	4	5	6	99 +	99 +
50-69	153	16.7	308	2	4	9	27	44	67
70 +	92	9.6	72	1	3	6	16	22	27
SUBTOTAL	**378**	**11.6**	**179**	**1**	**3**	**6**	**20**	**33**	**67**
0-17	39	3.4	16	1	1	1	4	12	12
18-34	147	5.5	21	1	1	3	10	13	13
35-49	133	4.7	9	1	3	4	6	10	10
50-69	162	6.0	29	1	2	4	7	14	19
70 +	84	11.9	258	2	3	6	28	55	99 +
SUBTOTAL	**565**	**6.3**	**61**	**1**	**2**	**4**	**8**	**13**	**22**
GRAND TOTAL	**943**	**8.4**	**115**	**1**	**2**	**5**	**11**	**23**	**44**

DRG 13: Multiple Sclerosis & Cerebellar Ataxia

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	227	6.0	9	3	4	5	8	10	11
70-74	8	11.0							
75-79	47	11.4	58	5	5	9	12	27	27
80-84	20	8.5	52						
85 +	0								
SUBTOTAL	**302**	**7.1**	**24**	**3**	**4**	**6**	**9**	**12**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	399	5.9	20	3	4	5	7	10	22
70-74	20	3.7							
75-79	22	3.1	2						
80-84	0								
85 +	0								
SUBTOTAL	**441**	**5.6**	**18**	**2**	**4**	**4**	**7**	**9**	**19**
GRAND TOTAL	**744**	**6.3**	**21**	**2**	**4**	**5**	**7**	**11**	**18**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	35	2.2	1						
18-34	82	7.9	14	4	4	6	11	14	15
35-49	174	7.2	51	3	4	5	7	12	14
50-69	112	8.1	35	3	3	7	11	20	22
70 +	0								
	403	**7.2**	**37**	**2**	**4**	**5**	**9**	**13**	**20**
0-17	57	2.3	2	1	1	2	4	4	4
18-34	206	4.9	8	1	3	4	6	10	10
35-49	542	5.1	7	2	3	5	7	9	11
50-69	78	6.2	5	3	4	6	8	9	10
70 +	0								
	883	**5.0**	**7**	**2**	**3**	**4**	**6**	**9**	**10**
	1286	**5.6**	**18**	**2**	**3**	**4**	**7**	**10**	**12**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	6	1.0							
18-34	55	6.4	33	1	3	4	7	21	21
35-49	51	7.7	30	2	4	8	8	19	19
50-69	31	17.0	224						
70 +	0								
SUBTOTAL	**143**	**8.9**	**90**	**2**	**3**	**6**	**8**	**21**	**39**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	33	2.2	1						
18-34	96	7.1	35	3	3	5	11	12	26
35-49	59	6.6	14	2	4	5	11	12	13
50-69	27	7.4	27						
70 +	0								
SUBTOTAL	**215**	**6.3**	**26**	**2**	**3**	**4**	**8**	**12**	**16**
GRAND TOTAL	**358**	**7.3**	**53**	**2**	**3**	**5**	**8**	**16**	**21**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	4.0							
18-34	57	9.7	81	2	2	8	13	29	29
35-49	51	5.4	6	2	3	6	6	10	10
50-69	41	6.2	26						
70 +	8	7.0							
	166	**7.1**	**40**	**2**	**3**	**6**	**9**	**14**	**21**
0-17	25	1.5							
18-34	125	4.8	4	2	4	5	6	7	8
35-49	143	4.3	13	1	1	3	6	10	11
50-69	61	6.7	24	2	4	4	10	14	18
70 +	0								
	354	**4.7**	**12**	**1**	**2**	**4**	**6**	**10**	**11**
	519	**5.5**	**22**	**1**	**2**	**4**	**7**	**10**	**15**

DRG 14: Specific Cerebrovascular Disorders except TIA

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4328	8.1	38	2	4	7	10	16	20
70-74	4612	8.5	49	3	4	7	10	16	20
75-79	6030	8.4	45	3	4	7	10	16	20
80-84	5905	8.7	44	3	4	7	11	16	20
85 +	6107	8.3	36	3	5	7	10	14	18
SUBTOTAL	**26983**	**8.4**	**42**	**3**	**4**	**7**	**10**	**16**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2542	5.6	20	2	3	4	7	10	13
70-74	2278	5.8	13	2	3	5	7	10	13
75-79	2614	6.1	28	2	3	5	8	11	15
80-84	2460	6.1	21	2	3	5	8	10	13
85 +	2433	6.6	44	2	4	5	8	11	14
SUBTOTAL	**12328**	**6.1**	**25**	**2**	**3**	**5**	**7**	**10**	**13**
GRAND TOTAL	**39311**	**7.7**	**38**	**3**	**4**	**6**	**9**	**14**	**18**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	29	7.5	21						
18-34	98	10.1	57	2	4	6	14	20	27
35-49	370	7.0	13	2	5	7	8	12	13
50-69	2493	8.1	69	3	4	6	10	16	20
70 +	1120	8.3	79	2	4	6	10	14	19
	4110	**8.1**	**66**	**2**	**4**	**6**	**10**	**14**	**20**
0-17	12	11.0	88						
18-34	104	5.2	16	1	3	4	6	12	14
35-49	472	5.9	17	2	3	5	8	12	13
50-69	1903	5.2	15	2	2	4	6	11	13
70 +	652	6.1	20	2	3	5	8	11	16
	3144	**5.5**	**17**	**2**	**2**	**4**	**7**	**11**	**14**
	7254	**7.0**	**46**	**2**	**3**	**5**	**8**	**13**	**17**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	78	11.4	66	4	4	7	17	29	30
35-49	264	12.8	166	4	5	9	17	22	26
50-69	771	11.6	149	3	5	7	14	26	38
70 +	262	13.7	112	4	5	9	19	31	34
SUBTOTAL	**1374**	**12.2**	**141**	**3**	**5**	**8**	**15**	**26**	**33**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	12	5.0	10						
18-34	123	6.1	13	3	4	5	7	12	14
35-49	153	7.3	24	2	4	6	10	16	18
50-69	597	8.1	59	2	3	6	11	17	23
70 +	211	9.6	112	3	5	6	11	19	34
SUBTOTAL	**1097**	**8.0**	**59**	**2**	**3**	**6**	**10**	**15**	**20**
GRAND TOTAL	**2471**	**10.4**	**109**	**2**	**4**	**7**	**13**	**21**	**28**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	27	4.8	7						
18-34	143	10.4	70	1	6	8	12	14	23
35-49	411	9.4	62	3	4	7	13	20	24
50-69	1431	8.9	78	2	4	6	11	18	25
70 +	736	8.5	45	3	5	7	10	16	21
	2748	**8.9**	**66**	**2**	**4**	**7**	**11**	**17**	**24**
0-17	29	3.6	6						
18-34	184	4.9	18	1	2	4	5	13	15
35-49	544	5.2	18	1	2	4	6	10	16
50-69	1366	6.0	39	1	2	4	7	13	18
70 +	546	6.2	26	2	3	5	8	14	21
	2669	**5.8**	**31**	**1**	**2**	**4**	**7**	**13**	**16**
	5417	**7.4**	**51**	**2**	**3**	**5**	**9**	**16**	**21**

DRG 15: Transient Ischemic Attack & Precerebral Occlusions

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1490	4.1	13	1	2	3	5	8	10
70-74	1876	4.2	11	1	2	3	5	7	9
75-79	1768	4.2	8	2	2	3	6	8	10
80-84	2000	4.8	16	2	2	4	6	9	12
85 +	2044	4.4	12	2	2	4	5	8	10
SUBTOTAL	**9177**	**4.4**	**12**	**2**	**2**	**3**	**5**	**8**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1451	3.0	5	1	1	2	4	6	7
70-74	1386	2.9	5	1	1	2	3	6	7
75-79	1426	3.3	6	1	2	3	4	6	9
80-84	1361	3.2	5	1	2	3	4	6	7
85 +	1169	3.1	4	1	2	2	4	6	6
SUBTOTAL	**6792**	**3.1**	**5**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**15969**	**3.8**	**9**	**1**	**2**	**3**	**5**	**7**	**9**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	31	3.1	2						
35-49	159	3.7	7	1	2	3	5	6	11
50-69	750	4.0	8	1	2	3	5	7	10
70 +	470	4.4	12	1	2	3	6	8	13
	1410	**4.1**	**9**	**1**	**2**	**3**	**5**	**7**	**10**
0-17	0								
18-34	53	2.2	3	1	1	2	2	5	5
35-49	331	2.8	4	1	1	2	4	5	6
50-69	1318	2.6	4	1	1	2	3	5	6
70 +	327	3.4	10	1	1	3	4	7	11
	2030	**2.8**	**5**	**1**	**1**	**2**	**3**	**5**	**7**
	3440	**3.3**	**7**	**1**	**1**	**2**	**4**	**6**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	6	2.0							
18-34	8	3.0							
35-49	61	2.3	2	1	1	2	3	4	5
50-69	176	4.8	9	2	3	4	6	9	11
70 +	110	8.5	185	1	1	3	6	44	47
SUBTOTAL	**362**	**5.4**	**66**	**1**	**2**	**3**	**5**	**10**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	8	6.0							
18-34	8	2.0							
35-49	92	4.2	11	2	3	3	4	6	14
50-69	186	3.6	5	1	2	3	4	8	8
70 +	102	2.4	2	1	1	2	3	5	5
SUBTOTAL	**397**	**3.4**	**6**	**1**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**759**	**4.4**	**36**	**1**	**2**	**3**	**5**	**8**	**11**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	14	2.4							
35-49	90	4.7	20	1	2	3	5	14	14
50-69	462	4.4	15	2	2	3	5	8	13
70 +	284	3.8	12	1	2	3	4	7	14
	850	**4.2**	**15**	**1**	**2**	**3**	**5**	**8**	**14**
0-17	0								
18-34	43	4.3	18	1	2	2	5	14	14
35-49	217	3.3	8	1	1	2	4	7	9
50-69	732	2.9	6	1	1	2	4	6	8
70 +	294	2.6	2	1	1	2	3	5	6
	1286	**3.0**	**6**	**1**	**1**	**2**	**4**	**6**	**8**
	2136	**3.5**	**10**	**1**	**2**	**3**	**4**	**6**	**10**

DRG 16: Nonspecific Cerebrovascular Disorders w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	249	6.8	26	2	3	6	9	13	17
70-74	304	6.6	16	1	4	6	8	11	15
75-79	366	7.3	49	2	3	5	8	14	22
80-84	237	8.8	56	3	4	6	12	16	25
85 +	296	5.8	9	3	4	5	6	9	13
SUBTOTAL	**1453**	**7.0**	**32**	**2**	**4**	**6**	**9**	**13**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1453**	**7.0**	**32**	**2**	**4**	**6**	**9**	**13**	**17**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	74	9.8	74	2	3	9	12	31	31
18-34	27	3.9	2						
35-49	33	7.8	9						
50-69	119	5.8	8	2	3	6	9	10	10
70 +	51	7.1	7	3	5	7	10	11	11
	303	**7.0**	**27**	**3**	**3**	**6**	**9**	**12**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	303	**7.0**	**27**	**3**	**3**	**6**	**9**	**12**	**13**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	29	16.5	536						
18-34	20	5.4	7						
35-49	27	5.5	18						
50-69	20	7.2	2						
70 +	16	5.5	7						
SUBTOTAL	**112**	**8.6**	**161**	**3**	**3**	**5**	**8**	**13**	**57**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**112**	**8.6**	**161**	**3**	**3**	**5**	**8**	**13**	**57**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	20	2.9	3						
18-34	31	16.2	265						
35-49	47	8.0	51	2	3	6	13	24	24
50-69	88	4.5	10	2	3	4	6	14	99 +
70 +	29	7.4	9						
	215	**7.2**	**70**	**2**	**2**	**5**	**8**	**24**	**41**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	215	**7.2**	**70**	**2**	**2**	**5**	**8**	**24**	**41**

DRG 17: Nonspecific Cerebrovascular Disorders w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	61	5.7	9	2	3	6	7	11	11
70-74	100	4.8	46	1	2	3	5	8	30
75-79	166	4.1	7	1	2	4	6	8	9
80-84	108	5.2	23	2	2	3	6	12	19
85 +	106	7.7	154	2	2	4	6	7	50
SUBTOTAL	**542**	**5.3**	**48**	**1**	**2**	**4**	**6**	**8**	**12**
GRAND TOTAL	**542**	**5.3**	**48**	**1**	**2**	**4**	**6**	**8**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	65	5.3	43	1	1	2	5	15	20
18-34	51	1.8	3	< 1	< 1	1	2	6	6
35-49	55	3.4	4	1	2	3	4	8	8
50-69	88	6.5	35	1	3	4	10	14	22
70 +	20	5.9	1						
SUBTOTAL	**280**	**4.7**	**25**	**1**	**1**	**3**	**5**	**13**	**15**
GRAND TOTAL	**280**	**4.7**	**25**	**1**	**1**	**3**	**5**	**13**	**15**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	65	3.0	5	1	1	2	3	8	8
18-34	33	2.3	1						
35-49	37	7.0	14	2	3	7	10	12	12
50-69	61	3.6	18	1	2	2	3	8	16
70 +	6	1.0							
SUBTOTAL	**203**	**3.7**	**12**	**1**	**2**	**3**	**4**	**9**	**12**
GRAND TOTAL	**203**	**3.7**	**12**	**1**	**2**	**3**	**4**	**9**	**12**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	20	1.8	1						
18-34	86	6.1	27	1	3	5	6	17	18
35-49	33	6.3	42						
50-69	41	8.8	98	2	2	3	14	30	30
70 +	14	2.7	2						
SUBTOTAL	**194**	**6.0**	**43**	**1**	**2**	**3**	**6**	**17**	**19**
GRAND TOTAL	**194**	**6.0**	**43**	**1**	**2**	**3**	**6**	**17**	**19**

DRG 18: Cranial & Peripheral Nerve Disorders w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	572	6.9	30	2	4	5	8	14	18
70-74	251	5.8	15	2	3	4	7	11	13
75-79	352	6.6	24	2	3	5	9	13	14
80-84	198	5.8	11	2	3	6	8	10	11
85+	196	8.0	55	3	4	5	9	15	25
SUBTOTAL	**1569**	**6.7**	**27**	**2**	**3**	**5**	**8**	**12**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1569**	**6.7**	**27**	**2**	**3**	**5**	**8**	**12**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	18	7.7	81						
18-34	170	4.9	19	1	2	4	6	12	15
35-49	143	5.0	11	1	2	4	6	10	11
50-69	309	6.4	41	1	2	4	9	14	16
70+	43	6.7	12	1	2	8	10	10	10
	683	**5.8**	**29**	**1**	**2**	**4**	**8**	**12**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	683	**5.8**	**29**	**1**	**2**	**4**	**8**	**12**	**15**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	27	5.1	5						
18-34	63	7.2	66	1	2	4	6	27	27
35-49	78	5.3	20	1	2	4	7	13	15
50-69	143	6.7	20	3	4	6	8	11	15
70+	8	9.0							
SUBTOTAL	**319**	**6.4**	**28**	**2**	**3**	**6**	**7**	**13**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**319**	**6.4**	**28**	**2**	**3**	**6**	**7**	**13**	**16**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	1.0							
18-34	96	7.1	43	1	3	4	8	18	25
35-49	137	6.0	49	1	2	3	6	18	21
50-69	170	5.4	20	2	2	4	6	11	14
70+	6	15.0							
	415	**6.1**	**36**	**1**	**2**	**4**	**7**	**15**	**20**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	415	**6.1**	**36**	**1**	**2**	**4**	**7**	**15**	**20**

DRG 19: Cranial & Peripheral Nerve Disorders w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	317	4.8	14	1	2	4	8	10	14
70-74	153	4.8	9	2	3	4	6	9	10
75-79	206	4.8	20	1	2	3	6	10	16
80-84	88	3.5	10	1	2	2	4	7	13
85+	96	4.9	6	2	2	5	7	8	9
SUBTOTAL	**860**	**4.7**	**14**	**1**	**2**	**4**	**7**	**9**	**12**
GRAND TOTAL	**860**	**4.7**	**14**	**1**	**2**	**4**	**7**	**9**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
0									
0-17	131	6.8	90	1	1	4	7	16	18
18-34	343	3.4	6	1	2	3	4	8	9
35-49	564	3.6	13	<1	1	3	4	7	13
50-69	474	3.6	8	1	1	3	5	8	9
70+	47	6.6	21	2	2	6	11	16	16
1560	**3.9**	**18**	**1**	**1**	**3**	**4**	**8**	**12**	
1560	**3.9**	**18**	**1**	**1**	**3**	**4**	**8**	**12**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	33	6.1	36						
18-34	78	4.5	9	1	2	5	8	8	10
35-49	90	3.5	4	1	2	3	5	6	7
50-69	143	3.9	10	1	2	3	4	8	12
70+	20	2.0	1						
SUBTOTAL	**364**	**4.0**	**11**	**1**	**2**	**3**	**5**	**8**	**12**
GRAND TOTAL	**364**	**4.0**	**11**	**1**	**2**	**3**	**5**	**8**	**12**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
0									
0-17	51	2.9	12	<1	1	1	2	11	11
18-34	280	3.5	8	1	1	2	5	7	9
35-49	303	3.4	24	<1	1	2	4	7	8
50-69	178	1.8	2	1	1	1	2	4	5
70+	43	13.8	201	1	5	9	19	45	45
855	**3.6**	**28**	**1**	**1**	**2**	**4**	**7**	**10**	
855	**3.6**	**28**	**1**	**1**	**2**	**4**	**7**	**10**	

DRG 20: Nervous System Infection except Viral Meningitis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	184	13.8	175	3	4	10	17	37	41
70-74	133	17.1	268	7	9	12	17	36	73
75-79	178	13.6	89	4	6	11	19	30	33
80-84	112	16.0	225	5	6	11	16	41	61
85 +	51	16.8	139	7	9	13	19	42	42
SUBTOTAL	**658**	**15.0**	**178**	**4**	**6**	**10**	**17**	**35**	**41**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	72	8.3	31	1	4	7	13	17	17
70-74	100	5.6	16	1	3	4	9	11	14
75-79	61	3.4	6	1	2	3	4	9	9
80-84	31	6.5	30						
85 +	20	18.5	43						
SUBTOTAL	**284**	**6.8**	**34**	**1**	**2**	**4**	**10**	**14**	**17**
GRAND TOTAL	**942**	**12.5**	**148**	**2**	**5**	**9**	**16**	**28**	**36**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	573	11.8	132	4	8	10	11	15	47
18-34	184	12.0	122	3	5	8	15	31	36
35-49	176	9.3	70	2	3	7	13	21	29
50-69	204	12.0	88	2	5	11	17	25	31
70 +	43	11.9	59	3	6	8	17	26	26
SUBTOTAL	**1180**	**11.5**	**111**	**3**	**6**	**9**	**12**	**21**	**31**
0-17	749	7.6	16	2	4	8	10	12	14
18-34	249	6.7	33	2	3	6	8	11	17
35-49	304	6.1	17	1	2	5	10	13	13
50-69	178	7.4	46	2	3	5	10	13	19
70 +	12	7.0	39						
SUBTOTAL	**1492**	**7.1**	**23**	**2**	**3**	**7**	**10**	**12**	**14**
GRAND TOTAL	**2672**	**9.0**	**67**	**2**	**4**	**8**	**11**	**15**	**21**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	362	12.3	103	6	9	10	11	17	38
18-34	102	12.4	162	2	4	10	13	23	51
35-49	37	14.8	105	4	9	12	15	36	36
50-69	31	14.2	185						
70 +	6	5.0							
SUBTOTAL	**538**	**12.5**	**118**	**4**	**8**	**10**	**12**	**17**	**40**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	417	8.5	17	3	7	9	10	11	15
18-34	96	8.8	46	1	4	9	10	21	26
35-49	49	8.0	11	5	5	7	10	14	14
50-69	39	12.4	96	6	6	7	12	34	34
70 +	6	9.0							
SUBTOTAL	**608**	**8.7**	**27**	**3**	**6**	**9**	**10**	**13**	**16**
GRAND TOTAL	**1146**	**10.5**	**73**	**3**	**7**	**10**	**11**	**15**	**24**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	407	9.4	27	2	7	10	11	16	20
18-34	131	12.8	64	3	10	11	17	32	32
35-49	119	12.2	86	2	4	10	17	31	34
50-69	100	19.3	62	10	14	18	29	31	33
70 +	14	8.0							
SUBTOTAL	**771**	**11.7**	**57**	**3**	**7**	**10**	**16**	**21**	**30**
0-17	515	9.0	34	2	5	10	11	13	18
18-34	268	8.6	74	2	4	6	10	21	32
35-49	106	8.3	28	1	4	8	11	16	19
50-69	72	10.0	85	1	4	7	15	20	34
70 +	12	5.5	2						
SUBTOTAL	**974**	**8.8**	**48**	**2**	**4**	**8**	**11**	**16**	**21**
GRAND TOTAL	**1745**	**10.1**	**54**	**2**	**5**	**10**	**12**	**19**	**29**

DRG 21: Viral Meningitis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	47	5.1	7	2	3	4	7	10	10
70-74	6	10.0							
75-79	16	7.0	1						
80-84	8	3.0							
85 +	0								
SUBTOTAL	**78**	**5.7**	**8**	**2**	**3**	**5**	**8**	**10**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	14	4.7	4						
70-74	0								
75-79	8	5.0							
80-84	12	2.5	2						
85 +	0								
SUBTOTAL	**35**	**4.0**	**4**						
GRAND TOTAL	**112**	**5.1**	**7**	**2**	**3**	**5**	**7**	**10**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	243	3.1	7	1	2	3	3	6	9
18-34	125	4.1	12	1	2	3	5	6	10
35-49	141	4.9	5	2	3	4	7	8	9
50-69	43	7.2	24	2	4	5	14	15	15
70 +	8	2.0							
SUBTOTAL	**560**	**4.1**	**10**	**1**	**2**	**3**	**5**	**8**	**10**
0-17	1246	2.9	2	2	2	3	3	4	5
18-34	965	3.0	4	1	2	3	3	5	7
35-49	407	3.8	6	1	2	3	5	7	10
50-69	69	3.7	2	2	3	4	4	6	6
70 +	0								
SUBTOTAL	**2686**	**3.1**	**4**	**1**	**2**	**3**	**4**	**5**	**7**
GRAND TOTAL	**3247**	**3.3**	**5**	**1**	**2**	**3**	**4**	**5**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	233	3.8	14	2	2	3	4	6	6
18-34	35	4.8	3						
35-49	18	7.0	15						
50-69	6	10.0							
70 +	0								
SUBTOTAL	**293**	**4.3**	**14**	**2**	**3**	**3**	**5**	**7**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	569	3.3	2	2	2	3	4	5	6
18-34	151	3.2	2	2	2	3	4	5	6
35-49	76	5.5	9	2	3	5	7	10	13
50-69	6	5.0							
70 +	0								
SUBTOTAL	**802**	**3.5**	**3**	**2**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**1094**	**3.7**	**6**	**2**	**2**	**3**	**4**	**6**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	168	4.5	16	2	2	3	5	9	9
18-34	143	5.6	22	2	3	4	6	12	15
35-49	27	10.2	76						
50-69	14	14.3	152						
70 +	6	2.0							
SUBTOTAL	**358**	**5.7**	**33**	**2**	**3**	**4**	**6**	**11**	**22**
0-17	896	3.5	6	2	2	3	4	6	8
18-34	704	3.1	5	1	2	2	4	5	7
35-49	166	3.6	4	1	2	3	5	7	7
50-69	39	2.6	1	1	2	3	3	4	4
70 +	0								
SUBTOTAL	**1804**	**3.3**	**5**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**2162**	**3.7**	**11**	**1**	**2**	**3**	**4**	**6**	**9**

DRG 22: Hypertensive Encephalopathy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	259	4.7	27	2	2	3	6	7	13
70-74	121	8.0	44	2	2	5	9	20	22
75-79	184	6.8	45	1	2	5	9	15	24
80-84	112	3.9	6	2	2	3	4	7	11
85+	163	6.2	23	1	2	4	10	13	14
SUBTOTAL	**840**	**5.8**	**31**	**2**	**2**	**4**	**7**	**13**	**18**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	86	4.1	5	2	3	4	4	6	10
70-74	98	3.3	3	1	2	3	4	5	7
75-79	98	2.8	3	1	1	3	4	4	7
80-84	106	3.6	4	2	2	3	5	6	8
85+	41	3.0	2						
SUBTOTAL	**429**	**3.4**	**4**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**1269**	**5.0**	**23**	**1**	**2**	**4**	**6**	**9**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	41	3.2	2						
35-49	65	5.1	4	3	3	5	7	8	9
50-69	110	6.1	45	1	2	4	7	16	29
70+	8	3.0							
SUBTOTAL	**225**	**5.1**	**25**	**2**	**3**	**4**	**6**	**8**	**16**
0-17	0								
18-34	0								
35-49	108	3.2	3	2	2	3	4	6	7
50-69	125	3.1	12	1	1	2	3	8	10
70+	0								
SUBTOTAL	**233**	**3.2**	**8**	**1**	**2**	**2**	**4**	**6**	**8**
GRAND TOTAL	**458**	**4.1**	**17**	**1**	**2**	**3**	**5**	**8**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	14	11.6	59						
35-49	14	14.4	222						
50-69	55	6.3	10	3	4	5	7	13	13
70+	8	9.0							
SUBTOTAL	**92**	**8.6**	**57**	**3**	**4**	**7**	**9**	**18**	**31**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	6	3.0							
35-49	22	2.5	4						
50-69	29	4.6	4						
70+	0								
SUBTOTAL	**57**	**3.6**	**5**	**1**	**2**	**3**	**6**	**7**	**7**
GRAND TOTAL	**149**	**6.7**	**43**	**2**	**3**	**5**	**7**	**13**	**18**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	8	2.0							
35-49	39	4.7	4						
50-69	82	11.2	373	2	3	5	10	17	77
70+	14	7.3	4						
SUBTOTAL	**143**	**8.5**	**224**	**2**	**2**	**5**	**7**	**10**	**17**
0-17	8	1.0							
18-34	20	2.7	1						
35-49	47	3.9	11	1	1	4	6	11	11
50-69	84	2.6	2	1	1	2	3	5	6
70+	8	2.0							
SUBTOTAL	**168**	**2.9**	**5**	**1**	**1**	**2**	**4**	**6**	**6**
GRAND TOTAL	**311**	**5.5**	**114**	**1**	**2**	**3**	**5**	**10**	**11**

DRG 23: Nontraumatic Stupor & Coma

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	39	3.7	9						
70-74	90	5.7	12	2	3	5	7	11	14
75-79	72	5.1	31	1	2	3	6	6	22
80-84	108	5.7	23	1	2	3	9	13	17
85 +	100	5.3	14	1	2	4	9	11	11
SUBTOTAL	**409**	**5.3**	**19**	**1**	**2**	**4**	**8**	**11**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	53	3.0	4	1	1	2	4	7	7
70-74	12	3.5	2						
75-79	33	5.3	6						
80-84	39	2.5	1						
85 +	14	3.6							
SUBTOTAL	**151**	**3.5**	**4**	**1**	**2**	**3**	**4**	**7**	**8**
GRAND TOTAL	**560**	**4.8**	**15**	**1**	**2**	**4**	**7**	**11**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	27	2.2	3						
18-34	0								
35-49	49	2.7	1	2	2	2	3	5	5
50-69	31	7.1	10						
70 +	16	3.0	1						
SUBTOTAL	**123**	**3.7**	**8**	**1**	**2**	**2**	**5**	**9**	**11**
0-17	20	1.0							
18-34	25	1.0							
35-49	22	3.2	9						
50-69	31	3.0	2						
70 +	0								
SUBTOTAL	**98**	**2.1**	**4**	**1**	**1**	**1**	**2**	**5**	**7**
	221	**3.0**	**6**	**1**	**1**	**2**	**4**	**7**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	12	3.5							
18-34	22	5.5	13						
35-49	39	9.7	298	< 1	2	3	3	49	49
50-69	37	3.3	3						
70 +	0								
SUBTOTAL	**110**	**6.0**	**115**	**1**	**2**	**3**	**5**	**11**	**49**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	16	2.0	1						
18-34	16	1.0							
35-49	0								
50-69	8	6.0							
70 +	0								
SUBTOTAL	**41**	**2.4**	**4**						
GRAND TOTAL	**151**	**5.0**	**87**	**1**	**1**	**3**	**4**	**6**	**11**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	14	1.4							
18-34	59	2.3	1	1	1	2	3	4	4
35-49	70	4.2	14	1	2	3	4	13	13
50-69	20	4.4	10						
70 +	14	2.4							
SUBTOTAL	**178**	**3.2**	**8**	**1**	**2**	**2**	**3**	**7**	**9**
0-17	12	2.0	1						
18-34	57	4.3	19	< 1	1	2	7	12	13
35-49	20	1.4							
50-69	16	2.5	2						
70 +	6	2.0							
SUBTOTAL	**112**	**3.1**	**12**	**< 1**	**1**	**2**	**4**	**10**	**12**
	290	**3.2**	**9**	**1**	**1**	**2**	**3**	**7**	**10**

DRG 24: Seizure & Headache Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	2708	5.6	35	2	2	4	7	10	14
70-74	1332	5.1	18	2	2	4	6	10	15
75-79	1304	6.1	38	2	3	4	7	12	15
80-84	1101	6.0	36	2	3	4	7	11	16
85 +	779	6.1	25	2	3	5	7	12	18
SUBTOTAL	**7224**	**5.7**	**32**	**2**	**3**	**4**	**7**	**11**	**15**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**7224**	**5.7**	**32**	**2**	**3**	**4**	**7**	**11**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1003	4.1	54	1	2	2	4	9	12
35-49	1122	3.7	19	1	2	2	5	7	9
50-69	1347	4.4	15	1	2	3	5	9	13
70 +	235	5.0	13	2	3	4	7	10	13
SUBTOTAL	**3707**	**4.2**	**27**	**1**	**2**	**3**	**5**	**8**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3707**	**4.2**	**27**	**1**	**2**	**3**	**5**	**8**	**12**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	738	4.4	20	1	2	3	5	9	15
35-49	792	4.4	26	1	2	3	5	9	12
50-69	708	4.6	13	1	2	4	6	9	12
70 +	47	5.0	9	2	3	4	6	11	11
SUBTOTAL	**2284**	**4.5**	**20**	**1**	**2**	**3**	**6**	**9**	**12**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2284**	**4.5**	**20**	**1**	**2**	**3**	**6**	**9**	**12**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1180	2.9	8	1	1	2	3	6	8
35-49	1348	3.6	11	1	1	3	4	7	9
50-69	765	5.6	36	1	2	4	7	10	16
70 +	147	5.6	39	1	3	4	6	10	10
SUBTOTAL	**3440**	**3.9**	**18**	**1**	**1**	**3**	**5**	**8**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3440**	**3.9**	**18**	**1**	**1**	**3**	**5**	**8**	**10**

DRG 25: Seizure & Headache Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1809	3.7	11	1	2	3	4	8	13
70-74	611	3.5	9	1	2	2	4	7	8
75-79	507	3.7	8	1	2	3	5	6	10
80-84	462	3.7	5	1	2	3	5	6	9
85+	237	4.7	44	1	2	3	5	9	11
SUBTOTAL	3625	3.7	12	1	2	3	4	7	10
GRAND TOTAL	3625	3.7	12	1	2	3	4	7	10

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
0-17	0								
18-34	3198	2.8	8	1	1	2	3	6	8
35-49	2734	2.6	4	1	1	2	3	5	7
50-69	1620	2.4	4	1	1	2	3	5	6
70+	125	3.1	4	1	1	2	4	6	7
SUBTOTAL	7678	2.6	5	1	1	2	3	5	7
GRAND TOTAL	7678	2.6	5	1	1	2	3	5	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	1642	3.2	6	1	1	2	4	6	9
35-49	734	3.9	15	1	2	3	5	7	10
50-69	391	4.2	29	1	2	3	4	7	12
70+	78	2.2	1	1	1	2	3	4	5
SUBTOTAL	2845	3.5	11	1	2	2	5	7	9
GRAND TOTAL	2845	3.5	11	1	2	2	5	7	9

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
0-17	0								
18-34	2935	2.4	3	1	1	2	3	5	6
35-49	1569	2.6	4	1	1	2	3	5	6
50-69	791	2.8	6	1	1	2	3	7	9
70+	86	3.2	2	1	2	3	4	5	6
SUBTOTAL	5381	2.5	4	1	1	2	3	5	7
GRAND TOTAL	5381	2.5	4	1	1	2	3	5	7

DRG 26: Seizure & Headache Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	8	1.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**8**	**1.0**							
GRAND TOTAL	**8**	**1.0**							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1065	3.2	26	1	1	2	3	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1065**	**3.2**	**26**	**1**	**1**	**2**	**3**	**6**	**8**
0-17	5333	2.3	10	1	1	2	2	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**5333**	**2.3**	**10**	**1**	**1**	**2**	**2**	**4**	**5**
	6398	**2.4**	**12**	**1**	**1**	**2**	**2**	**4**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	951	4.4	20	1	2	3	4	9	14
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**951**	**4.4**	**20**	**1**	**2**	**3**	**4**	**9**	**14**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	2741	2.5	7	1	1	2	3	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**2741**	**2.5**	**7**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**3692**	**3.0**	**11**	**1**	**1**	**2**	**3**	**5**	**8**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	499	3.7	113	1	1	2	3	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**499**	**3.7**	**113**	**1**	**1**	**2**	**3**	**5**	**7**
0-17	2160	2.2	3	1	1	2	3	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**2160**	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
	2659	**2.4**	**24**	**1**	**1**	**2**	**3**	**4**	**6**

DRG 27: Traumatic Stupor & Coma, Coma >1 Hr

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	94	4.7	15	2	2	4	5	7	16
70-74	0								
75-79	37	20.2	87						
80-84	25	7.7	10						
85 +	37	10.5	22						
SUBTOTAL	**192**	**9.2**	**63**	**2**	**4**	**7**	**12**	**22**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	8	3.0							
70-74	0								
75-79	0								
80-84	0								
85 +	8	5.0							
SUBTOTAL	**16**	**4.0**	**1**						
GRAND TOTAL	**208**	**8.8**	**60**	**2**	**3**	**6**	**12**	**22**	**26**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	78	16.0	239	2	5	15	26	27	58
18-34	143	9.7	263	2	2	4	9	70	99 +
35-49	59	12.2	135	3	4	5	14	38	38
50-69	47	10.7	61	1	2	10	20	24	24
70 +	0								
	327	**11.8**	**210**	**2**	**3**	**5**	**16**	**31**	**58**
0-17	215	5.9	109	1	1	2	7	14	60
18-34	243	5.3	128	1	1	2	5	9	11
35-49	100	6.4	52	2	3	5	6	10	29
50-69	61	3.7	11	< 1	1	2	8	10	10
70 +	0								
	619	**5.5**	**98**	**1**	**1**	**2**	**6**	**11**	**23**
	947	**7.7**	**145**	**1**	**2**	**3**	**9**	**20**	**38**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	20	9.7	1						
18-34	41	6.3	57	< 1	< 1	3	22	99 +	99 +
35-49	57	21.6	246	1	3	23	37	39	39
50-69	14	14.6	45						
70 +	8	6.0							
SUBTOTAL	**141**	**13.8**	**167**	**1**	**3**	**10**	**23**	**38**	**39**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	141	3.1	8	1	1	2	3	6	7
18-34	98	9.6	85	2	3	5	17	19	32
35-49	41	14.1	366	1	1	3	24	54	54
50-69	12	14.5							
70 +	0								
SUBTOTAL	**293**	**7.3**	**101**	**1**	**2**	**3**	**8**	**19**	**25**
GRAND TOTAL	**434**	**9.4**	**131**	**1**	**2**	**4**	**14**	**32**	**37**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	68	11.2	80	2	6	10	14	99 +	99 +
18-34	203	10.1	290	1	1	5	11	26	28
35-49	153	12.7	420	1	2	5	15	29	88
50-69	72	11.6	46	2	4	15	19	76	99 +
70 +	6	14.0							
	501	**11.3**	**263**	**1**	**2**	**6**	**15**	**29**	**85**
0-17	340	3.2	14	1	1	2	4	6	12
18-34	591	4.8	78	1	2	3	6	7	12
35-49	135	6.1	67	1	2	3	5	28	29
50-69	74	6.0	40	1	2	3	7	20	20
70 +	6	5.0							
	1146	**4.5**	**56**	**1**	**1**	**3**	**5**	**8**	**16**
	1647	**6.6**	**129**	**1**	**2**	**3**	**6**	**16**	**26**

DRG 28: Traumatic Stupor & Coma, Coma <1 Hr Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	178	7.6	56	1	3	4	9	19	24
70-74	149	5.5	43	1	2	4	6	10	10
75-79	106	8.6	52	2	3	6	13	22	26
80-84	196	5.5	17	1	2	4	9	11	12
85 +	223	8.3	20	3	5	8	12	14	17
SUBTOTAL	**852**	**7.0**	**36**	**1**	**3**	**5**	**10**	**14**	**19**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**852**	**7.0**	**36**	**1**	**3**	**5**	**10**	**14**	**19**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	554	4.4	18	1	1	3	6	9	11
35-49	174	5.7	47	1	2	3	7	14	23
50-69	178	8.2	110	1	2	3	10	17	33
70 +	119	6.5	23	1	2	6	8	16	17
SUBTOTAL	**1024**	**5.5**	**41**	**1**	**1**	**3**	**7**	**12**	**17**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
1024	**5.5**	**41**	**1**	**1**	**3**	**7**	**12**	**17**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	184	7.2	81	1	1	3	6	25	27
35-49	139	4.1	12	1	2	3	5	7	8
50-69	53	9.6	116	<1	3	4	10	35	35
70 +	18	28.0	386						
SUBTOTAL	**395**	**7.4**	**99**	**1**	**2**	**4**	**7**	**24**	**34**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**395**	**7.4**	**99**	**1**	**2**	**4**	**7**	**24**	**34**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	875	4.0	22	1	1	2	4	9	16
35-49	358	3.7	18	<1	1	3	4	6	14
50-69	82	9.7	51	2	4	8	13	21	23
70 +	59	4.2	7	1	3	3	6	9	9
SUBTOTAL	**1374**	**4.2**	**24**	**1**	**1**	**2**	**5**	**10**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
1374	**4.2**	**24**	**1**	**1**	**2**	**5**	**10**	**16**	

DRG 29: Traumatic Stupor & Coma, Coma <1 Hr Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	147	3.7	8	1	2	2	5	8	9
70-74	92	4.1	14	1	1	2	6	11	11
75-79	71	2.5	3	1	1	2	3	6	6
80-84	78	5.4	18	2	2	5	8	9	17
85 +	104	3.2	5	1	1	4	4	5	9
SUBTOTAL	**493**	**3.8**	**10**	**1**	**1**	**3**	**5**	**9**	**10**
GRAND TOTAL	**493**	**3.8**	**10**	**1**	**1**	**3**	**5**	**9**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	0								
18-34	1231	3.4	53	1	1	2	3	6	10
35-49	533	3.1	13	1	1	2	3	6	10
50-69	317	3.1	6	1	1	2	5	7	8
70 +	98	5.2	20	1	2	4	6	15	15
SUBTOTAL	**2179**	**3.3**	**35**	**1**	**1**	**2**	**3**	**7**	**10**
GRAND TOTAL	**2179**	**3.3**	**35**	**1**	**1**	**2**	**3**	**7**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	383	4.4	111	1	1	2	3	7	11
35-49	117	4.0	18	1	1	2	8	11	14
50-69	51	1.5		<1	1	1	2	3	3
70 +	20	6.8	32						
SUBTOTAL	**571**	**4.1**	**80**	**1**	**1**	**2**	**3**	**9**	**12**
GRAND TOTAL	**571**	**4.1**	**80**	**1**	**1**	**2**	**3**	**9**	**12**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	0								
18-34	1839	3.5	15	1	1	2	4	8	12
35-49	614	3.3	11	1	1	2	4	7	10
50-69	223	3.5	9	1	1	2	5	9	9
70 +	25	3.0	3						
SUBTOTAL	**2700**	**3.5**	**13**	**1**	**1**	**2**	**4**	**8**	**11**
GRAND TOTAL	**2700**	**3.5**	**13**	**1**	**1**	**2**	**4**	**8**	**11**

DRG 30: Traumatic Stupor & Coma, Coma <1 Hr Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	14	5.0	13						
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	14	5.0	13						
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
GRAND TOTAL	14	5.0	13						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	472	3.1	9	1	1	2	4	6	9
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	472	3.1	9	1	1	2	4	6	9
0-17	3143	2.1	19	1	1	1	2	4	5
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	3143	2.1	19	1	1	1	2	4	5
	3615	2.3	18	1	1	1	2	4	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	254	6.0	39	1	1	3	9	16	21
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	254	6.0	39	1	1	3	9	16	21
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	1276	2.0	5	<1	1	1	2	4	6
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	1276	2.0	5	<1	1	1	2	4	6
GRAND TOTAL	1530	2.7	13	<1	1	1	2	6	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	252	3.6	17	1	1	2	4	11	15
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	252	3.6	17	1	1	2	4	11	15
0-17	1986	2.6	52	1	1	1	2	4	6
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	1986	2.6	52	1	1	1	2	4	6
	2238	2.7	48	1	1	1	2	4	8

DRG 31: Concussion Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	147	2.8	3	1	1	2	3	6	7
70-74	110	3.4	10	1	1	3	4	6	13
75-79	86	4.5	8	2	2	4	5	8	12
80-84	88	3.0	3	1	2	3	3	5	7
85 +	155	6.8	19	1	2	7	10	10	16
SUBTOTAL	**586**	**4.3**	**12**	**1**	**2**	**3**	**6**	**10**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**586**	**4.3**	**12**	**1**	**2**	**3**	**6**	**10**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	433	2.7	8	1	1	2	3	5	12
35-49	208	3.0	5	1	1	2	4	5	8
50-69	243	3.0	7	1	1	2	5	7	10
70 +	41	5.4	10	2	2	4	9	9	9
SUBTOTAL	**925**	**3.0**	**7**	**1**	**1**	**2**	**4**	**6**	**9**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
GRAND TOTAL	**925**	**3.0**	**7**	**1**	**1**	**2**	**4**	**6**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	49	8.2	257	1	1	2	5	50	50
35-49	53	2.8	4	1	1	3	3	7	7
50-69	20	2.9	1						
70 +	8	10.0							
SUBTOTAL	**131**	**5.3**	**105**	**1**	**2**	**2**	**4**	**10**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**131**	**5.3**	**105**	**1**	**2**	**2**	**4**	**10**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	562	2.7	10	1	1	2	4	5	6
35-49	278	2.3	3	1	1	1	3	5	6
50-69	108	2.5	2	1	1	3	3	5	5
70 +	8	2.0							
SUBTOTAL	**956**	**2.6**	**7**	**1**	**1**	**2**	**3**	**5**	**6**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
GRAND TOTAL	**956**	**2.6**	**7**	**1**	**1**	**2**	**3**	**5**	**6**

DRG 32: Concussion Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	188	3.9	68	1	1	2	3	4	5
70-74	110	2.6	4	1	1	2	4	7	7
75-79	63	2.0	1	1	1	2	2	3	5
80-84	94	3.1	5	1	1	2	4	5	9
85 +	100	5.2	30	1	2	3	6	8	22
SUBTOTAL	**556**	**3.5**	**31**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**556**	**3.5**	**31**	**1**	**1**	**2**	**4**	**6**	**8**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	0								
18-34	1506	1.7	1	1	1	1	2	3	4
35-49	713	1.9	2	1	1	1	2	4	4
50-69	310	2.3	5	1	1	2	3	4	6
70 +	94	2.1	1	1	1	2	3	4	4
SUBTOTAL	**2623**	**1.8**	**2**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**2623**	**1.8**	**2**	**1**	**1**	**1**	**2**	**3**	**4**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	135	2.7	4	1	1	2	4	6	6
35-49	63	1.7	1	1	1	1	2	3	4
50-69	8	2.0							
70 +	0								
SUBTOTAL	**206**	**2.4**	**3**	**1**	**1**	**2**	**3**	**6**	**6**
GRAND TOTAL	**206**	**2.4**	**3**	**1**	**1**	**2**	**3**	**6**	**6**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	0								
18-34	1193	1.7	2	<1	1	1	2	3	3
35-49	347	1.7	2	1	1	1	2	3	4
50-69	131	2.2	3	1	1	1	4	5	6
70 +	16	2.0	1						
SUBTOTAL	**1688**	**1.7**	**2**	**<1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**1688**	**1.7**	**2**	**<1**	**1**	**1**	**2**	**3**	**4**

DRG 33: Concussion Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	8	1.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**8**	**1.0**							
GRAND TOTAL	**8**	**1.0**							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	505	2.3	12	1	1	1	2	3	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**505**	**2.3**	**12**	**1**	**1**	**1**	**2**	**3**	**7**
0-17	3272	1.2		1	1	1	1	2	2
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**3272**	**1.2**		**1**	**1**	**1**	**1**	**2**	**2**
GRAND TOTAL	**3777**	**1.4**	**2**	**1**	**1**	**1**	**1**	**2**	**3**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	180	1.9	3	1	1	1	2	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**180**	**1.9**	**3**	**1**	**1**	**1**	**2**	**5**	**6**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	976	1.3		1	1	1	1	2	2
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**976**	**1.3**		**1**	**1**	**1**	**1**	**2**	**2**
GRAND TOTAL	**1156**	**1.4**	**1**	**1**	**1**	**1**	**2**	**2**	**3**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	164	1.8	2	1	1	1	2	4	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**164**	**1.8**	**2**	**1**	**1**	**1**	**2**	**4**	**4**
0-17	1385	1.5	1	1	1	1	2	2	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1385**	**1.5**	**1**	**1**	**1**	**1**	**2**	**2**	**4**
GRAND TOTAL	**1549**	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**4**

DRG 34: Other Disorders of Nervous System w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	554	6.6	58	1	3	6	8	12	14
70-74	333	5.3	13	2	3	4	7	9	11
75-79	450	6.4	22	2	3	5	9	12	18
80-84	241	5.6	16	1	3	4	9	11	14
85 +	219	5.3	11	2	3	4	7	9	11
SUBTOTAL	**1797**	**6.0**	**30**	**2**	**3**	**5**	**8**	**11**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1797**	**6.0**	**30**	**2**	**3**	**5**	**8**	**11**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	264	2.6	4	1	1	2	3	5	6
18-34	157	8.5	443	1	1	2	5	11	75
35-49	257	5.3	25	1	2	4	7	12	16
50-69	339	6.6	121	1	2	3	6	14	18
70 +	49	7.0	19	3	4	5	11	16	16
	1067	**5.6**	**115**	**1**	**2**	**3**	**5**	**11**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1067	**5.6**	**115**	**1**	**2**	**3**	**5**	**11**	**15**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	227	7.4	182	1	2	3	5	23	25
18-34	135	2.9	3	1	2	2	4	6	7
35-49	80	7.2	60	1	2	5	8	13	30
50-69	155	6.6	36	2	2	5	6	18	21
70 +	6	4.0							
SUBTOTAL	**603**	**6.1**	**89**	**1**	**2**	**3**	**6**	**15**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**603**	**6.1**	**89**	**1**	**2**	**3**	**6**	**15**	**23**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	110	3.1	2	1	2	3	4	5	7
18-34	194	3.6	11	1	1	2	5	8	9
35-49	104	6.2	28	1	2	4	9	16	17
50-69	74	7.4	35	2	4	6	9	15	22
70 +	39	6.3	38	2	2	2	13	17	17
	522	**4.7**	**21**	**1**	**2**	**3**	**6**	**13**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	522	**4.7**	**21**	**1**	**2**	**3**	**6**	**13**	**15**

DRG 35: Other Disorders of Nervous System w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	192	4.7	15	1	2	3	6	11	13
70-74	108	2.6	2	1	2	2	4	4	5
75-79	112	3.7	12	1	1	2	5	12	13
80-84	104	5.1	13	2	2	4	8	12	12
85 +	119	5.3	9	2	3	5	7	10	12
SUBTOTAL	**636**	**4.4**	**11**	**1**	**2**	**3**	**6**	**8**	**12**
GRAND TOTAL	**636**	**4.4**	**11**	**1**	**2**	**3**	**6**	**8**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	561	3.5	41	1	1	2	3	6	9
18-34	206	4.0	21	1	2	2	5	8	10
35-49	286	3.1	5	1	1	3	4	6	7
50-69	184	2.7	5	1	1	2	4	5	8
70 +	12	2.0	1						
	1249	**3.3**	**24**	**1**	**1**	**2**	**4**	**6**	**8**
	1249	**3.3**	**24**	**1**	**1**	**2**	**4**	**6**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	252	4.5	77	1	1	2	4	6	19
18-34	219	3.9	11	1	1	3	5	8	12
35-49	86	3.5	11	1	2	2	4	7	13
50-69	51	7.5	48	2	4	4	7	25	25
70 +	0								
SUBTOTAL	**608**	**4.4**	**42**	**1**	**1**	**2**	**5**	**8**	**13**
GRAND TOTAL	**608**	**4.4**	**42**	**1**	**1**	**2**	**5**	**8**	**13**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	229	2.4	5	< 1	1	1	3	4	10
18-34	248	3.6	25	1	2	2	3	7	8
35-49	198	3.3	5	1	2	3	4	8	8
50-69	147	3.9	9	1	1	3	5	8	12
70 +	16	3.0	4						
	839	**3.2**	**12**	**1**	**1**	**2**	**4**	**7**	**8**
	839	**3.2**	**12**	**1**	**1**	**2**	**4**	**7**	**8**

DRG 36: Retinal Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	385	2.8	3	1	1	2	3	5	7
70-74	266	3.0	3	1	2	3	3	6	6
75-79	260	3.3	6	1	2	3	4	5	7
80-84	106	2.8	2	1	2	3	3	5	6
85 +	82	4.3	12	2	2	3	4	9	14
SUBTOTAL	**1098**	**3.1**	**5**	**1**	**2**	**3**	**4**	**5**	**7**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1031	2.1	1	1	1	2	3	3	4
70-74	701	2.0	1	1	1	2	3	3	4
75-79	581	2.0	2	1	1	2	2	4	4
80-84	258	2.1	2	1	1	2	3	4	4
85 +	119	2.2	1	1	2	2	3	3	4
SUBTOTAL	**2689**	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**4**
GRAND TOTAL	**3788**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	27	1.9	1						
18-34	110	4.0	8	2	2	3	5	7	14
35-49	176	2.2	1	1	1	2	3	4	5
50-69	354	2.3	2	1	1	2	3	4	5
70 +	18	2.7	2						
	686	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**5**
0-17	137	1.9	1	1	1	2	3	4	4
18-34	399	2.0	1	1	1	2	3	3	4
35-49	810	2.2	1	1	1	2	3	4	5
50-69	1475	2.0	1	1	1	2	3	3	4
70 +	102	1.8		1	1	2	2	3	3
	2923	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**4**
	3609	**2.1**	**2**	**1**	**1**	**2**	**3**	**4**	**4**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	6	1.0							
18-34	45	2.6	3	1	1	3	3	6	6
35-49	31	4.8	19						
50-69	57	2.4	2	1	2	2	3	5	6
70 +	0								
SUBTOTAL	**139**	**3.0**	**7**	**1**	**1**	**2**	**3**	**6**	**6**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	180	2.6	5	1	1	2	3	5	5
18-34	221	2.1	3	1	1	1	3	4	5
35-49	104	1.7	1	1	1	1	2	3	3
50-69	149	1.7	1	1	1	2	2	3	3
70 +	39	2.4	5	1	1	1	3	7	7
SUBTOTAL	**693**	**2.1**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**833**	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	12	11.0	109						
18-34	47	2.1		1	2	2	3	3	3
35-49	20	1.9	1						
50-69	274	2.6	17	1	1	2	3	4	6
70 +	45	1.7	1	< 1	1	1	2	4	4
	399	**2.6**	**17**	**1**	**1**	**2**	**3**	**4**	**6**
0-17	98	2.7	5	1	1	2	3	6	9
18-34	522	2.3	2	1	1	2	3	5	5
35-49	417	1.9	4	1	1	1	2	3	5
50-69	732	1.9	2	1	1	2	2	3	4
70 +	63	2.5	3	1	1	2	3	5	7
	1833	**2.1**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
	2232	**2.2**	**5**	**1**	**1**	**2**	**3**	**4**	**5**

DRG 37: Orbital Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	55	7.6	34	1	4	7	9	21	21
70-74	12	4.5	2						
75-79	6	2.0							
80-84	27	8.6	53						
85 +	6	1.0							
SUBTOTAL	**106**	**6.8**	**36**	**1**	**2**	**6**	**9**	**19**	**21**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	55	2.1	4	1	1	1	2	7	7
70-74	20	3.3	1						
75-79	49	4.8	5	2	3	4	6	10	10
80-84	14	2.7	2						
85 +	45	3.9	10	< 1	1	2	8	9	9
SUBTOTAL	**184**	**3.5**	**6**	**1**	**1**	**3**	**5**	**8**	**9**
GRAND TOTAL	**290**	**4.7**	**20**	**1**	**2**	**3**	**6**	**9**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	35	5.9	12						
18-34	45	3.2	5	< 1	1	3	4	7	7
35-49	31	3.4	6						
50-69	29	5.6	23						
70 +	12	3.0	4						
SUBTOTAL	**151**	**4.3**	**12**	**1**	**2**	**4**	**5**	**12**	**13**
0-17	182	2.3	3	1	1	2	3	5	6
18-34	155	2.4	3	1	1	2	3	5	6
35-49	143	1.9	1	1	1	2	2	4	4
50-69	88	2.3	3	1	1	2	2	3	8
70 +	8	4.0							
SUBTOTAL	**577**	**2.3**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**728**	**2.7**	**5**	**1**	**1**	**2**	**4**	**5**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	31	7.6	9						
18-34	18	13.0	35						
35-49	12	2.5	2						
50-69	37	5.2	16	2	2	3	9	12	12
70 +	18	5.7	7						
SUBTOTAL	**117**	**6.8**	**23**	**2**	**3**	**6**	**10**	**13**	**18**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	145	4.6	12	1	2	4	5	8	14
18-34	117	3.0	3	1	1	3	4	6	6
35-49	49	8.0	21	2	4	8	10	17	17
50-69	43	2.7	3	1	1	3	4	5	5
70 +	18	1.0							
SUBTOTAL	**373**	**4.1**	**12**	**1**	**2**	**4**	**5**	**9**	**13**
GRAND TOTAL	**489**	**4.8**	**16**	**1**	**2**	**4**	**6**	**11**	**13**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	5.0							
18-34	63	8.0	31	2	4	5	10	17	20
35-49	51	9.9	63	2	5	8	8	28	28
50-69	25	9.3	63						
70 +	0								
SUBTOTAL	**145**	**8.8**	**47**	**2**	**4**	**8**	**10**	**20**	**22**
0-17	166	4.1	13	1	1	3	6	11	12
18-34	383	4.8	24	1	2	4	5	9	12
35-49	88	4.0	5	2	2	4	5	6	10
50-69	74	4.5	6	1	3	5	6	8	9
70 +	0								
SUBTOTAL	**710**	**4.5**	**17**	**1**	**2**	**4**	**5**	**9**	**12**
GRAND TOTAL	**856**	**5.2**	**25**	**1**	**2**	**4**	**6**	**10**	**16**

DRG 38: Primary Iris Procedures

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	6	4.0							
70-74	0								
75-79	6	28.0							
80-84	0								
85 +	8	3.0							
SUBTOTAL	**20**	**10.8**	134						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	14	1.9	1						
70-74	14	3.0							
75-79	0								
80-84	6	3.0							
85 +	6	6.0							
SUBTOTAL	**41**	**3.1**	2	< 1	3	3	3	6	6
GRAND TOTAL	**61**	**5.6**	58	< 1	3	3	4	15	28

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	14	4.7	4						
35-49	6	2.0							
50-69	6	2.0							
70 +	0								
SUBTOTAL	**27**	**3.5**	4						
0-17	6	1.0							
18-34	0								
35-49	14	1.4							
50-69	0								
70 +	0								
SUBTOTAL	**20**	**1.3**							
GRAND TOTAL	**47**	**2.5**	4	< 1	1	2	3	7	7

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	14	2.9	1						
35-49	0								
50-69	6	14.0							
70 +	0								
SUBTOTAL	**20**	**6.2**	28						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	12	1.0							
18-34	6	2.0							
35-49	6	4.0							
50-69	25	2.3	2						
70 +	0								
SUBTOTAL	**49**	**2.1**	2	1	1	1	3	4	4
GRAND TOTAL	**70**	**3.3**	13	1	1	2	4	4	14

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	20	1.6							
70 +	0								
SUBTOTAL	**20**	**1.6**							
0-17	0								
18-34	12	1.5							
35-49	6	4.0							
50-69	25	1.5							
70 +	14	1.6							
SUBTOTAL	**57**	**1.8**	1	1	1	2	2	3	4
GRAND TOTAL	**78**	**1.7**	1	1	1	2	2	2	4

DRG 39: Lens Procedures with or without Vitrectomy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	106	2.9	11	<1	1	2	3	4	14
70-74	90	1.8	1	<1	<1	1	2	3	5
75-79	100	2.9	9	<1	1	2	2	8	11
80-84	67	1.3	1	<1	<1	1	1	1	4
85 +	53	2.4	12	<1	<1	1	2	12	12
SUBTOTAL	**417**	**2.3**	**7**	**<1**	**<1**	**1**	**2**	**4**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	331	1.3	1	<1	<1	<1	<1	2	3
70-74	384	1.0		<1	<1	<1	<1	<1	1
75-79	511	1.2	1	<1	<1	<1	<1	1	1
80-84	374	1.1		<1	<1	<1	<1	1	1
85 +	335	1.1		<1	<1	<1	<1	1	2
SUBTOTAL	**1934**	**1.1**	**1**	**<1**	**<1**	**<1**	**<1**	**1**	**2**
GRAND TOTAL	**2351**	**1.4**	**2**	**<1**	**<1**	**<1**	**<1**	**2**	**3**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	8	5.0							
50-69	55	1.4		<1	1	1	2	2	2
70 +	6	2.0							
SUBTOTAL	**69**	**1.9**	**2**	**<1**	**1**	**2**	**2**	**5**	**5**
0-17	104	1.0		<1	<1	1	1	1	1
18-34	27	2.2	1						
35-49	55	1.4		<1	<1	<1	1	3	3
50-69	249	1.2		<1	<1	<1	<1	2	3
70 +	49	1.6	2	<1	<1	<1	1	5	5
SUBTOTAL	**484**	**1.3**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**3**
	554	**1.3**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**3**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	6	1.0							
18-34	6	2.0							
35-49	0								
50-69	47	9.6	310	<1	1	2	10	54	54
70 +	0								
SUBTOTAL	**59**	**7.9**	**256**	**<1**	**1**	**2**	**3**	**41**	**54**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	27	1.3							
18-34	20	1.6	1						
35-49	12	2.5							
50-69	47	2.6	4	<1	<1	2	4	7	7
70 +	6	3.0							
SUBTOTAL	**113**	**2.1**	**2**	**<1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**172**	**4.1**	**97**	**<1**	**1**	**2**	**3**	**7**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	6	1.0							
35-49	0								
50-69	20	3.1	7						
70 +	0								
SUBTOTAL	**27**	**2.6**	**6**						
0-17	25	1.3							
18-34	39	2.8	2	1	2	2	5	5	5
35-49	18	2.3							
50-69	86	3.3	15	<1	<1	1	3	9	14
70 +	29	1.2							
SUBTOTAL	**196**	**2.5**	**8**	**<1**	**1**	**2**	**2**	**5**	**9**
	223	**2.6**	**7**	**<1**	**1**	**2**	**2**	**7**	**9**

DRG 40: Extraocular Procedures except Orbit Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	29	6.5	31						
70-74	20	2.5	2						
75-79	18	3.3	2						
80-84	14	7.3	26						
85 +	6	16.0							
SUBTOTAL	88	5.7	26	1	2	3	10	15	16
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	78	1.7	1	<1	1	2	2	3	3
70-74	35	1.2							
75-79	82	1.2		<1	<1	1	1	2	2
80-84	29	1.4	1						
85 +	45	1.0		<1	1	1	1	1	1
SUBTOTAL	268	1.3		<1	<1	1	1	2	3
GRAND TOTAL	356	2.4	10	<1	<1	1	2	4	12

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	53	4.3	14	1	1	2	9	10	10
35-49	8	3.0							
50-69	22	4.1	10						
70 +	6	4.0							
SUBTOTAL	90	4.1	11	1	1	3	8	9	10
0-17	0								
18-34	119	1.9	3	<1	1	1	2	5	7
35-49	110	1.3		<1	<1	1	2	2	2
50-69	141	1.7	1	<1	1	1	2	4	4
70 +	12	1.5							
SUBTOTAL	382	1.6	2	<1	1	1	2	3	5
GRAND TOTAL	472	2.1	4	<1	1	1	2	5	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	18	2.7	3						
35-49	27	7.5	10						
50-69	6	12.0							
70 +	12	2.5	2						
SUBTOTAL	63	5.6	15	1	2	5	7	12	13
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	45	2.1	2	1	1	1	3	5	5
35-49	43	4.3	6	1	1	4	7	8	8
50-69	43	9.6	242	1	2	3	6	47	47
70 +	0								
SUBTOTAL	131	5.3	91	1	1	3	5	7	8
GRAND TOTAL	194	5.4	66	1	1	4	5	8	13

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	61	2.1	2	<1	1	2	2	5	5
35-49	37	6.0	91						
50-69	12	4.0	4						
70 +	6	30.0							
SUBTOTAL	117	5.0	68	1	1	2	3	25	29
0-17	0								
18-34	174	3.5	34	<1	1	2	4	8	9
35-49	72	3.8	10	1	1	3	5	7	12
50-69	100	3.7	25	<1	1	1	3	13	19
70 +	6	2.0							
SUBTOTAL	352	3.6	26	<1	1	2	4	8	13
GRAND TOTAL	469	3.9	37	1	1	2	4	8	19

DRG 41: Extraocular Procedures except Orbit Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	47	1.9	1	1	1	1	3	4	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**47**	**1.9**	**1**	**1**	**1**	**1**	**3**	**4**	**4**
0-17	1570	1.1		< 1	< 1	< 1	< 1	1	1
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1570**	**1.1**		**< 1**	**< 1**	**< 1**	**< 1**	**1**	**1**
GRAND TOTAL	**1617**	**1.1**		**< 1**	**< 1**	**< 1**	**< 1**	**1**	**1**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	20	2.4	1						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**20**	**2.4**	**1**						
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	643	1.2	1	< 1	< 1	< 1	< 1	1	2
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**643**	**1.2**	**1**	**< 1**	**< 1**	**< 1**	**< 1**	**1**	**2**
GRAND TOTAL	**663**	**1.2**	**1**	**< 1**	**< 1**	**< 1**	**< 1**	**1**	**3**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	45	4.0	13	1	1	3	5	11	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**45**	**4.0**	**13**	**1**	**1**	**3**	**5**	**11**	**11**
0-17	254	1.1		< 1	< 1	< 1	1	2	2
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**254**	**1.1**		**< 1**	**< 1**	**< 1**	**1**	**2**	**2**
GRAND TOTAL	**299**	**1.5**	**3**	**< 1**	**< 1**	**< 1**	**1**	**2**	**5**

DRG 42: Intraocular Procedures except Retina, Iris & Lens

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	162	3.0	5	1	2	2	3	8	8
70-74	217	3.1	8	1	1	2	3	6	12
75-79	227	3.4	11	1	1	3	4	8	13
80-84	157	3.1	3	1	2	2	4	6	7
85 +	61	1.7		1	1	2	2	3	3
SUBTOTAL	**824**	**3.1**	**7**	**1**	**2**	**2**	**3**	**6**	**8**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	478	2.8	6	1	1	2	3	6	8
70-74	368	2.3	2	1	1	2	3	5	5
75-79	452	2.2	2	1	1	2	2	3	5
80-84	366	1.9	2	< 1	1	2	2	3	6
85 +	223	2.2	3	1	1	2	2	3	6
SUBTOTAL	**1886**	**2.3**	**3**	**1**	**1**	**2**	**2**	**5**	**6**
GRAND TOTAL	**2710**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	14	1.9	1						
18-34	41	3.3	12	1	1	2	4	11	11
35-49	68	4.0	20	1	2	2	3	7	17
50-69	141	2.4	1	1	2	2	3	4	4
70 +	70	2.2		2	2	2	3	3	3
SUBTOTAL	**333**	**2.7**	**6**	**1**	**2**	**2**	**3**	**4**	**7**
0-17	235	2.3	3	< 1	1	2	3	5	6
18-34	200	1.8		1	1	2	2	2	3
35-49	304	2.2	1	1	2	2	2	4	4
50-69	235	2.0	1	1	1	2	2	3	4
70 +	96	1.9		1	2	2	2	2	3
SUBTOTAL	**1071**	**2.1**	**1**	**1**	**1**	**2**	**2**	**3**	**5**
	1404	**2.2**	**3**	**1**	**1**	**2**	**2**	**4**	**5**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	14	7.0	13						
18-34	47	1.8		1	1	2	2	99 +	99 +
35-49	43	3.3	5	1	2	2	5	8	8
50-69	65	5.1	38	1	1	3	4	17	19
70 +	12	8.5	33						
SUBTOTAL	**182**	**4.2**	**22**	**1**	**2**	**2**	**4**	**14**	**19**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	153	3.6	7	1	1	3	5	7	10
18-34	209	3.2	7	1	1	2	5	7	7
35-49	102	3.3	9	1	2	2	3	8	13
50-69	111	3.2	13	1	1	2	3	10	15
70 +	49	3.0	12	1	1	2	3	12	12
SUBTOTAL	**624**	**3.3**	**9**	**1**	**1**	**2**	**4**	**7**	**10**
GRAND TOTAL	**806**	**3.5**	**12**	**1**	**1**	**2**	**4**	**8**	**12**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	1.0							
18-34	53	2.5	5	1	1	1	3	8	8
35-49	12	5.0	1						
50-69	98	1.9	3	1	1	1	2	5	7
70 +	25	8.8	70						
SUBTOTAL	**194**	**3.1**	**17**	**1**	**1**	**1**	**4**	**7**	**9**
0-17	147	3.1	17	1	1	2	3	6	8
18-34	346	2.3	5	1	1	1	3	5	9
35-49	182	2.8	8	1	1	2	3	6	11
50-69	325	3.1	40	1	1	1	2	4	11
70 +	43	3.4	6	1	1	3	6	8	8
SUBTOTAL	**1043**	**2.8**	**18**	**1**	**1**	**2**	**3**	**6**	**9**
	1238	**2.9**	**18**	**1**	**1**	**2**	**3**	**6**	**9**

DRG 43: Hyphema

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	6								
75-79	0								
80-84	8	4.0							
85 +	0								
SUBTOTAL	**8**	**4.0**							
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	14	2.4							
75-79	8	2.0							
80-84	0								
85 +	0								
SUBTOTAL	**22**	**2.3**							
GRAND TOTAL	**31**	**2.7**	**1**						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	14	2.0							
18-34	8	1.0							
35-49	12	3.0	1						
50-69	0								
70 +	0								
SUBTOTAL	**35**	**2.1**	**1**						
0-17	198	4.0	3	2	3	4	5	5	6
18-34	82	2.7	2	1	1	3	4	4	5
35-49	47	2.7	2	< 1	1	3	4	5	5
50-69	6	6.0							
70 +	0								
SUBTOTAL	**333**	**3.6**	**3**	**1**	**2**	**4**	**5**	**5**	**6**
GRAND TOTAL	**368**	**3.4**	**3**	**1**	**2**	**4**	**5**	**5**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	6	1.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**6**	**1.0**							
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	63	4.0	3	1	3	4	5	6	8
18-34	12	6.0	4						
35-49	6	7.0							
50-69	0								
70 +	0								
SUBTOTAL	**82**	**4.5**	**4**	**2**	**3**	**4**	**5**	**8**	**8**
GRAND TOTAL	**88**	**4.3**	**5**	**1**	**3**	**4**	**5**	**8**	**8**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	2.0	1						
18-34	25	2.8	3						
35-49	12	3.0	4						
50-69	0								
70 +	0								
SUBTOTAL	**53**	**2.6**	**3**	**< 1**	**< 1**	**2**	**4**	**5**	**5**
0-17	63	3.5	3	1	2	4	5	6	7
18-34	117	4.3	12	< 1	2	4	5	9	14
35-49	35	2.6	2						
50-69	0								
70 +	0								
SUBTOTAL	**215**	**3.8**	**8**	**1**	**2**	**4**	**5**	**7**	**9**
GRAND TOTAL	**268**	**3.6**	**7**	**< 1**	**1**	**3**	**5**	**6**	**7**

DRG 44: Acute Major Eye Infections

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	55	7.9	43	3	4	6	8	23	23
70-74	12	7.0	4						
75-79	14	7.6	9						
80-84	14	6.6							
85 +	0								
SUBTOTAL	**96**	**7.6**	**27**	**4**	**4**	**6**	**8**	**11**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	49	6.8	33	2	3	5	7	21	21
70-74	16	3.0							
75-79	16	7.0							
80-84	29	5.3	3						
85 +	31	10.1	19						
SUBTOTAL	**141**	**6.8**	**20**	**3**	**3**	**6**	**7**	**13**	**17**
GRAND TOTAL	**237**	**7.1**	**23**	**3**	**4**	**6**	**8**	**11**	**21**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	88	2.9	2	2	2	3	4	4	6
18-34	0								
35-49	20	3.8	2						
50-69	22	5.6	24						
70 +	6	7.0							
SUBTOTAL	**137**	**3.7**	**7**	**2**	**2**	**3**	**4**	**7**	**12**
0-17	849	2.5	1	2	2	2	3	4	4
18-34	78	2.8	1	1	2	3	4	4	5
35-49	51	2.6	—	2	2	3	3	4	4
50-69	63	4.2	5	2	2	3	6	8	8
70 +	0								
SUBTOTAL	**1041**	**2.7**	**2**	**2**	**2**	**2**	**3**	**4**	**5**
	1178	**2.8**	**2**	**2**	**2**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	86	3.2	1	2	2	3	4	5	5
18-34	6	10.0							
35-49	6	5.0							
50-69	12	2.0							
70 +	0								
SUBTOTAL	**110**	**3.6**	**4**	**2**	**2**	**3**	**4**	**5**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	485	3.2	4	2	2	2	4	6	7
18-34	68	5.2	3	3	4	5	7	8	8
35-49	31	4.0	9						
50-69	20	3.1	2						
70 +	0								
SUBTOTAL	**604**	**3.5**	**4**	**1**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**714**	**3.5**	**4**	**2**	**2**	**3**	**5**	**6**	**8**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	65	4.3	12	2	2	3	4	8	14
18-34	14	1.6							
35-49	45	5.5	12	2	3	4	8	13	13
50-69	25	9.3	30						
70 +	0								
SUBTOTAL	**149**	**5.2**	**18**	**2**	**2**	**4**	**5**	**13**	**14**
0-17	432	3.5	5	1	2	3	4	7	8
18-34	188	4.6	8	2	2	3	6	9	10
35-49	151	4.6	10	1	3	4	5	7	13
50-69	43	6.0	20	2	2	5	12	13	13
70 +	14	1.6							
SUBTOTAL	**829**	**4.0**	**8**	**2**	**2**	**3**	**5**	**8**	**10**
	978	**4.2**	**10**	**2**	**2**	**3**	**5**	**8**	**12**

DRG 45: Neurological Eye Disorders

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	37	3.1	2						
70-74	43	5.0	15	< 1	3	4	5	14	14
75-79	43	5.9	23	< 1	1	5	10	13	13
80-84	25	2.7	2						
85 +	8	5.0							
SUBTOTAL	**155**	**4.4**	**13**	**1**	**3**	**3**	**5**	**10**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	39	1.8	1						
70-74	55	2.2	2	1	1	2	4	4	4
75-79	22	2.3	1						
80-84	6	2.0							
85 +	6	2.0							
SUBTOTAL	**129**	**2.1**	**1**	**< 1**	**1**	**2**	**3**	**4**	**4**
GRAND TOTAL	**284**	**3.4**	**9**	**1**	**1**	**3**	**4**	**5**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	8	7.0							
50-69	84	5.2	24	1	1	3	8	14	15
70 +	0								
	92	**5.4**	**22**	**1**	**1**	**3**	**8**	**13**	**15**
0-17	18	2.0							
18-34	37	3.7	16						
35-49	37	2.7	2						
50-69	76	2.1	1	1	1	2	3	3	5
70 +	8	3.0							
	176	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**5**
	268	**3.5**	**13**	**1**	**1**	**2**	**3**	**8**	**13**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	6	3.0							
18-34	0								
35-49	6	4.0							
50-69	18	4.0	1						
70 +	6	7.0							
SUBTOTAL	**37**	**4.3**	**2**	**3**	**3**	**4**	**5**	**7**	**7**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	20	1.9	2						
18-34	55	4.8	9	1	2	5	7	10	10
35-49	25	4.5	8						
50-69	31	3.0	3						
70 +	18	4.0	3						
SUBTOTAL	**149**	**3.9**	**7**	**1**	**1**	**4**	**5**	**8**	**8**
GRAND TOTAL	**186**	**4.0**	**6**	**1**	**2**	**4**	**5**	**7**	**8**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	7.0							
18-34	14	3.6							
35-49	8	2.0							
50-69	27	2.5	1						
70 +	0								
	55	**3.2**	**3**	**≤1**	**2**	**3**	**4**	**7**	**7**
0-17	20	3.1	1						
18-34	106	3.0	3	1	1	3	5	6	6
35-49	31	4.8	5						
50-69	55	3.7	5	1	1	4	6	7	7
70 +	6	10.0							
	219	**3.6**	**5**	**1**	**2**	**3**	**5**	**6**	**8**
	274	**3.6**	**5**	**1**	**2**	**3**	**5**	**6**	**7**

DRG 46: Other Disorders of the Eye Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	114	4.3	18	<1	1	2	6	12	12
70-74	41	4.2	17	<1	<1	3	4	12	12
75-79	94	4.4	11	<1	1	3	6	10	11
80-84	57	6.5	25	2	3	5	10	16	16
85+	80	7.5	33	2	4	5	8	19	22
SUBTOTAL	386	5.3	22	<1	1	4	7	12	13
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
GRAND TOTAL	386	5.3	22	<1	1	4	7	12	13

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	57	2.8	4	1	1	2	3	6	7
35-49	63	3.2	3	1	1	4	4	6	6
50-69	98	6.2	28	1	3	4	8	12	20
70+	18	7.7	31						
SUBTOTAL	237	4.7	18	1	2	4	6	9	15
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
GRAND TOTAL	237	4.7	18	1	2	4	6	9	15

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	129	9.2	38	2	3	10	15	16	19
35-49	113	11.4	70	2	3	11	16	24	32
50-69	68	8.2	27	4	5	6	13	14	20
70+	12	2.0	1						
SUBTOTAL	321	9.5	49	2	3	9	15	18	21
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
GRAND TOTAL	321	9.5	49	2	3	9	15	18	21

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	84	2.8	9	<1	1	2	3	6	12
35-49	115	5.2	24	<1	1	3	8	15	16
50-69	78	4.9	27	1	1	3	6	7	21
70+	20	3.5	2						
SUBTOTAL	297	4.4	20	1	1	3	6	11	15
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
GRAND TOTAL	297	4.4	20	1	1	3	6	11	15

DRG 47: Other Disorders of the Eye Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	59	4.8	50	< 1	< 1	3	4	17	25
70-74	67	1.7	1	< 1	< 1	1	2	4	4
75-79	61	1.9	1	< 1	< 1	1	3	3	3
80-84	82	1.8	3	< 1	< 1	< 1	1	5	5
85 +	84	2.9	16	< 1	< 1	< 1	2	8	15
SUBTOTAL	**353**	**2.6**	**14**	**< 1**	**< 1**	**< 1**	**3**	**5**	**8**
GRAND TOTAL	**353**	**2.6**	**14**	**< 1**	**< 1**	**< 1**	**3**	**5**	**8**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	0								
18-34	145	3.0	4	1	1	2	3	7	8
35-49	133	2.1	3	< 1	1	1	2	5	6
50-69	153	2.3	3	< 1	< 1	2	3	4	5
70 +	6	1.0							
SUBTOTAL	**437**	**2.5**	**3**	**< 1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**437**	**2.5**	**3**	**< 1**	**1**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	139	4.6	26	< 1	1	2	6	14	17
35-49	70	3.1	4	1	1	3	5	5	7
50-69	61	6.2	18	2	3	5	7	13	17
70 +	12	4.0							
SUBTOTAL	**282**	**4.6**	**19**	**1**	**1**	**3**	**6**	**9**	**17**
GRAND TOTAL	**282**	**4.6**	**19**	**1**	**1**	**3**	**6**	**9**	**17**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	0								
18-34	229	2.9	8	1	1	2	3	6	9
35-49	156	3.1	8	1	1	2	4	5	9
50-69	162	2.6	4	< 1	1	2	4	5	7
70 +	35	1.8	1						
SUBTOTAL	**581**	**2.8**	**6**	**< 1**	**1**	**2**	**4**	**5**	**8**
GRAND TOTAL	**581**	**2.8**	**6**	**< 1**	**1**	**2**	**4**	**5**	**8**

DRG 48: Other Disorders of the Eye Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	86	1.7	1	< 1	1	1	2	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**86**	**1.7**	**1**	**< 1**	**1**	**1**	**2**	**4**	**5**
0-17	325	1.9	1	< 1	1	2	2	3	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**325**	**1.9**	**1**	**< 1**	**1**	**2**	**2**	**3**	**4**
	411	**1.9**	**1**	**< 1**	**1**	**2**	**2**	**3**	**5**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	59	2.8	3	1	2	2	4	6	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**59**	**2.8**	**3**	**1**	**2**	**2**	**4**	**6**	**6**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	190	2.7	7	1	1	2	3	5	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**190**	**2.7**	**7**	**1**	**1**	**2**	**3**	**5**	**5**
GRAND TOTAL	**250**	**2.7**	**6**	**1**	**1**	**2**	**4**	**5**	**6**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	39	4.7	19	1	1	3	10	12	12
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**39**	**4.7**	**19**	**1**	**1**	**3**	**10**	**12**	**12**
0-17	252	3.3	9	< 1	1	2	5	7	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**252**	**3.3**	**9**	**< 1**	**1**	**2**	**5**	**7**	**9**
	291	**3.5**	**11**	**1**	**1**	**2**	**5**	**9**	**12**

DRG 49: Major Head & Neck Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	102	7.7	40	2	3	5	12	16	25
70-74	29	4.4	3						
75-79	29	6.4	14						
80-84	20	3.7	4						
85 +	14	9.6							
SUBTOTAL	**194**	**6.7**	**27**	**2**	**3**	**5**	**9**	**14**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	61	2.9	3	1	1	3	3	5	7
70-74	61	4.9	21	1	2	3	10	12	14
75-79	20	2.7							
80-84	8	8.0							
85 +	18	4.7	7						
SUBTOTAL	**170**	**4.0**	**11**	**1**	**2**	**3**	**4**	**10**	**11**
GRAND TOTAL	**364**	**5.5**	**21**	**1**	**2**	**4**	**7**	**12**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	6	5.0							
35-49	35	4.8	24						
50-69	94	8.8	38	3	4	7	14	18	24
70 +	6	10.0							
	141	**7.7**	**34**	**2**	**3**	**6**	**11**	**15**	**18**
0-17	37	2.2	2	1	1	2	4	4	4
18-34	61	3.0	5	1	2	2	3	7	9
35-49	41	2.0	1	1	1	2	2	4	4
50-69	80	3.0	8	< 1	1	2	3	5	12
70 +	0								
	219	**2.7**	**5**	**1**	**1**	**2**	**3**	**4**	**9**
	360	**4.6**	**22**	**1**	**2**	**3**	**5**	**12**	**15**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	33	7.4	32						
70 +	0								
SUBTOTAL	**33**	**7.4**	**32**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	20	2.5	2						
18-34	6	5.0							
35-49	31	14.8	218						
50-69	6	6.0							
70 +	0								
SUBTOTAL	**63**	**9.0**	**137**	**1**	**3**	**4**	**6**	**32**	**34**
GRAND TOTAL	**96**	**8.5**	**101**	**1**	**3**	**5**	**6**	**31**	**34**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	8	1.0							
35-49	18	4.0							
50-69	80	9.9	238	3	4	5	8	14	62
70 +	6	15.0							
	112	**8.6**	**179**	**3**	**4**	**4**	**6**	**15**	**59**
0-17	0								
18-34	20	1.4							
35-49	39	2.7		2	2	3	3	3	3
50-69	72	7.3	32	1	4	6	15	16	18
70 +	8	3.0							
	139	**4.9**	**23**	**1**	**2**	**3**	**6**	**15**	**16**
	252	**6.5**	**96**	**1**	**3**	**4**	**6**	**15**	**16**

DRG 50: Sialoadenectomy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	117	2.7	6	1	2	2	3	4	10
70-74	55	3.9	6	1	2	3	7	7	7
75-79	41	3.8	5						
80-84	20	6.9	46						
85 +	12	3.5							
SUBTOTAL	**245**	**3.5**	**10**	**1**	**2**	**2**	**4**	**7**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	129	1.4		1	1	1	2	3	3
70-74	192	2.0	1	1	1	2	3	3	4
75-79	106	2.2	1	1	1	2	2	4	6
80-84	55	2.2	2	1	1	2	2	5	5
85 +	45	2.7	3	1	1	2	4	6	6
SUBTOTAL	**527**	**2.0**	**1**	**1**	**1**	**2**	**2**	**3**	**4**
GRAND TOTAL	**773**	**2.5**	**5**	**1**	**1**	**2**	**3**	**4**	**6**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	6	3.0							
35-49	31	1.6							
50-69	51	3.2	6	1	1	2	6	7	7
70 +	0								
	88	**2.6**	**4**	**1**	**1**	**2**	**3**	**6**	**7**
0-17	37	1.4							
18-34	325	1.5		1	1	1	2	2	3
35-49	443	1.7	1	1	1	2	2	2	3
50-69	511	1.8	1	1	1	2	2	3	4
70 +	22	2.0	1						
	1339	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**3**
	1427	**1.7**	**1**	**1**	**1**	**2**	**2**	**3**	**4**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	6	3.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**6**	**3.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	25	2.0	1						
18-34	14	3.6							
35-49	22	2.0							
50-69	27	1.5							
70 +	0								
SUBTOTAL	**88**	**2.1**	**1**	**1**	**2**	**2**	**2**	**3**	**4**
GRAND TOTAL	**94**	**2.2**	**1**	**1**	**2**	**2**	**3**	**3**	**4**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	20	1.9	1						
35-49	6	1.0							
50-69	29	3.1	2						
70 +	0								
	55	**2.4**	**2**	**1**	**1**	**3**	**3**	**5**	**5**
0-17	6	1.0							
18-34	168	2.4	5	1	1	2	2	6	7
35-49	151	2.1	4	1	1	2	2	5	5
50-69	155	2.1	2	1	1	2	2	3	3
70 +	12	2.5							
	493	**2.2**	**4**	**1**	**1**	**2**	**2**	**3**	**6**
	548	**2.2**	**4**	**1**	**1**	**2**	**2**	**3**	**6**

DRG 51: Salivary Gland Procedures except Sialoadenectomy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	12	3.5	2						
75-79	8	2.0							
80-84	14	4.4	9						
85 +	0								
SUBTOTAL	**35**	**3.5**	**5**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	22	1.9	1						
70-74	22	1.7	1						
75-79	8	4.0							
80-84	0								
85 +	0								
SUBTOTAL	**53**	**2.2**	**1**	1	1	2	3	4	4
GRAND TOTAL	**88**	**2.7**	**3**	1	1	2	4	5	7

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	14	6.1	1						
18-34	12	2.5							
35-49	0								
50-69	12	2.5	2						
70 +	0								
SUBTOTAL	**39**	**3.8**	**4**	**1**	**2**	**4**	**5**	**7**	**7**
0-17	55	1.4	1	< 1	1	1	2	3	3
18-34	63	1.5	1	< 1	1	1	2	4	4
35-49	61	1.3		1	1	1	2	2	2
50-69	53	1.8	1	1	1	1	3	3	3
70 +	0								
SUBTOTAL	**233**	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**272**	**1.8**	**2**	**1**	**1**	**1**	**2**	**4**	**5**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	6	1.0							
18-34	6	2.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**12**	**1.5**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	43	1.3		< 1	< 1	1	2	2	2
18-34	12	1.0							
35-49	0								
50-69	6	1.0							
70 +	0								
SUBTOTAL	**61**	**1.2**		**< 1**	**< 1**	**1**	**1**	**2**	**2**
GRAND TOTAL	**74**	**1.3**		**< 1**	**1**	**1**	**1**	**2**	**2**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	14	1.4							
SUBTOTAL	**14**	**1.4**							
0-17	0								
18-34	16	3.0	1						
35-49	18	14.0	259						
50-69	6	4.0							
70 +	0								
SUBTOTAL	**43**	**7.9**	**137**	**1**	**2**	**4**	**5**	**36**	**36**
GRAND TOTAL	**57**	**6.3**	**110**	**< 1**	**1**	**3**	**4**	**33**	**36**

DRG 52: Cleft Lip & Palate Repair

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	8	1.0							
70-74	8	2.0							
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**16**	**1.5**							
GRAND TOTAL	**16**	**1.5**							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	51	4.1	14	2	3	3	3	14	14
18-34	6	1.0							
35-49	8	2.0							
50-69	0								
70 +	0								
SUBTOTAL	**65**	**3.5**	**12**	**2**	**2**	**3**	**3**	**3**	**14**
0-17	1609	1.8	1	1	1	2	2	3	3
18-34	12	1.0							
35-49	72	1.7	1	1	1	2	2	3	3
50-69	14	1.6							
70 +	0								
SUBTOTAL	**1707**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**3**
GRAND TOTAL	**1772**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**3**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	68	4.0	12	1	1	3	6	6	13
18-34	-								
35-49									
50-69	0								
70 +	0								
SUBTOTAL	**68**	**4.0**	**12**	**1**	**1**	**3**	**6**	**6**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	843	1.7	2	1	1	1	2	3	3
18-34	6	2.0							
35-49	0								
50-69	6	1.0							
70 +	0								
SUBTOTAL	**855**	**1.7**	**2**	**1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**923**	**1.9**	**3**	**1**	**1**	**1**	**2**	**3**	**5**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	12	5.5	13						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**12**	**5.5**	**13**						
0-17	598	2.1	1	1	1	2	3	3	4
18-34	20	2.9	1						
35-49	39	2.6	1						
50-69	18	1.3							
70 +	0								
SUBTOTAL	**675**	**2.1**	**1**	**1**	**1**	**2**	**3**	**3**	**4**
GRAND TOTAL	**688**	**2.2**	**1**	**1**	**1**	**2**	**3**	**4**	**4**

DRG 53: Sinus & Mastoid Procedures Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	184	5.1	72	1	1	3	6	9	10
70-74	70	3.7	5	1	2	3	5	6	9
75-79	37	2.2	1	1	1	2	3	4	4
80-84	12	16.0	4						
85 +	20	11.2	39						
SUBTOTAL	**323**	**5.3**	**53**	**1**	**1**	**3**	**6**	**12**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	446	1.9	3	1	1	1	2	3	4
70-74	241	2.0	1	1	1	2	2	4	4
75-79	123	1.7	1	1	1	1	3	3	3
80-84	25	1.7							
85 +	8	1.0							
SUBTOTAL	**842**	**1.9**	**2**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**1165**	**2.8**	**19**	**1**	**1**	**2**	**3**	**6**	**9**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	76	2.5	5	1	1	2	2	3	10
35-49	180	5.7	112	1	1	3	5	10	15
50-69	217	5.0	48	1	1	3	4	11	29
70 +	8	1.0							
	481	**4.8**	**65**	**1**	**1**	**2**	**5**	**10**	**18**
0-17	0								
18-34	1177	1.7	3	1	1	1	2	3	4
35-49	1574	1.7	4	1	1	1	2	3	4
50-69	1114	1.9	9	1	1	1	2	3	4
70 +	6	2.0							
	3872	**1.7**	**5**	**1**	**1**	**1**	**2**	**3**	**4**
	4352	**2.1**	**13**	**1**	**1**	**1**	**2**	**3**	**5**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	18	15.7	23						
35-49	6	1.0							
50-69	27	5.0	32						
70 +	6	1.0							
SUBTOTAL	**57**	**7.6**	**56**	**1**	**1**	**3**	**15**	**19**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	184	2.2	9	< 1	1	1	2	5	8
35-49	110	2.3	5	1	1	2	2	5	10
50-69	123	2.3	6	1	1	1	2	6	8
70 +	6	3.0							
SUBTOTAL	**423**	**2.3**	**7**	**1**	**1**	**1**	**2**	**5**	**8**
GRAND TOTAL	**481**	**2.9**	**16**	**1**	**1**	**1**	**2**	**7**	**13**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	43	8.6	44	2	3	6	13	21	21
35-49	41	4.7	13	1	1	3	9	10	10
50-69	12	1.5							
70 +	0								
	96	**6.0**	**31**	**1**	**2**	**3**	**10**	**13**	**21**
0-17	0								
18-34	446	3.6	45	1	1	2	4	7	13
35-49	331	2.8	14	1	1	1	2	6	12
50-69	331	2.3	5	1	1	1	2	5	7
70 +	0								
	1109	**2.9**	**24**	**1**	**1**	**1**	**3**	**6**	**12**
	1205	**3.2**	**25**	**1**	**1**	**1**	**3**	**7**	**12**

DRG 54: Sinus & Mastoid Procedures Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	86	3.2	15	< 1	1	1	3	12	13
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	86	3.2	15	< 1	1	1	3	12	13
0-17	1080	1.4	2	< 1	< 1	1	1	2	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1080	1.4	2	< 1	< 1	1	1	2	5
	1166	1.5	3	< 1	< 1	1	1	2	5

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	31	2.0	2						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	31	2.0	2						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	291	2.4	10	< 1	1	1	2	5	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	291	2.4	10	< 1	1	1	2	5	8
GRAND TOTAL	321	2.4	9	< 1	1	1	3	5	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	1.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	6	1.0							
0-17	213	3.7	26	< 1	1	1	4	13	16
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	213	3.7	26	< 1	1	1	4	13	16
	219	3.6	26	< 1	1	1	4	13	16

DRG 55: Miscellaneous Ear, Nose, Mouth & Throat Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	61	4.7	39	1	1	1	2	16	17
70-74	49	3.1	6	1	1	2	6	7	7
75-79	20	4.8	7						
80-84	22	1.0							
85 +	0								
SUBTOTAL	**153**	**3.7**	**20**	**1**	**1**	**1**	**6**	**7**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	184	1.6	1	< 1	1	1	2	4	5
70-74	123	2.3	15	1	1	1	2	3	10
75-79	41	1.7	1	1	1	1	3	3	3
80-84	57	2.9	4	1	1	2	4	7	7
85 +	22	1.3							
SUBTOTAL	**427**	**2.0**	**6**	**1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**581**	**2.4**	**10**	**1**	**1**	**1**	**2**	**6**	**7**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	94	3.7	11	1	1	2	6	10	11
18-34	112	1.7	1	1	1	1	3	3	5
35-49	74	2.5	4	< 1	1	1	3	7	7
50-69	74	2.0	3	1	1	1	2	3	7
70 +	16	4.0							
SUBTOTAL	**370**	**2.5**	**5**	**1**	**1**	**1**	**3**	**6**	**7**
0-17	1064	1.5	2	< 1	< 1	1	1	2	4
18-34	581	1.5	1	1	1	1	1	2	4
35-49	751	1.5	1	1	1	1	1	2	3
50-69	542	1.4	1	1	1	1	1	2	3
70 +	12	1.0							
SUBTOTAL	**2950**	**1.5**	**1**	**< 1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**3320**	**1.6**	**2**	**< 1**	**1**	**1**	**1**	**3**	**5**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	55	4.8	26	< 1	2	3	3	16	16
18-34	6	16.0							
35-49	14	3.1	7						
50-69	0								
70 +	6	1.0							
SUBTOTAL	**82**	**5.1**	**30**	**1**	**1**	**3**	**6**	**16**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	354	2.2	6	< 1	< 1	1	2	5	8
18-34	119	3.0	16	< 1	1	1	2	10	14
35-49	59	1.9	1	1	1	2	2	4	4
50-69	39	1.5	1	1	1	1	2	3	3
70 +	0								
SUBTOTAL	**571**	**2.3**	**8**	**< 1**	**1**	**1**	**2**	**4**	**8**
GRAND TOTAL	**653**	**2.6**	**11**	**< 1**	**1**	**1**	**3**	**7**	**12**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	45	9.5	14	4	5	10	13	14	14
18-34	35	4.2	13						
35-49	12	4.5							
50-69	45	1.8	3	1	1	1	2	6	6
70 +	14	3.0							
SUBTOTAL	**151**	**5.0**	**17**	**1**	**1**	**4**	**7**	**12**	**13**
0-17	309	1.4	1	< 1	< 1	1	2	3	3
18-34	364	2.2	5	1	1	1	2	4	8
35-49	225	2.1	4	1	1	1	2	5	7
50-69	176	2.5	13	1	1	1	2	5	10
70 +	14	1.9	1						
SUBTOTAL	**1089**	**2.0**	**5**	**< 1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**1240**	**2.4**	**7**	**< 1**	**1**	**1**	**2**	**5**	**10**

DRG 56: Rhinoplasty

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	45	3.5	6	1	1	3	4	8	8
70-74	8	1.0							
75-79	6	6.0							
80-84	6	2.0							
85 +	0								
SUBTOTAL	**65**	**3.2**	**6**	**<1**	**1**	**3**	**4**	**8**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	65	1.6		1	1	1	2	3	3
70-74	20	1.0							
75-79	31	1.9	1						
80-84	0								
85 +	16	3.0	4						
SUBTOTAL	**133**	**1.7**	**1**	**1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**198**	**2.2**	**3**	**1**	**1**	**1**	**3**	**5**	**6**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	41	1.6	1	1	1	1	2	3	3
35-49	31	1.5	1						
50-69	16	2.0							
70 +	0								
SUBTOTAL	**88**	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**3**
0-17	176	1.4	1	<1	1	1	1	2	3
18-34	448	1.5		1	1	1	2	2	3
35-49	403	1.6	1	<1	1	1	2	3	4
50-69	235	1.8	1	1	1	2	2	3	3
70 +	25	2.0	1						
SUBTOTAL	**1286**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**1374**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**3**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	6	1.0							
35-49	0								
50-69	8	1.0							
70 +	0								
SUBTOTAL	**14**	**1.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	31	2.4	6						
18-34	14	1.0							
35-49	12	2.0	1						
50-69	14	3.9	1						
70 +	0								
SUBTOTAL	**72**	**2.3**	**4**	**1**	**1**	**1**	**3**	**5**	**7**
GRAND TOTAL	**86**	**2.1**	**3**	**1**	**1**	**1**	**3**	**5**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	2.0							
18-34	45	2.3	2	1	1	2	3	5	5
35-49	6	1.0							
50-69	22	4.0	7						
70 +	0								
SUBTOTAL	**80**	**2.6**	**4**	**1**	**1**	**2**	**3**	**6**	**7**
0-17	25	1.3							
18-34	104	1.5		1	1	1	2	2	3
35-49	70	1.8	1	1	1	1	2	4	4
50-69	33	1.8	1						
70 +	0								
SUBTOTAL	**231**	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**311**	**1.9**	**2**	**1**	**1**	**2**	**2**	**3**	**4**

DRG 57: T&A Proc, except Tonsillectomy &/or Adenoidectomy Only, Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	27	5.2	36						
70-74	0								
75-79	16	6.0	27						
80-84	0								
85+	8	6.0							
SUBTOTAL	**51**	**5.6**	**27**	**1**	**1**	**2**	**11**	**14**	**14**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	35	3.3	8						
70-74	0								
75-79	14	1.0							
80-84	6	1.0							
85+	0								
SUBTOTAL	**55**	**2.4**	**6**	**1**	**1**	**1**	**2**	**7**	**7**
GRAND TOTAL	**106**	**4.0**	**18**	**1**	**1**	**1**	**7**	**11**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	72	1.7	1	1	1	2	2	3	3
35-49	53	2.6	2	1	2	2	3	6	6
50-69	43	3.2	1	2	2	3	4	5	5
70+	0								
	168	**2.4**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
0-17	0								
18-34	323	2.2	1	1	1	2	3	4	5
35-49	251	1.7	1	1	1	2	2	3	3
50-69	114	1.9	1	1	1	2	2	3	4
70+	0								
	689	**2.0**	**1**	**1**	**1**	**2**	**2**	**3**	**4**
	856	**2.0**	**1**	**1**	**1**	**2**	**3**	**3**	**4**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	29	3.0	1						
35-49	8	1.0							
50-69	0								
70+	0								
SUBTOTAL	**37**	**2.6**	**2**						
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	78	3.0	1	1	2	3	3	5	5
35-49	14	2.0							
50-69	0								
70+	0								
SUBTOTAL	**92**	**2.9**	**1**	**2**	**2**	**3**	**3**	**5**	**5**
GRAND TOTAL	**129**	**2.8**	**1**	**1**	**2**	**3**	**3**	**5**	**5**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	31	5.5	22						
35-49	14	2.6							
50-69	6	4.0							
70+	0								
	51	**4.5**	**15**	**1**	**3**	**3**	**4**	**13**	**13**
0-17	0								
18-34	180	2.5	5	1	1	2	3	3	8
35-49	84	2.1	1	1	1	2	3	3	4
50-69	43	1.7	1	1	1	1	2	3	3
70+	0								
	307	**2.3**	**3**	**1**	**1**	**2**	**3**	**3**	**4**
	358	**2.6**	**5**	**1**	**1**	**2**	**3**	**4**	**8**

DRG 58: T&A Proc, except Tonsillectomy &/or Adenoidectomy Only, Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	225	2.7	15	1	1	1	3	6	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**225**	**2.7**	**15**	**1**	**1**	**1**	**3**	**6**	**10**
0-17	1155	1.3	1	<1	1	1	1	2	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1155**	**1.3**	**1**	**<1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**1380**	**1.5**	**3**	**<1**	**1**	**1**	**1**	**2**	**4**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	129	3.7	16	1	1	3	4	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**129**	**3.7**	**16**	**1**	**1**	**3**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	366	2.0	9	1	1	1	2	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**366**	**2.0**	**9**	**1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**495**	**2.4**	**11**	**1**	**1**	**1**	**3**	**4**	**5**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	39	3.3	7	1	1	3	3	8	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**39**	**3.3**	**7**	**1**	**1**	**3**	**3**	**8**	**8**
0-17	292	1.3	1	<1	1	1	1	2	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**292**	**1.3**	**1**	**<1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**331**	**1.5**	**2**	**<1**	**1**	**1**	**1**	**3**	**3**

DRG 59: Tonsillectomy &/or Adenoidectomy Only, Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	12	5.0	17						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	12	5.0	17						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	6	3.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	6	3.0							
GRAND TOTAL	18	4.3	12						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	114	1.8	2	1	1	1	2	4	5
35-49	25	1.7	1						
50-69	0								
70 +	0								
	139	1.8	1	1	1	1	2	4	5
	0								
	1321	1.2		1	1	1	1	2	2
	125	1.6	1	<1	1	1	2	3	3
	8	5.0							
	0								
	1453	1.2		<1	1	1	1	2	3
	1592	1.3		1	1	1	1	2	3

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	8	1.0							
35-49	6	1.0							
50-69	0								
70 +	0								
SUBTOTAL	14	1.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	137	1.3		<1	1	1	1	3	3
35-49	8	2.0							
50-69	0								
70 +	0								
SUBTOTAL	145	1.3		1	1	1	1	3	3
GRAND TOTAL	159	1.3		1	1	1	1	3	3

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	47	2.7	1	1	2	3	4	4	4
35-49	6	3.0							
50-69	8	1.0							
70 +	0								
	61	2.5	1	1	2	3	3	4	4
	0								
	237	1.9	2	1	1	1	2	5	5
	0								
	12	1.5							
	0								
	249	1.8	2	1	1	1	2	5	5
	311	2.0	2	1	1	1	3	4	5

DRG 60: Tonsillectomy &/or Adenoidectomy Only, Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	8	1.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	8	1.0							
GRAND TOTAL	8	1.0							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	290	2.1	12	1	1	1	2	3	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	290	2.1	12	1	1	1	2	3	4
0-17	6412	1.1		< 1	< 1	1	1	1	1
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	6412	1.1		< 1	< 1	1	1	1	1
	6703	1.1	1	< 1	< 1	1	1	1	2

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	129	2.0	2	1	1	1	3	4	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	129	2.0	2	1	1	1	3	4	4
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1470	1.1		< 1	< 1	1	1	1	2
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1470	1.1		< 1	< 1	1	1	1	2
GRAND TOTAL	1599	1.2		< 1	< 1	1	1	1	2

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	51	3.3	9	1	1	2	3	10	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	51	3.3	9	1	1	2	3	10	10
0-17	1024	1.1		< 1	< 1	1	1	2	2
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1024	1.1		< 1	< 1	1	1	2	2
	1075	1.3	1	< 1	< 1	1	1	2	2

DRG 61: Myringotomy w/ Tube Insertion Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	14	5.3	2						
70-74	0								
75-79	14	16.3	165						
80-84	0								
85 +	8	7.0							
SUBTOTAL	**37**	**9.9**	**89**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**37**	**9.9**	**89**						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	14	4.9	7						
70 +	0								
SUBTOTAL	**14**	**4.9**	**7**						
0-17	0								
18-34	47	2.6	7	1	1	1	3	8	8
35-49	20	2.2	1						
50-69	20	1.9	1						
70 +	0								
SUBTOTAL	**88**	**2.3**	**4**	**1**	**1**	**1**	**3**	**3**	**8**
GRAND TOTAL	**102**	**2.7**	**5**	**1**	**1**	**2**	**3**	**7**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	18	1.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**18**	**1.0**							
GRAND TOTAL	**18**	**1.0**							

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	14	13.0	116						
50-69	6	8.0							
70 +	6	3.0							
SUBTOTAL	**27**	**9.5**	**78**						
0-17	0								
18-34	20	4.4	7						
35-49	33	10.6	205						
50-69	12	7.0	27						
70 +	0								
SUBTOTAL	**65**	**8.0**	**115**	**1**	**2**	**3**	**11**	**15**	**39**
GRAND TOTAL	**92**	**8.4**	**104**	**1**	**2**	**3**	**11**	**22**	**39**

DRG 62: Myringotomy w/ Tube Insertion Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	6	4.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	6	4.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	6	4.0							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	59	4.1	13	< 1	1	3	5	12	12
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	59	4.1	13	< 1	1	3	5	12	12
0-17	3306	1.1		< 1	< 1	< 1	< 1	1	2
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	3306	1.1		< 1	< 1	< 1	< 1	1	2
GRAND TOTAL	3365	1.2	1	< 1	< 1	< 1	< 1	1	3

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	27	1.2							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	27	1.2							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	872	1.2	1	< 1	< 1	< 1	< 1	1	2
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	872	1.2	1	< 1	< 1	< 1	< 1	1	2
GRAND TOTAL	899	1.2	1	< 1	< 1	< 1	< 1	1	2

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	18	2.3	2						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	18	2.3	2						
0-17	524	2.4	12	< 1	< 1	< 1	1	6	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	524	2.4	12	< 1	< 1	< 1	1	6	9
GRAND TOTAL	542	2.4	11	< 1	< 1	< 1	1	6	9

DRG 63: Other Ear, Nose, Mouth & Throat O.R. Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	133	8.1	115	1	2	5	8	13	34
70-74	135	5.3	18	1	2	4	6	12	12
75-79	114	8.5	207	1	2	4	7	20	58
80-84	104	9.0	82	2	3	6	11	19	39
85 +	29	2.3	4						
SUBTOTAL	**515**	**7.3**	**100**	**1**	**2**	**4**	**8**	**16**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	204	3.5	6	1	2	3	4	7	10
70-74	45	3.6	5	1	2	3	4	8	8
75-79	43	5.1	26	1	2	3	9	16	16
80-84	22	2.1	1						
85 +	8	3.0							
SUBTOTAL	**323**	**3.6**	**8**	**1**	**2**	**3**	**4**	**8**	**10**
GRAND TOTAL	**838**	**5.9**	**68**	**1**	**2**	**3**	**6**	**11**	**17**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	143	3.4	6	1	2	2	5	9	9
18-34	519	4.6	20	1	2	3	6	11	14
35-49	219	4.3	27	1	2	3	5	8	15
50-69	172	5.8	40	1	1	3	8	18	18
70 +	35	5.9	4						
1087	**4.6**	**23**	**1**	**2**	**3**	**6**	**10**	**15**	
0-17	1507	2.0	3	1	1	2	2	3	5
18-34	3390	2.0	1	1	1	2	2	3	4
35-49	1948	2.1	1	1	1	2	3	3	5
50-69	419	2.6	4	1	1	2	3	4	8
70 +	16	4.0							
7281	**2.1**	**2**	**1**	**1**	**2**	**2**	**3**	**4**	
8368	**2.4**	**5**	**1**	**1**	**2**	**3**	**4**	**6**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	57	6.1	13	1	5	6	6	12	13
18-34	108	6.3	21	2	3	4	8	12	17
35-49	35	5.4	13						
50-69	35	6.1	9						
70 +	0								
SUBTOTAL	**235**	**6.1**	**16**	**2**	**3**	**6**	**8**	**12**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	203	2.8	4	1	1	2	3	5	7
18-34	710	3.4	6	1	2	3	4	7	8
35-49	207	3.8	4	1	2	4	5	6	8
50-69	94	3.2	15	<1	1	2	3	6	17
70 +	0								
SUBTOTAL	**1213**	**3.4**	**6**	**1**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**1449**	**3.8**	**9**	**1**	**2**	**3**	**5**	**7**	**11**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	72	3.9	14	1	1	2	5	13	13
18-34	614	6.4	36	2	2	4	8	16	19
35-49	358	7.1	26	3	3	5	10	13	15
50-69	102	4.6	14	2	2	3	7	10	16
70 +	0								
1146	**6.3**	**30**	**2**	**3**	**4**	**8**	**13**	**17**	
0-17	489	2.7	6	1	1	2	3	4	7
18-34	3419	3.6	13	1	2	3	4	7	9
35-49	1144	3.8	13	1	1	3	5	8	11
50-69	252	3.8	8	1	2	3	6	7	8
70 +	12	4.5	2						
5316	**3.6**	**12**	**1**	**2**	**3**	**4**	**7**	**9**	
6461	**4.0**	**16**	**1**	**2**	**3**	**5**	**8**	**11**	

DRG 64: Ear, Nose, Mouth & Throat Malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	145	5.7	29	1	1	4	7	13	15
70-74	55	8.9	47	3	3	7	12	24	24
75-79	35	8.2	21						
80-84	45	7.9	12	3	7	8	9	15	15
85 +	37	12.5	61						
SUBTOTAL	**317**	**7.7**	**37**	**1**	**3**	**6**	**12**	**15**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	53	6.0	69	1	1	2	6	28	28
70-74	33	3.3	2						
75-79	22	5.9	13						
80-84	12	1.5							
85 +	6	4.0							
SUBTOTAL	**127**	**4.7**	**34**	**1**	**1**	**4**	**6**	**7**	**15**
GRAND TOTAL	**444**	**6.8**	**38**	**1**	**2**	**6**	**8**	**15**	**22**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	20	5.1	5						
18-34	6	7.0							
35-49	27	25.5	849						
50-69	127	5.6	19	1	2	4	8	11	13
70 +	14	4.7	4						
	194	**8.2**	**173**	**1**	**3**	**4**	**8**	**11**	**34**
0-17	25	6.3	2						
18-34	6	4.0							
35-49	49	3.5	5	< 1	< 1	3	6	6	6
50-69	88	1.3		< 1	< 1	1	1	2	3
70 +	0								
	168	**2.8**	**5**	**< 1**	**1**	**1**	**5**	**6**	**7**
	362	**5.7**	**103**	**< 1**	**1**	**3**	**6**	**10**	**14**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	20	12.9	167						
35-49	111	7.6	40	2	5	6	8	21	26
50-69	180	11.8	130	3	5	9	15	23	25
70 +	12	2.5							
SUBTOTAL	**323**	**10.0**	**102**	**2**	**5**	**7**	**11**	**21**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	12	7.0	4						
35-49	49	5.3	11	< 1	3	5	7	12	12
50-69	131	6.6	28	2	2	5	10	13	17
70 +	0								
SUBTOTAL	**192**	**6.3**	**22**	**2**	**3**	**5**	**9**	**13**	**17**
GRAND TOTAL	**516**	**8.6**	**76**	**2**	**3**	**6**	**11**	**17**	**25**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	5.0							
18-34	0								
35-49	39	9.1	38	2	2	10	13	19	19
50-69	108	8.8	50	1	4	6	12	23	23
70 +	0								
	153	**8.8**	**45**	**2**	**2**	**6**	**13**	**19**	**23**
0-17	6	1.0							
18-34	37	4.5	14	1	2	3	8	11	11
35-49	37	5.2	3	2	4	5	7	7	7
50-69	123	5.2	14	1	3	4	6	12	13
70 +	14	3.9	1						
	217	**4.9**	**11**	**1**	**2**	**4**	**7**	**11**	**13**
	370	**6.5**	**29**	**1**	**2**	**5**	**10**	**14**	**19**

DRG 65: Dysequilibrium

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	513	3.5	7	1	2	3	4	7	9
70-74	499	3.7	5	1	2	3	5	7	8
75-79	570	3.6	11	1	2	3	4	7	8
80-84	503	4.5	11	2	2	3	5	8	12
85 +	368	4.7	14	1	2	3	6	10	12
SUBTOTAL	**2452**	**3.9**	**10**	**1**	**2**	**3**	**5**	**8**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	560	2.5	4	1	1	2	3	5	6
70-74	570	2.8	3	1	2	2	3	5	7
75-79	513	3.2	8	1	2	2	4	7	10
80-84	425	3.4	9	1	2	2	4	7	8
85 +	378	3.4	6	1	2	3	4	7	8
SUBTOTAL	**2446**	**3.0**	**6**	**1**	**2**	**2**	**4**	**6**	**7**
GRAND TOTAL	**4898**	**3.5**	**8**	**1**	**2**	**3**	**4**	**7**	**9**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	20	3.5	6						
18-34	69	1.6	1	1	1	1	2	3	3
35-49	149	2.2	2	1	1	2	3	4	6
50-69	423	2.3	3	1	1	2	3	5	5
70 +	106	2.4	2	1	1	2	3	5	5
	768	**2.3**	**2**	**1**	**1**	**2**	**3**	**5**	**5**
0-17	43	2.0	2	1	1	1	3	4	4
18-34	206	2.5	4	1	1	2	3	6	8
35-49	584	2.4	4	1	1	2	3	5	6
50-69	1097	2.1	2	1	1	2	2	3	4
70 +	82	2.2		2	2	2	2	3	4
	2013	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
	2781	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	39	1.2							
35-49	59	4.3	16	1	2	2	4	12	12
50-69	37	3.7	6						
70 +	35	3.5	2						
SUBTOTAL	**170**	**3.3**	**9**	**1**	**1**	**2**	**4**	**8**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	33	5.0	9						
35-49	22	2.8	3						
50-69	51	2.4	1	1	1	3	3	4	4
70 +	12	4.0	10						
SUBTOTAL	**119**	**3.4**	**6**	**1**	**2**	**3**	**4**	**7**	**9**
GRAND TOTAL	**288**	**3.3**	**7**	**1**	**1**	**2**	**4**	**7**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	14	1.9	1						
18-34	22	2.3	1						
35-49	96	2.5	1	1	1	2	3	4	5
50-69	127	3.2	7	1	1	2	4	8	9
70 +	72	4.1	3	1	3	4	6	6	6
	331	**3.1**	**4**	**1**	**1**	**3**	**4**	**6**	**8**
0-17	6	10.0							
18-34	96	2.3	2	1	1	2	3	4	5
35-49	186	2.1	1	1	1	2	3	4	4
50-69	266	1.8	2	1	1	1	2	3	5
70 +	47	6.2	29	1	2	2	9	16	16
	601	**2.4**	**5**	**1**	**1**	**2**	**3**	**4**	**6**
	932	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 66: Epistaxis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	217	4.0	17	2	2	3	4	7	8
70-74	198	4.8	21	1	2	4	6	8	8
75-79	206	5.2	22	1	3	4	6	13	17
80-84	186	3.1	4	1	2	2	4	6	6
85 +	161	4.4	7	1	2	5	6	8	9
SUBTOTAL	**969**	**4.3**	**15**	**1**	**2**	**3**	**5**	**8**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	231	2.8	2	1	2	3	4	5	6
70-74	116	3.6	3	2	2	3	5	6	8
75-79	180	2.5	2	1	1	2	4	4	4
80-84	94	2.9	1	2	2	3	4	5	5
85 +	84	2.1	2	1	1	2	3	3	6
SUBTOTAL	**705**	**2.8**	**2**	**1**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**1673**	**3.7**	**10**	**1**	**2**	**3**	**5**	**6**	**8**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	43	5.1	33	1	1	2	7	16	16
18-34	22	3.2	3						
35-49	78	3.0	1	1	2	3	4	5	5
50-69	198	3.6	3	1	2	4	4	5	7
70 +	22	2.0							
	364	**3.5**	**7**	**1**	**2**	**3**	**4**	**5**	**7**
0-17	18	1.0							
18-34	53	2.9	2	1	2	2	4	6	6
35-49	233	2.7	3	1	1	2	4	5	7
50-69	394	2.9	2	1	2	3	4	5	5
70 +	33	1.8	1						
	732	**2.8**	**2**	**1**	**2**	**2**	**4**	**5**	**5**
	1095	**3.0**	**4**	**1**	**2**	**3**	**4**	**5**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	6	9.0							
18-34	31	3.1	5						
35-49	29	2.9	3						
50-69	49	3.1	1	1	2	3	4	5	5
70 +	31	3.3	1						
SUBTOTAL	**145**	**3.4**	**4**	**1**	**2**	**3**	**5**	**6**	**6**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	12	3.5	7						
18-34	14	3.4							
35-49	6	1.0							
50-69	31	2.6	3						
70 +	6	1.0							
SUBTOTAL	**70**	**2.6**	**3**	**< 1**	**< 1**	**2**	**4**	**5**	**6**
GRAND TOTAL	**215**	**3.1**	**4**	**1**	**1**	**3**	**5**	**6**	**6**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	3.0							
18-34	78	3.4	4	< 1	1	4	5	6	7
35-49	72	3.1	5	1	1	2	5	6	8
50-69	63	3.6	8	1	2	3	4	7	11
70 +	20	3.1	1						
	239	**3.3**	**5**	**1**	**1**	**3**	**4**	**6**	**8**
0-17	12	1.0							
18-34	45	3.4	3	1	1	3	5	5	5
35-49	96	3.9	4	2	2	3	5	7	8
50-69	123	3.0	3	1	1	3	4	6	6
70 +	16	2.0	1						
	292	**3.2**	**4**	**1**	**1**	**3**	**5**	**6**	**7**
	532	**3.2**	**4**	**1**	**1**	**3**	**4**	**6**	**7**

DRG 67: Epiglottitis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	35	5.1	12						
70-74	8	3.0							
75-79	8	2.0							
80-84	8	4.0							
85 +	0								
SUBTOTAL	59	4.2	8	2	2	4	4	10	12
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	18	3.7	3						
70-74	16	4.0							
75-79	8	3.0							
80-84	8	1.0							
85 +	0								
SUBTOTAL	51	3.2	2	1	2	3	4	6	6
GRAND TOTAL	110	3.8	6	2	2	4	4	6	12

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	55	4.5	1	3	4	4	5	6	6
18-34	8	8.0							
35-49	25	4.3	3						
50-69	14	9.3	32						
70 +	6	4.0							
SUBTOTAL	108	5.3	8	3	4	4	6	8	14
0-17	123	3.0	4	1	1	3	4	6	7
18-34	131	2.6	2	1	2	2	3	4	6
35-49	119	2.8	4	1	1	2	3	5	8
50-69	57	3.7	3	2	2	4	5	7	7
70 +	6	2.0							
SUBTOTAL	435	2.9	3	1	2	3	4	5	7
GRAND TOTAL	544	3.4	5	1	2	3	4	6	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	6	4.0							
18-34	0								
35-49	8	4.0							
50-69	8	4.0							
70 +	0								
SUBTOTAL	22	4.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	39	3.3	9						
18-34	0								
35-49	6	3.0							
50-69	0								
70 +	0								
SUBTOTAL	45	3.3	8	1	1	2	3	9	9
GRAND TOTAL	67	3.5	5	1	2	3	4	9	9

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	29	5.0	2						
18-34	0								
35-49	12	8.5							
50-69	20	5.6	3						
70 +	0								
SUBTOTAL	61	5.9	4	4	5	5	8	9	9
0-17	49	3.8	4	2	2	3	5	8	8
18-34	53	2.8	1	1	2	3	4	4	4
35-49	63	3.4	3	1	3	3	4	6	7
50-69	29	2.6	2						
70 +	0								
SUBTOTAL	194	3.2	3	2	2	3	4	5	7
GRAND TOTAL	256	3.9	4	2	2	3	5	7	8

DRG 68: Otitis Media & URI Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	869	4.7	12	2	2	4	6	8	13
70-74	493	5.8	18	2	3	4	7	12	13
75-79	580	5.1	15	2	3	4	6	9	10
80-84	488	5.4	13	2	3	4	7	10	12
85+	372	5.9	12	2	3	5	7	12	13
SUBTOTAL	**2801**	**5.3**	**14**	**2**	**3**	**4**	**7**	**10**	**13**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2801**	**5.3**	**14**	**2**	**3**	**4**	**7**	**10**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	938	2.9	5	1	2	2	3	5	6
35-49	550	3.2	4	1	2	3	4	6	8
50-69	789	3.8	8	2	2	3	4	7	7
70+	98	3.6	4	2	2	3	4	7	8
	2375	**3.3**	**6**	**1**	**2**	**3**	**4**	**6**	**7**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	2375	**3.3**	**6**	**1**	**2**	**3**	**4**	**6**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	284	4.0	14	1	2	2	6	8	9
35-49	125	6.4	20	3	4	5	6	14	17
50-69	174	4.4	19	2	2	3	4	8	11
70+	8	4.0							
SUBTOTAL	**591**	**4.6**	**18**	**1**	**2**	**4**	**5**	**8**	**13**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**591**	**4.6**	**18**	**1**	**2**	**4**	**5**	**8**	**13**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	611	2.3	2	1	1	2	3	4	5
35-49	299	3.8	13	1	2	3	5	6	12
50-69	209	4.8	9	2	3	4	6	8	11
70+	86	5.4	54	1	2	4	4	8	31
	1204	**3.3**	**11**	**1**	**2**	**2**	**4**	**6**	**8**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	1204	**3.3**	**11**	**1**	**2**	**2**	**4**	**6**	**8**

DRG 69: Otitis Media & URI Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	390	3.5	5	2	2	3	4	7	9
70-74	172	3.8	6	1	2	3	5	7	7
75-79	202	4.7	7	2	2	5	6	8	9
80-84	174	4.2	5	1	3	4	5	7	8
85 +	143	4.2	6	1	2	4	6	8	9
SUBTOTAL	**1081**	**4.0**	**6**	**2**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**1081**	**4.0**	**6**	**2**	**2**	**3**	**5**	**7**	**9**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	0								
18-34	1297	2.5	3	1	1	2	3	4	5
35-49	793	2.9	2	1	2	2	4	5	6
50-69	660	3.1	5	1	2	3	4	6	8
70 +	49	4.0	6	1	1	4	7	7	7
SUBTOTAL	**2799**	**2.8**	**3**	**1**	**2**	**2**	**3**	**5**	**7**
GRAND TOTAL	**2799**	**2.8**	**3**	**1**	**2**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-[illegible]	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	386	2.5	2	1	1	2	3	5	5
35-49	159	3.8	7	1	2	3	4	9	10
50-69	65	7.7	53	2	3	4	10	25	25
70 +	0								
SUBTOTAL	**611**	**3.4**	**11**	**1**	**2**	**3**	**4**	**6**	**10**
GRAND TOTAL	**611**	**3.4**	**11**	**1**	**2**	**3**	**4**	**6**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	0								
18-34	1006	2.6	3	1	1	2	3	5	7
35-49	368	2.8	5	1	1	2	3	5	8
50-69	217	2.9	2	1	2	3	4	4	6
70 +	51	3.9	3	1	3	4	4	7	7
SUBTOTAL	**1642**	**2.7**	**4**	**1**	**1**	**2**	**4**	**5**	**7**
GRAND TOTAL	**1642**	**2.7**	**4**	**1**	**1**	**2**	**4**	**5**	**7**

DRG 70: Otitis Media & URI Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	12	2.5							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	12	2.5							
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	14	4.1	1						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	14	4.1	1						
GRAND TOTAL	27	3.4	1						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	2050	2.5	2	1	2	2	3	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	2050	2.5	2	1	2	2	3	4	6
0-17	3622	2.3	2	1	1	2	3	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	3622	2.3	2	1	1	2	3	4	5
GRAND TOTAL	5672	2.4	2	1	1	2	3	4	5

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	1305	3.2	6	1	2	2	4	6	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1305	3.2	6	1	2	2	4	6	9
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	2306	2.8	4	1	2	2	3	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	2306	2.8	4	1	2	2	3	4	6
GRAND TOTAL	3611	2.9	5	1	2	2	3	5	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	900	3.3	8	1	2	2	3	7	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	900	3.3	8	1	2	2	3	7	9
0-17	1984	2.9	5	1	2	2	3	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1984	2.9	5	1	2	2	3	5	7
GRAND TOTAL	2884	3.0	6	1	2	2	3	6	8

DRG 71: Laryngotracheitis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	6	14.0							
70-74	0								
75-79	0								
80-84	16	4.0							
85 +	0								
SUBTOTAL	**22**	**6.7**	**21**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	16	2.0	1						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**16**	**2.0**	**1**						
GRAND TOTAL	**39**	**4.7**	**18**						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	652	2.5	3	1	1	2	3	5	6
18-34	8	3.0							
35-49	8	9.0							
50-69	6	2.0							
70 +	0								
	674	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**7**
0-17	7774	1.6	1	1	1	1	2	3	3
18-34	16	2.5							
35-49	14	1.6							
50-69	0								
70 +	0								
	7805	**1.6**	**1**	**1**	**1**	**1**	**2**	**3**	**3**
	8479	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**4**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	307	2.9	4	1	2	2	3	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**307**	**2.9**	**4**	**1**	**2**	**2**	**3**	**6**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	2388	2.0	3	1	1	2	2	3	4
18-34	8	1.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**2396**	**2.0**	**3**	**1**	**1**	**2**	**2**	**3**	**4**
GRAND TOTAL	**2702**	**2.1**	**3**	**1**	**1**	**2**	**2**	**3**	**5**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	305	2.9	4	1	2	2	3	6	7
18-34	6	2.0							
35-49	0								
50-69	6	2.0							
70 +	0								
	317	**2.8**	**4**	**1**	**2**	**2**	**3**	**6**	**7**
0-17	3216	1.7	1	1	1	1	2	3	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	3216	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**4**
	3533	**1.8**	**2**	**1**	**1**	**1**	**2**	**3**	**4**

DRG 72: Nasal Trauma & Deformity

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	8	4.0							
75-79	6	2.0							
80-84	0								
85 +	39	3.1	10						
SUBTOTAL	**53**	**3.1**	7	1	1	2	4	9	9
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	25	3.7	2						
SUBTOTAL	**25**	**3.7**	2						
GRAND TOTAL	**78**	**3.3**	6	1	2	2	4	8	9

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	45	1.5	1	< 1	1	1	2	3	3
18-34	61	1.8		< 1	1	2	2	3	3
35-49	37	3.5	5						
50-69	16	1.5							
70 +	0								
	159	**2.1**	**2**	**< 1**	**1**	**2**	**2**	**3**	**6**
0-17	74	1.2		< 1	< 1	< 1	1	3	3
18-34	53	1.6	3	< 1	< 1	1	1	6	6
35-49	39	1.6	1						
50-69	16	2.0	1						
70 +	6	2.0							
	188	**1.5**	**1**	**< 1**	**< 1**	**1**	**1**	**3**	**3**
	347	**1.8**	**2**	**< 1**	**< 1**	**1**	**2**	**3**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	6	2.0							
35-49	0								
50-69	6	1.0							
70 +	0								
SUBTOTAL	**12**	**1.5**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	6	2.0							
18-34	31	1.6	1						
35-49	14	1.0							
50-69	0								
70 +	0								
SUBTOTAL	**51**	**1.5**		**< 1**	1	1	2	3	3
GRAND TOTAL	**63**	**1.5**		**< 1**	1	1	2	2	3

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	1.0							
18-34	102	2.4	5	< 1	1	2	3	6	9
35-49	37	2.1							
50-69	14	3.1	1						
70 +	8	2.0							
	170	**2.3**	**3**	**< 1**	**1**	**2**	**3**	**4**	**6**
0-17	41	1.7	1	1	1	2	2	3	3
18-34	143	1.7	1	< 1	1	1	2	3	4
35-49	35	1.4							
50-69	22	1.4							
70 +	0								
	241	**1.6**	**1**	**< 1**	**1**	**1**	**2**	**3**	**4**
	411	**1.9**	**2**	**< 1**	**1**	**1**	**2**	**3**	**4**

DRG 73: Other Ear, Nose, Mouth & Throat Diagnoses Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	108	6.2	18	2	3	6	9	11	18
70-74	102	6.4	36	3	3	4	5	18	22
75-79	125	3.9	5	1	3	3	5	8	9
80-84	133	5.9	19	2	3	5	8	12	13
85+	127	11.1	66	3	5	7	15	26	27
SUBTOTAL	595	6.7	35	2	3	5	8	14	21
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	108	3.4	6	1	1	2	6	8	9
70-74	59	2.1	1	1	1	3	3	3	3
75-79	78	6.5	106	<1	1	3	5	33	36
80-84	84	4.4	8	1	2	4	7	8	10
85+	35	3.8	4						
SUBTOTAL	364	4.1	29	1	1	3	5	7	9
GRAND TOTAL	959	5.7	34	1	3	4	7	11	18

TYPE OF PATIENT	BLUE CROSS/PRIV. INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	106	2.9	3	1	2	2	3	5	7
35-49	106	4.0	23	1	1	3	4	5	20
50-69	145	3.5	14	<1	1	2	5	10	11
70+	6	1.0							
	364	3.4	13	1	1	2	4	8	11
0-17	0								
18-34	208	2.8	3	<1	1	2	4	5	6
35-49	268	2.8	5	<1	1	2	4	6	8
50-69	270	2.6	3	1	1	2	4	5	6
70+	29	1.0							
	775	2.6	4	<1	1	2	4	5	6
	1138	2.9	7	1	1	2	4		

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	57	6.1	15	1	4	5	10	12	12
35-49	27	11.5	33						
50-69	74	9.2	177	2	3	4	8	20	50
70+	8	2.0							
SUBTOTAL	166	8.2	94	1	3	5	9	18	20
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	72	4.5	20	1	2	3	7	8	17
35-49	57	4.6	8	1	2	5	6	9	9
50-69	57	3.6	7	1	2	3	4	8	9
70+	0								
SUBTOTAL	186	4.3	12	1	2	3	6	9	
GRAND TOTAL	352	6.1	54	1	2	4	8	12	18

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	110	3.1	7	1	1	2	3	9	10
35-49	82	2.2	3	<1	1	1	2	5	6
50-69	104	4.6	18	1	2	3	5	12	17
70+	14	3.3	4						
	311	3.3	10	1	1	2	4	8	10
0-17	0								
18-34	348	3.1	5	1	1	2	4	6	8
35-49	301	3.6	10	1	1	2	5	7	10
50-69	125	3.8	10	1	1	3	5	6	10
70+	12	1.5							
	786	3.3	8	1	1	2	5	6	9
	1097	3.3	9	1	1	2	5	7	10

DRG 74: Other Ear, Nose, Mouth & Throat Diagnoses Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
0-17	188	5.4	159	1	1	2	4	8	17
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	188	5.4	159	1	1	2	4	8	17
0-17	1290	1.7	2	< 1	< 1	1	2	3	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1290	1.7	2	< 1	< 1	1	2	3	5
GRAND TOTAL	1479	2.2	24	< 1	< 1	1	2	4	5

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	90	3.5	9	1	1	3	4	7	12
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	90	3.5	9	1	1	3	4	7	12
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	493	2.5	8	< 1	< 1	1	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	493	2.5	8	< 1	< 1	1	3	5	6
GRAND TOTAL	583	2.7	8	< 1	1	2	3	5	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	10TH	25TH	50TH	75TH	90TH	95TH
0-17	65	4.1	17	< 1	1	3	5	12	13
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	65	4.1	17	< 1	1	3	5	12	13
0-17	554	2.3	6	< 1	1	1	2	5	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	554	2.3	6	< 1	1	1	2	5	9
GRAND TOTAL	620	2.5	8	< 1	1	1	3	6	10

DRG 75: Major Chest Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1513	11.9	67	5	7	9	14	21	31
70-74	1098	11.4	40	6	7	9	15	21	26
75-79	742	11.6	55	5	7	10	15	20	26
80-84	313	14.7	60	8	10	12	17	26	26
85 +	37	17.0	53						
SUBTOTAL	**3702**	**12.0**	**57**	**6**	**7**	**10**	**15**	**22**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	446	7.2	6	5	6	7	8	11	12
70-74	303	7.9	25	4	5	7	9	12	20
75-79	209	10.4	78	4	5	7	12	18	31
80-84	65	7.8	4	4	7	8	9	10	12
85 +	8	16.0							
SUBTOTAL	**1030**	**8.2**	**28**	**4**	**5**	**7**	**9**	**12**	**18**
GRAND TOTAL	**4732**	**11.1**	**53**	**5**	**7**	**9**	**13**	**20**	**26**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	170	8.4	17	4	5	8	12	17	18
18-34	260	8.5	20	4	6	7	10	16	17
35-49	619	10.0	35	4	5	9	14	17	21
50-69	1826	9.9	46	4	6	8	12	16	20
70 +	68	10.5	29	8	8	9	10	11	27
	2942	**9.7**	**39**	**4**	**6**	**8**	**12**	**17**	**20**
0-17	235	5.4	10	3	4	4	5	6	15
18-34	341	6.0	8	3	4	6	7	9	11
35-49	397	7.3	13	4	5	6	8	12	14
50-69	783	7.0	22	3	5	7	7	12	13
70 +	6	4.0							
	1762	**6.7**	**16**	**3**	**4**	**6**	**7**	**12**	**13**
	4705	**8.6**	**33**	**4**	**5**	**7**	**10**	**15**	**18**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	98	12.6	246	3	4	9	18	99 +	99 +
18-34	76	16.0	208	3	5	9	21	34	52
35-49	55	16.3	175	8	9	11	18	52	52
50-69	149	12.9	56	7	9	10	16	17	21
70 +	0								
SUBTOTAL	**378**	**14.0**	**154**	**4**	**7**	**10**	**17**	**34**	**52**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	80	5.8	7	4	4	5	6	11	12
18-34	86	10.1	36	5	6	8	13	21	23
35-49	47	12.5	139	5	6	8	12	42	42
50-69	131	9.0	38	4	5	7	9	20	28
70 +	6	5.0							
SUBTOTAL	**350**	**9.0**	**47**	**4**	**5**	**7**	**11**	**14**	**23**
GRAND TOTAL	**728**	**11.6**	**109**	**4**	**5**	**9**	**14**	**22**	**42**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	47	9.2	24	4	5	8	10	19	19
18-34	299	12.1	55	5	6	10	16	21	25
35-49	354	13.1	69	5	7	10	17	26	30
50-69	575	11.2	54	5	7	9	14	20	22
70 +	41	8.9	72	< 1	6	7	8	28	28
	1315	**11.8**	**59**	**5**	**7**	**9**	**15**	**22**	**27**
0-17	119	5.6	9	3	3	5	8	10	12
18-34	280	7.8	17	4	5	6	10	13	15
35-49	219	8.2	35	4	5	6	10	15	23
50-69	229	9.5	53	4	5	8	11	16	33
70 +	27	12.1	59						
	874	**8.2**	**33**	**4**	**5**	**6**	**10**	**14**	**22**
	2188	**10.3**	**51**	**4**	**6**	**8**	**13**	**20**	**25**

DRG 76: Other Resp System O.R. Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1282	11.1	62	3	6	9	14	21	25
70-74	1140	10.4	60	3	5	9	13	21	26
75-79	815	12.1	58	4	7	10	16	23	24
80-84	593	10.5	58	3	5	8	14	19	23
85 +	327	15.2	108	5	8	13	19	27	40
SUBTOTAL	**4157**	**11.4**	**65**	**3**	**6**	**9**	**15**	**21**	**26**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4157**	**11.4**	**65**	**3**	**6**	**9**	**15**	**21**	**26**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	57	9.8	59	1	3	9	13	22	23
18-34	180	8.4	24	4	5	8	9	17	19
35-49	448	8.5	50	1	4	8	11	16	18
50-69	1202	9.6	134	2	4	7	11	17	27
70 +	206	10.2	83	3	4	7	15	17	38
SUBTOTAL	**2093**	**9.3**	**100**	**2**	**4**	**7**	**11**	**17**	**24**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2093**	**9.3**	**100**	**2**	**4**	**7**	**11**	**17**	**24**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	27	17.2	363						
18-34	180	12.3	90	2	6	10	15	30	36
35-49	205	12.9	77	4	9	10	15	26	35
50-69	276	15.5	223	2	8	11	17	33	38
70 +	27	10.6	16						
SUBTOTAL	**714**	**13.8**	**147**	**2**	**7**	**10**	**16**	**30**	**38**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**714**	**13.8**	**147**	**2**	**7**	**10**	**16**	**30**	**38**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	18	25.7	993						
18-34	96	7.4	34	2	3	5	12	17	22
35-49	209	10.6	56	4	5	9	14	15	31
50-69	446	9.7	81	2	4	7	12	20	23
70 +	110	11.7	53	2	5	11	15	26	28
SUBTOTAL	**879**	**10.3**	**92**	**2**	**4**	**7**	**13**	**20**	**26**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**879**	**10.3**	**92**	**2**	**4**	**7**	**13**	**20**	**26**

DRG 77: Other Resp System O.R. Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	188	4.2	12	< 1	1	3	5	9	9
70-74	182	4.8	23	< 1	1	4	6	10	11
75-79	57	4.9	17	< 1	< 1	2	8	11	11
80-84	94	6.2	18	2	3	6	8	13	16
85 +	12	8.5							
SUBTOTAL	**533**	**4.9**	**18**	**< 1**	**1**	**4**	**7**	**10**	**13**
GRAND TOTAL	**533**	**4.9**	**18**	**< 1**	**1**	**4**	**7**	**10**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	68	1.6	1	< 1	< 1	1	2	2	5
18-34	92	4.9	14	1	3	3	7	11	13
35-49	249	6.5	106	1	1	3	8	13	23
50-69	301	4.0	17	1	1	2	5	10	14
70 +	29	2.5	9						
	738	**4.7**	**47**	**1**	**1**	**3**	**6**	**10**	**13**
	738	**4.7**	**47**	**1**	**1**	**3**	**6**	**10**	**13**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	37	6.7	69	1	1	2	9	24	24
18-34	76	8.2	39	< 1	1	8	12	17	21
35-49	59	9.4	95	< 1	1	6	17	26	26
50-69	127	8.8	57	2	4	5	12	18	25
70 +	6	3.0							
SUBTOTAL	**305**	**8.4**	**61**	**1**	**2**	**5**	**12**	**22**	**25**
GRAND TOTAL	**305**	**8.4**	**61**	**1**	**2**	**5**	**12**	**22**	**25**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	31	5.0	17						
18-34	72	7.7	53	1	2	6	10	14	28
35-49	102	4.0	11	< 1	1	3	7	9	12
50-69	194	5.3	19	1	1	5	8	11	15
70 +	0								
	399	**5.4**	**24**	**1**	**1**	**4**	**7**	**11**	**15**
	399	**5.4**	**24**	**1**	**1**	**4**	**7**	**11**	**15**

DRG 78: Pulmonary Embolism

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	938	9.3	19	6	7	8	11	13	17
70-74	838	9.4	55	5	6	8	10	15	18
75-79	830	9.8	26	6	7	9	11	14	18
80-84	721	8.9	14	5	7	9	11	13	16
85 +	640	10.7	19	7	8	9	13	16	18
SUBTOTAL	**3967**	**9.6**	**27**	**5**	**7**	**9**	**11**	**15**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	413	7.9	8	5	6	8	9	11	12
70-74	382	7.7	7	5	6	8	9	12	12
75-79	331	7.4	6	4	6	7	9	9	10
80-84	204	9.0	9	6	7	9	10	12	14
85 +	110	8.4	4	6	8	8	10	10	12
SUBTOTAL	**1441**	**7.9**	**7**	**5**	**6**	**8**	**9**	**11**	**12**
GRAND TOTAL	**5407**	**9.1**	**23**	**5**	**7**	**8**	**10**	**13**	**17**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	125	9.9	38	5	7	8	10	15	24
35-49	417	7.9	10	4	6	7	9	13	14
50-69	1036	8.2	10	5	6	8	10	12	15
70 +	284	7.8	8	5	6	8	9	11	12
	1862	**8.2**	**12**	**5**	**6**	**8**	**10**	**12**	**14**
0-17	8	8.0							
18-34	227	7.0	8	4	6	7	9	9	13
35-49	462	7.4	10	4	6	7	9	10	11
50-69	646	7.2	5	5	6	7	8	11	11
70 +	72	7.7	11	4	5	7	10	13	15
	1414	**7.3**	**7**	**5**	**6**	**7**	**8**	**10**	**12**
	3277	**7.8**	**10**	**5**	**6**	**7**	**9**	**11**	**13**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	6	3.0							
18-34	80	6.7	7	4	4	6	8	11	13
35-49	96	9.8	11	6	7	10	14	14	15
50-69	33	9.3	16						
70 +	6	15.0							
SUBTOTAL	**221**	**8.6**	**13**	**4**	**6**	**7**	**12**	**14**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	35	5.9	6						
35-49	25	9.0	2						
50-69	14	4.6							
70 +	6	8.0							
SUBTOTAL	**80**	**6.8**	**6**	**4**	**5**	**7**	**9**	**9**	**11**
GRAND TOTAL	**301**	**8.1**	**12**	**4**	**6**	**7**	**10**	**14**	**15**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	98	10.2	22	7	8	8	10	18	25
35-49	147	9.3	27	5	5	7	13	17	19
50-69	296	8.7	16	4	7	8	10	12	15
70 +	82	7.7	7	5	5	8	9	12	13
	624	**9.0**	**19**	**5**	**7**	**8**	**10**	**15**	**18**
0-17	8	3.0							
18-34	117	7.0	7	4	5	6	9	11	13
35-49	149	8.0	8	5	6	9	9	11	14
50-69	249	7.5	8	5	6	7	9	12	13
70 +	25	7.7	3						
	548	**7.5**	**8**	**5**	**6**	**7**	**9**	**11**	**13**
	1172	**8.3**	**14**	**5**	**6**	**8**	**9**	**13**	**15**

DRG 79: Respiratory Infections & Inflammations Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2942	9.7	51	4	5	7	12	18	25
70-74	2293	10.3	49	4	6	8	12	19	24
75-79	3034	10.4	50	4	6	8	14	20	23
80-84	2857	11.1	68	4	6	9	14	21	25
85 +	3519	10.6	52	4	6	9	13	19	24
SUBTOTAL	**14644**	**10.4**	**54**	**4**	**6**	**8**	**13**	**19**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**14644**	**10.4**	**54**	**4**	**6**	**8**	**13**	**19**	**24**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	484	7.9	33	3	4	6	10	16	21
35-49	368	9.4	43	3	5	8	14	19	25
50-69	995	11.0	95	3	5	8	14	19	24
70 +	374	8.5	24	3	5	7	11	16	19
	2222	**9.6**	**63**	**3**	**5**	**7**	**12**	**19**	**22**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2222	**9.6**	**63**	**3**	**5**	**7**	**12**	**19**	**22**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	413	12.0	135	3	6	10	16	27	36
35-49	370	12.4	214	3	5	8	15	24	40
50-69	403	10.2	41	3	5	9	16	19	22
70 +	110	8.7	32	3	5	6	12	18	24
SUBTOTAL	**1297**	**11.3**	**121**	**3**	**5**	**9**	**15**	**22**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1297**	**11.3**	**121**	**3**	**5**	**9**	**15**	**22**	**28**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	638	9.0	43	2	4	7	12	17	23
35-49	495	8.3	49	2	4	7	11	16	21
50-69	530	9.5	76	2	4	6	11	21	26
70 +	252	10.9	48	5	6	9	13	19	21
	1915	**9.2**	**55**	**2**	**4**	**7**	**12**	**18**	**23**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1915	**9.2**	**55**	**2**	**4**	**7**	**12**	**18**	**23**

DRG 80: Respiratory Infections & Inflammations Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	309	6.1	10	3	4	5	8	11	15
70-74	304	7.2	30	2	4	6	10	12	15
75-79	321	6.0	10	2	4	5	7	10	12
80-84	217	7.5	15	3	5	7	10	12	15
85 +	386	9.1	55	4	4	7	11	24	28
SUBTOTAL	**1537**	**7.2**	**27**	**3**	**4**	**6**	**9**	**13**	**15**
GRAND TOTAL	**1537**	**7.2**	**27**	**3**	**4**	**6**	**9**	**13**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	0								
18-34	131	6.1	28	2	2	4	8	18	18
35-49	223	6.0	9	2	4	5	8	11	12
50-69	209	6.8	14	3	4	5	10	12	15
70 +	39	5.0	12						
SUBTOTAL	**601**	**6.3**	**15**	**2**	**4**	**5**	**8**	**12**	**14**
GRAND TOTAL	**601**	**6.3**	**15**	**2**	**4**	**5**	**8**	**12**	**14**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	346	7.5	36	1	3	7	10	16	22
35-49	180	12.3	109	3	4	9	16	24	31
50-69	104	8.3	58	2	3	6	11	24	27
70 +	51	5.1	10	1	3	4	6	12	12
SUBTOTAL	**682**	**8.7**	**61**	**2**	**3**	**7**	**12**	**18**	**24**
GRAND TOTAL	**682**	**8.7**	**61**	**2**	**3**	**7**	**12**	**18**	**24**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	0								
18-34	665	7.1	40	1	3	5	9	15	20
35-49	422	7.8	102	1	3	5	9	15	18
50-69	239	8.5	48	2	4	7	9	18	26
70 +	45	7.7	30	1	4	7	15	17	17
SUBTOTAL	**1371**	**7.6**	**60**	**1**	**3**	**6**	**9**	**15**	**19**
GRAND TOTAL	**1371**	**7.6**	**60**	**1**	**3**	**6**	**9**	**15**	**19**

DRG 81: Respiratory Infections & Inflammations Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	16	11.5							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**16**	**11.5**							
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**16**	**11.5**							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	491	7.7	29	2	3	7	11	13	15
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**491**	**7.7**	**29**	**2**	**3**	**7**	**11**	**13**	**15**
0-17	329	3.9	7	1	2	3	5	8	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**329**	**3.9**	**7**	**1**	**2**	**3**	**5**	**8**	**8**
	820	**6.2**	**23**	**1**	**3**	**5**	**8**	**12**	**14**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	749	8.3	117	2	4	6	9	13	17
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**749**	**8.3**	**117**	**2**	**4**	**6**	**9**	**13**	**17**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	538	5.5	22	1	3	4	6	14	17
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**538**	**5.5**	**22**	**1**	**3**	**4**	**6**	**14**	**17**
GRAND TOTAL	**1286**	**7.2**	**79**	**2**	**3**	**5**	**9**	**13**	**17**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	186	7.9	21	2	4	7	10	14	16
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**186**	**7.9**	**21**	**2**	**4**	**7**	**10**	**14**	**16**
0-17	266	4.7	12	1	2	4	6	8	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**266**	**4.7**	**12**	**1**	**2**	**4**	**6**	**8**	**10**
	452	**6.0**	**18**	**2**	**3**	**5**	**8**	**11**	**14**

DRG 82: Respiratory Neoplasms

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1815	7.4	35	2	4	6	10	14	18
70-74	1704	7.8	46	2	3	6	10	15	20
75-79	1367	8.6	40	3	4	6	11	17	21
80-84	797	8.3	53	2	4	6	10	18	23
85 +	533	8.8	42	3	4	7	11	15	21
SUBTOTAL	**6217**	**8.0**	**42**	**2**	**4**	**6**	**11**	**16**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	288	5.1	18	1	2	4	7	10	17
70-74	137	4.3	11	1	2	3	5	8	14
75-79	202	4.9	15	< 1	1	4	7	13	13
80-84	104	6.3	17	1	4	5	9	13	17
85 +	102	6.3	32	2	3	5	9	9	26
SUBTOTAL	**834**	**5.2**	**18**	**1**	**2**	**4**	**7**	**9**	**14**
GRAND TOTAL	**7051**	**7.7**	**40**	**2**	**4**	**6**	**10**	**15**	**20**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	47	4.8	5	< 1	2	5	7	7	7
18-34	12	4.0							
35-49	525	5.8	14	1	3	5	8	9	11
50-69	1991	7.3	37	2	3	5	10	14	20
70 +	356	7.4	20	2	4	6	11	15	15
SUBTOTAL	**2931**	**6.9**	**30**	**2**	**3**	**5**	**9**	**13**	**18**
0-17	18	3.3							
18-34	16	4.5	13						
35-49	94	4.5	10	2	2	3	7	9	11
50-69	470	4.4	15	1	2	3	6	9	14
70 +	35	4.7	21						
SUBTOTAL	**634**	**4.4**	**14**	**1**	**2**	**3**	**6**	**9**	**12**
GRAND TOTAL	**3565**	**6.5**	**28**	**2**	**3**	**5**	**8**	**13**	**17**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	31	5.6	24						
18-34	59	4.3	4	2	3	4	6	8	8
35-49	237	7.1	38	3	4	6	9	12	16
50-69	745	9.0	52	2	4	7	11	19	23
70 +	88	8.3	65	2	2	6	9	23	25
SUBTOTAL	**1160**	**8.2**	**48**	**2**	**4**	**6**	**10**	**18**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	18	2.0	1						
18-34	61	3.5	7	1	2	2	5	8	10
35-49	61	6.1	31	1	2	2	11	14	18
50-69	172	4.5	15	1	1	3	7	11	12
70 +	12	4.5	13						
SUBTOTAL	**326**	**4.5**	**16**	**1**	**2**	**2**	**7**	**11**	**12**
GRAND TOTAL	**1486**	**7.4**	**44**	**1**	**3**	**6**	**9**	**17**	**22**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	2.0							
18-34	25	7.8	12						
35-49	252	6.8	52	1	3	5	7	11	14
50-69	1117	7.8	44	2	3	7	10	15	20
70 +	135	9.5	80	2	4	7	12	15	16
SUBTOTAL	**1534**	**7.7**	**48**	**2**	**3**	**6**	**10**	**14**	**20**
0-17	0								
18-34	31	7.4	56						
35-49	133	4.2	12	2	2	3	4	8	12
50-69	420	6.7	78	1	2	4	9	14	22
70 +	53	4.3	16	1	2	2	8	12	12
SUBTOTAL	**636**	**6.0**	**59**	**1**	**2**	**3**	**7**	**12**	**20**
GRAND TOTAL	**2171**	**7.2**	**52**	**1**	**3**	**5**	**10**	**14**	**20**

DRG 83: Major Chest Trauma w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	215	6.4	13	3	3	6	8	10	16
70-74	168	5.6	9	2	4	5	8	10	11
75-79	198	6.3	11	3	4	5	9	12	12
80-84	266	5.7	13	2	4	5	7	8	12
85 +	317	7.8	27	3	5	7	9	12	15
SUBTOTAL	**1163**	**6.5**	**16**	**3**	**4**	**5**	**8**	**11**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1163**	**6.5**	**16**	**3**	**4**	**5**	**8**	**11**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	33	2.3	1						
18-34	231	4.5	6	2	3	4	6	7	10
35-49	390	4.5	9	1	2	4	6	9	10
50-69	470	5.2	18	2	3	4	7	9	12
70 +	243	7.1	28	2	4	6	8	14	16
	1367	**5.1**	**16**	**2**	**3**	**4**	**7**	**9**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1367	**5.1**	**16**	**2**	**3**	**4**	**7**	**9**	**12**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	8	8.0							
18-34	39	4.0	4						
35-49	45	5.4	4	3	4	5	7	9	9
50-69	27	7.2	22						
70 +	6	3.0							
SUBTOTAL	**125**	**5.4**	**9**	**2**	**3**	**5**	**7**	**8**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**125**	**5.4**	**9**	**2**	**3**	**5**	**7**	**8**	**11**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	12	1.5							
18-34	168	5.0	7	2	2	5	8	8	9
35-49	249	3.8	6	1	2	3	6	7	8
50-69	166	4.9	7	1	3	4	6	9	9
70 +	69	4.6	5	1	3	5	6	7	7
	664	**4.4**	**7**	**1**	**2**	**4**	**6**	**8**	**9**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	664	**4.4**	**7**	**1**	**2**	**4**	**6**	**8**	**9**

DRG 84: Major Chest Trauma w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	61	2.6	2	1	2	2	3	6	6
70-74	37	3.3	2						
75-79	71	3.4	6	< 1	1	3	5	7	8
80-84	74	2.7	2	1	2	2	3	6	6
85 +	61	5.5	7	2	4	5	8	10	10
SUBTOTAL	**304**	**3.5**	**5**	**1**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**304**	**3.5**	**5**	**1**	**2**	**3**	**5**	**7**	**8**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	45	1.4	1	1	1	1	1	4	4
18-34	147	2.4	2	1	1	2	3	4	6
35-49	345	2.7	4	1	1	2	3	5	6
50-69	280	3.5	5	1	2	3	4	7	8
70 +	102	4.0	9	1	2	3	5	7	12
919	**3.0**	**5**	**1**	**1**	**2**	**4**	**6**	**8**	
919	**3.0**	**5**	**1**	**1**	**2**	**4**	**6**	**8**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	8	4.0							
18-34	35	1.8	1						
35-49	39	1.2		< 1	1	1	1	2	2
50-69	6	2.0							
70 +	16	2.5							
SUBTOTAL	**104**	**1.8**	**1**	**< 1**	**1**	**2**	**2**	**3**	**4**
GRAND TOTAL	**104**	**1.8**	**1**	**< 1**	**1**	**2**	**2**	**3**	**4**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	39	1.8							
18-34	143	2.7	3	1	2	2	3	5	7
35-49	184	3.0	9	1	1	2	4	6	7
50-69	90	3.1	7	2	2	2	3	4	11
70 +	22	6.4	11						
478	**3.0**	**7**	**1**	**2**	**2**	**3**	**6**	**9**	
478	**3.0**	**7**	**1**	**2**	**2**	**3**	**6**	**9**	

DRG 85: Pleural Effusion w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	525	6.5	27	2	3	5	8	12	17
70-74	402	7.1	32	3	3	6	9	11	15
75-79	458	6.8	26	3	3	5	9	12	16
80-84	417	8.6	28	3	4	8	11	16	19
85 +	419	8.7	29	3	5	8	10	17	21
SUBTOTAL	**2221**	**7.5**	**29**	**2**	**4**	**6**	**9**	**14**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2221**	**7.5**	**29**	**2**	**4**	**6**	**9**	**14**	**18**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	57	5.5	13	1	3	5	7	11	12
18-34	57	11.3	147	3	4	6	14	40	43
35-49	145	4.8	13	2	2	3	5	11	12
50-69	343	6.9	23	2	4	6	8	12	19
70 +	70	4.9	14	2	2	3	6	9	15
	673	**6.5**	**32**	**2**	**3**	**5**	**8**	**12**	**17**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	673	**6.5**	**32**	**2**	**3**	**5**	**8**	**12**	**17**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	55	9.4	22	3	7	9	11	20	20
18-34	86	9.6	59	2	4	8	12	24	29
35-49	43	7.4	15	2	3	7	12	13	13
50-69	145	8.8	50	2	3	7	11	20	26
70 +	12	4.5	13						
SUBTOTAL	**342**	**8.8**	**43**	**2**	**4**	**8**	**11**	**20**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**342**	**8.8**	**43**	**2**	**4**	**8**	**11**	**20**	**26**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	18	11.0	11						
18-34	121	6.8	13	3	4	6	8	12	15
35-49	168	7.5	32	2	4	5	10	17	17
50-69	237	5.1	15	1	3	4	7	10	14
70 +	98	7.7	19	3	4	7	12	16	16
	642	**6.6**	**21**	**2**	**3**	**5**	**9**	**14**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	642	**6.6**	**21**	**2**	**3**	**5**	**9**	**14**	**16**

Western Region, July 1989 - June 1990

DRG 86: Pleural Effusion w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	39	2.7	2						
70-74	47	2.7	2	1	1	3	4	5	5
75-79	45	5.2	10	1	2	5	9	9	9
80-84	31	4.0	5						
85 +	45	4.6	9	1	2	5	8	8	8
SUBTOTAL	**206**	**3.9**	**7**	**1**	**2**	**4**	**5**	**8**	**9**
GRAND TOTAL	**206**	**3.9**	**7**	**1**	**2**	**4**	**5**	**8**	**9**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	12	4.0	1						
18-34	39	3.2	2						
35-49	84	7.3	47	2	2	6	9	16	26
50-69	104	3.5	4	1	2	3	5	6	7
70 +	33	4.8	8						
SUBTOTAL	**272**	**4.8**	**20**	**1**	**2**	**3**	**6**	**8**	**11**
GRAND TOTAL	**272**	**4.8**	**20**	**1**	**2**	**3**	**6**	**8**	**11**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	37	6.2	26	1	1	6	7	16	16
35-49	27	7.0	6						
50-69	53	5.2	11	1	1	5	9	9	9
70 +	6	1.0							
SUBTOTAL	**123**	**5.7**	**15**	**1**	**1**	**7**	**8**	**10**	**12**
GRAND TOTAL	**123**	**5.7**	**15**	**1**	**1**	**7**	**8**	**10**	**12**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	0								
18-34	113	4.5	12	< 1	2	3	7	9	13
35-49	98	2.5	5	< 1	1	2	3	7	9
50-69	76	3.6	4	2	2	3	5	5	9
70 +	6	1.0							
SUBTOTAL	**293**	**3.5**	**8**	**< 1**	**2**	**2**	**5**	**8**	**9**
GRAND TOTAL	**293**	**3.5**	**8**	**< 1**	**2**	**2**	**5**	**8**	**9**

DRG 87: Pulmonary Edema & Respiratory Failure

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2434	7.2	39	2	4	6	9	14	17
70-74	1479	8.2	38	2	4	6	10	16	21
75-79	1394	7.4	19	3	4	6	9	13	17
80-84	858	7.9	28	3	4	6	10	15	20
85 +	505	8.0	25	4	5	7	9	13	22
SUBTOTAL	**6670**	**7.6**	**32**	**3**	**4**	**6**	**9**	**14**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	117	7.4	66	1	2	5	8	22	31
70-74	76	5.9	10	2	2	6	9	11	11
75-79	49	6.4	15	2	3	4	11	12	12
80-84	59	4.0	5	2	2	2	6	7	7
85 +	16	7.0	38						
SUBTOTAL	**317**	**6.3**	**33**	**1**	**2**	**5**	**8**	**12**	**14**
GRAND TOTAL	**6987**	**7.5**	**32**	**2**	**4**	**6**	**9**	**14**	**18**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	86	5.2	18	1	2	3	8	11	14
35-49	184	4.3	9	2	2	4	5	8	11
50-69	770	6.6	28	2	3	5	9	13	16
70 +	141	7.2	16	4	4	6	8	15	17
SUBTOTAL	**1181**	**6.2**	**24**	**2**	**3**	**5**	**9**	**13**	**16**
0-17	29	4.5	17						
18-34	78	1.8	2	1	1	1	2	4	5
35-49	65	1.4		1	1	1	2	2	2
50-69	74	3.1	4	< 1	1	3	4	7	7
70 +	14	11.0							
SUBTOTAL	**259**	**2.9**	**8**	**1**	**1**	**2**	**4**	**7**	**11**
GRAND TOTAL	**1441**	**5.6**	**23**	**1**	**2**	**4**	**8**	**12**	**15**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	108	10.4	89	2	4	8	14	18	43
18-34	57	7.5	58	< 1	1	5	10	22	23
35-49	65	6.8	12	3	4	6	10	12	13
50-69	382	9.1	109	2	4	7	10	16	21
70 +	65	5.0	15	2	3	3	6	14	14
SUBTOTAL	**678**	**8.5**	**85**	**2**	**4**	**7**	**10**	**16**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	16	10.5	96						
18-34	12	5.0	10						
35-49	16	2.5							
50-69	14	8.0	13						
70 +	0								
SUBTOTAL	**59**	**6.6**	**40**	**1**	**2**	**3**	**8**	**20**	**20**
GRAND TOTAL	**738**	**8.4**	**82**	**2**	**3**	**6**	**10**	**16**	**20**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	61	4.7	19	< 1	1	2	9	13	13
35-49	120	6.2	16	3	3	4	9	14	15
50-69	529	6.8	17	3	4	6	8	11	14
70 +	184	7.3	28	3	4	5	11	16	18
SUBTOTAL	**903**	**6.6**	**19**	**2**	**4**	**5**	**9**	**12**	**15**
0-17	16	4.0	4						
18-34	6	3.0							
35-49	20	6.3	27						
50-69	63	4.1	5	1	3	3	6	7	8
70 +	6	3.0							
SUBTOTAL	**112**	**4.4**	**9**	**2**	**3**	**3**	**6**	**8**	**13**
GRAND TOTAL	**1016**	**6.4**	**19**	**2**	**3**	**5**	**8**	**12**	**14**

DRG 88: Chronic Obstructive Pulmonary Disease

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3674	6.5	29	2	3	5	8	12	17
70-74	2961	6.7	23	2	4	6	8	13	15
75-79	2407	7.0	22	3	4	6	9	13	16
80-84	1328	6.7	21	2	3	5	9	13	16
85 +	963	7.5	25	3	4	6	10	15	18
SUBTOTAL	**11333**	**6.8**	**25**	**2**	**4**	**5**	**8**	**13**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2891	5.1	13	2	3	4	6	9	12
70-74	2015	5.0	11	2	3	4	7	9	12
75-79	1610	5.6	18	2	3	4	7	10	13
80-84	838	5.0	8	2	3	4	6	9	11
85 +	337	5.0	13	2	3	4	6	9	12
SUBTOTAL	**7691**	**5.2**	**13**	**2**	**3**	**4**	**7**	**9**	**12**
GRAND TOTAL	**19024**	**6.1**	**21**	**2**	**3**	**5**	**8**	**12**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	27	20.0	618						
18-34	35	5.7	14						
35-49	118	6.7	34	2	2	5	7	18	21
50-69	1788	5.7	15	2	3	5	7	10	13
70 +	532	5.4	15	2	3	4	7	11	15
SUBTOTAL	**2500**	**5.8**	**24**	**2**	**3**	**5**	**7**	**11**	**14**
0-17	20	1.8	1						
18-34	71	3.1	2	1	2	3	4	5	5
35-49	255	4.6	5	2	3	4	7	8	8
50-69	1672	4.0	6	2	2	4	5	7	9
70 +	352	3.9	4	1	2	3	6	7	8
SUBTOTAL	**2371**	**4.0**	**5**	**2**	**2**	**4**	**5**	**7**	**8**
GRAND TOTAL	**4871**	**4.9**	**16**	**2**	**3**	**4**	**6**	**9**	**11**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	27	8.8	17						
18-34	41	6.7	4	3	6	7	8	9	9
35-49	245	8.0	79	3	4	5	8	13	26
50-69	871	6.6	27	2	3	5	8	11	18
70 +	139	5.9	10	2	4	6	9	10	13
SUBTOTAL	**1323**	**6.8**	**34**	**2**	**3**	**5**	**8**	**11**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	63	4.2	5	2	2	4	6	7	8
18-34	123	3.7	2	2	3	4	4	6	7
35-49	159	4.8	21	1	2	3	6	9	16
50-69	763	5.3	17	2	3	4	7	10	14
70 +	166	3.1	2	1	2	3	4	5	6
SUBTOTAL	**1274**	**4.7**	**14**	**1**	**2**	**4**	**6**	**9**	**12**
GRAND TOTAL	**2596**	**5.8**	**26**	**2**	**3**	**4**	**7**	**10**	**14**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	57	3.9	9	1	2	3	5	10	11
35-49	262	5.0	18	1	2	5	6	8	11
50-69	1078	5.7	22	1	3	4	8	11	13
70 +	294	5.7	71	2	2	4	7	8	8
SUBTOTAL	**1691**	**5.5**	**29**	**1**	**3**	**4**	**7**	**11**	**13**
0-17	33	2.8	1						
18-34	76	3.1	4	1	2	2	4	7	7
35-49	313	3.8	7	1	2	3	5	8	9
50-69	1246	4.7	14	1	2	4	6	9	10
70 +	280	3.9	4	2	2	4	5	7	8
SUBTOTAL	**1947**	**4.3**	**11**	**1**	**2**	**3**	**6**	**8**	**9**
GRAND TOTAL	**3638**	**4.9**	**20**	**1**	**2**	**4**	**6**	**9**	**11**

DRG 89: Simple Pneumonia & Pleurisy Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	11191	6.8	20	3	4	6	8	12	15
70-74	9969	7.0	19	3	4	6	8	12	15
75-79	10743	7.2	19	3	4	6	9	12	15
80-84	10646	7.6	21	3	4	7	9	13	16
85+	12609	8.2	30	3	5	7	10	14	17
SUBTOTAL	**55157**	**7.4**	**22**	**3**	**4**	**6**	**9**	**13**	**15**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**55157**	**7.4**	**22**	**3**	**4**	**6**	**9**	**13**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1320	4.8	8	2	3	4	6	8	11
35-49	2258	5.8	14	2	3	5	7	10	13
50-69	6251	6.2	16	3	4	5	8	11	13
70+	1922	7.3	23	3	4	6	9	13	15
SUBTOTAL	**11751**	**6.2**	**16**	**2**	**4**	**5**	**8**	**11**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
0									
GRAND TOTAL	**11751**	**6.2**	**16**	**2**	**4**	**5**	**8**	**11**	**13**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	982	6.1	35	2	3	5	7	10	12
35-49	1200	6.6	31	2	3	5	8	12	18
50-69	1799	6.8	20	3	4	5	8	14	16
70+	732	6.7	17	3	4	6	9	11	16
SUBTOTAL	**4713**	**6.6**	**26**	**2**	**4**	**5**	**8**	**12**	**15**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4713**	**6.6**	**26**	**2**	**4**	**5**	**8**	**12**	**15**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1473	5.8	32	2	3	4	7	11	15
35-49	2033	5.8	24	2	3	4	8	12	14
50-69	2717	6.4	24	2	3	5	8	11	14
70+	1257	6.7	13	3	4	6	8	11	14
SUBTOTAL	**7480**	**6.2**	**24**	**2**	**3**	**5**	**8**	**11**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
0									
GRAND TOTAL	**7480**	**6.2**	**24**	**2**	**3**	**5**	**8**	**11**	**14**

DRG 90: Simple Pneumonia & Pleurisy Age >17 w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	1949	4.8	19	2	3	4	6	8	10
70-74	1661	5.3	9	2	3	5	6	9	11
75-79	1624	5.7	12	2	4	5	7	10	11
80-84	1346	6.4	37	3	3	5	8	10	13
85+	1963	6.6	34	3	4	5	8	11	12
SUBTOTAL	**8544**	**5.7**	**23**	**2**	**3**	**5**	**7**	**10**	**12**
GRAND TOTAL	**8544**	**5.7**	**23**	**2**	**3**	**5**	**7**	**10**	**12**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
0									
0-17	0								
18-34	2306	3.7	4	2	2	3	4	6	7
35-49	2842	4.0	5	2	3	4	5	7	8
50-69	2685	4.5	6	2	3	4	6	8	9
70+	399	5.2	10	2	3	4	6	9	12
8232	**4.1**	**5**	**2**	**3**	**4**	**5**	**7**	**8**	
8232	**4.1**	**5**	**2**	**3**	**4**	**5**	**7**	**8**	

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	877	4.5	13	2	2	4	5	7	11
35-49	573	5.2	14	2	3	4	6	9	11
50-69	456	4.9	16	2	3	4	6	8	9
70+	217	4.7	8	2	3	4	6	7	10
SUBTOTAL	**2123**	**4.8**	**13**	**2**	**3**	**4**	**6**	**8**	**11**
GRAND TOTAL	**2123**	**4.8**	**13**	**2**	**3**	**4**	**6**	**8**	**11**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
0									
0-17	0								
18-34	2037	3.8	6	1	2	3	5	7	9
35-49	1738	4.3	10	1	2	4	5	8	11
50-69	1180	4.6	9	1	3	4	6	8	10
70+	303	5.7	9	2	3	5	7	11	12
5258	**4.2**	**8**	**1**	**2**	**4**	**5**	**8**	**10**	
5258	**4.2**	**8**	**1**	**2**	**4**	**5**	**8**	**10**	

DRG 91: Simple Pneumonia & Pleurisy Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	57	5.3	5	3	4	4	6	10	10
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	57	5.3	5	3	4	4	6	10	10
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	63	4.0	4	1	2	3	6	7	7
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	63	4.0	4	1	2	3	6	7	7
GRAND TOTAL	120	4.6	5	2	3	4	6	7	10

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	4595	3.6	7	1	2	3	4	6	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	4595	3.6	7	1	2	3	4	6	9
	10349	3.1	3	1	2	3	4	5	7
	0								
	0								
	0								
	0								
	0								
	10349	3.1	3	1	2	3	4	5	7
	14944	3.3	5	1	2	3	4	6	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	4291	5.1	17	2	3	4	6	11	13
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	4291	5.1	17	2	3	4	6	11	13
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	8559	3.8	7	2	2	3	5	7	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	8559	3.8	7	2	2	3	5	7	8
GRAND TOTAL	12850	4.2	11	2	2	3	5	8	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	2175	4.1	10	1	2	3	5	9	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2175	4.1	10	1	2	3	5	9	10
	5938	3.5	6	1	2	3	4	6	8
	0								
	0								
	0								
	0								
	0								
	5938	3.5	6	1	2	3	4	6	8
	8113	3.6	7	1	2	3	4	7	9

DRG 92: Interstitial Lung Disease w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	358	6.7	14	2	4	6	8	11	13
70-74	360	8.3	21	3	5	7	11	15	18
75-79	280	7.8	26	3	4	6	10	14	16
80-84	280	8.6	33	3	5	7	11	16	20
85 +	162	6.7	29	3	3	5	7	14	17
SUBTOTAL	**1439**	**7.7**	**24**	**3**	**4**	**7**	**10**	**14**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1439**	**7.7**	**24**	**3**	**4**	**7**	**10**	**14**	**18**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	61	5.0	9	< 1	3	5	6	10	10
18-34	70	5.7	33	2	2	3	6	13	20
35-49	82	10.5	357	< 1	1	4	8	39	66
50-69	233	8.0	37	2	3	6	12	16	22
70 +	37	7.8	36						
SUBTOTAL	**482**	**7.7**	**89**	**1**	**3**	**5**	**10**	**16**	**22**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**482**	**7.7**	**89**	**1**	**3**	**5**	**10**	**16**	**22**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	53	6.2	14	2	3	5	10	12	12
18-34	47	9.3	38	2	6	7	12	23	23
35-49	59	7.2	21	1	3	7	12	14	14
50-69	63	7.8	32	1	2	6	14	15	16
70 +	0								
SUBTOTAL	**223**	**7.6**	**27**	**2**	**3**	**6**	**12**	**14**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**223**	**7.6**	**27**	**2**	**3**	**6**	**12**	**14**	**16**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	14	6.7	32						
18-34	45	5.3	4	1	5	5	7	8	8
35-49	92	7.2	53	2	3	4	8	13	31
50-69	92	8.7	62	2	4	6	11	20	32
70 +	22	3.5	1						
SUBTOTAL	**266**	**7.1**	**44**	**2**	**3**	**5**	**8**	**13**	**20**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**266**	**7.1**	**44**	**2**	**3**	**5**	**8**	**13**	**20**

DRG 93: Interstitial Lung Disease w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	96	4.8	4	2	4	4	6	8	8
70-74	22	7.8	11						
75-79	31	4.2	5						
80-84	35	3.7	3						
85 +	22	6.6							
SUBTOTAL	**206**	**5.1**	**6**	**1**	**4**	**5**	**7**	**8**	**8**
GRAND TOTAL	**206**	**5.1**	**6**	**1**	**4**	**5**	**7**	**8**	**8**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	100	3.1	3	1	2	3	4	5	7
18-34	33	4.0	1						
35-49	33	3.3	1						
50-69	43	4.2	3	1	3	5	6	6	6
70 +	6	4.0							
215	**3.5**	**2**	**1**	**2**	**4**	**4**	**6**	**6**	
215	**3.5**	**2**	**1**	**2**	**4**	**4**	**6**	**6**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	63	5.5	7	3	3	5	7	10	11
18-34	39	6.5	8	4	4	6	8	12	12
35-49	12	7.0	17						
50-69	29	13.3	235						
70 +	25	6.8	8						
SUBTOTAL	**168**	**7.4**	**53**	**3**	**4**	**5**	**8**	**11**	**12**
GRAND TOTAL	**168**	**7.4**	**53**	**3**	**4**	**5**	**8**	**11**	**12**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	80	3.8	7	1	2	4	4	6	11
18-34	45	5.0	20	< 1	2	2	9	14	14
35-49	115	5.8	21	2	3	4	6	12	19
50-69	59	4.7	4	2	3	5	7	7	7
70 +	6	1.0							
305	**4.8**	**14**	**1**	**2**	**4**	**6**	**10**	**12**	
305	**4.8**	**14**	**1**	**2**	**4**	**6**	**10**	**12**	

DRG 94: Pneumothorax w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	390	7.9	41	2	4	6	10	17	21
70-74	339	6.9	22	2	3	5	9	16	17
75-79	243	8.4	45	3	4	6	10	19	24
80-84	237	8.0	11	4	5	8	10	13	15
85+	182	8.5	32	3	4	7	11	16	18
SUBTOTAL	1391	7.8	31	3	4	6	10	16	18
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
GRAND TOTAL	1391	7.8	31	3	4	6	10	16	18

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	133	4.0	10	1	2	3	4	10	11
18-34	313	7.0	39	2	3	5	8	13	24
35-49	225	5.3	16	2	3	4	7	11	13
50-69	368	5.1	9	2	3	4	6	10	10
70+	72	5.2	8	3	3	4	6	9	12
	1110	5.5	20	2	3	4	7	11	13
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	1110	5.5	20	2	3	4	7	11	13

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	100	8.8	41	2	4	7	16	19	19
18-34	176	11.7	150	2	3	8	13	28	34
35-49	88	9.4	57	1	5	8	14	17	30
50-69	102	5.4	10	3	3	4	7	12	13
70+	0								
SUBTOTAL	466	9.3	83	2	3	6	12	19	28
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
GRAND TOTAL	466	9.3	83	2	3	6	12	19	28

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	47	5.6	4	2	4	7	7	8	8
18-34	517	4.8	13	2	3	4	6	8	9
35-49	317	7.5	58	2	3	4	9	16	23
50-69	249	6.5	23	2	3	5	8	11	17
70+	39	7.5	33	2	4	4	13	18	18
	1169	6.0	29	2	3	4	7	10	16
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	1169	6.0	29	2	3	4	7	10	16

DRG 95: Pneumothorax w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	151	5.3	10	3	3	4	6	10	10
70-74	78	4.1	2	3	3	4	5	6	6
75-79	59	6.0	24	2	3	4	6	16	18
80-84	37	2.8	1						
85 +	16	7.0	1						
SUBTOTAL	**341**	**5.0**	**10**	**2**	**3**	**4**	**6**	**10**	**11**
GRAND TOTAL	**341**	**5.0**	**10**	**2**	**3**	**4**	**6**	**10**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	180	3.7	6	1	2	3	5	8	8
18-34	848	4.0	7	1	2	3	5	8	9
35-49	480	4.4	10	2	3	4	6	7	8
50-69	239	5.2	11	2	3	5	7	9	11
70 +	37	4.8	8						
SUBTOTAL	**1784**	**4.2**	**8**	**1**	**2**	**4**	**6**	**8**	**9**
GRAND TOTAL	**1784**	**4.2**	**8**	**1**	**2**	**4**	**6**	**8**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	129	3.2	3	2	2	3	4	5	7
18-34	321	3.4	2	1	3	3	4	5	6
35-49	53	4.4	2	2	3	5	6	6	6
50-69	37	4.1	5						
70 +	0								
SUBTOTAL	**540**	**3.5**	**3**	**1**	**3**	**3**	**5**	**6**	**6**
GRAND TOTAL	**540**	**3.5**	**3**	**1**	**3**	**3**	**5**	**6**	**6**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	237	3.9	7	2	2	3	6	8	10
18-34	1661	4.2	9	2	2	3	5	8	10
35-49	505	4.6	10	2	3	4	5	9	12
50-69	194	3.8	6	1	2	3	5	8	9
70 +	0								
SUBTOTAL	**2598**	**4.2**	**9**	**2**	**2**	**3**	**5**	**8**	**10**
GRAND TOTAL	**2598**	**4.2**	**9**	**2**	**2**	**3**	**5**	**8**	**10**

DRG 96: Bronchitis & Asthma Age >17 w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	8259	5.8	16	2	3	5	7	10	13
70-74	5845	5.8	16	2	3	5	7	10	13
75-79	5359	6.1	20	2	3	5	7	11	14
80-84	4115	6.4	21	3	4	5	8	11	13
85+	2908	6.8	26	3	4	6	8	11	15
SUBTOTAL	**26485**	**6.1**	**19**	**2**	**3**	**5**	**7**	**11**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	26485	6.1	19	2	3	5	7	11	13

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1187	3.9	10	1	2	3	4	7	9
35-49	1659	4.4	6	2	3	4	6	7	10
50-69	4183	5.1	20	2	3	4	6	9	11
70+	814	5.6	12	2	3	5	7	10	14
	7843	**4.8**	**15**	**2**	**3**	**4**	**6**	**8**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	7843	4.8	15	2	3	4	6	8	10

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	617	4.4	9	2	2	4	5	8	10
35-49	740	4.2	8	1	2	4	5	7	8
50-69	1286	5.1	10	2	3	4	6	9	12
70+	168	5.0	11	1	2	4	7	10	11
SUBTOTAL	**2811**	**4.7**	**10**	**2**	**2**	**4**	**6**	**8**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	2811	4.7	10	2	2	4	6	8	11

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	861	3.4	8	1	2	3	4	6	10
35-49	1346	4.0	6	1	2	4	5	7	10
50-69	1913	4.7	11	1	3	4	6	9	11
70+	611	5.6	24	2	3	5	6	9	11
	4731	**4.4**	**11**	**1**	**2**	**4**	**5**	**8**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	4731	4.4	11	1	2	4	5	8	11

DRG 97: Bronchitis & Asthma Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2297	4.2	5	2	3	4	5	7	9
70-74	1416	4.4	8	2	2	4	6	8	10
75-79	917	4.5	10	2	2	4	6	8	10
80-84	662	4.4	7	2	2	4	5	8	10
85+	521	4.3	5	2	3	4	5	8	9
SUBTOTAL	**5813**	**4.3**	**7**	**2**	**2**	**4**	**5**	**8**	**9**
GRAND TOTAL	**5813**	**4.3**	**7**	**2**	**2**	**4**	**5**	**8**	**9**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
0									
0-17	0								
18-34	3280	2.8	4	1	2	2	3	5	6
35-49	3392	3.3	4	1	2	3	4	6	7
50-69	2991	3.6	5	1	2	3	5	6	8
70+	241	4.5	12	1	2	4	5	10	11
9904	**3.2**	**5**	**1**	**2**	**3**	**4**	**6**	**7**	
9904	**3.2**	**5**	**1**	**2**	**3**	**4**	**6**	**7**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	1304	2.7	3	1	2	2	3	5	6
35-49	1021	2.9	4	1	2	2	4	6	7
50-69	996	3.9	7	1	2	3	5	7	9
70+	192	4.6	9	1	2	5	6	9	10
SUBTOTAL	**3513**	**3.2**	**5**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**3513**	**3.2**	**5**	**1**	**2**	**3**	**4**	**6**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
0									
0-17	0								
18-34	2925	2.7	10	1	1	2	3	5	6
35-49	2712	3.0	5	1	2	2	4	6	7
50-69	1872	3.4	6	1	2	3	4	6	7
70+	160	4.4	10	1	2	4	6	8	8
7668	**3.0**	**7**	**1**	**2**	**2**	**4**	**6**	**7**	
7668	**3.0**	**7**	**1**	**2**	**2**	**4**	**6**	**7**	

DRG 98: Bronchitis & Asthma Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	31	3.1	1						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	31	3.1	1						
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	47	2.7	2	1	1	3	4	5	5
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	47	2.7	2	1	1	3	4	5	5
GRAND TOTAL	78	2.9	2	1	2	3	4	5	5

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	3955	3.4	8	1	2	3	4	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	3955	3.4	8	1	2	3	4	6	8
0-17	19809	2.5	3	1	1	2	3	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	19809	2.5	3	1	1	2	3	4	5
	23764	2.6	4	1	1	2	3	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	3226	4.1	10	2	2	3	5	7	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	3226	4.1	10	2	2	3	5	7	9
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	12635	3.0	4	1	2	3	4	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	12635	3.0	4	1	2	3	4	5	7
GRAND TOTAL	15861	3.3	5	1	2	3	4	6	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1839	3.4	7	1	2	3	4	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1839	3.4	7	1	2	3	4	6	8
0-17	9924	2.5	4	1	1	2	3	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	9924	2.5	4	1	1	2	3	4	6
	11763	2.7	5	1	1	2	3	5	6

DRG 99: Respiratory Signs & Symptoms w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1504	3.9	10	1	2	3	5	7	10
70-74	1030	3.8	9	1	2	3	5	7	9
75-79	1089	4.1	16	1	2	3	5	7	10
80-84	621	3.8	6	1	2	3	5	7	9
85 +	488	4.7	23	1	2	3	5	11	19
SUBTOTAL	4733	4.0	12	1	2	3	5	7	10
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	4733	4.0	12	1	2	3	5	7	10

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	260	3.5	9	1	1	3	4	9	10
18-34	117	2.2	3	<1	1	2	3	4	7
35-49	501	3.4	14	1	1	2	4	7	7
50-69	1015	3.4	7	1	2	2	4	7	9
70 +	184	3.5	5	1	2	3	5	7	7
	2077	3.4	9	1	1	2	4	7	9
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2077	3.4	9	1	1	2	4	7	9

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	397	4.5	25	1	1	3	6	8	15
18-34	108	4.4	19	1	2	3	5	6	21
35-49	227	3.4	14	1	1	2	4	5	17
50-69	305	6.0	56	1	2	3	7	12	20
70 +	43	3.4	2	1	3	3	4	6	6
SUBTOTAL	1080	4.6	31	1	2	3	6	8	17
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	1080	4.6	31	1	2	3	6	8	17

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	149	2.7	7	1	1	2	3	4	8
18-34	80	3.0	10	1	1	1	3	7	12
35-49	315	3.4	8	1	1	2	4	7	11
50-69	436	4.7	19	1	2	3	6	13	16
70 +	168	3.8	5	1	2	4	5	6	9
	1147	3.8	12	1	2	3	5	8	12
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1147	3.8	12	1	2	3	5	8	12

DRG 100: Respiratory Signs & Symptoms w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	754	1.9	1	1	1	2	2	3	5
70-74	456	2.3	2	1	1	2	3	4	5
75-79	358	2.1	1	1	1	2	3	3	4
80-84	278	2.7	4	1	1	2	4	5	7
85 +	168	2.9	2	1	2	3	4	4	6
SUBTOTAL	**2013**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**2013**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	1013	2.1	4	1	1	1	2	4	5
18-34	415	1.9	1	1	1	2	2	3	4
35-49	1477	1.9	2	1	1	1	2	3	4
50-69	1549	2.0	3	1	1	2	2	3	4
70 +	137	2.5	2	1	1	2	4	4	5
SUBTOTAL	**4591**	**2.0**	**3**	**1**	**1**	**2**	**2**	**3**	**4**
GRAND TOTAL	**4591**	**2.0**	**3**	**1**	**1**	**2**	**2**	**3**	**4**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1019	2.9	12	1	1	2	3	6	9
18-34	196	2.7	7	1	1	2	3	6	11
35-49	196	2.1	3	< 1	1	2	3	3	6
50-69	215	2.4	2	< 1	2	2	3	4	6
70 +	31	2.2							
SUBTOTAL	**1656**	**2.7**	**9**	**1**	**1**	**2**	**3**	**6**	**8**
GRAND TOTAL	**1656**	**2.7**	**9**	**1**	**1**	**2**	**3**	**6**	**8**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	568	2.3	5	< 1	1	2	3	4	6
18-34	305	2.6	10	1	1	2	3	5	7
35-49	746	2.0	4	1	1	1	2	4	4
50-69	812	2.0	4	1	1	1	2	3	6
70 +	57	2.8	4	< 1	1	2	5	6	6
SUBTOTAL	**2488**	**2.2**	**5**	**1**	**1**	**1**	**2**	**4**	**6**
GRAND TOTAL	**2488**	**2.2**	**5**	**1**	**1**	**1**	**2**	**4**	**6**

DRG 101: Other Respiratory System Diagnoses w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	860	5.5	23	1	2	4	7	10	12
70-74	695	5.3	13	1	2	5	7	10	12
75-79	815	6.9	33	2	3	5	9	14	17
80-84	415	6.1	17	2	3	5	8	10	15
85 +	513	5.6	13	2	3	5	7	11	11
SUBTOTAL	**3298**	**5.9**	**21**	**1**	**3**	**5**	**8**	**11**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	3298	5.9	21	1	3	5	8	11	14

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	278	3.7	12	1	1	3	4	8	10
18-34	343	4.3	9	1	2	4	5	8	9
35-49	458	4.7	10	1	2	4	7	9	10
50-69	717	5.0	14	1	2	4	7	9	12
70 +	159	4.8	12	1	2	5	6	7	14
	1956	**4.6**	**12**	**1**	**2**	**4**	**6**	**9**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1956	4.6	12	1	2	4	6	9	11

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	200	4.5	12	1	2	3	7	9	12
18-34	98	6.5	28	2	2	4	11	14	20
35-49	102	5.8	32	1	2	4	8	10	25
50-69	147	4.3	16	1	2	3	4	8	16
70 +	41	5.9	23	1	2	5	7	16	16
SUBTOTAL	**589**	**5.1**	**20**	**1**	**2**	**4**	**7**	**11**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	589	5.1	20	1	2	4	7	11	14

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	166	5.6	50	1	1	2	7	14	26
18-34	323	4.0	6	1	2	3	5	7	8
35-49	360	5.2	32	1	2	4	6	10	14
50-69	411	5.1	34	1	2	4	5	11	17
70 +	80	5.6	16	< 1	2	4	9	12	13
	1339	**5.0**	**28**	**1**	**2**	**4**	**6**	**10**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1339	5.0	28	1	2	4	6	10	14

DRG 102: Other Respiratory System Diagnoses w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	172	3.8	7	2	2	3	4	6	10
70-74	123	2.5	1	1	2	3	3	4	4
75-79	188	4.3	8	1	2	4	7	9	9
80-84	110	2.8	3	1	1	2	4	5	6
85 +	123	3.8	17	1	1	2	5	8	17
SUBTOTAL	**715**	**3.5**	**8**	**1**	**2**	**3**	**4**	**7**	**9**
GRAND TOTAL	**715**	**3.5**	**8**	**1**	**2**	**3**	**4**	**7**	**9**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	892	1.8	3	< 1	1	1	2	3	5
18-34	323	2.7	7	1	1	2	3	6	6
35-49	353	2.8	4	1	1	2	4	6	7
50-69	245	3.6	5	1	2	3	5	7	8
70 +	76	2.9	3	1	1	3	4	6	6
1889	**2.4**	**4**	**< 1**	**1**	**2**	**3**	**5**	**7**	
1889	**2.4**	**4**	**< 1**	**1**	**2**	**3**	**5**	**7**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	468	2.2	4	1	1	1	2	4	7
18-34	100	6.0	76	2	2	4	5	10	39
35-49	53	3.1	6	< 1	1	2	4	9	9
50-69	96	5.3	23	1	2	3	7	13	16
70 +	6	6.0							
SUBTOTAL	**724**	**3.2**	**19**	**1**	**1**	**2**	**4**	**7**	**9**
GRAND TOTAL	**724**	**3.2**	**19**	**1**	**1**	**2**	**4**	**7**	**9**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	573	2.1	3	< 1	1	1	2	4	7
18-34	338	3.4	9	1	1	2	4	6	12
35-49	243	3.4	13	1	1	2	4	8	10
50-69	174	2.6	4	1	1	2	3	5	7
70 +	43	5.7	5	3	4	6	7	9	9
1370	**2.8**	**7**	**1**	**1**	**2**	**3**	**6**	**9**	
1370	**2.8**	**7**	**1**	**1**	**2**	**3**	**6**	**9**	

DRG 103: Heart Transplant

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	6	20.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**6**	**20.0**							
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**6**	**20.0**							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	18	26.0	66						
35-49	31	37.8	182						
50-69	61	22.5	224	11	14	15	25	50	58
70 +	0								
SUBTOTAL	**111**	**27.3**	**227**	**13**	**15**	**20**	**41**	**58**	**58**
0-17	0								
18-34	0								
35-49	12	25.0	245						
50-69	0								
70 +	0								
SUBTOTAL	**12**	**25.0**	**245**						
GRAND TOTAL	**123**	**27.1**	**228**	**12**	**15**	**20**	**40**	**49**	**58**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	12	18.0	1						
35-49	6	53.0							
50-69	0								
70 +	0								
SUBTOTAL	**18**	**29.7**	**289**						
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**18**	**29.7**	**289**						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

DRG 104: Cardiac Valve Procedures w/ Cardiac Cath

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	673	16.7	74	9	11	14	20	24	30
70-74	519	18.4	75	10	12	17	22	29	36
75-79	448	18.0	118	8	10	15	22	29	35
80-84	200	19.0	105	11	12	16	22	29	31
85 +	39	25.8	65						
SUBTOTAL	**1879**	**17.9**	**90**	**9**	**12**	**16**	**22**	**28**	**35**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	67	10.7	2	9	10	11	11	13	13
70-74	39	12.4	10						
75-79	22	12.8	6						
80-84	25	10.0	1		—				
85 +	16	11.0	4						
SUBTOTAL	**170**	**11.3**	**5**	**9**	**10**	**11**	**12**	**13**	**17**
GRAND TOTAL	**2049**	**17.4**	**86**	**9**	**11**	**15**	**21**	**28**	**34**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	18	14.0	82						
18-34	27	11.9	12						
35-49	135	14.0	64	6	8	12	18	22	26
50-69	560	16.8	122	8	10	14	18	29	37
70 +	76	17.0	50	7	12	14	24	28	28
	816	**16.1**	**103**	**8**	**10**	**14**	**18**	**28**	**37**
0-17	6	8.0							
18-34	22	10.7	4						
35-49	31	13.0	67						
50-69	57	9.2	8	7	7	8	10	15	15
70 +	8	13.0							
	125	**10.6**	**23**	**7**	**8**	**9**	**11**	**15**	**19**
	941	**15.4**	**96**	**7**	**9**	**13**	**17**	**28**	**36**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	12	14.0	70						
18-34	20	24.4	63						
35-49	65	30.3	315	9	19	36	48	70	99 +
50-69	78	20.4	194	10	12	15	28	36	55
70 +	0								
SUBTOTAL	**176**	**24.1**	**240**	**9**	**12**	**22**	**36**	**53**	**70**
2.PATIENTS W/OUT CCs	—								
AGE GROUP									
0-17	0								
18-34	6	4.0							
35-49	14	14.7	32						
50-69	6	9.0							
70 +	0								
SUBTOTAL	**27**	**10.9**	**37**						
GRAND TOTAL	**203**	**22.4**	**233**	**9**	**11**	**20**	**34**	**48**	**70**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	12	21.5	120						
18-34	20	9.9	23						
35-49	84	16.4	128	6	8	13	22	29	47
50-69	276	18.0	214	8	10	14	20	29	41
70 +	76	12.0	24	8	9	11	14	15	26
	469	**16.5**	**164**	**8**	**9**	**13**	**20**	**29**	**41**
0-17	0								
18-34	18	16.7	264						
35-49	6	9.0							
50-69	6	31.0							
70 +	6	12.0							
	37	**17.0**	**177**	**5**	**6**	**10**	**31**	**39**	**39**
	505	**16.5**	**164**	**7**	**9**	**13**	**20**	**29**	**39**

DRG 105: Cardiac Valve Procedures w/o Cardiac Cath

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	755	13.3	116	7	8	10	13	23	30
70-74	621	13.2	52	8	9	11	15	25	28
75-79	362	15.2	115	8	9	11	15	27	39
80-84	168	14.4	101	8	9	11	13	31	39
85 +	22	16.5	80						
SUBTOTAL	**1928**	**13.7**	**94**	**8**	**9**	**11**	**14**	**26**	**30**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	129	7.8	2	7	7	8	8	9	11
70-74	114	8.8	2	7	8	9	10	10	11
75-79	53	8.0	11	2	6	9	11	12	12
80-84	33	9.8	3						
85 +	6	11.0							
SUBTOTAL	**335**	**8.4**	**4**	**6**	**7**	**8**	**10**	**11**	**12**
GRAND TOTAL	**2263**	**12.9**	**84**	**7**	**8**	**10**	**13**	**24**	**29**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	160	12.9	55	7	8	10	15	27	31
18-34	102	10.2	16	7	7	8	11	19	19
35-49	286	12.4	121	7	7	10	11	22	31
50-69	759	10.9	30	7	8	10	11	16	20
70 +	72	15.6	96	9	11	12	15	42	42
	1379	**11.7**	**55**	**7**	**8**	**10**	**12**	**18**	**23**
	68	8.3	8	6	6	8	10	11	15
	47	8.3	3	5	7	9	10	10	10
	78	7.4	1	7	7	7	8	9	9
	157	8.8	2	7	8	9	10	11	12
	0								
	350	**8.3**	**3**	**6**	**7**	**8**	**9**	**10**	**11**
	1729	**11.0**	**46**	**7**	**8**	**9**	**11**	**16**	**21**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	143	11.7	30	6	7	10	16	22	24
18-34	47	13.7	48	7	8	10	23	26	26
35-49	39	14.0	20	10	11	12	17	23	23
50-69	74	13.9	90	5	6	12	15	22	41
70 +	0								
SUBTOTAL	**303**	**12.8**	**47**	**6**	**8**	**11**	**15**	**23**	**26**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	39	10.1	23	6	6	9	11	20	20
18-34	25	8.0	5						
35-49	6	10.0							
50-69	25	28.0	240						
70 +	0								
SUBTOTAL	**94**	**14.2**	**140**	**6**	**8**	**10**	**14**	**40**	**46**
GRAND TOTAL	**397**	**13.2**	**69**	**6**	**8**	**11**	**15**	**23**	**40**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	61	10.5	45	6	6	7	10	22	27
18-34	49	18.3	136	8	9	13	27	39	39
35-49	172	15.2	328	6	8	9	11	42	74
50-69	358	11.4	87	6	7	8	12	23	37
70 +	57	8.7	6	6	7	8	10	14	15
	698	**12.5**	**145**	**6**	**7**	**8**	**12**	**25**	**42**
0-17	6	8.0							
18-34	37	19.7	338	6	8	12	20	59	59
35-49	39	10.7	73	6	6	7	10	30	30
50-69	102	7.6	6	5	6	8	9	11	13
70 +	8	8.0							
	192	**10.6**	**102**	**6**	**6**	**8**	**10**	**13**	**30**
	890	**12.1**	**136**	**6**	**7**	**8**	**11**	**22**	**39**

DRG 106: Coronary Bypass w/ Cardiac Cath

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2854	13.4	55	8	9	12	15	21	25
70-74	2253	14.3	50	8	10	13	17	22	27
75-79	1384	15.2	66	8	10	13	18	24	33
80-84	421	16.3	39	11	12	14	19	28	31
85 +	117	19.0	149	11	12	14	18	35	56
SUBTOTAL	**7029**	**14.3**	**57**	**8**	**10**	**12**	**16**	**23**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	607	10.1	9	7	8	10	12	14	15
70-74	480	11.5	16	7	9	11	13	17	19
75-79	339	11.0	12	7	9	10	13	16	17
80-84	65	12.3	10	9	9	14	15	16	16
85 +	8	17.0							
SUBTOTAL	**1500**	**10.8**	**12**	**7**	**8**	**10**	**13**	**16**	**17**
GRAND TOTAL	**8530**	**13.7**	**51**	**8**	**9**	**12**	**16**	**21**	**26**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	14	11.2	38						
35-49	859	10.7	23	6	8	9	12	16	19
50-69	3466	12.1	33	7	9	11	14	18	22
70 +	362	15.8	94	9	11	13	17	26	32
SUBTOTAL	**4701**	**12.1**	**38**	**7**	**8**	**11**	**14**	**18**	**23**
0-17	0								
18-34	8	6.0							
35-49	286	8.1	4	6	7	8	9	12	12
50-69	971	9.9	10	7	8	9	12	14	16
70 +	86	11.5	5	9	9	12	13	14	16
SUBTOTAL	**1352**	**9.6**	**9**	**6**	**7**	**9**	**12**	**14**	**15**
GRAND TOTAL	**6053**	**11.5**	**32**	**7**	**8**	**10**	**13**	**17**	**21**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	72	21.4	162	8	12	18	36	40	44
50-69	225	21.1	189	8	11	18	26	45	47
70 +	6	16.0							
SUBTOTAL	**303**	**21.1**	**179**	**8**	**11**	**18**	**27**	**42**	**47**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	43	13.5	127	6	7	8	13	40	40
50-69	96	13.9	62	8	9	10	17	27	34
70 +	8	8.0							
SUBTOTAL	**147**	**13.4**	**78**	**6**	**8**	**10**	**13**	**27**	**34**
GRAND TOTAL	**450**	**18.6**	**159**	**7**	**10**	**13**	**25**	**38**	**45**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	6	10.0							
35-49	344	12.2	130	7	7	9	12	15	30
50-69	1428	11.2	34	7	8	10	13	17	20
70 +	305	14.3	113	7	8	12	15	22	36
SUBTOTAL	**2082**	**11.8**	**63**	**7**	**8**	**10**	**13**	**18**	**22**
0-17	0								
18-34	6	15.0							
35-49	125	10.0	18	5	7	9	11	17	20
50-69	442	11.0	69	6	8	9	11	15	18
70 +	43	12.9	13	9	9	12	17	18	18
SUBTOTAL	**616**	**11.0**	**55**	**6**	**8**	**9**	**12**	**16**	**18**
GRAND TOTAL	**2698**	**11.6**	**61**	**7**	**8**	**10**	**13**	**17**	**22**

DRG 107: Coronary Bypass w/o Cardiac Cath

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2165	10.3	25	7	8	9	11	15	21
70-74	1488	10.8	29	7	8	9	12	17	21
75-79	961	11.4	56	7	8	10	13	15	20
80-84	227	16.2	93	9	11	14	16	29	36
85 +	29	12.4	62						
SUBTOTAL	**4871**	**11.0**	**37**	**7**	**8**	**9**	**12**	**16**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	644	8.4	7	6	7	8	9	11	12
70-74	298	8.0	4	6	7	7	9	10	11
75-79	159	8.2	5	6	7	8	9	10	14
80-84	8	10.0							
85 +	0								
SUBTOTAL	**1110**	**8.3**	**6**	**6**	**7**	**8**	**9**	**11**	**12**
GRAND TOTAL	**5981**	**10.5**	**33**	**7**	**8**	**9**	**11**	**15**	**20**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	18	8.7							
35-49	515	7.4	4	5	6	7	8	10	11
50-69	2869	9.4	23	6	7	8	10	13	17
70 +	188	10.8	17	8	8	9	12	17	18
	3591	**9.2**	**21**	**6**	**7**	**8**	**10**	**13**	**16**
0-17	0								
18-34	0								
35-49	188	7.6	2	6	6	8	8	10	10
50-69	689	7.6	2	6	6	8	9	9	10
70 +	37	10.0	7	7	8	9	11	15	15
	914	**7.7**	**3**	**6**	**6**	**8**	**9**	**9**	**10**
	4505	**8.9**	**18**	**6**	**7**	**8**	**9**	**12**	**15**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	6	23.0							
35-49	33	11.4	26						
50-69	196	10.9	42	7	8	9	12	18	42
70 +	25	7.0	1						
SUBTOTAL	**260**	**10.9**	**40**	**7**	**8**	**9**	**12**	**21**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	6	8.0							
18-34	0								
35-49	27	8.4	1						
50-69	35	9.9	51						
70 +	12	8.0							
SUBTOTAL	**80**	**9.0**	**23**	**6**	**7**	**8**	**8**	**10**	**25**
GRAND TOTAL	**340**	**10.5**	**37**	**7**	**8**	**8**	**11**	**21**	**25**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	229	7.8	18	5	6	7	9	12	25
50-69	1176	9.5	28	6	6	8	10	15	16
70 +	180	11.7	186	7	7	8	10	13	15
	1585	**9.5**	**45**	**6**	**6**	**8**	**10**	**14**	**16**
0-17	0								
18-34	6	6.0							
35-49	129	9.4	42	6	6	8	10	11	20
50-69	301	8.4	18	5	6	7	9	12	17
70 +	20	10.0	1						
	456	**8.7**	**24**	**5**	**6**	**8**	**9**	**11**	**18**
	2042	**9.3**	**40**	**5**	**6**	**8**	**10**	**14**	**17**

DRG 108: Other Cardiothoracic Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	323	14.9	57	8	9	12	20	25	29
70-74	182	15.0	64	8	9	14	17	28	36
75-79	110	16.6	60	8	11	15	19	32	35
80-84	25	13.7	18						
85 +	0								
SUBTOTAL	**640**	**15.2**	**58**	**8**	**9**	**13**	**18**	**25**	**32**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	53	7.7	10	1	8	8	9	12	12
70-74	37	8.2	2						
75-79	25	7.7							
80-84	14	7.1	7						
85 +	0								
SUBTOTAL	**129**	**7.8**	**5**	**5**	**7**	**8**	**9**	**10**	**11**
GRAND TOTAL	**769**	**14.0**	**57**	**8**	**8**	**11**	**17**	**24**	**31**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	823	13.6	216	6	7	9	13	27	50
18-34	57	6.7	2	5	5	7	8	8	8
35-49	127	8.6	4	7	7	9	9	10	13
50-69	297	12.8	84	7	8	11	13	17	21
70 +	27	11.9	32						
SUBTOTAL	**1330**	**12.6**	**157**	**6**	**7**	**9**	**13**	**21**	**40**
0-17	745	7.1	8	5	5	6	8	10	12
18-34	68	7.0	3	6	6	6	8	11	11
35-49	57	7.1		6	7	7	8	8	8
50-69	55	7.3	5	3	6	8	9	10	10
70 +	6	9.0							
SUBTOTAL	**931**	**7.1**	**7**	**5**	**6**	**6**	**8**	**10**	**12**
GRAND TOTAL	**2262**	**10.3**	**103**	**5**	**6**	**8**	**10**	**15**	**25**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	430	14.3	95	6	7	10	19	29	32
18-34	8	8.0							
35-49	29	29.1	547						
50-69	70	14.9	76	8	9	12	19	21	39
70 +	8	19.0							
SUBTOTAL	**544**	**15.1**	**124**	**6**	**7**	**10**	**19**	**32**	**38**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	344	8.6	13	5	6	7	9	14	16
18-34	39	6.8	4	5	5	6	8	11	11
35-49	6	6.0							
50-69	20	16.1	59						
70 +	0								
SUBTOTAL	**409**	**8.7**	**17**	**5**	**6**	**7**	**10**	**14**	**17**
GRAND TOTAL	**954**	**12.4**	**88**	**6**	**7**	**8**	**14**	**26**	**32**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	281	12.1	93	6	7	8	14	22	26
18-34	59	11.3	94	5	7	8	11	30	39
35-49	57	7.4	6	5	5	7	8	12	12
50-69	110	11.1	29	5	7	9	14	20	24
70 +	6	8.0							
SUBTOTAL	**454**	**11.1**	**67**	**5**	**7**	**8**	**13**	**20**	**26**
0-17	197	7.4	5	5	6	7	8	11	12
18-34	43	17.1	255	6	6	8	40	44	44
35-49	37	8.0	4	4	8	8	10	10	10
50-69	43	6.3	3	3	5	7	8	8	8
70 +	0								
SUBTOTAL	**319**	**8.6**	**49**	**5**	**6**	**7**	**8**	**11**	**14**
GRAND TOTAL	**774**	**10.1**	**61**	**5**	**6**	**8**	**10**	**18**	**24**

DRG 110: Major Cardiovascular Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2230	11.6	62	6	8	9	13	19	24
70-74	1786	11.7	69	6	8	10	13	20	26
75-79	1488	14.1	105	7	8	11	16	25	29
80-84	541	14.6	149	6	8	12	17	26	30
85 +	243	13.8	101	5	8	11	14	22	47
SUBTOTAL	**6288**	**12.5**	**85**	**6**	**8**	**10**	**14**	**22**	**27**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**6288**	**12.5**	**85**	**6**	**8**	**10**	**14**	**22**	**27**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	491	12.1	110	5	6	8	16	24	43
18-34	39	10.4	75	4	5	6	13	29	29
35-49	217	11.3	50	6	7	9	13	19	23
50-69	1821	11.0	41	6	7	9	12	19	22
70 +	131	13.3	50	7	8	12	17	27	28
SUBTOTAL	**2699**	**11.3**	**56**	**5**	**7**	**9**	**13**	**21**	**27**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2699**	**11.3**	**56**	**5**	**7**	**9**	**13**	**21**	**27**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	215	19.2	304	6	8	14	24	40	92
18-34	61	7.8	20	2	4	8	11	14	15
35-49	82	15.4	171	6	7	10	19	30	53
50-69	117	18.6	171	6	8	16	32	49	99 +
70 +	20	20.5	176						
SUBTOTAL	**495**	**17.1**	**223**	**6**	**8**	**13**	**24**	**41**	**65**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**495**	**17.1**	**223**	**6**	**8**	**13**	**24**	**41**	**65**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	137	8.9	48	4	5	7	12	25	32
18-34	92	11.4	52	6	6	9	12	24	28
35-49	78	13.2	79	5	7	11	21	25	34
50-69	474	12.2	79	6	7	9	14	23	31
70 +	104	13.4	65	6	7	11	19	23	36
SUBTOTAL	**886**	**11.8**	**71**	**5**	**7**	**9**	**14**	**24**	**31**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**886**	**11.8**	**71**	**5**	**7**	**9**	**14**	**24**	**31**

DRG 111: Major Cardiovascular Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	505	7.4	6	4	6	8	8	10	12
70-74	325	8.4	13	5	7	8	9	12	15
75-79	339	7.5	8	4	6	8	9	10	12
80-84	90	8.3	11	3	6	9	11	12	13
85 +	65	9.8	14	4	8	10	11	18	18
SUBTOTAL	**1324**	**7.8**	**9**	**4**	**6**	**8**	**9**	**11**	**13**
GRAND TOTAL	**1324**	**7.8**	**9**	**4**	**6**	**8**	**9**	**11**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	444	5.2	6	3	4	5	6	8	9
18-34	51	6.4	16	2	2	6	9	14	14
35-49	145	6.5	5	3	6	7	8	9	9
50-69	736	6.9	9	4	6	7	8	9	10
70 +	86	7.4	5	6	7	7	8	9	11
SUBTOTAL	**1462**	**6.4**	**8**	**3**	**5**	**6**	**8**	**9**	**9**
GRAND TOTAL	**1462**	**6.4**	**8**	**3**	**5**	**6**	**8**	**9**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	192	6.1	8	4	4	5	8	10	13
18-34	25	6.5	4						
35-49	18	12.3	54						
50-69	123	7.3	9	3	6	7	9	12	13
70 +	8	10.0							
SUBTOTAL	**366**	**6.9**	**12**	**4**	**4**	**6**	**9**	**12**	**13**
GRAND TOTAL	**366**	**6.9**	**12**	**4**	**4**	**6**	**9**	**12**	**13**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	154	6.6	17	3	4	6	7	15	16
18-34	59	5.4	6	2	4	6	8	19	99 +
35-49	65	7.4	9	3	5	7	10	12	13
50-69	282	8.1	16	4	5	7	10	12	16
70 +	33	6.6	7						
SUBTOTAL	**593**	**7.3**	**15**	**3**	**5**	**6**	**10**	**12**	**16**
GRAND TOTAL	**593**	**7.3**	**15**	**3**	**5**	**6**	**10**	**12**	**16**

DRG 112: Percutaneous Cardiovascular Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4387	5.6	21	1	2	5	7	11	14
70-74	2811	6.1	34	2	2	5	8	12	15
75-79	2283	6.5	26	2	3	5	8	13	16
80-84	883	6.7	27	2	3	5	10	14	15
85+	325	8.6	59	3	5	6	11	15	21
SUBTOTAL	**10688**	**6.1**	**27**	**2**	**3**	**5**	**8**	**12**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	3048	3.9	11	1	2	3	5	8	10
70-74	1968	3.8	7	1	2	3	5	8	9
75-79	1163	4.0	7	1	2	3	6	8	9
80-84	613	4.0	6	2	2	3	5	7	9
85+	145	5.2	22	2	2	4	7	9	22
SUBTOTAL	**6938**	**3.9**	**9**	**1**	**2**	**3**	**5**	**8**	**10**
GRAND TOTAL	**17626**	**5.3**	**21**	**1**	**2**	**4**	**7**	**10**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	43	2.0	3	1	1	1	3	6	6
18-34	49	4.3	9	1	2	3	7	9	9
35-49	1579	4.8	17	2	2	3	6	10	12
50-69	4838	4.6	13	1	2	3	6	9	11
70+	256	6.6	25	2	2	5	10	14	14
	6764	**4.7**	**14**	**1**	**2**	**4**	**6**	**10**	**12**
	151	1.5	2	1	1	1	1	3	3
	204	4.1	9	1	2	3	5	9	10
	2613	3.8	6	1	2	3	5	7	9
	5983	3.9	8	1	2	3	5	8	10
	172	5.9	23	1	2	5	9	11	11
	9123	**3.8**	**8**	**1**	**2**	**3**	**5**	**8**	**9**
	15887	**4.2**	**11**	**1**	**2**	**3**	**6**	**9**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	18	9.7	51						
18-34	25	18.3	196						
35-49	192	9.2	114	2	2	4	10	30	35
50-69	538	10.2	93	2	3	7	13	23	32
70+	57	8.3	59	2	3	6	9	27	29
SUBTOTAL	**830**	**10.1**	**99**	**2**	**3**	**7**	**12**	**26**	**34**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	37	2.8	14	<1	1	1	2	11	11
18-34	43	11.1	98	2	2	5	19	29	29
35-49	158	7.0	52	2	3	5	8	14	18
50-69	434	7.2	33	2	3	5	10	15	18
70+	49	4.0	4	1	2	4	5	7	7
SUBTOTAL	**720**	**7.0**	**41**	**2**	**2**	**5**	**10**	**15**	**19**
GRAND TOTAL	**1551**	**8.6**	**74**	**2**	**3**	**5**	**11**	**19**	**29**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	1.0							
18-34	37	7.3	20	2	4	6	9	16	16
35-49	646	5.6	26	1	2	4	7	11	13
50-69	2107	5.1	38	1	2	3	6	10	14
70+	425	5.5	23	2	2	4	7	13	15
	3222	**5.3**	**33**	**1**	**2**	**3**	**7**	**10**	**15**
0-17	82	1.7	2	1	1	1	2	3	6
18-34	96	2.9	6	1	1	2	3	6	10
35-49	1121	3.8	8	1	2	3	5	7	9
50-69	2201	4.2	18	1	2	3	5	8	11
70+	258	3.7	8	1	2	2	6	8	9
	3757	**4.0**	**14**	**1**	**2**	**3**	**5**	**8**	**9**
	6979	**4.6**	**23**	**1**	**2**	**3**	**6**	**9**	**12**

DRG 113: Amputation for Circ System Disorders except Upper Limb & Toe

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1086	17.6	170	6	8	13	24	37	43
70-74	595	15.5	120	6	8	11	19	25	38
75-79	617	14.7	147	6	7	11	18	27	39
80-84	537	14.9	108	6	8	12	17	29	37
85 +	636	14.5	123	5	7	12	18	29	43
SUBTOTAL	**3470**	**15.7**	**140**	**6**	**8**	**12**	**20**	**31**	**40**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	59	8.2	40	3	5	6	8	21	25
70-74	47	13.9	84	2	7	15	20	29	29
75-79	25	7.3	4						
80-84	29	9.9	33						
85 +	59	11.8	77	4	8	9	11	33	33
SUBTOTAL	**219**	**10.5**	**59**	**4**	**5**	**8**	**12**	**25**	**29**
GRAND TOTAL	**3689**	**15.4**	**137**	**5**	**7**	**11**	**20**	**30**	**39**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	4.0							
18-34	0								
35-49	98	17.8	109	6	10	15	25	29	42
50-69	348	15.2	117	5	7	13	19	26	35
70 +	135	16.3	230	5	8	11	19	29	39
SUBTOTAL	**589**	**15.8**	**142**	**5**	**7**	**12**	**20**	**29**	**39**
0-17	0								
18-34	0								
35-49	14	13.0	13						
50-69	20	4.2	2						
70 +	0								
SUBTOTAL	**35**	**7.8**	**25**						
GRAND TOTAL	**624**	**15.3**	**139**	**5**	**7**	**12**	**19**	**29**	**39**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	8	30.0							
35-49	57	20.3	83	9	12	19	31	33	33
50-69	219	24.5	399	6	8	20	36	67	99 +
70 +	41	16.1	168	1	3	18	26	37	37
SUBTOTAL	**325**	**22.8**	**313**	**5**	**8**	**20**	**33**	**54**	**86**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	8	2.0							
35-49	6	8.0							
50-69	20	8.8	134						
70 +	0								
SUBTOTAL	**35**	**7.1**	**85**						
GRAND TOTAL	**360**	**21.3**	**312**	**3**	**8**	**20**	**32**	**54**	**72**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	6	13.0							
35-49	68	16.0	202	5	8	13	18	24	57
50-69	233	18.7	119	8	11	15	23	33	42
70 +	59	11.7	15	6	8	12	14	17	17
SUBTOTAL	**366**	**17.0**	**122**	**7**	**10**	**14**	**20**	**30**	**42**
0-17	0								
18-34	0								
35-49	12	7.0							
50-69	6	20.0							
70 +	6	11.0							
SUBTOTAL	**25**	**11.3**	**29**						
GRAND TOTAL	**391**	**16.6**	**118**	**7**	**10**	**13**	**20**	**29**	**42**

DRG 114: Upper Limb & Toe Amputation for Circ System Disorders

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	442	10.2	123	3	3	7	11	20	29
70-74	198	9.8	75	2	4	7	13	17	23
75-79	131	10.9	28	4	8	9	14	20	20
80-84	82	13.2	123	5	7	10	19	43	99 +
85 +	59	8.6	19	3	3	9	10	17	17
SUBTOTAL	**912**	**10.3**	**93**	**3**	**5**	**8**	**13**	**20**	**27**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	25	7.3	2						
70-74	6	1.0							
75-79	22	9.0	12						
80-84	0								
85 +	31	9.1	20						
SUBTOTAL	**84**	**8.0**	**15**	**3**	**5**	**9**	**10**	**13**	**16**
GRAND TOTAL	**995**	**10.1**	**87**	**3**	**5**	**8**	**13**	**19**	**23**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	8	10.0							
35-49	71	10.8	42	5	8	9	11	15	30
50-69	178	10.1	44	3	6	8	13	22	23
70 +	27	7.5	16						
	284	**10.0**	**40**	**4**	**7**	**8**	**12**	**22**	**23**
0-17	8	1.0							
18-34	8	2.0							
35-49	0								
50-69	25	4.0	19						
70 +	6	3.0							
	47	**3.0**	**11**	**< 1**	**< 1**	**1**	**3**	**10**	**10**
	331	**9.0**	**42**	**1**	**5**	**8**	**11**	**20**	**23**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	29	9.4	19						
35-49	53	13.7	387	1	1	5	16	58	58
50-69	102	11.6	170	4	5	7	11	25	59
70 +	6	42.0							
SUBTOTAL	**190**	**12.9**	**231**	**2**	**4**	**7**	**14**	**42**	**58**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	8	3.0							
35-49	6	49.0							
50-69	0								
70 +	0								
SUBTOTAL	**14**	**22.7**	**557**						
GRAND TOTAL	**205**	**13.6**	**257**	**3**	**4**	**7**	**14**	**44**	**58**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	18	13.0	135						
35-49	76	9.3	31	2	4	9	11	14	23
50-69	112	15.7	135	5	6	13	18	33	51
70 +	29	8.2	11						
	235	**12.5**	**96**	**4**	**6**	**10**	**17**	**24**	**33**
0-17	0								
18-34	20	1.7							
35-49	6	13.0							
50-69	0								
70 +	0								
	27	**4.3**	**24**						
	262	**11.7**	**95**	**2**	**5**	**10**	**14**	**24**	**33**

DRG 115: Perm Cardiac Pacemaker Implant w/ AMI, Heart Failure or Shock

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	114	10.9	50	5	5	10	13	21	32
70-74	119	11.2	55	3	4	10	17	20	29
75-79	147	8.1	10	4	5	8	11	13	13
80-84	139	13.5	40	5	8	14	20	22	22
85 +	190	10.6	46	5	6	9	12	17	23
SUBTOTAL	**709**	**10.8**	**42**	**4**	**6**	**10**	**14**	**21**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	8	10.0							
70-74	0								
75-79	14	4.4							
80-84	25	12.7	11						
85 +	8	8.0							
SUBTOTAL	**55**	**9.4**	**17**	**4**	**5**	**9**	**12**	**17**	**17**
GRAND TOTAL	**764**	**10.7**	**41**	**4**	**6**	**9**	**13**	**20**	**22**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	23.0							
18-34	0								
35-49	16	6.5							
50-69	43	13.5	47	6	7	10	21	25	25
70 +	22	16.5	62						
	88	**13.6**	**56**	**6**	**7**	**10**	**21**	**25**	**26**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	88	**13.6**	**56**	**6**	**7**	**10**	**21**	**25**	**26**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	20	12.5	6						
70 +	0								
SUBTOTAL	**20**	**12.5**	**6**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**20**	**12.5**	**6**						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	20	10.9	46						
50-69	49	10.2	6	6	9	10	13	14	14
70 +	14	6.0	13						
	84	**9.6**	**19**	**5**	**6**	**9**	**13**	**15**	**19**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	6	16.0							
	6	**16.0**							
	90	**10.1**	**20**	**5**	**6**	**9**	**13**	**16**	**19**

DRG 116: Perm Cardiac Pacemaker Implant w/o AMI, Heart Failure or Shock

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	863	6.2	44	1	3	4	7	13	15
70-74	1116	5.4	23	1	2	4	7	12	16
75-79	1400	6.3	39	2	3	4	8	13	14
80-84	1351	5.7	16	2	3	5	8	11	14
85 +	1179	6.9	25	2	3	6	9	14	16
SUBTOTAL	5908	6.1	29	2	3	5	8	13	15
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	468	3.0	7	1	1	2	3	6	8
70-74	605	3.4	6	1	2	3	4	7	9
75-79	828	3.3	6	1	2	3	4	5	7
80-84	676	3.6	7	1	2	3	5	7	8
85 +	619	3.6	4	1	2	3	5	7	7
SUBTOTAL	3196	3.4	6	1	2	3	4	7	8
GRAND TOTAL	9104	5.2	23	1	2	4	7	10	14

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	37	6.2	23	1	3	4	11	14	14
18-34	20	3.4	10						
35-49	92	3.0	3	1	1	3	4	6	7
50-69	388	4.9	14	1	2	4	7	10	12
70 +	243	6.3	41	1	2	4	7	14	23
SUBTOTAL	781	5.1	23	1	2	4	7	10	14
0-17	43	2.6	1	1	2	2	4	4	4
18-34	43	3.1	2	1	2	3	5	5	5
35-49	104	2.5	2	1	1	2	4	5	6
50-69	429	3.4	9	1	1	3	4	6	10
70 +	160	4.1	8	1	2	3	6	6	10
SUBTOTAL	779	3.4	7	1	2	3	4	6	7
	1560	4.3	16	1	2	3	5	9	12

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	31	4.0	2						
18-34	6	1.0							
35-49	16	4.5	7						
50-69	78	7.3	74	1	3	4	7	14	34
70 +	84	6.7	27	2	2	4	14	14	15
SUBTOTAL	215	6.2	40	1	2	4	7	14	15
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	14	3.6	9						
50-69	20	6.0	10						
70 +	6	15.0							
SUBTOTAL	41	6.5	22	1	2	6	10	15	15
GRAND TOTAL	256	6.2	37	1	2	4	7	14	15

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	18	4.7	3						
18-34	20	3.5	3						
35-49	20	4.1	1						
50-69	188	5.0	6	2	3	5	7	8	10
70 +	194	5.9	27	1	2	5	9	12	20
SUBTOTAL	442	5.3	15	1	3	4	7	10	11
0-17	0								
18-34	12	2.0	1						
35-49	41	3.2	1	2	2	3	4	5	5
50-69	180	3.3	5	1	1	3	4	6	7
70 +	125	2.3	2	1	1	2	3	4	5
SUBTOTAL	358	2.9	3	1	1	3	4	5	6
	799	4.2	11	1	2	3	5	8	10

DRG 117: Cardiac Pacemaker Revision except Device Replacement

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	49	4.5	15	1	2	4	5	14	14
70-74	65	4.3	8	<1	2	4	5	11	11
75-79	90	5.3	18	2	2	4	7	8	18
80-84	41	6.8	25	3	3	5	7	18	18
85+	25	2.0	2						
SUBTOTAL	**270**	**4.8**	**16**	**1**	**2**	**4**	**5**	**8**	**14**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	51	4.0	8	1	2	2	7	8	8
70-74	29	1.9	1						
75-79	51	3.8	8	2	2	3	4	11	11
80-84	59	1.8	1	1	1	1	2	4	5
85+	37	3.5	4						
SUBTOTAL	**227**	**3.0**	**6**	**1**	**2**	**2**	**4**	**7**	**8**
GRAND TOTAL	**497**	**4.0**	**12**	**1**	**2**	**3**	**5**	**8**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	6.0							
18-34	0								
35-49	0								
50-69	49	5.2	37	1	1	3	6	20	20
70+	6	5.0							
SUBTOTAL	**61**	**5.2**	**29**	**1**	**2**	**4**	**6**	**14**	**20**
0-17	0								
18-34	6	2.0							
35-49	12	3.5	2						
50-69	39	1.6	1						
70+	0								
SUBTOTAL	**57**	**2.0**	**2**	**1**	**1**	**2**	**2**	**4**	**5**
GRAND TOTAL	**119**	**3.7**	**18**	**1**	**1**	**2**	**5**	**7**	**15**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	12	9.0	27						
18-34	0								
35-49	0								
50-69	6	4.0							
70+	0								
SUBTOTAL	**18**	**7.3**	**23**						
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	8	1.0							
18-34	0								
35-49	0								
50-69	6	3.0							
70+	8	4.0							
SUBTOTAL	**22**	**2.6**	**2**						
GRAND TOTAL	**41**	**4.8**	**17**	**1**	**3**	**4**	**4**	**14**	**14**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	12	7.5	33						
18-34	6	5.0							
35-49	6	2.0							
50-69	31	5.0	18						
70+	22	5.6	60						
SUBTOTAL	**78**	**5.3**	**30**	**1**	**1**	**2**	**9**	**13**	**18**
0-17	0								
18-34	0								
35-49	8	2.0							
50-69	12	3.5	7						
70+	6	9.0							
SUBTOTAL	**27**	**4.3**	**10**						
GRAND TOTAL	**104**	**5.1**	**25**	**1**	**1**	**2**	**9**	**13**	**18**

DRG 118: Cardiac Pacemaker Device Replacement

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	104	2.7	3	1	1	2	4	6	6
70-74	200	3.8	26	1	1	3	4	6	8
75-79	133	3.6	17	1	1	1	4	12	15
80-84	129	4.9	21	1	1	4	7	8	9
85 +	239	3.7	9	1	2	3	5	7	10
SUBTOTAL	**805**	**3.8**	**16**	**1**	**1**	**3**	**5**	**7**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	131	1.5	1	< 1	1	1	1	4	4
70-74	98	2.6	4	1	1	1	4	5	7
75-79	131	2.1	4	1	1	1	2	5	5
80-84	125	1.9	3	1	1	1	2	3	8
85 +	127	1.5		1	1	1	2	3	3
SUBTOTAL	**611**	**1.9**	**3**	**1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**1416**	**3.0**	**11**	**1**	**1**	**2**	**4**	**6**	**8**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	25	3.0	2						
18-34	8	2.0							
35-49	0								
50-69	35	1.7	2						
70 +	49	4.1	10	1	2	3	4	12	12
SUBTOTAL	**117**	**3.0**	**6**	**1**	**1**	**2**	**4**	**5**	**10**
0-17	31	1.6	1						
18-34	12	1.5							
35-49	8	1.0							
50-69	41	1.3		1	1	1	2	2	2
70 +	20	1.4							
SUBTOTAL	**113**	**1.4**		**1**	**1**	**1**	**2**	**2**	**3**
GRAND TOTAL	**229**	**2.2**	**4**	**1**	**1**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	12	30.5	884						
18-34	0								
35-49	0								
50-69	12	19.5	120						
70 +	6	8.0							
SUBTOTAL	**31**	**21.6**	**454**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	8	6.0							
35-49	6	8.0							
50-69	6	6.0							
70 +	0								
SUBTOTAL	**20**	**6.6**	**1**						
GRAND TOTAL	**51**	**15.6**	**324**	**2**	**6**	**8**	**9**	**59**	**59**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	6	1.0							
35-49	0								
50-69	14	9.0	52						
70 +	35	1.9	4						
SUBTOTAL	**55**	**3.6**	**25**	**1**	**1**	**1**	**5**	**15**	**15**
0-17	12	7.5	7						
18-34	6	5.0							
35-49	6	1.0							
50-69	51	3.6	11	1	1	1	5	11	11
70 +	12	8.5	7						
SUBTOTAL	**88**	**4.8**	**13**	**1**	**1**	**5**	**6**	**11**	**11**
GRAND TOTAL	**143**	**4.3**	**18**	**1**	**1**	**1**	**6**	**11**	**15**

Western Region, July 1989 - June 1990

DRG 119: Vein Ligation & Stripping

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	51	4.0	7	1	1	3	5	9	9
70-74	47	2.7	3	1	1	3	3	6	6
75-79	47	3.8	12	1	2	2	4	11	11
80-84	6	30.0							
85 +	18	13.0	43						
SUBTOTAL	**170**	**5.5**	**42**	**1**	**2**	**3**	**7**	**11**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	194	2.0	1	1	1	2	3	3	3
70-74	88	3.2	4	1	1	3	4	5	8
75-79	31	1.5							
80-84	25	4.0	8						
85 +	8	8.0							
SUBTOTAL	**345**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**8**
GRAND TOTAL	**515**	**3.5**	**18**	**1**	**1**	**2**	**3**	**8**	**9**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	8	1.0							
35-49	84	7.7	102	1	2	3	7	15	39
50-69	88	4.8	26	1	1	2	10	13	15
70 +	0								
	180	**6.0**	**63**	**1**	**1**	**2**	**7**	**15**	**15**
0-17	8	2.0							
18-34	517	1.5		1	1	1	2	2	2
35-49	913	1.6	2	1	1	1	2	2	3
50-69	507	1.8	2	1	1	1	2	3	3
70 +	14	7.2	38						
	1960	**1.7**	**2**	**1**	**1**	**1**	**2**	**2**	**3**
	2139	**2.0**	**8**	**1**	**1**	**1**	**2**	**3**	**4**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	6	8.0							
50-69	8	6.0							
70 +	0								
SUBTOTAL	**14**	**6.9**	**1**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	25	3.0	3						
35-49	51	3.6	14	1	2	2	3	12	12
50-69	20	2.3							
70 +	8	1.0							
SUBTOTAL	**104**	**3.0**	**8**	**1**	**2**	**2**	**3**	**5**	**12**
GRAND TOTAL	**119**	**3.5**	**9**	**1**	**2**	**2**	**4**	**8**	**12**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	25	7.8	21						
35-49	22	5.2	38						
50-69	35	4.9	19						
70 +	8	1.0							
	90	**5.4**	**25**	**1**	**1**	**2**	**10**	**13**	**15**
0-17	0								
18-34	108	1.8		1	1	2	2	3	3
35-49	162	2.0	4	1	1	1	2	3	6
50-69	186	1.9	1	1	1	2	2	3	4
70 +	8	1.0							
	464	**1.9**	**2**	**1**	**1**	**2**	**2**	**3**	**3**
	554	**2.5**	**7**	**1**	**1**	**2**	**2**	**4**	**10**

DRG 120: Other Circulatory System O.R. Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1646	10.1	118	2	3	6	14	19	36
70-74	497	9.5	72	2	4	7	13	18	22
75-79	348	11.3	90	2	3	9	16	26	36
80-84	247	9.8	66	3	3	7	12	18	26
85 +	227	14.7	204	2	5	10	17	42	42
SUBTOTAL	**2964**	**10.5**	**111**	**2**	**3**	**7**	**14**	**20**	**36**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	162	12.0	223	1	2	6	19	27	51
70-74	71	5.8	20	1	3	5	6	16	16
75-79	29	10.0	51						
80-84	49	5.7	6	< 1	5	6	7	9	9
85 +	33	10.2	78						
SUBTOTAL	**343**	**9.5**	**129**	**1**	**2**	**5**	**12**	**21**	**27**
GRAND TOTAL	**3308**	**10.4**	**113**	**2**	**3**	**7**	**14**	**21**	**36**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	25	12.8	26						
18-34	61	5.6	4	2	5	6	7	8	8
35-49	166	6.0	31	1	2	4	8	13	19
50-69	315	9.0	138	1	2	5	13	16	24
70 +	63	10.9	104	1	1	11	14	28	32
	630	**8.2**	**42**	**1**	**2**	**5**	**11**	**16**	**24**
0-17	27	3.0	4						
18-34	8	1.0							
35-49	29	10.5	67						
50-69	92	5.1	30	1	2	2	8	10	22
70 +	6	17.0							
	162	**5.9**	**41**	**1**	**1**	**2**	**8**	**17**	**22**
	791	**7.7**	**83**	**1**	**2**	**5**	**11**	**16**	**22**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	6	7.0							
18-34	80	5.6	11	1	2	5	8	9	13
35-49	121	11.3	204	2	3	6	12	33	51
50-69	221	10.2	82	1	3	8	15	25	27
70 +	18	3.0	2						
SUBTOTAL	**446**	**9.3**	**103**	**1**	**3**	**6**	**12**	**18**	**27**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	6	6.0							
50-69	14	4.7	2						
70 +	6	14.0							
SUBTOTAL	**27**	**7.2**	**16**						
GRAND TOTAL	**473**	**9.2**	**98**	**1**	**3**	**6**	**12**	**18**	**27**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	43	5.0	23	1	1	4	5	16	16
35-49	53	6.0	19	< 1	4	5	7	17	17
50-69	108	10.2	166	2	3	5	9	42	42
70 +	20	6.8	17						
	225	**7.9**	**95**	**1**	**3**	**5**	**8**	**16**	**42**
0-17	8	1.0							
18-34	18	15.7	21						
35-49	25	21.8	160						
50-69	45	6.3	60	1	1	2	9	24	24
70 +	0								
	96	**11.6**	**124**	**1**	**1**	**9**	**20**	**24**	**41**
	321	**9.0**	**106**	**1**	**2**	**5**	**11**	**23**	**41**

DRG 121: Circulatory Disorders w/ AMI & C.V. Comp Disch Alive

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	2799	8.4	26	4	5	7	10	14	18
70-74	3038	8.7	18	4	6	8	11	14	16
75-79	3065	8.7	20	4	6	8	10	13	17
80-84	2787	9.1	26	5	6	8	11	13	18
85 +	2629	9.3	23	4	6	8	11	16	18
SUBTOTAL	**14318**	**8.8**	**23**	**4**	**6**	**8**	**10**	**14**	**17**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	155	6.6	6	3	5	7	8	10	10
70-74	112	6.9	3	4	6	8	8	9	10
75-79	104	7.5	6	5	6	7	8	9	14
80-84	61	5.9	5	2	6	6	7	8	9
85 +	25	7.3	2						
SUBTOTAL	**458**	**6.8**	**5**	**4**	**6**	**7**	**8**	**9**	**10**
GRAND TOTAL	**14776**	**8.7**	**22**	**4**	**6**	**8**	**10**	**14**	**17**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	14	3.9	1						
35-49	527	6.9	9	3	5	7	9	10	11
50-69	2105	7.6	13	4	5	7	9	12	14
70 +	804	7.4	13	3	5	7	9	11	14
	3450	**7.5**	**12**	**3**	**5**	**7**	**9**	**12**	**14**
0-17	0								
18-34	0								
35-49	16	5.5	13						
50-69	114	5.6	3	5	5	6	6	8	9
70 +	22	6.3	3						
	153	**5.7**	**4**	**2**	**5**	**6**	**7**	**8**	**9**
	3603	**7.4**	**12**	**3**	**5**	**7**	**9**	**11**	**14**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	57	7.6	5	3	7	7	9	11	11
50-69	401	10.2	60	4	6	8	10	20	27
70 +	106	9.7	23	4	6	9	13	17	20
SUBTOTAL	**564**	**9.9**	**48**	**4**	**6**	**8**	**11**	**19**	**21**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	14	5.3	2						
50-69	0								
70 +	6	21.0							
SUBTOTAL	**20**	**10.0**	**56**						
GRAND TOTAL	**585**	**9.9**	**48**	**4**	**6**	**8**	**11**	**20**	**21**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	12	5.5							
35-49	268	7.3	22	4	4	6	8	13	15
50-69	975	8.4	26	4	6	7	10	14	19
70 +	484	8.0	23	3	6	7	9	14	17
	1739	**8.1**	**24**	**4**	**5**	**7**	**9**	**14**	**17**
0-17	0								
18-34	0								
35-49	16	5.0							
50-69	55	5.1	5	1	4	5	7	7	7
70 +	0								
	71	**5.1**	**4**	**1**	**5**	**5**	**7**	**7**	**7**
	1811	**8.0**	**24**	**4**	**5**	**7**	**9**	**13**	**17**

DRG 122: Circulatory Disorders w/ AMI w/o C.V. Comp Disch Alive

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1731	6.6	12	3	5	6	8	10	11
70-74	1275	6.4	11	3	5	6	8	10	13
75-79	1177	6.9	9	3	5	7	9	10	13
80-84	940	7.1	8	3	5	7	9	11	12
85+	517	8.7	37	4	5	8	10	13	16
SUBTOTAL	**5640**	**6.9**	**13**	**3**	**5**	**7**	**8**	**10**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1665	6.3	7	3	4	6	8	10	11
70-74	1250	5.9	6	3	4	6	7	9	10
75-79	1050	6.2	7	3	5	6	7	9	10
80-84	921	6.9	8	4	5	7	8	10	11
85+	519	6.7	8	3	5	6	8	10	11
SUBTOTAL	**5406**	**6.3**	**7**	**3**	**5**	**6**	**8**	**10**	**11**
GRAND TOTAL	**11046**	**6.6**	**10**	**3**	**5**	**6**	**8**	**10**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	14	3.9	1						
35-49	425	5.5	8	2	3	6	8	9	10
50-69	1488	6.4	8	3	5	6	8	10	11
70+	278	7.3	9	4	5	7	9	10	12
SUBTOTAL	**2206**	**6.3**	**8**	**3**	**4**	**6**	**8**	**10**	**11**
0-17	0								
18-34	63	4.2	7	<1	2	4	7	9	9
35-49	1473	5.6	5	2	4	6	7	8	9
50-69	3695	5.6	5	2	4	6	7	8	9
70+	395	6.1	3	3	5	6	7	9	9
	5627	**5.6**	**5**	**2**	**4**	**6**	**7**	**8**	**9**
	7832	**5.8**	**6**	**3**		**6**	**7**	**9**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	20	4.2	2						
35-49	74	7.7	21	2	4	7	11	15	16
50-69	266	7.0	33	2	4	6	8	10	12
70+	27	10.7	7						
SUBTOTAL	**386**	**7.2**	**29**	**2**	**4**	**6**	**9**	**12**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	80	4.4	5	1	2	5	6	7	7
50-69	264	6.7	11	2	4	7	8	10	12
70+	35	9.9	82						
SUBTOTAL	**378**	**6.5**	**18**	**2**	**4**	**6**	**7**	**10**	**12**
GRAND TOTAL	**765**	**6.9**	**24**	**2**	**4**	**6**	**8**	**11**	**14**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	25	8.8	19						
35-49	341	5.7	10	3	4	5	7	8	14
50-69	773	6.4	11	3	5	6	8	10	10
70+	180	6.3	11	3	5	6	7	9	9
SUBTOTAL	**1319**	**6.2**	**11**	**3**	**4**	**6**	**7**	**10**	**11**
0-17	0								
18-34	65	5.9	18	1	4	5	7	9	17
35-49	715	5.8	18	2	4	6	8	9	10
50-69	1394	5.9	7	2	4	6	7	9	10
70+	170	5.2	11	2	3	5	7	9	11
SUBTOTAL	**2344**	**5.8**	**11**	**2**	**4**	**6**	**7**	**9**	**10**
	3663	**6.0**	**11**	**2**	**4**	**6**	**7**	**9**	**10**

DRG 124: Circulatory Disorders except AMI, w/ Card Cath & Complex Diag

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	3549	5.9	26	1	3	5	8	11	15
70-74	2512	5.2	23	1	2	4	7	11	14
75-79	1744	6.0	18	2	3	5	8	12	14
80-84	906	6.3	34	1	3	5	7	12	16
85 +	284	8.6	34	2	4	6	13	17	20
SUBTOTAL	**8995**	**5.8**	**25**	**1**	**2**	**5**	**8**	**12**	**15**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	1278	3.4	5	1	2	3	4	7	8
70-74	928	3.5	6	1	2	3	5	8	8
75-79	632	3.6	7	1	2	3	5	8	9
80-84	268	4.0	11	1	1	3	6	7	8
85 +	92	4.9	6	1	4	5	7	7	9
SUBTOTAL	**3197**	**3.6**	**6**	**1**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**12193**	**5.2**	**21**	**1**	**2**	**4**	**7**	**10**	**14**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	63	6.4	51	< 1	1	4	8	18	24
18-34	84	10.1	79	4	4	7	11	24	33
35-49	746	5.1	19	1	2	4	7	10	13
50-69	2802	4.7	20	1	2	3	6	10	14
70 +	413	5.6	23	1	2	4	8	12	14
4108	**5.0**	**23**	**1**	**2**	**4**	**7**	**10**	**14**	
0-17	6	1.0							
18-34	31	2.4	1						
35-49	444	2.8	4	1	1	3	4	5	6
50-69	1765	3.1	4	1	1	3	4	6	8
70 +	155	3.6	3	2	2	3	5	6	7
2401	**3.0**	**4**	**1**	**1**	**3**	**4**	**6**	**7**	
6509	**4.3**	**17**	**1**	**2**	**3**	**5**	**9**	**11**	

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	49	6.4	31	1	2	4	10	17	17
18-34	45	9.6	55	2	4	8	20	22	22
35-49	155	10.2	144	1	3	6	12	30	42
50-69	554	10.3	124	1	3	6	11	27	35
70 +	112	19.4	224	5	7	14	30	48	48
SUBTOTAL	**916**	**11.1**	**141**	**1**	**3**	**6**	**14**	**28**	**42**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	27	8.1	48						
18-34	6	28.0							
35-49	68	3.3	5	1	1	2	5	7	7
50-69	166	7.1	38	2	3	4	9	18	22
70 +	16	5.0	4						
SUBTOTAL	**282**	**6.6**	**41**	**1**	**3**	**4**	**7**	**18**	**22**
GRAND TOTAL	**1199**	**10.1**	**121**	**1**	**3**	**6**	**13**	**24**	**41**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	68	4.5	51	1	1	1	5	8	26
18-34	78	8.2	74	1	2	6	10	19	32
35-49	450	5.8	19	1	2	5	8	11	13
50-69	1213	6.3	37	1	2	4	9	13	19
70 +	223	6.3	61	1	2	4	7	12	18
2031	**6.2**	**38**	**1**	**2**	**4**	**8**	**13**	**19**	
0-17	6	12.0							
18-34	45	5.9	10	1	2	7	9	10	10
35-49	280	3.9	13	1	1	3	5	9	11
50-69	657	4.2	13	1	2	3	5	9	12
70 +	65	4.0	34	1	1	1	5	6	21
1053	**4.2**	**15**	**1**	**1**	**3**	**5**	**9**	**12**	
3085	**5.5**	**31**	**1**	**2**	**4**	**7**	**11**	**16**	

DRG 125: Circulatory Disorders except AMI, w/ Card Cath w/o Complex Diag

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	2419	3.2	12	1	1	2	4	7	9
70-74	1425	3.0	8	1	1	2	4	7	9
75-79	969	4.3	24	1	1	2	6	9	13
80-84	317	3.6	10	1	1	2	5	8	9
85+	53	3.7	10	1	1	3	4	10	10
SUBTOTAL	**5184**	**3.4**	**13**	**1**	**1**	**2**	**5**	**8**	**9**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	2914	2.6	5	1	1	2	3	6	7
70-74	1697	2.7	6	1	1	1	4	6	8
75-79	961	3.0	5	1	1	2	4	7	7
80-84	403	3.3	7	1	1	3	5	7	8
85+	65	5.0	5	2	3	6	7	7	7
SUBTOTAL	**6040**	**2.7**	**6**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**11224**	**3.0**	**9**	**1**	**1**	**2**	**4**	**7**	**9**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	276	2.6	15	<1	<1	1	2	4	12
18-34	72	3.5	18	<1	1	1	5	6	16
35-49	930	2.6	9	1	1	1	3	5	8
50-69	3433	2.6	6	1	1	1	3	6	7
70+	362	3.0	59	<1	1	1	1	6	8
	5074	**2.6**	**11**	**1**	**1**	**1**	**3**	**6**	**7**
0-17	610	1.3	1	<1	<1	<1	1	2	3
18-34	243	1.6	1	<1	1	1	2	3	4
35-49	2742	2.2	3	1	1	1	3	5	6
50-69	6841	2.2	4	1	1	1	3	5	7
70+	307	1.9	2	<1	1	1	2	3	4
	10743	**2.1**	**3**	**<1**	**1**	**1**	**3**	**5**	**6**
	15817	**2.3**	**6**	**1**	**1**	**1**	**3**	**5**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	100	1.2		<1	1	1	2	2	2
18-34	65	7.3	37	1	3	4	14	16	19
35-49	112	4.9	98	<1	1	2	3	8	41
50-69	384	7.1	78	1	1	4	9	17	30
70+	41	6.3	38	1	2	5	6	20	20
SUBTOTAL	**704**	**5.9**	**68**	**1**	**1**	**3**	**6**	**15**	**28**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	219	1.3		<1	<1	<1	2	2	3
18-34	88	4.0	21	1	1	2	5	7	19
35-49	264	4.0	19	1	1	2	5	8	11
50-69	485	4.7	26	1	1	2	7	11	15
70+	12	9.0	70						
SUBTOTAL	**1068**	**3.8**	**21**	**<1**	**1**	**2**	**5**	**10**	**15**
GRAND TOTAL	**1771**	**4.6**	**41**	**<1**	**1**	**2**	**5**	**11**	**18**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	90	3.4	28	1	1	1	2	10	21
18-34	112	4.9	27	1	1	3	6	14	19
35-49	452	4.7	38	1	1	3	5	10	12
50-69	1054	3.6	25	1	1	2	4	8	14
70+	123	3.0	9	1	1	1	4	7	9
	1831	**3.9**	**28**	**1**	**1**	**2**	**4**	**9**	**14**
0-17	203	1.3		<1	1	1	1	2	3
18-34	129	2.7	7	1	1	2	3	5	8
35-49	1237	3.0	9	1	1	2	4	6	9
50-69	2124	3.0	13	1	1	2	4	7	9
70+	156	2.0	2	1	1	1	3	4	4
	3848	**2.9**	**10**	**1**	**1**	**2**	**4**	**6**	**8**
	5680	**3.2**	**16**	**1**	**1**	**2**	**4**	**7**	**10**

DRG 126: Acute & Subacute Endocarditis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	157	16.2	98	7	8	14	18	31	41
70-74	65	18.0	30	10	14	17	22	28	28
75-79	98	16.6	70	6	12	14	24	28	30
80-84	51	20.2	99	9	13	18	27	43	43
85 +	149	15.9	63	8	9	14	20	22	38
SUBTOTAL	**521**	**16.8**	**76**	**7**	**10**	**14**	**21**	**29**	**37**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	39	26.6	238						
70-74	0								
75-79	6	8.0							
80-84	0								
85 +	14	7.0							
SUBTOTAL	**59**	**20.0**	**240**	**7**	**8**	**14**	**42**	**46**	**46**
GRAND TOTAL	**580**	**17.1**	**93**	**7**	**9**	**14**	**21**	**30**	**42**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	53	14.3	50	2	10	15	18	26	26
18-34	35	16.4	30						
35-49	90	18.4	177	10	12	14	21	22	58
50-69	159	13.4	88	3	7	12	17	25	28
70 +	18	10.3	12						
	356	**14.9**	**100**	**4**	**9**	**14**	**18**	**22**	**28**
0-17	0								
18-34	18	7.0	8						
35-49	8	9.0							
50-69	43	6.8	4	5	5	6	9	10	10
70 +	8	7.0							
	78	**7.1**	**4**	**5**	**5**	**7**	**9**	**10**	**11**
	433	**13.5**	**92**	**5**	**7**	**12**	**18**	**22**	**26**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	22	13.7	3						
18-34	86	12.2	88	5	6	10	13	20	42
35-49	102	20.7	278	4	8	12	40	49	53
50-69	20	8.9	3						
70 +	0								
SUBTOTAL	**231**	**15.8**	**176**	**5**	**8**	**11**	**16**	**42**	**49**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	6	14.0							
18-34	20	21.1	442						
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**27**	**19.4**	**345**						
GRAND TOTAL	**258**	**16.2**	**193**	**5**	**8**	**11**	**16**	**45**	**46**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	162	14.8	132	2	5	10	26	29	35
35-49	137	19.4	219	4	6	16	30	41	48
50-69	110	19.2	117	6	9	16	27	34	43
70 +	31	19.4	176						
	440	**17.7**	**162**	**4**	**7**	**14**	**27**	**35**	**43**
0-17	6	7.0							
18-34	33	24.5	348						
35-49	27	13.2	137						
50-69	6	25.0							
70 +	6	14.0							
	78	**18.5**	**230**	**4**	**7**	**13**	**25**	**43**	**51**
	518	**17.8**	**172**	**4**	**7**	**14**	**27**	**35**	**43**

DRG 127: Heart Failure & Shock

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	11468	6.0	25	2	3	5	8	11	15
70-74	9840	6.3	28	2	3	5	8	11	15
75-79	11459	6.4	21	2	3	5	8	11	15
80-84	10411	6.9	27	2	4	6	8	13	17
85 +	11962	6.7	20	3	4	6	8	12	15
SUBTOTAL	**55141**	**6.4**	**24**	**2**	**3**	**5**	**8**	**12**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1382	3.8	6	1	2	3	5	7	8
70-74	1516	4.0	6	1	2	3	5	7	9
75-79	2062	4.4	10	2	3	4	6	8	9
80-84	2086	4.6	10	2	3	4	6	8	11
85 +	2417	5.0	9	2	3	4	6	9	11
SUBTOTAL	**9462**	**4.4**	**9**	**2**	**3**	**4**	**6**	**8**	**10**
GRAND TOTAL	**64603**	**6.2**	**22**	**2**	**3**	**5**	**8**	**11**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	119	4.9	10	1	3	4	6	9	14
18-34	176	4.4	4	2	3	4	6	7	8
35-49	544	5.4	21	2	3	4	7	10	11
50-69	4445	5.4	18	2	3	4	7	10	12
70 +	2139	6.0	15	2	3	5	7	10	14
	7422	**5.5**	**17**	**2**	**3**	**5**	**7**	**10**	**13**
0-17	39	6.7	68	1	1	4	6	25	25
18-34	14	5.0	13						
35-49	168	3.3	3	1	2	3	5	6	6
50-69	869	3.7	7	1	2	3	4	7	9
70 +	425	3.6	4	1	2	3	5	7	8
	1515	**3.7**	**7**	**1**	**2**	**3**	**5**	**7**	**8**
	8937	**5.2**	**16**	**2**	**3**	**4**	**7**	**10**	**12**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	178	8.1	74	2	4	5	9	16	24
18-34	180	5.8	25	1	2	4	10	13	14
35-49	581	5.8	25	2	3	4	7	12	16
50-69	2460	6.1	25	2	3	5	8	12	15
70 +	716	6.5	17	2	4	6	9	11	14
SUBTOTAL	**4114**	**6.2**	**26**	**2**	**3**	**5**	**8**	**12**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	65	2.4	1	1	1	3	3	4	4
18-34	37	4.8	8	1	2	5	8	8	8
35-49	225	3.7	5	2	2	3	4	6	10
50-69	487	4.2	19	1	2	3	4	8	12
70 +	313	3.8	6	1	2	4	5	6	10
SUBTOTAL	**1127**	**3.9**	**11**	**1**	**2**	**3**	**4**	**7**	**10**
GRAND TOTAL	**5242**	**5.7**	**24**	**2**	**3**	**4**	**7**	**11**	**14**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	108	5.8	17	1	3	6	8	13	15
18-34	151	5.1	10	2	3	4	7	9	12
35-49	847	4.8	14	2	2	4	6	9	11
50-69	3002	5.2	19	1	2	4	7	10	13
70 +	1787	5.6	21	2	3	4	7	11	15
	5895	**5.3**	**18**	**1**	**2**	**4**	**7**	**10**	**13**
0-17	20	2.8	3						
18-34	55	3.2	4	1	1	3	5	7	7
35-49	319	4.6	14	1	2	3	6	8	14
50-69	1062	3.9	7	1	2	3	5	7	9
70 +	413	2.7	3	1	1	2	3	5	5
	1870	**3.7**	**8**	**1**	**2**	**3**	**5**	**7**	**8**
	7765	**4.9**	**16**	**1**	**2**	**4**	**6**	**10**	**12**

DRG 128: Deep Vein Thrombophlebitis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	652	7.7	16	3	5	7	9	13	14
70-74	521	7.7	12	4	5	7	9	12	14
75-79	456	8.7	17	5	6	8	10	13	17
80-84	341	8.6	30	4	5	7	10	14	22
85 +	337	8.5	14	5	6	8	10	14	15
SUBTOTAL	**2307**	**8.1**	**17**	**4**	**6**	**7**	**9**	**13**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	574	6.6	5	3	5	7	8	10	11
70-74	480	7.0	9	4	5	7	8	10	11
75-79	362	7.4	8	4	6	7	9	10	11
80-84	298	6.8	4	4	6	7	8	10	10
85 +	233	7.3	12	4	5	7	9	10	16
SUBTOTAL	**1947**	**7.0**	**8**	**4**	**5**	**7**	**8**	**10**	**11**
GRAND TOTAL	**4254**	**7.6**	**13**	**4**	**5**	**7**	**9**	**11**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	9.0							
18-34	84	8.6	7	7	7	8	9	11	16
35-49	264	7.6	7	4	6	7	9	12	14
50-69	552	8.4	14	5	6	8	10	13	16
70 +	102	7.9	12	5	6	7	9	12	17
SUBTOTAL	**1007**	**8.1**	**11**	**5**	**6**	**7**	**9**	**12**	**15**
0-17	0								
18-34	255	6.4	10	3	4	6	8	10	12
35-49	546	6.1	6	3	4	5	8	10	11
50-69	807	6.2	5	4	5	6	8	9	10
70 +	33	6.1	5						
SUBTOTAL	**1641**	**6.2**	**6**	**3**	**4**	**6**	**8**	**9**	**11**
GRAND TOTAL	**2648**	**6.9**	**9**	**4**	**5**	**7**	**8**	**11**	**12**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	43	7.1	5	4	5	7	9	10	10
35-49	49	9.1	39	3	4	6	15	20	20
50-69	69	6.8	9	2	5	7	10	10	11
70 +	25	9.0	6						
SUBTOTAL	**186**	**7.8**	**16**	**3**	**5**	**7**	**10**	**14**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	65	8.3	4	4	7	8	10	11	11
35-49	127	7.1	7	4	5	7	8	10	11
50-69	67	6.0	9	1	6	6	7	10	10
70 +	0								
SUBTOTAL	**259**	**7.1**	**7**	**4**	**5**	**7**	**9**	**10**	**11**
GRAND TOTAL	**445**	**7.4**	**11**	**4**	**5**	**7**	**9**	**11**	**14**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	9.0							
18-34	47	7.4	16	1	5	7	12	14	14
35-49	108	8.8	6	6	7	9	10	12	14
50-69	182	8.1	13	5	6	8	9	13	14
70 +	59	9.0	36	1	3	7	11	19	20
SUBTOTAL	**403**	**8.4**	**15**	**5**	**6**	**8**	**10**	**13**	**14**
0-17	6	15.0							
18-34	168	5.8	8	3	4	6	7	10	11
35-49	178	6.6	13	2	5	7	8	12	14
50-69	117	7.5	13	4	5	7	10	13	15
70 +	45	6.8	2	4	6	7	8	8	8
SUBTOTAL	**513**	**6.7**	**12**	**3**	**4**	**6**	**8**	**11**	**14**
GRAND TOTAL	**916**	**7.4**	**14**	**3**	**5**	**7**	**9**	**13**	**14**

DRG 129: Cardiac Arrest, Unexplained

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	53	17.2	85	<1	11	16	25	30	30
70-74	25	8.0	47						
75-79	33	8.8	54						
80-84	33	9.0	7						
85+	8	5.0							
SUBTOTAL	**151**	**11.4**	**68**	**<1**	**5**	**11**	**17**	**25**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	6	2.0							
SUBTOTAL	**6**	**2.0**							
GRAND TOTAL	**157**	**11.1**	**69**	**<1**	**5**	**7**	**16**	**25**	**29**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	12	11.0	4						
18-34	0								
35-49	0								
50-69	31	10.0	20						
70+	22	5.3	14						
SUBTOTAL	**65**	**8.6**	**21**	**1**	**6**	**10**	**11**	**15**	**15**
0-17	12	4.5	7						
18-34	0								
35-49	8	7.0							
50-69	0								
70+	0								
SUBTOTAL	**20**	**5.5**	**6**						
GRAND TOTAL	**86**	**7.8**	**19**	**2**	**6**	**8**	**11**	**14**	**15**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	6	12.0							
18-34	0								
35-49	0								
50-69	8	16.0							
70+	0								
SUBTOTAL	**14**	**14.3**	**4**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**14**	**14.3**	**4**						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	8	2.0							
35-49	12	4.5	13						
50-69	14	1.6							
70+	0								
SUBTOTAL	**35**	**2.7**	**6**						
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**35**	**2.7**	**6**						

DRG 130: Peripheral Vascular Disorders w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2385	7.4	27	2	5	7	9	13	16
70-74	1811	7.2	17	2	5	7	9	12	14
75-79	1702	7.5	28	3	5	7	9	12	16
80-84	1513	7.2	18	2	4	7	9	13	14
85 +	1337	7.7	24	3	5	7	9	12	15
SUBTOTAL	**8747**	**7.4**	**23**	**2**	**5**	**7**	**9**	**13**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**8747**	**7.4**	**23**	**2**	**5**	**7**	**9**	**13**	**16**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	55	7.1	12	3	3	7	9	14	14
18-34	337	6.5	5	4	5	6	8	10	11
35-49	775	7.9	16	4	5	7	9	11	16
50-69	1736	6.9	15	2	5	6	8	12	14
70 +	442	6.3	12	3	4	6	8	11	13
	3345	**7.0**	**14**	**3**	**5**	**7**	**8**	**11**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3345	**7.0**	**14**	**3**	**5**	**7**	**8**	**11**	**14**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	59	6.8	17	1	4	6	9	14	14
18-34	133	6.9	19	3	4	5	8	13	18
35-49	266	8.5	21	4	6	8	10	15	18
50-69	464	8.9	60	1	4	8	11	16	23
70 +	82	8.3	47	2	4	6	9	16	27
SUBTOTAL	**1004**	**8.3**	**41**	**2**	**4**	**7**	**10**	**15**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1004**	**8.3**	**41**	**2**	**4**	**7**	**10**	**15**	**19**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	2.0							
18-34	225	7.9	32	2	5	7	10	17	18
35-49	470	6.7	19	2	4	6	8	15	15
50-69	812	7.0	24	2	4	6	9	12	15
70 +	229	5.7	8	2	4	5	7	10	12
	1743	**6.8**	**22**	**2**	**4**	**6**	**9**	**13**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1743	**6.8**	**22**	**2**	**4**	**6**	**9**	**13**	**15**

DRG 131: Peripheral Vascular Disorders w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1140	5.4	13	1	2	5	7	9	10
70-74	811	5.9	59	1	3	5	7	9	11
75-79	893	5.6	13	1	2	6	8	10	12
80-84	623	5.5	9	1	4	6	7	9	10
85+	572	6.1	10	2	4	7	8	10	12
SUBTOTAL	**4040**	**5.7**	**21**	**1**	**3**	**6**	**7**	**10**	**11**
GRAND TOTAL	**4040**	**5.7**	**21**	**1**	**3**	**6**	**7**	**10**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
0-17	33	5.2	19						
18-34	703	5.9	8	2	4	6	7	9	11
35-49	1271	5.6	7	2	4	6	7	9	10
50-69	1742	5.3	7	1	3	5	7	9	10
70+	274	4.4	5	1	2	5	6	7	9
SUBTOTAL	**4023**	**5.4**	**7**	**1**	**4**	**6**	**7**	**9**	**10**
GRAND TOTAL	**4023**	**5.4**	**7**	**1**	**4**	**6**	**7**	**9**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	18	1.7							
18-34	206	5.3	14	1	2	5	7	11	14
35-49	268	5.1	10	1	2	5	8	9	10
50-69	262	5.9	37	1	2	4	7	10	16
70+	59	5.0	6	1	4	5	6	9	9
SUBTOTAL	**814**	**5.3**	**19**	**1**	**2**	**5**	**7**	**9**	**11**
GRAND TOTAL	**814**	**5.3**	**19**	**1**	**2**	**5**	**7**	**9**	**11**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
0-17	53	3.2	5	<1	1	2	6	7	7
18-34	614	5.4	8	1	3	6	8	9	9
35-49	763	5.9	12	1	3	6	8	9	12
50-69	906	5.1	13	1	2	5	7	10	11
70+	151	4.8	7	1	4	4	6	8	10
SUBTOTAL	**2487**	**5.4**	**11**	**1**	**3**	**5**	**7**	**9**	**10**
GRAND TOTAL	**2487**	**5.4**	**11**	**1**	**3**	**5**	**7**	**9**	**10**

DRG 132: Atherosclerosis w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	472	4.1	8	1	2	3	6	7	9
70-74	417	3.2	6	1	2	3	4	6	8
75-79	443	4.9	11	2	2	4	7	10	12
80-84	360	5.0	14	2	2	4	6	11	14
85 +	319	5.1	10	2	3	4	7	9	11
SUBTOTAL	**2012**	**4.4**	**10**	**1**	**2**	**3**	**6**	**9**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2012**	**4.4**	**10**	**1**	**2**	**3**	**6**	**9**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	12	5.5	7						
35-49	84	3.3	8	1	1	2	4	7	11
50-69	491	4.0	19	1	2	3	5	8	9
70 +	115	3.1	4	2	2	2	3	6	8
SUBTOTAL	**701**	**3.8**	**15**	**1**	**2**	**3**	**4**	**8**	**9**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**701**	**3.8**	**15**	**1**	**2**	**3**	**4**	**8**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	12	7.0	10						
35-49	57	4.5	6	1	2	4	7	8	8
50-69	313	4.5	14	1	2	3	7	9	12
70 +	39	4.5	8	1	2	5	5	10	10
SUBTOTAL	**421**	**4.6**	**12**	**1**	**2**	**3**	**7**	**10**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**421**	**4.6**	**12**	**1**	**2**	**3**	**7**	**10**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	27	3.2	3						
35-49	110	3.0	7	1	1	2	4	8	11
50-69	319	3.7	19	1	1	2	4	7	12
70 +	113	5.7	15	2	3	4	8	14	70
SUBTOTAL	**569**	**3.9**	**16**	**1**	**2**	**3**	**5**	**8**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**569**	**3.9**	**16**	**1**	**2**	**3**	**5**	**8**	**13**

DRG 133: Atherosclerosis w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	221	2.9	5	1	1	2	4	6	8
70-74	106	3.2	5	1	2	2	4	6	9
75-79	149	3.3	5	1	2	3	4	8	9
80-84	104	4.5	5	2	2	4	6	6	10
85 +	98	3.8	2	2	3	4	5	5	7
SUBTOTAL	**678**	**3.4**	**5**	**1**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**678**	**3.4**	**5**	**1**	**2**	**3**	**4**	**6**	**8**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	6	1.0							
18-34	37	2.8	3						
35-49	206	2.9	12	< 1	1	1	4	5	9
50-69	540	2.5	3	1	1	2	3	5	7
70 +	55	2.8	2	< 1	1	3	5	5	5
	844	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**7**
	844	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	14	1.4							
35-49	80	4.2	8	2	3	4	5	5	13
50-69	192	4.0	14	1	2	3	5	7	11
70 +	18	2.0	1						
SUBTOTAL	**305**	**3.8**	**12**	**1**	**2**	**3**	**5**	**6**	**11**
GRAND TOTAL	**305**	**3.8**	**12**	**1**	**2**	**3**	**5**	**6**	**11**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	6	5.0							
18-34	12	1.0							
35-49	149	2.6	5	< 1	1	2	3	7	8
50-69	534	4.3	30	1	1	3	5	8	14
70 +	57	5.1	12	1	2	4	7	11	11
	759	**4.0**	**24**	**1**	**1**	**2**	**5**	**8**	**10**
	759	**4.0**	**24**	**1**	**1**	**2**	**5**	**8**	**10**

DRG 134: Hypertension

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	732	4.1	10	1	2	3	6	8	10
70-74	470	4.6	10	2	2	4	6	8	10
75-79	623	4.4	10	2	2	3	5	10	12
80-84	305	4.6	10	2	2	4	5	8	11
85 +	186	4.4	10	2	2	4	5	7	14
SUBTOTAL	**2316**	**4.4**	**10**	**1**	**2**	**3**	**6**	**8**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	599	2.8	3	1	2	2	4	5	6
70-74	421	3.1	3	1	2	3	4	6	7
75-79	354	3.0	6	1	1	3	4	5	6
80-84	219	5.4	37	1	3	4	6	8	25
85 +	217	3.3	5	1	1	2	5	6	6
SUBTOTAL	**1809**	**3.3**	**9**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**4124**	**3.9**	**10**	**1**	**2**	**3**	**5**	**7**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	14	1.4							
18-34	51	3.4	1	2	3	3	4	6	6
35-49	329	3.2	3	1	2	3	4	6	6
50-69	589	3.8	8	1	2	3	5	7	10
70 +	80	5.4	16	2	3	4	6	11	15
SUBTOTAL	**1063**	**3.7**	**7**	**1**	**2**	**3**	**5**	**6**	**10**
0-17	6	6.0							
18-34	117	2.2	2	1	1	2	2	5	5
35-49	509	2.5	3	1	1	2	3	4	5
50-69	791	2.6	3	1	1	2	3	5	6
70 +	45	3.5	6	< 1	1	3	6	8	8
SUBTOTAL	**1467**	**2.5**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**2530**	**3.0**	**5**	**1**	**2**	**2**	**4**	**6**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	6	1.0							
18-34	49	4.7	11	2	3	3	5	13	13
35-49	172	4.0	11	1	1	2	6	10	11
50-69	376	4.1	15	1	2	3	5	7	10
70 +	53	5.6	31	1	2	3	8	18	18
SUBTOTAL	**657**	**4.2**	**15**	**1**	**2**	**3**	**6**	**9**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	27	4.3	8						
18-34	47	4.0	7	< 1	< 1	3	7	8	8
35-49	272	2.8	3	1	1	2	4	5	7
50-69	422	3.1	8	1	1	2	4	6	7
70 +	76	2.3	2	< 1	1	2	3	4	5
SUBTOTAL	**843**	**3.0**	**6**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**1500**	**3.5**	**10**	**1**	**1**	**3**	**4**	**7**	**9**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	12	5.0	17						
18-34	82	4.1	12	< 1	1	3	6	10	12
35-49	504	4.2	24	1	1	3	6	8	11
50-69	669	4.3	20	1	1	3	5	11	14
70 +	121	4.9	27	1	1	2	9	13	18
SUBTOTAL	**1387**	**4.3**	**21**	**1**	**1**	**3**	**5**	**11**	**13**
0-17	37	3.5	4	1	2	3	5	7	7
18-34	158	2.4	7	< 1	1	1	2	7	9
35-49	684	4.2	29	1	1	2	5	9	19
50-69	1031	3.6	28	1	1	2	3	8	19
70 +	155	3.3	9	1	1	2	5	7	9
SUBTOTAL	**2065**	**3.7**	**25**	**1**	**1**	**2**	**4**	**8**	**15**
GRAND TOTAL	**3452**	**3.9**	**24**	**1**	**1**	**2**	**5**	**9**	**14**

DRG 135: Cardiac Congenital & Valvular Disorders Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	143	5.0	10	2	2	4	6	10	10
70-74	135	4.5	10	1	2	3	7	8	13
75-79	112	5.3	28	1	2	5	6	13	22
80-84	182	4.7	11	2	2	4	5	11	11
85+	149	4.7	8	2	3	3	7	8	13
SUBTOTAL	**721**	**4.8**	**13**	**2**	**2**	**4**	**7**	**8**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**721**	**4.8**	**13**	**2**	**2**	**4**	**7**	**8**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	12	1.5							
35-49	84	3.5	12	1	1	2	5	7	13
50-69	162	5.6	25	1	2	4	9	11	13
70+	53	2.7	1	1	2*	3	3	4	4
SUBTOTAL	**311**	**4.4**	**18**	**1**	**2**	**3**	**5**	**11**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
	311	**4.4**	**18**	**1**	**2**	**3**	**5**	**11**	**13**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	98	7.5	84	1	2	3	7	25	34
35-49	84	14.2	189	2	4	8	21	40	41
50-69	90	9.2	73	3	4	7	11	19	36
70+	12	4.5							
SUBTOTAL	**284**	**9.9**	**116**	**2**	**3**	**6**	**12**	**33**	**36**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**284**	**9.9**	**116**	**2**	**3**	**6**	**12**	**33**	**36**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	119	9.9	140	1	3	5	13	23	42
35-49	162	10.3	114	1	2	5	15	27	33
50-69	188	6.4	28	1	2	4	9	13	18
70+	45	3.9	12	<1	2	3	4	12	12
SUBTOTAL	**514**	**8.2**	**84**	**1**	**2**	**4**	**12**	**20**	**23**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
	514	**8.2**	**84**	**1**	**2**	**4**	**12**	**20**	**23**

DRG 136: Cardiac Congenital & Valvular Disorders Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	119	2.3	1	1	1	2	3	4	5
70-74	65	3.4	10	<1	1	2	4	11	11
75-79	53	2.8	1	2	2	2	4	5	5
80-84	41	2.2	2						
85+	31	3.9	2						
SUBTOTAL	**308**	**2.8**	**4**	**1**	**1**	**2**	**4**	**5**	**5**
GRAND TOTAL	**308**	**2.8**	**4**	**1**	**1**	**2**	**4**	**5**	**5**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
0									
0-17	0								
18-34	63	2.2	7	<1	1	1	1	5	10
35-49	153	2.7	3	1	1	2	3	5	7
50-69	206	2.6	7	1	1	2	3	5	5
70+	14	3.6							
437	**2.6**	**5**	**<1**	**1**	**2**	**3**	**5**	**7**
437	**2.6**	**5**	**<1**	**1**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	68	5.7	76	1	1	2	6	9	32
35-49	35	2.9	6						
50-69	69	4.0	8	1	2	3	5	10	10
70+	12	18.5	333						
SUBTOTAL	**184**	**5.4**	**66**	**1**	**2**	**2**	**5**	**10**	**32**
GRAND TOTAL	**184**	**5.4**	**66**	**1**	**2**	**2**	**5**	**10**	**32**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
0									
0-17	0								
18-34	100	2.2	2	<1	1	2	3	4	5
35-49	127	2.8	13	<1	1	2	3	4	8
50-69	135	3.7	31	<1	1	2	4	5	7
70+	14	9.4	45						
376	**3.2**	**19**	**<1**	**1**	**2**	**3**	**5**	**15**
376	**3.2**	**19**	**<1**	**1**	**2**	**3**	**5**	**15**

DRG 137: Cardiac Congenital & Valvular Disorders Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	133	3.8	14	1	1	2	6	11	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**133**	**3.8**	**14**	**1**	**1**	**2**	**6**	**11**	**11**
0-17	225	1.7	2	< 1	< 1	1	2	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**225**	**1.7**	**2**	**< 1**	**< 1**	**1**	**2**	**4**	**5**
	358	**2.5**	**7**	**< 1**	**1**	**1**	**2**	**6**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	258	3.8	20	1	1	2	6	7	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**258**	**3.8**	**20**	**1**	**1**	**2**	**6**	**7**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	299	3.4	15	< 1	1	2	4	8	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**299**	**3.4**	**15**	**< 1**	**1**	**2**	**4**	**8**	**8**
GRAND TOTAL	**557**	**3.6**	**17**	**< 1**	**1**	**2**	**4**	**8**	**11**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	156	6.1	112	< 1	1	3	6	14	15
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**156**	**6.1**	**112**	**< 1**	**1**	**3**	**6**	**14**	**15**
0-17	147	1.9	5	< 1	< 1	1	1	3	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**147**	**1.9**	**5**	**< 1**	**< 1**	**1**	**1**	**3**	**7**
	303	**4.1**	**64**	**< 1**	**1**	**2**	**4**	**7**	**14**

DRG 138: Cardiac Arrhythmia & Conduction Disorders w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	5238	4.3	16	1	2	3	5	8	12
70-74	5212	4.4	13	1	2	3	5	8	12
75-79	5341	4.5	12	1	2	3	6	8	11
80-84	4463	4.9	17	2	2	4	6	9	11
85 +	3950	5.3	16	2	3	4	7	10	12
SUBTOTAL	**24204**	**4.6**	**15**	**1**	**2**	**4**	**6**	**9**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**24204**	**4.6**	**15**	**1**	**2**	**4**	**6**	**9**	**12**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	133	2.3	4	1	1	2	3	4	5
18-34	127	2.4	2	1	1	2	3	5	5
35-49	740	2.7	10	1	1	2	3	5	6
50-69	3142	3.3	9	1	1	2	4	7	9
70 +	1092	5.5	73	1	2	4	6	10	12
	5233	**3.6**	**23**	**1**	**1**	**2**	**4**	**7**	**9**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	5233	**3.6**	**23**	**1**	**1**	**2**	**4**	**7**	**9**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	14	4.8	14	1	2	4	6	9	12
18-34	92	4.9	30	1	2	3	6	13	22
35-49	164	6.2	57	1	2	4	7	17	26
50-69	814	5.0	28	1	2	3	6	10	15
70 +	247	5.0	12	1	2	4	7	11	12
SUBTOTAL	**1458**	**5.1**	**28**	**1**	**2**	**4**	**6**	**10**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1458**	**5.1**	**28**	**1**	**2**	**4**	**6**	**10**	**15**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	33	4.9	26						
18-34	241	2.9	6	1	1	2	3	7	9
35-49	528	3.8	15	1	1	2	5	8	10
50-69	1519	3.7	11	1	2	3	5	8	10
70 +	619	4.9	16	1	2	4	7	10	13
	2940	**3.9**	**13**	**1**	**2**	**3**	**5**	**8**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2940	**3.9**	**13**	**1**	**2**	**3**	**5**	**8**	**11**

DRG 139: Cardiac Arrhythmia & Conduction Disorders w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2877	2.5	4	1	1	2	3	5	6
70-74	3165	2.7	6	1	1	2	3	5	7
75-79	2603	2.9	5	1	1	2	4	5	7
80-84	2113	3.2	5	1	2	3	4	6	8
85 +	1741	3.3	5	1	2	3	4	6	7
SUBTOTAL	**12498**	**2.9**	**5**	**1**	**1**	**2**	**4**	**5**	**7**
GRAND TOTAL	**12498**	**2.9**	**5**	**1**	**1**	**2**	**4**	**5**	**7**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	331	3.2	11	1	1	2	4	7	12
18-34	660	2.0	8	1	1	1	2	3	5
35-49	2002	1.9	1	< 1	1	2	2	3	4
50-69	3942	2.3	7	1	1	2	3	4	6
70 +	642	3.0	5	1	2	2	4	7	7
7578	**2.3**	**5**	**1**	**1**	**2**	**3**	**4**	**6**	
7578	**2.3**	**5**	**1**	**1**	**2**	**3**	**4**	**6**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	172	4.0	22	1	1	3	4	9	10
18-34	182	3.6	74	< 1	1	2	2	5	6
35-49	270	2.3	3	1	1	2	3	5	6
50-69	438	3.8	11	1	2	3	5	7	11
70 +	213	3.9	19	1	2	3	4	7	10
SUBTOTAL	**1274**	**3.5**	**22**	**1**	**1**	**2**	**4**	**6**	**9**
GRAND TOTAL	**1274**	**3.5**	**22**	**1**	**1**	**2**	**4**	**6**	**9**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	135	2.8	5	1	1	2	4	4	8
18-34	550	1.8	3	< 1	1	1	2	3	5
35-49	1028	2.1	2	1	1	2	3	4	5
50-69	1930	2.5	5	1	1	2	3	5	7
70 +	478	3.0	7	1	1	2	3	6	9
4122	**2.4**	**5**	**1**	**1**	**2**	**3**	**5**	**6**	
4122	**2.4**	**5**	**1**	**1**	**2**	**3**	**5**	**6**	

DRG 140: Angina Pectoris

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	5049	3.4	6	1	2	3	4	6	8
70-74	4060	3.6	8	1	2	3	4	6	8
75-79	4524	4.0	8	2	2	3	5	7	9
80-84	3933	4.0	9	2	2	3	5	7	8
85 +	3675	4.1	9	1	2	3	5	8	10
SUBTOTAL	**21240**	**3.8**	**8**	**1**	**2**	**3**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	4577	2.4	3	1	1	2	3	4	5
70-74	3438	2.6	3	1	2	2	3	5	6
75-79	3226	2.7	3	1	2	2	3	5	6
80-84	2872	3.2	4	1	2	3	4	6	7
85 +	2068	3.2	4	1	2	3	4	5	7
SUBTOTAL	**16181**	**2.8**	**3**	**1**	**2**	**2**	**3**	**5**	**6**
GRAND TOTAL	**37421**	**3.3**	**6**	**1**	**2**	**3**	**4**	**6**	**8**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	33	2.0							
35-49	441	2.5	2	1	2	2	3	5	5
50-69	2332	2.9	4	1	2	2	4	5	6
70 +	888	3.5	5	1	2	3	4	6	7
	3693	**3.0**	**4**	**1**	**2**	**3**	**4**	**5**	**7**
0-17	0								
18-34	106	2.4	2	1	2	2	3	4	6
35-49	1863	2.0	1	1	1	2	3	3	4
50-69	4260	2.2	2	1	1	2	3	4	5
70 +	861	2.6	2	1	2	2	3	4	5
	7091	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
	10784	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	43	2.1	2	1	1	1	3	5	5
35-49	376	3.8	10	1	2	3	5	7	8
50-69	1247	3.9	11	1	2	3	5	8	10
70 +	141	4.5	5	2	2	5	6	7	8
SUBTOTAL	**1808**	**3.9**	**10**	**1**	**2**	**3**	**5**	**8**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	55	2.9	2	1	2	2	4	6	6
35-49	454	3.6	12	1	2	2	4	8	10
50-69	1239	3.0	10	1	1	2	3	5	9
70 +	209	2.2	2	1	1	2	3	3	4
SUBTOTAL	**1957**	**3.1**	**10**	**1**	**1**	**2**	**3**	**6**	**9**
GRAND TOTAL	**3765**	**3.5**	**10**	**1**	**2**	**2**	**4**	**7**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	100	1.9	2	1	1	1	2	4	6
35-49	477	3.4	17	1	1	2	4	6	9
50-69	1517	3.0	6	1	1	2	4	7	8
70 +	519	2.9	3	1	2	2	3	6	7
	2613	**3.0**	**7**	**1**	**1**	**2**	**4**	**6**	**8**
0-17	0								
18-34	168	1.5		< 1	1	1	2	2	3
35-49	1560	2.3	3	1	1	2	3	4	6
50-69	3505	2.5	4	1	1	2	3	5	6
70 +	601	2.6	4	1	1	2	4	5	6
	5833	**2.4**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
	8446	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 141: Syncope & Collapse w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1727	3.9	13	1	2	3	5	8	10
70-74	2050	3.9	10	1	2	3	5	7	9
75-79	2132	3.8	7	1	2	3	5	7	10
80-84	2205	4.3	12	1	2	3	5	9	11
85 +	2409	4.6	27	1	2	3	5	8	12
SUBTOTAL	**10523**	**4.1**	**14**	**1**	**2**	**3**	**5**	**8**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**10523**	**4.1**	**14**	**1**	**2**	**3**	**5**	**8**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	51	4.8	22	1	1	2	10	14	14
18-34	259	2.5	5	1	1	2	3	4	8
35-49	405	2.7	7	1	1	2	3	5	6
50-69	1192	2.6	3	1	1	2	3	5	6
70 +	546	3.1	4	1	2	3	4	5	8
	2453	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**7**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2453	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	29	1.4	1						
18-34	45	2.1	1	1	2	2	2	4	4
35-49	157	2.9	4	1	1	2	3	7	8
50-69	241	4.4	15	2	2	3	6	8	9
70 +	72	3.6	9	1	2	2	4	11	11
SUBTOTAL	**544**	**3.5**	**10**	**1**	**2**	**3**	**4**	**7**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**544**	**3.5**	**10**	**1**	**2**	**3**	**4**	**7**	**8**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	20	2.4	1						
18-34	129	1.8	1	1	1	2	2	3	4
35-49	222	2.8	7	< 1	1	2	3	6	7
50-69	558	2.7	4	1	1	2	3	5	8
70 +	282	4.7	50	1	2	3	4	8	13
	1212	**3.1**	**16**	**1**	**1**	**2**	**3**	**6**	**8**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1212	**3.1**	**16**	**1**	**1**	**2**	**3**	**6**	**8**

DRG 142: Syncope & Collapse w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1165	2.4	3	1	1	2	3	4	5
70-74	1163	2.7	7	1	1	2	3	5	7
75-79	1410	2.8	9	1	1	2	3	5	6
80-84	1400	3.1	5	1	2	3	4	6	7
85 +	1426	3.2	5	1	2	2	4	6	8
SUBTOTAL	**6564**	**2.9**	**6**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**6564**	**2.9**	**6**	**1**	**1**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	151	1.6	1	< 1	1	1	2	3	4
18-34	492	1.7	1	1	1	1	2	3	4
35-49	924	1.9	2	1	1	1	2	4	5
50-69	1882	2.0	2	1	1	1	2	4	5
70 +	448	2.7	3	1	1	2	4	4	6
3897	**2.0**	**2**	**1**	**1**	**2**	**2**	**4**	**5**	
3897	**2.0**	**2**	**1**	**1**	**2**	**2**	**4**	**5**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	84	1.8	1	1	1	1	3	3	3
18-34	70	3.0	3	< 1	2	2	5	5	5
35-49	65	3.1	21	1	1	2	2	3	17
50-69	131	2.1	1	1	1	2	3	4	4
70 +	82	3.0	3	1	2	3	4	5	6
SUBTOTAL	**431**	**2.5**	**5**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**431**	**2.5**	**5**	**1**	**1**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	100	1.8	1	1	1	1	2	3	4
18-34	337	2.0	2	1	1	2	2	4	5
35-49	456	2.2	3	1	1	2	2	4	6
50-69	595	2.3	9	1	1	2	2	4	5
70 +	300	3.2	26	1	1	2	3	5	7
1789	**2.3**	**9**	**1**	**1**	**2**	**3**	**4**	**5**	
1789	**2.3**	**9**	**1**	**1**	**2**	**3**	**4**	**5**	

DRG 143: Chest Pain

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3323	2.7	3	1	1	2	3	5	7
70-74	1890	2.8	4	1	2	2	3	5	7
75-79	1784	3.0	5	1	2	2	3	6	7
80-84	1236	3.4	7	1	2	3	4	7	8
85 +	893	3.4	10	1	2	2	4	7	8
SUBTOTAL	**9127**	**2.9**	**5**	**1**	**2**	**2**	**4**	**5**	**7**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	4061	2.0	2	1	1	2	2	3	4
70-74	2454	2.1	2	1	1	2	3	4	5
75-79	1700	2.2	2	1	1	2	3	4	5
80-84	1291	2.3	2	1	1	2	3	4	5
85 +	646	2.6	3	1	1	2	3	4	6
SUBTOTAL	**10153**	**2.1**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**19279**	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**6**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	33	1.5							
18-34	329	2.0	5	1	1	2	2	3	4
35-49	1708	2.0	2	1	1	2	2	4	4
50-69	3066	2.3	2	1	1	2	3	4	5
70 +	438	2.2	2	1	1	2	3	3	4
	5573	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
0-17	80	2.2	7	1	1	1	2	7	10
18-34	1271	1.7	1	1	1	1	2	3	3
35-49	7442	1.6	1	1	1	1	2	3	3
50-69	8871	1.8	1	1	1	2	2	3	4
70 +	585	2.0	1	1	1	2	2	3	3
	16248	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**4**
	23822	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**4**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	20	2.0	1						
18-34	86	2.9	6	1	1	2	4	6	10
35-49	478	2.8	6	1	1	2	3	5	7
50-69	902	2.9	11	1	1	2	3	5	7
70 +	117	3.3	9	2	2	2	3	8	13
SUBTOTAL	**1603**	**2.9**	**9**	**1**	**1**	**2**	**3**	**5**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	6	1.0							
18-34	180	1.7	2	< 1	1	1	2	3	4
35-49	720	1.9	1	1	1	2	2	3	4
50-69	939	2.2	2	1	1	2	3	4	5
70 +	92	2.1	1	1	1	2	3	3	5
SUBTOTAL	**1936**	**2.0**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**3539**	**2.4**	**5**	**1**	**1**	**2**	**3**	**4**	**6**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	3.0							
18-34	333	1.6		1	1	1	2	2	3
35-49	1196	2.1	3	1	1	2	2	4	5
50-69	1572	2.5	4	1	1	2	3	4	5
70 +	243	3.0	6	1	2	2	3	8	10
	3351	**2.3**	**4**	**1**	**1**	**2**	**3**	**4**	**5**
0-17	27	3.1	8						
18-34	846	1.4		< 1	1	1	2	2	3
35-49	4040	1.7	1	1	1	1	2	3	4
50-69	4079	2.1	10	1	1	2	2	4	4
70 +	350	2.0	2	1	1	2	3	3	4
	9341	**1.9**	**5**	**1**	**1**	**1**	**2**	**3**	**4**
	12692	**2.0**	**5**	**1**	**1**	**2**	**2**	**3**	**4**

DRG 144: Other Circulatory System Diagnoses w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	2721	5.8	24	2	3	4	7	11	15
70-74	1800	6.1	22	2	3	5	8	12	15
75-79	1488	6.5	28	2	3	5	9	12	15
80-84	1101	5.8	20	2	3	4	7	11	14
85 +	879	6.2	20	2	3	5	8	12	16
SUBTOTAL	7989	6.0	23	2	3	5	8	12	15
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	7989	6.0	23	2	3	5	8	12	15

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	323	5.6	18	1	3	4	7	11	14
18-34	380	4.4	16	1	2	3	6	9	14
35-49	681	4.8	26	1	2	3	7	9	12
50-69	1807	5.0	20	1	2	4	6	9	14
70 +	303	6.0	20	2	3	5	8	10	10
	3494	5.0	20	1	2	4	6	10	13
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3494	5.0	20	1	2	4	6	10	13

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	278	8.5	104	1	3	5	10	20	24
18-34	362	7.4	45	2	3	5	9	15	24
35-49	344	4.4	15	1	2	3	6	9	10
50-69	456	5.8	27	1	2	4	8	12	17
70 +	82	5.6	22	2	2	4	7	9	20
SUBTOTAL	1522	6.3	45	1	2	4	8	14	20
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	1522	6.3	45	1	2	4	8	14	20

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	174	6.2	28	1	2	4	10	15	17
18-34	313	6.4	45	1	2	4	9	13	20
35-49	591	5.0	15	1	2	3	7	10	13
50-69	689	6.0	39	1	2	4	7	12	13
70 +	200	7.0	44	1	2	5	9	19	22
	1968	5.9	33	1	2	4	8	12	17
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1968	5.9	33	1	2	4	8	12	17

DRG 145: Other Circulatory System Diagnoses w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	388	3.0	6	1	1	2	4	7	9
70-74	300	3.9	9	1	2	3	5	8	11
75-79	364	3.4	4	1	2	3	4	6	7
80-84	163	4.1	9	2	2	3	5	5	11
85 +	163	3.0	5	1	1	2	3	7	8
SUBTOTAL	**1379**	**3.4**	**6**	**1**	**2**	**3**	**4**	**7**	**9**
GRAND TOTAL	**1379**	**3.4**	**6**	**1**		**3**	**4**	**7**	**9**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	354	3.2	16	< 1	1	2	4	7	13
18-34	343	2.3	2	1	1	2	3	3	5
35-49	662	2.5	3	1	1	2	3	5	7
50-69	824	3.0	9	1	1	2	3	6	8
70 +	70	3.5	12	1	2	3	4	4	14
2253	**2.8**	**8**	**1**	**1**	**2**	**3**	**5**	**8**
2253	**2.8**	**8**	**1**	**1**	**2**	**3**	**5**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	113	3.6	12	< 1	1	2	5	11	13
18-34	102	3.7	14	1	1	2	6	10	15
35-49	102	4.4	23	1	1	3	5	11	19
50-69	141	2.8	5	< 1	2	2	4	4	6
70 +	22	8.0	26						
SUBTOTAL	**481**	**3.8**	**14**	**1**	**1**	**2**	**5**	**10**	**12**
GRAND TOTAL	**481**	**3.8**	**14**	**1**	**1**	**2**	**5**	**10**	**12**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	121	3.3	10	< 1	1	2	4	7	11
18-34	329	3.6	10	1	2	2	5	9	11
35-49	425	3.3	9	1	1	2	4	7	9
50-69	383	4.2	24	1	2	3	5	7	11
70 +	63	5.1	8	2	3	5	7	10	10
1321	**3.7**	**14**	**1**	**1**	**3**	**5**	**8**	**10**
1321	**3.7**	**14**	**1**	**1**	**3**	**5**	**8**	**10**

DRG 146: Rectal Resection w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	260	13.7	147	7	8	11	14	18	34
70-74	235	11.7	26	7	8	11	12	22	22
75-79	202	13.5	76	8	9	11	13	21	35
80-84	114	9.8	5	7	8	10	11	14	14
85 +	69	13.0	27	6	9	13	18	21	22
SUBTOTAL	**881**	**12.6**	**72**	**7**	**8**	**11**	**13**	**20**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**881**	**12.6**	**72**	**7**	**8**	**11**	**13**	**20**	**24**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	25	18.3	232						
18-34	6	8.0							
35-49	55	11.0	20	7	7	10	15	20	20
50-69	352	10.3	16	7	8	9	11	14	19
70 +	22	17.9	69						
	460	**11.2**	**36**	**7**	**8**	**9**	**12**	**19**	**24**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	460	**11.2**	**36**	**7**	**8**	**9**	**12**	**19**	**24**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	18	10.0	1						
18-34	0								
35-49	18	11.0	8						
50-69	14	13.0							
70 +	8	10.0							
SUBTOTAL	**59**	**11.0**	**4**	**9**	**9**	**10**	**13**	**14**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**59**	**11.0**	**4**	**9**	**9**	**10**	**13**	**14**	**15**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	6.0							
18-34	6	19.0							
35-49	37	8.8	6						
50-69	100	11.1	32	8	8	9	12	19	29
70 +	88	11.0	15	7	8	10	14	16	18
	237	**10.8**	**23**	**5**	**8**	**9**	**12**	**18**	**19**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	237	**10.8**	**23**	**5**	**8**	**9**	**12**	**18**	**19**

DRG 147: Rectal Resection w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	98	7.7	6	6	7	7	9	11	12
70-74	61	6.8	8	2	6	7	8	12	12
75-79	90	10.4	10	6	8	10	12	15	17
80-84	35	8.9	15						
85 +	31	6.9	10						
SUBTOTAL	**315**	**8.4**	**11**	**4**	**6**	**8**	**11**	**13**	**13**
GRAND TOTAL	**315**	**8.4**	**11**	**4**	**6**	**8**	**11**	**13**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	129	6.4	3	5	5	6	7	8	10
18-34	27	6.9	3						
35-49	57	6.8	6	3	6	7	8	10	11
50-69	170	8.6	17	5	6	8	9	14	17
70 +	35	6.3	7						
417	**7.4**	**11**	**4**	**6**	**7**	**9**	**10**	**14**	
417	**7.4**	**11**	**4**	**6**	**7**	**9**	**10**	**14**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	55	9.6	8	7	8	8	11	15	15
18-34	12	6.0	4						
35-49	0								
50-69	27	12.7	30						
70 +	0								
SUBTOTAL	**94**	**10.0**	**18**	**7**	**7**	**8**	**14**	**15**	**21**
GRAND TOTAL	**94**	**10.0**	**18**	**7**	**7**	**8**	**14**	**15**	**21**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	68	6.0	2	5	5	6	7	7	9
18-34	12	8.0							
35-49	68	9.0	24	5	7	8	10	11	23
50-69	55	8.0	8	5	6	8	8	15	15
70 +	8	12.0							
211	**7.8**	**13**	**5**	**6**	**8**	**8**	**11**	**15**	
211	**7.8**	**13**	**5**	**6**	**8**	**8**	**11**	**15**	

DRG 148: Major Small & Large Bowel Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4778	13.9	125	7	8	10	16	24	36
70-74	5018	13.8	89	7	8	11	16	24	32
75-79	4158	13.5	59	7	9	11	16	23	28
80-84	3324	15.0	80	7	9	13	18	25	33
85 +	2554	15.2	84	8	10	13	17	24	32
SUBTOTAL	**19833**	**14.1**	**90**	**7**	**8**	**11**	**16**	**24**	**33**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**19833**	**14.1**	**90**	**7**	**8**	**11**	**16**	**24**	**33**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	384	11.0	146	4	5	8	12	23	47
18-34	958	11.6	97	5	7	9	12	20	26
35-49	2236	11.5	58	6	7	9	13	20	27
50-69	5459	12.2	74	6	7	9	13	21	29
70 +	861	12.9	64	6	8	10	14	24	29
	9899	**12.0**	**75**	**6**	**7**	**9**	**13**	**21**	**29**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	9899	**12.0**	**75**	**6**	**7**	**9**	**13**	**21**	**29**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	213	13.4	145	2	6	9	18	34	55
18-34	360	14.4	152	6	7	10	17	25	47
35-49	331	15.1	164	5	8	11	19	31	58
50-69	464	17.5	189	7	9	15	20	31	40
70 +	70	13.1	49	7	8	11	14	21	31
SUBTOTAL	**1438**	**15.3**	**163**	**6**	**8**	**11**	**18**	**31**	**47**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1438**	**15.3**	**163**	**6**	**8**	**11**	**18**	**31**	**47**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	194	10.1	55	4	5	8	14	21	25
18-34	1000	10.4	61	5	6	8	10	20	24
35-49	1096	11.0	44	6	7	9	13	18	24
50-69	1897	11.8	59	6	8	10	14	18	26
70 +	478	13.6	77	6	7	10	19	26	32
	4666	**11.4**	**59**	**6**	**7**	**9**	**13**	**20**	**26**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4666	**11.4**	**59**	**6**	**7**	**9**	**13**	**20**	**26**

DRG 149: Major Small & Large Bowel Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1140	8.1	15	4	6	8	9	12	13
70-74	979	8.5	8	6	7	8	9	12	13
75-79	766	9.2	9	7	7	9	10	13	15
80-84	450	9.7	18	6	7	9	11	14	16
85 +	358	9.6	54	4	7	8	11	14	15
SUBTOTAL	3693	8.8	16	6	7	8	10	12	14
GRAND TOTAL	3693	8.8	16	6	7	8	10	12	14

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	585	6.4	11	3	4	6	8	10	12
18-34	858	7.2	36	2	4	6	8	10	20
35-49	1492	7.4	11	4	5	7	8	11	13
50-69	2508	7.8	9	5	6	8	9	11	13
70 +	241	8.7	27	5	6	8	9	12	25
	5685	7.5	15	4	5	7	9	11	13
	5685	7.5	15	4	5	7	9	11	13

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	274	7.6	48	2	4	6	8	10	31
18-34	307	9.2	103	2	5	7	10	13	29
35-49	198	10.8	49	4	7	8	14	23	27
50-69	221	9.5	18	6	7	8	12	14	19
70 +	6	25.0							
SUBTOTAL	1006	9.2	61	3	5	7	10	16	25
GRAND TOTAL	1006	9.2	61	3	5	7	10	16	25

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	313	7.4	16	3	4	7	9	13	17
18-34	833	7.4	16	4	5	7	9	11	14
35-49	722	9.2	40	4	6	8	10	15	24
50-69	702	9.9	31	6	7	8	10	17	22
70 +	84	11.2	31	6	9	10	11	14	29
	2653	8.7	28	4	6	8	10	14	18
	2653	8.7	28	4	6	8	10	14	18

DRG 150: Peritoneal Adhesiolysis w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	989	12.5	88	5	8	11	14	22	28
70-74	74[illegible]	12.1	51	5	8	11	16	18	21
75-79	705	12.7	53	6	8	11	15	21	28
80-84	472	12.7	42	6	9	11	15	21	24
85 +	531	13.1	47	6	9	12	15	20	23
SUBTOTAL	**3445**	**12.6**	**60**	**6**	**8**	**11**	**15**	**20**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3445**	**12.6**	**60**	**6**	**8**	**11**	**15**	**20**	**25**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	157	8.4	28	3	5	7	11	13	20
18-34	268	10.2	36	4	[illegible]	9	12	18	22
35-49	572	11.6	90	4	[illegible]	8	13	23	33
50-69	748	12.1	74	5	7	10	14	21	25
70 +	98	10.7	24	4	6	10	15	18	20
	1844	**11.3**	**68**	**4**	**6**	**9**	**13**	**21**	**25**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1844	**11.3**	**68**	**4**	**6**	**9**	**13**	**21**	**25**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	76	13.3	84	5	5	8	20	23	34
18-34	94	12.8	102	4	6	10	16	32	34
35-49	117	12.8	198	3	7	8	11	47	54
50-69	108	11.9	56	4	7	9	20	24	26
70 +	8	9.0							
SUBTOTAL	**403**	**12.6**	**112**	**4**	**6**	**9**	**16**	**25**	**34**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**403**	**12.6**	**112**	**4**	**6**	**9**	**16**	**25**	**34**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	27	13.4	47						
18-34	182	15.7	140	5	8	10	21	37	43
35-49	233	10.1	33	5	6	9	13	18	19
50-69	225	12.4	36	5	9	12	14	21	27
70 +	69	11.5	15	4	9	11	15	16	16
	736	**12.4**	**63**	**5**	**7**	**11**	**15**	**21**	**31**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	736	**12.4**	**63**	**5**	**7**	**11**	**15**	**21**	**31**

DRG 151: Peritoneal Adhesiolysis w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	302	6.6	14	3	4	6	8	11	12
70-74	260	7.6	12	4	5	7	10	11	15
75-79	227	9.0	21	4	5	8	11	13	15
80-84	139	10.0	28	5	5	9	15	19	19
85 +	14	11.7	4						
SUBTOTAL	**942**	**8.0**	**19**	**3**	**5**	**7**	**10**	**14**	**16**
GRAND TOTAL	**942**	**8.0**	**19**	**3**	**5**	**7**	**10**	**14**	**16**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	233	7.5	74	2	3	5	8	12	31
18-34	678	5.5	8	2	3	5	7	9	10
35-49	727	6.3	10	3	4	6	9	10	12
50-69	760	6.9	10	3	5	7	8	11	12
70 +	39	8.4	1	7	8	9	9	9	9
2438	**6.4**	**16**	**3**	**4**	**6**	**8**	**10**	**12**
2438	**6.4**	**16**	**3**	**4**	**6**	**8**	**10**	**12**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	65	6.6	7	3	5	6	8	10	13
18-34	110	7.5	34	2	3	6	10	13	25
35-49	72	7.2	12	2	4	7	9	12	14
50-69	43	6.4	9	3	4	5	10	11	11
70 +	8	6.0							
SUBTOTAL	**298**	**7.0**	**19**	**3**	**4**	**6**	**9**	**12**	**13**
GRAND TOTAL	**298**	**7.0**	**19**	**3**	**4**	**6**	**9**	**12**	**13**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	104	6.7	16	2	5	7	9	18	99 +
18-34	350	6.8	15	3	4	6	9	11	15
35-49	303	8.5	18	4	6	7	10	14	17
50-69	237	8.1	12	5	6	8	9	12	13
70 +	14	7.0							
1008	**7.6**	**16**	**3**	**5**	**7**	**9**	**13**	**17**
1008	**7.6**	**16**	**3**	**5**	**7**	**9**	**13**	**17**

DRG 152: Minor Small & Large Bowel Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	219	7.4	34	3	4	6	8	12	15
70-74	121	7.4	8	3	6	8	10	11	11
75-79	190	9.3	19	3	7	8	10	17	18
80-84	145	9.6	58	4	6	7	12	15	18
85 +	80	9.6	23	3	5	11	13	17	18
SUBTOTAL	**754**	**8.5**	**31**	**3**	**5**	**7**	**10**	**14**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**754**	**8.5**	**31**	**3**	**5**	**7**	**10**	**14**	**18**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	37	6.3	3	5	5	6	7	10	10
18-34	76	7.7	5	4	6	7	9	11	12
35-49	72	9.0	39	4	4	9	9	15	26
50-69	166	8.6	16	4	6	8	10	16	18
70 +	27	8.9	2						
SUBTOTAL	**376**	**8.3**	**17**	**4**	**6**	**8**	**9**	**12**	**17**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**376**	**8.3**	**17**	**4**	**6**	**8**	**9**	**12**	**17**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	31	8.6	56						
18-34	12	11.5	13						
35-49	25	7.0	4						
50-69	6	34.0							
70 +	0								
SUBTOTAL	**74**	**10.7**	**79**	**4**	**6**	**7**	**12**	**23**	**34**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**74**	**10.7**	**79**	**4**	**6**	**7**	**12**	**23**	**34**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	18	6.7	4						
18-34	65	5.3	2	3	4	5	6	7	8
35-49	84	8.0	13	4	6	7	8	14	15
50-69	70	7.4	12	3	6	7	9	9	16
70 +	16	4.5							
SUBTOTAL	**254**	**6.8**	**10**	**3**	**4**	**6**	**8**	**12**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**254**	**6.8**	**10**	**3**	**4**	**6**	**8**	**12**	**14**

DRG 153: Minor Small & Large Bowel Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	180	6.2	7	2	4	7	8	9	10
70-74	59	5.0	5	2	3	5	5	9	9
75-79	57	7.0	17	2	3	6	10	14	14
80-84	72	5.7	4	3	4	6	8	8	8
85 +	35	9.2	12						
SUBTOTAL	**403**	**6.3**	**9**	**2**	**4**	**6**	**8**	**9**	**12**
GRAND TOTAL	**403**	**6.3**	**9**	**2**	**4**	**6**	**8**	**9**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	242	6.4	6	4	5	6	7	8	11
18-34	162	5.8	5	2	5	6	7	8	8
35-49	260	5.3	7	1	3	6	7	9	10
50-69	290	7.0	9	4	5	6	9	10	11
70 +	22	8.0	1						
975	**6.2**	**7**	**3**	**4**	**6**	**8**	**10**	**11**
975	**6.2**	**7**	**3**	**4**	**6**	**8**	**10**	**11**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	147	7.3	28	3	5	6	8	10	12
18-34	184	6.9	8	5	5	7	8	9	11
35-49	53	7.3	12	4	5	6	7	15	15
50-69	39	17.9	524	7	7	9	10	70	70
70 +	0								
SUBTOTAL	**424**	**8.1**	**72**	**4**	**5**	**6**	**8**	**11**	**15**
GRAND TOTAL	**424**	**8.1**	**72**	**4**	**5**	**6**	**8**	**11**	**15**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	106	8.2	93	2	5	6	8	9	46
18-34	444	7.6	61	4	5	6	8	10	14
35-49	172	7.1	12	3	4	6	9	13	13
50-69	182	6.9	5	4	6	7	8	10	11
70 +	20	8.6	6						
925	**7.4**	**43**	**4**	**5**	**6**	**8**	**11**	**13**
925	**7.4**	**43**	**4**	**5**	**6**	**8**	**11**	**13**

DRG 154: Stomach, Esophageal & Duodenal Procedures Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1903	13.3	107	5	7	10	15	24	31
70-74	1682	14.2	119	5	8	12	16	27	38
75-79	1396	14.1	83	6	8	12	17	27	36
80-84	975	14.1	132	6	8	11	15	25	35
85 +	789	15.3	88	6	9	13	20	29	36
SUBTOTAL	**6744**	**14.0**	**107**	**5**	**8**	**11**	**16**	**27**	**35**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**6744**	**14.0**	**107**	**5**	**8**	**11**	**16**	**27**	**35**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	231	8.1	14	4	5	8	10	12	18
35-49	957	11.3	116	5	7	8	13	19	24
50-69	2095	12.2	64	5	7	11	15	22	28
70 +	227	12.4	73	4	7	10	16	21	36
	3510	**11.7**	**76**	**5**	**7**	**10**	**13**	**20**	**28**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3510	**11.7**	**76**	**5**	**7**	**10**	**13**	**20**	**28**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	166	12.0	101	5	7	10	13	39	47
35-49	364	13.5	329	3	4	8	13	24	63
50-69	421	15.7	166	4	7	12	24	32	56
70 +	39	27.8	202	8	21	21	46	48	48
SUBTOTAL	**990**	**14.7**	**225**	**3**	**6**	**9**	**20**	**33**	**56**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**990**	**14.7**	**225**	**3**	**6**	**9**	**20**	**33**	**56**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	413	11.6	95	5	6	9	13	30	33
35-49	575	11.4	80	3	6	9	13	24	34
50-69	785	15.7	200	5	7	11	19	32	44
70 +	233	15.6	113	6	9	11	19	36	43
	2006	**13.6**	**138**	**4**	**7**	**10**	**16**	**30**	**41**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2006	**13.6**	**138**	**4**	**7**	**10**	**16**	**30**	**41**

DRG 155: Stomach, Esophageal & Duodenal Procedures Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	495	6.9	8	4	5	7	8	11	13
70-74	309	6.5	12	2	4	6	8	10	13
75-79	190	6.1	7	2	4	6	9	9	10
80-84	106	9.9	23	4	7	9	12	16	23
85 +	80	7.3	10	2	5	8	9	11	12
SUBTOTAL	**1179**	**7.0**	**12**	**3**	**5**	**7**	**9**	**11**	**13**
GRAND TOTAL	**1179**	**7.0**	**12**	**3**	**5**	**7**	**9**	**11**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	317	6.0	2	4	5	6	7	8	8
35-49	899	6.3	6	4	5	6	7	10	11
50-69	836	6.7	11	3	5	6	8	11	12
70 +	37	8.7	12	3	8	8	11	14	14
2089	**6.5**	**8**		**3**	**5**	**6**	**8**	**10**	**11**
2089	**6.5**	**8**		**3**	**5**	**6**	**8**	**10**	**11**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	104	9.9	61	4	6	7	12	22	32
35-49	141	7.5	32	2	3	6	9	12	21
50-69	96	9.6	55	1	5	7	15	19	28
70 +	0								
SUBTOTAL	**341**	**8.8**	**48**	**2**	**5**	**7**	**11**	**20**	**24**
GRAND TOTAL	**341**	**8.8**	**48**	**2**	**5**	**7**	**11**	**20**	**24**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	442	8.6	31	4	6	7	9	14	19
35-49	620	7.3	15	3	5	7	9	11	15
50-69	378	8.9	136	3	5	7	9	14	18
70 +	45	11.9	82	3	4	13	13	32	32
1485	**8.3**	**53**		**3**	**5**	**7**	**9**	**14**	**18**
1485	**8.3**	**53**		**3**	**5**	**7**	**9**	**14**	**18**

DRG 156: Stomach, Esophageal & Duodenal Procedures Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	479	9.5	178	2	3	5	9	24	33
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	479	9.5	178	2	3	5	9	24	33
0-17	1297	4.0	7	2	2	3	5	8	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1297	4.0	7	2	2	3	5	8	10
	1776	5.5	59	2	2	3	6	10	14

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	550	11.4	224	2	4	7	12	31	77
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	550	11.4	224	2	4	7	12	31	77
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	612	4.7	29	2	2	3	5	9	12
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	612	4.7	29	2	2	3	5	9	12
GRAND TOTAL	1162	7.9	133	2	3	5	8	15	38

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	337	5.2	21	2	3	3	6	11	12
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	337	5.2	21	2	3	3	6	11	12
0-17	565	3.6	5	2	2	3	4	7	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	565	3.6	5	2	2	3	4	7	9
	902	4.2	11	2	2	3	5	8	10

DRG 157: Anal & Stomal Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	642	4.7	17	1	2	3	6	10	12
70-74	384	4.9	30	2	2	4	6	7	14
75-79	356	6.9	58	2	3	4	7	23	26
80-84	241	5.3	14	1	2	5	7	11	12
85 +	196	7.8	40	1	3	5	9	21	21
SUBTOTAL	**1819**	**5.6**	**31**	**1**	**2**	**4**	**7**	**11**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1819**	**5.6**	**31**	**1**	**2**	**4**	**7**	**11**	**16**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	82	4.6	9	<1	2	4	6	10	11
18-34	255	3.9	4	1	2	4	5	7	8
35-49	621	3.5	9	1	2	3	5	6	8
50-69	625	3.9	10	1	2	3	5	8	9
70 +	33	2.0	2						
	1617	**3.7**	**9**	**1**	**2**	**3**	**5**	**7**	**9**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1617	**3.7**	**9**	**1**	**2**	**3**	**5**	**7**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	31	11.8	136						
18-34	53	4.1	12	2	2	2	4	12	12
35-49	80	4.1	10	2	2	3	4	9	13
50-69	41	23.8	789	2	6	9	38	84	84
70 +	0								
SUBTOTAL	**205**	**9.2**	**243**	**2**	**2**	**3**	**9**	**16**	**38**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**205**	**9.2**	**243**	**2**	**2**	**3**	**9**	**16**	**38**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	45	3.1	5	1	2	2	4	8	8
18-34	104	3.8	10	1	2	3	5	7	13
35-49	207	6.7	88	1	2	3	7	12	35
50-69	211	4.9	54	1	2	3	6	9	12
70 +	29	3.0	4						
	595	**5.1**	**54**	**1**	**2**	**3**	**6**	**10**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	595	**5.1**	**54**	**1**	**2**	**3**	**6**	**10**	**13**

DRG 158: Anal & Stomal Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	856	3.3	16	1	2	2	3	5	9
70-74	460	2.8	3	1	2	2	3	6	6
75-79	311	3.5	4	1	2	3	4	6	8
80-84	155	2.5	1	2	2	2	3	3	5
85 +	102	4.0	7	1	2	4	6	8	9
SUBTOTAL	**1884**	**3.2**	**9**	**1**	**2**	**2**	**4**	**6**	**8**
GRAND TOTAL	**1884**	**3.2**	**9**	**1**	**2**	**2**	**4**	**6**	**8**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	336	2.3	3	<1	<1	1	3	5	5
18-34	1275	2.2	2	1	1	2	3	4	5
35-49	2832	2.4	3	1	1	2	3	4	5
50-69	1915	2.6	3	1	2	2	3	5	6
70 +	65	2.5	2	1	2	2	3	6	6
SUBTOTAL	**6423**	**2.4**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
	6423	**2.4**	**3**	**1**	**1**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	135	3.8	6	1	2	4	5	6	6
18-34	225	2.4	3	1	1	2	3	5	6
35-49	213	3.2	11	1	1	2	3	5	8
50-69	90	4.2	18	1	2	3	4	11	17
70 +	0								
SUBTOTAL	**662**	**3.2**	**8**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**662**	**3.2**	**8**	**1**	**1**	**2**	**4**	**6**	**8**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	76	4.8	54	1	1	2	4	5	29
18-34	898	2.6	4	1	1	2	3	5	7
35-49	824	2.5	3	1	1	2	3	5	7
50-69	438	2.7	7	1	1	2	3	5	7
70 +	37	1.9	1						
SUBTOTAL	**2272**	**2.7**	**6**	**1**	**1**	**2**	**3**	**5**	**7**
	2272	**2.7**	**6**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 159: Hernia Procedures except Inguinal & Femoral Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	771	5.6	20	2	3	4	7	10	13
70-74	656	5.0	10	2	3	4	6	8	11
75-79	519	6.0	29	2	3	4	8	12	13
80-84	331	7.1	26	2	3	5	10	13	17
85 +	198	7.4	46	1	4	6	8	20	27
SUBTOTAL	**2475**	**5.9**	**23**	**2**	**3**	**5**	**8**	**11**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2475**	**5.9**	**23**	**2**	**3**	**5**	**8**	**11**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	80	2.7	1	2	2	3	3	4	4
35-49	351	4.6	8	1	2	4	6	9	10
50-69	683	5.0	17	1	3	4	6	8	12
70 +	41	3.6	2	2	2	4	5	5	5
SUBTOTAL	**1155**	**4.7**	**13**	**1**	**3**	**4**	**6**	**7**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1155**	**4.7**	**13**	**1**	**3**	**4**	**6**	**7**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	43	5.3	8	1	2	7	7	8	8
35-49	123	6.3	39	1	3	5	9	11	21
50-69	168	5.3	15	1	2	4	9	11	12
70 +	0								
SUBTOTAL	**333**	**5.7**	**23**	**1**	**2**	**4**	**8**	**11**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**333**	**5.7**	**23**	**1**	**2**	**4**	**8**	**11**	**12**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	37	4.7	12						
35-49	70	9.2	38	3	4	7	15	19	21
50-69	356	5.7	27	1	3	4	6	13	14
70 +	49	6.4	3	4	5	7	8	9	9
SUBTOTAL	**511**	**6.2**	**27**	**1**	**3**	**5**	**7**	**13**	**19**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**511**	**6.2**	**27**	**1**	**3**	**5**	**7**	**13**	**19**

DRG 160: Hernia Procedures except Inguinal & Femoral Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	952	3.5	3	1	2	3	5	6	7
70-74	644	3.1	2	1	2	3	4	5	6
75-79	533	3.3	4	1	2	3	4	6	8
80-84	274	3.6	4	1	2	3	5	7	7
85 +	63	3.8	6	1	3	3	5	9	9
SUBTOTAL	**2467**	**3.4**	**4**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**2467**	**3.4**	**4**	**1**	**2**	**3**	**4**	**6**	**7**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	0								
18-34	317	2.1	2	1	1	2	3	3	4
35-49	1392	2.6	2	1	1	2	3	5	6
50-69	1619	2.7	3	1	2	2	3	5	6
70 +	92	3.6	8	1	2	2	5	6	11
SUBTOTAL	**3419**	**2.7**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
	3419	**2.7**	**3**	**1**	**1**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	164	2.5	1	1	2	2	3	4	5
35-49	253	3.1	3	1	2	3	4	5	6
50-69	262	4.3	14	1	3	4	5	7	7
70 +	33	2.6	1						
SUBTOTAL	**712**	**3.4**	**7**	**1**	**2**	**3**	**4**	**5**	**7**
GRAND TOTAL	**712**	**3.4**	**7**	**1**	**2**	**3**	**4**	**5**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	0								
18-34	256	2.4	3	1	1	2	4	4	5
35-49	603	3.0	5	1	1	2	4	6	7
50-69	628	3.4	7	1	2	3	4	6	9
70 +	67	2.3	1	1	2	2	3	4	4
SUBTOTAL	**1554**	**3.0**	**5**	**1**	**1**	**3**	**4**	**6**	**8**
	1554	**3.0**	**5**	**1**	**1**	**3**	**4**	**6**	**8**

DRG 161: Inguinal & Femoral Hernia Procedures Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	572	3.1	9	1	1	2	3	6	8
70-74	811	3.9	17	1	2	3	4	8	13
75-79	658	3.8	12	1	2	3	4	10	12
80-84	431	4.0	9	1	2	3	5	8	9
85 +	401	4.4	22	1	2	3	6	8	12
SUBTOTAL	**2874**	**3.8**	**14**	**1**	**2**	**3**	**4**	**8**	**11**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2874**	**3.8**	**14**	**1**	**2**	**3**	**4**	**8**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	65	1.5	2	1	1	1	1	5	5
35-49	166	3.5	16	1	1	2	4	7	13
50-69	470	3.4	10	1	1	2	4	9	10
70 +	127	4.2	9	1	2	3	6	7	9
	828	**3.4**	**11**	**1**	**1**	**2**	**4**	**7**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	828	**3.4**	**11**	**1**	**1**	**2**	**4**	**7**	**12**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	8	2.0							
35-49	14	5.4	17						
50-69	14	2.0							
70 +	35	5.2	7						
SUBTOTAL	**72**	**4.3**	**9**	**2**	**2**	**2**	**8**	**8**	**10**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**72**	**4.3**	**9**	**2**	**2**	**2**	**8**	**8**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	59	2.4	8	1	1	1	2	8	10
35-49	94	2.1	2	1	1	2	3	3	6
50-69	170	2.5	3	1	2	2	2	5	6
70 +	47	6.4	25	1	1	6	11	14	14
	370	**2.9**	**8**	**1**	**1**	**2**	**3**	**6**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	370	**2.9**	**8**	**1**	**1**	**2**	**3**	**6**	**10**

DRG 162: Inguinal & Femoral Hernia Procedures Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	823	1.8	1	1	1	1	2	3	5
70-74	903	2.0	2	1	1	2	3	4	5
75-79	488	2.1	2	1	1	2	3	4	4
80-84	447	2.6	3	1	1	2	4	5	6
85 +	413	3.1	6	1	1	2	4	7	9
SUBTOTAL	**3075**	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**3075**	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	672	1.4	1	< 1	1	1	2	2	3
35-49	1295	1.5	1	< 1	1	1	2	3	3
50-69	1747	1.6	1	1	1	1	2	3	4
70 +	194	2.3	2	1	1	2	3	5	6
3908	**1.6**	**1**	**< 1**	**1**	**1**	**2**	**3**	**4**	
3908	**1.6**	**1**	**< 1**	**1**	**1**	**2**	**3**	**4**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	92	1.3	1	< 1	1	1	1	2	4
35-49	104	1.8	1	1	1	2	3	3	4
50-69	90	4.3	46	1	1	2	4	7	28
70 +	33	3.5	5						
SUBTOTAL	**319**	**2.6**	**15**	**1**	**1**	**1**	**3**	**4**	**7**
GRAND TOTAL	**319**	**2.6**	**15**	**1**	**1**	**1**	**3**	**4**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	411	1.7	1	1	1	1	2	2	4
35-49	356	1.9	2	1	1	1	3	4	4
50-69	440	1.8	2	1	1	1	2	3	4
70 +	84	2.1	1	1	1	2	3	4	4
1290	**1.8**	**2**	**1**	**1**	**1**	**2**	**3**	**4**	
1290	**1.8**	**2**	**1**	**1**	**1**	**2**	**3**	**4**	

DRG 163: Hernia Procedures Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	6	7.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**6**	**7.0**							
GRAND TOTAL	**6**	**7.0**							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	190	4.5	161	1	1	2	2	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**190**	**4.5**	**161**	**1**	**1**	**2**	**2**	**4**	**5**
0-17	3624	1.1		< 1	< 1	< 1	1	1	2
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**3624**	**1.1**		**< 1**	**< 1**	**< 1**	**1**	**1**	**2**
GRAND TOTAL	**3814**	**1.3**	**9**	**< 1**	**< 1**	**< 1**	**1**	**1**	**2**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	168	6.2	146	1	1	1	3	24	33
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**168**	**6.2**	**146**	**1**	**1**	**1**	**3**	**24**	**33**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1099	1.4	2	< 1	< 1	1	1	2	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1099**	**1.4**	**2**	**< 1**	**< 1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**1267**	**2.0**	**23**	**< 1**	**1**	**1**	**1**	**2**	**5**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	98	2.3	4	< 1	1	1	3	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**98**	**2.3**	**4**	**< 1**	**1**	**1**	**3**	**6**	**7**
0-17	839	1.2		< 1	< 1	1	1	2	2
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**839**	**1.2**		**< 1**	**< 1**	**1**	**1**	**2**	**2**
GRAND TOTAL	**937**	**1.3**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**3**

DRG 164: Appendectomy w/ Complicated Principal Diag w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GRO									
0-69 (YRS.)	286	9.0	20	4	6	8	11	17	19
70-74	286	8.6	18	5	5	7	11	15	17
75-79	127	9.4	8	6	8	9	10	11	17
80-84	102	11.7	41	6	7	9	15	19	30
85 +	65	15.3	176	7	8	13	14	19	55
SUBTOTAL	**866**	**9.7**	**35**	**5**	**6**	**8**	**11**	**17**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**866**	**9.7**	**35**	**5**	**6**	**8**	**11**	**17**	**19**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	556	9.2	17	5	7	8	10	15	17
18-34	413	7.9	16	4	6	7	9	12	17
35-49	578	8.8	19	5	6	8	11	13	16
50-69	417	8.8	18	5	6	7	12	15	16
70 +	0								
	1964	**8.7**	**17**	**5**	**6**	**8**	**11**	**14**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1964	**8.7**	**17**	**5**	**6**	**8**	**11**	**14**	**16**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	141	10.1	29	5	6	8	13	21	21
18-34	291	9.0	16	6	6	8	10	15	17
35-49	121	9.9	18	6	7	8	11	18	20
50-69	29	8.9	21						
70 +	6	8.0							
SUBTOTAL	**587**	**9.4**	**20**	**5**	**6**	**8**	**11**	**17**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**587**	**9.4**	**20**	**5**	**6**	**8**	**11**	**17**	**21**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	352	10.4	35	5	6	9	14	19	21
18-34	542	8.6	13	5	6	8	10	14	15
35-49	284	9.3	15	5	7	9	10	14	19
50-69	247	9.8	15	6	7	8	13	16	16
70 +	33	8.0	14						
	1458	**9.3**	**20**	**5**	**6**	**8**	**11**	**16**	**19**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1458	**9.3**	**20**	**5**	**6**	**8**	**11**	**16**	**19**

DRG 165: Appendectomy w/ Complicated Principal Diag w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	341	6.7	10	4	4	7	8	10	12
70-74	112	6.1	2	4	5	6	7	8	9
75-79	37	8.6	5						
80-84	33	5.5	1						
85 +	39	9.5	4						
SUBTOTAL	**562**	**6.8**	**8**	**4**	**5**	**7**	**8**	**10**	**12**
GRAND TOTAL	**562**	**6.8**	**8**	**4**	**5**	**7**	**8**	**10**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	2246	5.2	5	2	3	5	7	8	9
18-34	1661	5.1	5	2	3	5	6	8	9
35-49	1381	5.4	5	3	4	5	7	9	10
50-69	607	6.4	4	4	5	6	8	9	10
70 +	16	9.0	4						
SUBTOTAL	**5912**	**5.3**	**5**	**3**	**4**	**5**	**7**	**8**	**10**
GRAND TOTAL	**5912**	**5.3**	**5**	**3**	**4**	**5**	**7**	**8**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	558	6.4	12	3	4	6	8	9	11
18-34	567	6.1	5	4	5	6	7	8	10
35-49	123	7.4	9	4	6	7	8	11	14
50-69	31	7.0	3						
70 +	12	5.5							
SUBTOTAL	**1291**	**6.4**	**8**	**3**	**5**	**6**	**8**	**9**	**11**
GRAND TOTAL	**1291**	**6.4**	**8**	**3**	**5**	**6**	**8**	**9**	**11**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	1276	6.8	15	3	4	6	8	10	13
18-34	2309	5.8	6	3	4	6	7	9	10
35-49	828	6.5	9	3	4	6	8	10	13
50-69	333	5.6	4	3	4	5	7	9	9
70 +	25	11.5	28						
SUBTOTAL	**4771**	**6.2**	**9**	**3**	**4**	**6**	**7**	**9**	**11**
GRAND TOTAL	**4771**	**6.2**	**9**	**3**	**4**	**6**	**7**	**9**	**11**

DRG 166: Appendectomy w/o Complicated Principal Diag w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	204	5.6	7	3	4	5	7	10	12
70-74	125	4.8	5	2	3	4	6	8	9
75-79	59	6.2	22	2	4	4	6	15	19
80-84	35	5.8	1						
85 +	39	10.9	24						
SUBTOTAL	**462**	**5.9**	**12**	**3**	**4**	**5**	**7**	**10**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**462**	**5.9**	**12**	**3**	**4**	**5**	**7**	**10**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	558	3.8	6	2	2	3	4	6	9
18-34	856	4.6	10	2	3	4	5	8	9
35-49	439	4.1	4	2	3	4	5	6	9
50-69	282	5.8	8	2	4	5	7	9	11
70 +	22	4.3	1						
	2158	**4.4**	**8**	**2**	**3**	**4**	**5**	**8**	**9**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2158	**4.4**	**8**	**2**	**3**	**4**	**5**	**8**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	174	4.1	2	3	3	4	5	7	7
18-34	202	4.3	1	3	4	4	5	5	7
35-49	59	6.5	11	3	4	5	8	13	13
50-69	16	6.5	13						
70	6	8.0							
SUBTOTAL	**458**	**4.6**	**4**	**3**	**3**	**4**	**5**	**8**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**458**	**4.6**	**4**	**3**	**3**	**4**	**5**	**8**	**8**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	294	4.5	12	2	2	3	5	7	9
18-34	655	4.9	15	2	3	4	6	7	12
35-49	223	5.5	7	2	3	5	8	9	10
50-69	92	5.2	9	2	3	4	6	10	11
70 +	16	6.0	1						
	1280	**4.9**	**12**	**2**	**3**	**4**	**6**	**8**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1280	**4.9**	**12**	**2**	**3**	**4**	**6**	**8**	**10**

DRG 167: Appendectomy w/o Complicated Principal Diag w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	384	3.5	2	2	2	3	4	5	6
70-74	57	4.3	3	3	3	4	4	7	8
75-79	76	4.6	3	3	3	4	6	7	8
80-84	25	6.0	2						
85 +	14	5.7	2						
SUBTOTAL	**556**	**3.9**	**3**	**2**	**3**	**3**	**5**	**6**	**7**
GRAND TOTAL	**556**	**3.9**	**3**	**2**	**3**	**3**	**5**	**6**	**7**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	8460	2.5	1	1	2	2	3	4	5
18-34	9148	2.8	2	2	2	3	3	4	5
35-49	3790	3.1	2	2	2	3	4	5	5
50-69	993	3.4	2	2	2	3	4	5	6
70 +	41	3.2	2						
SUBTOTAL	**22432**	**2.8**	**2**	**2**	**2**	**3**	**3**	**4**	**5**
GRAND TOTAL	**22432**	**2.8**	**2**	**2**	**2**	**3**	**3**	**4**	**5**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1778	2.9	2	2	2	3	3	4	5
18-34	1984	3.2	1	2	2	3	4	5	5
35-49	325	3.4	1	2	3	3	4	5	5
50-69	65	3.8	1	3	3	3	5	5	5
70 +	0								
SUBTOTAL	**4153**	**3.1**	**2**	**2**	**2**	**3**	**4**	**5**	**5**
GRAND TOTAL	**4153**	**3.1**	**2**	**2**	**2**	**3**	**4**	**5**	**5**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	3853	2.8	2	1	2	3	3	4	5
18-34	8540	3.1	2	2	2	3	4	5	6
35-49	1932	3.3	3	2	2	3	4	5	6
50-69	341	3.5	2	2	3	3	4	6	6
70 +	25	4.0	2						
SUBTOTAL	**14691**	**3.0**	**2**	**2**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**14691**	**3.0**	**2**	**2**	**2**	**3**	**4**	**5**	**6**

DRG 168: Mouth Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	106	6.4	49	2	2	3	9	12	30
70-74	84	4.1	10	1	1	4	5	9	10
75-79	41	8.2	22	4	4	7	10	18	18
80-84	29	2.4	1						
85 +	37	5.5	22						
SUBTOTAL	296	5.5	29	1	2	4	8	12	14
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	296	5.5	29	1	2	4	8	12	14

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	37	3.8	10						
18-34	45	2.7	2	1	2	2	4	5	5
35-49	33	9.8	220						
50-69	88	3.4	4	1	1	4	5	6	7
70 +	12	2.5	2						
	215	4.3	42	1	1	3	5	6	9
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	215	4.3	42	1	1	3	5	6	9

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	12	5.5							
18-34	55	3.8	8	1	2	3	4	10	10
35-49	22	5.5	18						
50-69	18	8.3	40						
70 +	8	1.0							
SUBTOTAL	117	4.8	17	1	2	3	5	11	15
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	117	4.8	17	1	2	3	5	11	15

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	22	1.7	1						
18-34	145	7.4	74	2	3	5	8	15	17
35-49	41	5.4	8	2	3	4	9	9	9
50-69	33	2.2	1						
70 +	12	2.5							
	254	5.7	49	1	2	4	6	11	15
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	254	5.7	49	1	2	4	6	11	15

DRG 169: Mouth Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	108	3.4	6	1	1	3	5	6	10
70-74	43	2.0	3	< 1	< 1	1	2	6	6
75-79	39	4.2	28	1	1	2	3	16	16
80-84	29	1.7							
85 +	8	5.0							
SUBTOTAL	**227**	**3.1**	**9**	**< 1**	**1**	**2**	**4**	**6**	**10**
GRAND TOTAL	**227**	**3.1**	**9**	**< 1**	**1**	**2**	**4**	**6**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	291	1.9	3	< 1	< 1	1	2	3	5
18-34	147	2.3	5	1	1	2	2	3	4
35-49	69	2.6	4	< 1	1	2	3	7	7
50-69	247	2.8	6	1	1	2	3	7	8
70 +	55	2.5	8	< 1	1	1	2	9	9
SUBTOTAL	**810**	**2.3**	**5**	**< 1**	**1**	**2**	**3**	**4**	**7**
GRAND TOTAL	**810**	**2.3**	**5**	**< 1**	**1**	**2**	**3**	**4**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	117	2.2	2	< 1	1	2	3	3	5
18-34	82	3.2	2	1	2	4	5	5	5
35-49	18	7.3	12						
50-69	37	2.7	3	1	1	2	3	6	6
70 +	0								
SUBTOTAL	**254**	**3.0**	**4**	**1**	**1**	**3**	**4**	**5**	**6**
GRAND TOTAL	**254**	**3.0**	**4**	**1**	**1**	**3**	**4**	**5**	**6**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	63	2.8	4	< 1	1	3	4	6	7
18-34	258	5.4	16	2	3	4	6	12	13
35-49	92	6.0	28	1	2	3	9	15	17
50-69	57	2.3	2	< 1	1	2	3	5	5
70 +	14	2.6							
SUBTOTAL	**485**	**4.7**	**16**	**1**	**2**	**3**	**6**	**10**	**14**
GRAND TOTAL	**485**	**4.7**	**16**	**1**	**2**	**3**	**6**	**10**	**14**

DRG 170: Other Digestive System O.R. Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	564	13.7	127	5	6	10	16	24	37
70-74	333	10.5	77	1	5	8	12	23	33
75-79	241	13.1	72	6	7	10	17	25	32
80-84	123	10.1	22	6	6	8	12	20	21
85 +	129	15.5	251	6	6	11	19	28	36
SUBTOTAL	1390	12.7	110	5	6	10	16	24	32
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	1390	12.7	110	5	6	10	16	24	32

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	127	7.1	39	3	4	5	9	26	26
18-34	229	7.7	124	1	3	5	8	13	26
35-49	276	10.2	131	2	4	7	11	24	42
50-69	460	12.1	99	5	6	9	15	23	27
70 +	29	14.4	28						
SUBTOTAL	1141	10.3	107	3	4	7	12	22	27
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	1141	10.3	107	3	4	7	12	22	27

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	45	9.3	84	4	5	6	7	32	32
18-34	76	12.7	164	4	4	8	15	41	41
35-49	102	13.2	158	4	5	10	18	22	57
50-69	94	15.2	134	5	6	14	18	38	41
70 +	0								
SUBTOTAL	317	13.1	144	4	5	8	17	34	41
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	317	13.1	144	4	5	8	17	34	41

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	27	3.5	2						
18-34	200	5.5	10	3	4	5	6	8	12
35-49	168	10.2	88	2	4	7	14	22	32
50-69	149	12.0	41	6	8	9	16	21	24
70 +	18	11.7	24						
SUBTOTAL	562	8.7	50	3	4	6	12	17	22
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	562	8.7	50	3	4	6	12	17	22

DRG 171: Other Digestive System O.R. Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	159	5.0	9	2	3	4	8	10	11
70-74	82	5.7	24	2	2	3	7	14	18
75-79	57	6.2	32	1	1	4	11	16	16
80-84	31	5.2	2						
85 +	59	3.7	13	1	1	3	5	12	12
SUBTOTAL	**388**	**5.2**	**16**	**1**	**2**	**4**	**7**	**10**	**14**
GRAND TOTAL	**388**	**5.2**	**16**	**1**	**2**	**4**	**7**	**10**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	247	4.1	7	2	2	3	5	8	11
18-34	580	3.7	5	1	2	3	5	6	8
35-49	399	5.0	17	1	3	4	6	9	12
50-69	204	5.7	13	2	4	5	6	13	15
70 +	6	4.0							
1437	**4.4**	**11**	**1**	**2**	**4**	**6**	**8**	**10**	
1437	**4.4**	**11**	**1**	**2**	**4**	**6**	**8**	**10**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	51	2.7	2	< 1	2	2	4	5	5
18-34	196	6.0	29	2	3	4	7	13	13
35-49	61	8.1	17	5	5	6	10	15	19
50-69	29	4.6	16						
70 +	6	3.0							
SUBTOTAL	**344**	**5.7**	**24**	**2**	**3**	**4**	**7**	**11**	**13**
GRAND TOTAL	**344**	**5.7**	**24**	**2**	**3**	**4**	**7**	**11**	**13**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	[illegible]								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	106	5.3	6	2	3	5	7	9	10
18-34	538	4.2	5	2	3	4	5	7	7
35-49	182	5.2	17	2	2	4	7	10	15
50-69	106	5.2	6	2	2	5	7	9	9
70 +	12	11.5	2						
945	**4.7**	**8**	**2**	**3**	**4**	**6**	**8**	**9**	
945	**4.7**	**8**	**2**	**3**	**4**	**6**	**8**	**9**	

DRG 172: Digestive Malignancy w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	758	8.1	35	2	3	6	12	16	21
70-74	699	8.3	39	1	3	7	12	18	19
75-79	695	7.4	38	2	3	6	10	15	22
80-84	658	7.6	25	2	4	6	10	14	20
85 +	664	7.0	28	3	4	6	8	11	19
SUBTOTAL	**347**	**7.7**	**34**	**2**	**4**	**6**	**10**	**15**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
[illegible]	0								
[illegible]	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3474**	**7.7**	**34**	**2**	**4**	**6**	**10**	**15**	**20**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	39	11.0	24	5	7	11	16	19	19
18-34	14	2.3	2						
35-49	217	5.4	69	1	2	3	6	8	21
50-69	1036	7.6	50	2	3	5	10	16	23
70 +	113	7.8	107	1	3	6	9	11	49
	1419	**7.3**	**58**	**2**	**3**	**5**	**9**	**15**	**21**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1419	**7.3**	**58**	**2**	**3**	**5**	**9**	**15**	**21**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	12	10.5	33						
18-34	90	9.8	50	5	5	8	11	17	32
35-49	354	9.0	84	2	4	6	10	21	24
50-69	583	8.0	42	2	3	6	11	19	21
70 +	39	8.8	24	2	5	8	14	16	16
SUBTOTAL	**1079**	**8.5**	**56**	**2**	**4**	**6**	**11**	**19**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1079**	**8.5**	**56**	**2**	**4**	**6**	**11**	**19**	**23**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	1.0							
18-34	37	9.3	33	4	4	7	16	18	18
35-49	137	7.3	69	1	2	4	9	19	33
50-69	338	7.3	31	2	4	6	9	15	19
70 +	117	7.0	69	2	2	4	7	17	30
	634	**7.3**	**46**	**2**	**3**	**5**	**9**	**17**	**20**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	634	**7.3**	**46**	**2**	**3**	**5**	**9**	**17**	**20**

DRG 173: Digestive Malignancy w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	186	4.4	13	< 1	2	3	7	8	10
70-74	102	4.9	26	1	1	3	5	14	16
75-79	88	3.0	4	< 1	1	2	4	6	7
80-84	145	3.5	11	< 1	< 1	2	5	7	9
85 +	88	3.6	10	< 1	1	3	4	8	12
SUBTOTAL	**609**	**4.0**	**13**	**< 1**	**1**	**3**	**5**	**8**	**12**
GRAND TOTAL	**609**	**4.0**	**13**	**< 1**	**1**	**3**	**5**	**8**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	6	8.0							
18-34	0								
35-49	39	4.2	8						
50-69	161	4.3	7	1	2	4	7	8	9
70 +	33	3.1	15						
239	**4.2**	**9**	**< 1**	**2**	**4**	**7**	**8**	**10**
239	**4.2**	**9**	**< 1**	**2**	**4**	**7**	**8**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	31	7.8	9						
35-49	172	5.2	24	1	2	4	6	9	16
50-69	350	5.8	27	1	2	5	7	14	20
70 +	31	4.4	10						
SUBTOTAL	**583**	**5.7**	**25**	**1**	**2**	**5**	**7**	**12**	**16**
GRAND TOTAL	**583**	**5.7**	**25**	**1**	**2**	**5**	**7**	**12**	**16**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	6	1.0							
18-34	27	10.5	125						
35-49	82	5.5	8	2	4	5	7	10	11
50-69	174	5.7	82	1	2	3	5	11	16
70 +	37	10.8	39	5	6	9	13	23	23
325	**6.5**	**65**	**1**	**2**	**4**	**7**	**13**	**30**
325	**6.5**	**65**	**1**	**2**	**4**	**7**	**13**	**30**

DRG 174: G.I. Hemorrhage w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	5170	4.9	13	2	3	4	6	9	12
70-74	4428	5.2	17	2	3	4	6	9	12
75-79	4535	5.5	13	2	3	5	7	10	13
80-84	4430	5.7	16	2	3	4	7	10	14
85 +	4994	5.7	14	2	3	5	7	11	13
SUBTOTAL	**23556**	**5.4**	**15**	**2**	**3**	**4**	**6**	**10**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	23556	5.4	15	2	3	4	6	10	13

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	227	3.2	14	1	1	3	3	5	7
18-34	824	3.6	7	1	2	3	4	6	8
35-49	2066	3.7	5	2	2	3	5	7	8
50-69	3830	4.3	9	2	2	4	5	8	10
70 +	859	5.7	21	2	3	4	7	10	12
SUBTOTAL	**7805**	**4.2**	**10**	**2**	**2**	**3**	**5**	**7**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	7805	4.2	10	2	2	3	5	7	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	129	4.6	57	1	2	3	4	6	14
18-34	356	5.5	53	1	2	4	6	11	12
35-49	806	5.2	19	2	3	4	6	12	17
50-69	957	5.8	23	2	3	4	7	12	17
70 +	157	4.2	5	2	2	4	5	8	8
SUBTOTAL	**2404**	**5.4**	**27**	**2**	**2**	**4**	**6**	**11**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	2404	5.4	27	2	2	4	6	11	15

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	106	3.2	13	1	2	2	3	4	17
18-34	1238	3.0	4	1	2	3	4	6	7
35-49	2317	3.8	7	2	2	3	5	7	9
50-69	1939	4.5	16	2	2	4	5	8	11
70 +	613	4.5	8	2	2	4	6	8	10
SUBTOTAL	**6213**	**3.9**	**10**	**1**	**2**	**3**	**5**	**7**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	6213	3.9	10	1	2	3	5	7	10

DRG 175: G.I. Hemorrhage w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1287	3.0	3	1	2	3	4	5	6
70-74	1022	3.7	5	2	2	3	5	6	7
75-79	854	3.7	4	2	2	3	5	6	7
80-84	856	3.7	7	1	2	3	5	6	9
85 +	713	4.7	24	1	2	3	6	8	10
SUBTOTAL	**4732**	**3.6**	**8**	**1**	**2**	**3**	**5**	**6**	**8**
GRAND TOTAL	**4732**	**3.6**	**8**	**1**	**2**	**3**	**5**	**6**	**8**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	274	1.8	1	<1	1	2	2	3	4
18-34	809	2.4	3	1	1	2	3	4	5
35-49	1298	2.7	2	1	2	2	3	4	5
50-69	1929	3.1	3	1	2	3	4	5	6
70 +	245	3.0	4	1	2	2	4	6	7
4556	**2.8**	**3**	**1**	**2**	**2**	**3**	**5**	**6**	
4556	**2.8**	**3**	**1**	**2**	**2**	**3**	**5**	**6**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	88	2.0	1	1	1	2	3	4	4
18-34	223	2.9	3	1	2	2	4	5	7
35-49	198	3.8	8	1	2	3	5	8	8
50-69	203	4.0	11	<1	1	3	5	10	13
70 +	88	2.3	4	<1	1	1	3	5	7
SUBTOTAL	**800**	**3.2**	**7**	**1**	**1**	**3**	**4**	**6**	**8**
GRAND TOTAL	**800**	**3.2**	**7**	**1**	**1**	**3**	**4**	**6**	**8**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	113	2.1	3	1	1	1	3	5	6
18-34	843	2.2	3	<1	1	2	3	4	6
35-49	1080	2.6	2	1	2	2	3	4	6
50-69	1072	3.1	3	1	2	3	4	6	6
70 +	182	3.0	2	1	2	3	3	6	7
3289	**2.7**	**3**	**1**	**1**	**2**	**3**	**5**	**6**	
3289	**2.7**	**3**	**1**	**1**	**2**	**3**	**5**	**6**	

DRG 176: Complicated Peptic Ulcer

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	378	6.8	41	2	4	5	8	13	15
70-74	347	5.3	6	2	3	5	7	9	10
75-79	398	5.9	15	2	4	5	7	10	14
80-84	243	6.5	26	3	4	5	7	12	17
85+	305	9.5	87	3	4	6	11	21	28
SUBTOTAL	**1671**	**6.7**	**36**	**2**	**4**	**5**	**8**	**12**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	157	3.7	8	2	2	3	4	8	11
70-74	69	3.7	3	<1	2	4	5	5	7
75-79	114	4.4	10	2	2	3	5	8	14
80-84	90	4.8	16	1	2	3	7	8	15
85+	94	5.1	8	2	3	5	7	7	12
SUBTOTAL	**525**	**4.3**	**10**	**2**	**2**	**3**	**5**	**8**	**12**
GRAND TOTAL	**2197**	**6.1**	**30**	**2**	**3**	**5**	**7**	**11**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	2.0							
18-34	45	3.1		2	3	3	4	4	4
35-49	168	5.6	12	3	3	4	6	12	12
50-69	292	6.0	15	2	3	5	8	12	13
70+	55	6.8	6	4	5	6	8	12	12
	566	**5.7**	**13**	**2**	**3**	**4**	**7**	**12**	**13**
0-17	6	1.0							
18-34	67	2.2		1	2	2	3	3	3
35-49	161	3.1	5	2	2	2	4	5	8
50-69	219	4.2	7	1	2	4	5	8	9
70+	12	4.5	2						
	466	**3.5**	**6**	**1**	**2**	**3**	**4**	**8**	**9**
	1032	**4.7**	**11**	**2**	**2**	**4**	**6**	**11**	**12**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	6	3.0							
18-34	16	4.0	1						
35-49	70	6.7	14	2	3	6	8	13	13
50-69	88	5.6	5	3	4	5	8	8	11
70+	8	39.0							
SUBTOTAL	**188**	**7.2**	**55**	**2**	**3**	**5**	**8**	**12**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	27	2.5	2						
18-34	29	5.9	16						
35-49	37	3.9	4						
50-69	14	4.9	7						
70+	0								
SUBTOTAL	**106**	**4.2**	**9**	**2**	**2**	**3**	**5**	**8**	**13**
GRAND TOTAL	**294**	**6.1**	**40**	**2**	**3**	**5**	**7**	**12**	**13**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	47	8.5	62	3	4	5	9	28	28
35-49	161	5.6	8	2	3	4	9	10	10
50-69	86	5.4	7	3	3	4	8	9	10
70+	35	7.2	13						
	329	**6.2**	**17**	**3**	**3**	**5**	**8**	**10**	**10**
0-17	18	4.7							
18-34	59	4.7	4	<1	4	4	6	8	8
35-49	74	6.5	49	<1	1	3	9	17	24
50-69	49	3.5	5	2	2	3	4	9	9
70+	12	3.0	1						
	213	**4.9**	**21**	**<1**	**2**	**4**	**6**	**9**	**17**
	542	**5.7**	**19**	**2**	**3**	**4**	**8**	**9**	**10**

DRG 177: Uncomplicated Peptic Ulcer w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	589	5.1	17	2	2	4	6	8	13
70-74	523	4.7	7	2	2	4	7	9	10
75-79	427	5.3	14	2	3	4	7	9	14
80-84	364	5.5	15	2	3	5	7	9	11
85 +	368	6.9	26	3	4	6	8	11	13
SUBTOTAL	**2270**	**5.4**	**16**	**2**	**3**	**4**	**7**	**10**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	2270	5.4	16	2	3	4	7	10	12

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	43	2.1	1	<1	1	2	3	4	4
18-34	172	3.0	3	2	2	3	4	6	6
35-49	298	3.6	3	2	2	3	5	6	6
50-69	505	3.9	5	1	2	4	5	7	8
70 +	88	4.9	8	2	2	4	7	9	10
	1106	**3.7**	**4**	**1**	**2**	**3**	**5**	**7**	**8**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1106	3.7	4	1	2	3	5	7	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	6	2.0							
18-34	72	3.5	2	2	3	4	4	5	6
35-49	117	3.2	3	1	2	3	5	6	6
50-69	137	5.2	8	3	3	5	6	9	13
70 +	6	2.0							
SUBTOTAL	**337**	**4.0**	**6**	**1**	**2**	**3**	**5**	**7**	**7**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	337	4.0	6	1	2	3	5	7	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	176	2.8	3	1	1	2	4	5	7
35-49	178	3.7	7	1	2	3	4	7	7
50-69	231	3.3	6	1	2	2	4	6	9
70 +	41	3.9	3	1	3	4	6	6	6
	626	**3.3**	**5**	**1**	**2**	**3**	**4**	**6**	**7**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	626	3.3	5	1	2	3	4	6	7

DRG 178: Uncomplicated Peptic Ulcer w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	327	3.6	20	1	2	3	4	5	6
70-74	139	3.6	7	< 1	2	3	4	6	7
75-79	213	3.0	5	1	1	2	4	7	7
80-84	180	3.5	5	< 1	2	3	4	6	7
85 +	121	5.4	51	2	2	3	5	11	22
SUBTOTAL	979	3.7	16	< 1	2	3	4	6	8
GRAND TOTAL	979	3.7	16	< 1	2	3	4	6	8

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	25	2.0	1						
18-34	274	2.6	2	1	2	2	3	4	6
35-49	611	2.5	2	1	2	2	3	5	5
50-69	774	2.6	3	1	1	2	3	5	7
70 +	27	3.4	1						
	1710	2.6	2	1	2	2	3	5	6
	1710	2.6	2	1	2	2	3	5	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	35	1.8	1						
18-34	112	2.9	6	1	1	2	3	7	8
35-49	170	3.6	4	2	2	3	4	6	6
50-69	135	3.8	2	2	3	4	5	6	7
70 +	20	3.6	1						
SUBTOTAL	472	3.4	4	1	2	3	4	6	7
GRAND TOTAL	472	3.4	4	1	2	3	4	6	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	14	3.7	4						
18-34	297	2.4	2	1	1	2	3	4	4
35-49	343	3.1	12	1	2	2	3	5	7
50-69	358	2.8	3	1	2	3	4	5	6
70 +	55	3.0	3	1	1	3	4	6	6
	1067	2.8	6	1	2	2	3	5	6
	1067	2.8	6	1	2	2	3	5	6

DRG 179: Inflammatory Bowel Disease

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	288	6.8	21	2	3	6	9	15	16
70-74	247	9.4	59	2	3	6	12	22	28
75-79	170	9.8	100	4	5	7	10	12	18
80-84	88	12.8	60	7	8	11	21	30	99 +
85 +	102	8.9	14	4	4	10	12	13	14
SUBTOTAL	**895**	**8.9**	**52**	**3**	**4**	**7**	**11**	**16**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	159	5.4	16	2	2	4	7	10	12
70-74	25	3.7	4						
75-79	55	5.4	15	2	3	4	7	15	15
80-84	29	4.5	1						
85 +	6	4.0							
SUBTOTAL	**274**	**5.1**	**13**	**2**	**3**	**4**	**6**	**10**	**12**
GRAND TOTAL	**1169**	**8.0**	**46**	**2**	**4**	**6**	**10**	**15**	**21**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	90	9.3	65	3	4	5	14	22	26
18-34	362	6.2	23	2	3	5	7	12	15
35-49	435	7.0	42	2	3	5	7	17	24
50-69	413	7.8	20	3	4	7	11	14	16
70 +	20	6.2	1						
SUBTOTAL	**1320**	**7.2**	**31**	**2**	**4**	**5**	**9**	**15**	**19**
0-17	153	7.0	120	2	3	4	5	13	15
18-34	619	5.4	13	2	3	5	7	11	14
35-49	411	3.9	14	< 1	2	3	4	8	10
50-69	257	5.3	26	< 1	2	3	6	11	15
70 +	6	8.0							
SUBTOTAL	**1447**	**5.1**	**28**	**1**	**2**	**4**	**6**	**11**	**14**
GRAND TOTAL	**2767**	**6.1**	**30**	**2**	**3**	**4**	**7**	**13**	**15**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	59	4.1	1	3	3	4	4	6	7
18-34	104	11.5	106	2	3	8	24	31	32
35-49	41	9.2	20	3	6	9	10	17	17
50-69	25	13.8	104						
70 +	8	7.0							
SUBTOTAL	**237**	**9.3**	**72**	**3**	**4**	**7**	**10**	**26**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	43	11.4	201	2	3	6	10	45	45
18-34	123	6.6	85	1	2	4	6	17	29
35-49	51	12.8	393	3	3	4	10	65	65
50-69	35	5.5	4						
70 +	6	7.0							
SUBTOTAL	**258**	**8.5**	**159**	**2**	**3**	**5**	**7**	**16**	**43**
GRAND TOTAL	**495**	**8.9**	**117**	**2**	**3**	**5**	**9**	**24**	**31**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	35	11.8	102						
18-34	213	4.5	15	1	2	3	5	8	15
35-49	188	6.1	26	1	3	6	8	9	15
50-69	119	7.8	30	2	3	6	13	18	19
70 +	0								
SUBTOTAL	**554**	**6.2**	**30**	**1**	**2**	**5**	**8**	**14**	**15**
0-17	51	7.0	56	2	2	4	8	26	26
18-34	299	6.2	30	1	3	5	7	15	17
35-49	96	6.1	23	2	3	4	8	11	21
50-69	74	4.2	4	1	3	4	6	7	7
70 +	0								
SUBTOTAL	**519**	**5.9**	**28**	**1**	**3**	**4**	**7**	**14**	**17**
GRAND TOTAL	**1074**	**6.1**	**29**	**1**	**3**	**5**	**7**	**14**	**17**

DRG 180: G.I. Obstruction w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2309	5.4	17	2	3	4	7	10	13
70-74	1755	5.8	21	2	3	5	7	10	13
75-79	2039	5.7	17	2	3	5	7	11	13
80-84	1665	6.5	28	2	3	5	8	12	15
85 +	2050	6.7	23	2	4	5	9	13	15
SUBTOTAL	**9819**	**6.0**	**21**	**2**	**3**	**5**	**7**	**11**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**9819**	**6.0**	**21**	**2**	**3**	**5**	**7**	**11**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	192	2.5	2	1	1	2	4	4	5
18-34	213	4.3	13	1	2	3	5	9	11
35-49	660	5.6	22	1	2	4	7	13	16
50-69	1322	5.6	32	2	3	4	7	10	14
70 +	315	6.3	18	1	4	5	8	14	14
	2702	**5.4**	**25**	**1**	**2**	**4**	**7**	**11**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2702	**5.4**	**25**	**1**	**2**	**4**	**7**	**11**	**14**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	117	5.3	28	2	2	3	7	10	21
18-34	157	6.8	75	1	2	4	11	13	16
35-49	304	6.2	27	2	3	5	7	12	20
50-69	294	5.8	22	2	3	4	7	13	15
70 +	94	6.7	17	2	4	5	10	12	14
SUBTOTAL	**967**	**6.1**	**32**	**2**	**3**	**4**	**7**	**12**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**967**	**6.1**	**32**	**2**	**3**	**4**	**7**	**12**	**17**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	70	4.4	20	1	2	4	4	6	18
18-34	127	4.5	23	1	1	3	6	8	14
35-49	280	5.0	17	1	2	4	6	11	17
50-69	452	5.6	41	1	2	3	7	11	16
70 +	194	5.7	12	2	3	5	8	10	11
	1122	**5.3**	**27**	**1**	**2**	**4**	**7**	**11**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1122	**5.3**	**27**	**1**	**2**	**4**	**7**	**11**	**16**

DRG 181: G.I. Obstruction w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1543	3.8	6	1	2	3	5	7	8
70-74	1142	3.4	4	1	2	3	4	6	7
75-79	838	3.5	4	1	2	3	4	5	9
80-84	789	4.0	4	2	2	4	5	7	8
85 +	664	4.1	9	2	2	3	5	7	10
SUBTOTAL	**4975**	**3.7**	**5**	**1**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**4975**	**3.7**	**5**	**1**	**2**	**3**	**5**	**7**	**8**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	556	1.9	1	< 1	1	1	2	4	5
18-34	495	2.5	3	1	1	2	3	5	6
35-49	1424	3.2	6	1	2	3	4	6	9
50-69	1784	3.1	4	1	2	3	4	5	7
70 +	192	3.2	5	1	2	3	4	7	9
4451	**2.9**	**4**	**1**	**2**	**2**	**4**	**5**	**7**	
4451	**2.9**	**4**	**1**	**2**	**2**	**4**	**5**	**7**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	211	3.4	21	1	1	2	4	7	7
18-34	272	3.6	10	1	2	3	5	6	7
35-49	250	4.1	7	2	2	3	5	7	8
50-69	157	3.4	3	2	2	3	4	5	6
70 +	37	4.5	16						
SUBTOTAL	**927**	**3.7**	**11**	**1**	**2**	**3**	**5**	**7**	**7**
GRAND TOTAL	**927**	**3.7**	**11**	**1**	**2**	**3**	**5**	**7**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	293	3.5	59	< 1	1	2	3	6	7
18-34	675	4.0	9	1	2	3	5	7	9
35-49	591	3.7	7	1	1	3	5	7	8
50-69	732	3.5	5	1	2	3	5	6	7
70 +	94	4.1	9	2	2	3	5	7	14
2384	**3.7**	**13**	**1**	**2**	**3**	**5**	**7**	**8**	
2384	**3.7**	**13**	**1**	**2**	**3**	**5**	**7**	**8**	

DRG 182: Esophagitis, Gastroent & Misc Digest Disorders Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	9635	4.6	16	1	2	4	6	9	12
70-74	6864	5.0	18	2	2	4	6	9	11
75-79	7464	5.0	17	2	3	4	6	9	12
80-84	6060	5.4	29	2	3	4	7	10	13
85 +	6199	5.7	19	2	3	5	7	10	13
SUBTOTAL	**36221**	**5.1**	**19**	**2**	**3**	**4**	**6**	**9**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**36221**	**5.1**	**19**	**2**	**3**	**4**	**6**	**9**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	4885	3.2	9	1	1	2	4	6	8
35-49	6221	3.4	11	1	2	3	4	7	9
50-69	8261	3.9	9	1	2	3	5	8	9
70 +	1349	4.9	20	2	2	4	6	9	13
SUBTOTAL	**20717**	**3.7**	**11**	**1**	**2**	**3**	**5**	**7**	**9**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**20717**	**3.7**	**11**	**1**	**2**	**3**	**5**	**7**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	1598	3.9	13	1	2	3	5	8	11
35-49	1378	4.4	23	1	2	4	5	7	9
50-69	1707	4.2	15	1	2	3	5	8	9
70 +	249	5.4	19	2	3	4	7	9	11
SUBTOTAL	**4932**	**4.2**	**17**	**1**	**2**	**3**	**5**	**8**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4932**	**4.2**	**17**	**1**	**2**	**3**	**5**	**8**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	3057	3.0	10	1	1	2	4	6	7
35-49	2916	3.4	10	1	2	3	4	7	8
50-69	2513	4.2	38	1	2	3	5	7	9
70 +	824	4.1	7	1	2	4	5	8	9
SUBTOTAL	**9308**	**3.5**	**17**	**1**	**2**	**3**	**4**	**7**	**8**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**9308**	**3.5**	**17**	**1**	**2**	**3**	**4**	**7**	**8**

DRG 183: Esophagitis, Gastroent & Misc Digest Disorders Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	4462	3.1	6	1	2	2	4	6	7
70-74	3140	3.2	6	1	2	3	4	6	8
75-79	2652	3.4	7	1	1	3	4	6	8
80-84	2094	3.6	6	1	2	3	5	7	8
85 +	1614	3.5	7	1	2	3	4	7	9
SUBTOTAL	**13963**	**3.3**	**6**	**1**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**13963**	**3.3**	**6**	**1**	**2**	**3**	**4**	**6**	**8**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	8397	2.3	3	1	1	2	3	4	6
35-49	9319	2.6	4	1	1	2	3	5	6
50-69	8206	2.8	5	1	1	2	4	5	7
70 +	478	3.1	3	1	2	2	4	6	7
26400	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
26400	**2.6**	**4**	**1**	**1**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	2515	2.7	6	1	1	2	3	5	7
35-49	988	3.1	10	1	1	2	4	6	6
50-69	618	3.8	14	1	2	3	4	7	8
70 +	155	4.4	17	< 1	1	3	5	11	13
SUBTOTAL	**4275**	**3.0**	**9**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**4275**	**3.0**	**9**	**1**	**1**	**2**	**4**	**6**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	5869	2.2	4	1	1	2	3	4	5
35-49	3789	2.6	5	1	1	2	3	5	7
50-69	3089	3.1	6	1	1	2	4	6	8
70 +	253	4.5	70	1	1	2	4	6	13
13000	**2.6**	**6**	**1**	**1**	**2**	**3**	**5**	**6**
13000	**2.6**	**6**	**1**	**1**	**2**	**3**	**5**	**6**

DRG 184: Esophagitis, Gastroent & Misc Digest Disorders Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	33	1.9	1						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	33	1.9	1						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	8	3.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	8	3.0							
GRAND TOTAL	41	2.2	1	1	1	2	3	4	4

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	7520	2.5	4	1	1	2	3	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	7520	2.5	4	1	1	2	3	4	6
0-17	8098	2.0	4	1	1	2	2	3	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	8098	2.0	4	1	1	2	2	3	4
	15617	2.3	4	1	1	2	3	4	5

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	4289	3.1	9	1	2	2	3	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	4289	3.1	9	1	2	2	3	5	7
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	4169	2.6	5	1	1	2	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	4169	2.6	5	1	1	2	3	5	6
GRAND TOTAL	8458	2.9	7	1	1	2	3	5	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	2991	2.7	5	1	1	2	3	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2991	2.7	5	1	1	2	3	5	7
0-17	3456	2.4	10	1	1	2	3	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	3456	2.4	10	1	1	2	3	4	6
	6446	2.5	8	1	1	2	3	4	6

DRG 185: Dental & Oral Dis except Extractions & Restorations, Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	123	3.9	10	1	2	3	5	10	11
70-74	74	6.3	13	1	4	6	8	12	12
75-79	47	7.6	18	2	5	6	10	15	15
80-84	45	6.1	10	2	4	5	9	12	12
85+	33	4.6	4						
SUBTOTAL	**321**	**5.4**	**13**	**2**	**2**	**5**	**7**	**11**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	112	2.6	5	1	1	2	3	5	9
70-74	74	2.4	2	1	1	2	3	5	5
75-79	22	4.5	2						
80-84	12	2.5							
85+	0								
SUBTOTAL	**221**	**2.8**	**4**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**542**	**4.3**	**11**	**1**	**2**	**3**	**6**	**10**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	184	3.1	6	1	2	2	3	6	9
35-49	110	3.7	7	1	2	3	5	7	11
50-69	168	6.4	31	1	3	4	9	11	15
70+	35	7.9	21						
SUBTOTAL	**497**	**4.7**	**19**	**1**	**2**	**3**	**6**	**10**	**12**
0-17	0								
18-34	370	2.3	2	1	1	2	3	5	5
35-49	180	2.5	2	<1	1	2	3	5	5
50-69	147	3.1	7	1	1	2	6	6	7
70+	14	3.7	2						
SUBTOTAL	**711**	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
	1208	**3.4**	**11**	**1**	**1**	**2**	**4**	**7**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	27	4.2	8						
35-49	65	5.7	14	2	3	5	9	11	13
50-69	33	9.1	40						
70+	0								
SUBTOTAL	**125**	**6.3**	**22**	**1**	**3**	**6**	**9**	**11**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	282	3.1	8	1	1	2	3	5	10
35-49	108	4.4	20	2	2	3	4	10	21
50-69	12	12.0	4						
70+	0								
SUBTOTAL	**403**	**3.7**	**14**	**1**	**2**	**3**	**4**	**10**	**12**
GRAND TOTAL	**528**	**4.3**	**17**	**1**	**2**	**3**	**5**	**10**	**13**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	458	2.8	5	1	1	2	4	5	7
35-49	217	3.2	3	1	2	3	4	5	7
50-69	59	3.7	7	1	2	3	5	9	9
70+	0								
SUBTOTAL	**734**	**3.0**	**5**	**1**	**1**	**2**	**4**	**5**	**8**
0-17	0								
18-34	937	2.8	6	1	1	2	4	6	7
35-49	417	2.8	6	1	1	2	4	5	7
50-69	78	4.2	16	<1	2	2	5	11	13
70+	0								
SUBTOTAL	**1432**	**2.9**	**7**	**1**	**1**	**2**	**4**	**6**	**7**
	2166	**2.9**	**6**	**1**	**1**	**2**	**4**	**6**	**7**

DRG 186: Dental & Oral Dis except Extractions & Restorations, Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	8	2.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	8	2.0							
GRAND TOTAL	8	2.0							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	296	3.3	8	1	2	3	4	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	296	3.3	8	1	2	3	4	5	6
0-17	558	1.9	2	< 1	1	2	2	4	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	558	1.9	2	< 1	1	2	2	4	4
	855	2.4	4	< 1	1	2	3	4	5

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	294	3.4	8	1	2	3	4	5	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	294	3.4	8	1	2	3	4	5	8
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	248	2.6	4	< 1	1	2	3	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	248	2.6	4	< 1	1	2	3	6	7
GRAND TOTAL	542	3.0	6	1	1	2	4	5	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	174	2.4	2	1	1	2	3	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	174	2.4	2	1	1	2	3	4	6
0-17	292	3.2	11	1	1	2	4	10	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	292	3.2	11	1	1	2	4	10	11
	466	2.9	8	1	1	2	3	7	10

DRG 187: Dental Extractions & Restorations

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	55	2.7	2	1	2	2	3	6	6
70-74	20	2.6							
75-79	29	4.7	8						
80-84	37	3.2	10						
85 +	31	2.8	4						
SUBTOTAL	**172**	**3.1**	**5**	**1**	**2**	**2**	**4**	**6**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	49	2.1	2	< 1	1	2	3	5	5
70-74	20	2.2	4						
75-79	0								
80-84	8	1.0							
85 +	8	1.0							
SUBTOTAL	**86**	**1.9**	**2**	**1**	**1**	**1**	**2**	**5**	**5**
GRAND TOTAL	**258**	**2.7**	**5**	**1**	**1**	**2**	**3**	**6**	**9**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	104	1.4	1	< 1	< 1	1	1	2	5
18-34	16	1.5							
35-49	18	2.7							
50-69	20	3.3	5						
70 +	6	4.0							
	166	**1.9**	**2**	**< 1**	**< 1**	**1**	**2**	**4**	**5**
0-17	891	1.0		< 1	< 1	< 1	< 1	< 1	1
18-34	94	1.7	1	< 1	< 1	1	2	4	4
35-49	27	2.2	3						
50-69	33	3.0	3						
70 +	14	5.7	4						
	1058	**1.2**	**1**	**< 1**	**< 1**	**< 1**	**< 1**	**1**	**3**
	1224	**1.3**	**1**	**< 1**	**< 1**	**< 1**	**1**	**2**	**4**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	72	2.2	3	< 1	< 1	1	3	4	6
18-34	37	3.0	4	< 1	1	2	5	6	6
35-49	14	2.4							
50-69	12	4.0	1						
70 +	0								
SUBTOTAL	**135**	**2.6**	**3**	**< 1**	**1**	**2**	**3**	**5**	**6**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1351	1.1		< 1	< 1	< 1	< 1	< 1	< 1
18-34	86	2.9	7	1	1	2	3	6	11
35-49	12	2.5							
50-69	37	4.2	6	1	3	4	5	9	9
70 +	0								
SUBTOTAL	**1486**	**1.2**	**1**	**< 1**	**< 1**	**< 1**	**< 1**	**1**	**2**
GRAND TOTAL	**1621**	**1.4**	**1**	**< 1**	**< 1**	**< 1**	**< 1**	**2**	**3**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	12	2.5							
18-34	65	3.0	3	< 1	1	3	4	5	6
35-49	37	8.7	97	2	3	5	7	30	30
50-69	6	5.0							
70 +	0								
	121	**4.8**	**37**	**1**	**2**	**3**	**5**	**7**	**20**
0-17	252	1.1		< 1	< 1	< 1	< 1	< 1	1
18-34	332	3.5	16	1	2	3	3	7	8
35-49	92	3.0	4	1	1	3	5	6	6
50-69	6	3.0							
70 +	6	1.0							
	688	**2.6**	**10**	**< 1**	**< 1**	**1**	**3**	**6**	**7**
	809	**2.9**	**14**	**< 1**	**< 1**	**2**	**3**	**6**	**7**

DRG 188: Other Digestive System Diagnoses Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1623	6.2	52	2	3	5	8	11	15
70-74	1306	6.3	30	1	3	5	8	12	16
75-79	964	5.9	27	2	3	5	7	11	15
80-84	952	5.7	18	2	3	5	7	12	15
85 +	956	6.5	23	2	3	5	8	12	13
SUBTOTAL	**5802**	**6.1**	**32**	**2**	**3**	**5**	**8**	**12**	**15**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**5802**	**6.1**	**32**	**2**	**3**	**5**	**8**	**12**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	345	5.4	26	1	2	4	6	12	15
35-49	662	4.8	20	1	2	3	6	9	14
50-69	1071	5.5	22	1	2	4	6	12	16
70 +	178	5.2	30	1	3	3	7	10	18
SUBTOTAL	**2256**	**5.3**	**23**	**1**	**2**	**4**	**6**	**11**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2256**	**5.3**	**23**	**1**	**2**	**4**	**6**	**11**	**15**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	268	6.5	36	1	2	6	8	12	27
35-49	248	6.4	28	2	2	5	8	15	15
50-69	190	4.9	16	1	2	4	7	9	14
70 +	45	6.4	17	1	2	6	9	13	13
SUBTOTAL	**751**	**6.1**	**28**	**1**	**2**	**5**	**8**	**12**	**16**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**751**	**6.1**	**28**	**1**	**2**	**5**	**8**	**12**	**16**

TYPE OF PATIENT	INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	313	4.1	17	1	2	3	5	7	11
35-49	462	5.7	26	2	2	4	8	12	13
50-69	419	6.3	36	1	3	5	8	12	15
70 +	98	4.1	9	1	1	4	5	7	12
SUBTOTAL	**1293**	**5.4**	**26**	**1**	**2**	**4**	**6**	**11**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1293**	**5.4**	**26**	**1**	**2**	**4**	**6**	**11**	**13**

DRG 189: Other Digestive System Diagnoses Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	627	3.0	15	< 1	1	2	3	7	8
70-74	492	3.1	8	< 1	< 1	2	4	8	9
75-79	294	2.9	5	< 1	< 1	2	4	6	7
80-84	200	3.1	5	< 1	1	2	4	7	7
85 +	170	4.3	22	< 1	2	3	5	7	8
SUBTOTAL	**1783**	**3.1**	**11**	**< 1**	**< 1**	**2**	**4**	**7**	**8**
GRAND TOTAL	**1783**	**3.1**	**11**	**< 1**	**< 1**	**2**	**4**	**7**	**8**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	0								
18-34	850	2.1	3	1	1	2	2	4	5
35-49	854	2.5	5	< 1	1	2	3	5	6
50-69	766	2.8	12	< 1	< 1	2	4	6	8
70 +	84	3.7	6	1	2	3	5	7	10
SUBTOTAL	**2554**	**2.5**	**7**	**< 1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**2554**	**2.5**	**7**	**< 1**	**1**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	260	4.1	16	1	1	3	6	7	12
35-49	209	3.5	8	1	1	2	5	8	11
50-69	147	5.7	22	1	2	4	9	13	14
70 +	39	3.4	6	1	1	3	4	8	8
SUBTOTAL	**655**	**4.2**	**15**	**1**	**1**	**3**	**6**	**10**	**12**
GRAND TOTAL	**655**	**4.2**	**15**	**1**	**1**	**3**	**6**	**10**	**12**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	0								
18-34	839	3.3	13	1	1	2	4	9	12
35-49	579	3.2	7	1	1	2	4	6	7
50-69	382	3.2	6	1	1	3	4	6	8
70 +	59	3.3	8	1	1	3	4	10	10
SUBTOTAL	**1859**	**3.3**	**10**	**1**	**1**	**2**	**4**	**7**	**10**
GRAND TOTAL	**1859**	**3.3**	**10**	**1**	**1**	**2**	**4**	**7**	**10**

DRG 190: Other Digestive System Diagnoses Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	6	16.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**6**	**16.0**							
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**6**	**16.0**							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	452	5.2	110	1	1	3	5	9	17
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**452**	**5.2**	**110**	**1**	**1**	**3**	**5**	**9**	**17**
0-17	1720	1.7	6	<1	<1	1	1	3	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1720**	**1.7**	**6**	**<1**	**<1**	**1**	**1**	**3**	**4**
GRAND TOTAL	**2172**	**2.5**	**29**	**<1**	**1**	**1**	**2**	**4**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	192	3.7	12	1	2	2	5	8	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**192**	**3.7**	**12**	**1**	**2**	**2**	**5**	**8**	**9**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	648	1.7	2	<1	<1	1	2	3	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**648**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**3**	**5**
GRAND TOTAL	**841**	**2.2**	**5**	**<1**	**1**	**1**	**2**	**5**	**6**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	164	3.3	14	1	1	2	4	8	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**164**	**3.3**	**14**	**1**	**1**	**2**	**4**	**8**	**9**
0-17	871	2.2	6	<1	1	1	2	4	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**871**	**2.2**	**6**	**<1**	**1**	**1**	**2**	**4**	**7**
GRAND TOTAL	**1035**	**2.4**	**7**	**<1**	**1**	**1**	**2**	**5**	**8**

DRG 191: Pancreas, Liver & Shunt Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	562	14.8	115	6	8	11	17	27	40
70-74	341	20.1	451	8	9	12	20	42	94
75-79	255	12.1	50	4	8	10	15	25	28
80-84	198	14.8	146	7	7	9	15	38	47
85 +	170	19.1	200	9	11	14	18	43	56
SUBTOTAL	**1527**	**16.0**	**201**	**7**	**8**	**11**	**18**	**29**	**43**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1527**	**16.0**	**201**	**7**	**8**	**11**	**18**	**29**	**43**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	53	16.7	151	7	8	11	20	46	46
18-34	223	11.9	73	5	7	8	12	25	36
35-49	364	14.5	222	5	6	8	20	31	70
50-69	615	15.3	144	5	8	11	20	32	43
70 +	63	15.3	82	6	8	12	19	28	33
SUBTOTAL	**1318**	**14.6**	**152**	**5**	**7**	**10**	**20**	**30**	**43**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1318**	**14.6**	**152**	**5**	**7**	**10**	**20**	**30**	**43**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	41	10.7	5	8	9	10	13	14	14
18-34	121	11.4	44	4	9	10	13	31	52
35-49	135	22.8	407	5	9	18	29	45	88
50-69	119	21.5	189	6	10	19	35	41	49
70 +	14	16.3	2						
SUBTOTAL	**430**	**17.9**	**220**	**5**	**9**	**13**	**21**	**39**	**45**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**430**	**17.9**	**220**	**5**	**9**	**13**	**21**	**39**	**45**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	12	12.0	53						
18-34	260	12.9	145	4	5	9	15	34	49
35-49	231	18.7	196	6	9	14	24	42	47
50-69	217	19.2	252	6	9	12	27	53	58
70 +	51	14.4	81	4	8	11	23	30	30
SUBTOTAL	**771**	**16.5**	**192**	**5**	**8**	**11**	**20**	**38**	**53**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**771**	**16.5**	**192**	**5**	**8**	**11**	**20**	**38**	**53**

DRG 192: Pancreas, Liver & Shunt Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	72	9.7	26	5	7	7	11	22	22
70-74	61	10.5	20	6	8	9	12	21	21
75-79	67	8.5	8	4	7	9	10	13	13
80-84	29	5.1	4						
85+	22	7.7	21						
SUBTOTAL	**251**	**8.9**	**19**	**5**	**6**	**8**	**11**	**14**	**21**
GRAND TOTAL	**251**	**8.9**	**19**	**5**	**6**	**8**	**11**	**14**	**21**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	33	4.9	7						
18-34	123	8.6	97	3	4	5	10	12	44
35-49	188	8.2	17	4	5	7	11	14	15
50-69	290	8.9	40	3	5	7	11	15	15
70+	0								
	634	**8.4**	**43**	**3**	**5**	**7**	**11**	**14**	**15**
	634	**8.4**	**43**	**3**	**5**	**7**	**11**	**14**	**15**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	31	7.6	20						
18-34	72	14.4	312	4	4	9	14	62	62
35-49	25	13.8	22						
50-69	39	16.6	134	7	9	10	26	39	39
70+	0								
SUBTOTAL	**166**	**13.6**	**180**	**4**	**6**	**10**	**15**	**26**	**48**
GRAND TOTAL	**166**	**13.6**	**180**	**4**	**6**	**10**	**15**	**26**	**48**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	45	10.5	42	4	4	11	14	23	23
18-34	137	6.8	21	3	4	6	8	9	9
35-49	106	8.4	64	4	5	6	8	15	38
50-69	82	15.4	62	6	10	14	22	26	28
70+	12	19.0	70						
	383	**9.9**	**58**	**4**	**5**	**7**	**11**	**23**	**26**
	383	**9.9**	**58**	**4**	**5**	**7**	**11**	**23**	**26**

DRG 193: Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	440	13.1	61	6	7	12	16	22	26
70-74	407	14.2	73	7	9	12	16	26	28
75-79	409	15.3	114	6	8	11	19	31	36
80-84	333	15.9	107	8	10	13	19	23	26
85 +	325	13.7	38	8	9	12	17	22	23
SUBTOTAL	**1913**	**14.4**	**80**	**6**	**9**	**12**	**18**	**24**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1913**	**14.4**	**80**	**6**	**9**	**12**	**18**	**24**	**31**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	18	11.7	9						
18-34	49	5.5	3	2	5	5	7	7	7
35-49	210	9.2	39	3	6	7	10	15	28
50-69	401	11.8	51	4	7	10	14	21	28
70 +	104	12.3	72	5	7	10	12	23	39
	783	**10.8**	**50**	**4**	**6**	**9**	**13**	**21**	**26**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	783	**10.8**	**50**	**4**	**6**	**9**	**13**	**21**	**26**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	12	33.0	393						
18-34	43	9.4	26	5	5	8	13	20	20
35-49	51	15.0	73	5	7	16	23	29	29
50-69	63	12.6	81	4	8	9	13	29	33
70 +	29	26.2	628						
SUBTOTAL	**198**	**15.8**	**207**	**5**	**8**	**9**	**18**	**29**	**52**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**198**	**15.8**	**207**	**5**	**8**	**9**	**18**	**29**	**52**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	12	13.0	27						
18-34	59	10.3	49	2	5	8	12	24	24
35-49	74	19.8	283	4	5	18	25	37	63
50-69	121	13.7	78	4	8	12	17	28	36
70 +	61	12.7	39	6	7	13	14	22	28
	327	**14.3**	**119**	**4**	**6**	**12**	**18**	**25**	**37**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	327	**14.3**	**119**	**4**	**6**	**12**	**18**	**25**	**37**

DRG 194: Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	94	9.3	18	5	6	9	12	16	17
70-74	65	8.7	18	5	6	8	9	19	19
75-79	78	5.7	3	3	5	6	6	8	8
80-84	45	9.2	7	7	7	8	11	14	14
85 +	53	12.7	69	4	5	13	14	33	33
SUBTOTAL	**335**	**8.9**	**26**	**5**	**6**	**7**	**11**	**14**	**17**
GRAND TOTAL	**335**	**8.9**	**26**	**5**	**6**	**7**	**11**	**14**	**17**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	61	8.1	10	4	5	7	11	13	14
18-34	65	5.4	11	1	2	5	7	12	12
35-49	65	5.5	3	4	4	5	7	8	8
50-69	88	5.7	9	3	3	4	9	10	11
70 +	20	12.7	30						
301	**6.5**	**13**	**3**	**4**	**5**	**8**	**11**	**13**	
301	**6.5**	**13**	**3**	**4**	**5**	**8**	**11**	**13**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	6	6.0							
18-34	43	7.3	39	2	4	5	7	22	22
35-49	14	12.3	76						
50-69	33	13.1	66						
70 +	14	9.3	2						
SUBTOTAL	**110**	**9.9**	**51**	**3**	**5**	**7**	**14**	**22**	**27**
GRAND TOTAL	**110**	**9.9**	**51**	**3**	**5**	**7**	**14**	**22**	**27**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	84	13.9	103	2	6	11	25	29	31
35-49	27	15.5	237						
50-69	53	11.0	30	5	8	9	13	24	24
70 +	33	10.4	49						
196	**12.8**	**94**	**3**	**5**	**11**	**18**	**26**	**31**	
196	**12.8**	**94**	**3**	**5**	**11**	**18**	**26**	**31**	

DRG 195: Total Cholecystectomy w/ C.D.E. w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	889	9.9	46	5	6	8	11	16	23
70-74	830	8.8	16	5	6	8	11	13	15
75-79	760	10.0	19	6	7	9	12	16	17
80-84	566	11.0	51	6	7	8	11	21	28
85 +	490	12.4	42	7	8	11	14	20	22
SUBTOTAL	**3535**	**10.2**	**35**	**5**	**7**	**9**	**12**	**16**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3535**	**10.2**	**35**	**5**	**7**	**9**	**12**	**16**	**21**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	6.5	2						
18-34	617	5.6	4	4	4	6	7	8	9
35-49	797	6.6	14	4	4	6	8	10	14
50-69	1075	7.7	22	4	5	7	8	12	14
70 +	174	9.3	16	3	7	9	13	15	16
	2679	**7.0**	**16**	**4**	**5**	**6**	**8**	**11**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2679	**7.0**	**16**	**4**	**5**	**6**	**8**	**11**	**13**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	25	5.0							
18-34	388	6.7	14	4	5	6	8	11	15
35-49	125	6.7	10	3	4	7	8	12	13
50-69	147	9.6	26	5	7	8	10	18	19
70 +	49	16.5	151	5	10	15	16	47	47
SUBTOTAL	**734**	**7.9**	**31**	**4**	**5**	**6**	**9**	**15**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**734**	**7.9**	**31**	**4**	**5**	**6**	**9**	**15**	**17**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	5.0							
18-34	399	6.7	11	3	5	6	8	11	13
35-49	339	7.2	7	4	5	7	9	10	13
50-69	474	8.7	22	5	6	7	10	13	21
70 +	92	8.4	5	6	7	8	9	11	15
	1311	**7.7**	**14**	**4**	**5**	**7**	**9**	**11**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1311	**7.7**	**14**	**4**	**5**	**7**	**9**	**11**	**15**

DRG 196: Total Cholecystectomy w/ C.D.E. w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	186	6.4	8	4	4	6	7	11	12
70-74	114	7.2	11	4	5	7	9	11	16
75-79	72	9.4	22	5	6	8	14	15	21
80-84	51	8.4	8	5	5	9	11	12	12
85 +	33	7.0	1						
SUBTOTAL	**456**	**7.4**	**12**	**4**	**5**	**7**	**8**	**12**	**15**
GRAND TOTAL	**456**	**7.4**	**12**	**4**	**5**	**7**	**8**	**12**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	18	5.3	1						
18-34	376	4.8	2	3	4	5	6	7	7
35-49	456	5.4	5	3	4	5	6	9	10
50-69	511	5.8	5	4	4	5	7	9	11
70 +	43	6.0	6	4	4	5	7	11	11
SUBTOTAL	**1404**	**5.4**	**4**	**3**	**4**	**5**	**6**	**8**	**10**
GRAND TOTAL	**1404**	**5.4**	**4**	**3**	**4**	**5**	**6**	**8**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	12	5.5							
18-34	417	7.4	9	4	5	7	9	11	13
35-49	139	6.7	7	4	5	6	9	10	11
50-69	82	8.9	13	5	6	8	10	15	17
70 +	8	14.0							
SUBTOTAL	**659**	**7.5**	**10**	**4**	**5**	**7**	**9**	**12**	**14**
GRAND TOTAL	**659**	**7.5**	**10**	**4**	**5**	**7**	**9**	**12**	**14**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	29	6.3	5						
18-34	485	7.1	19	4	4	6	8	11	12
35-49	292	6.2	14	3	4	5	7	13	14
50-69	272	8.1	21	4	5	7	10	14	15
70 +	27	9.1	17						
SUBTOTAL	**1105**	**7.1**	**18**	**3**	**4**	**6**	**8**	**12**	**14**
GRAND TOTAL	**1105**	**7.1**	**18**	**3**	**4**	**6**	**8**	**12**	**14**

DRG 197: Total Cholecystectomy w/o C.D.E. w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3609	7.3	21	4	5	6	9	12	16
70-74	2509	8.0	25	4	5	7	9	13	18
75-79	2035	10.1	56	4	6	9	11	17	22
80-84	1036	9.1	22	5	6	8	11	15	20
85+	666	11.4	35	6	7	10	15	18	23
SUBTOTAL	**9855**	**8.5**	**32**	**4**	**5**	**7**	**10**	**14**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**9855**	**8.5**	**32**	**4**	**5**	**7**	**10**	**14**	**19**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	22	9.0	3						
18-34	1291	5.2	9	3	4	5	6	8	10
35-49	2438	5.6	8	3	4	5	7	9	10
50-69	3912	6.6	18	3	4	6	8	10	13
70+	350	8.3	36	4	4	6	10	15	22
	8013	**6.2**	**15**	**3**	**4**	**5**	**7**	**10**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	8013	**6.2**	**15**	**3**	**4**	**5**	**7**	**10**	**12**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	14	7.9	21						
18-34	589	6.9	28	3	4	5	8	12	15
35-49	394	6.3	8	3	5	6	8	11	11
50-69	509	7.2	17	4	4	6	9	10	13
70+	82	9.5	13	4	6	11	12	13	15
SUBTOTAL	**1588**	**7.0**	**19**	**3**	**4**	**6**	**9**	**11**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1588**	**7.0**	**19**	**3**	**4**	**6**	**9**	**11**	**14**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	14	9.9	21						
18-34	957	6.6	16	3	4	5	8	11	14
35-49	1108	7.3	43	3	4	5	9	13	18
50-69	1153	7.1	17	3	4	6	9	12	14
70+	262	11.8	101	4	5	8	13	31	37
	3494	**7.4**	**33**	**3**	**4**	**6**	**9**	**13**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	3494	**7.4**	**33**	**3**	**4**	**6**	**9**	**13**	**16**

DRG 198: Total Cholecystectomy w/o C.D.E. w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	3294	4.9	20	3	4	4	5	7	9
70-74	2068	5.0	5	3	4	5	6	7	9
75-79	1040	5.5	5	3	4	5	7	8	9
80-84	488	6.0	11	3	4	5	6	10	15
85 +	190	6.9	8	4	5	6	9	12	12
SUBTOTAL	**7080**	**5.2**	**12**	**3**	**4**	**5**	**6**	**8**	**9**
GRAND TOTAL	**7080**	**5.2**	**12**	**3**	**4**	**5**	**6**	**8**	**9**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	170	3.5	1	2	3	4	4	5	5
18-34	7376	3.7	2	2	3	4	4	5	6
35-49	10609	3.9	2	2	3	4	4	5	6
50-69	9111	4.4	4	3	3	4	5	7	8
70 +	258	4.6	7	2	3	4	5	8	12
SUBTOTAL	**27523**	**4.0**	**3**	**2**	**3**	**4**	**5**	**6**	**7**
GRAND TOTAL	**27523**	**4.0**	**3**	**2**	**3**	**4**	**5**	**6**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	112	4.2	5	3	3	3	5	9	10
18-34	3156	4.5	6	3	3	4	5	7	9
35-49	1147	4.9	4	3	3	4	6	8	9
50-69	605	5.9	11	3	4	5	7	9	12
70 +	51	8.2	16	3	5	8	9	17	17
SUBTOTAL	**5072**	**4.8**	**7**	**3**	**3**	**4**	**6**	**8**	**9**
GRAND TOTAL	**5072**	**4.8**	**7**	**3**	**3**	**4**	**6**	**8**	**9**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	90	5.9	15	3	4	4	6	11	18
18-34	4572	4.4	5	2	3	4	5	8	9
35-49	3788	4.4	6	2	3	4	5	7	9
50-69	3022	4.9	7	3	3	4	6	8	10
70 +	215	6.3	17	3	4	5	8	12	16
SUBTOTAL	**11687**	**4.6**	**6**	**2**	**3**	**4**	**5**	**8**	**9**
GRAND TOTAL	**11687**	**4.6**	**6**	**2**	**3**	**4**	**5**	**8**	**9**

DRG 199: Hepatobiliary Diagnostic Procedure for Malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	119	10.5	63	4	5	8	12	17	33
70-74	96	12.9	81	6	7	13	16	17	39
75-79	43	15.0	40	9	9	15	21	26	26
80-84	25	7.7	2						
85 +	45	14.0	121	6	7	9	19	39	39
SUBTOTAL	**327**	**12.1**	**72**	**5**	**7**	**9**	**15**	**21**	**39**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	27	4.2	7						
70-74	22	4.9	1						
75-79	8	7.0							
80-84	8	7.0							
85 +	0								
SUBTOTAL	**65**	**5.2**	**4**	**2**	**4**	**6**	**7**	**7**	**7**
GRAND TOTAL	**392**	**10.9**	**68**	**4**	**6**	**8**	**13**	**19**	**39**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	22	12.8	62						
35-49	41	9.6	48	4	5	7	10	25	25
50-69	114	11.4	61	3	5	8	15	25	26
70 +	6	16.0							
	184	**11.3**	**58**	**4**	**6**	**8**	**16**	**24**	**25**
0-17	12	8.5	13						
18-34	0								
35-49	22	2.6	2						
50-69	47	4.7	5	2	3	4	7	8	8
70 +	0								
	82	**4.7**	**8**	**2**	**3**	**4**	**6**	**8**	**12**
	266	**9.3**	**52**	**3**	**4**	**7**	**12**	**23**	**25**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	6	5.0							
35-49	8	9.0							
50-69	20	11.4	35						
70 +	8	8.0							
SUBTOTAL	**43**	**9.4**	**21**	**5**	**6**	**9**	**9**	**20**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	8	5.0							
50-69	6	15.0							
70 +	0								
SUBTOTAL	**14**	**9.3**	**26**						
GRAND TOTAL	**57**	**9.4**	**22**	**5**	**6**	**8**	**9**	**19**	**20**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	17.0							
18-34	0								
35-49	12	8.5							
50-69	72	14.1	72	5	6	12	21	21	34
70 +	14	17.2	178						
	104	**14.1**	**78**	**5**	**6**	**10**	**18**	**32**	**34**
0-17	6	9.0							
18-34	0								
35-49	0								
50-69	47	5.2	6	3	3	6	6	10	10
70 +	0								
	53	**5.7**	**6**	**3**	**3**	**6**	**6**	**10**	**10**
	158	**11.2**	**69**	**3**	**6**	**9**	**17**	**21**	**32**

DRG 200: Hepatobiliary Diagnostic Procedure for Non-malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	37	15.5	111						
70-74	94	10.3	93	2	3	9	11	21	35
75-79	43	12.7	80	4	4	6	23	25	25
80-84	25	6.7	7						
85+	8	25.0							
SUBTOTAL	**206**	**11.9**	**92**	**2**	**3**	**9**	**21**	**25**	**26**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	25	5.0	13						
70-74	6	9.0							
75-79	6	2.0							
80-84	0								
85+	8	8.0							
SUBTOTAL	**45**	**5.7**	**12**	**2**	**2**	**5**	**9**	**10**	**10**
GRAND TOTAL	**251**	**10.8**	**84**	**2**	**3**	**8**	**20**	**25**	**26**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	14	5.1	7						
18-34	39	5.1	2						
35-49	55	12.4	79	2	8	8	17	33	33
50-69	55	13.2	127	3	5	8	29	65	99+
70+	0								
SUBTOTAL	**164**	**10.3**	**83**	**3**	**4**	**8**	**17**	**31**	**33**
0-17	6	1.0							
18-34	59	6.2	9	3	3	5	9	11	11
35-49	33	4.0	9						
50-69	67	7.4	36	1	4	6	8	18	20
70+	0								
SUBTOTAL	**166**	**6.1**	**22**	**1**	**3**	**5**	**8**	**11**	**18**
GRAND TOTAL	**329**	**8.2**	**57**	**2**	**3**	**6**	**9**	**20**	**31**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	6	8.0							
18-34	12	16.0	27						
35-49	27	13.5	36						
50-69	31	9.2	32						
70+	6	29.0							
SUBTOTAL	**82**	**13.0**	**55**	**4**	**6**	**11**	**18**	**21**	**29**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	12	3.0	4						
18-34	18	6.7	1						
35-49	6	6.0							
50-69	6	25.0							
70+	0								
SUBTOTAL	**43**	**8.1**	**52**	**1**	**5**	**6**	**8**	**25**	**25**
GRAND TOTAL	**125**	**11.3**	**59**	**3**	**6**	**8**	**18**	**22**	**27**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	20	7.6	23						
18-34	37	4.9	5						
35-49	22	10.6	35						
50-69	18	9.3	31						
70+	8	12.0							
SUBTOTAL	**106**	**7.9**	**24**	**2**	**3**	**7**	**12**	**15**	**20**
0-17	0								
18-34	68	5.8	15	2	4	5	6	8	17
35-49	20	5.7							
50-69	6	2.0							
70+	6	23.0							
SUBTOTAL	**100**	**6.6**	**29**	**2**	**4**	**5**	**6**	**17**	**23**
GRAND TOTAL	**207**	**7.3**	**27**	**2**	**4**	**6**	**9**	**15**	**20**

DRG 201: Other Hepatobiliary or Pancreas O.R. Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	409	7.3	33	2	3	5	10	16	20
70-74	133	11.2	95	3	4	7	13	25	40
75-79	65	6.0	8	2	3	5	9	10	10
80-84	82	9.3	91	3	4	4	8	30	31
85 +	37	10.7	27						
SUBTOTAL	**726**	**8.3**	**51**	**3**	**4**	**6**	**10**	**19**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	16	3.0	4						
75-79	8	5.0							
80-84	0								
85 +	0								
SUBTOTAL	**25**	**3.7**	**4**						
GRAND TOTAL	**750**	**8.2**	**50**	**2**	**4**	**5**	**10**	**19**	**22**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	7.6	97						
18-34	92	6.2	19	2	2	5	8	14	15
35-49	202	8.5	49	2	4	7	10	20	23
50-69	249	9.3	56	3	5	7	11	21	28
70 +	20	11.1	18						
SUBTOTAL	**595**	**8.5**	**50**	**2**	**4**	**6**	**10**	**20**	**26**
0-17	0								
18-34	8	6.0							
35-49	8	5.0							
50-69	25	1.0							
70 +	0								
SUBTOTAL	**41**	**2.8**	**5**						
GRAND TOTAL	**636**	**8.2**	**49**	**2**	**4**	**6**	**10**	**20**	**26**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	31	3.6	16						
18-34	61	10.7	114	2	3	4	20	32	32
35-49	153	7.9	37	3	4	6	10	15	25
50-69	119	8.1	54	2	2	6	8	22	24
70 +	0								
SUBTOTAL	**364**	**8.1**	**56**	**2**	**3**	**5**	**10**	**21**	**26**
2.PATIENTS W/OUT CCs	—								
AGE GROUP									
0-17	12	1.0							
18-34	0								
35-49	14	5.0							
50-69	8	1.0							
70 +	0								
SUBTOTAL	**35**	**2.6**	**4**						
GRAND TOTAL	**399**	**7.6**	**54**	**1**	**3**	**5**	**8**	**20**	**26**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	18	10.0	90						
18-34	47	8.7	75	3	4	5	14	29	29
35-49	337	5.5	11	2	3	5	6	10	13
50-69	229	5.1	15	2	3	4	6	9	18
70 +	6	5.0							
SUBTOTAL	**638**	**5.7**	**20**	**2**	**3**	**4**	**6**	**10**	**15**
0-17	0								
18-34	0								
35-49	6	2.0							
50-69	0								
70 +	0								
SUBTOTAL	**6**	**2.0**							
GRAND TOTAL	**644**	**5.7**	**20**	**2**	**3**	**4**	**6**	**10**	**15**

DRG 202: Cirrhosis & Alcoholic Hepatitis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	938	7.8	25	3	4	6	11	14	18
70-74	443	8.7	49	3	4	7	11	15	23
75-79	223	7.8	26	2	4	6	10	15	20
80-84	180	7.9	19	3	4	6	11	14	15
85 +	127	8.0	37	2	4	6	10	15	19
SUBTOTAL	**1911**	**8.0**	**31**	**3**	**4**	**6**	**11**	**15**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	12	4.5	7						
70-74	0								
75-79	6	5.0							
80-84	6	1.0							
85 +	0								
SUBTOTAL	**25**	**3.8**	**6**						
GRAND TOTAL	**1936**	**8.0**	**31**	**3**	**4**	**6**	**11**	**15**	**19**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	5.0							
18-34	74	6.6	9	3	4	6	9	10	12
35-49	433	5.4	16	2	3	4	7	10	11
50-69	752	6.8	34	2	3	5	8	13	17
70 +	80	5.8	19	2	2	4	9	14	16
SUBTOTAL	**1345**	**6.2**	**26**	**2**	**3**	**5**	**8**	**11**	**15**
0-17	0								
18-34	16	2.5							
35-49	57	2.4	2	1	1	2	4	5	5
50-69	47	5.5	18	1	3	4	6	14	14
70 +	8	1.0							
SUBTOTAL	**129**	**3.5**	**10**	**1**	**1**	**2**	**4**	**6**	**14**
GRAND TOTAL	**1473**	**6.0**	**25**	**2**	**3**	**5**	**7**	**11**	**15**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	190	6.2	25	2	3	5	8	10	12
35-49	902	6.2	32	2	3	5	7	13	16
50-69	569	6.2	20	2	3	5	8	12	16
70 +	20	10.3	18						
SUBTOTAL	**1681**	**6.2**	**27**	**2**	**3**	**5**	**8**	**13**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	6	3.0							
18-34	12	1.0							
35-49	35	3.0	6						
50-69	6	2.0							
70 +	0								
SUBTOTAL	**59**	**2.5**	**4**	**1**	**1**	**2**	**3**	**7**	**7**
GRAND TOTAL	**1741**	**6.1**	**27**	**2**	**3**	**5**	**8**	**13**	**15**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	12	1.5							
18-34	634	5.3	25	2	2	4	6	9	14
35-49	1969	5.5	28	1	2	4	7	11	15
50-69	1164	6.0	23	1	2	5	8	13	18
70 +	106	6.3	10	2	4	7	9	11	11
SUBTOTAL	**3886**	**5.6**	**25**	**1**	**2**	**4**	**7**	**11**	**16**
0-17	0								
18-34	25	4.5	15						
35-49	166	4.6	16	1	2	3	5	13	14
50-69	110	3.6	13	< 1	1	3	4	6	17
70 +	6	1.0							
SUBTOTAL	**307**	**4.1**	**15**	**1**	**2**	**3**	**4**	**11**	**14**
GRAND TOTAL	**4193**	**5.5**	**25**	**1**	**2**	**4**	**7**	**11**	**16**

DRG 203: Malignancy of Hepatobiliary System or Pancreas

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	687	7.6	33	2	4	6	9	17	20
70-74	572	8.0	30	3	4	6	11	16	21
75-79	591	7.8	33	2	4	6	11	14	22
80-84	343	9.0	50	3	4	7	11	18	23
85 +	284	8.8	24	3	5	8	13	15	17
SUBTOTAL	**2477**	**8.1**	**34**	**3**	**4**	**6**	**11**	**16**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	74	5.2	10	< 1	3	5	7	12	12
70-74	170	5.8	22	< 1	2	4	10	12	14
75-79	133	5.5	9	2	2	6	8	9	10
80-84	119	4.7	9	1	1	5	6	7	12
85 +	61	4.5	24	< 1	1	3	4	12	18
SUBTOTAL	**556**	**5.3**	**15**	**1**	**2**	**4**	**7**	**12**	**12**
GRAND TOTAL	**3033**	**7.6**	**32**	**2**	**4**	**6**	**10**	**15**	**19**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	31	2.1	2						
35-49	241	7.3	49	1	2	5	10	17	20
50-69	622	6.9	28	2	3	5	9	15	19
70 +	86	6.9	15	3	3	6	9	12	15
SUBTOTAL	**979**	**6.9**	**32**	**1**	**3**	**5**	**9**	**15**	**18**
0-17	18	1.0							
18-34	14	2.1	1						
35-49	74	4.2	9	1	2	3	7	9	10
50-69	274	4.1	11	1	2	3	6	8	13
70 +	12	6.5	7						
SUBTOTAL	**392**	**4.0**	**10**	**1**	**1**	**3**	**5**	**9**	**10**
GRAND TOTAL	**1372**	**6.0**	**28**	**1**	**2**	**5**	**8**	**13**	**17**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	27	5.0	11						
35-49	92	7.0	59	3	3	4	8	14	33
50-69	192	7.8	50	2	3	5	14	16	23
70 +	47	10.8	83	1	3	8	23	25	25
SUBTOTAL	**358**	**7.8**	**55**	**1**	**3**	**4**	**9**	**17**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	18	2.3	4						
18-34	12	6.5	13						
35-49	18	4.7							
50-69	68	6.2	19	2	3	5	8	14	15
70 +	25	8.3	26						
SUBTOTAL	**141**	**5.9**	**18**	**1**	**3**	**5**	**8**	**14**	**15**
GRAND TOTAL	**499**	**7.2**	**45**	**1**	**3**	**5**	**9**	**16**	**23**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	2.0							
18-34	8	8.0							
35-49	74	5.6	15	1	2	6	7	11	14
50-69	217	7.3	23	3	4	6	9	15	19
70 +	84	7.5	33	1	2	6	10	16	18
SUBTOTAL	**389**	**7.0**	**23**	**1**	**3**	**6**	**9**	**15**	**18**
0-17	55	2.4	1	1	2	2	3	4	4
18-34	14	3.3	4						
35-49	39	3.5	2	1	3	3	5	5	5
50-69	74	6.5	38	< 1	1	5	11	13	22
70 +	14	5.7	4						
SUBTOTAL	**196**	**4.5**	**18**	**1**	**2**	**3**	**5**	**10**	**13**
GRAND TOTAL	**585**	**6.1**	**23**	**1**	**3**	**5**	**8**	**13**	**16**

DRG 204: Disorders of Pancreas except Malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1506	7.1	38	2	4	6	8	13	17
70-74	591	7.2	49	2	3	5	9	13	18
75-79	599	7.5	41	2	4	6	9	14	21
80-84	345	7.1	20	3	4	6	10	12	18
85 +	386	7.2	16	3	5	6	9	13	17
SUBTOTAL	**3427**	**7.2**	**36**	**2**	**4**	**6**	**9**	**13**	**18**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	691	5.2	15	2	3	4	6	10	13
70-74	329	5.5	11	2	3	4	7	10	12
75-79	345	4.8	8	2	3	4	6	8	9
80-84	215	5.6	9	3	3	5	7	10	13
85 +	121	7.4	14	3	5	7	10	14	15
SUBTOTAL	**1700**	**5.4**	**12**	**2**	**3**	**4**	**6**	**10**	**13**
GRAND TOTAL	**5127**	**6.6**	**29**	**2**	**3**	**5**	**8**	**12**	**16**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	55	7.5	201	1	2	2	3	47	47
18-34	533	7.4	30	2	3	6	10	14	20
35-49	1122	6.9	48	2	3	5	8	12	15
50-69	1287	7.9	56	2	4	6	9	14	18
70 +	86	5.9	11	3	4	5	7	8	16
SUBTOTAL	**3084**	**7.4**	**50**	**2**	**4**	**5**	**8**	**14**	**19**
0-17	43	4.1	7	1	2	4	4	9	9
18-34	654	3.6	4	1	2	3	5	6	7
35-49	936	4.9	9	2	3	4	7	8	11
50-69	987	4.6	11	2	2	4	6	8	10
70 +	70	3.9	1	3	3	3	4	5	7
SUBTOTAL	**2689**	**4.4**	**8**	**1**	**3**	**4**	**6**	**8**	**9**
	5773	**6.0**	**33**	**2**	**3**	**5**	**7**	**11**	**14**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	8	4.0							
18-34	385	5.8	34	2	3	4	7	11	14
35-49	816	8.1	66	2	4	6	9	15	27
50-69	339	8.0	46	2	5	6	9	15	17
70 +	43	5.8	9	2	4	6	7	12	12
SUBTOTAL	**1591**	**7.4**	**53**	**2**	**3**	**6**	**9**	**13**	**20**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	29	3.3	1						
18-34	323	4.8	21	2	2	4	5	8	9
35-49	354	6.6	24	2	3	5	8	14	18
50-69	114	4.3	5	2	3	4	6	8	9
70 +	18	5.3	7						
SUBTOTAL	**839**	**5.5**	**20**	**2**	**3**	**4**	**6**	**9**	**14**
GRAND TOTAL	**2430**	**6.7**	**42**	**2**	**3**	**5**	**8**	**12**	**17**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	3.0							
18-34	1569	6.6	44	2	3	4	7	14	19
35-49	1921	6.8	46	2	3	5	8	13	19
50-69	697	8.1	58	2	4	6	9	16	27
70 +	68	7.8	25	4	5	5	12	18	18
SUBTOTAL	**4262**	**6.9**	**47**	**2**	**3**	**5**	**8**	**14**	**20**
0-17	12	4.0	4						
18-34	900	4.7	34	1	2	4	5	9	10
35-49	796	5.2	20	1	3	4	7	11	13
50-69	458	4.7	20	2	2	4	5	8	17
70 +	43	3.2	1	2	3	3	4	5	5
SUBTOTAL	**2209**	**4.8**	**25**	**1**	**2**	**4**	**6**	**9**	**12**
	6471	**6.2**	**41**	**2**	**3**	**4**	**7**	**12**	**17**

DRG 205: Disorders of Liver except Malig, Cirr, Alc Hepa w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1330	6.5	27	2	3	5	7	13	17
70-74	537	7.3	20	3	5	7	9	12	16
75-79	403	8.2	30	3	4	6	11	14	21
80-84	231	8.1	37	2	4	6	11	14	21
85 +	125	8.6	28	4	5	7	11	15	19
SUBTOTAL	2626	7.1	27	2	4	5	9	14	17
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	2626	7.1	27	2	4	5	9	14	17

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	184	3.4	10	1	1	2	5	7	11
18-34	306	4.8	18	1	2	3	6	10	16
35-49	546	5.2	22	1	2	4	6	11	15
50-69	763	7.2	39	2	3	5	8	16	22
70 +	149	7.9	26	2	4	6	12	14	18
	1948	6.0	29	1	2	4	7	13	18
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1948	6.0	29	1	2	4	7	13	18

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	209	6.3	76	1	1	4	7	14	16
18-34	276	5.	16	2	3	4	6	9	11
35-49	333	6	27	2	3	5	9	13	18
50-69	446	6.7	29	2	3	5	8	13	19
70 +	27	11.0	44						
SUBTOTAL	1290	6.3	34	2	3	5	8	13	17
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	1290	6.3	34	2	3	5	8	13	17

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	108	6.6	150	1	2	3	4	13	55
18-34	624	4.9	17	1	2	4	6	10	13
35-49	610	6.2	21	1	3	5	9	12	15
50-69	495	6.8	44	1	3	5	8	15	17
70 +	65	10.7	57	2	6	7	17	22	23
	1902	6.1	36	1	2	4	8	13	17
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1902	6.1	36	1	2	4	8	13	17

DRG 206: Disorders of Liver except Malig, Cirr, Alc Hepa w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	200	3.6	6	1	1	3	5	7	9
70-74	102	5.3	13	2	3	4	7	9	15
75-79	80	3.1	4	1	1	3	4	5	8
80-84	20	2.5	2						
85 +	6	2.0							
SUBTOTAL	**409**	**3.9**	**8**	**1**	**2**	**4**	**5**	**8**	**9**
GRAND TOTAL	**409**	**3.9**	**8**	**1**	**2**	**4**	**5**	**8**	**9**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	425	2.9	5	1	1	2	3	6	7
18-34	433	3.8	6	1	2	3	5	6	8
35-49	491	3.5	12	<1	1	2	4	8	12
50-69	300	4.4	14	1	1	3	6	9	11
70 +	0								
SUBTOTAL	**1649**	**3.6**	**9**	**1**	**1**	**3**	**5**	**7**	**10**
GRAND TOTAL	**1649**	**3.6**	**9**	**1**	**1**	**3**	**5**	**7**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	184	2.0	1	1	1	2	2	3	4
18-34	194	5.6	17	2	2	5	7	13	15
35-49	115	5.2	19	1	1	5	6	11	17
50-69	108	3.3	7	1	1	2	4	8	10
70 +	12	11.5	79						
SUBTOTAL	**614**	**4.1**	**15**	**1**	**2**	**2**	**5**	**9**	**13**
GRAND TOTAL	**614**	**4.1**	**15**	**1**	**2**	**2**	**5**	**9**	**13**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	237	2.7	16	1	1	2	3	4	5
18-34	724	4.2	11	1	2	3	6	7	12
35-49	327	4.3	7	1	2	4	6	7	10
50-69	172	4.8	11	1	2	4	6	9	11
70 +	14	5.3	2						
SUBTOTAL	**1475**	**4.1**	**11**	**1**	**2**	**3**	**5**	**7**	**11**
GRAND TOTAL	**1475**	**4.1**	**11**	**1**	**2**	**3**	**5**	**7**	**11**

DRG 207: Disorders of the Biliary Tract w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	989	4.9	14	1	2	4	6	10	14
70-74	969	5.1	15	2	2	4	6	9	14
75-79	848	5.8	18	2	3	5	7	11	15
80-84	801	7.0	38	2	3	5	9	13	21
85 +	1024	6.6	21	2	3	5	9	13	15
SUBTOTAL	**4630**	**5.8**	**21**	**2**	**3**	**5**	**7**	**12**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4630**	**5.8**	**21**	**2**	**3**	**5**	**7**	**12**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	37	8.7	7	5	6	9	11	12	12
18-34	237	4.0	12	1	2	3	5	7	11
35-49	407	4.2	14	1	1	3	6	9	13
50-69	783	5.0	14	1	2	4	7	9	11
70 +	168	4.7	10	1	2	4	8	10	10
1631	**4.7**	**14**	**1**	**2**	**4**	**6**	**9**	**11**	
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
1631	**4.7**	**14**	**1**	**2**	**4**	**6**	**9**	**11**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	63	12.4	111	2	5	10	14	31	35
18-34	196	4.7	15	1	2	4	6	8	13
35-49	143	7.7	44	2	3	4	13	17	23
50-69	227	5.0	13	2	2	4	6	10	14
70 +	86	6.2	17	2	4	6	7	11	18
SUBTOTAL	**716**	**6.2**	**34**	**2**	**2**	**4**	**8**	**13**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**716**	**6.2**	**34**	**2**	**2**	**4**	**8**	**13**	**18**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	11.0							
18-34	200	4.4	24	1	1	3	6	8	10
35-49	205	5.1	11	2	2	4	7	10	11
50-69	411	6.5	70	2	3	5	8	11	15
70 +	102	5.0	6	2	3	4	7	9	10
924	**5.6**	**40**	**1**	**2**	**4**	**7**	**10**	**12**	
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
924	**5.6**	**40**	**1**	**2**	**4**	**7**	**10**	**12**	

DRG 208: Disorders of the Biliary Tract w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	558	3.1	6	1	1	2	4	6	7
70-74	413	2.8	3	1	1	3	4	5	6
75-79	347	3.2	4	1	1	3	5	6	7
80-84	392	3.9	7	1	2	3	5	8	9
85 +	249	4.1	4	2	3	4	5	8	8
SUBTOTAL	**1960**	**3.4**	**5**	**1**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**1960**	**3.4**	**5**	**1**	**2**	**3**	**4**	**6**	**8**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	129	4.2	14	1	1	3	6	9	13
18-34	589	2.1	2	1	1	2	3	4	5
35-49	1020	2.0	3	< 1	1	1	2	4	6
50-69	1385	2.2	2	1	1	2	3	4	5
70 +	41	1.8	1	< 1	1	2	2	3	3
SUBTOTAL	**3164**	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**3164**	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	131	5.3	6	3	4	5	6	8	10
18-34	566	2.7	4	1	1	2	4	6	7
35-49	239	4.0	10	1	2	3	5	8	12
50-69	139	3.4	5	< 1	1	3	5	7	7
70 +	63	6.3	42	1	3	4	8	14	24
SUBTOTAL	**1139**	**3.6**	**9**	**1**	**1**	**3**	**5**	**7**	**8**
GRAND TOTAL	**1139**	**3.6**	**9**	**1**	**1**	**3**	**5**	**7**	**8**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	27	3.2	2						
18-34	759	2.9	6	1	1	2	4	6	8
35-49	611	3.0	11	< 1	1	2	4	5	8
50-69	646	3.4	8	1	1	2	5	7	8
70 +	63	3.3	4	1	2	2	4	7	7
SUBTOTAL	**2107**	**3.1**	**8**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**2107**	**3.1**	**8**	**1**	**1**	**2**	**4**	**6**	**8**

DRG 209: Major Joint & Limb Reattachment Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	5376	9.5	21	5	7	9	11	14	16
70-74	5404	9.6	17	6	7	9	11	14	16
75-79	5663	10.1	24	6	7	9	11	14	18
80-84	4929	10.3	20	6	7	9	12	16	18
85 +	4051	11.0	31	6	8	10	13	17	20
SUBTOTAL	**25423**	**10.0**	**23**	**6**	**7**	**9**	**12**	**15**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	7025	7.6	7	4	6	7	9	11	12
70-74	6274	8.2	18	5	6	8	9	11	13
75-79	5477	8.2	8	5	6	8	10	11	13
80-84	3586	8.6	8	5	7	8	10	13	14
85 +	2360	8.6	11	5	7	8	10	12	14
SUBTOTAL	**24722**	**8.1**	**11**	**5**	**6**	**8**	**10**	**11**	**13**
GRAND TOTAL	**50145**	**9.1**	**18**	**5**	**7**	**8**	**11**	**13**	**16**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	8.0							
18-34	211	8.5	14	5	6	7	10	14	17
35-49	468	8.7	18	5	6	8	10	14	15
50-69	3667	9.0	18	5	7	8	10	13	15
70 +	1107	10.6	21	7	8	9	12	16	21
SUBTOTAL	**5459**	**9.3**	**19**	**5**	**7**	**8**	**11**	**14**	**16**
0-17	65	6.9	7	4	4	6	9	9	12
18-34	350	6.0	8	2	4	6	8	10	11
35-49	1400	6.8	8	3	5	7	8	10	12
50-69	6925	7.2	6	4	5	7	9	10	11
70 +	1035	8.1	10	5	7	8	10	11	12
SUBTOTAL	**9775**	**7.2**	**7**	**4**	**5**	**7**	**9**	**10**	**11**
	15234	**7.9**	**12**	**4**	**6**	**8**	**9**	**11**	**14**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	12	6.0	4						
18-34	43	8.7	6	5	6	9	10	13	13
35-49	125	8.3	9	4	7	8	9	11	15
50-69	292	10.6	33	6	7	9	13	16	18
70 +	114	14.5	79	7	10	14	15	19	44
SUBTOTAL	**587**	**10.6**	**39**	**6**	**7**	**9**	**13**	**15**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	12	6.5	2						
18-34	157	6.5	9	3	4	7	8	10	12
35-49	137	8.8	22	3	6	8	9	14	23
50-69	350	8.8	23	5	6	7	10	14	15
70 +	68	13.2	121	5	8	9	13	41	41
SUBTOTAL	**724**	**8.7**	**31**	**4**	**6**	**8**	**10**	**14**	**16**
GRAND TOTAL	**1311**	**9.6**	**36**	**5**	**7**	**8**	**11**	**15**	**17**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	108	6.4	4	4	5	7	7	7	12
35-49	196	7.9	26	2	6	8	8	13	14
50-69	838	9.2	18	5	7	9	11	13	15
70 +	572	10.4	30	6	7	9	12	18	22
SUBTOTAL	**1715**	**9.3**	**23**	**5**	**7**	**8**	**11**	**14**	**19**
0-17	0								
18-34	139	7.4	9	4	6	6	9	12	14
35-49	305	6.7	5	4	5	6	8	9	11
50-69	1266	7.3	8	4	6	7	9	10	12
70 +	421	8.2	11	5	6	8	10	12	14
SUBTOTAL	**2130**	**7.4**	**9**	**4**	**6**	**7**	**9**	**11**	**13**
	3845	**8.3**	**16**	**5**	**6**	**8**	**9**	**12**	**15**

DRG 210: Hip & Femur Procedures except Major Joint Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1749	11.0	106	4	6	9	12	18	21
70-74	2003	10.8	67	5	7	9	12	17	26
75-79	3208	10.5	47	5	7	9	12	16	21
80-84	3954	10.3	32	5	7	9	12	17	21
85 +	6427	10.1	29	5	7	9	12	16	20
SUBTOTAL	**17341**	**10.4**	**45**	**5**	**7**	**9**	**12**	**17**	**20**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	17341	10.4	45	5	7	9	12	17	20

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	335	10.6	48	5	6	9	11	17	26
35-49	421	9.8	24	5	7	8	12	15	17
50-69	922	11.4	109	5	7	9	12	16	24
70 +	652	12.4	64	6	8	10	14	21	24
	2330	**11.3**	**73**	**5**	**7**	**9**	**13**	**18**	**24**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2330	11.3	73	5	7	9	13	18	24

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	174	13.7	148	6	6	11	14	29	50
35-49	121	10.8	44	3	6	11	16	24	48
50-69	262	15.2	134	6	8	11	18	29	39
70 +	108	12.7	58	7	9	10	17	31	89
SUBTOTAL	**665**	**13.6**	**111**	**5**	**7**	**11**	**16**	**29**	**47**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	665	13.6	111	5	7	11	16	29	47

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	376	11.1	46	6	7	9	13	19	23
35-49	295	12.2	56	5	7	11	15	21	23
50-69	456	12.8	95	4	7	11	15	23	30
70 +	472	12.2	93	5	7	10	14	19	44
	1599	**12.1**	**76**	**5**	**7**	**10**	**14**	**21**	**24**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1599	12.1	76	5	7	10	14	21	24

DRG 211: Hip & Femur Procedures except Major Joint Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	811	7.9	48	3	5	7	9	12	13
70-74	1024	8.1	16	4	6	7	9	12	15
75-79	1214	8.2	19	5	6	7	9	12	14
80-84	1261	8.1	18	4	6	7	10	12	14
85 +	2168	8.3	13	5	6	8	10	13	14
SUBTOTAL	**6478**	**8.2**	**20**	**4**	**6**	**7**	**10**	**12**	**14**
GRAND TOTAL	**6478**	**8.2**	**20**	**4**	**6**	**7**	**10**	**12**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	0								
18-34	950	5.8	14	2	3	5	8	11	12
35-49	879	5.9	14	2	4	5	7	10	13
50-69	995	6.6	9	3	4	6	8	10	13
70 +	397	10.0	30	5	6	9	12	17	24
SUBTOTAL	**3221**	**6.6**	**16**	**3**	**4**	**6**	**8**	**11**	**14**
GRAND TOTAL	**3221**	**6.6**	**16**	**3**	**4**	**6**	**8**	**11**	**14**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	426	9.6	41	4	5	8	12	19	21
35-49	110	13.0	302	3	5	7	17	20	80
50-69	200	10.7	46	5	6	8	11	20	25
70 +	117	7.9	5	6	6	8	10	11	12
SUBTOTAL	**853**	**10.1**	**73**	**4**	**6**	**8**	**12**	**20**	**21**
GRAND TOTAL	**853**	**10.1**	**73**	**4**	**6**	**8**	**12**	**20**	**21**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	0								
18-34	1285	9.0	42	4	5	7	11	16	21
35-49	487	7.9	29	3	4	6	10	15	19
50-69	466	8.6	24	4	5	7	10	15	20
70 +	200	9.6	31	5	7	8	13	15	18
SUBTOTAL	**2438**	**8.8**	**35**	**4**	**5**	**7**	**11**	**15**	**20**
GRAND TOTAL	**2438**	**8.8**	**35**	**4**	**5**	**7**	**11**	**15**	**20**

DRG 212: Hip & Femur Procedures except Major Joint Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	25	9.3	2						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	25	9.3	2						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	22	5.8	17						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	22	5.8	17						
GRAND TOTAL	47	7.7	12	2	5	8	11	12	12

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	675	5.2	17	2	2	4	7	12	14
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	675	5.2	17	2	2	4	7	12	14
0-17	2508	4.5	23	1	2	3	5	8	14
18-34	0								
35 49	0								
50-69	0								
70 +	0								
	2508	4.5	23	1	2	3	5	8	14
	3184	4.6	22	1	2	3	5	9	14

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	528	6.5	65	1	2	3	7	14	29
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	528	6.5	65	1	2	3	7	14	29
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	989	4.1	18	1	2	3	5	8	12
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	989	4.1	18	1	2	3	5	8	12
GRAND TOTAL	1517	5.0	36	1	2	3	5	10	15

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	219	6.2	19	2	2	5	9	12	15
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	219	6.2	19	2	2	5	9	12	15
0-17	775	5.6	33	1	2	3	7	12	17
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	775	5.6	33	1	2	3	7	12	17
	994	5.7	30	1	2	4	8	12	16

DRG 213: Amputation for Musculoskeletal System & Conn Tissue Disorders

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	368	12.1	81	3	6	10	16	22	30
70-74	90	8.8	29	4	5	6	11	13	23
75-79	108	9.7	32	2	7	9	13	15	22
80-84	59	12.9	42	4	7	11	16	24	27
85+	84	13.3	46	7	7	13	17	24	25
SUBTOTAL	**709**	**11.5**	**61**	**4**	**6**	**10**	**15**	**22**	**24**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	98	5.7	16	2	2	4	11	12	14
70-74	35	9.5	38						
75-79	8	7.0							
80-84	8	3.0							
85+	37	5.1	16						
SUBTOTAL	**186**	**6.2**	**22**	**1**	**2**	**5**	**10**	**13**	**14**
GRAND TOTAL	**895**	**10.4**	**58**	**3**	**5**	**8**	**14**	**21**	**23**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	7.4	14						
18-34	22	3.4	2						
35-49	43	6.1	25	2	2	2	9	16	16
50-69	125	9.1	63	1	3	7	12	26	26
70+	20	12.4	65						
SUBTOTAL	**241**	**8.1**	**49**	**2**	**2**	**6**	**11**	**21**	**26**
0-17	68	5.0	15	1	2	3	9	11	12
18-34	41	5.6	27	1	2	3	9	16	16
35-49	31	5.1	4						
50-69	45	4.9	26	1	1	4	5	17	17
70+	14	6.7	26						
SUBTOTAL	**198**	**5.2**	**19**	**1**	**2**	**4**	**8**	**11**	**16**
GRAND TOTAL	**440**	**6.8**	**37**	**1**	**2**	**5**	**9**	**16**	**22**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	39	14.2	110	5	7	12	15	37	37
35-49	18	4.3	4						
50-69	29	21.4	538						
70+	6	9.0							
SUBTOTAL	**92**	**14.1**	**248**	**3**	**5**	**8**	**15**	**37**	**63**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	6	2.0							
18-34	22	4.2	14						
35-49	35	8.8	22						
50-69	14	4.4							
70+	8	2.0							
SUBTOTAL	**86**	**5.7**	**20**	**2**	**2**	**4**	**10**	**11**	**17**
GRAND TOTAL	**178**	**10.1**	**155**	**2**	**3**	**7**	**11**	**22**	**37**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	12	43.5	653						
35-49	18	20.0	221						
50-69	37	13.2	54	3	8	12	19	25	25
70+	6	10.0							
SUBTOTAL	**74**	**19.7**	**306**	**4**	**9**	**15**	**22**	**39**	**68**
0-17	0								
18-34	55	6.0	16	1	3	4	[illegible]	14	14
35-49	39	3.8	3	1	3	4	5	7	7
50-69	12	19.5	170						
70+	0								
SUBTOTAL	**106**	**6.8**	**50**	**1**	**3**	**4**	**8**	**14**	**32**
GRAND TOTAL	**180**	**12.0**	**194**	**3**	**4**	**7**	**14**	**30**	**39**

DRG 214: Back & Neck Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2798	9.0	40	4	5	7	11	17	23
70-74	2033	9.7	43	4	6	8	12	17	22
75-79	1613	9.1	23	5	6	8	12	15	19
80-84	713	11.6	88	5	7	8	13	22	27
85+	243	12.1	40	6	7	11	18	23	26
SUBTOTAL	7401	9.6	42	4	6	8	11	18	23
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
GRAND TOTAL	7401	9.6	42	4	6	8	11	18	23

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	405	10.1	76	6	7	8	11	14	17
18-34	971	8.8	58	3	4	7	10	14	21
35-49	1944	7.1	28	3	4	6	9	13	18
50-69	2888	8.2	43	3	4	6	9	15	21
70+	297	9.1	28	4	6	8	10	16	19
	6505	8.1	43	3	4	6	9	15	20
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	6505	8.1	43	3	4	6	9	15	20

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	211	10.6	41	6	7	8	11	22	25
18-34	139	13.3	156	3	3	8	19	32	39
35-49	190	9.3	79	3	4	6	8	22	32
50-69	176	13.7	261	4	6	9	15	23	34
70+	8	9.0							
SUBTOTAL	724	11.5	129	3	5	8	15	23	32
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
GRAND TOTAL	724	11.5	129	3	5	8	15	23	32

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	94	12.5	30	7	7	12	17	19	23
18-34	280	11.8	57	5	6	10	15	23	28
35-49	607	8.6	67	3	4	6	9	19	28
50-69	730	7.7	42	3	4	7	9	13	18
70+	147	9.3	25	4	6	8	11	15	18
	1858	9.0	53	3	4	7	11	18	22
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	1858	9.0	53	3	4	7	11	18	22

DRG 215: Back & Neck Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	3509	5.4	10	2	3	5	6	9	11
70-74	2255	5.9	11	3	4	5	7	10	13
75-79	1398	6.5	13	3	4	6	8	11	15
80-84	482	6.7	13	3	4	6	8	10	13
85+	247	8.2	30	4	5	7	8	16	24
SUBTOTAL	**7892**	**5.9**	**12**	**3**	**4**	**5**	**7**	**10**	**13**
GRAND TOTAL	**7892**	**5.9**	**12**	**3**	**4**	**5**	**7**	**10**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
0-17	860	6.4	6	4	5	6	7	9	11
18-34	6160	4.2	8	2	3	4	5	7	9
35-49	14412	4.1	6	2	3	4	5	7	9
50-69	8971	4.8	10	2	3	4	6	8	10
70+	292	5.9	7	3	4	5	7	9	11
SUBTOTAL	**30696**	**4.4**	**8**	**2**	**3**	**4**	**5**	**7**	**9**
GRAND TOTAL	**30696**	**4.4**	**8**	**2**	**3**	**4**	**5**	**7**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	199	7.8	14	4	6	7	9	13	16
18-34	583	5.2	20	2	3	4	5	10	13
35-49	711	5.6	36	2	3	5	7	8	14
50-69	307	6.5	36	3	3	5	7	9	15
70+	12	9.0	39						
SUBTOTAL	**1812**	**5.9**	**29**	**2**	**3**	**5**	**7**	**10**	**14**
GRAND TOTAL	**1812**	**5.9**	**29**	**2**	**3**	**5**	**7**	**10**	**14**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
0-17	98	7.5	27	3	4	6	8	14	23
18-34	1812	4.7	20	2	3	4	5	8	11
35-49	3312	4.5	7	2	3	4	5	7	10
50-69	1858	4.9	12	2	3	4	6	8	10
70+	131	7.2	7	5	5	7	8	10	10
SUBTOTAL	**7211**	**4.7**	**12**	**2**	**3**	**4**	**6**	**8**	**10**
GRAND TOTAL	**7211**	**4.7**	**12**	**2**	**3**	**4**	**6**	**8**	**10**

DRG 216: Biopsies of Musculoskeletal System & Connective Tissue

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	225	15.9	274	2	4	11	18	41	55
70-74	147	17.0	171	3	7	13	25	36	46
75-79	153	12.1	143	2	5	8	18	35	79
80-84	108	14.3	180	2	6	11	14	41	52
85 +	102	12.8	67	3	4	10	21	23	28
SUBTOTAL	**736**	**14.6**	**186**	**2**	**5**	**11**	**18**	**35**	**49**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	100	4.8	19	1	2	3	8	11	15
70-74	78	5.9	29	1	3	4	5	14	20
75-79	55	5.5	12	1	3	6	10	10	10
80-84	45	8.7	39	1	2	8	15	19	19
85 +	49	14.1	135	1	8	11	18	39	39
SUBTOTAL	**327**	**7.1**	**49**	**1**	**2**	**5**	**10**	**15**	**20**
GRAND TOTAL	**1063**	**12.3**	**156**	**2**	**3**	**9**	**16**	**29**	**45**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	43	5.4	19	< 1	2	4	11	13	13
18-34	6	2.0							
35-49	49	9.2	80	1	3	5	15	25	25
50-69	117	10.8	120	2	4	5	15	32	40
70 +	6	3.0							
SUBTOTAL	**221**	**8.9**	**91**	**2**	**3**	**5**	**11**	**24**	**32**
0-17	289	2.7	5	1	1	1	4	6	6
18-34	157	3.2	7	1	1	2	5	7	9
35-49	178	4.4	11	1	2	3	6	10	11
50-69	166	4.2	14	1	1	3	7	9	11
70 +	8	10.0							
SUBTOTAL	**798**	**3.5**	**10**	**1**	**1**	**2**	**5**	**9**	**10**
GRAND TOTAL	**1018**	**4.7**	**32**	**1**	**1**	**3**	**6**	**10**	**15**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	12	5.5	13						
18-34	0								
35-49	8	27.0							
50-69	12	12.5	61						
70 +	0								
SUBTOTAL	**33**	**13.5**	**99**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	51	7.2	80	< 1	1	2	10	29	29
18-34	25	4.0	4						
35-49	29	2.3	2						
50-69	18	10.3	148						
70 +	0								
SUBTOTAL	**123**	**5.9**	**63**	**1**	**1**	**3**	**5**	**17**	**28**
GRAND TOTAL	**156**	**7.5**	**79**	**1**	**1**	**4**	**9**	**27**	**27**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	12	21.0	184						
18-34	14	9.7	2						
35-49	39	8.7	109	< 1	1	1	13	30	30
50-69	41	9.6	57	1	1	10	14	23	23
70 +	6	4.0							
SUBTOTAL	**113**	**10.2**	**92**	**1**	**1**	**9**	**13**	**30**	**33**
0-17	92	3.1	7	1	1	2	5	8	9
18-34	80	5.7	38	< 1	1	2	8	18	19
35-49	59	5.7	14	1	3	6	9	11	11
50-69	31	5.8	12						
70 +	0								
SUBTOTAL	**262**	**4.8**	**20**	**1**	**1**	**3**	**8**	**11**	**11**
GRAND TOTAL	**374**	**6.5**	**48**	**1**	**1**	**4**	**9**	**13**	**19**

DRG 217: Wnd Debrid & Skn Grft except Hand,for Muscskelet & Conn Tiss Dis

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	548	18.1	192	4	8	15	27	44	58
70-74	307	23.0	321	2	11	20	34	48	53
75-79	215	18.7	214	2	5	17	21	45	49
80-84	168	28.0	718	6	10	15	61	73	77
85 +	125	19.3	377	4	6	11	23	55	73
SUBTOTAL	**1362**	**20.6**	**316**	**4**	**8**	**16**	**27**	**49**	**64**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	188	8.4	37	2	3	7	14	20	23
70-74	170	9.8	161	1	2	5	13	21	37
75-79	51	4.1	10	1	1	3	6	10	10
80-84	55	10.0	172	2	3	5	9	46	46
85 +	53	5.9	29	1	1	4	8	17	17
SUBTOTAL	**517**	**8.4**	**92**	**1**	**3**	**5**	**10**	**19**	**33**
GRAND TOTAL	**1879**	**17.2**	**284**	**2**	**5**	**12**	**22**	**45**	**57**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	192	15.1	286	2	6	11	17	33	42
18-34	286	14.4	247	4	5	10	15	36	53
35-49	337	14.6	183	2	5	10	22	34	45
50-69	270	15.3	169	4	5	13	25	30	52
70 +	53	13.3	102	2	6	12	14	34	34
	1139	**14.8**	**209**	**3**	**5**	**10**	**21**	**34**	**45**
0-17	480	5.6	27	1	2	4	8	14	17
18-34	646	6.2	65	1	2	4	7	12	20
35-49	523	5.8	26	1	2	4	8	15	15
50-69	190	4.7	22	1	1	4	7	8	20
70 +	0								
	1839	**5.8**	**40**	**1**	**2**	**4**	**7**	**14**	**17**
	2978	**9.2**	**123**	**1**	**2**	**6**	**12**	**22**	**29**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	94	14.1	116	1	2	10	23	27	34
18-34	207	22.5	364	3	6	23	36	52	78
35-49	106	22.3	244	6	11	21	30	63	99 +
50-69	121	27.3	217	7	13	26	36	43	55
70 +	6	27.0							
SUBTOTAL	**534**	**22.1**	**276**	**4**	**8**	**22**	**34**	**45**	**63**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	170	7.2	55	1	2	5	10	17	25
18-34	381	11.9	140	2	4	7	15	31	38
35-49	158	15.7	168	3	4	12	21	41	42
50-69	39	18.5	399	1	3	19	19	61	61
70 +	6	5.0							
SUBTOTAL	**753**	**11.9**	**149**	**2**	**4**	**7**	**15**	**29**	**41**
GRAND TOTAL	**1287**	**16.2**	**226**	**2**	**4**	**11**	**25**	**39**	**46**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	90	8.6	61	2	5	7	10	13	34
18-34	444	20.2	351	3	8	13	26	54	64
35-49	307	13.6	202	3	4	8	19	32	45
50-69	153	21.9	364	6	9	17	22	54	74
70 +	0								
	994	**17.4**	**298**	**3**	**6**	**12**	**22**	**42**	**64**
0-17	190	6.5	50	1	2	5	7	11	24
18-34	1399	9.3	96	2	3	6	12	20	27
35-49	495	10.1	85	2	3	7	15	21	36
50-69	168	6.8	40	1	2	4	10	19	22
70 +	0								
	2252	**9.0**	**86**	**2**	**3**	**6**	**11**	**20**	**27**
	3246	**11.6**	**166**	**2**	**3**	**7**	**15**	**25**	**37**

DRG 218: Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1026	7.5	61	2	3	6	9	13	20
70-74	637	7.7	71	3	4	6	9	12	19
75-79	490	9.1	41	3	5	7	11	17	23
80-84	382	9.6	46	3	5	8	12	20	27
85 +	280	8.7	61	3	5	8	10	14	17
SUBTOTAL	**2816**	**8.2**	**58**	**3**	**4**	**6**	**10**	**14**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2816**	**8.2**	**58**	**3**	**4**	**6**	**10**	**14**	**22**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	542	6.6	45	2	3	5	7	11	18
35-49	789	5.7	16	2	3	4	7	10	15
50-69	801	7.0	35	3	3	5	8	13	18
70 +	151	11.3	151	4	6	8	12	16	18
SUBTOTAL	**2283**	**6.8**	**40**	**2**	**3**	**5**	**8**	**12**	**18**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2283**	**6.8**	**40**	**2**	**3**	**5**	**8**	**12**	**18**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	307	9.4	149	3	4	7	10	14	20
35-49	194	15.1	240	4	5	8	22	37	54
50-69	176	13.6	233	3	5	7	16	39	45
70 +	8	6.0							
SUBTOTAL	**685**	**12.0**	**201**	**3**	**5**	**7**	**12**	**26**	**39**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**685**	**12.0**	**201**	**3**	**5**	**7**	**12**	**26**	**39**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	765	7.4	44	2	3	6	9	13	18
35-49	425	9.5	86	3	4	7	12	18	25
50-69	419	10.1	89	2	5	8	12	20	25
70 +	96	9.3	140	3	4	7	9	13	53
SUBTOTAL	**1705**	**8.7**	**72**	**2**	**4**	**7**	**10**	**16**	**22**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1705**	**8.7**	**72**	**2**	**4**	**7**	**10**	**16**	**22**

DRG 219: Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1919	4.3	8	2	3	4	5	7	9
70-74	913	4.2	5	2	3	4	5	7	9
75-79	596	4.8	8	2	3	4	6	8	10
80-84	323	4.8	8	2	3	4	6	8	9
85 +	186	5.0	21	2	2	3	6	10	19
SUBTOTAL	**3938**	**4.4**	**8**	**2**	**3**	**4**	**6**	**7**	**10**
GRAND TOTAL	**3938**	**4.4**	**8**	**2**	**3**	**4**	**6**	**7**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	0								
18-34	5197	3.0	6	1	2	2	4	5	7
35-49	5018	3.3	7	1	2	3	4	6	7
50-69	4256	3.8	5	2	2	3	5	6	8
70 +	176	5.7	15	2	3	4	6	12	13
SUBTOTAL	**14648**	**3.4**	**6**	**1**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**14648**	**3.4**	**6**	**1**	**2**	**3**	**4**	**6**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	1332	6.4	66	2	3	4	8	12	18
35-49	712	7.0	53	2	3	4	8	14	21
50-69	319	5.5	12	2	3	5	7	11	11
70 +	49	7.8	153	1	2	4	5	40	40
SUBTOTAL	**2412**	**6.5**	**57**	**2**	**3**	**4**	**8**	**13**	**18**
GRAND TOTAL	**2412**	**6.5**	**57**	**2**	**3**	**4**	**8**	**13**	**18**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	0								
18-34	5080	4.4	15	1	2	3	5	8	10
35-49	2852	4.5	17	1	2	3	5	9	13
50-69	1364	4.5	15	2	2	4	5	9	11
70 +	86	6.6	30	2	2	5	9	15	19
SUBTOTAL	**9382**	**4.5**	**16**	**1**	**2**	**3**	**5**	**9**	**11**
GRAND TOTAL	**9382**	**4.5**	**16**	**1**	**2**	**3**	**5**	**9**	**11**

DRG 220: Lower Extrem & Rel Proc except Hip, Foot, Femur Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	6	3.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	6	3.0							
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	6	3.0							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	295	4.5	17	2	2	3	5	8	14
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	295	4.5	17	2	2	3	5	8	14
0-17	4647	2.3	7	1	1	2	3	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	4647	2.3	7	1	1	2	3	4	5
GRAND TOTAL	4942	2.5	8	1	1	2	3	4	5

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	190	4.2	23	1	2	3	4	6	12
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	190	4.2	23	1	2	3	4	6	12
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	1176	2.6	6	1	1	2	3	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1176	2.6	6	1	1	2	3	5	7
GRAND TOTAL	1367	2.8	9	1	1	2	3	5	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	110	4.0	9	< 1	1	2	7	8	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	110	4.0	9	< 1	1	2	7	8	9
0-17	1883	2.5	11	1	1	2	3	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1883	2.5	11	1	1	2	3	4	6
GRAND TOTAL	1994	2.6	11	1	1	2	3	5	7

DRG 221: Knee Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	262	7.0	27	1	3	6	9	14	16
70-74	198	9.9	54	2	4	9	14	21	24
75-79	125	10.4	98	2	5	7	12	25	41
80-84	110	11.8	53	5	6	9	17	24	28
85 +	39	9.2	14	2	7	11	12	13	13
SUBTOTAL	**734**	**9.2**	**53**	**2**	**4**	**7**	**13**	**17**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**734**	**9.2**	**53**	**2**	**4**	**7**	**13**	**17**	**24**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	196	5.2	28	2	2	3	5	16	21
18-34	624	4.3	14	2	2	3	5	7	11
35-49	333	3.8	6	1	2	3	5	8	9
50-69	249	5.7	28	1	2	3	8	14	18
70 +	37	19.7	193						
	1439	**4.9**	**27**	**2**	**2**	**3**	**5**	**9**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1439	**4.9**	**27**	**2**	**2**	**3**	**5**	**9**	**14**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	25	2.5	1						
18-34	63	2.9	17	1	1	1	2	6	15
35-49	29	5.0	4						
50-69	41	12.1	146	5	5	7	11	40	40
70 +	8	9.0							
SUBTOTAL	**166**	**5.8**	**58**	**1**	**2**	**4**	**6**	**11**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**166**	**5.8**	**58**	**1**	**2**	**4**	**6**	**11**	**15**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	9.1	5						
18-34	159	4.0	6	1	2	4	5	7	9
35-49	94	5.8	29	1	2	4	8	14	21
50-69	72	12.2	138	4	4	7	17	20	45
70 +	18	15.3	18						
	374	**7.0**	**50**	**1**	**3**	**5**	**9**	**16**	**20**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	374	**7.0**	**50**	**1**	**3**	**5**	**9**	**16**	**20**

DRG 222: Knee Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	717	3.1	5	< 1	1	2	4	7	8
70-74	339	4.8	69	< 1	1	3	6	9	12
75-79	335	4.6	40	1	1	2	6	8	13
80-84	255	4.9	19	< 1	2	3	7	10	15
85 +	29	3.2	5						
SUBTOTAL	**1676**	**4.0**	**28**	**< 1**	**1**	**3**	**5**	**8**	**10**
GRAND TOTAL	**1676**	**4.0**	**28**	**< 1**	**1**	**3**	**5**	**8**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	3246	2.5	3	1	2	2	3	4	4
18-34	12730	2.5	2	1	2	2	3	4	4
35-49	5589	2.6	2	1	2	2	3	4	5
50-69	1496	2.6	4	< 1	1	2	3	5	7
70 +	45	2.6	2	< 1	2	2	4	5	5
23105	**2.6**	**2**	**1**	**2**	**2**	**3**	**4**	**4**	
23105	**2.6**	**2**	**1**	**2**	**2**	**3**	**4**	**4**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	168	2.6	2	1	2	2	3	4	4
18-34	554	3.7	9	1	2	3	4	9	11
35-49	123	4.1	21	1	2	3	4	7	15
50-69	72	6.9	33	< 1	3	5	11	13	21
70 +	12	4.5	2						
SUBTOTAL	**928**	**3.8**	**12**	**1**	**2**	**3**	**4**	**9**	**11**
GRAND TOTAL	**928**	**3.8**	**12**	**1**	**2**	**3**	**4**	**9**	**11**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	648	2.8	9	1	2	2	3	4	5
18-34	2594	2.7	6	1	2	2	3	4	5
35-49	1047	3.1	7	1	2	2	4	5	8
50-69	321	3.1	5	1	2	2	4	7	8
70 +	0								
4610	**2.8**	**7**	**1**	**2**	**2**	**3**	**5**	**6**	
4610	**2.8**	**7**	**1**	**2**	**2**	**3**	**5**	**6**	

DRG 223: Major Shoulder/Elbow Proc, or Other Upper Extremity Proc w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	497	3.5	8	1	2	3	4	6	10
70-74	427	3.5	9	1	2	3	4	6	11
75-79	174	3.2	3	1	2	3	4	5	6
80-84	153	6.8	22	2	3	6	8	13	16
85 +	80	6.7	24	2	3	5	10	13	19
SUBTOTAL	**1331**	**4.0**	**12**	**1**	**2**	**3**	**5**	**8**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	689	2.5	2	1	2	2	3	4	5
70-74	556	2.7	2	1	2	2	3	5	6
75-79	262	2.7	2	1	2	2	3	5	6
80-84	92	3.5	3	2	2	3	4	6	8
85 +	0								
SUBTOTAL	**1598**	**2.7**	**2**	**1**	**2**	**2**	**3**	**5**	**5**
GRAND TOTAL	**2929**	**3.3**	**7**	**1**	**2**	**3**	**4**	**6**	**8**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	98	6.5	127	1	2	2	4	14	42
18-34	180	3.8	22	1	1	2	4	8	16
35-49	219	3.8	10	1	1	3	4	9	11
50-69	470	2.9	4	1	2	2	3	5	6
70 +	47	4.0	3	1	4	4	4	7	7
	1014	**3.6**	**21**	**1**	**2**	**2**	**4**	**6**	**11**
0-17	147	2.3	10	1	1	1	2	2	15
18-34	732	1.7	1	1	1	2	2	3	3
35-49	1239	1.7	1	1	1	1	2	3	4
50-69	1941	2.2	2	1	1	2	3	3	4
70 +	59	2.9	4	1	1	2	3	7	7
	4118	**2.0**	**2**	**1**	**1**	**2**	**2**	**3**	**4**
	5132	**2.3**	**6**	**1**	**1**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	31	2.8	2						
18-34	18	4.0	9						
35-49	35	5.1	4						
50-69	53	6.6	40	1	2	6	7	23	23
70 +	12	9.0	1						
SUBTOTAL	**149**	**5.3**	**20**	**1**	**2**	**4**	**7**	**8**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	27	3.2							
18-34	51	1.8		1	1	2	2	3	3
35-49	61	2.5	3	1	1	2	3	6	6
50-69	6	7.0							
70 +	0								
SUBTOTAL	**145**	**2.6**	**2**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**294**	**4.0**	**13**	**1**	**2**	**3**	**6**	**7**	**8**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	20	3.7							
18-34	252	4.5	6	2	3	4	5	8	9
35-49	92	6.3	26	1	2	5	10	14	16
50-69	184	3.3	3	2	2	3	4	6	7
70 +	31	2.0	1						
	579	**4.2**	**9**	**2**	**2**	**4**	**5**	**8**	**11**
0-17	14	1.6							
18-34	282	1.8	2	1	1	1	2	3	3
35-49	333	1.7	1	1	1	2	2	3	3
50-69	341	2.0	1	1	1	2	3	3	3
70 +	14	1.6							
	985	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**3**
	1564	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 224: Shoulder, Elbow or Forearm Proc,exc Major Joint Proc, w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	875	2.4	2	1	2	2	3	4	5
70-74	603	2.7	3	1	2	2	3	4	5
75-79	341	2.3	2	1	1	2	3	4	5
80-84	188	3.1	4	1	2	2	4	5	8
85 +	188	3.9	10	1	2	3	4	8	13
SUBTOTAL	**2195**	**2.6**	**3**	**1**	**2**	**2**	**3**	**4**	**5**
GRAND TOTAL	**2195**	**2.6**	**3**	**1**	**2**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1741	1.8	3	1	1	1	2	3	4
18-34	3192	1.8	1	1	1	2	2	3	4
35-49	2062	1.8	1	1	1	2	2	3	4
50-69	2046	2.1	1	1	1	2	3	4	4
70 +	72	3.2	4	1	2	3	4	6	8
	9113	**1.9**	**2**	**1**	**1**	**2**	**2**	**3**	**4**
	9113	**1.9**	**2**	**1**	**1**	**2**	**2**	**3**	**4**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	243	1.9	1	1	1	2	2	3	4
18-34	432	3.8	9	1	2	3	4	8	9
35-49	213	3.5	6	1	2	3	4	7	9
50-69	108	3.1	5	1	2	2	4	6	10
70 +	14	4.4	17						
SUBTOTAL	**1010**	**3.2**	**7**	**1**	**1**	**2**	**4**	**6**	**9**
GRAND TOTAL	**1010**	**3.2**	**7**	**1**	**1**	**2**	**4**	**6**	**9**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	601	2.5	11	1	1	2	3	4	5
18-34	1863	3.0	5	1	1	2	4	6	8
35-49	785	3.0	8	1	1	2	4	5	8
50-69	538	2.3	2	1	1	2	3	4	4
70 +	61	4.0	6	2	2	3	4	8	8
	3849	**2.9**	**6**	**1**	**1**	**2**	**3**	**5**	**8**
	3849	**2.9**	**6**	**1**	**1**	**2**	**3**	**5**	**8**

DRG 225: Foot Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	251	6.2	33	2	3	4	7	14	18
70-74	125	4.6	19	1	2	4	5	9	19
75-79	135	5.9	10	3	3	5	8	11	12
80-84	53	7.3	48	3	3	4	5	22	22
85 +	45	6.8	22	3	3	5	8	16	16
SUBTOTAL	**609**	**5.9**	**26**	**2**	**3**	**4**	**7**	**13**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	585	2.7	2	1	2	2	4	5	5
70-74	343	3.5	36	1	2	2	3	5	7
75-79	268	2.8	7	1	1	2	3	4	10
80-84	96	2.6	2	1	2	2	3	3	7
85 +	27	3.0	2						
SUBTOTAL	**1318**	**2.9**	**12**	**1**	**2**	**2**	**3**	**5**	**6**
GRAND TOTAL	**1927**	**3.9**	**18**	**1**	**2**	**3**	**4**	**7**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	110	4.2	38	1	1	2	4	8	25
18-34	114	4.9	15	2	2	3	6	12	15
35-49	194	5.3	30	1	1	3	8	11	12
50-69	315	5.7	46	1	2	3	8	14	20
70 +	29	8.1	15						
SUBTOTAL	**763**	**5.3**	**36**	**1**	**2**	**3**	**8**	**11**	**18**
0-17	1215	1.8	2	1	1	1	2	3	4
18-34	991	2.3	3	1	1	2	3	4	6
35-49	1490	2.4	4	1	1	2	3	4	6
50-69	1741	2.4	5	1	1	2	3	4	5
70 +	47	3.7	10	1	2	2	5	11	11
SUBTOTAL	**5485**	**2.3**	**4**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**6248**	**2.6**	**9**	**1**	**1**	**2**	**3**	**5**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	43	2.7	5	1	1	2	5	7	7
18-34	20	7.5	2						
35-49	12	3.0	4						
50-69	29	8.1	13						
70 +	0								
SUBTOTAL	**104**	**5.2**	**13**	**1**	**2**	**5**	**8**	**9**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	430	2.1	2	1	1	2	3	4	4
18-34	211	4.7	12	1	2	4	8	9	12
35-49	78	4.0	16	< 1	1	2	5	12	13
50-69	33	4.5	11						
70 +	0								
SUBTOTAL	**751**	**3.1**	**8**	**1**	**1**	**2**	**4**	**8**	**9**
GRAND TOTAL	**855**	**3.3**	**9**	**1**	**1**	**2**	**4**	**8**	**11**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	41	4.1	10	1	1	4	4	10	10
18-34	72	6.4	23	1	2	5	9	12	18
35-49	70	4.9	8	1	2	4	8	8	9
50-69	86	8.5	59	1	3	7	12	22	26
70 +	12	15.5	7						
SUBTOTAL	**280**	**6.7**	**34**	**1**	**2**	**5**	**9**	**15**	**18**
0-17	407	2.1	2	1	1	2	3	4	4
18-34	563	3.7	12	1	1	2	5	8	11
35-49	454	3.6	19	1	1	2	4	7	11
50-69	407	2.7	6	1	2	2	3	4	9
70 +	29	4.1	11						
SUBTOTAL	**1859**	**3.1**	**10**	**1**	**1**	**2**	**4**	**7**	**9**
GRAND TOTAL	**2139**	**3.6**	**15**	**1**	**1**	**2**	**4**	**8**	**11**

DRG 226: Soft Tissue Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	335	6.5	59	2	3	4	7	15	23
70-74	231	5.3	14	2	2	4	7	11	12
75-79	208	6.9	82	1	3	4	6	15	36
80-84	119	7.8	33	2	4	6	9	18	20
85 +	51	11.6	75	2	4	7	21	25	25
SUBTOTAL	**944**	**6.7**	**52**	**2**	**3**	**4**	**8**	**15**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**944**	**6.7**	**52**	**2**	**3**	**4**	**8**	**15**	**21**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	352	2.6	10	< 1	1	2	3	4	6
18-34	163	3.2	8	< 1	2	3	4	5	9
35-49	251	4.5	8	1	2	4	7	9	9
50-69	321	6.6	82	1	2	4	9	13	14
70 +	39	4.2	12	1	1	2	9	9	9
	1127	**4.3**	**32**	**1**	**2**	**3**	**5**	**9**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1127	**4.3**	**32**	**1**	**2**	**3**	**5**	**9**	**12**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	315	3.4	19	< 1	1	2	4	7	11
18-34	82	6.6	61	1	2	3	7	20	28
35-49	39	10.8	59	2	4	9	17	24	24
50-69	27	6.2	10						
70 +	12	11.0	17						
SUBTOTAL	**475**	**4.9**	**34**	**< 1**	**1**	**2**	**6**	**12**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**475**	**4.9**	**34**	**< 1**	**1**	**2**	**6**	**12**	**19**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	55	4.8	20	1	1	3	6	14	14
18-34	139	5.8	101	< 1	1	3	6	8	9
35-49	151	4.7	14	1	2	4	7	11	12
50-69	102	3.9	16	2	2	2	3	12	16
70 +	18	6.7	23						
	466	**5.0**	**42**	**1**	**2**	**3**	**6**	**11**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	466	**5.0**	**42**	**1**	**2**	**3**	**6**	**11**	**14**

DRG 227: Soft Tissue Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	672	2.8	16	1	1	2	3	4	7
70-74	370	2.6	3	1	1	2	3	5	6
75-79	229	3.1	3	1	2	3	4	5	7
80-84	170	3.5	4	1	2	3	5	6	7
85 +	63	2.7	3	< 1	1	4	4	5	5
SUBTOTAL	**1504**	**2.9**	**9**	**1**	**1**	**2**	**4**	**5**	**7**
GRAND TOTAL	**1504**	**2.9**	**9**	**1**	**1**	**2**	**4**	**5**	**7**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	1684	1.9	3	< 1	1	1	2	3	5
18-34	1614	2.0	2	1	1	1	2	3	4
35-49	2338	2.0	3	1	1	2	2	3	4
50-69	1843	2.4	4	1	1	2	3	4	5
70 +	55	3.6	5	2	2	3	5	9	9
7535	**2.1**	**3**	**1**	**1**	**2**	**2**	**4**	**5**	
7535	**2.1**	**3**	**1**	**1**	**2**	**2**	**4**	**5**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	606	1.8	2	< 1	1	1	2	3	4
18-34	254	3.3	8	1	1	2	4	7	10
35-49	166	5.2	51	1	2	3	4	14	15
50-69	92	3.7	26	1	1	2	3	5	22
70 +	0								
SUBTOTAL	**1117**	**2.8**	**14**	**< 1**	**1**	**2**	**3**	**5**	**8**
GRAND TOTAL	**1117**	**2.8**	**14**	**< 1**	**1**	**2**	**3**	**5**	**8**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	448	2.1	3	< 1	1	2	3	4	5
18-34	982	3.0	9	1	1	2	4	6	8
35-49	728	2.8	8	1	1	2	3	6	9
50-69	384	2.7	11	1	1	2	3	4	5
70 +	16	2.0	1						
2558	**2.8**	**8**	**1**	**1**	**2**	**3**	**5**	**8**	
2558	**2.8**	**8**	**1**	**1**	**2**	**3**	**5**	**8**	

DRG 228: Major Thumb or Joint Proc,or Oth Hand or Wrist Proc w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	170	3.9	20	1	1	3	4	6	16
70-74	92	5.5	27	2	3	4	6	9	23
75-79	76	3.3	6	1	1	3	5	8	8
80-84	31	2.6	3						
85 +	14	3.7	4						
SUBTOTAL	**382**	**4.0**	**18**	**1**	**1**	**3**	**5**	**7**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	360	2.3	4	1	1	2	3	5	5
70-74	288	1.9	1	1	1	2	2	4	4
75-79	127	2.8	7	1	1	2	3	5	12
80-84	59	2.0	1	1	1	2	3	4	4
85 +	6	3.0							
SUBTOTAL	**840**	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**1222**	**2.8**	**8**	**1**	**1**	**2**	**3**	**5**	**7**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	49	3.6	10	1	1	3	5	11	11
18-34	112	5.6	18	1	2	5	7	13	16
35-49	69	2.7	3	< 1	1	3	3	6	6
50-69	141	3.8	16	1	1	2	7	11	12
70 +	12	3.0							
SUBTOTAL	**384**	**4.1**	**14**	**1**	**1**	**3**	**6**	**9**	**13**
0-17	74	1.1		< 1	1	1	1	2	2
18-34	182	2.3	8	< 1	1	1	3	4	7
35-49	229	1.9	2	1	1	1	2	4	5
50-69	562	2.0	2	1	1	2	2	3	5
70 +	20	2.1	1						
SUBTOTAL	**1067**	**1.9**	**3**	**1**	**1**	**1**	**2**	**3**	**5**
GRAND TOTAL	**1451**	**2.5**	**7**	**1**	**1**	**2**	**3**	**5**	**8**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	49	5.7	43	1	1	2	14	17	17
18-34	43	4.7	24	< 1	1	3	6	16	16
35-49	18	14.0	11						
50-69	6	8.0							
70 +	0								
SUBTOTAL	**117**	**6.8**	**39**	**1**	**2**	**3**	**14**	**17**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	14	1.6							
18-34	14	1.9	1						
35-49	14	4.1	7						
50-69	12	2.5	2						
70 +	0								
SUBTOTAL	**55**	**2.5**	**4**	**1**	**1**	**2**	**3**	**7**	**7**
GRAND TOTAL	**172**	**5.4**	**31**	**1**	**1**	**2**	**8**	**16**	**17**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	39	1.4	1	< 1	< 1	1	1	3	3
18-34	153	6.3	19	2	3	5	9	10	18
35-49	94	6.7	32	2	2	4	11	16	18
50-69	43	4.5	14	1	1	2	9	10	10
70 +	8	1.0							
SUBTOTAL	**338**	**5.5**	**22**	**1**	**2**	**4**	**9**	**12**	**16**
0-17	29	1.3							
18-34	121	3.0	5	1	1	2	4	6	7
35-49	104	2.5	5	1	1	1	2	7	8
50-69	86	2.0	4	1	1	1	2	3	9
70 +	6	1.0							
SUBTOTAL	**346**	**2.4**	**5**	**1**	**1**	**2**	**3**	**7**	**8**
GRAND TOTAL	**683**	**3.9**	**16**	**1**	**1**	**2**	**5**	**9**	**12**

DRG 229: Hand or Wrist Proc, except Major Joint Proc, w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	362	1.9	2	< 1	1	1	2	4	5
70-74	186	2.2	2	< 1	1	2	3	4	5
75-79	106	1.4		< 1	1	1	2	2	3
80-84	31	3.1	13						
85 +	14	4.9	7						
SUBTOTAL	**699**	**2.0**	**3**	**< 1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**699**	**2.0**	**3**	**< 1**	**1**	**1**	**2**	**4**	**5**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	738	1.3	1	< 1	< 1	1	1	2	3
18-34	924	1.8	2	< 1	1	1	2	3	4
35-49	713	1.6	1	< 1	< 1	1	2	3	3
50-69	697	2.1	8	< 1	1	1	2	4	6
70 +	20	1.9	1						
SUBTOTAL	**3092**	**1.7**	**3**	**< 1**	**< 1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**3092**	**1.7**	**3**	**< 1**	**< 1**	**1**	**2**	**3**	**4**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	305	1.7	1	< 1	1	1	2	3	4
18-34	432	2.9	5	1	1	2	4	5	8
35-49	184	3.3	4	1	2	3	4	6	7
50-69	68	1.9	5	< 1	1	1	2	2	9
70 +	14	4.1	1						
SUBTOTAL	**1003**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**1003**	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	299	1.8	2	< 1	1	1	2	4	5
18-34	1706	2.9	6	1	1	2	4	5	7
35-49	522	3.5	14	1	1	2	4	8	12
50-69	256	2.9	11	1	1	2	3	6	7
70 +	16	2.0							
SUBTOTAL	**2799**	**2.9**	**7**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**2799**	**2.9**	**7**	**1**	**1**	**2**	**4**	**6**	**7**

DRG 230: Local Excision & Removal of Int Fix Devices of Hip & Femur

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	72	9.9	125	1	1	5	17	30	30
70-74	84	10.8	93	2	3	8	17	27	32
75-79	63	6.3	46	1	2	3	5	22	22
80-84	31	5.4	15						
85 +	59	5.9	4	3	4	6	7	9	9
SUBTOTAL	**309**	**8.2**	**70**	**1**	**2**	**5**	**9**	**22**	**30**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	114	2.4	5	1	1	2	2	6	9
70-74	37	2.3	1						
75-79	131	3.4	5	1	2	3	5	6	6
80-84	57	4.5	37	1	1	2	4	19	21
85 +	41	4.4	12	1	1	2	8	9	9
SUBTOTAL	**380**	**3.2**	**11**	**1**	**1**	**2**	**4**	**7**	**9**
GRAND TOTAL	**689**	**5.4**	**43**	**1**	**2**	**3**	**6**	**12**	**21**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	108	2.8	11	< 1	1	1	3	6	14
18-34	39	11.2	112						
35-49	45	3.7	4	2	3	3	3	8	8
50-69	37	3.9	4						
70 +	8	3.0							
SUBTOTAL	**237**	**4.5**	**33**	**1**	**1**	**3**	**4**	**8**	**19**
0-17	841	1.6	4	< 1	1	1	2	2	4
18-34	384	1.7	2	1	1	1	2	4	5
35-49	268	1.7	1	1	1	1	2	3	4
50-69	141	2.2	4	1	1	1	3	4	9
70 +	20	2.8	5						
SUBTOTAL	**1654**	**1.7**	**3**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**1891**	**2.1**	**7**	**1**	**1**	**1**	**2**	**4**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	27	5.8	22						
18-34	22	10.8	20						
35-49	12	4.5							
50-69	22	19.0	346						
70 +	0								
SUBTOTAL	**84**	**10.5**	**133**	**2**	**4**	**7**	**11**	**25**	**43**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	164	2.9	22	< 1	1	1	3	6	6
18-34	86	3.9	15	< 1	1	3	4	10	15
35-49	35	2.5	5						
50-69	29	7.4	22						
70 +	0								
SUBTOTAL	**313**	**3.5**	**20**	**< 1**	**1**	**2**	**4**	**9**	**13**
GRAND TOTAL	**397**	**5.0**	**52**	**1**	**1**	**2**	**6**	**13**	**16**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	1.0							
18-34	18	6.0	27						
35-49	0								
50-69	12	6.0	27						
70 +	0								
SUBTOTAL	**37**	**5.2**	**25**	**1**	**1**	**3**	**11**	**13**	**13**
0-17	149	4.4	78	1	1	1	3	9	14
18-34	254	3.4	26	1	1	2	3	7	23
35-49	41	2.5	5	< 1	1	1	6	6	6
50-69	43	2.4	2	1	1	2	4	4	4
70 +	29	4.2	13						
SUBTOTAL	**515**	**3.6**	**37**	**1**	**1**	**2**	**3**	**7**	**13**
GRAND TOTAL	**552**	**3.7**	**36**	**1**	**1**	**2**	**3**	**8**	**13**

DRG 231: Local Excision & Removal of Int Fix Devices except Hip & Femur

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	311	10.0	104	1	3	5	15	20	30
70-74	151	4.0	9	1	2	3	5	11	11
75-79	153	6.8	13	2	4	6	8	13	14
80-84	57	14.2	29	6	10	14	18	22	23
85 +	76	11.6	57	4	5	10	18	22	27
SUBTOTAL	**748**	**8.6**	**64**	**2**	**3**	**5**	**13**	**19**	**22**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	774	3.4	11	1	1	2	4	7	11
70-74	321	3.4	15	1	1	2	4	5	6
75-79	249	3.7	13	1	1	2	4	9	14
80-84	80	9.1	62	1	3	6	14	23	27
85 +	45	5.1	14	2	2	3	8	13	13
SUBTOTAL	**1469**	**3.8**	**17**	**1**	**1**	**2**	**4**	**8**	**12**
GRAND TOTAL	**2217**	**5.4**	**38**	**1**	**2**	**3**	**7**	**13**	**18**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	131	7.4	191	1	1	3	6	15	21
18-34	243	3.9	17	1	2	3	4	9	11
35-49	182	4.3	13	1	1	3	5	11	12
50-69	282	5.6	35	1	2	3	7	13	18
70 +	39	8.9	30	2	2	11	13	17	17
	877	**5.3**	**50**	**1**	**2**	**3**	**6**	**11**	**16**
0-17	1548	2.3	10	< 1	1	1	2	5	6
18-34	2234	2.2	4	1	1	2	3	4	5
35-49	1712	2.1	4	< 1	1	1	2	4	5
50-69	1527	2.4	4	1	1	2	3	4	6
70 +	35	1.8	1						
	7056	**2.2**	**5**	**< 1**	**1**	**2**	**3**	**4**	**6**
	7933	**2.6**	**11**	**< 1**	**1**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	68	7.1	47	< 1	1	4	13	19	20
18-34	86	5.5	15	1	2	5	7	10	16
35-49	45	12.8	282	1	2	3	22	45	45
50-69	41	15.2	226	2	4	8	31	43	43
70 +	0								
SUBTOTAL	**239**	**9.0**	**123**	**1**	**2**	**4**	**9**	**22**	**43**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	291	2.6	16	< 1	1	1	2	5	10
18-34	429	5.8	55	1	2	3	5	13	20
35-49	176	7.6	55	1	2	3	10	19	20
50-69	82	4.7	27	1	1	2	6	14	18
70 +	0								
SUBTOTAL	**978**	**5.1**	**44**	**1**	**1**	**3**	**5**	**14**	**19**
GRAND TOTAL	**1217**	**5.8**	**62**	**1**	**1**	**3**	**7**	**17**	**20**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	27	4.5	16						
18-34	168	6.0	25	1	3	4	8	15	17
35-49	149	6.9	44	2	2	5	9	15	24
50-69	88	6.4	60	2	2	3	6	11	32
70 +	25	3.0	8						
	456	**6.1**	**37**	**1**	**2**	**4**	**8**	**15**	**18**
0-17	354	3.4	31	< 1	1	2	3	7	9
18-34	1017	3.9	17	1	1	2	5	10	13
35-49	546	4.2	36	1	1	2	3	10	14
50-69	325	3.1	8	1	1	2	4	5	11
70 +	8	2.0							
	2250	**3.8**	**23**	**1**	**1**	**2**	**4**	**9**	**13**
	2706	**4.2**	**26**	**1**	**1**	**2**	**5**	**10**	**14**

DRG 232: Arthroscopy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	33	5.8	8						
70-74	0								
75-79	8	11.0							
80-84	6	9.0							
85 +	0								
SUBTOTAL	**47**	**7.1**	**10**	**2**	**5**	**6**	**10**	**11**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	53	3.4	5	1	2	3	5	8	8
70-74	63	2.4	2	< 1	< 1	2	4	4	5
75-79	16	1.5							
80-84	0								
85 +	0								
SUBTOTAL	**133**	**2.7**	**4**	**< 1**	**1**	**2**	**4**	**5**	**8**
GRAND TOTAL	**180**	**3.8**	**9**	**< 1**	**1**	**3**	**5**	**9**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	16	1.5							
35-49	18	2.7	3						
50-69	29	6.4	27						
70 +	0								
SUBTOTAL	**63**	**4.1**	**18**	**< 1**	**1**	**2**	**5**	**13**	**13**
0-17	444	1.8	7	< 1	< 1	1	1	3	6
18-34	625	1.6	1	< 1	< 1	1	2	3	3
35-49	288	1.7	3	< 1	1	1	2	2	5
50-69	194	1.9	1	< 1	1	1	3	3	4
70 +	6	3.0							
SUBTOTAL	**1558**	**1.7**	**3**	**< 1**	**< 1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**1621**	**1.8**	**4**	**< 1**	**< 1**	**1**	**2**	**3**	**5**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	57	4.5	27	< 1	< 1	1	6	16	16
18-34	31	1.0							
35-49	12	1.5							
50-69	14	3.1	7						
70 +	0								
SUBTOTAL	**114**	**3.1**	**16**	**< 1**	**< 1**	**1**	**4**	**7**	**16**
GRAND TOTAL	**114**	**3.1**	**16**	**< 1**	**< 1**	**1**	**4**	**7**	**16**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	8	1.0							
35-49	12	7.5	46						
50-69	0								
70 +	0								
SUBTOTAL	**20**	**4.9**	**37**						
0-17	12	4.0							
18-34	139	1.9	4	< 1	1	1	2	3	4
35-49	74	1.6	1	1	1	1	2	3	4
50-69	57	2.1		1	2	2	2	3	3
70 +	12	2.0	1						
SUBTOTAL	**295**	**2.0**	**2**	**1**	**1**	**2**	**2**	**4**	**4**
GRAND TOTAL	**315**	**2.1**	**5**	**1**	**1**	**2**	**2**	**4**	**4**

DRG 233: Other Musculoskelet Sys & Conn Tiss O.R. Proc w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	239	8.3	26	2	5	7	13	15	17
70-74	217	8.2	79	2	5	6	9	12	26
75-79	166	8.1	14	3	5	8	11	13	14
80-84	119	11.1	89	2	6	9	15	17	36
85 +	96	9.6	22	5	7	8	15	15	17
SUBTOTAL	836	8.8	46	2	5	7	12	15	17
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	836	8.8	46	2	5	7	12	15	17

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	141	7.1	28	1	4	5	8	16	17
18-34	190	8.0	38	2	3	6	11	14	15
35-49	180	9.4	35	3	4	9	14	16	17
50-69	247	8.8	36	3	3	7	14	18	20
70 +	27	6.5	5						
	785	8.4	35	2	3	7	12	17	18
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	785	8.4	35	2	3	7	12	17	18

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	111	9.4	107	1	4	5	13	23	44
18-34	68	9.2	145	2	3	4	6	39	39
35-49	18	27.3	160						
50-69	25	15.3	44						
70 +	6	3.0							
SUBTOTAL	227	11.2	139	2	3	5	15	35	39
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	227	11.2	139	2	3	5	15	35	39

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	53	6.2	18	1	4	5	10	14	14
18-34	223	10.4	88	4	5	7	11	20	37
35-49	114	10.6	30	4	6	10	16	19	20
50-69	70	16.6	247	3	5	11	25	40	54
70 +	16	8.5	60						
	477	10.8	95	3	5	8	14	20	37
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	477	10.8	95	3	5	8	14	20	37

DRG 234: Other Musculoskelet Sys & Conn Tiss O.R. Proc w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	319	5.5	120	1	1	3	5	10	13
70-74	180	6.4	27	1	2	5	9	13	14
75-79	145	5.6	15	1	3	5	8	10	13
80-84	94	6.4	10	2	4	7	9	10	10
85 +	92	6.6	18	1	4	6	8	15	15
SUBTOTAL	830	5.9	58	1	2	4	8	11	14
GRAND TOTAL	830	5.9	58	1	2	4	8	11	14

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	1277	3.5	7	1	2	3	4	6	7
18-34	816	3.5	19	1	1	2	4	8	13
35-49	809	2.9	5	1	1	2	4	6	8
50-69	570	4.1	9	1	2	3	6	8	9
70 +	51	7.8	32	1	3	5	14	15	15
	3523	3.5	10	1	1	3	4	7	9
	3523	3.5	10	1	1	3	4	7	9

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	409	3.7	5	1	2	3	5	7	7
18-34	264	4.4	17	1	2	3	5	7	12
35-49	113	4.3	22	1	1	2	3	13	16
50-69	39	6.5	18	2	3	6	8	15	15
70 +	8	9.0							
SUBTOTAL	833	4.2	12	1	2	3	5	8	12
GRAND TOTAL	833	4.2	12	1	2	3	5	8	12

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	282	3.5	5	1	2	3	4	7	9
18-34	900	4.4	17	1	2	3	5	11	13
35-49	436	5.2	22	1	2	3	6	12	15
50-69	258	4.7	21	1	2	3	6	9	13
70 +	25	2.0	1						
	1901	4.5	17	1	2	3	5	9	13
	1901	4.5	17	1	2	3	5	9	13

DRG 235: Fractures of Femur

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	104	8.0	22	3	5	6	10	14	19
70-74	78	14.2	409	2	3	5	14	50	68
75-79	110	9.8	192	2	3	6	9	17	64
80-84	174	15.5	161	3	5	9	23	35	37
85+	284	11.3	273	2	4	7	11	17	37
SUBTOTAL	**750**	**11.9**	**220**	**3**	**4**	**7**	**12**	**27**	**48**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	51	19.5	778	1	6	8	14	82	82
70-74	78	16.8	342	1	3	10	31	56	59
75-79	125	9.4	89	2	3	6	8	22	37
80-84	92	5.5	10	3	3	5	5	10	12
85+	184	7.6	113	2	3	4	6	12	37
SUBTOTAL	**529**	**10.2**	**206**	**2**	**3**	**5**	**10**	**31**	**37**
GRAND TOTAL	**1279**	**11.2**	**215**	**2**	**3**	**6**	**12**	**27**	**42**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	113	7.1	44	1	2	3	13	18	19
18-34	0								
35-49	18	8.0	77						
50-69	37	13.4	355						
70+	12	3.0							
	180	**8.2**	**114**	**1**	**2**	**3**	**13**	**19**	**20**
0-17	1273	10.1	96	1	2	5	18	24	28
18-34	20	5.5	14						
35-49	29	3.0	3						
50-69	51	4.0	4	2	2	4	6	7	7
70+	33	4.0	6						
	1406	**9.5**	**90**	**1**	**2**	**5**	**17**	**23**	**27**
	1586	**9.3**	**93**	**1**	**2**	**4**	**17**	**23**	**27**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	68	6.3	53	<1	1	3	8	20	22
18-34	18	11.7	35						
35-49	22	20.7	315						
50-69	35	18.3	283						
70+	8	15.0							
SUBTOTAL	**151**	**12.3**	**172**	**1**	**3**	**7**	**18**	**22**	**47**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	466	10.5	157	1	2	3	18	27	40
18-34	41	16.5	394	2	2	3	32	50	50
35-49	12	39.0	1411						
50-69	6	56.0							
70+	8	4.0							
SUBTOTAL	**534**	**12.1**	**240**	**1**	**2**	**3**	**19**	**32**	**50**
GRAND TOTAL	**685**	**12.1**	**225**	**1**	**2**	**4**	**18**	**32**	**48**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	37	9.8	72	1	2	7	19	22	22
18-34	18	4.0	6						
35-49	14	9.4	45						
50-69	20	8.1	5						
70+	39	8.2	4						
	129	**8.2**	**31**	**2**	**4**	**7**	**12**	**15**	**20**
0-17	843	8.7	72	1	2	4	15	21	25
18-34	174	12.4	181	1	2	6	26	38	41
35-49	33	18.3	969						
50-69	22	2.8	3						
70+	27	3.9	9						
	1098	**9.3**	**118**	**1**	**2**	**4**	**14**	**24**	**29**
	1227	**9.2**	**109**	**1**	**2**	**5**	**14**	**22**	**28**

DRG 236: Fractures of Hip & Pelvis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	411	9.5	90	2	4	7	10	24	32
70-74	503	8.0	40	3	4	7	9	13	25
75-79	781	7.8	22	3	5	7	10	12	16
80-84	873	9.6	113	3	5	7	11	16	23
85 +	1594	8.0	40	3	4	6	10	15	19
SUBTOTAL	**4160**	**8.4**	**57**	**3**	**4**	**7**	**10**	**15**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	329	6.0	15	2	3	5	9	12	13
70-74	378	6.4	21	2	3	5	9	13	17
75-79	554	6.2	78	1	2	4	7	10	15
80-84	484	7.5	51	2	3	6	8	16	21
85 +	997	6.4	29	2	3	5	7	13	15
SUBTOTAL	**2742**	**6.5**	**40**	**2**	**3**	**5**	**8**	**13**	**17**
GRAND TOTAL	**6903**	**7.7**	**51**	**2**	**4**	**6**	**9**	**14**	**19**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	100	5.2	14	1	3	4	7	9	15
18-34	182	7.7	131	2	3	5	7	10	13
35-49	153	8.6	57	2	5	7	9	16	31
50-69	274	10.1	51	4	6	9	13	14	21
70 +	198	8.3	35	3	5	7	10	19	22
	907	**8.4**	**62**	**2**	**5**	**6**	**10**	**14**	**21**
0-17	172	6.2	33	1	2	4	8	16	17
18-34	280	4.4	12	1	2	3	5	10	13
35-49	249	5.5	21	2	2	4	8	12	13
50-69	349	5.1	10	1	2	4	7	9	11
70 +	211	6.7	69	2	3	4	6	14	21
	1261	**5.4**	**26**	**1**	**2**	**4**	**7**	**11**	**14**
	2168	**6.7**	**43**	**2**	**3**	**5**	**8**	**13**	**16**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	14	1.6							
18-34	53	10.2	167	2	3	5	8	44	44
35-49	18	25.7	329						
50-69	43	12.5	277	1	3	7	8	46	46
70 +	43	6.4	10	3	4	4	9	12	12
SUBTOTAL	**172**	**10.8**	**192**	**2**	**3**	**5**	**9**	**44**	**46**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	84	4.8	31	1	1	2	7	17	17
18-34	102	10.3	157	2	3	5	9	41	42
35-49	12	13.5	33						
50-69	39	6.7	17	2	4	5	9	15	15
70 +	35	4.3	6						
SUBTOTAL	**272**	**7.5**	**81**	**1**	**2**	**5**	**8**	**17**	**21**
GRAND TOTAL	**444**	**8.8**	**126**	**1**	**2**	**5**	**9**	**20**	**42**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	49	4.1	9	1	1	3	7	9	9
18-34	219	6.5	30	2	3	5	8	13	16
35-49	129	9.2	82	3	4	7	10	17	23
50-69	63	7.2	63	< 1	2	3	10	18	28
70 +	143	10.0	67	3	4	6	15	22	28
	603	**7.8**	**55**	**2**	**3**	**6**	**9**	**16**	**27**
0-17	188	3.1	7	< 1	1	3	4	5	6
18-34	468	6.1	79	1	2	4	6	13	23
35-49	176	5.9	13	2	2	6	8	9	13
50-69	174	6.3	26	1	2	6	10	14	15
70 +	221	10.0	60	1	4	7	17	22	24
	1227	**6.3**	**52**	**1**	**2**	**4**	**7**	**15**	**21**
	1830	**6.8**	**53**	**1**	**2**	**5**	**8**	**15**	**21**

DRG 237: Sprains, Strains, & Dislocations of Hip, Pelvis & Thigh

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	55	5.4	34	< 1	2	3	5	20	20
70-74	29	5.0	7						
75-79	29	3.3	2						
80-84	6	5.0							
85 +	63	5.9	22	1	2	4	6	16	16
SUBTOTAL	**182**	**5.2**	**20**	**1**	**2**	**4**	**6**	**10**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	51	3.3	3	1	1	3	5	6	6
70-74	14	2.4							
75-79	61	4.5	12	1	1	3	8	10	11
80-84	67	4.7	7	1	3	5	7	8	9
85 +	49	3.5	2	1	2	4	5	5	5
SUBTOTAL	**243**	**4.0**	**7**	**1**	**2**	**4**	**5**	**8**	**9**
GRAND TOTAL	**425**	**4.5**	**13**	**1**	**2**	**4**	**6**	**8**	**10**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	2.0							
18-34	14	2.6							
35-49	8	3.0							
50-69	22	4.1	2						
70 +	8	17.0							
	61	**5.0**	**24**	**2**	**3**	**3**	**6**	**17**	**17**
0-17	161	4.2	19	1	2	3	5	9	15
18-34	84	3.6	8	1	2	2	4	9	10
35-49	71	3.3	7	< 1	1	3	4	10	10
50-69	39	1.8							
70 +	16	3.0	1						
	372	**3.6**	**12**	**1**	**2**	**3**	**4**	**8**	**10**
	433	**3.8**	**14**	**1**	**2**	**3**	**4**	**8**	**11**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	6	3.0							
35-49	8	5.0							
50-69	0								
70 +	0								
SUBTOTAL	**14**	**4.1**	**1**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	16	2.0							
18-34	22	2.4	2						
35-49	20	5.7	24						
50-69	0								
70 +	0								
SUBTOTAL	**59**	**3.4**	**12**	**1**	**2**	**2**	**3**	**9**	**13**
GRAND TOTAL	**74**	**3.6**	**10**	**1**	**2**	**2**	**4**	**5**	**13**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	29	5.3	21						
35-49	14	8.1	1						
50-69	6	2.0							
70 +	0								
	49	**5.7**	**16**	**1**	**2**	**5**	**9**	**12**	**12**
0-17	41	4.6	11						
18-34	125	3.9	10	< 1	< 1	3	5	8	13
35-49	45	7.0	35	1	2	6	9	18	18
50-69	6	1.0							
70 +	0								
	217	**4.6**	**17**	**< 1**	**2**	**3**	**7**	**10**	**13**
	266	**4.8**	**17**	**< 1**	**2**	**3**	**7**	**10**	**13**

DRG 238: Osteomyelitis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	215	11.9	73	4	6	10	15	20	29
70-74	76	7.9	22	2	4	8	12	13	18
75-79	59	14.1	150	4	5	10	13	38	43
80-84	51	8.0	6	5	6	7	9	13	13
85 +	90	15.1	164	6	8	11	15	28	55
SUBTOTAL	**490**	**11.7**	**90**	**4**	**6**	**9**	**14**	**20**	**29**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	43	6.5	16	1	4	7	8	14	14
70-74	49	7.8	37	1	1	8	11	18	18
75-79	31	15.8	277						
80-84	22	5.6	2						
85 +	31	7.3	14						
SUBTOTAL	**176**	**8.5**	**75**	**1**	**4**	**6**	**11**	**14**	**18**
GRAND TOTAL	**666**	**10.9**	**88**	**3**	**5**	**9**	**13**	**20**	**28**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	78	10.6	71	3	6	8	13	15	36
18-34	18	11.3	85						
35-49	49	9.5	17	4	4	10	14	15	15
50-69	51	13.3	185	3	4	8	20	42	42
70 +	0								
SUBTOTAL	**196**	**11.1**	**89**	**3**	**4**	**9**	**13**	**24**	**36**
0-17	239	5.9	16	2	3	5	7	11	15
18-34	25	10.7	36						
35-49	74	8.7	117	3	3	4	7	38	38
50-69	22	3.8	3						
70 +	6	6.0							
SUBTOTAL	**366**	**6.7**	**39**	**2**	**3**	**5**	**7**	**13**	**19**
GRAND TOTAL	**562**	**8.2**	**61**	**2**	**4**	**6**	**9**	**15**	**22**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	39	14.6	146	2	3	16	17	35	35
18-34	88	12.2	94	4	6	8	21	26	36
35-49	100	13.8	106	2	5	12	19	30	32
50-69	63	13.3	129	2	6	7	20	28	41
70 +	0								
SUBTOTAL	**291**	**13.3**	**112**	**2**	**6**	**8**	**20**	**30**	**35**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	78	5.8	8	2	3	6	7	9	11
18-34	33	14.5	192						
35-49	55	15.0	124	3	6	14	18	40	40
50-69	37	13.2	122	1	3	11	26	27	27
70 +	6	9.0							
SUBTOTAL	**209**	**11.0**	**103**	**3**	**4**	**7**	**14**	**26**	**40**
GRAND TOTAL	**499**	**12.3**	**109**	**3**	**5**	**8**	**18**	**29**	**35**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	47	14.3	129	4	4	9	20	38	38
18-34	51	22.2	157	6	7	18	32	39	39
35-49	68	16.1	128	2	5	18	29	31	35
50-69	78	21.4	250	6	9	16	23	42	60
70 +	14	7.4							
SUBTOTAL	**258**	**18.1**	**178**	**5**	**7**	**15**	**29**	**38**	**39**
0-17	84	8.5	108	3	3	4	8	19	42
18-34	104	11.9	128	< 1	1	11	16	33	37
35-49	53	9.8	57	< 1	2	8	13	26	26
50-69	61	10.7	40	1	6	9	15	20	20
70 +	0								
SUBTOTAL	**303**	**10.4**	**93**	**1**	**3**	**8**	**14**	**24**	**33**
GRAND TOTAL	**561**	**13.9**	**147**	**2**	**5**	**9**	**19**	**33**	**38**

DRG 239: Pathological Fractures & Musculoskeletal & Conn Tiss Malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1343	9.1	65	3	4	6	11	18	24
70-74	1253	8.1	39	3	4	7	10	15	19
75-79	1649	8.3	50	3	4	6	10	15	22
80-84	1271	8.4	53	3	4	6	11	17	21
85 +	1241	7.9	31	3	4	6	10	14	18
SUBTOTAL	**6757**	**8.4**	**48**	**3**	**4**	**6**	**10**	**15**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	517	6.7	19	2	3	6	9	13	14
70-74	443	6.2	35	2	3	5	7	11	14
75-79	750	5.8	11	2	3	5	7	10	11
80-84	854	5.7	13	2	3	5	7	10	13
85 +	834	6.5	16	2	4	6	8	11	15
SUBTOTAL	**3399**	**6.1**	**17**	**2**	**3**	**5**	**8**	**11**	**14**
GRAND TOTAL	**10156**	**7.6**	**39**	**3**	**4**	**6**	**9**	**14**	**18**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	131	5.1	14	2	2	3	7	10	10
18-34	90	9.2	68	2	3	4	15	24	26
35-49	243	7.8	107	1	3	5	8	14	22
50-69	1006	8.4	37	3	4	7	11	16	20
70 +	286	7.8	28	2	4	7	11	14	18
SUBTOTAL	**1756**	**8.0**	**45**	**2**	**3**	**7**	**10**	**16**	**20**
0-17	186	3.0	4	1	1	2	4	6	7
18-34	65	4.7	18	< 1	2	3	6	15	15
35-49	161	7.6	71	1	3	5	10	15	23
50-69	298	7.1	29	2	3	6	11	14	20
70 +	106	5.7	8	2	4	5	8	8	13
SUBTOTAL	**818**	**5.9**	**31**	**1**	**2**	**4**	**7**	**13**	**15**
GRAND TOTAL	**2574**	**7.4**	**42**	**2**	**3**	**6**	**10**	**14**	**20**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	149	8.3	33	3	5	6	10	17	17
18-34	139	7.2	72	2	4	5	7	8	22
35-49	129	10.3	43	4	4	9	16	20	20
50-69	247	7.8	33	3	4	6	10	13	18
70 +	47	11.8	155	< 1	1	6	23	33	33
SUBTOTAL	**712**	**8.5**	**52**	**2**	**4**	**6**	**10**	**18**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	141	3.2	4	1	1	3	5	6	7
18-34	149	5.4	12	2	3	5	6	8	11
35-49	39	4.5	9	1	2	5	8	8	8
50-69	72	4.4	14	1	2	3	8	10	13
70 +	8	3.0							
SUBTOTAL	**409**	**4.3**	**10**	**1**	**2**	**3**	**6**	**8**	**10**
GRAND TOTAL	**1121**	**7.0**	**41**	**2**	**3**	**5**	**8**	**15**	**20**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	5.6	16						
18-34	80	4.5	14	1	2	3	7	9	14
35-49	78	15.8	237	1	4	10	30	37	49
50-69	348	9.7	65	2	4	7	14	20	27
70 +	221	11.6	175	3	4	7	12	33	51
SUBTOTAL	**757**	**10.2**	**115**	**2**	**4**	**6**	**13**	**23**	**33**
0-17	100	3.6	20	< 1	1	2	4	5	20
18-34	74	8.8	145	2	5	6	7	7	48
35-49	100	6.0	21	1	2	4	10	14	16
50-69	131	6.1	34	1	2	4	9	14	17
70 +	14	1.4							
SUBTOTAL	**419**	**5.8**	**49**	**1**	**2**	**4**	**6**	**14**	**16**
GRAND TOTAL	**1176**	**8.6**	**96**	**1**	**3**	**5**	**10**	**20**	**30**

DRG 240: Connective Tissue Disorders w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	515	9.8	49	3	4	8	13	19	25
70-74	258	6.9	26	2	3	6	9	15	17
75-79	311	7.3	24	3	4	6	9	14	17
80-84	184	9.6	41	4	5	8	11	18	21
85 +	167	8.7	39	3	5	7	10	17	24
SUBTOTAL	**1435**	**8.6**	**39**	**3**	**4**	**7**	**11**	**17**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1435**	**8.6**	**39**	**3**	**4**	**7**	**11**	**17**	**22**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	245	5.7	36	1	2	4	6	14	21
18-34	262	6.5	49	2	3	4	8	14	19
35-49	333	7.7	40	1	3	7	12	15	22
50-69	388	7.0	45	2	3	5	8	14	22
70 +	20	6.2	19						
SUBTOTAL	**1249**	**6.8**	**43**	**1**	**3**	**4**	**8**	**15**	**22**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1249**	**6.8**	**43**	**1**	**3**	**4**	**8**	**15**	**22**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	145	10.5	260	1	2	4	12	44	70
18-34	415	8.8	52	1	3	7	11	18	25
35-49	223	9.4	126	2	3	5	9	19	44
50-69	92	8.9	37	3	6	6	11	19	24
70 +	8	28.0							
SUBTOTAL	**884**	**9.5**	**106**	**2**	**3**	**6**	**12**	**20**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**884**	**9.5**	**106**	**2**	**3**	**6**	**12**	**20**	**28**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	78	7.3	23	2	4	5	11	14	16
18-34	262	7.8	57	2	3	5	9	14	23
35-49	213	7.0	37	2	3	5	8	19	21
50-69	108	5.5	30	1	2	3	9	12	23
70 +	27	3.7	4						
SUBTOTAL	**687**	**7.0**	**42**	**2**	**3**	**5**	**9**	**15**	**21**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**687**	**7.0**	**42**	**2**	**3**	**5**	**9**	**15**	**21**

DRG 241: Connective Tissue Disorders w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	302	4.6	5	2	2	4	7	8	8
70-74	129	5.6	17	1	2	4	9	12	13
75-79	127	6.3	8	3	4	7	8	11	11
80-84	84	4.6	9	1	2	4	6	9	11
85 +	67	5.4	10	3	3	5	5	12	12
SUBTOTAL	**709**	**5.1**	**9**	**2**	**3**	**4**	**7**	**9**	**11**
GRAND TOTAL	**709**	**5.1**	**9**	**2**	**3**	**4**	**7**	**9**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	665	4.4	33	1	1	3	4	11	15
18-34	288	4.4	12	1	2	3	6	11	12
35-49	204	4.6	27	2	2	3	5	8	12
50-69	241	4.0	7	1	2	3	5	7	8
70 +	12	5.0	1						
	1411	**4.3**	**23**	**1**	**2**	**3**	**5**	**11**	**12**
	1411	**4.3**	**23**	**1**	**2**	**3**	**5**	**11**	**12**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	180	4.4	16	1	1	3	6	11	13
18-34	338	4.9	26	1	1	3	6	10	18
35-49	209	5.1	22	1	2	4	7	13	17
50-69	123	4.0	11	1	2	3	6	8	11
70 +	0								
SUBTOTAL	**849**	**4.7**	**21**	**1**	**2**	**3**	**6**	**10**	**15**
GRAND TOTAL	**849**	**4.7**	**21**	**1**	**2**	**3**	**6**	**10**	**15**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	192	4.2	19	<1	2	3	4	9	15
18-34	450	4.4	16	1	1	3	6	9	15
35-49	223	4.5	10	1	2	3	6	10	13
50-69	102	4.6	8	2	2	4	7	9	10
70 +	0								
	968	**4.4**	**14**	**1**	**2**	**3**	**6**	**9**	**12**
	968	**4.4**	**14**	**1**	**2**	**3**	**6**	**9**	**12**

DRG 242: Septic Arthritis

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	76	8.5	26	4	5	7	11	12	23
70-74	96	10.7	45	3	5	10	14	19	28
75-79	20	11.1	37						
80-84	55	12.7	112	4	5	9	15	36	36
85+	55	9.3	18	2	7	8	11	16	16
SUBTOTAL	**302**	**10.3**	**49**	**3**	**5**	**9**	**14**	**19**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	22	3.8	3						
70-74	22	9.3	28						
75-79	67	5.2	6	1	3	6	7	9	9
80-84	14	5.0	13						
85+	51	11.1	119	<1	5	6	11	35	35
SUBTOTAL	**178**	**7.2**	**49**	**2**	**3**	**6**	**9**	**11**	**15**
GRAND TOTAL	**480**	**9.2**	**51**	**3**	**4**	**7**	**11**	**16**	**23**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	86	8.6	37	3	4	7	11	18	23
18-34	49	3.6	2	2	3	3	4	6	6
35-49	22	5.4	23						
50-69	47	5.7	4	2	3	6	7	8	8
70+	6	4.0							
SUBTOTAL	**211**	**6.3**	**23**	**2**	**3**	**5**	**7**	**11**	**17**
0-17	243	5.7	11	2	3	5	7	10	12
18-34	31	4.5	2						
35-49	57	7.0	11	3	4	7	10	12	12
50-69	8	4.0							
70+	8	4.0							
SUBTOTAL	**348**	**5.7**	**10**	**2**	**3**	**5**	**7**	**10**	**12**
GRAND TOTAL	**558**	**6.0**	**15**	**2**	**3**	**5**	**7**	**10**	**13**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	27	9.8	53						
18-34	51	5.5	3	4	4	5	6	9	9
35-49	57	18.9	311	3	9	13	22	61	65
50-69	8	10.0							
70+	0								
SUBTOTAL	**143**	**11.9**	**169**	**4**	**4**	**9**	**13**	**22**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	113	7.9	26	3	3	7	12	16	20
18-34	45	4.9	5	<1	2	6	7	7	7
35-49	18	6.3	26						
50-69	25	7.5	26						
70+	0								
SUBTOTAL	**201**	**7.0**	**22**	**2**	**3**	**6**	**8**	**14**	**16**
GRAND TOTAL	**344**	**9.1**	**89**	**3**	**4**	**7**	**10**	**16**	**22**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	25	10.3	21						
18-34	131	9.2	42	2	5	6	13	20	22
35-49	37	12.3	66	7	8	9	11	30	30
50-69	53	9.6	31	2	7	8	14	20	20
70+	0								
SUBTOTAL	**246**	**9.8**	**42**	**3**	**5**	**8**	**13**	**20**	**23**
0-17	92	4.4	10	2	3	3	6	8	14
18-34	332	6.1	12	2	3	6	8	12	14
35-49	158	7.2	22	1	3	6	9	14	17
50-69	68	6.4	16	2	2	5	10	10	14
70+	0								
SUBTOTAL	**649**	**6.2**	**15**	**2**	**3**	**5**	**8**	**12**	**14**
GRAND TOTAL	**894**	**7.2**	**25**	**2**	**3**	**6**	**9**	**14**	**16**

DRG 243: Medical Back Problems

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1933	6.2	27	1	3	5	7	13	15
70-74	1508	6.4	18	2	3	6	9	12	14
75-79	1741	6.7	16	2	4	6	9	12	14
80-84	1751	6.8	27	2	3	6	9	13	15
85 +	1741	6.9	27	2	3	6	8	13	17
SUBTOTAL	**8674**	**6.6**	**24**	**2**	**3**	**6**	**9**	**12**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2768	4.1	10	1	2	3	6	8	10
70-74	1851	4.2	12	1	2	3	6	9	11
75-79	1714	4.4	14	1	2	4	6	8	9
80-84	1459	4.9	12	1	2	4	7	10	11
85 +	1398	4.9	10	1	2	4	7	9	11
SUBTOTAL	**9190**	**4.4**	**12**	**1**	**2**	**4**	**6**	**9**	**11**
GRAND TOTAL	**17865**	**5.5**	**19**	**1**	**3**	**4**	**7**	**11**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	239	3.7	15	1	2	3	5	6	7
18-34	969	5.4	37	1	2	4	7	11	16
35-49	1054	5.5	17	1	2	5	7	11	14
50-69	1363	6.0	21	2	3	5	8	10	15
70 +	425	6.6	18	3	4	6	8	11	16
	4050	**5.7**	**23**	**1**	**3**	**5**	**7**	**11**	**14**
0-17	832	2.6	16	1	1	2	3	5	6
18-34	4095	3.3	9	1	1	3	4	6	8
35-49	6773	3.4	8	1	1	3	5	7	9
50-69	4791	3.6	8	1	1	3	5	7	9
70 +	392	4.1	10	1	2	4	5	8	11
	16883	**3.4**	**9**	**1**	**1**	**3**	**4**	**7**	**9**
	20933	**3.8**	**13**	**1**	**1**	**3**	**5**	**8**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	27	5.3	25						
18-34	235	5.8	48	2	3	4	5	9	26
35-49	253	4.9	6	2	3	5	6	8	10
50-69	258	7.7	49	1	3	4	10	19	27
70 +	82	7.0	58	2	3	4	7	14	31
SUBTOTAL	**854**	**6.2**	**37**	**2**	**3**	**4**	**7**	**12**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	127	2.6	4	1	1	2	3	5	7
18-34	615	4.2	15	1	1	3	5	10	11
35-49	499	3.7	8	1	1	3	5	9	10
50-69	286	4.3	14	1	1	3	6	9	13
70 +	43	4.3	17	< 1	1	3	7	13	13
SUBTOTAL	**1570**	**4.0**	**12**	**1**	**1**	**3**	**5**	**9**	**11**
GRAND TOTAL	**2424**	**4.7**	**22**	**1**	**2**	**3**	**6**	**10**	**13**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	76	4.2	7	2	2	3	6	9	9
18-34	752	4.5	24	1	2	3	5	9	11
35-49	482	4.9	15	1	2	4	6	10	14
50-69	474	5.6	26	2	3	4	7	12	12
70 +	184	8.2	83	2	3	7	10	12	14
	1968	**5.2**	**28**	**1**	**2**	**4**	**7**	**10**	**12**
0-17	229	3.0	21	< 1	1	1	2	7	19
18-34	2057	3.3	8	1	1	2	4	6	9
35-49	2146	3.8	10	1	2	3	5	8	10
50-69	1241	3.4	8	1	1	2	5	8	8
70 +	190	4.0	9	1	2	3	4	9	10
	5862	**3.5**	**9**	**1**	**1**	**3**	**5**	**7**	**9**
	7830	**3.9**	**15**	**1**	**1**	**3**	**5**	**8**	**10**

DRG 244: Bone Diseases & Specific Arthropathies w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	325	7.7	53	1	3	4	11	22	22
70-74	341	6.8	30	2	3	5	8	12	17
75-79	450	5.7	22	2	3	4	7	11	13
80-84	456	5.9	25	2	3	5	8	10	13
85 +	392	6.6	28	2	3	5	8	11	16
SUBTOTAL	**1964**	**6.4**	**31**	**2**	**3**	**5**	**8**	**12**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1964**	**6.4**	**31**	**2**	**3**	**5**	**8**	**12**	**20**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	20	3.4	7						
18-34	8	2.0							
35-49	57	3.9	8	1	1	4	6	9	9
50-69	143	5.0	11	2	3	4	7	10	12
70 +	80	4.6	28	1	2	3	5	6	22
SUBTOTAL	**309**	**4.5**	**15**	**1**	**2**	**3**	**6**	**9**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**309**	**4.5**	**15**	**1**	**2**	**3**	**6**	**9**	**12**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	25	7.0	33						
35-49	12	3.5	2						
50-69	45	5.5	4	3	4	5	6	10	10
70 +	27	4.6	7						
SUBTOTAL	**108**	**5.4**	**12**	**1**	**3**	**5**	**6**	**11**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**108**	**5.4**	**12**	**1**	**3**	**5**	**6**	**11**	**14**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	12	5.5	2						
18-34	18	11.0	171						
35-49	25	4.0	13						
50-69	141	5.8	17	1	3	4	8	13	13
70 +	41	6.7	29	< 1	1	6	10	16	16
SUBTOTAL	**237**	**6.1**	**31**	**1**	**2**	**4**	**9**	**13**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**237**	**6.1**	**31**	**1**	**2**	**4**	**9**	**13**	**16**

DRG 245: Bone Diseases & Specific Arthropathies w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	223	4.1	12	< 1	1	3	8	9	9
70-74	200	5.9	19	2	3	4	8	15	15
75-79	210	4.4	10	1	2	4	6	8	11
80-84	270	5.6	16	1	2	5	8	12	15
85 +	262	5.4	30	2	3	4	5	8	24
SUBTOTAL	**1165**	**5.1**	**18**	**1**	**2**	**4**	**7**	**9**	**15**
GRAND TOTAL	**1165**	**5.1**	**18**	**1**	**2**	**4**	**7**	**9**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	92	2.4	3	< 1	< 1	1	3	5	6
18-34	96	2.3	1	1	2	2	3	4	4
35-49	119	3.7	14	< 1	1	2	4	10	13
50-69	239	6.5	209	< 1	2	3	6	8	10
70 +	65	6.1	35	1	1	4	8	13	21
SUBTOTAL	**611**	**4.6**	**92**	**< 1**	**1**	**3**	**4**	**8**	**10**
GRAND TOTAL	**611**	**4.6**	**92**	**< 1**	**1**	**3**	**4**	**8**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	47	6.6	26	1	2	5	13	13	13
18-34	6	3.0							
35-49	65	2.8	4	1	2	2	3	6	7
50-69	59	3.8	5	1	2	2	6	7	8
70 +	39	4.0	1	2	4	4	4	6	6
SUBTOTAL	**217**	**4.1**	**10**	**1**	**2**	**3**	**6**	**8**	**13**
GRAND TOTAL	**217**	**4.1**	**10**	**1**	**2**	**3**	**6**	**8**	**13**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	65	2.7	4	1	1	1	4	5	7
18-34	88	2.2	4	1	1	2	2	4	9
35-49	182	2.9	4	1	1	2	4	6	7
50-69	178	5.0	16	1	2	4	8	11	15
70 +	129	7.4	40	1	3	5	10	20	20
SUBTOTAL	**642**	**4.3**	**18**	**1**	**1**	**3**	**6**	**9**	**15**
GRAND TOTAL	**642**	**4.3**	**18**	**1**	**1**	**3**	**6**	**9**	**15**

DRG 246: Non-specific Arthropathies

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	37	6.9	12						
70-74	39	5.4	20	1	1	4	10	13	13
75-79	25	4.3	2						
80-84	12	5.0							
85 +	35	5.8	7						
SUBTOTAL	147	5.7	11	1	3	5	8	11	12
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	55	4.9	14	1	1	4	9	11	11
70-74	16	4.5							
75-79	41	3.6	4						
80-84	8	4.0							
85 +	22	9.9	65						
SUBTOTAL	143	5.2	20	1	2	4	6	11	20
GRAND TOTAL	290	5.4	16	1	3	5	7	11	12

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	1.0							
18-34	6	4.0							
35-49	20	4.7	9						
50-69	0								
70 +	6	1.0							
	39	3.4	7	< 1	1	2	4	9	9
0-17	22	2.5	4						
18-34	63	4.2	15	2	2	3	4	14	14
35-49	51	2.8	1	1	2	3	3	4	4
50-69	29	2.9	1						
70 +	0								
	166	3.3	7	1	2	3	4	5	8
	204	3.3	7	1	2	3	4	5	9

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	6	2.0							
18-34	18	3.3	4						
35-49	8	4.0							
50-69	6	6.0							
70 +	0								
SUBTOTAL	39	3.7	3	2	2	4	6	6	6
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	22	7.7	55						
18-34	31	6.6	32						
35-49	25	8.0	70						
50-69	6	5.0							
70 +	0								
SUBTOTAL	84	7.2	46	1	1	5	11	19	22
GRAND TOTAL	123	6.1	35	1	2	5	6	17	20

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	12	6.5	7						
35-49	0								
50-69	14	5.3	2						
70 +	14	5.3	2						
	41	5.7	4	4	4	4	7	9	9
0-17	20	3.8	3						
18-34	104	4.5	11	1	2	3	6	8	14
35-49	49	5.5	3	2	4	6	7	7	7
50-69	33	3.5	7						
70 +	6	11.0							
	213	4.7	9	1	2	4	7	8	11
	254	4.8	8	2	2	4	7	8	9

DRG 247: Signs & Symptoms of Musculoskeletal System & Conn Tissue

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	309	5.7	72	1	2	4	6	11	15
70-74	237	3.9	6	1	2	3	5	8	9
75-79	159	6.9	84	2	2	4	7	9	33
80-84	133	6.6	38	2	3	5	9	10	10
85 +	206	4.6	10	2	2	4	6	8	10
SUBTOTAL	**1044**	**5.4**	**43**	**2**	**2**	**4**	**6**	**9**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	392	2.8	10	< 1	1	2	3	7	8
70-74	225	3.7	6	1	2	3	6	7	8
75-79	170	3.7	8	1	2	3	5	7	7
80-84	102	3.5	5	2	2	3	4	8	8
85 +	135	4.7	9	2	2	3	6	9	10
SUBTOTAL	**1024**	**3.5**	**9**	**< 1**	**1**	**2**	**5**	**8**	**8**
GRAND TOTAL	**2068**	**4.4**	**27**	**1**	**2**	**3**	**6**	**8**	**10**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	37	2.0	1						
18-34	31	4.9	2						
35-49	133	2.5	4	1	1	2	3	6	8
50-69	209	2.8	4	1	1	2	4	6	7
70 +	47	4.7	2	3	3	5	6	7	7
	456	**3.0**	**4**	**1**	**1**	**2**	**4**	**6**	**7**
0-17	123	3.1	4	1	1	2	5	6	7
18-34	317	2.7	4	< 1	1	2	3	5	7
35-49	556	2.5	5	1	1	2	3	5	8
50-69	437	2.3	3	1	1	2	3	4	6
70 +	29	1.8	1						
	1461	**2.5**	**4**	**1**	**1**	**2**	**3**	**5**	**7**
	1917	**2.6**	**4**	**1**	**1**	**2**	**3**	**6**	**7**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	8	1.0							
18-34	39	2.9	5						
35-49	65	6.1	34	1	3	4	5	15	20
50-69	51	3.1	4	1	2	3	3	8	8
70 +	20	2.2	4						
SUBTOTAL	**184**	**3.9**	**17**	**1**	**1**	**3**	**5**	**8**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	51	2.0	1	< 1	1	2	3	4	4
18-34	147	3.0	17	1	1	2	3	3	5
35-49	90	3.2	12	1	1	2	3	9	13
50-69	80	3.7	9	1	1	2	6	9	11
70 +	20	3.2	4						
SUBTOTAL	**389**	**3.1**	**12**	**1**	**1**	**2**	**3**	**6**	**11**
GRAND TOTAL	**573**	**3.4**	**14**	**1**	**1**	**2**	**3**	**6**	**11**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	43	4.6	11	1	1	4	8	10	10
35-49	80	5.2	39	1	2	3	5	13	24
50-69	76	2.1	3	1	1	1	3	4	7
70 +	0								
	198	**3.9**	**21**	**1**	**1**	**2**	**5**	**8**	**13**
0-17	53	1.9	1	< 1	1	2	2	3	3
18-34	248	3.1	7	1	1	2	4	6	8
35-49	217	2.1	3	1	1	1	2	5	6
50-69	207	2.2	3	1	1	2	2	4	7
70 +	37	2.6	2						
	761	**2.4**	**4**	**1**	**1**	**2**	**3**	**5**	**7**
	959	**2.7**	**8**	**1**	**1**	**2**	**3**	**6**	**8**

DRG 248: Tendonitis, Myositis & Bursitis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	119	5.2	14	1	2	4	6	10	14
70-74	100	5.5	16	2	3	4	7	12	14
75-79	137	9.4	73	3	4	7	11	18	18
80-84	82	5.7	16	2	3	5	7	8	18
85 +	63	5.6	6	2	4	6	7	9	10
SUBTOTAL	**501**	**6.5**	**33**	**2**	**3**	**5**	**8**	**12**	**18**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	100	4.8	25	1	2	3	5	11	21
70-74	86	2.9	3	1	2	3	4	6	6
75-79	90	3.9	8	1	1	4	6	7	10
80-84	84	4.8	16	2	3	3	5	11	15
85 +	63	3.8	7	1	2	3	6	9	9
SUBTOTAL	**423**	**4.1**	**13**	**1**	**2**	**3**	**5**	**9**	**11**
GRAND TOTAL	**924**	**5.4**	**25**	**1**	**2**	**4**	**7**	**11**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	35	7.1	27						
18-34	74	5.5	49	1	2	3	7	10	27
35-49	155	4.4	12	1	2	3	6	9	12
50-69	125	3.8	5	2	2	3	5	6	10
70 +	20	8.2	7						
	409	**4.8**	**19**	**1**	**2**	**3**	**6**	**10**	**12**
0-17	223	2.7	3	1	1	2	4	5	6
18-34	184	3.7	6	< 1	2	3	6	8	9
35-49	235	3.4	9	1	2	2	4	9	10
50-69	437	2.9	6	1	1	2	3	6	9
70 +	33	4.0	18						
	1112	**3.1**	**6**	**1**	**1**	**2**	**4**	**6**	**9**
	1521	**3.6**	**10**	**1**	**2**	**2**	**4**	**8**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	12	2.0							
18-34	25	14.3	49						
35-49	25	13.0	60						
50-69	27	7.5	96						
70 +	0								
SUBTOTAL	**88**	**10.2**	**76**	**2**	**2**	**5**	**18**	**23**	**25**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	78	2.8	2	< 1	2	3	4	5	5
18-34	70	4.6	13	1	2	2	9	9	10
35-49	53	6.4	33	1	1	3	11	18	18
50-69	8	7.0							
70 +	6	2.0							
SUBTOTAL	**215**	**4.4**	**15**	**1**	**2**	**3**	**7**	**10**	**11**
GRAND TOTAL	**303**	**6.1**	**40**	**1**	**2**	**3**	**9**	**17**	**23**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	35	8.8	177						
18-34	127	5.1	10	2	3	4	7	10	11
35-49	94	6.4	25	2	2	5	9	14	19
50-69	68	6.2	53	1	2	3	10	13	26
70 +	0								
	323	**6.1**	**41**	**2**	**2**	**4**	**8**	**11**	**19**
0-17	84	2.6	3	1	1	2	3	5	7
18-34	194	5.4	8	3	3	5	6	9	12
35-49	147	3.6	8	1	1	3	4	9	9
50-69	115	3.1	5	1	1	2	4	7	8
70 +	25	4.8	15						
	565	**4.0**	**8**	**1**	**2**	**3**	**5**	**9**	**10**
	888	**4.8**	**21**	**1**	**2**	**4**	**6**	**10**	**12**

DRG 249: Aftercare, Musculoskeletal System & Connective Tissue

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	116	4.6	15	< 1	1	4	5	10	15
70-74	135	4.5	16	1	2	3	6	12	14
75-79	82	7.2	53	3	3	4	10	17	27
80-84	96	6.3	10	3	4	6	7	12	13
85 +	147	5.9	26	2	2	5	7	9	14
SUBTOTAL	**576**	**5.5**	**23**	**1**	**3**	**4**	**7**	**12**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	276	3.1	4	1	2	3	4	5	8
70-74	217	4.1	17	1	1	2	6	10	11
75-79	235	4.1	12	1	1	3	6	8	12
80-84	137	3.5	5	1	1	3	5	6	8
85 +	104	4.1	9	1	2	4	5	8	13
SUBTOTAL	**969**	**3.7**	**10**	**1**	**2**	**3**	**5**	**8**	**10**
GRAND TOTAL	**1545**	**4.4**	**16**	**1**	**2**	**3**	**6**	**9**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	33	3.1	19						
18-34	22	1.3							
35-49	16	2.0							
50-69	59	5.7	25	2	2	4	8	17	17
70 +	27	4.2	7						
SUBTOTAL	**157**	**3.9**	**17**	**< 1**	**1**	**2**	**5**	**8**	**15**
0-17	106	2.2	3	< 1	< 1	1	3	4	7
18-34	106	1.7	1	< 1	< 1	1	2	3	5
35-49	92	2.7	3	1	1	2	4	5	6
50-69	245	4.8	20	1	1	4	7	10	13
70 +	18	6.0	19						
SUBTOTAL	**568**	**3.4**	**13**	**< 1**	**1**	**2**	**4**	**7**	**10**
GRAND TOTAL	**726**	**3.5**	**13**	**< 1**	**1**	**2**	**5**	**8**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	18	5.0	26						
18-34	6	6.0							
35-49	12	11.0	109						
50-69	8	2.0							
70 +	0								
SUBTOTAL	**45**	**6.2**	**49**	**< 1**	**1**	**2**	**12**	**21**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	61	2.2	2	< 1	1	2	3	5	5
18-34	55	8.7	46	< 1	5	7	10	26	26
35-49	41	3.1	4	1	1	3	4	7	7
50-69	33	2.8	9						
70 +	0								
SUBTOTAL	**190**	**4.4**	**24**	**< 1**	**1**	**3**	**5**	**9**	**11**
GRAND TOTAL	**235**	**4.7**	**29**	**< 1**	**1**	**3**	**6**	**11**	**19**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	12	1.5							
18-34	6	17.0							
35-49	14	10.4	17						
50-69	6	8.0							
70 +	14	8.2	38						
SUBTOTAL	**53**	**8.2**	**35**	**< 1**	**3**	**7**	**15**	**17**	**17**
0-17	29	3.2	4						–
18-34	65	7.1	95	1	1	3	10	15	35
35-49	86	6.2	23	2	2	4	9	14	15
50-69	78	2.0	3	< 1	1	1	2	3	7
70 +	29	8.2	39						
SUBTOTAL	**286**	**5.2**	**38**	**< 1**	**1**	**2**	**7**	**14**	**15**
GRAND TOTAL	**339**	**5.7**	**39**	**< 1**	**1**	**3**	**8**	**15**	**16**

DRG 250: Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	88	3.6	4	1	2	3	6	6	8
70-74	92	5.3	8	2	2	6	7	8	11
75-79	127	5.9	57	1	2	4	6	7	25
80-84	78	4.4	6	2	3	3	6	8	9
85 +	196	5.6	18	2	3	4	7	10	14
SUBTOTAL	**580**	**5.2**	**22**	**2**	**2**	**4**	**6**	**9**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**580**	**5.2**	**22**	**2**	**2**	**4**	**6**	**9**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	141	3.5	4	1	2	3	5	7	8
35-49	104	3.1	5	1	1	3	3	5	10
50-69	108	3.2	12	1	1	2	3	8	14
70 +	53	5.3	10	3	3	4	7	13	13
	407	**3.6**	**8**	**1**	**2**	**3**	**4**	**7**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	407	**3.6**	**8**	**1**	**2**	**3**	**4**	**7**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	51	3.0	1	<1	3	3	4	4	4
35-49	47	1.8	2	1	1	1	2	5	5
50-69	12	4.5							
70 +	6	7.0							
SUBTOTAL	**117**	**2.9**	**3**	**1**	**1**	**3**	**4**	**5**	**6**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**117**	**2.9**	**3**	**1**	**1**	**3**	**4**	**5**	**6**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	141	2.2	3	1	1	2	3	4	4
35-49	184	4.1	11	1	2	3	5	9	13
50-69	47	2.8	3	1	1	2	5	6	6
70 +	8	1.0							
	380	**3.2**	**8**	**1**	**1**	**2**	**4**	**6**	**9**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	380	**3.2**	**8**	**1**	**1**	**2**	**4**	**6**	**9**

DRG 251: Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	131	3.4	6	1	2	3	5	6	7
70-74	133	2.5	4	1	1	2	3	4	9
75-79	100	4.0	11	1	2	3	5	7	15
80-84	86	4.3	4	2	3	4	5	5	10
85 +	119	6.1	99	1	1	2	5	18	33
SUBTOTAL	**568**	**4.0**	**27**	**1**	**2**	**3**	**5**	**7**	**10**
GRAND TOTAL	**568**	**4.0**	**27**	**1**	**2**	**3**	**5**	**7**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	445	1.5	1	< 1	1	1	2	3	3
35-49	323	2.3	6	< 1	1	1	2	5	7
50-69	306	2.0	2	1	1	2	2	4	5
70 +	45	15.9	992	< 1	1	1	2	82	82
1122	**2.5**	**49**	**< 1**	**1**	**1**	**2**	**3**	**5**
1122	**2.5**	**49**	**< 1**	**1**	**1**	**2**	**3**	**5**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	370	2.6	3	1	1	2	3	4	5
35-49	139	2.9	5	< 1	1	2	4	6	6
50-69	70	4.1	24	1	2	2	4	6	19
70 +	6	1.0							
SUBTOTAL	**585**	**2.8**	**6**	**1**	**1**	**2**	**3**	**4**	**6**
GRAND TOTAL	**585**	**2.8**	**6**	**1**	**1**	**2**	**3**	**4**	**6**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	1359	2.4	3	1	1	2	3	4	5
35-49	434	2.8	6	1	1	2	4	6	7
50-69	198	2.6	6	< 1	1	2	3	6	8
70 +	29	2.1	2						
2019	**2.5**	**4**	**1**	**1**	**2**	**3**	**4**	**6**
2019	**2.5**	**4**	**1**	**1**	**2**	**3**	**4**	**6**

DRG 252: Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	96	1.8	2	< 1	1	1	2	5	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	96	1.8	2	< 1	1	1	2	5	5
0-17	1396	1.3	1	< 1	1	1	1	2	2
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1396	1.3	1	< 1	1	1	1	2	2
	1492	1.3	1	< 1	1	1	1	2	3

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	53	2.3	2	1	1	2	3	5	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	53	2.3	2	1	1	2	3	5	5
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	315	1.6	1	1	1	1	2	3	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	315	1.6	1	1	1	1	2	3	4
GRAND TOTAL	368	1.7	1	1	1	1	2	3	4

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	45	2.7	7	< 1	1	1	3	8	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	45	2.7	7	< 1	1	1	3	8	8
0-17	818	1.5	1	< 1	1	1	2	3	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	818	1.5	1	< 1	1	1	2	3	3
	863	1.6	2	< 1	1	1	2	3	3

DRG 253: Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age >17 w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	636	6.9	37	1	3	5	9	15	16
70-74	362	5.2	10	2	3	4	7	10	10
75-79	417	6.5	35	2	3	5	7	11	17
80-84	542	6.9	27	2	3	5	9	13	18
85 +	662	6.6	20	2	3	6	8	13	17
SUBTOTAL	**2618**	**6.5**	**27**	**2**	**3**	**5**	**8**	**12**	**16**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2618**	**6.5**	**27**	**2**	**3**	**5**	**8**	**12**	**16**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	300	3.5	6	1	2	3	5	7	7
35-49	366	4.0	8	1	2	3	5	9	9
50-69	382	4.8	16	1	2	4	6	10	11
70 +	129	9.8	119	2	3	7	10	24	30
SUBTOTAL	**1177**	**4.8**	**25**	**1**	**2**	**4**	**6**	**9**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
GRAND TOTAL	**1177**	**4.8**	**25**	**1**	**2**	**4**	**6**	**9**	**12**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	131	3.3	[illegible]	1	1	2	5	6	7
35-49	129	6.6	[illegible]	2	3	4	8	12	19
50-69	53	2.7	2	< 1	1	3	4	5	5
70 +	22	6.1	19						
SUBTOTAL	**335**	**4.7**	**19**	**1**	**2**	**4**	**5**	**10**	**13**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**335**	**4.7**	**19**	**1**	**2**	**4**	**5**	**10**	**13**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	460	3.8	15	1	1	3	4	8	11
35-49	335	5.9	61	1	2	4	7	10	30
50-69	237	7.3	99	1	2	5	8	13	23
70 +	88	6.0	32	1	1	4	11	11	20
SUBTOTAL	**1121**	**5.3**	**50**	**1**	**2**	**3**	**6**	**11**	**18**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
GRAND TOTAL	**1121**	**5.3**	**50**	**1**	**2**	**3**	**6**	**11**	**18**

DRG 254: Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	509	4.1	14	1	1	3	5	9	11
70-74	396	3.1	3	1	2	3	4	5	7
75-79	447	4.7	25	1	2	3	5	7	12
80-84	376	5.1	16	1	2	4	6	12	15
85 +	574	4.2	13	1	2	3	5	7	8
SUBTOTAL	**2303**	**4.2**	**15**	**1**	**2**	**3**	**5**	**8**	**11**
GRAND TOTAL	**2303**	**4.2**	**15**	**1**	**2**	**3**	**5**	**8**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	1181	2.3	2	<1	1	2	3	4	5
35-49	1114	2.3	3	1	1	2	3	4	6
50-69	1022	3.0	6	1	1	2	4	6	8
70 +	196	7.2	252	1	2	3	6	10	11
3512	**2.8**	**19**	**1**	**1**	**2**	**3**	**5**	**7**	
3512	**2.8**	**19**	**1**	**1**	**2**	**3**	**5**	**7**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	567	3.8	42	1	1	2	4	7	9
35-49	246	6.6	113	1	1	3	8	16	31
50-69	162	4.1	12	1	1	3	6	9	11
70 +	31	6.5	14						
SUBTOTAL	**1005**	**4.6**	**55**	**1**	**1**	**3**	**4**	**9**	**15**
GRAND TOTAL	**1005**	**4.6**	**55**	**1**	**1**	**3**	**4**	**9**	**15**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	2453	2.7	5	1	1	2	3	5	6
35-49	1172	2.8	7	1	1	2	4	6	8
50-69	546	3.3	11	1	1	2	4	7	9
70 +	100	5.4	45	1	1	2	5	20	20
4271	**2.9**	**7**	**1**	**1**	**2**	**3**	**5**	**7**	
4271	**2.9**	**7**	**1**	**1**	**2**	**3**	**5**	**7**	

DRG 255: Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	245	3.3	8	1	2	2	4	7	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	245	3.3	8	1	2	2	4	7	8
0-17	2193	1.8	4	1	1	1	2	3	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	2193	1.8	4	1	1	1	2	3	4
GRAND TOTAL	2438	1.9	4	1	1	1	2	3	5

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	86	2.6	2	< 1	1	3	4	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	86	2.6	2	< 1	1	3	4	4	5
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	820	1.7	1	< 1	1	1	2	3	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	820	1.7	1	< 1	1	1	2	3	4
GRAND TOTAL	906	1.8	2	< 1	1	1	2	4	4

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	84	6.5	42	1	2	3	9	16	21
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	84	6.5	42	1	2	3	9	16	21
0-17	1172	1.9	6	1	1	1	2	3	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1172	1.9	6	1	1	1	2	3	5
GRAND TOTAL	1256	2.2	9	1	1	1	2	4	6

DRG 256: Other Musculoskeletal System & Connective Tissue Diagnoses

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	360	5.2	18	2	2	4	7	10	14
70-74	157	4.4	17	1	2	3	5	10	12
75-79	92	7.6	52	2	3	5	10	15	27
80-84	94	4.8	14	1	1	5	8	10	12
85 +	123	5.2	15	2	3	3	7	9	17
SUBTOTAL	**826**	**5.3**	**21**	**2**	**2**	**4**	**7**	**10**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	262	3.1	4	1	1	3	4	6	7
70-74	155	2.4	4	1	1	2	3	3	8
75-79	120	4.9	16	1	2	3	8	12	13
80-84	74	7.3	91	1	1	3	8	32	32
85 +	59	6.3	9	4	4	6	6	12	14
SUBTOTAL	**670**	**4.0**	**19**	**1**	**1**	**3**	**5**	**8**	**12**
GRAND TOTAL	**1496**	**4.7**	**21**	**1**	**2**	**3**	**6**	**10**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	112	3.1	7	1	1	2	5	6	10
18-34	78	3.2	3	< 1	2	2	5	5	6
35-49	110	4.5	22	< 1	1	2	10	12	15
50-69	145	4.5	42	1	1	2	4	9	29
70 +	27	2.3	2						
SUBTOTAL	**472**	**3.8**	**21**	**< 1**	**1**	**2**	**5**	**10**	**11**
0-17	471	2.3	23	< 1	< 1	1	1	3	6
18-34	192	2.7	2	1	2	2	4	5	6
35-49	315	2.3	3	1	1	2	3	4	4
50-69	331	2.5	3	1	1	2	4	5	6
70 +	20	3.1	5						
SUBTOTAL	**1329**	**2.4**	**10**	**< 1**	**1**	**1**	**3**	**4**	**6**
GRAND TOTAL	**1801**	**2.8**	**13**	**< 1**	**1**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	12	12.5	98						
18-34	59	7.2	67	1	3	4	6	27	27
35-49	80	5.6	25	1	2	3	10	11	18
50-69	94	4.8	12	1	2	3	8	8	13
70 +	6	1.0							
SUBTOTAL	**252**	**5.9**	**36**	**1**	**2**	**4**	**8**	**13**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	268	3.8	64	< 1	< 1	1	2	12	16
18-34	172	3.0	5	1	1	2	4	7	8
35-49	155	2.9	8	1	1	2	3	6	8
50-69	104	4.2	23	1	2	2	4	14	17
70 +	14	2.7	4						
SUBTOTAL	**714**	**3.5**	**30**	**< 1**	**1**	**2**	**3**	**8**	**14**
GRAND TOTAL	**966**	**4.1**	**33**	**< 1**	**1**	**2**	**4**	**9**	**15**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	29	6.4	46						
18-34	129	4.3	17	< 1	1	3	7	10	11
35-49	141	4.3	31	1	1	2	4	9	19
50-69	90	4.2	9	1	2	3	5	9	11
70 +	16	2.0	1						
SUBTOTAL	**405**	**4.3**	**22**	**1**	**1**	**3**	**5**	**9**	**17**
0-17	244	2.2	6	< 1	< 1	1	3	4	6
18-34	493	2.6	4	1	1	2	3	5	7
35-49	333	2.6	7	1	1	2	3	6	8
50-69	229	2.2	3	< 1	1	2	3	4	6
70 +	31	3.6	3						
SUBTOTAL	**1330**	**2.5**	**5**	**< 1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**1735**	**2.9**	**10**	**< 1**	**1**	**2**	**3**	**6**	**9**

DRG 257: Total Mastectomy for Malignancy w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1289	4.2	8	2	3	4	4	7	10
70-74	1177	3.8	4	2	3	4	5	6	7
75-79	1103	4.0	4	2	3	3	5	6	7
80-84	629	4.7	8	3	3	4	5	7	9
85 +	476	5.0	6	3	3	4	6	8	10
SUBTOTAL	**4675**	**4.2**	**6**	**2**	**3**	**4**	**5**	**7**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4675**	**4.2**	**6**	**2**	**3**	**4**	**5**	**7**	**8**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	166	3.3	2	2	2	3	4	5	6
35-49	1136	3.1	2	2	2	3	4	4	6
50-69	1680	3.5	5	2	2	3	4	6	7
70 +	157	2.8	1	1	2	3	3	4	5
SUBTOTAL	**3140**	**3.3**	**4**	**2**	**2**	**3**	**4**	**5**	**6**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3140**	**3.3**	**4**	**2**	**2**	**3**	**4**	**5**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	18	4.0	8						
35-49	90	5.0	15	2	2	4	6	9	17
50-69	166	5.5	5	3	4	5	7	9	9
70 +	8	5.0							
SUBTOTAL	**282**	**5.2**	**8**	**2**	**3**	**5**	**6**	**9**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**282**	**5.2**	**8**	**2**	**3**	**5**	**6**	**9**	**9**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	65	3.3	5	1	2	3	4	6	9
35-49	372	3.4	8	1	2	3	4	6	9
50-69	474	3.6	8	1	2	3	4	6	11
70 +	45	5.8	7	4	4	4	8	11	11
SUBTOTAL	**957**	**3.6**	**8**	**1**	**2**	**3**	**4**	**6**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**957**	**3.6**	**8**	**1**	**2**	**3**	**4**	**6**	**11**

DRG 258: Total Mastectomy for Malignancy w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1586	3.3	2	2	2	3	4	5	6
70-74	1498	3.1	2	2	2	3	4	5	6
75-79	1191	3.2	3	2	2	3	4	5	5
80-84	564	3.7	3	2	2	4	4	6	7
85 +	280	3.8	2	2	3	4	5	6	6
SUBTOTAL	5119	3.3	2	2	2	3	4	5	6
GRAND TOTAL	5119	3.3	2	2	2	3	4	5	6

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	0								
18-34	184	2.8	1	2	2	3	3	4	4
35-49	2038	2.7	1	2	2	3	3	4	5
50-69	3109	2.8	2	2	2	3	3	4	5
70 +	264	2.7	4	1	2	2	4	4	5
	5594	2.8	2	2	2	3	3	4	5
	5594	2.8	2	2	2	3	3	4	5

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	61	5.9	16	2	4	4	8	13	15
35-49	182	5.0	4	3	4	5	5	7	10
50-69	288	4.6	5	2	3	4	5	8	9
70 +	14	8.2	38						
SUBTOTAL	546	5.0	7	3	3	4	5	8	10
GRAND TOTAL	546	5.0	7	3	3	4	5	8	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	102	3.2	2	2	2	3	5	5	6
35-49	797	3.1	2	2	2	3	4	5	6
50-69	996	3.2	3	2	2	3	4	5	7
70 +	88	3.2	2	2	2	3	5	5	6
	1983	3.2	3	2	2	3	4	5	7
	1983	3.2	3	2	2	3	4	5	7

DRG 259: Subtotal Mastectomy for Malignancy w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	153	2.9	2	1	2	2	4	5	5
70-74	121	3.9	16	1	1	3	4	9	16
75-79	100	7.1	69	1	2	2	9	21	29
80-84	31	1.7							
85+	45	3.1	3	1	2	3	4	7	7
SUBTOTAL	**450**	**4.1**	**24**	**1**	**2**	**2**	**4**	**8**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**450**	**4.1**	**24**	**1**	**2**	**2**	**4**	**8**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	6	1.0							
35-49	137	2.0	1	1	1	2	3	4	4
50-69	262	3.3	7	1	1	3	4	8	9
70+	18	3.7	7						
	423	**2.9**	**5**	**1**	**1**	**2**	**3**	**6**	**8**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	423	**2.9**	**5**	**1**	**1**	**2**	**3**	**6**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	6	20.0							
35-49	14	4.9	21						
50-69	29	6.9	36						
70+	6	12.0							
SUBTOTAL	**55**	**8.4**	**45**	**1**	**2**	**10**	**12**	**20**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**55**	**8.4**	**45**	**1**	**2**	**10**	**12**	**20**	**20**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	12	3.0							
35-49	35	1.8							
50-69	86	3.6	8	1	2	3	4	8	11
70+	0								
	133	**3.1**	**6**	**1**	**2**	**2**	**3**	**6**	**8**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	133	**3.1**	**6**	**1**	**2**	**2**	**3**	**6**	**8**

DRG 260: Subtotal Mastectomy for Malignancy w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	235	2.1	1	1	1	2	3	4	5
70-74	208	2.4	2	1	1	2	3	5	5
75-79	98	2.2	1	1	2	2	3	3	4
80-84	69	2.0	1	< 1	1	2	3	3	3
85 +	43	2.5	1	1	2	3	3	3	3
SUBTOTAL	**654**	**2.2**	**1**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**654**	**2.2**	**1**	**1**	**1**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	80	1.8	1	1	1	2	2	3	4
35-49	562	1.7	1	1	1	1	2	3	3
50-69	734	1.8	1	1	1	2	2	3	3
70 +	39	1.8	1	1	1	2	2	4	4
1414	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	
1414	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	39	3.1	5	1	1	2	5	7	7
50-69	18	4.3	2						
70 +	0								
SUBTOTAL	**57**	**3.5**	**4**	**1**	**2**	**3**	**5**	**7**	**7**
GRAND TOTAL	**57**	**3.5**	**4**	**1**	**2**	**3**	**5**	**7**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	14	1.6							
35-49	141	2.2	1	< 1	1	2	3	4	4
50-69	137	2.6	2	1	1	2	4	4	5
70 +	33	1.5	1						
325	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	
325	**2.3**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	

DRG 261: Breast Proc for Non-malignancy except Biopsy & Local Excision

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	108	3.0	2	1	2	3	4	5	6
70-74	47	2.5	1	2	2	2	3	4	4
75-79	6	2.0							
80-84	14	1.9	1						
85 +	6	7.0							
SUBTOTAL	**182**	**2.9**	**2**	**1**	**2**	**3**	**3**	**5**	**6**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	347	2.4	2	1	1	2	3	4	5
70-74	98	2.2	2	1	1	2	2	5	5
75-79	74	2.9	2	1	2	3	3	5	6
80-84	31	2.6	1						
85 +	12	4.0							
SUBTOTAL	**562**	**2.5**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**744**	**2.6**	**2**	**1**	**2**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	3.0							
18-34	147	3.1	3	2	2	2	4	4	9
35-49	233	3.6	11	2	2	3	3	7	10
50-69	161	3.3	6	1	2	2	4	6	9
70 +	6	2.0							
SUBTOTAL	**556**	**3.3**	**7**	**2**	**2**	**3**	**4**	**5**	**9**
0-17	352	1.5		1	1	1	2	2	3
18-34	1523	2.0	1	1	1	2	2	3	4
35-49	2316	2.0	1	1	1	2	2	3	4
50-69	1417	1.9	1	1	1	2	2	3	4
70 +	14	3.7	2						
SUBTOTAL	**5621**	**2.0**	**1**	**1**	**1**	**2**	**2**	**3**	**4**
GRAND TOTAL	**6178**	**2.1**	**2**	**1**	**1**	**2**	**2**	**3**	**4**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	6	1.0							
18-34	84	2.1	1	1	1	2	3	3	4
35-49	67	2.8	3	1	1	3	5	5	6
50-69	31	3.0	1						
70 +	0								
SUBTOTAL	**188**	**2.5**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**188**	**2.5**	**2**	**1**	**1**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	35	2.8	1						
35-49	35	1.9	1						
50-69	6	2.0							
70 +	0								
SUBTOTAL	**76**	**2.3**	**1**	**1**	**1**	**2**	**4**	**4**	**4**
0-17	33	1.9	1						
18-34	315	1.8	1	1	1	1	2	3	4
35-49	391	2.0	2	1	1	2	2	3	3
50-69	243	1.6	1	1	1	1	2	3	3
70 +	8	1.0							
SUBTOTAL	**990**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**4**
GRAND TOTAL	**1066**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**4**

DRG 262: Breast Biopsy & Local Excision for Non-malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	8	1.0							
70-74	14	4.4	9						
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**22**	**3.2**	**9**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	45	1.0		< 1	< 1	< 1	1	1	1
70-74	39	1.0							
75-79	45	1.3		< 1	< 1	< 1	1	3	3
80-84	31	1.3							
85 +	16	2.0	1						
SUBTOTAL	**176**	**1.2**		**< 1**	**< 1**	**< 1**	**1**	**2**	**3**
GRAND TOTAL	**198**	**1.4**	**2**	**< 1**	**< 1**	**1**	**1**	**3**	**3**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	14	6.6	17						
35-49	16	7.5	13						
50-69	6	3.0							
70 +	0								
SUBTOTAL	**37**	**6.4**	**14**						
0-17	14	1.0							
18-34	61	1.1		< 1	< 1	< 1	1	2	2
35-49	251	1.5	1	< 1	< 1	< 1	1	3	4
50-69	125	1.0		< 1	< 1	< 1	1	1	1
70 +	12	2.5	2						
SUBTOTAL	**464**	**1.3**	**1**	**< 1**	**< 1**	**< 1**	**1**	**2**	**3**
GRAND TOTAL	**500**	**1.7**	**3**	**< 1**	**< 1**	**< 1**	**1**	**3**	**4**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	8	8.0							
50-69	0								
70 +	0								
SUBTOTAL	**8**	**8.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	14	1.0							
18-34	43	1.8	1	< 1	< 1	1	2	4	4
35-49	20	4.8	5						
50-69	6	1.0							
70 +	0								
SUBTOTAL	**84**	**2.3**	**4**	**< 1**	**< 1**	**1**	**3**	**4**	**8**
GRAND TOTAL	**92**	**2.8**	**6**	**< 1**	**1**	**2**	**4**	**8**	**8**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	12	5.5	22						
35-49	0								
50-69	6	8.0							
70 +	0								
SUBTOTAL	**18**	**6.3**	**16**						
0-17	6	4.0							
18-34	41	3.8	4	1	2	3	6	7	7
35-49	63	1.8	2	< 1	< 1	1	3	4	4
50-69	59	2.8	6	< 1	< 1	2	3	7	8
70 +	0								
SUBTOTAL	**170**	**2.7**	**4**	**< 1**	**< 1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**188**	**3.0**	**6**	**< 1**	**< 1**	**2**	**4**	**7**	**8**

DRG 263: Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1270	21.5	274	6	9	16	30	44	57
70-74	296	17.9	226	6	9	14	21	31	44
75-79	290	22.8	312	6	10	18	34	44	64
80-84	247	22.2	357	6	9	15	30	59	66
85 +	331	14.2	143	4	7	10	18	28	30
SUBTOTAL	**2435**	**20.3**	**271**	**6**	**9**	**15**	**28**	**43**	**57**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2435**	**20.3**	**271**	**6**	**9**	**15**	**28**	**43**	**57**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	47	26.8	961	3	3	12	58	82	82
18-34	92	18.0	301	2	3	11	38	46	48
35-49	215	15.9	178	5	6	13	22	51	99 +
50-69	282	14.9	340	2	4	8	18	49	68
70 +	82	11.3	81	3	4	8	17	25	32
	717	**16.0**	**306**	**3**	**5**	**9**	**21**	**49**	**65**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	717	**16.0**	**306**	**3**	**5**	**9**	**21**	**49**	**65**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	37	21.7	103	8	12	22	29	37	37
18-34	239	20.8	284	6	8	15	27	43	65
35-49	164	17.2	191	3	9	13	22	34	41
50-69	170	23.1	293	7	8	18	30	54	56
70 +	14	5.9	7						
SUBTOTAL	**624**	**20.2**	**254**	**6**	**8**	**16**	**27**	**43**	**56**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**624**	**20.2**	**254**	**6**	**8**	**16**	**27**	**43**	**56**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	266	10.5	103	4	6	7	13	19	22
35-49	227	14.4	103	4	7	11	17	28	42
50-69	196	13.5	123	4	6	10	21	35	50
70 +	51	10.4	61	1	1	8	18	22	22
	741	**12.5**	**108**	**4**	**6**	**9**	**16**	**28**	**35**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	741	**12.5**	**108**	**4**	**6**	**9**	**16**	**28**	**35**

DRG 264: Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	296	13.1	111	3	6	10	18	31	42
70-74	131	11.3	75	2	4	8	16	24	31
75-79	86	9.7	47	3	4	8	13	19	24
80-84	78	6.6	6	4	4	6	9	10	11
85 +	82	9.0	27	5	6	7	14	15	22
SUBTOTAL	**672**	**11.0**	**78**	**3**	**5**	**8**	**15**	**24**	**31**
GRAND TOTAL	**672**	**11.0**	**78**	**3**	**5**	**8**	**15**	**24**	**31**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	49	7.1	19	3	4	6	8	16	16
18-34	194	10.1	120	2	3	5	12	27	35
35-49	262	8.8	65	2	4	5	10	23	26
50-69	153	13.0	84	3	7	11	18	21	26
70 +	12	5.5							
671	**10.0**	**84**	**2**	**4**	**7**	**13**	**21**	**27**	
671	**10.0**	**84**	**2**	**4**	**7**	**13**	**21**	**27**	

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	12	5.5							
18-34	139	13.0	274	4	6	7	11	20	45
35-49	92	12.4	78	6	7	10	15	21	40
50-69	65	17.4	721	4	6	6	13	33	98
70 +	12	25.0	480						
SUBTOTAL	**321**	**13.9**	**313**	**4**	**6**	**7**	**12**	**26**	**46**
GRAND TOTAL	**321**	**13.9**	**313**	**4**	**6**	**7**	**12**	**26**	**46**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	63	7.6	39	2	3	6	12	16	23
18-34	422	10.0	128	3	4	7	10	20	31
35-49	280	8.9	32	3	6	7	11	19	21
50-69	115	10.8	97	2	4	7	17	22	40
70 +	6	14.0							
886	**9.6**	**87**	**3**	**5**	**7**	**11**	**20**	**23**	
886	**9.6**	**87**	**3**	**5**	**7**	**11**	**20**	**23**	

DRG 265: Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	135	6.6	34	2	3	4	10	19	19
70-74	119	7.5	79	1	3	5	8	19	34
75-79	51	5.4	48	1	1	2	10	22	22
80-84	102	9.7	204	1	5	5	7	17	56
85 +	67	9.6	137	2	2	4	16	17	42
SUBTOTAL	**474**	**7.8**	**100**	**1**	**2**	**5**	**7**	**17**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**474**	**7.8**	**100**	**1**	**2**	**5**	**7**	**17**	**22**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	100	5.8	73	< 1	1	4	6	12	37
18-34	145	7.9	49	2	3	5	12	18	27
35-49	157	5.6	31	3	3	4	5	11	16
50-69	264	5.5	22	1	2	4	7	11	16
70 +	35	5.4	36						
	701	6.1	38	1	2	4	6	16	18
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	701	6.1	38	1	2	4	6	16	18

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	25	4.3	6						
18-34	67	9.7	53	1	4	8	15	21	23
35-49	45	10.5	64	2	2	11	19	23	23
50-69	35	10.5	95						
70 +	6	7.0							
SUBTOTAL	**178**	**9.2**	**59**	**2**	**4**	**6**	**15**	**23**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**178**	**9.2**	**59**	**2**	**4**	**6**	**15**	**23**	**23**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	2.9	1						
18-34	160	6.2	94	1	2	3	7	26	48
35-49	153	7.8	67	1	3	5	8	25	28
50-69	88	6.0	31	2	3	5	5	19	20
70 +	33	8.0	36						
	464	6.6	64	1	2	4	6	19	28
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	464	6.6	64	1	2	4	6	19	28

DRG 266: Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	221	3.6	10	1	2	3	5	6	9
70-74	92	3.5	7	1	1	3	6	7	10
75-79	119	4.3	8	1	2	4	7	8	10
80-84	104	2.1	2	< 1	1	2	3	4	6
85 +	131	2.5	4	1	1	2	3	6	8
SUBTOTAL	**666**	**3.3**	**7**	**1**	**1**	**2**	**5**	**7**	**8**
GRAND TOTAL	**666**	**3.3**	**7**	**1**	**1**	**2**	**5**	**7**	**8**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	587	2.4	7	< 1	1	1	3	4	9
18-34	497	3.5	11	1	1	3	4	8	11
35-49	442	3.4	9	1	1	3	4	7	9
50-69	442	2.7	4	1	1	2	3	7	7
70 +	22	4.1	4						
SUBTOTAL	**1989**	**3.0**	**8**	**1**	**1**	**2**	**4**	**7**	**8**
GRAND TOTAL	**1989**	**3.0**	**8**	**1**	**1**	**2**	**4**	**7**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	227	4.2	31	1	1	2	4	11	17
18-34	264	6.4	54	1	2	3	8	14	26
35-49	119	4.9	15	1	2	3	8	11	13
50-69	12	31.0	980						
70 +	0								
SUBTOTAL	**622**	**5.8**	**69**	**1**	**1**	**3**	**7**	**13**	**17**
GRAND TOTAL	**622**	**5.8**	**69**	**1**	**1**	**3**	**7**	**13**	**17**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	335	4.0	13	1	1	3	6	9	10
18-34	743	6.1	28	1	3	5	7	14	17
35-49	364	5.9	49	1	2	5	7	10	14
50-69	241	6.1	53	1	2	4	7	12	20
70 +	20	5.8	4						
SUBTOTAL	**1704**	**5.6**	**33**	**1**	**2**	**4**	**7**	**11**	**16**
GRAND TOTAL	**1704**	**5.6**	**33**	**1**	**2**	**4**	**7**	**11**	**16**

DRG 267: Perianal & Pilonidal Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	8	4.0							
70-74	0								
75-79	8	7.0							
80-84	0								
85 +	0								
SUBTOTAL	16	5.5	2						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	6	1.0							
70-74	0								
75-79	8	5.0							
80-84	0								
85 +	16	4.0							
SUBTOTAL	31	3.7	2						
GRAND TOTAL	47	4.3	3	1	4	4	5	7	7

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	2.0							
18-34	41	1.4							
35-49	25	3.0							
50-69	0								
70 +	0								
	71	2.0	1	1	1	2	3	3	3
0-17	80	2.4	3	1	1	2	3	5	7
18-34	221	1.5		< 1	1	1	2	2	3
35-49	104	1.7	1	< 1	1	1	2	3	4
50-69	39	2.9	3						
70 +	6	14.0							
	450	2.0	3	< 1	1	1	2	4	5
	521	2.0	3	1	1	2	2	3	5

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	8	5.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	8	5.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	29	1.0							
18-34	39	1.4							
35-49	0								
50-69	6	20.0							
70 +	0								
SUBTOTAL	74	2.8	27	< 1	< 1	1	2	2	20
GRAND TOTAL	82	3.0	25	< 1	< 1	1	2	5	20

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	6	4.0							
35-49	0								
50-69	0								
70 +	0								
	6	4.0							
0-17	8	1.0							
18-34	159	1.6	1	1	1	1	2	2	2
35-49	14	1.9	1						
50-69	0								
70 +	0								
	182	1.6	1	1	1	1	2	2	3
	188	1.7	1	1	1	1	2	2	4

DRG 268: Skin, Subcutaneous Tissue & Breast Plastic Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	16	47.0	2062						
70-74	6	2.0							
75-79	0								
80-84	8	7.5							
85 +	14	2.0							
SUBTOTAL	45	19.3	1172	2	2	3	7	91	91
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	63	1.8	1	1	1	1	3	3	4
70-74	29	1.9	1						
75-79	31	2.3	3						
80-84	8	2.0							
85 +	0								
SUBTOTAL	131	1.9	1	1	1	2	3	4	5
GRAND TOTAL	176	6.4	353	1	1	2	3	5	7

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	1.0							
18-34	33	2.8	1						
35-49	27	1.5							
50-69	27	3.8	14						
70 +	0								
	92	2.6	5	1	1	2	3	4	10
0-17	143	1.5	1	< 1	< 1	1	2	3	3
18-34	88	1.7	1	< 1	1	1	2	3	4
35-49	149	2.1	1	1	1	2	3	3	5
50-69	131	2.5	3	1	1	2	3	5	7
70 +	0								
	511	2.0	2	< 1	1	2	3	3	5
	603	2.1	2	< 1	1	2	3	4	5

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	20	6.6	49						
35-49	0								
50-69	14	1.6							
70 +	0								
SUBTOTAL	35	4.5	35						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	43	6.8	70	1	1	2	3	23	23
18-34	18	2.3							
35-49	14	1.0							
50-69	14	2.1	1						
70 +	0								
SUBTOTAL	90	4.2	40	1	1	2	3	9	23
GRAND TOTAL	125	4.3	38	1	1	2	3	17	23

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	3.0							
18-34	76	1.9	1	< 1	1	2	2	4	4
35-49	55	3.4	9	1	1	2	6	9	9
50-69	35	2.0							
70 +	0								
	174	2.5	4	1	1	2	3	6	7
0-17	51	2.4	4	< 1	1	1	5	6	6
18-34	78	1.9	1	1	1	2	3	3	4
35-49	135	2.1	5	1	1	1	2	4	6
50-69	104	1.7	1	1	1	2	2	3	4
70 +	12	4.5	13						
	380	2.1	3	1	1	1	2	4	6
	554	2.2	4	1	1	2	2	4	6

DRG 269: Other Skin, Subcut Tiss & Breast Proc w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	356	9.7	106	2	3	7	13	24	38
70-74	143	7.3	32	1	4	6	10	13	17
75-79	223	6.4	27	1	3	4	9	14	18
80-84	151	7.3	50	1	3	4	8	14	19
85+	192	14.3	145	3	7	13	16	34	41
SUBTOTAL	**1065**	**9.2**	**86**	**2**	**3**	**7**	**12**	**19**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1065**	**9.2**	**86**	**2**	**3**	**7**	**12**	**19**	**28**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	96	4.7	16	1	1	4	6	13	14
18-34	145	3.8	7	1	2	3	5	8	10
35-49	229	3.8	18	1	2	2	4	10	12
50-69	348	7.5	70	1	2	5	9	17	28
70+	37	16.8	59	7	10	16	22	30	30
	855	**6.0**	**47**	**1**	**2**	**3**	**7**	**14**	**18**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	855	**6.0**	**47**	**1**	**2**	**3**	**7**	**14**	**18**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	94	10.3	82	2	4	7	14	29	31
18-34	100	6.5	16	2	4	6	9	10	18
35-49	127	10.8	74	3	4	9	13	27	28
50-69	72	13.5	61	2	2	15	20	24	24
70+	12	6.0	4						
SUBTOTAL	**405**	**9.9**	**62**	**2**	**4**	**8**	**13**	**24**	**27**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**405**	**9.9**	**62**	**2**	**4**	**8**	**13**	**24**	**27**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	47	5.9	17	1	2	5	6	14	14
18-34	561	6.9	37	2	4	5	8	13	19
35-49	303	6.4	32	1	3	5	9	12	22
50-69	194	7.8	57	1	3	5	10	17	29
70+	12	10.0	1						
	1117	**6.9**	**38**	**2**	**3**	**5**	**8**	**14**	**19**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	1117	**6.9**	**38**	**2**	**3**	**5**	**8**	**14**	**19**

DRG 270: Other Skin, Subcut Tiss & Breast Proc w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	372	5.1	58	<1	1	3	7	8	13
70-74	176	2.2	2	1	1	2	3	4	5
75-79	145	2.9	5	<1	1	2	4	6	7
80-84	67	3.0	2	<1	2	3	4	6	6
85+	72	5.8	21	<1	3	4	9	15	15
SUBTOTAL	**832**	**4.0**	**31**	**<1**	**1**	**3**	**5**	**8**	**9**
GRAND TOTAL	**832**	**4.0**	**31**	**<1**	**1**	**3**	**5**	**8**	**9**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
0									
0-17	814	1.8	2	<1	<1	1	2	4	5
18-34	574	2.7	5	<1	1	2	3	5	7
35-49	815	2.3	4	<1	1	1	3	5	6
50-69	705	2.7	5	1	1	2	3	6	7
70+	55	3.0	3	<1	2	3	5	6	6
2964	**2.3**	**4**	**<1**	**1**	**2**	**3**	**5**	**6**	
2964	**2.3**	**4**	**<1**	**1**	**2**	**3**	**5**	**6**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	317	3.2	11	<1	<1	1	4	9	11
18-34	354	5.0	16	1	2	4	6	9	15
35-49	151	5.9	32	1	2	4	7	12	21
50-69	86	4.7	21	1	1	4	5	12	18
70+	8	4.0							
SUBTOTAL	**917**	**4.5**	**18**	**<1**	**1**	**4**	**6**	**10**	**13**
GRAND TOTAL	**917**	**4.5**	**18**	**<1**	**1**	**4**	**6**	**10**	**13**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
0									
0-17	409	4.3	13	<1	1	3	6	9	11
18-34	1240	4.9	18	1	2	4	6	9	12
35-49	608	4.3	31	1	2	3	5	8	11
50-69	327	4.2	18	1	1	2	5	11	13
70+	57	2.9	1	1	2	3	4	5	5
2641	**4.5**	**20**	**1**	**2**	**3**	**6**	**9**	**12**	
2641	**4.5**	**20**	**1**	**2**	**3**	**6**	**9**	**12**	

DRG 271: Skin Ulcers

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	354	11.7	178	3	5	7	14	23	31
70-74	147	7.8	24	3	4	7	10	14	17
75-79	304	8.9	35	3	5	8	11	17	19
80-84	376	9.3	47	3	5	7	14	17	25
85 +	370	9.0	64	3	4	8	10	17	22
SUBTOTAL	**1551**	**9.6**	**78**	**3**	**5**	**7**	**11**	**17**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	110	10.5	65	4	5	8	11	27	27
70-74	27	6.5	3						
75-79	51	8.1	25	2	4	7	9	18	18
80-84	47	10.2	5	7	9	10	11	14	14
85 +	57	5.0	6	1	3	6	7	8	8
SUBTOTAL	**292**	**8.6**	**36**	**3**	**5**	**7**	**10**	**16**	**26**
GRAND TOTAL	**1843**	**9.4**	**71**	**3**	**5**	**7**	**11**	**17**	**23**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	18	4.7	3						
18-34	37	5.2	6						
35-49	20	5.4	3						
50-69	86	8.2	55	2	3	5	10	23	24
70 +	53	7.7	37	2	3	6	17	18	18
	215	**7.0**	**34**	**2**	**3**	**5**	**8**	**17**	**23**
0-17	0								
18-34	22	7.5	44						
35-49	0								
50-69	35	5.8	7						
70 +	8	5.0							
	65	**6.3**	**19**	**2**	**3**	**5**	**8**	**16**	**16**
	280	**6.8**	**31**	**2**	**3**	**5**	**8**	**16**	**20**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	12	6.0	1						
18-34	57	8.5	76	4	4	5	6	28	32
35-49	51	8.0	39	< 1	2	6	9	21	21
50-69	80	8.4	51	2	2	5	10	21	22
70 +	49	16.5	272	2	4	7	39	43	43
SUBTOTAL	**250**	**9.8**	**105**	**2**	**4**	**5**	**12**	**22**	**39**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	6	5.0							
18-34	68	9.5	44	2	4	8	11	22	22
35-49	49	10.1	140	< 1	1	5	17	34	34
50-69	6	11.0							
70 +	12	18.5	229						
SUBTOTAL	**141**	**10.4**	**95**	**1**	**2**	**8**	**11**	**24**	**33**
GRAND TOTAL	**391**	**10.0**	**101**	**2**	**4**	**6**	**11**	**22**	**34**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	14	2.6							
18-34	88	5.4	8	1	3	5	8	9	10
35-49	127	8.5	68	3	4	7	10	13	23
50-69	139	7.6	22	2	4	7	11	13	14
70 +	20	7.5	3						
	389	**7.2**	**34**	**2**	**4**	**6**	**9**	**11**	**14**
0-17	0								
18-34	63	9.1	94	2	3	6	9	27	31
35-49	43	5.3	15	< 1	3	5	6	14	14
50-69	51	10.6	147	1	5	6	11	42	42
70 +	45	8.3	44	1	1	9	11	21	21
	203	**8.5**	**82**	**1**	**3**	**6**	**11**	**21**	**31**
	591	**7.7**	**51**	**2**	**3**	**6**	**9**	**13**	**22**

DRG 272: Major Skin Disorders w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	172	5.9	6	3	4	5	8	9	11
70-74	241	6.0	28	1	3	4	7	11	14
75-79	178	7.1	20	2	4	7	8	12	16
80-84	198	7.1	29	2	3	6	10	16	19
85 +	161	9.5	35	4	5	7	13	19	22
SUBTOTAL	**950**	**7.0**	**26**	**2**	**3**	**6**	**9**	**14**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**950**	**7.0**	**26**	**2**	**3**	**6**	**9**	**14**	**18**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	65	3.3	4	1	1	3	5	6	7
18-34	49	7.6	13	3	3	8	12	12	12
35-49	125	5.6	17	2	3	5	6	9	19
50-69	149	7.5	40	3	5	6	7	11	20
70 +	18	3.7	4						
SUBTOTAL	**407**	**6.1**	**25**	**2**	**3**	**5**	**6**	**11**	**19**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**407**	**6.1**	**25**	**2**	**3**	**5**	**6**	**11**	**19**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	51	4.6	5	2	3	5	7	8	8
18-34	80	6.7	21	2	3	6	8	12	18
35-49	0								
50-69	76	5.1	6	2	4	4	7	10	10
70 +	6	4.0							
SUBTOTAL	**213**	**5.6**	**12**	**2**	**3**	**5**	**7**	**10**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**213**	**5.6**	**12**	**2**	**3**	**5**	**7**	**10**	**12**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	25	5.5	11						
18-34	115	5.5	10	2	3	5	7	12	13
35-49	55	5.9	19	< 1	2	5	7	15	15
50-69	41	3.6	14	< 1	1	2	4	12	12
70 +	16	7.5							
SUBTOTAL	**252**	**5.4**	**13**	**1**	**2**	**5**	**7**	**11**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**252**	**5.4**	**13**	**1**	**2**	**5**	**7**	**11**	**12**

DRG 273: Major Skin Disorders w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	106	3.4	6	1	1	3	6	8	8
70-74	41	3.5	2	1	3	4	4	6	6
75-79	92	5.9	22	2	2	5	9	12	17
80-84	27	4.0							
85 +	67	4.2	7	1	2	4	5	10	10
SUBTOTAL	**333**	**4.3**	**11**	**1**	**2**	**3**	**6**	**8**	**10**
GRAND TOTAL	**333**	**4.3**	**11**	**1**	**2**	**3**	**6**	**8**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	243	2.6	1	1	2	3	3	4	5
18-34	55	3.4		2	3	3	4	4	4
35-49	92	3.2	3	2	2	3	3	5	7
50-69	92	4.0	14	2	2	3	3	7	15
70 +	12	4.0	4						
495	**3.1**	**4**	**1**	**2**	**3**	**4**	**5**	**6**	
495	**3.1**	**4**	**1**	**2**	**3**	**4**	**5**	**6**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	68	3.6	4	2	2	3	5	7	7
18-34	37	2.7	2	1	2	2	3	5	5
35-49	12	4.5	*2						
50-69	37	4.7	13	<1	2	3	9	10	10
70 +	6	2.0							
SUBTOTAL	**160**	**3.6**	**6**	**1**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**160**	**3.6**	**6**	**1**	**2**	**3**	**5**	**7**	**9**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	82	2.8	2	1	2	3	3	5	6
18-34	125	3.0	4	<1	2	2	3	6	7
35-49	63	6.6	23	1	3	5	8	17	17
50-69	41	7.3	54	2	2	2	13	22	22
70 +	8	4.0							
319	**4.3**	**17**	**1**	**2**	**3**	**5**	**9**	**13**	
319	**4.3**	**17**	**1**	**2**	**3**	**5**	**9**	**13**	

DRG 274: Malignant Breast Disorders w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	153	8.1	41	2	3	6	12	17	23
70-74	106	11.1	381	1	2	4	11	28	85
75-79	84	11.9	76	4	4	9	17	28	29
80-84	37	6.7	20						
85 +	53	5.2	16	2	2	4	6	15	15
SUBTOTAL	**433**	**9.1**	**130**	**2**	**3**	**6**	**11**	**17**	**27**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**433**	**9.1**	**130**	**2**	**3**	**6**	**11**	**17**	**27**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	14	1.4							
35-49	94	5.0	12	1	2	4	6	10	14
50-69	102	6.7	22	2	3	5	10	14	18
70 +	14	3.7	4						
	225	**5.5**	**17**	**1**	**2**	**4**	**8**	**13**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	225	**5.5**	**17**	**1**	**2**	**4**	**8**	**13**	**14**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	18	14.3	86						
35-49	180	5.7	10	2	3	6	7	10	10
50-69	235	7.6	28	2	4	7	10	16	21
70 +	0								
SUBTOTAL	**434**	**7.1**	**26**	**2**	**3**	**6**	**9**	**14**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**434**	**7.1**	**26**	**2**	**3**	**6**	**9**	**14**	**19**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	16.0							
18-34	18	4.7	4						
35-49	82	6.5	36	1	2	4	9	17	19
50-69	188	8.4	78	1	2	6	11	25	30
70 +	22	3.2	13						
	317	**7.5**	**61**	**1**	**2**	**5**	**9**	**17**	**28**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	317	**7.5**	**61**	**1**	**2**	**5**	**9**	**17**	**28**

DRG 275: Malignant Breast Disorders w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	12	1.5							
70-74	12	1.0							
75-79	8	1.0							
80-84	8	1.0							
85 +	8	6.0							
SUBTOTAL	**49**	**2.0**	3	**< 1**	**< 1**	**1**	**2**	**6**	**6**
GRAND TOTAL	**49**	**2.0**	3	**< 1**	**< 1**	**1**	**2**	**6**	**6**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	0								
35-49	45	3.8	38	< 1	< 1	1	3	19	19
50-69	29	5.8	26						
70 +	0								
74	**4.6**	**34**	**< 1**	**< 1**	**1**	**5**	**12**	**19**	
74	**4.6**	**34**	**< 1**	**< 1**	**1**	**5**	**12**	**19**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	12	15.5	144						
35-49	74	3.2	7	< 1	1	2	5	7	9
50-69	82	3.2	8	< 1	1	2	3	9	9
70 +	0								
SUBTOTAL	**168**	**4.1**	**27**	**< 1**	**1**	**2**	**5**	**9**	**9**
GRAND TOTAL	**168**	**4.1**	**27**	**< 1**	**1**	**2**	**5**	**9**	**9**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	12	2.5	2						
18-34	0								
35-49	33	2.3	5						
50-69	82	6.8	16	2	3	7	10	11	14
70 +	12	2.5	2						
139	**5.0**	**16**	**1**	**1**	**4**	**9**	**11**	**11**	
139	**5.0**	**16**	**1**	**1**	**4**	**9**	**11**	**11**	

DRG 276: Non-maligant Breast Disorders

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	6	2.0							
70-74	0								
75-79	0								
80-84	6	6.0							
85 +	0								
SUBTOTAL	**12**	**4.0**	**4**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	20	3.7	13						
70-74	0								
75-79	0								
80-84	37	3.3	5						
85 +	0								
SUBTOTAL	**57**	**3.5**	**8**	**1**	**1**	**2**	**5**	**8**	**9**
GRAND TOTAL	**70**	**3.6**	**7**	**1**	**1**	**3**	**6**	**7**	**9**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	43	4.8	8	1	2	4	8	9	9
35-49	8	2.0							
50-69	20	2.1	1						
70 +	0								
SUBTOTAL	**72**	**3.7**	**7**	**1**	**2**	**3**	**4**	**9**	**9**
0-17	51	2.3		2	2	2	3	3	3
18-34	88	4.0	15	< 1	1	3	5	8	16
35-49	92	5.1	30	< 1	2	2	5	14	19
50-69	39	3.2	4						
70 +	0								
SUBTOTAL	**270**	**3.9**	**17**	**< 1**	**2**	**2**	**5**	**8**	**14**
GRAND TOTAL	**341**	**3.9**	**15**	**< 1**	**2**	**3**	**4**	**9**	**14**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	14	3.0							
35-49	12	4.0	10						
50-69	0								
70 +	0								
SUBTOTAL	**27**	**3.5**	**5**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	20	4.6	15						
18-34	113	3.7	4	2	2	3	4	7	8
35-49	49	3.5	9	< 1	2	2	4	10	10
50-69	25	3.5	4						
70 +	12	2.0	1						
SUBTOTAL	**219**	**3.6**	**6**	**< 1**	**2**	**3**	**4**	**7**	**10**
GRAND TOTAL	**245**	**3.6**	**6**	**1**	**2**	**3**	**4**	**7**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	29	4.1	3						
35-49	33	7.5	10						
50-69	12	4.0	1						
70 +	0								
SUBTOTAL	**74**	**5.6**	**9**	**2**	**4**	**5**	**7**	**12**	**12**
0-17	39	4.2	10	2	2	2	5	11	11
18-34	149	3.0	3	1	2	2	4	5	7
35-49	82	3.6	7	1	2	3	5	7	10
50-69	45	2.5	4	< 1	1	2	3	7	7
70 +	0								
SUBTOTAL	**315**	**3.3**	**5**	**1**	**2**	**2**	**5**	**7**	**7**
GRAND TOTAL	**389**	**3.7**	**7**	**1**	**2**	**3**	**5**	**7**	**10**

DRG 277: Cellulitis Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	2385	7.6	55	3	4	6	9	14	19
70-74	1181	7.8	55	3	4	6	9	15	18
75-79	1306	6.8	21	3	4	6	8	12	16
80-84	1099	7.0	23	3	4	6	9	13	17
85 +	1204	7.3	22	3	4	6	9	13	17
SUBTOTAL	**7176**	**7.3**	**38**	**3**	**4**	**6**	**9**	**13**	**17**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**7176**	**7.3**	**38**	**3**	**4**	**6**	**9**	**13**	**17**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	484	5.2	18	1	2	4	6	12	14
35-49	865	6.1	17	2	3	5	7	10	14
50-69	1543	6.5	27	2	3	5	8	11	17
70 +	294	7.9	43	3	4	6	8	13	17
	3187	**6.3**	**25**	**2**	**3**	**5**	**8**	**11**	**17**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3187	**6.3**	**25**	**2**	**3**	**5**	**8**	**11**	**17**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	632	5.8	19	2	3	5	7	10	13
35-49	871	6.4	18	2	3	5	8	12	13
50-69	712	7.5	40	3	4	6	8	14	19
70 +	70	7.8	15	4	4	7	12	13	13
SUBTOTAL	**2285**	**6.6**	**25**	**2**	**3**	**5**	**8**	**12**	**16**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2285**	**6.6**	**25**	**2**	**3**	**5**	**8**	**12**	**16**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2116	5.1	17	2	2	4	7	10	12
35-49	2233	5.7	21	2	3	4	7	11	13
50-69	1232	6.9	29	2	3	5	9	13	14
70 +	178	5.9	19	3	4	5	7	8	11
	5759	**5.8**	**22**	**2**	**3**	**4**	**7**	**11**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	5759	5.8	22	2	3	4	7	11	13

DRG 278: Cellulitis Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1145	5.4	16	2	3	4	7	9	13
70-74	656	5.6	30	2	3	4	7	10	15
75-79	513	5.5	13	3	3	5	6	10	13
80-84	437	6.2	28	2	3	5	7	12	15
85 +	562	5.8	16	3	3	5	7	10	11
SUBTOTAL	**3313**	**5.6**	**20**	**2**	**3**	**4**	**7**	**10**	**14**
GRAND TOTAL	3313	5.6	20	2	3	4	7	10	14

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	0								
18-34	1516	3.3	4	1	2	3	4	5	7
35-49	1530	3.9	7	2	2	3	5	8	9
50-69	1572	4.1	5	2	3	4	5	7	9
70 +	162	5.8	22	2	3	4	7	12	17
	4780	**3.9**	**6**	**2**	**2**	**3**	**5**	**7**	**9**
	4780	3.9	6	2	2	3	5	7	9

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	835	5.3	22	2	3	4	6	9	12
35-49	591	5.3	14	2	3	4	7	10	13
50-69	364	5.8	12	2	3	5	8	10	11
70 +	70	5.2	4	3	4	5	6	7	10
SUBTOTAL	**1860**	**5.4**	**17**	**2**	**3**	**5**	**7**	**10**	**12**
GRAND TOTAL	1860	5.4	17	2	3	5	7	10	12

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	0								
18-34	3925	4.4	8	2	2	4	6	8	10
35-49	2541	5.0	21	1	3	4	6	9	12
50-69	984	5.3	15	2	3	4	6	10	13
70 +	121	4.4	6	1	3	4	6	8	10
	7571	**4.7**	**13**	**2**	**3**	**4**	**6**	**9**	**10**
	7571	4.7	13	2	3	4	6	9	10

DRG 279: Cellulitis Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	6	36.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**6**	**36.0**							
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	22	5.0	1						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**22**	**5.0**	**1**						
GRAND TOTAL	**29**	**11.7**	**168**						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	407	3.8	5	2	2	3	5	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**407**	**3.8**	**5**	**2**	**2**	**3**	**5**	**6**	**8**
0-17	1376	3.1	7	1	2	3	4	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1376**	**3.1**	**7**	**1**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**1783**	**3.3**	**7**	**1**	**2**	**3**	**4**	**5**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	272	4.6	8	2	2	4	6	9	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**272**	**4.6**	**8**	**2**	**2**	**4**	**6**	**9**	**10**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	1143	4.0	16	1	2	3	5	7	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1143**	**4.0**	**16**	**1**	**2**	**3**	**5**	**7**	**10**
GRAND TOTAL	**1415**	**4.1**	**14**	**1**	**2**	**3**	**5**	**8**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	354	4.2	7	2	2	3	6	8	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**354**	**4.2**	**7**	**2**	**2**	**3**	**6**	**8**	**11**
0-17	1592	3.6	6	1	2	3	4	7	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1592**	**3.6**	**6**	**1**	**2**	**3**	**4**	**7**	**9**
GRAND TOTAL	**1945**	**3.7**	**6**	**1**	**2**	**3**	**4**	**7**	**9**

DRG 280: Trauma to the Skin, Subcut Tiss & Breast Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	354	4.0	19	1	2	3	5	7	9
70-74	374	5.4	47	1	2	4	5	11	18
75-79	447	5.7	28	1	2	4	8	12	18
80-84	456	5.4	9	2	3	4	7	10	11
85 +	701	5.3	13	1	3	4	8	11	13
SUBTOTAL	**2332**	**5.2**	**22**	**1**	**2**	**4**	**7**	**10**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2332**	**5.2**	**22**	**1**	**2**	**4**	**7**	**10**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	719	2.4	4	< 1	1	2	3	5	8
35-49	456	2.5	3	1	1	2	3	5	6
50-69	474	3.8	10	1	1	3	5	8	9
70 +	208	5.1	17	2	2	3	7	10	12
SUBTOTAL	**1857**	**3.1**	**8**	**1**	**1**	**2**	**4**	**7**	**9**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
GRAND TOTAL	**1857**	**3.1**	**8**	**1**	**1**	**2**	**4**	**7**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	407	2.5	6	1	1	2	2	6	7
35-49	227	3.0	6	< 1	1	2	4	7	8
50-69	100	2.6	1	1	2	2	3	4	5
70 +	33	5.3	12						
SUBTOTAL	**767**	**2.8**	**6**	**1**	**1**	**2**	**3**	**7**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**767**	**2.8**	**6**	**1**	**1**	**2**	**3**	**7**	**8**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2325	2.3	9	< 1	1	1	2	5	6
35-49	1004	2.5	4	1	1	2	3	5	6
50-69	245	3.6	59	1	1	2	3	6	7
70 +	131	3.0	3	1	1	3	5	5	5
SUBTOTAL	**3706**	**2.5**	**11**	**1**	**1**	**2**	**3**	**5**	**6**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
GRAND TOTAL	**3706**	**2.5**	**11**	**1**	**1**	**2**	**3**	**5**	**6**

DRG 281: Trauma to the Skin, Subcut Tiss & Breast Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	274	3.5	11	1	1	3	4	7	10
70-74	204	3.5	7	1	2	2	4	9	10
75-79	278	3.4	5	1	2	2	5	7	8
80-84	337	3.3	3	1	2	3	4	6	7
85 +	409	3.9	9	1	2	3	5	6	9
SUBTOTAL	1502	3.5	7	1	2	3	5	6	9
GRAND TOTAL	1502	3.5	7	1	2	3	5	6	9

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	0								
18-34	2066	1.8	4	< 1	1	1	2	3	4
35-49	952	1.9	2	1	1	1	2	3	5
50-69	609	2.1	2	1	1	2	2	4	5
70 +	202	2.6	3	1	1	2	4	5	6
	3830	1.9	3	1	1	1	2	3	5
	3830	1.9	3	1	1	1	2	3	5

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2 PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	1512	2.0	4	1	1	1	2	4	5
35-49	387	2.9	11	1	1	2	3	7	8
50-69	145	3.5	60	< 1	1	2	2	4	4
70 +	63	3.0	5	1	1	2	4	7	8
SUBTOTAL	2108	2.3	9	1	1	1	2	4	7
GRAND TOTAL	2108	2.3	9	1	1	1	2	4	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	0								
18-34	8692	2.0	4	1	1	1	2	4	5
35-49	2341	2.1	10	1	1	1	2	4	6
50-69	475	2.0	2	< 1	1	2	3	4	5
70 +	102	2.8	10	1	1	2	4	4	14
	11609	2.0	5	1	1	1	2	4	5
	11609	2.0	5	1	1	1	2	4	5

DRG 282: Trauma to the Skin, Subcut Tiss & Breast Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	304	2.0	4	1	1	2	2	3	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	304	2.0	4	1	1	2	2	3	4
0-17	1490	1.6	2	< 1	1	1	2	3	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1490	1.6	2	< 1	1	1	2	3	3
	1794	1.7	3	< 1	1	1	2	3	3

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	139	2.9	6	1	1	2	5	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	139	2.9	6	1	1	2	5	6	7
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	894	1.7	2	< 1	1	1	2	3	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	894	1.7	2	< 1	1	1	2	3	5
GRAND TOTAL	1033	1.9	2	< 1	1	1	2	3	6

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	362	2.2	6	1	1	1	2	5	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	362	2.2	6	1	1	1	2	5	9
0-17	1913	1.8	2	< 1	1	1	2	3	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1913	1.8	2	< 1	1	1	2	3	4
	2275	1.9	2	< 1	1	1	2	3	5

DRG 283: Minor Skin Disorders w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	262	4.8	22	1	2	4	6	11	14
70-74	88	4.4	8	1	2	4	6	9	11
75-79	127	3.8	5	1	2	3	5	6	9
80-84	98	5.9	11	2	3	5	8	10	13
85 +	155	5.7	23	2	3	5	6	10	21
SUBTOTAL	**730**	**4.9**	**16**	**1**	**3**	**4**	**6**	**10**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**730**	**4.9**	**16**	**1**	**3**	**4**	**6**	**10**	**12**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	102	4.2	7	1	2	4	5	8	10
18-34	65	2.4	1	2	2	2	3	4	4
35-49	98	4.8	11	2	2	3	7	8	13
50-69	192	5.5	24	2	2	5	6	9	9
70 +	12	5.0							
SUBTOTAL	**470**	**4.6**	**15**	**2**	**2**	**4**	**6**	**8**	**9**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**470**	**4.6**	**15**	**2**	**2**	**4**	**6**	**8**	**9**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	94	4.7	13	1	2	3	7	12	13
18-34	59	4.9	32	< 1	2	3	4	17	20
35-49	49	7.9	50	1	3	5	11	23	23
50-69	39	13.4	78	4	5	7	23	25	25
70 +	14	44.2	1482						
SUBTOTAL	**256**	**8.9**	**194**	**1**	**2**	**4**	**9**	**20**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**256**	**8.9**	**194**	**1**	**2**	**4**	**9**	**20**	**23**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	49	6.9	41	1	2	7	8	22	22
18-34	133	2.7	4	< 1	1	2	4	5	8
35-49	143	5.6	14	2	3	4	7	11	13
50-69	80	2.9	4	1	1	3	3	6	8
70 +	14	8.1	7						
SUBTOTAL	**420**	**4.4**	**15**	**1**	**2**	**3**	**6**	**8**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**420**	**4.4**	**15**	**1**	**2**	**3**	**6**	**8**	**11**

DRG 284: Minor Skin Disorders w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	151	4.2	9	< 1	2	3	6	9	11
70-74	78	2.3	4	< 1	< 1	1	3	6	7
75-79	76	4.4	27	< 1	2	3	5	5	21
80-84	49	5.3	44	< 1	2	3	3	20	20
85 +	39	4.5	4						
SUBTOTAL	**392**	**4.0**	**16**	**< 1**	**1**	**3**	**5**	**8**	**11**
GRAND TOTAL	**392**	**4.0**	**16**	**< 1**	**1**	**3**	**5**	**8**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	382	2.4	5	< 1	< 1	2	3	5	6
18-34	243	2.4	6	< 1	1	1	3	4	5
35-49	315	2.0	2	< 1	1	2	2	3	5
50-69	274	2.5	4	< 1	1	2	3	6	6
70 +	8	4.0							
SUBTOTAL	**1222**	**2.3**	**4**	**< 1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**1222**	**2.3**	**4**	**< 1**	**1**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	258	2.8	4	< 1	1	2	4	6	7
18-34	94	3.6	14	1	1	3	4	7	16
35-49	96	2.7	3	< 1	1	2	4	5	6
50-69	39	3.3	3	1	2	3	5	6	6
70 +	0								
SUBTOTAL	**487**	**3.0**	**6**	**< 1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**487**	**3.0**	**6**	**< 1**	**1**	**2**	**4**	**6**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	213	4.2	20	1	1	2	5	13	15
18-34	315	3.9	12	< 1	2	3	5	7	10
35-49	256	3.8	13	1	1	3	5	10	12
50-69	155	3.2	6	1	1	2	4	7	9
70 +	22	2.5	3						
SUBTOTAL	**962**	**3.8**	**13**	**1**	**1**	**2**	**5**	**9**	**12**
GRAND TOTAL	**962**	**3.8**	**13**	**1**	**1**	**2**	**5**	**9**	**12**

DRG 285: Amputat of Lower Limb for Endocrine, Nutrit,& Metabol Disorders

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	215	14.6	58	6	9	13	21	30	31
70-74	86	18.0	239	3	8	11	25	49	53
75-79	53	16.5	54	7	13	14	21	31	31
80-84	59	8.3	32	1	5	6	14	19	19
85 +	43	12.0	13	8	8	11	16	17	17
SUBTOTAL	**456**	**14.4**	**92**	**5**	**8**	**13**	**19**	**30**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	6	10.0							
70-74	0								
75-79	6	3.0							
80-84	0								
85 +	0								
SUBTOTAL	**12**	**6.5**	**13**						
GRAND TOTAL	**468**	**14.2**	**91**	**5**	**8**	**12**	**19**	**30**	**31**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	41	19.4	231						
50-69	129	13.8	186	2	3	8	18	42	49
70 +	8	52.0							
SUBTOTAL	**178**	**16.9**	**251**	**2**	**5**	**11**	**20**	**47**	**49**
0-17	0								
18-34	0								
35-49	8	1.0							
50-69	0								
70 +	0								
SUBTOTAL	**8**	**1.0**							
GRAND TOTAL	**186**	**16.2**	**251**	**2**	**3**	**10**	**20**	**47**	**49**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	6	39.0							
35-49	27	22.2	79						
50-69	43	13.3	232	3	3	5	24	46	46
70 +	6	24.0							
SUBTOTAL	**82**	**18.9**	**199**	**3**	**5**	**18**	**28**	**39**	**46**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	27	7.8	4						
70 +	0								
SUBTOTAL	**27**	**7.8**	**4**						
GRAND TOTAL	**108**	**16.2**	**173**	**3**	**5**	**10**	**24**	**39**	**46**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	6	15.0							
35-49	25	14.3	46						
50-69	123	14.5	78	4	8	13	21	28	31
70 +	6	19.0							
SUBTOTAL	**160**	**14.6**	**67**	**5**	**8**	**14**	**19**	**26**	**31**
0-17	0								
18-34	0								
35-49	12	16.5	61						
50-69	12	14.5	79						
70 +	0								
SUBTOTAL	**25**	**15.5**	**68**						
GRAND TOTAL	**184**	**14.7**	**67**	**5**	**8**	**14**	**21**	**26**	**31**

DRG 286: Adrenal & Pituitary Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	51	6.6	8	4	5	5	6	12	12
70-74	53	9.3	90	4	5	6	8	35	35
75-79	20	11.9	16						
80-84	0								
85 +	8	9.0							
SUBTOTAL	**133**	**8.6**	**44**	**5**	**5**	**6**	**9**	**14**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	63	6.4	9	3	4	6	8	12	12
70-74	22	3.7							
75-79	39	4.6	1						
80-84	25	6.3	2						
85 +	0								
SUBTOTAL	**149**	**5.5**	**5**	**3**	**4**	**5**	**6**	**8**	**12**
GRAND TOTAL	**282**	**7.0**	**26**	**4**	**4**	**5**	**8**	**12**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	39	9.1	45	3	4	7	13	22	22
18-34	86	6.7	24	3	5	5	6	11	23
35-49	59	8.3	28	4	5	7	8	21	21
50-69	80	10.2	48	4	5	10	14	27	99 +
70 +	8	21.0							
SUBTOTAL	**272**	**8.8**	**40**	**4**	**5**	**6**	**11**	**21**	**25**
0-17	45	4.2	1	3	3	5	5	5	5
18-34	110	5.3	4	2	4	5	6	8	10
35-49	162	5.1	4	3	4	4	6	8	9
50-69	121	5.3	4	2	4	5	7	8	10
70 +	0								
SUBTOTAL	**438**	**5.1**	**4**	**3**	**4**	**5**	**6**	**8**	**10**
	710	**6.5**	**21**	**3**	**4**	**5**	**7**	**10**	**21**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	18	24.7	508						
18-34	27	9.3	14						
35-49	6	6.0							
50-69	18	12.0	34						
70 +	0								
SUBTOTAL	**70**	**13.8**	**189**	**4**	**6**	**8**	**15**	**20**	**55**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	6	5.0							
18-34	25	8.8	5						
35-49	43	8.7	27	4	5	6	15	18	18
50-69	18	7.0	1						
70 +	0								
SUBTOTAL	**92**	**8.1**	**15**	**5**	**5**	**7**	**9**	**15**	**18**
GRAND TOTAL	**162**	**10.6**	**97**	**4**	**6**	**8**	**12**	**18**	**20**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	12	20.0	70						
18-34	65	11.6	106	5	6	9	11	18	42
35-49	27	13.8	70						
50-69	39	15.2	163	4	6	8	22	41	41
70 +	12	25.5	198						
SUBTOTAL	**156**	**14.6**	**131**	**5**	**7**	**11**	**15**	**39**	**41**
0-17	6	7.0							
18-34	25	5.5	2						
35-49	43	9.1	18	6	6	6	14	17	17
50-69	33	7.2	18						
70 +	6	6.0							
SUBTOTAL	**113**	**7.5**	**14**	**4**	**5**	**6**	**8**	**14**	**16**
	268	**11.6**	**94**	**4**	**6**	**8**	**12**	**28**	**39**

DRG 287: Skin Grafts & Wound Debrid for Endoc, Nutrit & Metab Disorders

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	296	13.6	251	2	5	11	15	28	39
70-74	63	13.2	126	1	2	9	16	31	35
75-79	61	13.6	42	6	9	14	21	25	25
80-84	29	10.6	26						
85 +	51	11.4	26	6	8	11	12	24	24
SUBTOTAL	**501**	**13.2**	**174**	**2**	**6**	**11**	**15**	**25**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	14	2.6							
70-74	0								
75-79	0								
80-84	8	7.0							
85 +	0								
SUBTOTAL	**22**	**4.2**	**5**						
GRAND TOTAL	**523**	**12.8**	**170**	**2**	**6**	**10**	**15**	**25**	**29**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	6	34.0							
35-49	174	15.8	269	3	5	12	16	33	54
50-69	157	13.3	317	2	4	9	14	23	30
70 +	18	13.0	66						
	356	**14.9**	**282**	**2**	**5**	**9**	**16**	**33**	**54**
0-17	0								
18-34	0	—							
35-49	6	27.0							
50-69	35	8.0	34						
70 +	0								
	41	**10.9**	**76**	**2**	**5**	**7**	**19**	**27**	**27**
	397	**14.5**	**262**	**2**	**5**	**9**	**17**	**33**	**51**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	29	16.8	413						
35-49	53	11.1	59	4	6	8	15	29	29
50-69	115	14.9	79	4	6	14	24	28	29
70 +	6	18.0							
SUBTOTAL	**203**	**14.3**	**121**	**4**	**6**	**13**	**18**	**29**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	14	10.9	21						
50-69	8	13.0							
70 +	0								
SUBTOTAL	**22**	**11.6**	**14**						
GRAND TOTAL	**225**	**14.0**	**111**	**5**	**6**	**13**	**17**	**28**	**29**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	8	13.0							
35-49	70	8.8	37	2	4	7	13	17	22
50-69	55	8.0	17	1	5	8	11	15	15
70 +	12	31.0	132						
	145	**10.6**	**74**	**2**	**5**	**8**	**13**	**20**	**22**
0-17	0								
18-34	6	3.0							
35-49	0								
50-69	12	10.5	7						
70 +	0								
	18	**8.0**	**18**						
	164	**10.3**	**69**	**2**	**5**	**8**	**13**	**20**	**22**

DRG 288: O.R. Procedures for Obesity

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	39	11.1	90						
70-74	8	10.0							
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	47	10.9	75	5	5	9	10	29	29
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	6	5.0							
70-74	0								
75-79	25	3.7	2						
80-84	0								
85+	0								
SUBTOTAL	31	3.9	2						
GRAND TOTAL	78	8.1	57	3	5	5	9	25	29

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	55	6.3	4	3	5	6	8	9	9
35-49	104	7.6	33	3	3	7	9	11	25
50-69	14	3.4							
70+	0								
	174	6.9	22	3	3	6	9	10	11
0-17	0								
18-34	127	5.5	4	1	5	5	7	7	9
35-49	161	5.1	4	2	4	5	6	7	8
50-69	49	5.2	13	2	3	4	8	13	13
70+	0								
	337	5.2	5	2	4	5	6	8	10
	511	5.8	12	2	4	5	7	9	10

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	6	86.0							
35-49	6	6.0							
50-69	0								
70+	0								
SUBTOTAL	12	46.0	1742						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	6	6.0							
35-49	20	5.4	5						
50-69	0								
70+	0								
SUBTOTAL	27	5.5	4						
GRAND TOTAL	39	18.3	884	3	6	6	8	86	86

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	8	1.0							
35-49	22	3.7							
50-69	16	4.5							
70+	0								
	47	3.5	2	1	3	4	4	5	5
0-17	0								
18-34	55	4.5	2	1	4	5	5	7	7
35-49	100	3.4	8	1	1	2	5	8	10
50-69	27	2.9	2						
70+	0								
	182	3.7	6	1	1	4	5	7	8
	229	3.6	5	1	2	4	5	7	8

DRG 289: Parathyroid Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	119	9.0	156	2	3	5	10	22	45
70-74	61	3.8	4	2	2	3	5	7	8
75-79	65	6.7	11	4	5	5	8	9	15
80-84	16	4.0	1						
85 +	0								
SUBTOTAL	**262**	**6.9**	**79**	**2**	**3**	**5**	**7**	**11**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	155	2.7	1	2	2	3	3	5	5
70-74	117	2.8	3	2	2	2	3	4	8
75-79	129	3.1	2	2	2	3	4	6	6
80-84	45	2.8		2	2	3	3	4	4
85 +	0								
SUBTOTAL	**445**	**2.8**	**2**	**2**	**2**	**2**	**3**	**5**	**5**
GRAND TOTAL	**707**	**4.3**	**34**	**2**	**2**	**3**	**5**	**7**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	14	5.3	4						
35-49	41	2.7	1	1	2	3	4	4	4
50-69	84	2.8	3	1	1	3	3	5	8
70 +	20	3.7	8						
SUBTOTAL	**160**	**3.1**	**4**	**1**	**2**	**3**	**4**	**7**	**7**
0-17	6	2.0							
18-34	106	2.6	1	2	2	2	4	4	4
35-49	253	2.2	1	1	2	2	3	3	3
50-69	382	2.5	2	1	2	2	3	4	5
70 +	12	2.5							
SUBTOTAL	**760**	**2.4**	**1**	**1**	**2**	**2**	**3**	**4**	**4**
	920	**2.5**	**2**	**1**	**2**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	14	6.6	9						
35-49	6	7.0							
50-69	16	3.5							
70 +	0								
SUBTOTAL	**37**	**5.3**	**6**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	6	4.0							
35-49	18	6.0	1						
50-69	25	4.3	2						
70 +	6	11.0							
SUBTOTAL	**55**	**5.6**	**5**	**3**	**4**	**5**	**6**	**11**	**11**
GRAND TOTAL	**92**	**5.4**	**6**	**3**	**4**	**5**	**7**	**10**	**11**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	14	6.1	7						
35-49	18	10.0	106						
50-69	65	6.0	33	2	2	2	8	11	21
70 +	0								
SUBTOTAL	**98**	**6.8**	**44**	**2**	**2**	**4**	**8**	**21**	**24**
0-17	6	2.0							
18-34	31	2.5							
35-49	106	3.0	2	1	2	3	5	5	5
50-69	143	3.9	32	1	1	2	4	5	10
70 +	8	2.0							
SUBTOTAL	**295**	**3.3**	**17**	**1**	**2**	**2**	**4**	**5**	**5**
	393	**4.2**	**26**	**1**	**2**	**3**	**4**	**8**	**11**

DRG 290: Thyroid Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	229	4.4	12	1	2	3	5	10	12
70-74	135	5.6	14	2	3	4	8	10	10
75-79	43	4.8	4	2	3	4	7	8	8
80-84	37	8.7	41						
85 +	14	4.4							
SUBTOTAL	458	5.1	15	2	3	4	7	10	12
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	470	2.2	1	1	2	2	3	3	4
70-74	405	2.3	1	1	2	2	3	3	4
75-79	206	2.7	6	1	2	2	3	4	4
80-84	84	2.6	1	1	2	2	3	4	5
85 +	0								
SUBTOTAL	1165	2.3	2	1	2	2	3	3	4
GRAND TOTAL	1623	3.1	7	1	2	2	3	6	8

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	12	2.0	1						
18-34	182	2.6	1	1	2	2	3	4	5
35-49	309	2.6	1	1	2	2	3	4	4
50-69	223	3.7	11	2	2	3	4	8	9
70 +	8	2.0							
	734	2.9	5	1	2	2	3	5	6
0-17	135	2.7	9	1	1	2	3	3	6
18-34	1515	1.8	1	1	1	2	2	3	3
35-49	2418	1.9	1	1	1	2	2	3	3
50-69	1545	2.0	1	1	1	2	2	3	4
70 +	29	1.8	1						
	5642	1.9	1	1	1	2	2	3	3
	6376	2.0	1	1	1	2	2	3	4

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	8	4.0							
18-34	20	4.1	1						
35-49	12	10.5	61						
50-69	20	12.9	167						
70 +	12	12.5	79						
SUBTOTAL	74	9.0	83	3	3	4	12	21	32
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	20	1.6							
18-34	241	2.2	2	1	2	2	2	3	4
35-49	170	3.2	3	1	2	3	4	5	7
50-69	121	3.4	2	2	2	3	4	5	6
70 +	0								
SUBTOTAL	552	2.8	3	1	2	2	3	4	5
GRAND TOTAL	626	3.5	16	2	2	2	4	5	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	21.0							
18-34	78	4.3	6	1	3	3	6	7	10
35-49	114	3.3	7	1	2	2	4	9	10
50-69	82	3.9	9	1	2	3	5	8	12
70 +	14	4.9	1						
	294	4.2	13	1	2	3	5	9	11
0-17	14	2.9	1						
18-34	517	2.1	2	1	1	2	2	3	4
35-49	695	2.2	2	1	1	2	3	4	5
50-69	544	2.4	2	1	1	2	3	4	5
70 +	25	1.7	1						
	1795	2.2	2	1	1	2	3	4	5
	2089	2.5	4	1	1	2	3	4	6

DRG 291: Thyroglossal Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	6	2.0							
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**6**	**2.0**							
GRAND TOTAL	**6**	**2.0**							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	135	1.2		< 1	1	1	1	2	2
18-34	45	1.6	1	< 1	1	1	2	3	3
35-49	47	1.2		1	1	1	1	2	2
50-69	35	1.8	1						
70 +	0								
SUBTOTAL	**262**	**1.3**		**< 1**	**1**	**1**	**2**	**2**	**3**
GRAND TOTAL	**262**	**1.3**		**< 1**	**1**	**1**	**2**	**2**	**3**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	6	1.0							
50-69	0								
70 +	0								
SUBTOTAL	**6**	**1.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	43	1.4		< 1	1	1	2	2	2
18-34	18	1.7	1						
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**61**	**1.5**		**< 1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**68**	**1.5**		**1**	**1**	**1**	**2**	**2**	**3**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	45	1.5	1	1	1	1	2	3	3
18-34	18	1.0							
35-49	25	3.0	9						
50-69	0								
70 +	6	3.0							
SUBTOTAL	**94**	**1.9**	**3**	**1**	**1**	**1**	**2**	**3**	**8**
GRAND TOTAL	**94**	**1.9**	**3**	**1**	**1**	**1**	**2**	**3**	**8**

DRG 292: Other Endocrine, Nutrit & Metab O.R. Proc w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	286	9.5	92	2	3	8	12	21	25
70-74	82	13.9	131	2	4	11	18	33	40
75-79	90	19.7	149	7	10	17	27	37	42
80-84	53	20.1	66	9	11	20	27	36	36
85 +	29	18.1	151						
SUBTOTAL	**540**	**13.4**	**128**	**2**	**5**	**9**	**19**	**27**	**37**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**540**	**13.4**	**128**	**2**	**5**	**9**	**19**	**27**	**37**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	82	13.5	103	3	6	12	21	23	39
18-34	25	5.0	28						
35-49	86	10.1	87	2	3	8	11	25	36
50-69	112	9.4	50	1	4	9	13	21	23
70 +	6	25.0							
	311	**10.6**	**80**	**2**	**3**	**9**	**14**	**23**	**25**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	311	**10.6**	**80**	**2**	**3**	**9**	**14**	**23**	**25**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	18	17.3	348						
18-34	37	4.8	5	2	3	4	7	8	8
35-49	39	5.6	5	2	3	6	8	8	8
50-69	68	15.8	359	4	5	10	17	24	72
70 +	6	28.0							
SUBTOTAL	**168**	**11.6**	**221**	**3**	**4**	**6**	**10**	**28**	**43**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**168**	**11.6**	**221**	**3**	**4**	**6**	**10**	**28**	**43**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	55	4.1	2	2	3	4	5	7	7
35-49	86	5.0	8	1	3	5	6	9	10
50-69	47	12.3	329	1	3	5	17	57	57
70 +	29	33.8	481						
	217	**10.1**	**230**	**2**	**3**	**5**	**7**	**31**	**57**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	217	**10.1**	**230**	**2**	**3**	**5**	**7**	**31**	**57**

DRG 293: Other Endocrine, Nutrit & Metab O.R. Proc w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	12	4.0	1						
70-74	29	6.2	8						
75-79	25	4.0	9						
80-84	0								
85 +	14	8.7	32						
SUBTOTAL	**80**	**5.6**	**14**	**1**	**3**	**5**	**8**	**11**	**15**
GRAND TOTAL	**80**	**5.6**	**14**	**1**	**3**	**5**	**8**	**11**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	45	4.0	29	1	1	1	8	16	16
18-34	6	2.0							
35-49	47	2.0	1	<1	1	2	3	3	3
50-69	18	1.3							
70 +	0								
SUBTOTAL	**117**	**2.7**	**13**	**1**	**1**	**1**	**3**	**8**	**14**
GRAND TOTAL	**117**	**2.7**	**13**	**1**	**1**	**1**	**3**	**8**	**14**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	31	4.2	3						
18-34	18	8.7	68						
35-49	31	5.6	27						
50-69	18	8.3	50						
70 +	0								
SUBTOTAL	**98**	**6.3**	**34**	**2**	**2**	**3**	**7**	**18**	**20**
GRAND TOTAL	**98**	**6.3**	**34**	**2**	**2**	**3**	**7**	**18**	**20**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	20	3.3	5						
18-34	98	2.9	5	1	2	2	3	5	10
35-49	53	9.8	324	2	2	4	4	59	59
50-69	39	2.5	2	1	2	2	3	5	5
70 +	0								
SUBTOTAL	**211**	**4.6**	**93**	**1**	**2**	**2**	**4**	**5**	**10**
GRAND TOTAL	**211**	**4.6**	**93**	**1**	**2**	**2**	**4**	**5**	**10**

DRG 294: Diabetes Age >35

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2465	5.8	23	2	3	5	7	10	14
70-74	1400	7.1	41	2	4	5	9	12	15
75-79	1410	6.1	14	3	4	5	7	11	14
80-84	772	7.2	66	2	4	6	8	11	15
85+	656	7.8	23	3	4	7	10	14	16
SUBTOTAL	**6702**	**6.5**	**30**	**2**	**4**	**5**	**8**	**11**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1296	4.6	22	1	2	3	5	8	10
70-74	719	4.7	10	1	3	4	6	8	10
75-79	501	4.9	10	2	3	4	6	9	12
80-84	417	4.5	7	2	3	4	6	8	11
85+	264	4.4	6	2	2	4	6	8	9
SUBTOTAL	**3196**	**4.6**	**14**	**2**	**2**	**4**	**6**	**9**	**10**
GRAND TOTAL	**9898**	**5.9**	**26**	**2**	**3**	**5**	**7**	**10**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	989	4.8	9	2	2	4	7	8	11
50-69	1414	5.6	16	2	3	5	7	10	12
70+	317	6.0	17	2	3	5	7	10	13
SUBTOTAL	**2720**	**5.3**	**14**	**2**	**3**	**5**	**7**	**9**	**12**
	4823	**4.6**	**11**	**2**	**3**	**4**	**6**	**8**	**11**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	740	5.6	23	2	3	5	7	9	11
50-69	1084	5.7	20	2	2	5	7	12	18
70+	164	4.5	18	1	2	3	5	10	11
SUBTOTAL	**1988**	**5.5**	**21**	**2**	**2**	**5**	**7**	**10**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	579	3.0	4	1	2	2	4	6	7
50-69	822	4.4	10	1	2	4	6	8	11
70+	172	4.7	15	1	2	4	5	12	14
SUBTOTAL	**1573**	**3.9**	**9**	**1**	**2**	**3**	**5**	**7**	**9**
GRAND TOTAL	**3561**	**4.8**	**16**	**1**	**2**	**4**	**6**	**9**	**12**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	1751	4.7	17	1	2	4	6	9	11
50-69	1277	5.5	16	2	3	5	7	9	14
70+	178	7.3	65	2	3	4	10	12	24
SUBTOTAL	**3206**	**5.1**	**19**	**1**	**2**	**4**	**6**	**9**	**13**
0-17	0								
18-34	0								
35-49	1764	3.2	5	1	2	3	4	6	8
50-69	1576	3.5	15	1	2	3	5	7	8
70+	192	4.1	12	1	1	3	6	9	12
SUBTOTAL	**3532**	**3.4**	**10**	**1**	**2**	**3**	**4**	**7**	**8**
	6738	**4.2**	**15**	**1**	**2**	**3**	**5**	**8**	**10**

DRG 295: Diabetes Age 0-35

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	300	5.0	13	2	2	4	6	9	12
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**300**	**5.0**	**13**	**2**	**2**	**4**	**6**	**9**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	125	4.6	7	2	3	4	6	7	12
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**125**	**4.6**	**7**	**2**	**3**	**4**	**6**	**7**	**12**
GRAND TOTAL	**425**	**4.9**	**11**	**2**	**3**	**4**	**6**	**9**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1075	3.4	4	1	2	3	5	6	7
18-34	1130	4.1	9	2	2	3	5	7	10
35-49	39	3.5	5						
50-69	0								
70 +	0								
SUBTOTAL	**2244**	**3.7**	**7**	**1**	**2**	**3**	**5**	**7**	**8**
0-17	2196	3.1	3	1	2	3	4	5	6
18-34	1337	2.9	2	1	2	3	4	5	5
35-49	59	4.3	5	1	3	4	6	8	8
50-69	0								
70 +	0								
SUBTOTAL	**3592**	**3.0**	**3**	**1**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**5836**	**3.3**	**4**	**1**	**2**	**3**	**4**	**6**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	295	5.0	16	2	2	4	6	11	13
18-34	873	5.0	15	2	3	4	5	9	11
35-49	20	5.3	4						
50-69	0								
70 +	0								
SUBTOTAL	**1188**	**5.0**	**15**	**2**	**3**	**4**	**6**	**9**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	409	5.5	90	1	2	4	5	8	12
18-34	787	3.6	14	1	1	3	5	7	9
35-49	49	4.9	12	2	3	3	6	12	12
50-69	0								
70 +	0								
SUBTOTAL	**1245**	**4.3**	**39**	**1**	**2**	**3**	**5**	**7**	**10**
GRAND TOTAL	**2433**	**4.6**	**28**	**1**	**2**	**4**	**5**	**8**	**11**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	344	3.9	5	2	2	4	5	7	8
18-34	1620	4.2	15	1	2	3	5	7	10
35-49	59	3.0	2	1	2	3	3	5	6
50-69	0								
70 +	0								
SUBTOTAL	**2023**	**4.1**	**13**	**1**	**2**	**3**	**5**	**7**	**10**
0-17	781	3.7	5	1	2	3	5	7	8
18-34	2136	3.0	4	1	2	2	4	6	7
35-49	151	5.3	25	2	2	3	6	11	18
50-69	0								
70 +	0								
SUBTOTAL	**3068**	**3.3**	**6**	**1**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**5091**	**3.6**	**9**	**1**	**2**	**3**	**4**	**6**	**8**

DRG 296: Nutritional & Misc Metabolic Disorders Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	6039	5.9	33	2	2	4	7	13	16
70-74	4338	5.7	19	2	3	5	7	11	14
75-79	4894	6.0	24	2	3	5	7	12	15
80-84	4806	6.2	24	2	3	5	7	12	15
85 +	5364	6.6	30	2	3	5	8	12	15
SUBTOTAL	**25440**	**6.1**	**27**	**2**	**3**	**5**	**8**	**12**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**25440**	**6.1**	**27**	**2**	**3**	**5**	**8**	**12**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1155	7.2	68	1	2	4	10	15	18
35-49	1228	5.2	28	1	2	3	7	11	15
50-69	2610	5.2	23	1	2	4	6	11	13
70 +	742	5.2	20	2	3	4	6	10	11
	5735	**5.6**	**33**	**1**	**2**	**4**	**7**	**12**	**15**
	0								
	0								
	0								
	0								
	0								
	0								
	5735	**5.6**	**33**	**1**	**2**	**4**	**7**	**12**	**15**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	767	7.4	36	1	2	5	11	15	18
35-49	613	4.7	21	1	2	3	6	9	14
50-69	1331	6.0	35	1	2	4	8	13	18
70 +	286	6.3	17	2	3	6	8	11	15
SUBTOTAL	**2997**	**6.1**	**32**	**1**	**2**	**4**	**8**	**14**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2997**	**6.1**	**32**	**1**	**2**	**4**	**8**	**14**	**17**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	505	4.0	30	1	2	3	4	7	11
35-49	752	4.7	18	1	2	3	6	10	15
50-69	1053	5.5	45	2	2	3	6	9	15
70 +	601	5.4	39	1	2	4	7	10	15
	2912	**5.0**	**35**	**1**	**2**	**3**	**6**	**10**	**14**
	0								
	0								
	0								
	0								
	0								
	0								
	2912	**5.0**	**35**	**1**	**2**	**3**	**6**	**10**	**14**

DRG 297: Nutritional & Misc Metabolic Disorders Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1433	3.8	7	1	2	3	5	7	9
70-74	1024	3.8	10	1	2	3	5	7	8
75-79	1473	4.5	20	1	2	3	6	8	11
80-84	1565	4.4	18	1	2	3	5	8	11
85 +	1712	4.6	9	2	3	4	6	9	11
SUBTOTAL	**7207**	**4.3**	**13**	**1**	**2**	**3**	**5**	**8**	**10**
GRAND TOTAL	**7207**	**4.3**	**13**	**1**	**2**	**3**	**5**	**8**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	1163	3.1	16	1	1	2	3	6	9
35-49	1072	2.4	3	1	1	2	3	4	5
50-69	1157	3.2	7	1	2	2	4	6	8
70 +	352	5.6	183	1	2	3	4	6	10
3743	**3.2**	**26**	**1**	**1**	**2**	**3**	**5**	**8**
3743	**3.2**	**26**	**1**	**1**	**2**	**3**	**5**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	394	3.4	7	1	2	3	4	6	10
35-49	225	4.9	34	1	2	2	7	10	14
50-69	464	4.0	17	1	2	3	4	9	13
70 +	106	5.5	14	1	3	4	9	11	14
SUBTOTAL	**1190**	**4.1**	**17**	**1**	**2**	**3**	**5**	**9**	**12**
GRAND TOTAL	**1190**	**4.1**	**17**	**1**	**2**	**3**	**5**	**9**	**12**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	775	2.4	5	1	1	2	3	4	5
35-49	663	2.7	3	1	2	2	3	4	6
50-69	669	3.0	5	1	1	2	4	6	7
70 +	249	3.7	11	1	2	2	4	9	12
2356	**2.8**	**5**	**1**	**1**	**2**	**3**	**5**	**7**
2356	**2.8**	**5**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 298: Nutritional & Misc Metabolic Disorders Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	29	4.4	3						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**29**	**4.4**	**3**						
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	25	2.7							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**25**	**2.7**							
GRAND TOTAL	**53**	**3.6**	**2**	**2**	**3**	**3**	**4**	**7**	**7**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1657	4.9	28	1	2	3	6	11	15
18-34	0								
35-49	0								
50-69	0								
70 +	0								
1657	**4.9**	**28**	**1**	**2**	**3**	**6**	**11**	**15**	
0-17	4573	2.9	11	1	1	2	3	5	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
4573	**2.9**	**11**	**1**	**1**	**2**	**3**	**5**	**9**	
6230	**3.4**	**16**	**1**	**1**	**2**	**4**	**8**	**11**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	1415	6.2	40	1	2	4	8	14	18
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1415**	**6.2**	**40**	**1**	**2**	**4**	**8**	**14**	**18**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	2807	4.0	16	1	2	3	5	9	12
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**2807**	**4.0**	**16**	**1**	**2**	**3**	**5**	**9**	**12**
GRAND TOTAL	**4222**	**4.8**	**25**	**1**	**2**	**3**	**6**	**11**	**14**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	647	5.3	44	1	1	3	8	11	14
18-34	0								
35-49	0								
50-69	0								
70 +	0								
647	**5.3**	**44**	**1**	**1**	**3**	**8**	**11**	**14**	
0-17	2578	2.7	6	1	1	2	3	5	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
2578	**2.7**	**6**	**1**	**1**	**2**	**3**	**5**	**8**	
3225	**3.2**	**15**	**1**	**1**	**2**	**3**	**7**	**10**	

DRG 299: Inborn Errors of Metabolism

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	45	4.6	3	2	3	5	6	7	7
70-74	0								
75-79	6	4.0							
80-84	12	9.0	17						
85 +	0								
SUBTOTAL	**63**	**5.4**	**8**	**3**	**4**	**5**	**6**	**9**	**13**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	6	4.0							
75-79	14	2.0							
80-84	0								
85 +	0								
SUBTOTAL	**20**	**2.6**	**1**						
GRAND TOTAL	**84**	**4.7**	**8**	**2**	**3**	**4**	**6**	**7**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	78	6.2	37	1	3	4	7	11	24
18-34	35	4.8	6						
35-49	45	5.3	18	2	2	4	6	15	15
50-69	39	4.6	9						
70 +	0								
	196	**5.4**	**22**	**2**	**3**	**4**	**7**	**10**	**15**
0-17	156	8.3	132	< 1	2	4	11	16	31
18-34	65	2.4	3	1	2	2	3	3	7
35-49	59	2.5	4	1	1	1	3	6	7
50-69	20	1.9	1						
70 +	0								
	301	**5.4**	**78**	**1**	**1**	**3**	**4**	**13**	**16**
	497	**5.4**	**56**	**1**	**2**	**3**	**6**	**11**	**15**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	72	5.9	30	2	2	4	7	10	22
18-34	0								
35-49	8	1.0							
50-69	0								
70 +	0								
SUBTOTAL	**80**	**5.4**	**29**	**1**	**2**	**3**	**7**	**10**	**22**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	78	3.8	10	1	1	2	6	9	11
18-34	14	1.6							
35-49	14	1.6							
50-69	0								
70 +	0								
SUBTOTAL	**106**	**3.2**	**9**	**1**	**1**	**2**	**4**	**9**	**11**
GRAND TOTAL	**186**	**4.1**	**19**	**1**	**2**	**2**	**5**	**9**	**11**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	20	6.0	25						
18-34	25	11.0	13						
35-49	25	6.5	13						
50-69	14	1.0							
70 +	0								
	84	**6.8**	**24**	**1**	**2**	**5**	**12**	**13**	**14**
0-17	86	2.5	2	1	1	2	3	4	6
18-34	45	11.2	143	1	2	6	20	33	33
35-49	47	2.7	1	1	2	3	4	4	4
50-69	27	1.2							
70 +	0								
	205	**4.3**	**46**	**1**	**1**	**2**	**4**	**6**	**20**
	288	**5.0**	**41**	**1**	**1**	**3**	**5**	**12**	**15**

DRG 300: Endocrine Disorders w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	556	5.6	17	2	3	4	8	11	12
70-74	339	6.0	27	1	2	5	7	13	18
75-79	329	8.6	60	2	3	6	11	19	29
80-84	329	7.3	22	2	3	6	10	13	14
85 +	243	7.0	25	2	3	6	9	14	15
SUBTOTAL	**1796**	**6.7**	**30**	**2**	**3**	**5**	**9**	**13**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1796**	**6.7**	**30**	**2**	**3**	**5**	**9**	**13**	**17**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	194	6.8	128	1	1	3	8	15	16
18-34	112	4.0	11	1	1	2	6	9	12
35-49	200	3.8	13	1	2	2	5	7	8
50-69	298	5.4	21	1	2	4	8	12	12
70 +	59	6.6	12	2	4	7	9	13	13
	865	**5.2**	**43**	**1**	**2**	**3**	**7**	**11**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	865	**5.2**	**43**	**1**	**2**	**3**	**7**	**11**	**13**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	80	4.8	21	1	2	3	7	10	17
18-34	70	3.8	3	2	3	3	4	7	7
35-49	102	5.2	10	2	3	5	6	7	16
50-69	215	8.1	157	2	3	5	7	10	51
70 +	31	8.4	26						
SUBTOTAL	**497**	**6.4**	**78**	**2**	**3**	**4**	**7**	**10**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**497**	**6.4**	**78**	**2**	**3**	**4**	**7**	**10**	**16**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	20	3.4	14						
18-34	182	4.0	12	1	1	3	5	8	9
35-49	196	4.3	15	1	2	3	5	8	9
50-69	207	7.6	66	1	2	4	9	17	26
70 +	125	7.2	20	3	3	6	11	14	16
	730	**5.6**	**32**	**1**	**2**	**4**	**7**	**12**	**17**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	730	**5.6**	**32**	**1**	**2**	**4**	**7**	**12**	**17**

DRG 301: Endocrine Disorders w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	76	3.0	2	1	2	3	4	5	6
70-74	151	2.4	6	1	1	1	3	7	8
75-79	67	3.6	5	1	2	4	5	7	7
80-84	76	6.0	19	2	3	4	11	12	15
85 +	29	6.8	16						
SUBTOTAL	**398**	**3.7**	**11**	**1**	**1**	**3**	**5**	**8**	**12**
GRAND TOTAL	**398**	**3.7**	**11**	**1**	**1**	**3**	**5**	**8**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	297	2.0	3	1	1	1	3	5	7
18-34	213	2.8	9	1	1	2	3	5	6
35-49	241	2.4	3	1	1	2	3	4	7
50-69	241	2.9	5	1	1	2	4	6	8
70 +	0								
SUBTOTAL	**992**	**2.5**	**5**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**992**	**2.5**	**5**	**1**	**1**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	63	2.8	5	1	1	3	3	8	8
18-34	113	3.1	3	1	2	3	4	6	7
35-49	76	4.0	15	1	2	3	5	6	16
50-69	115	5.9	15	1	2	6	9	11	14
70 +	14	7.0	13						
SUBTOTAL	**381**	**4.2**	**11**	**1**	**2**	**3**	**6**	**9**	**11**
GRAND TOTAL	**381**	**4.2**	**11**	**1**	**2**	**3**	**6**	**9**	**11**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	215	3.7	74	1	1	1	2	6	9
18-34	262	2.7	5	< 1	1	2	4	6	8
35-49	280	3.0	8	1	1	2	4	6	11
50-69	227	3.0	5	1	2	2	4	7	7
70 +	12	2.0							
SUBTOTAL	**997**	**3.1**	**21**	**1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**997**	**3.1**	**21**	**1**	**1**	**2**	**4**	**6**	**8**

DRG 302: Kidney Transplant

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	823	16.9	164	7	9	13	19	28	51
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**823**	**16.9**	**164**	**7**	**9**	**13**	**19**	**28**	**51**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	176	10.4	31	5	7	8	13	17	24
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**176**	**10.4**	**31**	**5**	**7**	**8**	**13**	**17**	**24**
GRAND TOTAL	**999**	**15.8**	**146**	**7**	**8**	**12**	**18**	**25**	**47**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	18	16.7	1						
18-34	68	20.1	216	8	10	14	30	31	59
35-49	96	15.8	64	8	9	11	21	30	32
50-69	53	11.1	24	6	7	9	14	21	21
70+	0								
SUBTOTAL	**235**	**16.0**	**103**	**8**	**9**	**13**	**20**	**30**	**32**
0-17	12	10.0	1						
18-34	37	10.2	3						
35-49	43	11.6	16	5	8	13	16	16	16
50-69	31	10.0	3						
70+	0								
SUBTOTAL	**123**	**10.6**	**8**	**8**	**8**	**10**	**12**	**15**	**16**
GRAND TOTAL	**358**	**14.2**	**77**	**8**	**9**	**11**	**16**	**26**	**31**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	37	11.0	26	7	7	8	17	19	19
35-49	31	16.8	30						
50-69	18	19.0	5						
70+	0								
SUBTOTAL	**86**	**14.8**	**34**	**7**	**8**	**15**	**20**	**21**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	31	11.6	26						
35-49	18	13.3	6						
50-69	18	17.0	37						
70+	0								
SUBTOTAL	**68**	**13.5**	**28**	**8**	**10**	**12**	**15**	**21**	**25**
GRAND TOTAL	**154**	**14.2**	**31**	**7**	**10**	**15**	**19**	**21**	**25**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	31	16.0	24						
35-49	31	20.6	30						
50-69	49	10.8	16	6	7	10	14	17	17
70+	0								
SUBTOTAL	**111**	**14.9**	**39**	**6**	**10**	**14**	**22**	**24**	**24**
0-17	6	14.0							
18-34	25	15.3	17						
35-49	31	11.6	4						
50-69	31	8.6	13						
70+	0								
SUBTOTAL	**92**	**11.7**	**17**	**8**	**10**	**11**	**15**	**17**	**20**
GRAND TOTAL	**203**	**13.5**	**31**	**7**	**10**	**12**	**17**	**23**	**24**

DRG 303: Kidney, Ureter & Major Bladder Procedures for Neoplasm

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	676	10.5	48	4	6	8	12	19	23
70-74	446	12.0	43	6	8	10	13	22	25
75-79	384	12.8	47	7	8	11	16	22	25
80-84	290	14.3	81	6	8	12	17	26	30
85 +	90	14.6	41	10	12	13	16	22	35
SUBTOTAL	**1886**	**12.1**	**53**	**6**	**7**	**10**	**14**	**22**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	202	7.1	5	4	6	7	9	10	10
70-74	110	8.6	12	4	5	9	12	13	13
75-79	94	10.2	31	6	6	8	14	20	22
80-84	104	7.8	5	5	6	8	9	12	12
85 +	53	8.7	16	2	5	7	13	13	13
SUBTOTAL	**564**	**8.2**	**13**	**5**	**6**	**7**	**10**	**13**	**13**
GRAND TOTAL	**2450**	**11.2**	**47**	**5**	**7**	**9**	**13**	**21**	**25**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	55	9.4	11	5	7	10	13	57	99 +
18-34	37	11.0	77						
35-49	219	7.8	11	5	6	7	9	12	17
50-69	558	9.3	14	6	7	9	11	14	15
70 +	90	12.8	104	6	7	10	15	16	43
SUBTOTAL	**959**	**9.3**	**26**	**5**	**6**	**8**	**11**	**15**	**16**
0-17	49	6.4	5	3	5	6	7	11	11
18-34	6	7.0							
35-49	153	5.7	4	4	4	5	6	9	11
50-69	317	7.2	11	4	5	7	8	10	13
70 +	22	7.0	1						
SUBTOTAL	**548**	**6.7**	**8**	**4**	**5**	**6**	**8**	**10**	**11**
GRAND TOTAL	**1507**	**8.4**	**21**	**5**	**6**	**7**	**10**	**13**	**15**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	31	8.8	8						
18-34	20	9.4	14						
35-49	6	6.0							
50-69	88	18.9	281	6	7	16	19	52	64
70 +	6	14.0							
SUBTOTAL	**151**	**14.8**	**190**	**6**	**7**	**11**	**16**	**20**	**52**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	18	8.0							
18-34	27	19.8	209						
35-49	6	7.0							
50-69	47	10.7	100	5	5	8	9	36	36
70 +	6	7.0							
SUBTOTAL	**104**	**12.1**	**118**	**5**	**7**	**8**	**10**	**36**	**41**
GRAND TOTAL	**256**	**13.7**	**162**	**6**	**7**	**8**	**15**	**36**	**41**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	12	9.5							
18-34	14	14.0							
35-49	68	10.2	15	6	6	8	14	14	17
50-69	229	10.9	21	5	8	10	14	17	20
70 +	33	6.8							
SUBTOTAL	**356**	**10.4**	**18**	**6**	**7**	**9**	**14**	**16**	**19**
0-17	0								
18-34	8	7.0							
35-49	43	15.9	400	6	6	6	12	64	64
50-69	113	9.7	34	5	6	8	11	20	27
70 +	6	17.0							
SUBTOTAL	**170**	**11.4**	**131**	**6**	**6**	**8**	**12**	**20**	**28**
GRAND TOTAL	**526**	**10.8**	**55**	**6**	**7**	**9**	**13**	**17**	**20**

DRG 304: Kidney, Ureter & Major Bladder Proc for Non-neopl w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1162	10.5	49	3	6	9	14	21	28
70-74	427	10.7	92	3	5	8	14	19	25
75-79	362	11.2	78	3	6	8	15	19	31
80-84	184	11.3	86	3	6	7	15	25	27
85 +	192	16.8	196	4	4	15	20	46	49
SUBTOTAL	**2326**	**11.2**	**79**	**3**	**5**	**8**	**15**	**21**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2326**	**11.2**	**79**	**3**	**5**	**8**	**15**	**21**	**30**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	536	6.7	71	3	3	5	7	11	17
18-34	376	7.4	26	3	4	6	9	15	18
35-49	466	7.0	32	3	5	6	8	11	12
50-69	648	8.8	111	3	4	6	11	15	20
70 +	55	8.7	17	1	6	10	11	15	15
	2081	**7.6**	**66**	**3**	**4**	**6**	**9**	**13**	**17**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2081	**7.6**	**66**	**3**	**4**	**6**	**9**	**13**	**17**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	196	9.3	53	4	4	7	11	15	28
18-34	219	9.8	73	2	4	6	14	23	26
35-49	108	11.8	66	4	5	11	16	19	37
50-69	143	14.6	213	5	7	9	15	24	49
70 +	37	12.8	64	4	7	10	17	28	28
SUBTOTAL	**704**	**11.1**	**98**	**3**	**5**	**8**	**14**	**23**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**704**	**11.1**	**98**	**3**	**5**	**8**	**14**	**23**	**28**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	135	7.8	36	3	4	5	10	15	19
18-34	211	8.4	29	3	5	7	11	18	25
35-49	188	10.1	61	4	5	9	13	18	22
50-69	172	10.9	168	4	4	7	9	33	35
70 +	29	15.5	83						
	734	**9.6**	**75**	**3**	**5**	**7**	**12**	**18**	**29**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	734	9.6	75	3	5	7	12	18	29

DRG 305: Kidney, Ureter & Major Bladder Proc for Non-neopl w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	360	5.8	9	2	4	5	7	10	12
70-74	114	6.3	17	2	3	5	8	14	14
75-79	180	6.2	33	1	2	4	8	13	17
80-84	61	6.8	3	4	5	7	8	9	9
85 +	16	3.5	7						
SUBTOTAL	**732**	**6.0**	**16**	**2**	**3**	**5**	**8**	**10**	**13**
GRAND TOTAL	**732**	**6.0**	**16**	**2**	**3**	**5**	**8**	**10**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	1811	4.6	6	2	3	4	5	8	10
18-34	544	5.3	10	2	3	5	6	9	12
35-49	646	4.5	9	1	2	4	6	8	12
50-69	623	5.0	8	2	3	4	7	8	9
70 +	31	8.5	5						
SUBTOTAL	**3655**	**4.8**	**8**	**2**	**3**	**4**	**6**	**8**	**11**
GRAND TOTAL	**3655**	**4.8**	**8**	**2**	**3**	**4**	**6**	**8**	**11**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	452	5.2	10	2	3	4	6	10	12
18-34	168	5.9	19	2	3	5	8	11	13
35-49	113	9.6	119	3	5	6	8	31	47
50-69	76	9.5	121	2	2	8	10	13	44
70 +	12	2.0							
SUBTOTAL	**821**	**6.3**	**40**	**2**	**3**	**5**	**7**	**11**	**13**
GRAND TOTAL	**821**	**6.3**	**40**	**2**	**3**	**5**	**7**	**11**	**13**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	350	4.6	5	2	3	4	6	8	8
18-34	546	6.0	17	2	4	5	7	10	15
35-49	280	5.8	6	2	4	6	8	9	10
50-69	184	5.1	9	2	3	5	7	9	9
70 +	12	9.0	10						
SUBTOTAL	**1373**	**5.5**	**11**	**2**	**3**	**5**	**7**	**9**	**10**
GRAND TOTAL	**1373**	**5.5**	**11**	**2**	**3**	**5**	**7**	**9**	**10**

DRG 306: Prostatectomy w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	294	6.0	21	2	3	4	8	11	13
70-74	335	5.8	17	2	3	4	8	11	13
75-79	472	6.9	23	3	3	5	9	15	18
80-84	280	7.0	45	2	3	4	7	14	23
85 +	309	8.7	42	3	4	6	11	18	24
SUBTOTAL	**1690**	**6.8**	**29**	**2**	**3**	**5**	**8**	**14**	**18**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1690**	**6.8**	**29**	**2**	**3**	**5**	**8**	**14**	**18**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	14	4.6							
50-69	170	4.7	12	2	3	3	5	10	11
70 +	94	5.7	15	2	3	4	8	12	15
SUBTOTAL	**278**	**5.0**	**13**	**2**	**3**	**4**	**6**	**11**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
278	**5.0**	**13**	**2**	**3**	**4**	**6**	**11**	**12**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	6	2.0							
50-69	37	10.7	172						
70 +	8	5.0							
SUBTOTAL	**51**	**8.8**	**134**	**2**	**3**	**4**	**10**	**39**	**39**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**51**	**8.8**	**134**	**2**	**3**	**4**	**10**	**39**	**39**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	6	5.0							
35-49	0								
50-69	117	4.4	11	1	2	4	5	10	13
70 +	39	8.4	35						
SUBTOTAL	**161**	**5.4**	**19**	**2**	**2**	**5**	**7**	**10**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
161	**5.4**	**19**	**2**	**2**	**5**	**7**	**10**	**14**

DRG 307: Prostatectomy w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	215	3.2	3	2	2	3	4	5	5
70-74	219	3.1	1	2	2	3	4	4	5
75-79	194	4.2	8	2	2	3	5	9	10
80-84	172	3.8	4	2	3	4	4	5	9
85 +	86	4.0	3	2	2	4	5	6	7
SUBTOTAL	**885**	**3.6**	**4**	**2**	**2**	**3**	**4**	**5**	**8**
GRAND TOTAL	**885**	**3.6**	**4**	**2**	**2**	**3**	**4**	**5**	**8**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	0								
35-49	16	3.0							
50-69	400	3.4	3	2	2	3	4	5	8
70 +	51	3.2	3	2	2	3	4	7	7
468	**3.3**	**3**	**2**	**2**	**3**	**4**	**5**	**7**
468	**3.3**	**3**	**2**	**2**	**3**	**4**	**5**	**7**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	25	3.7							
70 +	20	3.5	2						
SUBTOTAL	**45**	**3.6**	**1**	**2**	**3**	**4**	**4**	**5**	**5**
GRAND TOTAL	**45**	**3.6**	**1**	**2**	**3**	**4**	**4**	**5**	**5**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	29	2.3	1						
50-69	98	3.2	2	2	2	3	4	5	7
70 +	6	3.0							
133	**3.0**	**2**	**1**	**2**	**3**	**4**	**5**	**7**
133	**3.0**	**2**	**1**	**2**	**3**	**4**	**5**	**7**

DRG 308: Minor Bladder Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	333	6.5	41	1	2	4	8	13	24
70-74	398	6.1	24	1	3	5	7	13	17
75-79	415	6.9	38	2	2	4	10	16	20
80-84	368	8.8	173	1	3	5	10	15	28
85 +	176	8.0	30	2	4	7	13	17	18
SUBTOTAL	**1690**	**7.1**	**65**	**1**	**2**	**5**	**9**	**15**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1690**	**7.1**	**65**	**1**	**2**	**5**	**9**	**15**	**18**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	143	8.6	69	1	3	5	13	17	23
18-34	41	4.6	8	1	2	4	7	9	9
35-49	70	6.0	10	2	3	6	8	9	12
50-69	260	5.8	34	1	2	5	7	11	13
70 +	27	4.5	13						
	540	**6.4**	**39**	**1**	**3**	**5**	**8**	**13**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	540	**6.4**	**39**	**1**	**3**	**5**	**8**	**13**	**16**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	86	6.6	15	3	4	6	8	9	18
18-34	51	10.3	102	5	5	6	9	37	37
35-49	74	8.0	34	1	4	7	11	19	19
50-69	27	13.3	83						
70 +	16	10.0	68						
SUBTOTAL	**254**	**8.7**	**52**	**2**	**4**	**7**	**9**	**18**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**254**	**8.7**	**52**	**2**	**4**	**7**	**9**	**18**	**19**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	25	13.8	42						
18-34	65	7.8	30	< 1	4	7	10	16	19
35-49	51	6.3	19	1	3	5	9	15	15
50-69	80	6.6	16	2	4	5	9	14	15
70 +	39	4.7	14	2	3	3	4	13	13
	260	**7.2**	**27**	**2**	**3**	**5**	**10**	**15**	**17**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	260	**7.2**	**27**	**2**	**3**	**5**	**10**	**15**	**17**

DRG 309: Minor Bladder Procedures w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	306	3.5	10	1	1	2	4	8	10
70-74	317	3.5	10	1	1	2	4	8	10
75-79	329	2.7	4	1	1	2	4	5	7
80-84	157	3.0	4	1	2	2	4	6	8
85 +	59	4.9	11	1	3	3	7	10	10
SUBTOTAL	**1169**	**3.3**	**8**	**1**	**1**	**2**	**4**	**7**	**10**
GRAND TOTAL	**1169**	**3.3**	**8**	**1**	**1**	**2**	**4**	**7**	**10**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	147	4.3	17	< 1	< 1	2	7	11	12
18-34	92	4.6	5	2	2	6	7	7	8
35-49	231	3.8	4	2	2	3	5	7	8
50-69	307	3.2	7	1	1	3	4	7	8
70 +	27	1.2							
804	**3.7**	**8**	**1**	**2**	**3**	**5**	**7**	**9**	
804	**3.7**	**8**	**1**	**2**	**3**	**5**	**7**	**9**	

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	68	6.1	18	1	1	7	10	11	13
18-34	31	8.2	10						
35-49	14	2.6							
50-69	63	3.4	5	1	2	2	5	8	8
70 +	12	2.5	2						
SUBTOTAL	**188**	**5.0**	**13**	**1**	**2**	**4**	**8**	**10**	**13**
GRAND TOTAL	**188**	**5.0**	**13**	**1**	**2**	**4**	**8**	**10**	**13**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	70	6.2	24	1	3	5	11	15	15
18-34	119	4.3	4	1	3	4	6	7	8
35-49	51	5.5	10	1	3	7	8	10	10
50-69	119	3.8	7	1	1	3	6	8	9
70 +	39	2.7	6	1	1	2	3	8	8
397	**4.5**	**10**	**1**	**2**	**4**	**6**	**8**	**10**	
397	**4.5**	**10**	**1**	**2**	**4**	**6**	**8**	**10**	

DRG 310: Transurethral Procedures w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1097	3.5	8	1	2	3	4	8	10
70-74	930	3.5	11	1	1	3	4	7	10
75-79	952	3.8	15	1	2	3	4	8	10
80-84	597	4.7	20	1	2	4	6	9	16
85 +	619	4.7	12	2	2	3	6	9	11
SUBTOTAL	**4195**	**3.9**	**13**	**1**	**2**	**3**	**5**	**8**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**4195**	**3.9**	**13**	**1**	**2**	**3**	**5**	**8**	**11**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	3.0	3						
18-34	247	2.7	3	1	1	2	4	5	6
35-49	562	3.4	8	1	2	3	4	6	7
50-69	915	3.0	18	1	1	2	4	5	6
70 +	192	3.8	12	1	1	3	5	7	13
SUBTOTAL	**1948**	**3.2**	**12**	**1**	**1**	**2**	**4**	**6**	**7**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1948**	**3.2**	**12**	**1**	**1**	**2**	**4**	**6**	**7**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	8	1.0							
18-34	29	3.1	2						
35-49	25	4.7	6						
50-69	108	6.6	56	1	2	3	7	16	32
70 +	25	4.7	2						
SUBTOTAL	**194**	**5.3**	**35**	**1**	**2**	**3**	**6**	**11**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**194**	**5.3**	**35**	**1**	**2**	**3**	**6**	**11**	**16**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	149	3.5	8	1	1	2	4	7	10
35-49	188	4.0	7	1	2	4	6	7	10
50-69	260	4.0	15	1	1	3	5	10	16
70 +	147	4.3	23	1	1	2	5	10	17
SUBTOTAL	**744**	**4.0**	**13**	**1**	**1**	**3**	**5**	**10**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**744**	**4.0**	**13**	**1**	**1**	**3**	**5**	**10**	**10**

DRG 311: Transurethral Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1195	1.9	1	1	1	2	2	3	4
70-74	887	2.0	2	1	1	2	3	4	4
75-79	864	2.0	2	1	1	1	3	4	5
80-84	452	2.0	2	1	1	2	2	4	5
85 +	417	2.8	8	1	1	2	3	5	6
SUBTOTAL	**3815**	**2.1**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**3815**	**2.1**	**2**	**1**	**1**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	35	1.8	1						
18-34	795	1.9	1	1	1	2	3	3	4
35-49	1657	2.2	2	1	1	2	3	4	5
50-69	1754	1.9	1	1	1	2	2	3	4
70 +	182	2.1	1	1	1	2	3	4	4
4423	**2.0**	**2**	**1**	**1**	**2**	**2**	**4**	**5**	
4423	**2.0**	**2**	**1**	**1**	**2**	**2**	**4**	**5**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	6	1.0							
18-34	84	2.0	1	1	1	2	3	3	4
35-49	90	2.2	2	1	1	2	3	3	6
50-69	84	2.2	2	1	1	2	3	3	6
70 +	29	3.1	1						
SUBTOTAL	**292**	**2.2**	**2**	**1**	**1**	**2**	**3**	**3**	**5**
GRAND TOTAL	**292**	**2.2**	**2**	**1**	**1**	**2**	**3**	**3**	**5**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	20	1.3							
18-34	346	2.5	2	1	1	2	3	4	6
35-49	611	1.8	1	1	1	2	2	3	4
50-69	622	2.2	4	1	1	2	2	4	5
70 +	117	2.6	3	1	1	2	3	6	6
1716	**2.1**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	
1716	**2.1**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	

DRG 312: Urethral Procedures, Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	96	4.9	47	1	1	2	4	16	24
70-74	51	2.8	2	1	2	3	3	6	6
75-79	27	5.6	22						
80-84	22	6.6	20						
85+	35	8.6	31						
SUBTOTAL	**231**	**5.2**	**32**	**1**	**1**	**3**	**7**	**12**	**19**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**231**	**5.2**	**32**	**1**	**1**	**3**	**7**	**12**	**19**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	63	2.8	8	1	1	1	4	9	9
35-49	45	1.6	1	<1	1	1	2	3	3
50-69	51	2.3	6	<1	1	1	4	8	8
70+	0								
SUBTOTAL	**159**	**2.3**	**5**	**1**	**1**	**1**	**3**	**5**	**9**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**159**	**2.3**	**5**	**1**	**1**	**1**	**3**	**5**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	6	7.0							
35-49	6	4.0							
50-69	12	3.5							
70+	6	1.0							
SUBTOTAL	**31**	**3.8**	**4**						
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**31**	**3.8**	**4**						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	35	3.2	6						
35-49	39	1.5		1	1	2	2	2	2
50-69	14	2.7	2						
70+	14	3.4							
SUBTOTAL	**102**	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**8**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**102**	**2.5**	**3**	**1**	**1**	**2**	**3**	**4**	**8**

DRG 313: Urethral Procedures, Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	92	2.4	2	1	1	2	3	5	5
70-74	61	2.6	5	1	1	1	5	7	7
75-79	78	1.9	1	1	1	1	3	4	4
80-84	22	2.8	3						
85 +	8	2.0							
SUBTOTAL	**262**	**2.3**	**2**	**1**	**1**	**2**	**3**	**5**	**5**
GRAND TOTAL	**262**	**2.3**	**2**	**1**	**1**	**2**	**3**	**5**	**5**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	129	1.7	1	< 1	1	1	2	3	4
35-49	198	1.4	1	1	1	1	1	2	4
50-69	125	1.6	1	1	1	1	2	4	5
70 +	14	1.0							
	466	**1.5**	**1**	**< 1**	**1**	**1**	**2**	**3**	**4**
	466	**1.5**	**1**	**< 1**	**1**	**1**	**2**	**3**	**4**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	8	4.0							
35-49	35	3.5	5						
50-69	27	2.4	2						
70 +	6	1.0							
SUBTOTAL	**76**	**3.0**	**4**	**1**	**1**	**2**	**4**	**7**	**7**
GRAND TOTAL	**76**	**3.0**	**4**	**1**	**1**	**2**	**4**	**7**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	129	2.7	4	1	1	2	4	5	7
35-49	37	2.7	3	1	1	3	4	5	5
50-69	53	2.0	2	1	1	1	2	5	5
70 +	18	2.7	1						
	237	**2.6**	**3**	**1**	**1**	**2**	**4**	**5**	**6**
	237	**2.6**	**3**	**1**	**1**	**2**	**4**	**5**	**6**

DRG 314: Urethral Procedures, Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	12	1.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**12**	**1.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**12**	**1.0**							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	45	3.5	6	1	1	4	5	8	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	45	**3.5**	**6**	**1**	**1**	**4**	**5**	**8**	**8**
0-17	241	2.1	7	< 1	< 1	1	1	4	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	241	**2.1**	**7**	**< 1**	**< 1**	**1**	**1**	**4**	**6**
	286	**2.3**	**7**	**< 1**	**< 1**	**1**	**3**	**5**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	47	4.8	24	1	1	2	12	13	13
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**47**	**4.8**	**24**	**1**	**1**	**2**	**12**	**13**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	18	1.7	1						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**18**	**1.7**	**1**						
GRAND TOTAL	**65**	**3.9**	**19**	**< 1**	**1**	**2**	**6**	**12**	**13**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	47	2.0	4	< 1	< 1	1	2	6	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	47	**2.0**	**4**	**< 1**	**< 1**	**1**	**2**	**6**	**6**
	47	**2.0**	**4**	**< 1**	**< 1**	**1**	**2**	**6**	**6**

DRG 315: Other Kidney & Urinary Tract O.R. Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1462	8.7	76	2	3	6	10	21	30
70-74	550	11.5	93	1	4	9	16	25	30
75-79	529	11.5	129	3	5	8	15	25	32
80-84	196	14.4	265	1	4	10	19	28	29
85+	119	12.3	81	4	5	9	14	30	32
SUBTOTAL	**2856**	**10.3**	**106**	**2**	**3**	**7**	**14**	**23**	**31**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	499	4.1	21	1	1	2	5	8	14
70-74	139	3.4	15	1	1	2	4	7	10
75-79	108	4.4	8	1	2	3	7	8	9
80-84	43	10.3	115	2	3	8	11	35	35
85+	25	3.7	6						
SUBTOTAL	**814**	**4.4**	**24**	**1**	**1**	**2**	**5**	**8**	**14**
GRAND TOTAL	**3670**	**9.0**	**94**	**1**	**2**	**6**	**12**	**21**	**30**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	25	15.8	183						
18-34	192	9.8	151	2	3	6	13	16	18
35-49	360	9.4	131	2	2	7	10	16	43
50-69	552	7.9	44	2	2	6	11	16	21
70+	74	10.5	78	2	4	8	12	28	28
SUBTOTAL	**1203**	**9.0**	**93**	**2**	**3**	**7**	**11**	**18**	**25**
0-17	18	5.3	9						
18-34	127	3.0	5	<1	1	3	4	5	6
35-49	180	3.5	12	1	1	2	4	10	11
50-69	399	3.6	14	1	1	2	5	8	12
70+	18	1.0							
SUBTOTAL	**742**	**3.4**	**12**	**1**	**1**	**2**	**4**	**8**	**11**
GRAND TOTAL	**1945**	**6.9**	**69**	**1**	**2**	**4**	**9**	**14**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	6	1.0							
18-34	231	10.1	61	2	5	9	11	23	28
35-49	239	11.0	108	2	3	8	14	23	40
50-69	444	13.1	100	2	6	12	17	24	32
70+	20	11.8	5						
SUBTOTAL	**941**	**11.7**	**92**	**2**	**5**	**10**	**16**	**23**	**32**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	20	2.8	8						
18-34	190	8.5	64	2	4	7	11	16	16
35-49	119	9.3	110	1	2	5	11	27	39
50-69	160	5.2	22	1	2	3	8	11	16
70+	0								
SUBTOTAL	**489**	**7.4**	**63**	**1**	**2**	**5**	**11**	**16**	**18**
GRAND TOTAL	**1430**	**10.2**	**86**	**2**	**3**	**8**	**14**	**20**	**28**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	39	10.2	158	<1	1	5	14	37	37
18-34	145	11.9	67	3	5	11	19	25	30
35-49	151	11.3	124	1	4	8	14	23	29
50-69	252	9.6	82	1	3	7	12	20	27
70+	72	6.4	45	1	2	2	12	21	21
SUBTOTAL	**659**	**10.2**	**91**	**1**	**3**	**7**	**14**	**24**	**29**
0-17	47	2.9	4	<1	1	3	5	7	7
18-34	162	5.8	22	2	3	4	7	13	13
35-49	174	4.1	12	1	1	2	7	8	12
50-69	170	4.8	85	1	1	2	4	10	17
70+	29	2.5	6						
SUBTOTAL	**581**	**4.6**	**36**	**1**	**1**	**3**	**6**	**8**	**13**
GRAND TOTAL	**1240**	**7.6**	**73**	**1**	**2**	**5**	**10**	**19**	**25**

DRG 316: Renal Failure

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1728	6.8	39	1	2	5	8	14	22
70-74	787	8.7	88	3	4	7	10	15	18
75-79	815	7.2	21	3	4	6	9	13	17
80-84	709	8.8	37	3	5	8	11	14	17
85+	744	8.6	38	4	5	7	10	15	16
SUBTOTAL	**4783**	**7.7**	**[illegible]**	**2**	**4**	**6**	**10**	**14**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	254	4.2	19	<1	1	3	5	9	13
70-74	88	5.2	11	2	2	4	9	9	12
75-79	86	4.1	4	1	3	4	6	6	9
80-84	65	7.8	19	2	4	7	13	13	13
85+	67	4.2	9	2	2	2	7	10	10
SUBTOTAL	**560**	**4.8**	**15**	**1**	**2**	**4**	**7**	**10**	**13**
GRAND TOTAL	**5343**	**7.4**	**42**	**2**	**4**	**6**	**9**	**14**	**18**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	61	3.8	4	<1	2	4	5	7	8
18-34	106	4.8	49	1	1	2	5	6	28
35-49	200	7.4	46	2	3	5	10	15	26
50-69	548	7.0	32	2	3	5	9	16	19
70+	168	6.4	19	2	3	5	9	13	13
1084	**6.6**	**33**	**1**	**3**	**5**	**8**	**14**	**18**	
0-17	20	4.0	3						
18-34	98	3.9	8	1	1	3	6	8	9
35-49	65	3.6	10	1	2	3	4	5	13
50-69	68	3.1	3	1	1	3	4	5	6
70+	14	2.7	4						
266	**3.6**	**7**	**1**	**1**	**3**	**5**	**7**	**8**	
1349	**6.0**	**30**	**1**	**3**	**4**	**7**	**13**	**17**	

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	55	6.6	27	2	3	5	7	18	18
18-34	295	6.0	33	<1	1	4	9	14	18
35-49	348	7.9	53	1	2	5	12	22	25
50-69	483	6.8	36	2	2	5	9	14	19
70+	100	8.9	41	1	4	8	12	19	20
SUBTOTAL	**1281**	**7.1**	**41**	**1**	**2**	**5**	**10**	**17**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	33	2.9	10						
18-34	209	3.0	14	<1	<1	1	3	[illegible]	10
35-49	186	3.9	17	<1	<1	2	6	[illegible]	13
50-69	227	7.5	106	<1	<1	2	10	23	27
70+	27	4.0	6						
SUBTOTAL	**682**	**4.8**	**49**	**<1**	**<1**	**2**	**6**	**11**	**20**
GRAND TOTAL	**1963**	**6.3**	**45**	**<1**	**1**	**4**	**9**	**14**	**21**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	27	8.5	33						
18-34	252	4.3	10	<1	1	3	7	10	10
35-49	336	3.9	10	<1	1	3	6	9	10
50-69	434	7.8	67	<1	2	5	10	21	27
70+	106	7.8	24	<1	4	6	13	15	15
1154	**5.9**	**37**	**<1**	**1**	**4**	**8**	**12**	**16**	
0-17	63	5.5	41	<1	1	4	6	12	24
18-34	332	2.5	6	<1	<1	1	3	5	8
35-49	383	3.1	27	<1	<1	1	3	7	9
50-69	500	2.7	25	<1	<1	<1	2	7	8
70+	31	7.2	68						
1308	**3.0**	**23**	**<1**	**<1**	**<1**	**3**	**7**	**10**	
2462	**4.4**	**32**	**<1**	**<1**	**2**	**6**	**10**	**15**	

DRG 317: Admit for Renal Dialysis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	67	1.5		1	1	1	2	2	2
70-74	8	4.0							
75-79	6	3.0							
80-84	6	1.0							
85 +	0								
SUBTOTAL	**88**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**4**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
65 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**88**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**4**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	6	1.0							
35-49	29	1.3							
50-69	47	1.9		1	1	2	2	3	3
70 +	0								
SUBTOTAL	**82**	**1.6**		**1**	**1**	**2**	**2**	**3**	**3**
0-17	0								
18-34	0								
35-49	8	2.0							
50-69	6	2.0							
70 +	0								
SUBTOTAL	**14**	**2.0**							
	96	**1.7**		**1**	**1**	**2**	**2**	**2**	**3**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	147	1.4	2	< 1	< 1	< 1	< 1	2	3
35-49	76	1.1		< 1	< 1	< 1	< 1	1	2
50-69	39	1.9	2	< 1	< 1	< 1	3	4	4
70 +	6	1.0							
SUBTOTAL	**268**	**1.4**	**1**	**< 1**	**< 1**	**< 1**	**< 1**	**2**	**3**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	6	1.0							
35-49	8	4.0							
50-69	0								
70 +	0								
SUBTOTAL	**14**	**2.7**	**2**						
GRAND TOTAL	**282**	**1.4**	**1**	**< 1**	**< 1**	**< 1**	**< 1**	**3**	**4**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	80	1.0		< 1	< 1	< 1	< 1	< 1	1
35-49	55	1.2		< 1	< 1	< 1	< 1	3	3
50-69	45	1.5	1	< 1	< 1	< 1	2	3	3
70 +	6	1.0							
SUBTOTAL	**186**	**1.2**		**< 1**	**< 1**	**< 1**	**< 1**	**2**	**3**
0-17	0								
18-34	6	1.0							
35-49	6	1.0							
50-69	0								
70 +	6	2.0							
SUBTOTAL	**18**	**1.3**							
	205	**1.2**		**< 1**	**< 1**	**< 1**	**< 1**	**2**	**3**

DRG 318: Kidney & Urinary Tract Neoplasms w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	168	5.9	39	1	1	5	8	12	12
70-74	176	5.8	20	1	2	4	10	11	15
75-79	145	7.4	28	2	3	6	11	16	19
80-84	94	9.5	64	1	3	6	13	25	25
85 +	96	4.3	3	2	3	4	5	8	8
SUBTOTAL	**679**	**6.5**	**32**	**1**	**3**	**5**	**9**	**13**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**679**	**6.5**	**32**	**1**	**3**	**5**	**9**	**13**	**18**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	39	5.4	19	1	1	4	8	13	13
18-34	16	4.5	7						
35-49	39	1.6	1						
50-69	202	6.9	46	2	3	4	10	14	27
70 +	45	4.7	16	< 1	1	4	8	11	11
SUBTOTAL	**341**	**5.7**	**35**	**1**	**2**	**4**	**8**	**12**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**341**	**5.7**	**35**	**1**	**2**	**4**	**8**	**12**	**14**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	63	5.5	13	3	3	4	5	10	16
18-34	6	8.0							
35-49	20	11.0	59						
50-69	158	6.8	62	1	2	4	7	25	26
70 +	39	6.7	16	3	3	4	9	14	14
SUBTOTAL	**286**	**6.8**	**45**	**1**	**3**	**4**	**8**	**16**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**286**	**6.8**	**45**	**1**	**3**	**4**	**8**	**16**	**25**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	18	8.3	35						
18-34	18	4.3	7						
35-49	47	8.1	27	3	4	6	10	18	18
50-69	104	4.9	29	< 1	1	2	9	15	15
70 +	18	5.0	2						
SUBTOTAL	**207**	**5.9**	**27**	**1**	**2**	**4**	**9**	**15**	**15**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**207**	**5.9**	**27**	**1**	**2**	**4**	**9**	**15**	**15**

DRG 319: Kidney & Urinary Tract Neoplasms w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	27	1.5							
70-74	31	1.8	2						
75-79	35	2.5	2						
80-84	39	2.7	1						
85 +	22	2.1	1						
SUBTOTAL	**153**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**153**	**2.2**	**2**	**1**	**1**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	20	2.5	6						
18-34	16	2.0	1						
35-49	41	2.4	3	< 1	1	1	3	6	6
50-69	65	2.8	9	< 1	1	1	4	10	10
70 +	0								
SUBTOTAL	**143**	**2.5**	**6**	**< 1**	**1**	**1**	**3**	**6**	**10**
GRAND TOTAL	**143**	**2.5**	**6**	**< 1**	**1**	**1**	**3**	**6**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	6	2.0							
18-34	31	2.4	2						
35-49	6	5.0							
50-69	61	3.8	17	1	1	2	5	10	15
70 +	18	2.3	1						
SUBTOTAL	**123**	**3.2**	**10**	**1**	**1**	**2**	**3**	**5**	**9**
GRAND TOTAL	**123**	**3.2**	**10**	**1**	**1**	**2**	**3**	**5**	**9**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	31	22.2	850						
18-34	25	2.0	2						
35-49	12	1.0							
50-69	41	4.8	20	1	2	4	4	15	15
70 +	0								
SUBTOTAL	**108**	**8.6**	**318**	**1**	**1**	**3**	**6**	**15**	**79**
GRAND TOTAL	**108**	**8.6**	**318**	**1**	**1**	**3**	**6**	**15**	**79**

DRG 320: Kidney & Urinary Tract Infections Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	3740	6.0	19	2	3	5	7	11	14
70-74	2434	7.1	32	3	4	6	9	13	18
75-79	2998	6.7	35	3	4	5	8	11	14
80-84	3057	6.9	20	3	4	6	9	12	14
85 +	4136	7.3	39	3	4	6	8	13	17
SUBTOTAL	**16363**	**6.8**	**30**	**3**	**4**	**5**	**8**	**12**	**16**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**16363**	**6.8**	**30**	**3**	**4**	**5**	**8**	**12**	**16**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1138	3.9	14	2	2	3	5	6	7
35-49	1052	4.4	6	2	3	4	6	8	9
50-69	1453	5.7	52	2	3	4	6	9	13
70 +	552	6.3	15	3	4	5	7	12	14
	4196	**5.0**	**26**	**2**	**3**	**4**	**6**	**8**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	4196	**5.0**	**26**	**2**	**3**	**4**	**6**	**8**	**11**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	965	5.8	65	2	3	4	6	9	12
35-49	513	6.1	27	3	3	5	7	13	15
50-69	789	6.4	13	3	4	6	8	11	13
70 +	319	7.1	24	3	4	6	8	16	19
SUBTOTAL	**2587**	**6.2**	**37**	**2**	**3**	**5**	**7**	**11**	**14**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2587**	**6.2**	**37**	**2**	**3**	**5**	**7**	**11**	**14**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1164	4.8	29	2	3	3	5	8	13
35-49	759	5.5	19	2	3	4	7	9	11
50-69	1119	5.5	19	2	3	5	6	11	14
70 +	525	5.3	8	2	3	5	7	9	10
	3567	**5.2**	**21**	**2**	**3**	**4**	**6**	**9**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	3567	**5.2**	**21**	**2**	**3**	**4**	**6**	**9**	**12**

DRG 321: Kidney & Urinary Tract Infections Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	887	4.6	9	2	3	4	6	7	9
70-74	613	4.1	8	1	2	3	5	7	8
75-79	658	4.8	20	2	3	4	6	8	9
80-84	695	5.1	11	2	3	4	6	9	13
85 +	795	5.2	10	2	3	4	6	9	12
SUBTOTAL	**3648**	**4.8**	**11**	**2**	**3**	**4**	**6**	**8**	**11**
GRAND TOTAL	**3648**	**4.8**	**11**	**2**	**3**	**4**	**6**	**8**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	0								
18-34	2734	3.3	3	2	2	3	4	5	6
35-49	1093	3.6	5	2	2	3	4	6	7
50-69	1130	3.7	4	1	2	3	5	7	7
70 +	237	4.6	11	2	2	4	5	8	12
SUBTOTAL	**5195**	**3.5**	**4**	**2**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**5195**	**3.5**	**4**	**2**	**2**	**3**	**4**	**6**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	1399	3.5	4	1	2	3	4	6	7
35-49	405	3.9	5	2	2	3	5	7	8
50-69	331	5.5	18	2	3	4	7	10	12
70 +	115	4.0	3	2	3	4	5	6	7
SUBTOTAL	**2250**	**3.9**	**6**	**2**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**2250**	**3.9**	**6**	**2**	**2**	**3**	**5**	**7**	**8**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	0								
18-34	2951	3.4	3	1	2	3	4	6	7
35-49	1143	3.8	5	1	2	3	5	7	8
50-69	677	4.3	5	2	3	4	5	8	9
70 +	178	4.1	9	1	2	3	6	8	9
SUBTOTAL	**4950**	**3.7**	**4**	**1**	**2**	**3**	**5**	**6**	**8**
GRAND TOTAL	**4950**	**3.7**	**4**	**1**	**2**	**3**	**5**	**6**	**8**

DRG 322: Kidney & Urinary Tract Infections Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	70	5.1	11	2	3	3	6	12	12
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	70	5.1	11	2	3	3	6	12	12
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	70	5.1	11	2	3	3	6	12	12

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	961	3.6	5	1	2	3	4	7	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	961	3.6	5	1	2	3	4	7	8
0-17	2584	3.2	3	1	2	3	4	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	2584	3.2	3	1	2	3	4	5	7
	3545	3.3	4	1	2	3	4	6	7

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0 17 (YRS.)	792	4.9	12	2	3	4	6	9	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	792	4.9	12	2	3	4	6	9	10
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1476	4.2	6	2	3	3	5	8	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	1476	4.2	6	2	3	3	5	8	9
GRAND TOTAL	2268	4.5	8	2	3	4	6	8	10

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	397	3.6	5	2	2	3	4	5	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	397	3.6	5	2	2	3	4	5	9
0-17	1315	4.2	44	1	2	3	4	7	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1315	4.2	44	1	2	3	4	7	10
	1712	4.0	35	1	2	3	4	7	10

DRG 323: Urinary Stones w/ CC, &/or ESW Lithotripsy

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	909	2.8	4	1	1	2	3	5	7
70-74	546	3.3	9	1	1	2	4	6	11
75-79	335	3.4	11	1	1	3	4	7	7
80-84	208	4.0	5	1	2	4	6	7	7
85 +	129	4.2	6	1	2	4	5	9	9
SUBTOTAL	**2127**	**3.2**	**7**	**1**	**1**	**2**	**4**	**7**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	6	3.0							
75-79	22	2.1	3						
80-84	0								
85 +	8	1.0							
SUBTOTAL	**37**	**2.0**	**2**						
GRAND TOTAL	**2164**	**3.2**	**7**	**1**	**1**	**2**	**4**	**7**	**8**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	84	3.9	16	< 1	1	3	6	9	15
18-34	815	2.4	5	1	1	2	3	4	5
35-49	1416	2.3	4	1	1	2	3	5	7
50-69	1381	2.6	4	1	1	2	4	5	6
70 +	135	3.5	7	1	2	2	6	8	10
SUBTOTAL	**3831**	**2.5**	**5**	**1**	**1**	**2**	**3**	**5**	**7**
0-17	0								
18-34	6	2.0							
35-49	133	1.8	1	1	1	2	2	3	5
50-69	29	2.0	1						
70 +	12	2.5	2						
SUBTOTAL	**180**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**4**
GRAND TOTAL	**4011**	**2.5**	**5**	**1**	**1**	**2**	**3**	**5**	**7**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	27	2.6	6						
18-34	188	3.0	5	1	1	2	4	7	7
35-49	186	3.4	12	1	1	2	4	9	12
50-69	174	5.2	15	1	2	4	7	10	11
70 +	6	5.0							
SUBTOTAL	**581**	**3.8**	**11**	**1**	**1**	**2**	**5**	**9**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	8	1.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**8**	**1.0**							
GRAND TOTAL	**589**	**3.8**	**11**	**1**	**1**	**2**	**5**	**9**	**11**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	49	2.0	1	< 1	1	2	3	3	3
18-34	527	2.7	9	1	1	2	4	5	6
35-49	615	2.2	2	1	1	2	3	4	4
50-69	550	3.1	5	1	1	2	4	6	7
70 +	57	3.3	4	1	2	2	5	7	7
SUBTOTAL	**1799**	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**7**
0-17	0								
18-34	14	4.0							
35-49	22	1.0							
50-69	0								
70 +	0								
SUBTOTAL	**37**	**2.2**	**2**						
GRAND TOTAL	**1836**	**2.6**	**5**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 324: Urinary Stones w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	905	1.9	1	1	1	2	2	3	5
70-74	435	1.8	1	1	1	2	2	4	5
75-79	278	2.1	1	1	1	2	3	4	5
80-84	213	2.6	4	1	1	2	3	6	7
85+	123	3.3	7	1	1	2	5	8	8
SUBTOTAL	**1954**	**2.1**	**2**	**1**	**1**	**2**	**2**	**4**	**5**
GRAND TOTAL	**1954**	**2.1**	**2**	**1**	**1**	**2**	**2**	**4**	**5**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
0									
0-17	129	1.6	3	<1	<1	1	1	4	5
18-34	2824	1.6	1	<1	1	1	2	3	3
35-49	5724	1.7	1	1	1	1	2	3	4
50-69	3241	1.8	2	1	1	1	2	3	4
70+	74	1.9	1	1	1	2	3	3	3
11991	**1.7**	**1**	**<1**	**1**	**1**	**2**	**3**	**4**	
11991	**1.7**	**1**	**<1**	**1**	**1**	**2**	**3**	**4**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	78	2.8	6	1	1	2	5	5	9
18-34	352	2.7	7	1	1	2	3	6	8
35-49	186	2.4	4	1	1	2	3	5	6
50-69	68	2.8	3	1	2	2	3	7	7
70+	6	1.0							
SUBTOTAL	**689**	**2.7**	**6**	**1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**689**	**2.7**	**6**	**1**	**1**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
0									
0-17	155	1.8	1	1	1	1	2	4	4
18-34	1492	1.8	2	1	1	1	2	3	5
35-49	1978	1.8	3	1	1	1	2	3	5
50-69	1083	1.7	2	<1	1	1	2	3	4
70+	35	2.7	1						
4744	**1.8**	**2**	**1**	**1**	**1**	**2**	**3**	**4**	
4744	**1.8**	**2**	**1**	**1**	**1**	**2**	**3**	**4**	

DRG 325: Kidney & Urinary Tract Signs & Symptoms Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	213	3.6	8	1	2	3	4	6	10
70-74	184	3.6	6	1	2	3	5	7	7
75-79	257	4.5	12	2	2	4	5	9	11
80-84	198	4.4	7	1	2	4	6	8	9
85 +	204	5.1	10	2	3	4	7	9	11
SUBTOTAL	**1056**	**4.3**	**9**	**1**	**2**	**4**	**6**	**8**	**10**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1056**	**4.3**	**9**	**1**	**2**	**4**	**6**	**8**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	67	1.9	1	1	1	2	3	4	4
35-49	63	3.5	3	1	2	4	4	7	7
50-69	129	3.4	4	1	1	3	5	6	8
70 +	41	2.7	4	1	1	2	4	6	6
SUBTOTAL	**301**	**3.0**	**4**	**1**	**1**	**2**	**4**	**6**	**7**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**301**	**3.0**	**4**	**1**	**1**	**2**	**4**	**6**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	6	2.0							
35-49	18	3.3	7						
50-69	55	5.2	29	1	1	3	7	19	19
70 +	16	4.0	1						
SUBTOTAL	**96**	**4.4**	**19**	**1**	**2**	**3**	**6**	**7**	**19**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**96**	**4.4**	**19**	**1**	**2**	**3**	**6**	**7**	**19**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	63	4.4	18	1	1	3	4	12	14
35-49	29	5.1	8						
50-69	96	4.4	9	1	2	4	5	10	10
70 +	57	3.6	7	1	1	3	7	8	8
SUBTOTAL	**245**	**4.3**	**11**	**1**	**2**	**3**	**7**	**9**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**245**	**4.3**	**11**	**1**	**2**	**3**	**7**	**9**	**10**

DRG 326: Kidney & Urinary Tract Signs & Symptoms Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	51	3.9	11	< 1	1	3	6	10	10
70-74	82	3.3	8	< 1	1	2	6	8	10
75-79	116	3.8	14	1	2	2	4	10	14
80-84	61	4.0	7	1	2	3	4	8	9
85 +	92	2.9	2	2	2	3	3	5	6
SUBTOTAL	**403**	**3.5**	**9**	**1**	**2**	**2**	**4**	**8**	**10**
GRAND TOTAL	**403**	**3.5**	**9**	**1**	**2**	**2**	**4**	**8**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	149	2.0	4	< 1	1	1	3	3	3
35-49	141	1.6	1	1	1	1	2	3	3
50-69	174	2.1	2	1	1	2	2	4	4
70 +	47	2.6	3	< 1	1	1	4	5	5
	511	**2.0**	**2**	**1**	**1**	**2**	**2**	**4**	**4**
	511	**2.0**	**2**	**1**	**1**	**2**	**2**	**4**	**4**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	65	1.9	1	< 1	1	2	2	4	4
35-49	6	4.0							
50-69	47	1.9	2	1	1	1	3	5	5
70 +	18	1.7							
SUBTOTAL	**137**	**1.9**	**1**	**1**	**1**	**1**	**3**	**4**	**4**
GRAND TOTAL	**137**	**1.9**	**1**	**1**	**1**	**1**	**3**	**4**	**4**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	94	2.2	4	< 1	1	1	2	6	8
35-49	37	2.2	1						
50-69	104	3.6	26	1	1	2	4	5	23
70 +	8	1.0							
	243	**2.7**	**13**	**1**	**1**	**2**	**3**	**5**	**7**
	243	**2.7**	**13**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 327: Kidney & Urinary Tract Signs & Symptoms Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	51	2.4	4	<1	1	1	4	7	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**51**	**2.4**	**4**	**<1**	**1**	**1**	**4**	**7**	**7**
0-17	133	1.3		<1	1	1	1	2	2
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**133**	**1.3**		**<1**	**1**	**1**	**1**	**2**	**2**
GRAND TOTAL	**184**	**1.6**	**2**	**<1**	**1**	**1**	**2**	**3**	**4**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	29	2.4	2						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**29**	**2.4**	**2**						
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	70	1.7	1	1	1	1	2	3	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**70**	**1.7**	**1**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**98**	**1.9**	**1**	**1**	**1**	**2**	**2**	**4**	**5**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	27	4.8	10						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**27**	**4.8**	**10**						
0-17	49	1.9		1	1	2	2	3	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**49**	**1.9**		**1**	**1**	**2**	**2**	**3**	**3**
GRAND TOTAL	**76**	**2.9**	**6**	**1**	**1**	**2**	**3**	**9**	**9**

DRG 328: Urethral Stricture Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	8	1.0							
70-74	6	2.0							
75-79	29	3.1	5						
80-84	43	3.9	1	2	3	4	5	5	5
85 +	25	3.0	1						
SUBTOTAL	**110**	**3.2**	**2**	**1**	**2**	**3**	**4**	**5**	**7**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**110**	**3.2**	**2**	**1**	**2**	**3**	**4**	**5**	**7**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	6	1.0							
35-49	22	3.2	3						
50-69	14	1.9	1						
70 +	12	6.0	1						
	55	**3.2**	**4**	**1**	**1**	**3**	**5**	**7**	**7**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	55	**3.2**	**4**	**1**	**1**	**3**	**5**	**7**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	8	5.0							
50-69	0								
70 +	6	2.0							
SUBTOTAL	**14**	**3.7**	**2**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**14**	**3.7**	**2**						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	6	4.0							
50-69	0								
70 +	0								
	6	**4.0**							
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	6	**4.0**							

DRG 329: Urethral Stricture Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	6	1.0							
70-74	0								
75-79	8	2.0							
80-84	0								
85 +	0								
SUBTOTAL	14	1.6							
GRAND TOTAL	14	1.6							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	0								
18-34	0								
35-49	8	2.0							
50-69	14	2.0							
70 +	0								
SUBTOTAL	22	2.0							
GRAND TOTAL	22	2.0							

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	6	6.0							
35-49	0								
50-69	6	3.0							
70 +	0								
SUBTOTAL	12	4.5	2						
GRAND TOTAL	12	4.5	2						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	0								
18-34	18	3.0	5						
35-49	12	2.5	2						
50-69	8	1.0							
70 +	8	1.0							
SUBTOTAL	47	2.2	3	<1	<1	1	4	6	6
GRAND TOTAL	47	2.2	3	<1	<1	1	4	6	6

DRG 330: Urethral Stricture Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	4.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	8	4.0							
0-17	37	1.8	1	1	1	2	2	4	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	37	1.8	1	1	1	2	2	4	4
	45	2.2	2	1	1	2	4	4	4

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	6	1.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	6	1.0							
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	6	1.0							

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	6	1.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	6	1.0							
	6	1.0							

DRG 331: Other Kidney & Urinary Tract Diagnoses Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1795	6.7	32	2	2	5	9	13	20
70-74	548	6.7	30	2	3	5	9	13	16
75-79	634	6.8	41	2	3	5	8	14	16
80-84	474	6.1	23	2	2	5	8	11	15
85+	358	6.0	17	2	3	5	8	11	12
SUBTOTAL	**3808**	**6.6**	**31**	**2**	**3**	**5**	**8**	**13**	**17**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3808**	**6.6**	**31**	**2**	**3**	**5**	**8**	**13**	**17**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	341	3.9	8	1	2	3	5	9	9
35-49	462	4.9	19	1	1	3	7	12	12
50-69	491	4.5	15	1	2	3	6	10	12
70+	102	8.0	38	2	2	6	13	15	20
SUBTOTAL	**1396**	**4.7**	**17**	**1**	**2**	**3**	**7**	**12**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1396**	**4.7**	**17**	**1**	**2**	**3**	**7**	**12**	**13**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	282	4.8	30	1	2	3	6	9	11
35-49	192	9.8	65	2	4	9	11	16	31
50-69	260	7.0	38	1	3	6	9	18	19
70+	31	4.2	6						
SUBTOTAL	**765**	**6.8**	**45**	**1**	**3**	**5**	**9**	**14**	**19**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**765**	**6.8**	**45**	**1**	**3**	**5**	**9**	**14**	**19**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	270	3.3	5	1	2	3	4	7	7
35-49	317	3.9	6	2	2	3	5	7	9
50-69	323	5.3	20	1	2	4	7	9	11
70+	100	4.6	12	<1	1	4	7	10	11
SUBTOTAL	**1010**	**4.2**	**11**	**1**	**2**	**3**	**6**	**8**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1010**	**4.2**	**11**	**1**	**2**	**3**	**6**	**8**	**10**

DRG 332: Other Kidney & Urinary Tract Diagnoses Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	419	3.8	10	1	1	3	5	7	11
70-74	172	3.4	8	1	1	2	4	9	10
75-79	153	3.0	5	1	1	2	4	7	8
80-84	129	6.2	32	1	3	4	8	14	17
85 +	76	5.7	23	2	2	4	8	14	14
SUBTOTAL	**948**	**4.1**	**14**	**1**	**1**	**3**	**5**	**8**	**11**
GRAND TOTAL	**948**	**4.1**	**14**	**1**	**1**	**3**	**5**	**8**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	542	2.5	5	1	1	2	3	5	8
35-49	454	2.1	2	1	1	2	3	4	5
50-69	493	3.7	27	1	1	2	4	8	14
70 +	29	3.9	3						
1517	**2.8**	**12**	**1**	**1**	**2**	**3**	**5**	**8**
1517	**2.8**	**12**	**1**	**1**	**2**	**3**	**5**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	276	3.3	7	1	2	2	4	8	10
35-49	108	3.1	6	1	1	2	4	8	9
50-69	188	4.3	16	1	1	3	5	10	11
70 +	18	2.3	2						
SUBTOTAL	**591**	**3.5**	**10**	**1**	**1**	**2**	**4**	**9**	**10**
GRAND TOTAL	**591**	**3.5**	**10**	**1**	**1**	**2**	**4**	**9**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	663	3.1	6	<1	1	2	5	7	8
35-49	446	2.5	5	<1	1	2	3	5	10
50-69	393	2.8	10	<1	<1	2	3	7	9
70 +	41	6.8	12	3	4	6	10	13	13
1543	**3.0**	**7**	**<1**	**1**	**2**	**4**	**7**	**9**
1543	**3.0**	**7**	**<1**	**1**	**2**	**4**	**7**	**9**

DRG 333: Other Kidney & Urinary Tract Diagnoses Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	63	7.6	50	2	3	6	10	17	27
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	63	7.6	50	2	3	6	10	17	27
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	18	4.0	1						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	18	4.0	1						
GRAND TOTAL	82	6.8	41	3	3	5	6	12	27

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	321	3.7	14	1	1	2	5	9	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	321	3.7	14	1	1	2	5	9	10
0-17	732	2.7	5	< 1	1	2	4	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	732	2.7	5	< 1	1	2	4	5	6
	1053	3.0	8	1	1	2	4	6	8

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	194	6.6	60	1	3	4	9	12	14
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	194	6.6	60	1	3	4	9	12	14
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	325	4.1	26	1	1	2	5	8	12
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	325	4.1	26	1	1	2	5	8	12
GRAND TOTAL	520	5.0	40	1	1	3	6	10	13

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	162	4.4	9	1	3	3	6	9	12
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	162	4.4	9	1	3	3	6	9	12
0-17	260	3.1	6	1	1	2	5	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	260	3.1	6	1	1	2	5	5	7
	421	3.6	7	1	1	3	5	7	9

DRG 334: Major Male Pelvic Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1067	7.8	16	4	5	7	9	11	14
70-74	1163	8.3	23	5	6	7	9	12	14
75-79	503	8.0	11	5	6	8	9	12	14
80-84	178	8.1	15	3	6	7	10	12	15
85 +	55	7.2	5	4	6	7	9	11	11
SUBTOTAL	**2965**	**8.1**	**17**	**5**	**6**	**7**	**9**	**12**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2965**	**8.1**	**17**	**5**	**6**	**7**	**9**	**12**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	8	7.0							
35-49	14	8.7	2						
50-69	924	7.3	9	4	5	7	9	12	14
70 +	57	5.0	1	4	4	5	6	6	6
	1003	**7.2**	**9**	**4**	**5**	**7**	**8**	**12**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1003	**7.2**	**9**	**4**	**5**	**7**	**8**	**12**	**14**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	6	9.0							
18-34	12	19.5	170						
35-49	12	20.0	109						
50-69	45	7.4	2	6	6	7	8	10	10
70 +	43	9.9	29	3	5	9	17	18	18
SUBTOTAL	**119**	**10.9**	**59**	**5**	**7**	**8**	**10**	**27**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**119**	**10.9**	**59**	**5**	**7**	**8**	**10**	**27**	**31**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	1.0							
18-34	27	24.1	210						
35-49	0								
50-69	241	8.0	14	5	6	8	8	11	14
70 +	106	6.1	17	3	4	4	8	10	20
	380	**8.5**	**47**	**3**	**5**	**7**	**8**	**12**	**26**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	380	**8.5**	**47**	**3**	**5**	**7**	**8**	**12**	**26**

DRG 335: Major Male Pelvic Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	805	6.4	4	4	5	6	7	9	9
70-74	677	6.6	4	4	5	6	8	9	10
75-79	390	6.7	5	4	5	7	8	9	11
80-84	57	7.3	9	3	4	7	9	12	13
85 +	14	8.0							
SUBTOTAL	**1944**	**6.6**	**4**	**4**	**5**	**6**	**8**	**9**	**10**
GRAND TOTAL	**1944**	**6.6**	**4**	**4**	**5**	**6**	**8**	**9**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	8	1.0							
18-34	14	4.1	1						
35-49	27	5.6	4						
50-69	1004	6.3	6	4	5	6	7	8	10
70 +	43	6.9	10	4	5	5	8	13	13
SUBTOTAL	**1096**	**6.3**	**6**	**4**	**5**	**6**	**7**	**9**	**10**
GRAND TOTAL	**1096**	**6.3**	**6**	**4**	**5**	**6**	**7**	**9**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	20	7.5	3						
35-49	6	8.0							
50-69	43	10.3	65	5	5	8	12	29	29
70 +	37	7.3	9	5	6	6	7	14	14
SUBTOTAL	**106**	**8.6**	**32**	**5**	**6**	**7**	**8**	**14**	**29**
GRAND TOTAL	**106**	**8.6**	**32**	**5**	**6**	**7**	**8**	**14**	**29**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	0								
18-34	20	13.6	82						
35-49	6	1.0							
50-69	338	6.6	3	4	5	6	8	9	10
70 +	43	5.6	1	4	5	6	6	7	7
SUBTOTAL	**407**	**6.7**	**9**	**4**	**5**	**6**	**8**	**9**	**10**
GRAND TOTAL	**407**	**6.7**	**9**	**4**	**5**	**6**	**8**	**9**	**10**

DRG 336: Transurethral Prostatectomy w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	3213	4.0	7	2	3	3	5	6	8
70-74	4009	4.4	8	2	3	4	5	7	9
75-79	3995	4.4	9	2	3	4	5	7	9
80-84	2808	5.4	20	2	3	4	6	9	14
85 +	1074	5.6	16	2	3	4	7	9	13
SUBTOTAL	**15898**	**4.7**	**11**	**2**	**3**	**4**	**5**	**8**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**15898**	**4.7**	**11**	**2**	**3**	**4**	**5**	**8**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	6	4.0							
35-49	100	2.4	1	1	2	2	3	3	4
50-69	1750	3.8	5	2	2	3	4	6	8
70 +	685	4.1	3	2	3	4	5	6	8
	2541	**3.8**	**5**	**2**	**2**	**3**	**5**	**6**	**8**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	2541	**3.8**	**5**	**2**	**2**	**3**	**5**	**6**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	166	4.8	7	2	3	4	5	10	11
70 +	72	6.6	7	4	4	6	8	11	12
SUBTOTAL	**237**	**5.3**	**8**	**2**	**3**	**4**	**7**	**11**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**237**	**5.3**	**8**	**2**	**3**	**4**	**7**	**11**	**12**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	8	2.0							
50-69	599	3.6	5	2	2	3	4	6	7
70 +	486	4.1	6	2	3	4	5	6	7
	1093	**3.8**	**5**	**2**	**2**	**3**	**4**	**6**	**7**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1093	**3.8**	**5**	**2**	**2**	**3**	**4**	**6**	**7**

DRG 337: Transurethral Prostatectomy w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	5566	3.2	1	2	2	3	4	5	5
70-74	5505	3.3	2	2	2	3	4	5	6
75-79	4038	3.4	2	2	3	3	4	5	6
80-84	2497	3.6	3	2	3	3	4	5	7
85 +	1183	4.1	4	2	3	4	5	7	7
SUBTOTAL	**18790**	**3.4**	**2**	**2**	**3**	**3**	**4**	**5**	**6**
GRAND TOTAL	**18790**	**3.4**	**2**	**2**	**3**	**3**	**4**	**5**	**6**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	0								
18-34	0								
35-49	229	2.8	2	2	2	3	3	4	5
50-69	6538	3.0	2	2	2	3	3	4	5
70 +	846	3.3	3	2	2	3	4	5	7
SUBTOTAL	**7614**	**3.0**	**2**	**2**	**2**	**3**	**3**	**4**	**5**
GRAND TOTAL	**7614**	**3.0**	**2**	**2**	**2**	**3**	**3**	**4**	**5**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0	—							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	16	5.0	4						
50-69	213	3.5	1	2	3	3	4	5	5
70 +	127	4.6	10	2	3	3	6	8	10
SUBTOTAL	**356**	**4.0**	**5**	**2**	**3**	**3**	**5**	**7**	**7**
GRAND TOTAL	**356**	**4.0**	**5**	**2**	**3**	**3**	**5**	**7**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	0								
18-34	0								
35-49	78	2.9		2	2	3	3	4	4
50-69	1679	3.0	3	2	2	3	3	4	5
70 +	621	2.9	1	2	2	3	3	4	5
SUBTOTAL	**2378**	**2.9**	**2**	**2**	**2**	**3**	**3**	**4**	**5**
GRAND TOTAL	**2378**	**2.9**	**2**	**2**	**2**	**3**	**3**	**4**	**5**

DRG 338: Testes Procedures, for Malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	145	3.9	23	<1	1	2	5	8	10
70-74	121	5.6	44	1	1	1	10	16	21
75-79	84	4.1	10	1	2	4	5	10	11
80-84	135	4.7	40	1	1	2	8	11	11
85+	119	3.7	31	<1	1	1	3	14	20
SUBTOTAL	**603**	**4.4**	**31**	**1**	**1**	**2**	**5**	**11**	**16**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	80	1.8	1	<1	1	1	2	3	5
70-74	59	3.8	17	1	1	1	4	11	13
75-79	121	1.5	1	<1	1	1	1	3	3
80-84	82	1.9	5	<1	1	1	2	3	9
85+	55	1.7		1	1	2	2	3	3
SUBTOTAL	**396**	**2.0**	**5**	**1**	**1**	**1**	**2**	**3**	**8**
GRAND TOTAL	**999**	**3.5**	**22**	**1**	**1**	**1**	**3**	**10**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	13.0							
18-34	39	8.1	47	1	2	7	12	21	21
35-49	14	1.9	1						
50-69	27	5.6	65						
70+	57	7.1	20	2	4	7	10	15	15
	145	**6.9**	**37**	**1**	**1**	**5**	**11**	**15**	**20**
0-17	0								
18-34	82	1.3		<1	<1	1	1	2	3
35-49	72	1.5	1	<1	1	1	2	2	4
50-69	35	2.4	4						
70+	45	2.1	5	1	1	1	1	7	7
	233	**1.7**	**2**	**<1**	**1**	**1**	**2**	**3**	**6**
	378	**3.7**	**22**	**1**	**1**	**1**	**4**	**11**	**15**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	18	10.7	3						
35-49	0								
50-69	22	2.8	3						
70+	14	8.7	26						
SUBTOTAL	**55**	**7.0**	**21**	**1**	**2**	**5**	**13**	**13**	**13**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	45	3.5	16	1	1	1	4	13	13
35-49	0								
50-69	6	2.0							
70+	0								
SUBTOTAL	**51**	**3.3**	**15**	**1**	**1**	**1**	**4**	**13**	**13**
GRAND TOTAL	**106**	**5.2**	**21**	**1**	**1**	**3**	**9**	**13**	**13**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	25	9.3	28						
35-49	12	14.5							
50-69	57	10.8	43	1	4	12	17	18	18
70+	39	5.3	24						
	133	**9.3**	**38**	**1**	**2**	**9**	**15**	**17**	**18**
0-17	6	2.0							
18-34	115	2.6	4	1	1	1	5	6	6
35-49	47	1.3		<1	<1	1	2	2	2
50-69	25	1.7	1						
70+	0								
	192	**2.1**	**3**	**1**	**1**	**1**	**3**	**5**	**6**
	325	**5.1**	**30**	**1**	**1**	**2**	**6**	**15**	**17**

DRG 339: Testes Procedures, Non-malignancy Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	74	5.1	22	1	2	2	10	11	15
70-74	47	6.4	41	1	1	3	14	16	16
75-79	14	2.6							
80-84	6	9.0							
85 +	0								
SUBTOTAL	**141**	**5.4**	**26**	**1**	**2**	**3**	**10**	**15**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	141	2.0	3	1	1	1	2	4	4
70-74	39	2.4	11						
75-79	31	1.0							
80-84	8	2.0							
85 +	0								
SUBTOTAL	**219**	**2.0**	**4**	**1**	**1**	**1**	**2**	**3**	**9**
GRAND TOTAL	**360**	**3.3**	**16**	**1**	**1**	**2**	**3**	**10**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	29	3.8	12						
50-69	55	5.9	22	<1	2	5	8	16	16
70 +	0								
	84	**5.2**	**20**	**<1**	**1**	**5**	**6**	**11**	**16**
0-17	0								
18-34	307	1.5	1	<1	<1	1	2	2	4
35-49	280	1.4	1	<1	1	1	1	3	3
50-69	213	2.0	5	<1	1	1	2	3	9
70 +	37	1.0							
	836	**1.6**	**2**	**<1**	**1**	**1**	**2**	**3**	**4**
	920	**1.9**	**5**	**<1**	**1**	**1**	**2**	**4**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	12	2.0	1						
35-49	14	10.4	17						
50-69	6	26.0							
70 +	0								
SUBTOTAL	**33**	**10.2**	**82**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	121	1.9	1	<1	1	2	3	3	3
35-49	31	3.6	14						
50-69	16	3.5	2						
70 +	0								
SUBTOTAL	**168**	**2.4**	**4**	**1**	**1**	**2**	**3**	**3**	**5**
GRAND TOTAL	**200**	**3.6**	**25**	**1**	**1**	**2**	**3**	**7**	**15**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	14	4.6							
35-49	33	3.6	1						
50-69	18	2.3	2						
70 +	0								
	65	**3.5**	**1**	**2**	**3**	**4**	**4**	**5**	**5**
0-17	0								
18-34	340	2.0	2	<1	1	1	3	4	5
35-49	121	3.2	19	1	1	1	4	8	14
50-69	82	2.2	5	<1	1	1	3	4	9
70 +	0								
	542	**2.3**	**6**	**<1**	**1**	**1**	**3**	**4**	**6**
	608	**2.4**	**6**	**<1**	**1**	**1**	**3**	**5**	**6**

DRG 340: Testes Procedures, Non-malignancy Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	45	2.0	1	< 1	1	2	3	4	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	45	2.0	1	< 1	1	2	3	4	4
0-17	1544	1.1		< 1	< 1	1	1	1	2
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	1544	1.1		< 1	< 1	1	1	1	2
	1589	1.2		< 1	< 1	1	1	2	2

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	49	2.8	3	< 1	1	2	4	6	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	49	2.8	3	< 1	1	2	4	6	6
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	376	1.5	1	< 1	< 1	1	1	3	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	376	1.5	1	< 1	< 1	1	1	3	4
GRAND TOTAL	426	1.6	2	< 1	< 1	1	2	3	5

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	12	1.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	12	1.0							
0-17	503	1.3	1	< 1	< 1	1	1	2	3
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	503	1.3	1	< 1	< 1	1	1	2	3
	515	1.3		< 1	< 1	1	1	2	3

DRG 341: Penis Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-69 (YRS.)	321	5.7	106	2	2	3	4	7	20	0-17	25	2.5	1						
70-74	221	3.4	3	2	2	3	4	6	7	18-34	22	6.3	14						
75-79	176	4.2	5	2	3	4	5	9	10	35-49	67	2.1	3	1	1	2	2	3	7
80-84	176	5.7	20	3	3	4	7	12	16	50-69	255	3.9	30	1	1	2	4	8	13
85 +	63	6.0	20	3	3	4	7	17	17	70 +	57	3.6	4	2	2	3	4	7	7
SUBTOTAL	**957**	**4.9**	**43**	**2**	**2**	**3**	**4**	**8**	**12**		**427**	**3.6**	**20**	**1**	**2**	**2**	**4**	**7**	**8**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-69	650	2.3	2	1	1	2	3	4	5	0-17	954	1.8	2	< 1	< 1	1	2	5	6
70-74	448	2.6	2	1	1	3	3	5	5	18-34	55	1.4		1	1	1	2	2	2
75-79	335	3.2	2	1	2	3	4	5	6	35-49	227	1.6	2	1	1	1	2	2	4
80-84	139	2.9	3	1	2	3	4	6	6	50-69	664	1.9	1	1	1	1	2	3	4
85 +	84	3.5	3	2	3	3	5	6	7	70 +	37	2.5	1						
SUBTOTAL	**1655**	**2.7**	**2**	**1**	**2**	**3**	**3**	**5**	**5**		**1937**	**1.8**	**2**	**< 1**	**1**	**1**	**2**	**3**	**5**
GRAND TOTAL	**2612**	**3.5**	**18**	**1**	**2**	**3**	**4**	**6**	**7**		**2364**	**2.1**	**6**	**< 1**	**1**	**1**	**2**	**4**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH	TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs																			
AGE GROUP																			
0-17 (YRS.)	14	3.6								0-17	6	1.0							
18-34	12	5.0	4							18-34	39	4.2	2	2	3	4	6	6	6
35-49	16	16.0	66							35-49	49	2.3	2	< 1	1	2	3	4	4
50-69	0									50-69	59	3.5	18	< 1	< 1	1	4	11	15
70 +	12	24.0	353							70 +	12	5.0							
SUBTOTAL	**55**	**12.1**	**166**	**3**	**4**	**7**	**25**	**42**	**42**		**166**	**3.3**	**8**	**< 1**	**1**	**3**	**4**	**6**	**6**
2.PATIENTS W/OUT CCs																			
AGE GROUP																			
0-17	227	2.7	4	< 1	1	2	4	7	7	0-17	207	2.1	6	1	1	1	2	3	11
18-34	29	3.3	1							18-34	119	3.2	12	1	1	1	4	9	12
35-49	0									35-49	65	1.9	1	1	1	1	2	3	5
50-69	27	3.2	5							50-69	198	2.3	4	1	1	2	3	4	5
70 +	0									70 +	18	4.3	7						
SUBTOTAL	**282**	**2.8**	**4**	**< 1**	**1**	**2**	**4**	**7**	**7**		**607**	**2.4**	**6**	**1**	**1**	**1**	**3**	**5**	**8**
GRAND TOTAL	**338**	**4.3**	**42**	**< 1**	**1**	**3**	**4**	**7**	**8**		**773**	**2.6**	**7**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 342: Circumcision Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	14	5.0	13						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**14**	**5.0**	**13**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	8	1.0							
70-74	8	1.0							
75-79	0								
80-84	8	5.0							
85 +	0								
SUBTOTAL	**25**	**2.3**	**4**						
GRAND TOTAL	**39**	**3.3**	**9**						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	14	1.0							
70 +	0								
	14	**1.0**							
0-17	0								
18-34	0								
35-49	8	1.0							
50-69	8	2.0							
70 +	0								
	16	**1.5**							
	31	**1.3**							

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	0								

DRG 343: Circumcision Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	22	1.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	22	1.0							
0-17	311	1.0		< 1	< 1	< 1	< 1	< 1	< 1
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	311	1.0		< 1	< 1	< 1	< 1	< 1	< 1
	334	1.0		< 1	< 1	< 1	< 1	< 1	1

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	12	1.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	12	1.0							
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	194	1.1		< 1	< 1	< 1	< 1	< 1	1
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	194	1.1		< 1	< 1	< 1	< 1	< 1	1
GRAND TOTAL	207	1.1		< 1	< 1	< 1	< 1	1	1

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	18	3.0	8						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	18	3.0	8						
0-17	74	1.0		< 1	< 1	< 1	< 1	1	1
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	74	1.0		< 1	< 1	< 1	< 1	1	1
	92	1.4	2	< 1	< 1	< 1	< 1	1	7

DRG 344: Other Male Reproductive System O.R. Procedures for Malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	116	7.0	26	2	3	5	8	15	21
70-74	100	6.3	56	3	4	4	5	6	31
75-79	76	6.9	51	1	4	4	6	12	29
80-84	71	4.9	14	1	2	4	6	13	13
85 +	14	14.3	152						
SUBTOTAL	**378**	**6.7**	**44**	**2**	**4**	**5**	**6**	**13**	**28**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	55	3.4	1	1	3	4	4	5	5
70-74	118	3.3	1	2	3	3	4	5	5
75-79	71	4.6	2	3	3	5	5	7	7
80-84	8	3.0							
85 +	0								
SUBTOTAL	**253**	**3.7**	**2**	**2**	**3**	**3**	**5**	**5**	**7**
GRAND TOTAL	**631**	**5.5**	**29**	**2**	**3**	**4**	**5**	**8**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	8	18.0							
35-49	6	3.0							
50-69	106	4.7	3	3	3	5	6	7	9
70 +	8	3.0							
SUBTOTAL	**129**	**5.3**	**14**	**3**	**3**	**5**	**6**	**9**	**18**
0-17	0								
18-34	22	7.2	5						
35-49	6	10.0							
50-69	90	3.7	3	2	3	4	4	4	9
70 +	0								
SUBTOTAL	**119**	**4.7**	**6**	**2**	**3**	**4**	**5**	**10**	**10**
GRAND TOTAL	**247**	**5.0**	**10**	**2**	**3**	**4**	**6**	**9**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	12	4.0	4						
70 +	0								
SUBTOTAL	**12**	**4.0**	**4**						
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	6	6.0							
50-69	0								
70 +	0								
SUBTOTAL	**6**	**6.0**							
GRAND TOTAL	**18**	**4.7**	**4**						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	18	9.3	14						
35-49	0								
50-69	35	5.4							
70 +	8	2.0							
SUBTOTAL	**61**	**6.1**	**10**	**2**	**5**	**5**	**6**	**11**	**14**
0-17	0								
18-34	6	6.0							
35-49	6	9.0							
50-69	22	5.6	8						
70 +	0								
SUBTOTAL	**35**	**6.3**	**7**						
GRAND TOTAL	**96**	**6.2**	**9**	**3**	**5**	**5**	**8**	**10**	**14**

DRG 345: Other Male Reproductive System O.R. Proc except for Malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	37	8.9	98						
70-74	6	1.0							
75-79	45	5.2	20	2	2	4	5	16	16
80-84	20	8.6	31						
85 +	14	7.1	1						
SUBTOTAL	**123**	**6.9**	**46**	**1**	**2**	**5**	**8**	**16**	**27**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	31	3.5	7						
70-74	25	1.5	1						
75-79	14	2.6							
80-84	39	4.2	15						
85 +	16	1.5							
SUBTOTAL	**125**	**2.9**	**8**	**1**	**1**	**2**	**3**	**8**	**11**
GRAND TOTAL	**247**	**4.9**	**30**	**1**	**2**	**3**	**6**	**11**	**16**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	3.0							
18-34	0								
35-49	0								
50-69	22	1.4							
70 +	0								
SUBTOTAL	**29**	**1.7**	**1**						
0-17	0								
18-34	6	1.0							
35-49	37	1.2							
50-69	55	1.7	1	1	1	1	2	3	3
70 +	12	1.0							
SUBTOTAL	**110**	**1.4**		**1**	**1**	**1**	**2**	**3**	**3**
GRAND TOTAL	**139**	**1.5**	**1**	**1**	**1**	**1**	**2**	**3**	**3**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	8	5.0							
18-34	0								
35-49	8	2.0							
50-69	0								
70 +	6	1.0							
SUBTOTAL	**22**	**2.8**	**3**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	6	1.0							
18-34	6	2.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**12**	**1.5**							
GRAND TOTAL	**35**	**2.4**	**2**						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	6	14.0							
50-69	8	1.0							
70 +	0								
SUBTOTAL	**14**	**6.6**	**45**						
0-17	6	1.0							
18-34	6	9.0							
35-49	6	8.0							
50-69	39	2.3	3	< 1	1	2	2	6	6
70 +	16	4.0	4						
SUBTOTAL	**74**	**3.6**	**8**	**1**	**1**	**2**	**6**	**8**	**9**
GRAND TOTAL	**88**	**4.1**	**15**	**1**	**1**	**2**	**6**	**9**	**14**

DRG 346: Malignancy, Male Reproductive System, w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	145	6.6	23	2	3	5	10	15	16
70-74	123	6.4	123	1	2	3	6	11	30
75-79	213	5.8	21	2	3	5	8	9	15
80-84	151	7.7	79	1	3	6	7	15	22
85+	223	6.4	28	2	3	5	8	13	18
SUBTOTAL	**854**	**6.5**	**48**	**2**	**3**	**5**	**7**	**13**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**854**	**6.5**	**48**	**2**	**3**	**5**	**7**	**13**	**18**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	12	6.5	7						
35-49	27	8.9	7						
50-69	131	8.2	39	2	3	7	11	16	25
70+	49	10.0	78	4	4	4	16	27	27
SUBTOTAL	**219**	**8.6**	**42**	**2**	**4**	**7**	**11**	**16**	**25**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**219**	**8.6**	**42**	**2**	**4**	**7**	**11**	**16**	**25**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	18	5.0	5						
18-34	119	5.3	11	1	2	6	7	10	11
35-49	0								
50-69	33	11.3	8						
70+	47	9.5	25	4	5	8	12	19	19
SUBTOTAL	**217**	**7.1**	**19**	**2**	**4**	**7**	**10**	**12**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**217**	**7.1**	**19**	**2**	**4**	**7**	**10**	**12**	**14**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	78	5.1	5	2	3	5	7	7	10
35-49	6	2.0							
50-69	88	9.0	64	1	4	6	9	20	31
70+	80	4.5	11	1	3	3	5	10	12
SUBTOTAL	**252**	**6.2**	**32**	**1**	**3**	**5**	**7**	**12**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**252**	**6.2**	**32**	**1**	**3**	**5**	**7**	**12**	**16**

DRG 347: Malignancy, Male Reproductive System, w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	20	4.9	37						
70-74	45	2.1	2	< 1	1	2	4	4	4
75-79	20	3.4	14						
80-84	22	3.9	3						
85 +	6	13.0							
SUBTOTAL	**114**	3.8	16	< 1	1	1	5	13	14
GRAND TOTAL	**114**	3.8	16	< 1	1	1	5	13	14

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	0								
35-49	0								
50-69	53	9.5	75	1	3	4	22	22	22
70 +	45	2.8	5	1	1	1	5	7	7
98	6.4	54	1	1	3	7	22	22	
98	6.4	54	1	1	3	7	22	22	

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	141	3.3	6	1	1	2	5	6	7
35-49	6	1.0							
50-69	6	3.0							
70 +	0								
SUBTOTAL	**154**	3.2	5	1	1	2	5	6	7
GRAND TOTAL	**154**	3.2	5	1	1	2	5	6	7

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	55	4.0	5	1	2	4	5	7	7
35-49	0								
50-69	37	4.2	3	2	3	4	6	6	6
70 +	12	2.5	2						
104	3.9	4	1	2	4	5	7	7	
104	3.9	4	1	2	4	5	7	7	

DRG 348: Benign Prostatic Hypertrophy w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	92	3.5	5	1	2	3	5	7	8
70-74	106	3.7	11	1	1	2	5	7	13
75-79	61	3.5	9	< 1	2	3	3	8	12
80-84	86	3.9	9	< 1	2	3	5	6	13
85 +	121	5.2	10	< 1	3	4	6	11	13
SUBTOTAL	**466**	**4.1**	**9**	**< 1**	**2**	**3**	**5**	**7**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**466**	**4.1**	**9**	**< 1**	**2**	**3**	**5**	**7**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	6	3.0							
50-69	37	4.6	17						
70 +	14	2.7	4						
	57	**3.9**	**13**	**< 1**	**1**	**3**	**5**	**12**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	57	**3.9**	**13**	**< 1**	**1**	**3**	**5**	**12**	**13**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	6	2.0							
70 +	31	3.6	3						
SUBTOTAL	**37**	**3.3**	**3**	**1**	**2**	**3**	**5**	**6**	**6**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**37**	**3.3**	**3**	**1**	**2**	**3**	**5**	**6**	**6**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	61	3.5	1	2	3	4	4	5	6
70 +	14	7.3	2						
	76	**4.2**	**4**	**2**	**3**	**4**	**6**	**6**	**9**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	76	**4.2**	**4**	**2**	**3**	**4**	**6**	**6**	**9**

DRG 349: Benign Prostatic Hypertrophy w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	70	2.4	10	<1	<1	1	3	4	12
70-74	39	2.8	2						
75-79	43	3.2	6	1	1	2	6	7	7
80-84	14	2.6							
85+	16	3.5	7						
SUBTOTAL	**182**	**2.8**	**6**	**<1**	**1**	**2**	**3**	**6**	**7**
GRAND TOTAL	**182**	**2.8**	**6**	**<1**	**1**	**2**	**3**	**6**	**7**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
0									
0-17	0								
18-34	0								
35-49	0								
50-69	94	3.3	4	1	2	2	5	6	7
70+	20	1.0							
114	**2.9**	**4**	**<1**	**<1**	**2**	**5**	**6**	**7**	
114	**2.9**	**4**	**<1**	**<1**	**2**	**5**	**6**	**7**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	18	1.3							
70+	12	1.0							
SUBTOTAL	**31**	**1.2**							
GRAND TOTAL	**31**	**1.2**							

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
0									
0-17	0								
18-34	0								
35-49	0								
50-69	90	1.9	2	<1	1	1	3	3	6
70+	12	1.5							
102	**1.9**	**2**	**<1**	**1**	**1**	**2**	**3**	**6**	
102	**1.9**	**2**	**<1**	**1**	**1**	**2**	**3**	**6**	

DRG 350: Inflammation of the Male Reproductive System

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	241	5.3	14	2	3	4	6	9	12
70-74	166	4.3	4	2	3	4	5	5	7
75-79	149	5.5	3	3	4	6	6	7	9
80-84	65	4.5	2	2	4	4	5	6	6
85 +	61	5.3	3	3	4	5	8	8	8
SUBTOTAL	**682**	**5.0**	**7**	**3**	**3**	**5**	**6**	**8**	**9**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	159	3.6	4	1	2	3	6	7	7
70-74	51	7.0	49	1	3	5	7	25	25
75-79	33	4.5	2						
80-84	41	5.2	13						
85 +	25	4.0	3						
SUBTOTAL	**308**	**4.5**	**14**	**2**	**2**	**4**	**6**	**7**	**7**
GRAND TOTAL	**991**	**4.9**	**9**	**2**	**3**	**4**	**6**	**8**	**9**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	94	3.6	1	2	3	4	4	5	5
35-49	153	4.0	4	2	3	4	4	5	6
50-69	239	4.3	10	1	2	4	5	8	12
70 +	47	2.8	2	< 1	1	4	4	4	4
SUBTOTAL	**533**	**3.9**	**6**	**2**	**2**	**4**	**4**	**7**	**8**
0-17	90	2.7	2	1	1	2	4	4	6
18-34	159	3.4	7	1	2	3	5	6	9
35-49	378	3.1	2	1	2	3	4	5	7
50-69	276	3.8	6	2	2	3	5	6	7
70 +	35	4.9	11						
SUBTOTAL	**938**	**3.4**	**5**	**1**	**2**	**3**	**4**	**5**	**7**
GRAND TOTAL	**1471**	**3.6**	**5**	**1**	**2**	**3**	**4**	**6**	**8**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	6	8.0							
18-34	23	2.7	2						
35-49	33	9.3	4						
50-69	37	6.6	7						
70 +	12	3.0	4						
SUBTOTAL	**117**	**6.1**	**11**	**1**	**4**	**7**	**8**	**11**	**12**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	47	3.0	3	1	1	3	4	6	6
18-34	33	2.8	3						
35-49	39	4.3	2	2	4	4	5	7	7
50-69	39	5.4	5	2	3	6	8	8	8
70 +	12	3.0							
SUBTOTAL	**170**	**3.8**	**4**	**1**	**2**	**4**	**5**	**7**	**8**
GRAND TOTAL	**286**	**4.7**	**8**	**1**	**2**	**4**	**7**	**8**	**10**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	22	2.0							
18-34	76	4.3	8	2	2	3	7	9	10
35-49	70	4.6	8	1	2	4	7	7	11
50-69	57	4.9	19	< 1	2	2	6	14	15
70 +	8	6.0							
SUBTOTAL	**233**	**4.4**	**10**	**2**	**2**	**3**	**6**	**9**	**11**
0-17	108	2.5	2	< 1	1	2	3	5	6
18-34	321	3.2	4	1	2	3	4	6	7
35-49	225	3.8	6	1	2	3	6	7	8
50-69	141	4.6	7	2	2	4	7	9	10
70 +	29	3.2							
SUBTOTAL	**824**	**3.5**	**5**	**1**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**1057**	**3.7**	**7**	**1**	**2**	**3**	**5**	**7**	**9**

DRG 351: Sterilization, Male

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	57	1.0		< 1	< 1	< 1	< 1	1	1
35-49	25	1.0							
50-69	0								
70 +	0								
82	**1.0**		**< 1**	**< 1**	**< 1**	**< 1**	**1**	**1**	
82	**1.0**		**< 1**	**< 1**	**< 1**	**< 1**	**1**	**1**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	0								
35-49	16	1.0							
50-69	0								
70 +	0								
16	**1.0**								
16	**1.0**								

DRG 352: Other Male Reproductive System Diagnoses

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	51	2.7	2	1	1	3	4	5	5
70-74	8	4.0							
75-79	22	2.7	3						
80-84	14	2.6							
85 +	14	2.9	1						
SUBTOTAL	**110**	**2.8**	**2**	**1**	**2**	**3**	**4**	**5**	**5**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	20	2.2	2						
70-74	8	1.0							
75-79	8	2.0							
80-84	8	2.0							
85 +	8	10.0							
SUBTOTAL	**51**	**3.2**	**10**	**1**	**1**	**2**	**4**	**10**	**10**
GRAND TOTAL	**161**	**2.9**	**4**	**1**	**2**	**2**	**4**	**5**	**7**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	1.0							
18-34	16	3.5	7						
35-49	6	10.0							
50-69	14	1.0							
70 +	0								
	43	**3.2**	**12**	**1**	**1**	**1**	**6**	**10**	**10**
0-17	94	1.5	2	< 1	1	1	2	2	6
18-34	57	1.9	1	1	1	2	2	4	4
35-49	14	3.3	2						
50-69	0								
70 +	0								
	166	**1.8**	**2**	**< 1**	**1**	**1**	**2**	**4**	**5**
	209	**2.1**	**4**	**< 1**	**1**	**1**	**2**	**5**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	6	8.0							
35-49	12	15.5	98						
50-69	0								
70 +	0								
SUBTOTAL	**18**	**13.0**	**77**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	20	1.0							
18-34	12	1.5							
35-49	12	1.5							
50-69	6	11.0							
70 +	0								
SUBTOTAL	**51**	**2.4**	**10**	**< 1**	**1**	**1**	**2**	**11**	**11**
GRAND TOTAL	**70**	**5.2**	**49**	**< 1**	**1**	**2**	**8**	**11**	**25**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	1.0							
18-34	18	7.3	19						
35-49	14	5.6	9						
50-69	0								
70 +	0								
	39	**5.7**	**17**	**1**	**3**	**3**	**9**	**13**	**13**
0-17	63	1.5	1	< 1	< 1	1	2	3	3
18-34	123	2.4	3	< 1	1	2	3	6	6
35-49	55	2.3	4	1	1	2	2	7	7
50-69	25	1.0							
70 +	0								
	266	**2.0**	**3**	**< 1**	**1**	**1**	**3**	**4**	**6**
	305	**2.5**	**6**	**< 1**	**1**	**1**	**3**	**6**	**7**

DRG 353: Pelvic Evisceration, Radical Hysterectomy & Radical Vulvectomy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	57	9.5	14	5	5	9	13	14	14
70-74	55	9.7	23	4	4	11	13	18	18
75-79	27	10.2	16						
80-84	35	14.3	94						
85 +	14	8.3	4						
SUBTOTAL	**188**	**10.5**	**34**	**5**	**5**	**10**	**13**	**18**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	20	5.2	4						
70-74	18	20.7	456						
75-79	14	5.9	1						
80-84	0								
85 +	6	9.0							
SUBTOTAL	**59**	**10.6**	**186**	**4**	**5**	**7**	**8**	**37**	**50**
GRAND TOTAL	**247**	**10.5**	**69**	**4**	**5**	**8**	**13**	**18**	**29**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	78	7.2	3	5	7	7	8	9	11
35-49	176	7.9	10	5	7	7	8	12	17
50-69	100	16.9	293	5	7	10	16	56	65
70 +	6	8.0							
SUBTOTAL	**360**	**10.2**	**104**	**5**	**7**	**7**	**9**	**17**	**20**
0-17	6	4.0							
18-34	31	8.2	4						
35-49	45	7.0	4	4	6	7	9	10	10
50-69	33	5.3	3						
70 +	6	5.0							
SUBTOTAL	**121**	**6.6**	**5**	**4**	**4**	**7**	**8**	**10**	**11**
GRAND TOTAL	**481**	**9.3**	**81**	**4**	**6**	**7**	**9**	**15**	**17**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	12	8.0	1						
35-49	37	13.3	107	7	8	9	11	36	36
50-69	25	17.0	184						
70 +	6	6.0							
SUBTOTAL	**80**	**13.1**	**117**	**7**	**8**	**9**	**10**	**36**	**40**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	47	6.0	2	4	4	6	7	8	8
35-49	25	7.5	7						
50-69	8	5.0							
70 +	0		-						
SUBTOTAL	**80**	**6.4**	**4**	**4**	**5**	**6**	**7**	**10**	**10**
GRAND TOTAL	**160**	**9.7**	**71**	**4**	**6**	**7**	**9**	**11**	**36**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	43	7.3	2	6	6	7	9	10	10
35-49	51	9.8	21	5	6	8	12	18	18
50-69	51	10.0	14	6	8	8	11	17	17
70 +	0								
SUBTOTAL	**145**	**9.1**	**14**	**6**	**6**	**8**	**11**	**16**	**17**
0-17	6	11.0							
18-34	31	7.8	5						
35-49	43	6.7	11	3	4	6	10	13	13
50-69	25	9.8	53						
70 +	6	4.0							
SUBTOTAL	**111**	**7.8**	**20**	**4**	**5**	**6**	**10**	**13**	**22**
GRAND TOTAL	**256**	**8.6**	**17**	**5**	**6**	**7**	**10**	**15**	**17**

DRG 354: Uterine, Adnexa Proc for Non-ovarian/Adnexal Malig w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	472	6.0	8	4	4	5	7	10	11
70-74	413	6.0	5	4	5	5	7	9	10
75-79	358	7.0	15	3	4	6	9	13	13
80-84	170	7.3	13	4	5	6	7	13	15
85 +	112	7.1	10	4	4	6	9	10	16
SUBTOTAL	**1524**	**6.4**	**10**	**4**	**4**	**6**	**7**	**11**	**13**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1524**	**6.4**	**10**	**4**	**4**	**6**	**7**	**11**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	94	5.2	4	3	3	5	6	8	9
35-49	294	4.6	3	3	3	4	5	8	9
50-69	495	5.7	6	4	4	5	6	10	12
70 +	39	6.7	5	4	5	6	9	10	10
	922	**5.3**	**5**	**3**	**4**	**5**	**6**	**9**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	922	**5.3**	**5**	**3**	**4**	**5**	**6**	**9**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	67	5.1	14	3	3	4	4	15	15
35-49	45	5.3	1	4	5	5	6	7	7
50-69	35	7.8	13						
70 +	0								
SUBTOTAL	**147**	**5.8**	**11**	**3**	**4**	**5**	**6**	**12**	**15**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**147**	**5.8**	**11**	**3**	**4**	**5**	**6**	**12**	**15**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	63	5.4	11	3	3	4	7	11	13
35-49	80	5.2	4	3	3	5	6	9	9
50-69	123	6.6	13	3	4	6	8	12	14
70 +	16	5.5	2						
	282	**5.9**	**10**	**3**	**4**	**5**	**7**	**10**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	282	**5.9**	**10**	**3**	**4**	**5**	**7**	**10**	**12**

DRG 355: Uterine, Adnexa Proc for Non-ovarian/Adnexal Malig w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	631	4.2	2	3	4	4	4	6	6
70-74	380	4.4	1	3	4	4	5	6	6
75-79	227	4.4	2	3	4	4	5	6	7
80-84	180	5.3	4	4	4	5	7	8	10
85 +	31	4.3	1						
SUBTOTAL	**1449**	**4.4**	**2**	**3**	**4**	**4**	**5**	**6**	**7**
GRAND TOTAL	**1449**	**4.4**	**2**	**3**	**4**	**4**	**5**	**6**	**7**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	0								
18-34	574	3.3	1	2	3	3	4	4	5
35-49	1067	3.6	1	2	3	3	4	5	5
50-69	1044	4.0	1	3	3	4	4	5	6
70 +	49	5.5	4	3	4	5	7	9	9
SUBTOTAL	**2734**	**3.7**	**1**	**3**	**3**	**4**	**4**	**5**	**6**
GRAND TOTAL	**2734**	**3.7**	**1**	**3**	**3**	**4**	**4**	**5**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	368	3.9	15	2	3	3	4	4	5
35-49	102	4.1	8	2	3	3	5	6	14
50-69	110	4.5	2	3	4	4	5	7	7
70 +	14	7.7	4						
SUBTOTAL	**595**	**4.1**	**12**	**2**	**3**	**4**	**4**	**6**	**7**
GRAND TOTAL	**595**	**4.1**	**12**	**2**	**3**	**4**	**4**	**6**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	0								
18-34	372	3.1	1	2	3	3	4	4	5
35-49	579	3.5	2	2	3	3	4	5	6
50-69	319	4.2	3	3	3	4	5	5	6
70 +	61	4.4	1	3	4	5	5	5	5
SUBTOTAL	**1331**	**3.6**	**2**	**2**	**3**	**3**	**4**	**5**	**6**
GRAND TOTAL	**1331**	**3.6**	**2**	**2**	**3**	**3**	**4**	**5**	**6**

DRG 356: Female Reproductive System Reconstructive Procedures

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	630	4.5	9	2	3	4	5	6	9
70-74	488	4.5	3	2	3	4	6	7	7
75-79	366	5.1	14	2	3	4	5	7	11
80-84	184	7.9	130	3	4	5	7	8	13
85 +	55	5.3	7	2	3	4	7	10	10
SUBTOTAL	**1723**	**5.0**	**22**	**2**	**3**	**4**	**5**	**7**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	1972	3.5	2	2	3	3	4	5	6
70-74	1283	3.7	3	2	3	4	4	6	7
75-79	987	3.8	2	2	3	4	5	6	6
80-84	294	4.1	4	2	3	4	6	7	8
85 +	102	4.3	4	2	3	4	5	8	9
SUBTOTAL	**4638**	**3.7**	**2**	**2**	**3**	**3**	**4**	**6**	**6**
GRAND TOTAL	**6361**	**4.0**	**8**	**2**	**3**	**4**	**5**	**6**	**7**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	43	5.0	8	2	2	6	7	9	9
35-49	423	4.5	3	3	3	4	6	7	8
50-69	938	4.5	5	2	3	4	5	7	9
70 +	43	4.7	6	2	3	4	6	10	10
	1447	**4.5**	**4**	**2**	**3**	**4**	**5**	**7**	**9**
0-17	6	6.0							
18-34	407	3.3	2	2	3	3	4	5	5
35-49	2485	3.3	1	2	3	3	4	5	5
50-69	4281	3.3	1	2	3	3	4	5	5
70 +	137	3.6	1	3	3	4	4	5	5
	7316	**3.3**	**1**	**2**	**3**	**3**	**4**	**5**	**5**
	8763	**3.5**	**2**	**2**	**3**	**3**	**4**	**5**	**6**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	14	3.7	4						
35-49	65	5.1	8	3	4	4	5	7	13
50-69	63	4.5	3	2	3	4	6	7	8
70 +	0								
SUBTOTAL	**143**	**4.7**	**5**	**2**	**3**	**4**	**6**	**7**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	84	2.7	1	1	2	3	3	4	4
35-49	186	3.0	1	2	3	3	4	4	4
50-69	117	3.6	1	2	3	4	4	5	5
70 +	25	4.0	1						
SUBTOTAL	**411**	**3.2**	**1**	**2**	**3**	**3**	**4**	**4**	**5**
GRAND TOTAL	**554**	**3.6**	**3**	**2**	**3**	**3**	**4**	**5**	**6**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	7.0							
18-34	20	3.1	1						
35-49	168	4.1	3	2	3	4	5	6	7
50-69	233	4.1	8	2	3	3	5	6	7
70 +	16	3.0							
	444	**4.0**	**6**	**2**	**3**	**3**	**5**	**6**	**7**
0-17	0								
18-34	47	2.8	1	2	2	3	3	4	4
35-49	601	3.3	2	2	2	3	4	5	6
50-69	920	3.3	2	2	2	3	4	5	5
70 +	68	4.7	2	3	4	4	6	7	7
	1635	**3.3**	**2**	**2**	**2**	**3**	**4**	**5**	**5**
	2079	**3.5**	**3**	**2**	**3**	**3**	**4**	**5**	**6**

DRG 357: Uterine & Adnexa Proc for Ovarian or Adnexal Malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	380	10.7	119	5	5	8	11	16	23
70-74	170	15.6	182	5	7	10	22	25	46
75-79	118	9.7	34	4	5	8	11	21	24
80-84	112	11.4	49	5	7	9	14	24	29
85 +	98	11.4	22	7	8	10	16	18	20
SUBTOTAL	**879**	**11.7**	**103**	**5**	**6**	**9**	**13**	**22**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	53	4.0	1	3	3	4	5	6	6
70-74	43	7.4	16	4	4	5	12	13	13
75-79	8	11.0							
80-84	6	8.0							
85 +	8	4.0							
SUBTOTAL	**119**	**5.9**	**11**	**3**	**4**	**4**	**8**	**12**	**13**
GRAND TOTAL	**997**	**11.0**	**96**	**4**	**5**	**8**	**12**	**21**	**25**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	4.0							
18-34	39	4.2	2						
35-49	231	5.9	6	3	4	5	7	9	11
50-69	474	9.2	36	5	6	8	10	16	18
70 +	63	12.1	125	5	5	9	16	99 +	99 +
	816	**8.2**	**36**	**4**	**5**	**7**	**9**	**14**	**18**
0-17	20	7.4	9						
18-34	253	4.0	1	3	3	4	5	6	6
35-49	278	4.5	4	3	3	4	5	7	8
50-69	159	5.1	4	4	4	4	6	6	11
70 +	14	6.3	2						
	726	**4.6**	**4**	**3**	**4**	**4**	**5**	**6**	**8**
	1541	**6.5**	**24**	**3**	**4**	**5**	**7**	**11**	**15**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	6	7.0							
35-49	14	7.1	1						
50-69	41	13.5	107	4	6	10	13	33	33
70 +	6	5.0							
SUBTOTAL	**68**	**10.8**	**76**	**5**	**6**	**8**	**12**	**33**	**33**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	29	5.3	2						
35-49	18	7.0	2						
50-69	8	5.0							
70 +	0								
SUBTOTAL	**55**	**5.8**	**2**	**3**	**5**	**6**	**6**	**9**	**9**
GRAND TOTAL	**123**	**8.5**	**49**	**4**	**5**	**6**	**9**	**13**	**33**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	7.0							
18-34	14	10.2	38						
35-49	108	9.7	36	5	5	9	12	20	25
50-69	196	9.4	26	4	6	8	10	16	17
70 +	33	9.8	14						
	358	**9.5**	**27**	**4**	**6**	**9**	**11**	**16**	**20**
0-17	16	3.5							
18-34	72	4.1	7	2	3	3	4	11	11
35-49	125	6.2	39	3	4	5	5	8	16
50-69	133	6.8	32	3	4	6	7	9	10
70 +	8	5.0							
	354	**5.9**	**29**	**3**	**3**	**5**	**6**	**8**	**11**
	712	**7.7**	**31**	**3**	**4**	**6**	**9**	**14**	**17**

DRG 358: Uterine & Adnexa Proc for Non-malignancy w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1214	5.5	15	3	4	5	6	8	12
70-74	780	6.4	8	4	5	6	7	11	12
75-79	580	7.2	51	3	4	5	7	13	17
80-84	296	6.3	7	4	4	5	8	11	11
85 +	137	7.4	35	3	4	6	8	11	12
SUBTOTAL	**3008**	**6.3**	**21**	**3**	**4**	**5**	**7**	**10**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3008**	**6.3**	**21**	**3**	**4**	**5**	**7**	**10**	**13**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	188	3.2	1	1	2	4	4	4	4
18-34	3727	4.3	4	3	3	4	5	6	8
35-49	10444	4.4	4	3	3	4	5	6	8
50-69	2522	4.8	8	3	4	4	5	7	9
70 +	72	5.8	11	4	4	5	5	8	16
SUBTOTAL	**16952**	**4.5**	**5**	**3**	**3**	**4**	**5**	**6**	**8**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**16952**	**4.5**	**5**	**3**	**3**	**4**	**5**	**6**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	18	4.0							
18-34	756	4.9	17	3	3	4	5	8	10
35-49	725	5.2	7	3	4	4	6	8	10
50-69	162	6.8	14	3	5	6	8	10	13
70 +	22	10.6	23						
SUBTOTAL	**1684**	**5.3**	**13**	**3**	**3**	**4**	**6**	**9**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1684**	**5.3**	**13**	**3**	**3**	**4**	**6**	**9**	**11**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	65	4.8	8	2	3	4	6	10	11
18-34	1423	4.8	7	3	3	4	5	8	10
35-49	2971	4.6	4	3	3	4	5	7	8
50-69	624	5.5	8	3	4	5	6	8	11
70 +	84	6.1	6	3	4	7	8	10	10
SUBTOTAL	**5167**	**4.8**	**5**	**3**	**3**	**4**	**5**	**7**	**9**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**5167**	**4.8**	**5**	**3**	**3**	**4**	**5**	**7**	**9**

DRG 359: Uterine & Adnexa Proc for Non-malignancy w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2403	4.2	2	3	3	4	5	6	6
70-74	1193	4.4	2	3	4	4	5	6	7
75-79	725	4.5	1	3	4	4	5	6	7
80-84	213	4.6	2	3	4	4	5	5	7
85 +	112	4.8	3	3	4	4	6	8	8
SUBTOTAL	**4647**	**4.3**	**2**	**3**	**4**	**4**	**5**	**6**	**7**
GRAND TOTAL	**4647**	**4.3**	**2**	**3**	**4**	**4**	**5**	**6**	**7**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	907	3.5	11	1	2	3	4	5	6
18-34	22531	3.3	1	2	3	3	4	4	5
35-49	42435	3.6	1	3	3	4	4	5	5
50-69	9745	3.8	1	3	3	4	4	5	5
70 +	192	4.3	1	3	3	4	5	6	7
SUBTOTAL	**75810**	**3.5**	**1**	**2**	**3**	**3**	**4**	**5**	**5**
GRAND TOTAL	**75810**	**3.5**	**1**	**2**	**3**	**3**	**4**	**5**	**5**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	196	3.7	2	3	3	3	4	5	7
18-34	3449	3.6	2	2	3	3	4	5	6
35-49	2025	3.9	2	3	3	4	4	5	6
50-69	221	4.5	2	3	3	4	5	6	8
70 +	16	4.0							
SUBTOTAL	**5908**	**3.7**	**2**	**2**	**3**	**4**	**4**	**5**	**6**
GRAND TOTAL	**5908**	**3.7**	**2**	**2**	**3**	**4**	**4**	**5**	**6**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	268	2.9	1	1	2	3	3	5	5
18-34	7097	3.5	3	2	3	3	4	5	6
35-49	10695	3.7	2	3	3	4	4	5	6
50-69	2337	4.1	2	3	3	4	5	6	6
70 +	110	3.7	1	3	3	4	4	5	6
SUBTOTAL	**20507**	**3.7**	**2**	**2**	**3**	**4**	**4**	**5**	**6**
GRAND TOTAL	**20507**	**3.7**	**2**	**2**	**3**	**4**	**4**	**5**	**6**

DRG 360: Vagina, Cervix & Vulva Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	135	4.6	5	1	3	4	6	7	10
70-74	121	5.3	6	3	3	5	6	9	11
75-79	131	5.0	13	2	3	4	6	10	10
80-84	74	4.6	6	1	3	4	6	10	10
85 +	74	7.3	36	2	4	6	8	9	26
SUBTOTAL	**533**	**5.2**	**12**	**2**	**3**	**4**	**6**	**9**	**10**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	376	3.5	3	1	2	3	4	6	7
70-74	304	4.3	2	2	3	4	5	6	7
75-79	221	3.7	3	< 1	2	4	5	6	7
80-84	135	3.5	2	2	2	3	4	6	7
85 +	39	4.6	7	1	3	4	7	9	9
SUBTOTAL	**1075**	**3.8**	**3**	**2**	**3**	**4**	**5**	**6**	**7**
GRAND TOTAL	**1608**	**4.3**	**6**	**2**	**3**	**4**	**5**	**7**	**9**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	37	1.6	1						
18-34	84	3.2	8	1	1	2	4	7	10
35-49	102	2.9	1	2	2	3	4	5	5
50-69	278	4.7	4	2	3	5	6	7	8
70 +	20	5.4	14						
SUBTOTAL	**521**	**3.9**	**5**	**1**	**2**	**4**	**5**	**7**	**8**
0-17	108	1.5	1	< 1	1	1	2	3	4
18-34	307	2.4	3	< 1	1	2	3	5	5
35-49	433	2.5	1	1	1	2	3	4	5
50-69	666	3.4	3	1	2	3	4	5	6
70 +	63	4.8	20	2	3	3	4	10	18
SUBTOTAL	**1578**	**2.9**	**3**	**1**	**1**	**3**	**4**	**5**	**5**
	2099	**3.1**	**4**	**1**	**2**	**3**	**4**	**5**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	14	3.6							
18-34	22	3.7	1						
35-49	22	2.7	3						
50-69	47	6.6	6	2	4	8	9	9	9
70 +	6	1.0							
SUBTOTAL	**112**	**4.5**	**7**	**1**	**3**	**4**	**8**	**9**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	35	2.1	1						
18-34	106	2.3	1	< 1	1	2	3	4	4
35-49	55	3.0	4	< 1	1	2	5	7	7
50-69	27	3.7	5						
70 +	6	4.0							
SUBTOTAL	**229**	**2.6**	**2**	**1**	**1**	**3**	**3**	**4**	**7**
GRAND TOTAL	**342**	**3.3**	**5**	**1**	**2**	**3**	**4**	**7**	**8**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	2.0							
18-34	22	1.3							
35-49	59	3.9	4	1	3	4	4	7	8
50-69	74	5.7	7	3	4	5	7	11	11
70 +	0								
	164	**4.3**	**7**	**1**	**2**	**4**	**6**	**8**	**10**
0-17	72	2.1	1	1	1	2	3	4	4
18-34	172	2.0	2	< 1	< 1	2	3	4	4
35-49	186	2.8	2	1	1	3	4	5	5
50-69	209	3.6	4	1	2	3	5	6	7
70 +	22	3.4							
SUBTOTAL	**660**	**2.8**	**3**	**< 1**	**1**	**3**	**4**	**5**	**6**
	824	**3.1**	**4**	**< 1**	**1**	**3**	**4**	**6**	**7**

DRG 361: Laparoscopy & Incisional Tubal Interruption

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	6	4.0							
70-74	8	5.0							
75-79	0								
80-84	8	6.0							
85 +	0								
SUBTOTAL	**22**	**5.1**	**1**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	37	5.6	26						
70-74	8	6.0							
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**45**	**5.6**	**21**	**< 1**	**1**	**5**	**8**	**15**	**15**
GRAND TOTAL	**67**	**5.5**	**14**	**1**	**4**	**5**	**6**	**8**	**15**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	22	4.2	2						
18-34	292	2.6	2	1	1	2	4	4	6
35-49	149	2.7	5	1	1	3	4	5	5
50-69	27	4.8	11						
70 +	0								
490	**2.8**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	
0-17	166	2.2	1	< 1	1	2	3	4	4
18-34	1375	2.2	3	< 1	1	2	3	4	6
35-49	474	2.1	2	< 1	< 1	1	3	4	6
50-69	31	5.3	15						
70 +	0								
2045	**2.2**	**3**	**< 1**	**1**	**2**	**3**	**4**	**6**	
2535	**2.3**	**3**	**< 1**	**1**	**2**	**3**	**4**	**6**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	8	4.0							
18-34	106	5.1	48	1	1	3	5	8	28
35-49	25	5.0	11						
50-69	8	7.0							
70 +	0								
SUBTOTAL	**147**	**5.1**	**37**	**1**	**1**	**4**	**5**	**9**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	31	2.5							
18-34	574	2.4	6	< 1	1	2	3	4	6
35-49	86	1.8	1	< 1	< 1	2	3	3	3
50-69	0								
70 +	0								
SUBTOTAL	**691**	**2.3**	**5**	**< 1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**838**	**2.8**	**12**	**< 1**	**1**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	5.0							
18-34	127	3.9	12	1	2	2	4	12	12
35-49	53	2.4	2	< 1	1	3	4	4	4
50-69	0								
70 +	0								
188	**3.5**	**9**	**1**	**1**	**3**	**4**	**8**	**12**	
0-17	37	3.0	3						
18-34	768	2.8	5	< 1	1	2	4	5	8
35-49	200	2.6	4	< 1	< 1	2	4	5	6
50-69	12	1.0							
70 +	0								
1018	**2.8**	**5**	**< 1**	**1**	**2**	**4**	**5**	**7**	
1206	**2.9**	**6**	**< 1**	**1**	**2**	**4**	**5**	**8**	

DRG 362: Endoscopic Tubal Interruption

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	16	1.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**16**	**1.0**							
GRAND TOTAL	**16**	**1.0**							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	16	2.0	1						
35-49	8	2.0							
50-69	0								
70 +	0								
SUBTOTAL	**25**	**2.0**	**1**						
0-17	0								
18-34	259	1.2	1	< 1	< 1	< 1	< 1	1	2
35-49	155	1.0		< 1	< 1	< 1	< 1	< 1	< 1
50-69	0								
70 +	0								
SUBTOTAL	**415**	**1.1**	**1**	**< 1**	**< 1**	**< 1**	**< 1**	**1**	**2**
GRAND TOTAL	**439**	**1.2**	**1**	**< 1**	**< 1**	**< 1**	**< 1**	**1**	**2**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	6	2.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**6**	**2.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	212	1.0		< 1	< 1	< 1	< 1	< 1	< 1
35-49	57	1.0		< 1	< 1	< 1	< 1	< 1	< 1
50-69	0								
70 +	0								
SUBTOTAL	**270**	**1.0**		**< 1**	**< 1**	**< 1**	**< 1**	**< 1**	**< 1**
GRAND TOTAL	**276**	**1.0**		**< 1**	**< 1**	**< 1**	**< 1**	**< 1**	**< 1**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	6	1.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**6**	**1.0**							
0-17	0								
18-34	22	1.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**22**	**1.0**							
GRAND TOTAL	**29**	**1.0**							

DRG 363: D&C, Conization & Radio-implant, for Malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	39	6.9	16						
70-74	35	5.9	18						
75-79	3	2.8							
80-84	57	3.4	3	1	2	3	5	6	6
85+	16	5.0	4						
SUBTOTAL	184	4.7	10	2	3	3	6	9	13
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	74	2.6	1	2	2	2	3	4	4
70-74	80	1.8	1	<1	1	2	2	3	3
75-79	74	2.6	1	2	2	3	3	3	4
80-84	49	2.8	2	<1	1	3	4	5	5
85+	31	1.9							
SUBTOTAL	307	2.4	1	1	2	2	3	4	4
GRAND TOTAL	491	3.2	6	1	2	3	3	6	9

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	39	2.9	16	1	1	1	2	12	12
50-69	51	2.8	1	1	2	3	4	4	4
70+	8	1.0							
	98	2.7	7	1	1	2	4	4	12
0-17	0								
18-34	90	1.6	2	<1	<1	1	1	4	5
35-49	123	2.6	8	1	2	2	2	3	8
50-69	117	2.1	1	1	1	2	3	3	3
70+	0								
	329	2.1	4	<1	1	2	2	3	
	427	2.3	5		1	2	3	4	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	8	4.0							
35-49	22	5.2	13						
50-69	22	4.1	3						
70+	0								
SUBTOTAL	53	4.5	7	3	3	3	4	11	11
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	14	1.0							
35-49	41	2.0							
50-69	37	2.3	1						
70+	6	2.0							
SUBTOTAL	98	2.0		1	2	2	2	2	4
GRAND TOTAL	151	2.9	4	2	2	2	3	4	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	6	2.0							
35-49	12	4.0	10						
50-69	14	7.4	59						
70+	0								
	33	5.1	33						
0-17	0								
18-34	63	1.7	1	<1	<1	1	3	4	4
35-49	74	2.5	3	1	1	2	3	7	7
50-69	84	2.6	1	2	2	2	3	3	6
70+	0								
	221	2.3	2	1	1	2	3	4	6
	254	2.7	7	1	1	2	3	6	7

DRG 364: D&C, Conization except for Malignancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	69	3.4	10	<1	1	2	3	10	10
70-74	16	8.0	27						
75-79	47	7.2	21	2	3	6	12	14	14
80-84	33	4.5	3						
85 +	43	3.5	6	1	1	2	6	7	7
SUBTOTAL	**208**	**4.8**	**15**	**1**	**2**	**3**	**6**	**12**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	106	1.2		<1	<1	1	1	2	2
70-74	49	1.5	1	<1	<1	<1	1	4	4
75-79	78	2.4	16	<1	<1	1	1	11	14
80-84	47	2.3	3	<1	1	1	4	5	5
85 +	25	1.3							
SUBTOTAL	**304**	**1.7**	**5**	**<1**	**<1**	**1**	**1**	**3**	**5**
GRAND TOTAL	**513**	**3.0**	**11**	**<1**	**1**	**1**	**4**	**7**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	168	1.5	1	<1	1	1	2	2	4
35-49	202	1.3	1	<1	1	1	1	2	3
50-69	78	1.8	2	<1	1	1	3	4	5
70 +	8	1.0							
	456	**1.5**	**1**	**<1**	**1**	**1**	**1**	**3**	**5**
0-17	25	3.3	4						
18-34	341	2.0	3	<1	<1	1	3	4	5
35-49	457	1.2		<1	<1	<1	1	2	2
50-69	306	1.2	1	<1	<1	<1	1	1	3
70 +	8	1.0							
	1138	**1.5**	**1**	**<1**	**<1**	**<1**	**1**	**3**	**4**
	1593	**1.5**	**1**	**<1**	**<1**	**1**	**1**	**3**	**4**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	8	2.0							
18-34	47	2.2	2	1	1	1	3	5	5
35-49	90	1.8	1	<1	1	1	3	3	5
50-69	8	2.0							
70 +	0								
SUBTOTAL	**153**	**1.9**	**2**	**<1**	**1**	**1**	**3**	**3**	**5**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	8	2.0							
18-34	125	2.3	6	<1	1	1	3	7	8
35-49	45	2.1	1	<1	1	2	3	4	4
50-69	37	1.3	1						
70 +	0								
SUBTOTAL	**215**	**2.1**	**4**	**<1**	**1**	**1**	**3**	**4**	**7**
GRAND TOTAL	**368**	**2.0**	**3**	**<1**	**1**	**1**	**3**	**3**	**5**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	74	2.8	2	1	2	3	4	4	5
35-49	184	2.0	3	<1	1	1	2	4	4
50-69	33	2.4	3						
70 +	6	13.0							
	297	**2.4**	**5**	**1**	**1**	**2**	**3**	**4**	**5**
0-17	8	1.0							
18-34	86	2.2	3	<1	<1	1	3	6	6
35-49	170	1.3	1	<1	<1	1	1	2	2
50-69	35	2.6	3						
70 +	6	1.0							
	305	**1.7**	**2**	**<1**	**<1**	**1**	**1**	**5**	**6**
	601	**2.1**	**4**	**<1**	**1**	**1**	**2**	**4**	**6**

DRG 365: Other Female Reproductive System O.R. Procedures

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	121	9.3	44	3	4	7	13	20	26
70-74	63	12.1	98	5	5	8	10	32	32
75-79	69	12.6	37	4	8	12	18	22	22
80-84	61	8.2	19	4	5	5	10	16	16
85 +	14	13.7	85						
SUBTOTAL	**329**	**10.5**	**53**	**4**	**5**	**8**	**14**	**22**	**27**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	98	3.5	4	2	2	3	4	6	9
70-74	53	3.6	1	2	3	4	4	6	6
75-79	8	5.0							
80-84	8	3.0							
85 +	14	4.6							
SUBTOTAL	**182**	**3.7**	**3**	**2**	**2**	**4**	**4**	**6**	**6**
GRAND TOTAL	**511**	**8.1**	**46**	**2**	**4**	**5**	**10**	**18**	**24**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	117	5.6	9	3	4	5	6	11	13
35-49	182	4.4	3	3	3	4	6	6	7
50-69	166	7.7	52	3	4	5	6	12	26
70 +	14	7.6							
SUBTOTAL	**478**	**5.9**	**23**	**3**	**3**	**5**	**6**	**9**	**12**
0-17	53	3.6	1	2	3	4	4	5	5
18-34	509	3.6	4	1	2	3	4	6	7
35-49	358	3.5	3	2	3	3	4	5	7
50-69	268	3.4	3	2	2	3	4	6	6
70 +	0								
SUBTOTAL	**1187**	**3.5**	**3**	**2**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**1666**	**4.2**	**10**	**2**	**3**	**3**	**5**	**6**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	41	5.5	3	3	5	5	6	9	9
35-49	25	6.5	2						
50-69	33	6.8	23						
70 +	0								
SUBTOTAL	**98**	**6.2**	**10**	**3**	**5**	**5**	**8**	**9**	**15**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	29	6.1	10						
18-34	112	4.3	7	2	2	4	5	8	11
35-49	55	6.7	44	1	2	3	10	21	21
50-69	12	6.5							
70 +	0								
SUBTOTAL	**209**	**5.3**	**18**	**2**	**3**	**4**	**7**	**10**	**12**
GRAND TOTAL	**307**	**5.6**	**15**	**2**	**3**	**5**	**8**	**10**	**12**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	8.0							
18-34	82	8.8	25	3	5	9	10	18	19
35-49	70	12.3	155	2	5	10	14	16	49
50-69	27	9.7	106						
70 +	0								
SUBTOTAL	**186**	**10.2**	**86**	**3**	**5**	**8**	**12**	**18**	**28**
0-17	37	3.7	1						
18-34	252	3.6	2	3	3	3	4	7	7
35-49	137	4.9	6	2	4	4	5	9	10
50-69	86	4.1	19	2	2	3	4	6	19
70 +	6	2.0							
SUBTOTAL	**517**	**4.0**	**6**	**2**	**3**	**4**	**5**	**6**	**8**
GRAND TOTAL	**703**	**5.7**	**35**	**2**	**3**	**4**	**6**	**12**	**16**

DRG 366: Malignancy, Female Reproductive System w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	143	5.8	75	1	2	3	6	8	14
70-74	127	6.8	60	2	4	4	6	10	24
75-79	96	6.2	11	2	4	7	8	9	15
80-84	90	7.1	23	2	3	5	11	15	16
85 +	80	12.1	67	4	5	11	14	23	31
SUBTOTAL	**536**	**7.3**	**54**	**2**	**3**	**5**	**8**	**15**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**536**	**7.3**	**54**	**2**	**3**	**5**	**8**	**15**	**22**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	14	11.7	26						
35-49	71	6.1	47	1	2	5	6	24	24
50-69	141	4.7	11	< 1	2	4	7	7	15
70 +	12	8.0	17						
SUBTOTAL	**239**	**5.7**	**26**	**1**	**2**	**5**	**7**	**14**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
239	**5.7**	**26**	**1**	**2**	**5**	**7**	**14**	**16**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	41	7.7	106	2	2	3	4	28	28
35-49	47	5.8	16	2	2	5	10	13	13
50-69	57	4.3	11	1	2	3	5	11	12
70 +	6	1.0							
SUBTOTAL	**151**	**5.6**	**40**	**1**	**2**	**3**	**7**	**12**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**151**	**5.6**	**40**	**1**	**2**	**3**	**7**	**12**	**28**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	18	10.3	19						
35-49	70	6.9	50	1	2	5	7	20	23
50-69	135	7.9	85	< 1	2	5	7	21	23
70 +	45	7.6	25	2	3	6	14	16	16
SUBTOTAL	**268**	**7.7**	**61**	**1**	**2**	**5**	**8**	**20**	**23**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
268	**7.7**	**61**	**1**	**2**	**5**	**8**	**20**	**23**	

DRG 367: Malignancy, Female Reproductive System w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	53	1.3		< 1	< 1	1	1	3	3
70-74	8	2.0							
75-79	22	3.9	2						
80-84	6	8.0							
85 +	0								
SUBTOTAL	**90**	**2.5**	**4**	**< 1**	**1**	**2**	**3**	**5**	**8**
GRAND TOTAL	**90**	**2.5**	**4**	**< 1**	**1**	**2**	**3**	**5**	**8**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	6	1.0							
18-34	29	3.5	1						
35-49	35	1.7	1						
50-69	37	1.6	1						
70 +	0								
	106	**2.1**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
	106	**2.1**	**2**	**1**	**1**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	12	3.5							
18-34	65	4.2	21	< 1	< 1	2	7	13	13
35-49	63	3.4	5	1	1	3	4	8	8
50-69	43	2.6	3	1	1	2	4	5	5
70 +	25	3.5	2						
SUBTOTAL	**209**	**3.5**	**9**	**< 1**	**1**	**3**	**4**	**7**	**13**
GRAND TOTAL	**209**	**3.5**	**9**	**< 1**	**1**	**3**	**4**	**7**	**13**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	12	5.0	10						
18-34	37	2.2	2	< 1	1	2	3	5	5
35-49	111	1.6		1	1	1	2	3	3
50-69	70	2.1	2	< 1	< 1	2	3	4	5
70 +	20	2.2	1						
	250	**2.0**	**2**	**< 1**	**1**	**2**	**2**	**3**	**5**
	250	**2.0**	**2**	**< 1**	**1**	**2**	**2**	**3**	**5**

DRG 368: Infections, Female Reproductive System

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	22	3.5	3						
70-74	14	6.7	4						
75-79	8	4.0							
80-84	16	8.0	1						
85 +	16	12.5	45						
SUBTOTAL	**78**	**7.0**	**22**	**2**	**4**	**6**	**9**	**18**	**19**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	47	4.8	5	2	3	4	7	9	9
70-74	8	4.0							
75-79	0								
80-84	0								
85 +	14	2.9	1						
SUBTOTAL	**69**	**4.3**	**4**	**2**	**3**	**4**	**5**	**7**	**9**
GRAND TOTAL	**147**	**5.7**	**15**	**2**	**3**	**5**	**7**	**9**	**19**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	80	6.6	62	1	2	5	8	10	32
18-34	360	3.9	3	2	3	4	5	6	8
35-49	135	5.5	9	2	3	6	7	10	10
50-69	0								
70 +	6	7.0							
SUBTOTAL	**580**	**4.7**	**14**	**2**	**3**	**4**	**6**	**8**	**10**
0-17	364	3.1	2	1	2	3	4	5	6
18-34	2013	3.0	2	1	2	3	4	5	6
35-49	562	3.6	3	2	2	3	4	6	7
50-69	16	5.0	4						
70 +	0								
SUBTOTAL	**2955**	**3.1**	**2**	**1**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**3535**	**3.4**	**5**	**1**	**2**	**3**	**4**	**6**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	49	3.4	2	2	2	3	4	7	7
18-34	391	4.0	5	2	2	4	5	6	8
35-49	45	6.5	12	3	5	5	11	13	13
50-69	0								
70 +	0								
SUBTOTAL	**485**	**4.2**	**6**	**2**	**2**	**4**	**5**	**6**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	303	2.8	2	1	2	2	4	4	6
18-34	1376	3.3	3	2	2	3	4	6	7
35-49	141	3.6	3	2	2	3	4	6	7
50-69	6	3.0							
70 +	0								
SUBTOTAL	**1826**	**3.2**	**3**	**2**	**2**	**3**	**4**	**6**	**7**
GRAND TOTAL	**2311**	**3.4**	**4**	**2**	**2**	**3**	**4**	**6**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	76	4.6	4	3	3	4	5	7	9
18-34	732	3.4	4	2	2	3	4	6	7
35-49	135	4.1	17	1	2	2	4	6	15
50-69	18	3.7	7						
70 +	8	7.0							
SUBTOTAL	**970**	**3.6**	**6**	**2**	**2**	**3**	**4**	**7**	**7**
0-17	241	3.1	2	2	2	3	4	5	6
18-34	2516	3.3	3	2	2	3	4	5	6
35-49	423	3.7	4	2	2	3	4	6	7
50-69	14	2.4							
70 +	0								
SUBTOTAL	**3194**	**3.3**	**3**	**2**	**2**	**3**	**4**	**5**	**6**
GRAND TOTAL	**4164**	**3.4**	**4**	**2**	**2**	**3**	**4**	**5**	**7**

DRG 369: Menstrual & Other Female Reproductive System Disorders

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	31	4.1	8						
70-74	45	2.6	2	< 1	< 1	3	3	5	5
75-79	61	3.2	3	1	2	3	6	6	6
80-84	29	5.4	3						
85 +	20	5.0	22						
SUBTOTAL	**186**	**3.7**	**7**	**< 1**	**2**	**3**	**5**	**8**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	53	2.3	2	1	1	3	3	5	5
70-74	39	2.5	8						
75-79	47	2.6	4	< 1	< 1	1	4	6	6
80-84	16	1.0							
85 +	29	6.9	8						
SUBTOTAL	**184**	**3.0**	**7**	**< 1**	**1**	**1**	**4**	**8**	**9**
GRAND TOTAL	**370**	**3.4**	**7**	**< 1**	**1**	**3**	**5**	**8**	**9**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	39	3.5	7						
18-34	323	2.5	3	1	1	2	3	4	6
35-49	206	2.3	2	1	1	2	3	5	5
50-69	65	3.0	9	1	1	2	3	10	10
70 +	8	3.0							
	642	**2.5**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
0-17	417	1.5	1	1	1	1	2	2	3
18-34	1510	1.9	2	< 1	1	2	2	3	4
35-49	644	1.8	2	1	1	1	2	4	4
50-69	102	1.5		< 1	< 1	1	2	2	3
70 +	22	4.5	7						
	2695	**1.8**	**2**	**< 1**	**1**	**1**	**2**	**3**	**4**
	3337	**2.0**	**2**	**1**	**1**	**1**	**2**	**4**	**5**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	22	1.6							
18-34	149	2.7	3	1	1	2	3	5	6
35-49	82	2.0	2	1	1	2	3	4	5
50-69	27	4.2	3						
70 +	0								
SUBTOTAL	**280**	**2.6**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	112	1.5	1	< 1	1	1	2	3	4
18-34	296	2.3	4	1	1	2	3	4	6
35-49	112	2.0	1	< 1	1	2	3	3	4
50-69	6	2.0							
70 +	0								
SUBTOTAL	**527**	**2.1**	**3**	**< 1**	**1**	**2**	**3**	**4**	**4**
GRAND TOTAL	**807**	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	51	2.0	1	< 1	1	2	2	5	5
18-34	215	2.1	4	1	1	1	2	5	6
35-49	153	2.0	1	1	1	2	3	3	3
50-69	35	1.6	1						
70 +	6	1.0							
	460	**2.0**	**2**	**1**	**1**	**2**	**2**	**4**	**5**
0-17	196	1.7	1	1	1	1	2	3	3
18-34	865	1.9	2	< 1	1	1	2	3	5
35-49	294	1.9	2	< 1	1	1	2	4	5
50-69	190	1.8	4	< 1	< 1	1	1	3	8
70 +	27	1.0							
	1572	**1.8**	**2**	**< 1**	**1**	**1**	**2**	**3**	**5**
	2032	**1.9**	**2**	**< 1**	**1**	**1**	**2**	**3**	**5**

DRG 370: Cesarean Section w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	139	7.1	119	3	4	4	5	9	9
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**139**	**7.1**	**119**	3	4	4	5	9	9
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**139**	**7.1**	**119**	3	4	4	5	9	9

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	121	4.2	3	2	3	4	5	7	9
18-34	10644	5.0	18	3	3	4	5	7	10
35-49	2128	5.4	49	3	3	4	5	7	10
50-69	0								
70 +	0								
SUBTOTAL	**12892**	**5.1**	**23**	3	3	4	5	7	10
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**12892**	**5.1**	**23**	3	3	4	5	7	10

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	676	5.2	13	3	3	4	6	8	12
18-34	8326	5.0	18	3	3	4	5	8	10
35-49	661	4.7	6	3	3	4	5	7	10
50-69	8	4.0							
70 +	0								
SUBTOTAL	**9671**	**5.0**	**17**	3	3	4	5	8	10
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**9671**	**5.0**	**17**	3	3	4	5	8	10

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	329	4.4	4	3	3	4	5	7	10
18-34	6372	4.8	20	3	3	4	5	8	10
35-49	1098	5.6	36	3	3	4	5	8	18
50-69	0								
70 +	0								
SUBTOTAL	**7799**	**4.9**	**21**	3	3	4	5	8	10
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**7799**	**4.9**	**21**	3	3	4	5	8	10

DRG 371: Cesarean Section w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	200	3.8	2	2	3	4	5	5	6
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**200**	**3.8**	**2**	**2**	**3**	**4**	**5**	**5**	**6**
GRAND TOTAL	**200**	**3.8**	**2**	**2**	**3**	**4**	**5**	**5**	**6**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	676	3.7	1	3	3	4	4	5	5
18-34	54089	3.8	4	3	3	4	4	5	5
35-49	10842	4.0	7	3	3	4	4	5	6
50-69	8	3.0							
70 +	0								
	65616	**3.8**	**4**	**3**	**3**	**4**	**4**	**5**	**5**
	65616	**3.8**	**4**	**3**	**3**	**4**	**4**	**5**	**5**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1795	4.0	3	3	3	4	4	5	7
18-34	25984	3.7	3	3	3	3	4	5	6
35-49	1954	3.9	7	3	3	3	4	5	6
50-69	8	3.0							
70 +	0								
SUBTOTAL	**29741**	**3.8**	**3**	**3**	**3**	**3**	**4**	**5**	**6**
GRAND TOTAL	**29741**	**3.8**	**3**	**3**	**3**	**3**	**4**	**5**	**6**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	839	4.4	27	3	3	3	4	6	7
18-34	30652	3.7	5	3	3	3	4	5	5
35-49	4783	3.8	5	3	3	4	4	5	6
50-69	12	11.0	70						
70 +	0								
	36286	**3.7**	**5**	**3**	**3**	**3**	**4**	**5**	**6**
	36286	**3.7**	**5**	**3**	**3**	**3**	**4**	**5**	**6**

DRG 372: Vaginal Delivery w/ Complicating Diagnoses

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	41	2.7	3	1	1	2	3	6	6
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**41**	**2.7**	**3**	**1**	**1**	**2**	**3**	**6**	**6**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	76	2.1	1	1	1	2	3	3	3
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**76**	**2.1**	**1**	**1**	**1**	**2**	**3**	**3**	**3**
GRAND TOTAL	**117**	**2.3**	**2**	**1**	**1**	**2**	**3**	**3**	**6**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	159	3.1	6	1	2	3	4	5	5
18-34	5198	2.7	4	1	2	2	3	4	5
35-49	576	2.8	3	1	2	2	3	5	6
50-69	0								
70 +	0								
SUBTOTAL	**5934**	**2.7**	**4**	**1**	**2**	**2**	**3**	**4**	**5**
0-17	370	2.4	4	1	1	2	3	3	4
18-34	14006	2.3	6	1	2	2	3	3	4
35-49	1635	2.6	6	1	2	2	3	4	4
50-69	0								
70 +	0								
SUBTOTAL	**16011**	**2.4**	**6**	**1**	**2**	**2**	**3**	**3**	**4**
GRAND TOTAL	**21944**	**2.5**	**5**	**1**	**2**	**2**	**3**	**4**	**4**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	431	2.6	2	1	2	2	3	4	5
18-34	3967	3.0	11	1	2	2	3	5	7
35-49	415	3.3	18	1	2	2	4	5	8
50-69	0								
70 +	0								
SUBTOTAL	**4814**	**3.0**	**11**	**1**	**2**	**2**	**3**	**5**	**7**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	875	2.5	3	1	2	2	3	4	6
18-34	6721	2.3	3	1	1	2	3	4	5
35-49	556	2.2	1	1	2	2	3	3	4
50-69	0								
70 +	0								
SUBTOTAL	**8152**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**12966**	**2.5**	**6**	**1**	**1**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	282	2.8	5	1	1	2	3	7	8
18-34	3354	2.9	10	1	1	2	3	5	6
35-49	428	2.8	6	1	1	2	3	6	7
50-69	0								
70 +	0								
SUBTOTAL	**4064**	**2.8**	**9**	**1**	**1**	**2**	**3**	**5**	**7**
0-17	458	2.1	1	1	1	2	3	3	4
18-34	7248	2.3	5	1	1	2	3	4	5
35-49	701	2.6	9	1	1	2	3	4	5
50-69	0								
70 +	0								
SUBTOTAL	**8408**	**2.3**	**5**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**12471**	**2.5**	**6**	**1**	**1**	**2**	**3**	**4**	**6**

DRG 373: Vaginal Delivery w/o Complicating Diagnoses

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	113	2.0		1	2	2	2	3	3
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**113**	**2.0**		**1**	**2**	**2**	**2**	**3**	**3**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	536	1.9	2	1	1	2	2	3	3
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**536**	**1.9**	**2**	**1**	**1**	**2**	**2**	**3**	**3**
GRAND TOTAL	**648**	**1.9**	**2**	**1**	**1**	**2**	**2**	**3**	**3**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	317	2.1	3	1	1	2	2	4	4
18-34	8302	2.3	7	1	1	2	3	3	4
35-49	1050	2.3	1	1	2	2	3	3	4
50-69	0								
70 +	0								
	9669	**2.3**	**6**	**1**	**1**	**2**	**3**	**3**	**4**
0-17	3996	1.7	1	1	1	2	2	3	3
18-34	191158	1.7	1	1	1	2	2	3	3
35-49	24399	1.8	1	1	1	2	2	3	3
50-69	14	2.3	2						
70 +	0								
	219567	**1.7**	**1**	**1**	**1**	**2**	**2**	**3**	**3**
	229236	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**3**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	1137	2.0	1	1	1	2	2	3	3
18-34	10075	2.0	5	1	1	2	2	3	4
35-49	397	1.8	1	1	1	2	2	3	3
50-69	0								
70 +	0								
SUBTOTAL	**11608**	**2.0**	**5**	**1**	**1**	**2**	**2**	**3**	**4**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	11792	1.7	1	1	1	2	2	2	3
18-34	117079	1.6	1	1	1	1	2	2	3
35-49	5957	1.6	1	1	1	1	2	2	3
50-69	14	1.0							
70 +	0								
SUBTOTAL	**134843**	**1.6**	**1**	**1**	**1**	**1**	**2**	**2**	**3**
GRAND TOTAL	**146451**	**1.6**	**1**	**1**	**1**	**1**	**2**	**2**	**3**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	767	2.0	3	1	1	2	2	3	4
18-34	9349	1.9	2	1	1	2	2	3	4
35-49	738	1.9	1	1	1	2	2	3	4
50-69	12	11.5	98						
70 +	0								
	10866	**1.9**	**2**	**1**	**1**	**2**	**2**	**3**	**4**
0-17	8992	1.7	1	1	1	1	2	2	3
18-34	153788	1.6	1	1	1	1	2	2	3
35-49	13097	1.6	1	1	1	1	2	2	3
50-69	31	1.4	1						
70 +	0								
	175908	**1.6**	**1**	**1**	**1**	**1**	**2**	**2**	**3**
	186774	**1.6**	**1**	**1**	**1**	**1**	**2**	**2**	**3**

DRG 374: Vaginal Delivery w/ Sterilization &/or D&C

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	29	2.8	1						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**29**	**2.8**	**1**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	100	2.2	1	1	2	2	2	3	4
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**100**	**2.2**	**1**	**1**	**2**	**2**	**2**	**3**	**4**
GRAND TOTAL	**129**	**2.3**	**1**	**1**	**2**	**2**	**3**	**4**	**4**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	3.0							
18-34	1406	2.9	2	2	2	3	3	4	5
35-49	376	3.1	8	1	2	2	3	4	5
50-69	0								
70 +	0								
SUBTOTAL	**1790**	**2.9**	**4**	**2**	**2**	**3**	**3**	**4**	**5**
0-17	35	1.8	1						
18-34	12102	2.3	6	1	2	2	3	3	4
35-49	3142	2.4	3	1	2	2	3	3	4
50-69	0								
70 +	0								
SUBTOTAL	**15279**	**2.3**	**5**	**1**	**2**	**2**	**3**	**3**	**4**
GRAND TOTAL	**17068**	**2.4**	**5**	**1**	**2**	**2**	**3**	**3**	**4**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	72	3.3	2	2	2	3	4	6	6
18-34	1320	2.8	2	2	2	2	3	4	6
35-49	162	2.2	1	1	1	2	3	4	4
50-69	0								
70 +	0								
SUBTOTAL	**1554**	**2.8**	**2**	**1**	**2**	**2**	**3**	**4**	**6**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	63	2.3		1	2	2	3	3	3
18-34	9265	2.2	6	1	2	2	2	3	3
35-49	1053	2.3	2	2	2	2	3	3	4
50-69	0								
70 +	0								
SUBTOTAL	**10381**	**2.2**	**5**	**1**	**2**	**2**	**2**	**3**	**3**
GRAND TOTAL	**11935**	**2.3**	**5**	**1**	**2**	**2**	**3**	**3**	**4**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	3.0							
18-34	748	2.9	10	1	2	2	3	5	6
35-49	166	2.8	2	1	2	3	3	5	5
50-69	0								
70 +	0								
SUBTOTAL	**930**	**2.9**	**9**	**1**	**2**	**2**	**3**	**5**	**6**
0-17	12	2.0							
18-34	5382	2.1	3	1	1	2	2	3	3
35-49	1312	2.2	2	1	2	2	3	3	3
50-69	0								
70 +	0								
SUBTOTAL	**6787**	**2.1**	**3**	**1**	**2**	**2**	**2**	**3**	**3**
GRAND TOTAL	**7637**	**2.2**	**3**	**1**	**2**	**2**	**3**	**3**	**4**

DRG 375: Vaginal Delivery w/ O.R. Proc except Steril &/or D&C

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	1.5							
18-34	51	8.2	128	1	3	4	7	38	38
35-49	16	3.0	1						
50-69	0								
70+	0								
SUBTOTAL	**84**	**5.9**	**87**	**1**	**2**	**3**	**4**	**7**	**38**
0-17	8	3.0							
18-34	239	2.0	1	1	1	2	2	3	3
35-49	22	3.2	5						
50-69	0								
70+	0								
SUBTOTAL	**270**	**2.1**	**1**	**1**	**2**	**2**	**3**	**3**	**4**
GRAND TOTAL	**354**	**3.0**	**24**	**1**	**2**	**2**	**3**	**4**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	6	3.0							
18-34	31	4.6	5						
35-49	12	2.0							
50-69	0								
70+	0								
SUBTOTAL	**49**	**3.7**	**4**	**2**	**2**	**3**	**4**	**8**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	14	1.6							
18-34	117	2.3	1	2	2	2	2	3	6
35-49	25	1.3							
50-69	0								
70+	0								
SUBTOTAL	**155**	**2.1**	**1**	**1**	**2**	**2**	**2**	**2**	**3**
GRAND TOTAL	**204**	**2.5**	**2**	**1**	**2**	**2**	**3**	**4**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	20	6.3	34						
18-34	45	3.7	29	1	1	1	2	15	15
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**65**	**4.5**	**32**	**1**	**1**	**2**	**3**	**15**	**15**
0-17	0								
18-34	125	3.1	17	1	1	2	3	6	13
35-49	8	1.0							
50-69	0								
70+	0								
SUBTOTAL	**133**	**2.9**	**16**	**1**	**1**	**2**	**2**	**5**	**11**
GRAND TOTAL	**198**	**3.5**	**21**	**1**	**1**	**2**	**3**	**14**	**15**

DRG 376: Postpartum & Post Abortion Diagnoses w/o O.R. Procedure

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	39	5.5	31						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	39	5.5	31						
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	22	2.8	3						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	22	2.8	3						
GRAND TOTAL	61	4.5	22	1	1	3	5	15	15

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	39	2.9	1						
18-34	591	4.3	19	1	2	3	5	9	12
35-49	92	5.3	21	1	1	4	6	12	16
50-69	0								
70 +	0								
	721	4.3	18	1	2	3	5	9	12
0-17	57	2.3	1	1	2	2	3	4	4
18-34	1302	2.6	8	1	1	2	3	4	5
35-49	227	2.9	5	1	1	2	4	5	6
50-69	0								
70 +	0								
	1586	2.7	7	1	1	2	3	5	6
	2307	3.2	11	1	1	2	3	6	9

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	61	5.3	24	2	2	3	5	17	17
18-34	532	3.0	5	1	2	2	4	6	9
35-49	31	3.8	7						
50-69	0								
70 +	0								
SUBTOTAL	624	3.3	7	1	2	3	4	7	9
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	96	1.7	1	1	1	1	2	3	5
18-34	1535	2.1	3	1	1	2	2	4	6
35-49	68	2.1	1	1	1	2	2	3	5
50-69	0								
70 +	0								
SUBTOTAL	1699	2.1	3	1	1	2	2	4	5
GRAND TOTAL	2323	2.4	4	1	1	2	3	4	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	49	2.9	6	1	1	2	3	9	9
18-34	810	3.2	15	1	2	2	3	7	8
35-49	92	3.0	4	1	1	2	4	6	8
50-69	0								
70 +	0								
	951	3.2	14	1	2	2	3	6	8
0-17	76	2.2	1	< 1	1	2	3	4	4
18-34	1706	2.0	2	< 1	1	2	2	3	4
35-49	272	1.8	1	1	1	1	2	3	5
50-69	0								
70 +	0								
	2054	2.0	2	< 1	1	2	2	3	4
	3005	2.4	6	1	1	2	3	4	6

DRG 377: Postpartum & Post Abortion Diagnoses w/ O.R. Procedure

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	362	5.0	32	1	2	4	5	9	15
35-49	41	4.0	8						
50-69	0								
70 +	0								
SUBTOTAL	**402**	**4.9**	**30**	**1**	**2**	**4**	**6**	**9**	**15**
0-17	0								
18-34	413	2.4	4	1	1	2	3	6	8
35-49	69	2.2	3	< 1	1	1	3	6	6
50-69	0								
70 +	0								
SUBTOTAL	**482**	**2.4**	**4**	**1**	**1**	**2**	**3**	**6**	**6**
GRAND TOTAL	**885**	**3.5**	**17**	**1**	**1**	**2**	**4**	**6**	**9**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	253	4.2	12	1	1	3	6	10	12
35-49	6	4.0							
50-69	0								
70 +	0								
SUBTOTAL	**260**	**4.2**	**12**	**1**	**1**	**3**	**6**	**10**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	16	2.5	2						
18-34	339	2.6	6	1	1	2	3	6	9
35-49	29	5.1	8						
50-69	0								
70 +	0								
SUBTOTAL	**384**	**2.8**	**7**	**1**	**1**	**2**	**3**	**7**	**9**
GRAND TOTAL	**644**	**3.4**	**9**	**1**	**1**	**2**	**4**	**8**	**10**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	20	2.6	1						
18-34	249	3.8	14	1	1	2	5	11	13
35-49	29	5.9	66						
50-69	0								
70 +	0								
SUBTOTAL	**299**	**3.9**	**19**	**1**	**1**	**2**	**4**	**11**	**13**
0-17	12	3.0	4						
18-34	348	2.4	5	< 1	1	1	3	5	7
35-49	49	2.8	4	< 1	1	2	4	7	7
50-69	0								
70 +	0								
SUBTOTAL	**409**	**2.4**	**4**	**< 1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**708**	**3.1**	**11**	**1**	**1**	**2**	**4**	**7**	**11**

DRG 378: Ectopic Pregnancy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	22	3.4						—	
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**22**	**3.4**							
GRAND TOTAL	**22**	**3.4**							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	14	3.6							
18-34	1459	3.5	2	2	3	3	4	5	6
35-49	388	3.7	2	2	3	4	4	5	6
50-69	0								
70 +	0								
SUBTOTAL	**1861**	**3.6**	**2**	**2**	**3**	**3**	**4**	**5**	**6**
0-17	119	3.0	1	2	2	3	4	4	5
18-34	4179	2.9	1	1	2	3	3	4	4
35-49	954	2.9	1	2	2	3	3	4	4
50-69	0								
70 +	0								
SUBTOTAL	**5251**	**2.9**	**1**	**1**	**2**	**3**	**3**	**4**	**4**
GRAND TOTAL	**7113**	**3.1**	**1**	**2**	**2**	**3**	**4**	**4**	**5**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	6	1.0							
18-34	605	3.5	2	2	3	3	4	5	7
35-49	69	3.7	1	3	3	3	4	4	7
50-69	0								
70 +	0								
SUBTOTAL	**681**	**3.5**	**2**	**2**	**3**	**3**	**4**	**5**	**7**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	65	3.2	1	2	2	3	4	4	4
18-34	1374	3.1	1	2	2	3	4	4	5
35-49	108	2.9	1	2	2	3	3	4	5
50-69	0								
70 +	0								
SUBTOTAL	**1548**	**3.1**	**1**	**2**	**2**	**3**	**4**	**4**	**5**
GRAND TOTAL	**2228**	**3.2**	**2**	**2**	**2**	**3**	**4**	**5**	**5**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	1.0							
18-34	1394	3.4	2	2	3	3	4	5	6
35-49	202	3.3	2	2	2	3	4	5	5
50-69	0								
70 +	0								
SUBTOTAL	**1605**	**3.4**	**2**	**2**	**3**	**3**	**4**	**5**	**6**
0-17	74	2.9	1	2	2	3	3	5	5
18-34	3535	2.9	1	1	2	3	3	4	4
35-49	495	2.9	1	1	2	3	4	4	5
50-69	0								
70 +	0								
SUBTOTAL	**4104**	**2.9**	**1**	**1**	**2**	**3**	**3**	**4**	**5**
GRAND TOTAL	**5708**	**3.0**	**1**	**2**	**2**	**3**	**4**	**4**	**5**

DRG 379: Threatened Abortion

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	53	2.7	3	1	1	2	3	7	7
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**53**	**2.7**	**3**	**1**	**1**	**2**	**3**	**7**	**7**
GRAND TOTAL	**53**	**2.7**	**3**	**1**	**1**	**2**	**3**	**7**	**7**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	63	3.0	4	< 1	1	3	4	6	6
18-34	1833	3.2	11	1	1	2	4	7	9
35-49	196	2.8	6	1	1	2	4	5	6
50-69	0								
70 +	0								
	2092	**3.1**	**10**	**1**	**1**	**2**	**4**	**6**	**8**
0-17	270	3.6	32	1	1	1	3	9	16
18-34	7608	2.4	11	< 1	1	1	2	5	8
35-49	789	3.3	17	1	1	2	4	8	11
50-69	0								
70 +	0								
	8667	**2.5**	**12**	**< 1**	**1**	**1**	**3**	**5**	**8**
	10759	**2.7**	**12**	**< 1**	**1**	**2**	**3**	**5**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	300	2.4	4	1	1	2	3	4	6
18-34	1864	3.2	20	1	1	2	4	6	11
35-49	80	3.2	5	1	1	3	5	6	8
50-69	0								
70 +	0								
SUBTOTAL	**2244**	**3.1**	**18**	**1**	**1**	**2**	**3**	**6**	**9**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	638	1.9	4	< 1	1	1	2	4	6
18-34	5337	2.1	5	< 1	1	1	2	4	5
35-49	180	2.0	2	< 1	1	1	3	4	5
50-69	0								
70 +	0								
SUBTOTAL	**6154**	**2.1**	**5**	**< 1**	**1**	**1**	**2**	**4**	**5**
GRAND TOTAL	**8399**	**2.3**	**8**	**< 1**	**1**	**1**	**3**	**4**	**6**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	80	6.0	72	1	1	2	8	12	33
18-34	1092	3.2	11	1	1	2	4	6	9
35-49	114	3.1	32	< 1	1	1	3	6	23
50-69	0								
70 +	0								
	1286	**3.3**	**17**	**1**	**1**	**2**	**4**	**7**	**10**
0-17	427	2.5	9	< 1	1	1	3	5	8
18-34	4447	2.6	20	< 1	1	2	3	5	6
35-49	417	2.0	3	< 1	1	1	3	5	5
50-69	0								
70 +	0								
	5292	**2.6**	**18**	**< 1**	**1**	**2**	**3**	**5**	**6**
	6577	**2.7**	**18**	**< 1**	**1**	**2**	**3**	**5**	**7**

DRG 380: Abortion w/o D&C

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	6	3.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**6**	**3.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**6**	**3.0**							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	12	2.0							
18-34	94	2.5	7	1	1	1	3	4	10
35-49	22	1.7	1						
50-69	0								
70 +	0								
SUBTOTAL	**129**	**2.3**	**5**	**1**	**1**	**1**	**3**	**4**	**10**
0-17	37	1.4							
18-34	870	1.6	2	< 1	1	1	2	3	4
35-49	292	1.4	1	< 1	1	1	1	2	2
50-69	0								
70 +	0								
SUBTOTAL	**1199**	**1.5**	**2**	**< 1**	**1**	**1**	**2**	**2**	**4**
GRAND TOTAL	**1328**	**1.6**	**2**	**<**	**1**	**1**	**2**	**3**	**4**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	6	3.0							
18-34	84	2.2	2	1	1	2	3	4	5
35-49	16	1.0							
50-69	0								
70 +	0								
SUBTOTAL	**106**	**2.0**	**2**	**1**	**1**	**2**	**3**	**4**	**5**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	90	1.4	1	< 1	1	1	1	2	4
18-34	552	1.7	1	< 1	1	1	2	3	4
35-49	63	1.4		< 1	1	1	2	2	2
50-69	0								
70 +	0								
SUBTOTAL	**705**	**1.6**	**1**	**< 1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**812**	**1.7**	**1**	**< 1**	**1**	**1**	**2**	**3**	**4**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	129	2.6	9	< 1	< 1	1	3	6	9
35-49	20	3.3	5						
50-69	0								
70 +	0								
SUBTOTAL	**149**	**2.7**	**8**	**< 1**	**1**	**1**	**3**	**6**	**8**
0-17	49	1.8		< 1	1	2	2	3	3
18-34	974	1.6	2	< 1	1	1	2	3	4
35-49	135	1.6	2	< 1	1	1	1	2	4
50-69	0								
70 +	0								
SUBTOTAL	**1158**	**1.6**	**2**	**< 1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**1307**	**1.7**	**3**	**< 1**	**1**	**1**	**2**	**3**	**4**

DRG 381: Abortion w/ D&C, Aspiration Curettage or Hysterotomy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	37	1.9	3						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**37**	**1.9**	**3**						
GRAND TOTAL	**37**	**1.9**	**3**						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	1.0							
18-34	435	2.8	9	1	1	2	3	5	7
35-49	114	2.9	6	< 1	< 1	2	4	5	10
50-69	0								
70 +	0								
SUBTOTAL	**558**	**2.8**	**8**	**1**	**1**	**2**	**3**	**5**	**9**
0-17	110	1.4		< 1	< 1	1	2	2	2
18-34	2510	1.3	1	< 1	< 1	1	1	2	2
35-49	676	1.2		< 1	< 1	1	1	2	3
50-69	0								
70 +	0								
SUBTOTAL	**3297**	**1.3**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**2**
GRAND TOTAL	**3855**	**1.5**	**2**	**< 1**	**< 1**	**1**	**1**	**2**	**3**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	8	1.0							
18-34	460	2.4	7	1	1	1	3	5	7
35-49	98	1.7	1	< 1	1	1	2	2	5
50-69	0								
70 +	0								
SUBTOTAL	**566**	**2.2**	**6**	**< 1**	**1**	**1**	**2**	**5**	**7**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	225	1.2		< 1	1	1	1	2	2
18-34	2657	1.3	1	< 1	1	1	1	2	3
35-49	293	1.4	1	< 1	1	1	1	2	3
50-69	0								
70 +	0								
SUBTOTAL	**3175**	**1.3**	**1**	**< 1**	**1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**3742**	**1.5**	**2**	**< 1**	**1**	**1**	**1**	**2**	**4**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	27	1.5	1						
18-34	480	2.1	5	< 1	1	1	2	4	7
35-49	137	2.9	12	< 1	< 1	1	3	7	9
50-69	0								
70 +	0								
SUBTOTAL	**644**	**2.2**	**7**	**< 1**	**1**	**1**	**2**	**4**	**7**
0-17	397	1.1		< 1	< 1	1	1	2	2
18-34	4753	1.3	1	< 1	< 1	1	1	2	3
35-49	908	1.4	1	< 1	< 1	1	1	2	3
50-69	6	1.0							
70 +	0								
SUBTOTAL	**6064**	**1.3**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**6708**	**1.4**	**2**	**< 1**	**< 1**	**1**	**1**	**2**	**3**

DRG 382: False Labor

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	12	1.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**12**	**1.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	14	1.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**14**	**1.0**							
GRAND TOTAL	**27**	**1.0**							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	1.0							
18-34	98	2.9	25	1	1	1	2	5	19
35-49	8	1.0							
50-69	0								
70 +	0								
SUBTOTAL	**114**	**2.6**	**22**	**1**	**1**	**1**	**2**	**5**	**19**
0-17	29	1.0							
18-34	2043	1.1		< 1	< 1	1	1	1	2
35-49	149	1.2		< 1	< 1	1	1	1	3
50-69	0								
70 +	0								
SUBTOTAL	**2221**	**1.1**		**< 1**	**< 1**	**1**	**1**	**1**	**2**
GRAND TOTAL	**2335**	**1.2**	**1**	**< 1**	**< 1**	**1**	**1**	**1**	**2**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	43	1.4		< 1	< 1	1	2	2	2
18-34	206	2.0	4	< 1	1	1	2	6	7
35-49	14	1.0							
50-69	0								
70 +	0								
SUBTOTAL	**264**	**1.8**	**3**	**< 1**	**1**	**1**	**2**	**3**	**7**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	157	1.4	3	< 1	< 1	1	1	1	2
18-34	1673	1.3	1	< 1	< 1	1	1	2	3
35-49	67	1.1		< 1	< 1	1	1	1	2
50-69	0								
70 +	0								
SUBTOTAL	**1898**	**1.3**	**1**	**< 1**	**< 1**	**1**	**1**	**2**	**2**
GRAND TOTAL	**2162**	**1.4**	**2**	**< 1**	**< 1**	**1**	**1**	**2**	**3**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	22	1.4							
18-34	90	2.2	2	1	1	2	3	5	6
35-49	8	1.0							
50-69	0								
70 +	0								
SUBTOTAL	**121**	**2.0**	**2**	**1**	**1**	**2**	**2**	**4**	**5**
0-17	96	1.3		< 1	< 1	1	1	2	3
18-34	939	1.5	3	< 1	< 1	1	1	2	3
35-49	90	1.0		< 1	< 1	1	1	1	1
50-69	0								
70 +	0								
SUBTOTAL	**1125**	**1.4**	**3**	**< 1**	**< 1**	**1**	**1**	**2**	**3**
GRAND TOTAL	**1245**	**1.5**	**3**	**< 1**	**< 1**	**1**	**1**	**2**	**3**

DRG 383: Other Antepartum Diagnoses w/ Medical Complications

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	112	4.3	11	1	2	3	5	9	13
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**112**	**4.3**	**11**	**1**	**2**	**3**	**5**	**9**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	92	2.5	3	1	1	2	3	6	6
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**92**	**2.5**	**3**	**1**	**1**	**2**	**3**	**6**	**6**
GRAND TOTAL	**204**	**3.5**	**8**	**1**	**2**	**3**	**4**	**8**	**9**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	174	2.3	2	1	1	2	3	3	5
18-34	4205	3.4	17	1	2	3	4	6	8
35-49	403	4.4	84	1	1	2	4	9	10
50-69	0								
70 +	0								
	4782	**3.4**	**23**	**1**	**2**	**2**	**4**	**6**	**8**
0-17	202	2.2	2	<1	1	2	3	4	5
18-34	5735	2.4	5	1	1	2	3	4	5
35-49	582	2.8	5	1	1	2	4	5	5
50-69	0								
70 +	0								
	6520	**2.4**	**5**	**1**	**1**	**2**	**3**	**4**	**5**
	11301	**2.9**	**13**	**1**	**1**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	491	2.8	2	1	2	2	4	5	6
18-34	3819	3.1	6	1	2	3	4	6	8
35-49	305	4.2	12	1	2	3	5	9	13
50-69	0								
70 +	0								
SUBTOTAL	**4614**	**3.1**	**6**	**1**	**2**	**3**	**4**	**6**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	429	2.8	15	<1	1	2	3	5	5
18-34	4449	2.7	5	1	1	2	3	5	7
35-49	438	2.7	4	1	1	2	3	5	6
50-69	0								
70 +	0								
SUBTOTAL	**5316**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**9930**	**2.9**	**6**	**1**	**1**	**2**	**4**	**5**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	329	3.0	4	1	2	3	3	5	7
18-34	3792	3.3	7	1	2	3	4	6	8
35-49	340	6.5	178	1	2	3	6	8	35
50-69	0								
70 +	0								
	4461	**3.5**	**20**	**1**	**2**	**3**	**4**	**6**	**8**
0-17	352	3.0	4	1	2	2	4	6	7
18-34	5016	3.0	7	1	2	3	4	5	7
35-49	630	3.3	7	1	2	3	4	5	8
50-69	6	2.0							
70 +	0								
	6004	**3.0**	**6**	**1**	**2**	**3**	**4**	**5**	**7**
	10465	**3.2**	**12**	**1**	**2**	**3**	**4**	**5**	**7**

DRG 384: Other Antepartum Diagnoses w/o Medical Complications

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	6	2.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	6	2.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	12	2.0	1						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	12	2.0	1						
GRAND TOTAL	18	2.0	1						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	1.5							
18-34	607	2.9	7	< 1	1	2	4	6	7
35-49	153	4.7	38	< 1	1	2	5	13	24
50-69	0								
70 +	0								
	777	3.2	14	< 1	1	2	4	6	9
0-17	114	2.2	9	< 1	1	1	2	3	13
18-34	4696	1.9	3	< 1	1	1	2	4	6
35-49	768	2.1	4	< 1	1	1	2	4	6
50-69	0								
70 +	0								
	5578	2.0	3	< 1	1	1	2	4	6
	6355	2.1	5	< 1	1	1	2	4	6

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	80	1.8	2	1	1	1	3	4	4
18-34	419	3.1	10	< 1	1	2	4	6	7
35-49	35	1.7	2						
50-69	0								
70 +	0								
SUBTOTAL	534	2.8	9	< 1	1	2	4	6	7
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	321	1.9	4	< 1	1	1	2	3	4
18-34	2291	2.3	9	< 1	1	1	2	5	7
35-49	160	2.0	1	1	1	2	3	3	3
50-69	0								
70 +	0								
SUBTOTAL	2772	2.3	8	< 1	1	1	2	4	7
GRAND TOTAL	3305	2.3	8	< 1	1	1	2	5	7

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	14	1.4							
18-34	454	3.3	9	1	1	2	4	7	10
35-49	80	2.8	3	1	1	2	4	6	6
50-69	0								
70 +	0								
	548	3.2	8	1	1	2	4	7	10
0-17	168	3.2	17	< 1	1	1	3	10	12
18-34	2470	2.2	6	< 1	1	1	2	4	7
35-49	274	2.8	9	< 1	1	1	3	8	10
50-69	0								
70 +	0								
	2912	2.3	7	< 1	1	1	2	5	8
	3460	2.5	8	< 1	1	1	3	5	8

DRG 386: Extreme Immaturity or Respiratory Distress Syndrome, Neonate

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	6	32.0							
1750-2499	0								
2500 +	6	19.0							
SUBTOTAL	**12**	**25.5**	**46**						
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**12**	**25.5**	**46**						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	69	69.8	143	60	75	99 +	99 +	99 +	99 +
1000-1499	182	49.5	275	33	40	50	60	85	99 +
1500-1749	139	31.2	155	15	19	31	41	45	56
1750-2499	415	13.5	92	2	8	12	18	31	41
2500 +	682	5.7	20	1	3	4	7	12	13
SUBTOTAL	**1488**	**18.6**	**427**	**2**	**4**	**11**	**37**	**76**	**99 +**
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	12	19.5	120						
2500 +	25	7.3	9						
SUBTOTAL	**37**	**11.3**	**78**	**5**	**5**	**8**	**12**	**30**	**30**
GRAND TOTAL	**1524**	**18.5**	**420**	**2**	**4**	**11**	**35**	**76**	**99 +**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999 (GMS.)	61	72.4	305	60	80	99 +	99 +	99 +	99 +
1000-1499	127	51.3	356	28	38	53	73	94	99 +
1500-1749	74	26.6	135	16	17	24	30	43	53
1750-2499	488	13.9	114	2	8	13	18	24	26
2500 +	582	6.3	139	2	2	4	6	9	12
SUBTOTAL	**1333**	**17.5**	**469**	**2**	**4**	**10**	**24**	**80**	**99 +**
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	6	7.0							
SUBTOTAL	**6**	**7.0**							
GRAND TOTAL	**1339**	**17.5**	**468**	**2**	**4**	**10**	**25**	**81**	**99 +**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	113	78.0	347	54	76	89	97	99 +	99 +
1000-1499	325	47.1	325	26	35	46	59	87	99 +
1500-1749	139	25.5	81	16	19	24	28	45	47
1750-2499	423	15.0	114	5	9	13	17	24	35
2500 +	779	7.8	110	2	3	5	9	13	15
SUBTOTAL	**1780**	**22.5**	**577**	**3**	**5**	**12**	**34**	**70**	**91**
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	6	10.0							
SUBTOTAL	**6**	**10.0**							
GRAND TOTAL	**1786**	**22.5**	**575**	**3**	**5**	**12**	**34**	**70**	**91**

DRG 387: Prematurity w/ Major Problems

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	8	80.0							
1000-1499	106	30.7	236	15	20	26	44	48	63
1500-1749	155	23.0	97	15	17	20	30	32	47
1750-2499	1192	10.3	51	3	4	8	14	21	23
2500 +	1173	5.4	13	2	3	4	7	11	14
SUBTOTAL	**2634**	**9.9**	**96**	**2**	**4**	**7**	**14**	**21**	**28**
1-999	0								
1000-1499	22	41.6	103						
1500-1749	22	31.7	57						
1750-2499	168	8.9	36	1	4	8	14	19	19
2500 +	102	4.2	7	1	3	3	5	8	11
SUBTOTAL	**315**	**11.4**	**147**	**1**	**3**	**6**	**15**	**29**	**41**
GRAND TOTAL	**2949**	**10.1**	**102**	**2**	**4**	**7**	**14**	**21**	**30**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/-CCs BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	143	36.3	179	18	27	34	46	56	67
1500-1749	100	29.3	66	21	24	28	32	37	49
1750-2499	871	10.6	55	3	5	10	14	23	27
2500 +	435	6.0	57	2	3	4	6	10	10
SUBTOTAL	**1549**	**12.9**	**151**	**2**	**4**	**9**	**18**	**30**	**40**
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	0								
1000-1499	22	45.6	320						
1500-1749	53	27.6	325	13	21	22	25	76	76
1750-2499	245	7.6	36	2	3	6	10	15	19
2500 +	131	3.2	5	< 1	2	3	3	7	7
SUBTOTAL	**452**	**10.6**	**190**	**2**	**3**	**6**	**13**	**23**	**32**
GRAND TOTAL	**2001**	**12.4**	**161**	**2**	**4**	**8**	**16**	**30**	**40**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	113	39.5	292	24	29	38	44	94	99
1500-1749	200	24.5	222	15	16	21	27	35	47
1750-2499	1520	10.8	61	3	5	10	14	20	25
2500 +	826	6.0	26	2	3	5	7	10	12
SUBTOTAL	**2659**	**11.5**	**127**	**3**	**4**	**8**	**15**	**25**	**34**
1-999	0								
1000-1499	27	41.6	255						
1500-1749	39	22.4	61	11	12	27	29	30	30
1750-2499	291	7.4	32	2	3	6	10	14	20
2500 +	141	6.0	44	2	3	5	7	9	10
SUBTOTAL	**497**	**10.0**	**123**	**2**	**3**	**6**	**11**	**25**	**34**
GRAND TOTAL	**3156**	**11.3**	**127**	**3**	**4**	**8**	**15**	**25**	**34**

DRG 388: Prematurity w/o Major Problems

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	27	16.1	104						
1750-2499	100	6.0	8	3	4	5	8	9	13
2500 +	59	4.7	5	2	3	4	7	8	8
SUBTOTAL	**186**	**7.0**	**35**	**2**	**4**	**6**	**8**	**12**	**13**
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	0								
1000-1499	31	22.5	11						
1500-1749	55	15.8	60	7	7	17	21	30	30
1750-2499	1577	4.3	12	1	2	3	5	10	12
2500 +	2509	2.6	3	1	1	2	4	5	5
SUBTOTAL	**4172**	**3.6**	**12**	**1**	**2**	**3**	**4**	**7**	**11**
GRAND TOTAL	**4358**	**3.7**	**14**	**1**	**2**	**3**	**4**	**7**	**11**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	61	9.2	32	2	3	12	16	16	16
2500 +	8	4.0							
SUBTOTAL	**69**	**8.6**	**31**	**2**	**4**	**5**	**13**	**16**	**16**
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	0								
1000-1499	39	31.3	65	21	27	29	35	47	47
1500-1749	59	21.6	81	11	16	21	23	39	39
1750-2499	1574	4.4	17	1	2	3	5	10	15
2500 +	1134	2.7	9	1	1	2	3	4	6
SUBTOTAL	**2806**	**4.4**	**33**	**1**	**2**	**2**	**4**	**10**	**16**
GRAND TOTAL	**2875**	**4.5**	**34**	**1**	**2**	**3**	**5**	**11**	**16**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999	0								
1000-1499	6	58.0							
1500-1749	20	16.7	61						
1750-2499	147	7.9	33	2	3	8	11	18	23
2500 +	39	4.9	18	1	2	4	8	13	13
SUBTOTAL	**213**	**9.7**	**110**	**2**	**3**	**8**	**12**	**23**	**58**
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	0								
1000-1499	113	29.7	155	11	21	28	40	50	51
1500-1749	121	17.8	31	11	13	17	23	26	27
1750-2499	2017	5.4	30	1	2	3	7	13	16
2500 +	1243	3.1	10	1	1	3	4	5	7
SUBTOTAL	**3493**	**5.8**	**53**	**1**	**2**	**3**	**7**	**14**	**21**
GRAND TOTAL	**3706**	**6.0**	**57**	**1**	**2**	**3**	**7**	**15**	**21**

DRG 389: Full Term Neonate w/ Major Problems

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	49	4.0	16	1	2	3	4	14	14
SUBTOTAL	**49**	**4.0**	**16**	**1**	**2**	**3**	**4**	**14**	**14**
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	12	4.5	2						
2500 +	6	5.0							
SUBTOTAL	**18**	**4.7**	**2**						
GRAND TOTAL	**68**	**4.2**	**12**	**1**	**2**	**3**	**5**	**6**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	41	31.8	315						
1500-1749	6	12.0							
1750-2499	533	5.4	35	1	2	4	6	10	16
2500 +	10166	3.5	7	1	2	3	4	6	8
SUBTOTAL	**10747**	**3.7**	**13**	**1**	**2**	**3**	**4**	**7**	**9**
1-999	0								
1000-1499	0								
1500-1749	14	16.1	139						
1750-2499	104	6.1	43	2	3	3	7	11	26
2500 +	2876	3.0	3	1	2	3	4	4	6
SUBTOTAL	**2994**	**3.1**	**6**	**1**	**2**	**3**	**4**	**4**	**6**
GRAND TOTAL	**13741**	**3.6**	**11**	**1**	**2**	**3**	**4**	**6**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999 (GMS.)	6	73.0							
1000-1499	39	44.1	825	16	19	30	69	95	95
1500-1749	49	20.4	99	10	12	15	30	37	37
1750-2499	667	5.3	21	1	2	4	7	10	15
2500 +	10526	3.5	14	1	2	2	4	7	10
SUBTOTAL	**11287**	**3.9**	**27**	**1**	**2**	**3**	**4**	**7**	**11**
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	12	18.5	120						
1750-2499	309	5.1	26	2	2	4	6	10	14
2500 +	3554	3.4	16	1	2	3	4	5	8
SUBTOTAL	**3876**	**3.6**	**18**	**1**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**15163**	**3.8**	**24**	**1**	**2**	**3**	**4**	**7**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	25	80.3	284						
1000-1499	68	49.5	289	37	39	45	64	90	99 +
1500-1749	76	19.9	44	11	12	23	25	27	30
1750-2499	759	8.2	32	2	5	6	11	16	19
2500 +	11358	4.3	20	1	2	3	5	8	11
SUBTOTAL	**12285**	**5.0**	**48**	**1**	**2**	**3**	**5**	**10**	**14**
1-999	6	45.0							
1000-1499	31	50.6	331						
1500-1749	25	14.3	24						
1750-2499	342	6.3	34	1	3	4	7	11	17
2500 +	4487	4.0	8	1	2	3	5	7	9
SUBTOTAL	**4891**	**4.5**	**28**	**1**	**2**	**3**	**5**	**8**	**10**
GRAND TOTAL	**17176**	**4.9**	**42**	**1**	**2**	**3**	**5**	**9**	**13**

DRG 390: Neonate w/ Other Significant Problems

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	6	2.0							
2500 +	80	3.6	7	2	2	3	4	5	12
SUBTOTAL	**86**	**3.5**	**7**	**2**	**2**	**3**	**3**	**5**	**12**
GRAND TOTAL	**86**	**3.5**	**7**	**2**	**2**	**3**	**3**	**5**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	14	1.4							
2500 +	529	2.9	2	1	2	3	4	5	6
SUBTOTAL	**544**	**2.8**	**2**	**1**	**2**	**3**	**4**	**5**	**6**
1-999	0								
1000-1499	8	23.0							
1500-1749	16	9.5							
1750-2499	1122	2.8	4	1	1	2	4	5	5
2500 +	22711	2.3	2	1	1	2	3	4	4
SUBTOTAL	**23857**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**4**
GRAND TOTAL	**24401**	**2.4**	**3**	**1**	**1**	**2**	**3**	**4**	**4**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	35	8.2	18						
2500 +	298	5.0	44	1	2	2	4	18	18
SUBTOTAL	**333**	**5.4**	**42**	**1**	**2**	**3**	**5**	**18**	**18**
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	6	24.0							
1750-2499	1347	3.2	8	1	2	2	4	6	9
2500 +	22084	2.1	2	1	1	2	3	4	5
SUBTOTAL	**23438**	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**23771**	**2.2**	**3**	**1**	**1**	**2**	**3**	**4**	**5**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	6	52.0							
1500-1749	0								
1750-2499	94	7.2	17	2	3	7	12	13	13
2500 +	820	3.2	6	1	1	3	4	7	8
SUBTOTAL	**921**	**4.0**	**24**	**1**	**2**	**3**	**5**	**8**	**12**
1-999	0								
1000-1499	20	15.1	81						
1500-1749	22	16.2	29						
1750-2499	1311	3.4	18	1	1	2	4	7	10
2500 +	31439	2.1	3	1	1	2	3	4	5
SUBTOTAL	**32793**	**2.2**	**4**	**1**	**1**	**2**	**3**	**4**	**5**
GRAND TOTAL	**33713**	**2.3**	**5**	**1**	**1**	**2**	**3**	**4**	**5**

DRG 391: Normal Newborn

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	174	1.8	1	1	1	2	2	3	3
SUBTOTAL	**174**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**3**
GRAND TOTAL	**174**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**3**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
0									
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	1861	2.1	1	1	1	2	3	4	4
2500 +	147802	1.9	1	1	1	2	2	3	4
149663	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**4**	
149663	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**4**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs BIRTHWEIGHT									
1-999 (GMS.)	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs BIRTHWEIGHT									
1-999	0								
1000-1499	0								
1500-1749	6	7.0							
1750-2499	1363	2.5	6	1	1	2	3	4	5
2500 +	87836	1.7	1	1	1	1	2	3	4
SUBTOTAL	**89205**	**1.8**	**1**	**1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**89205**	**1.8**	**1**	**1**	**1**	**1**	**2**	**3**	**4**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1-999	0								
1000-1499	0								
1500-1749	0								
1750-2499	0								
2500 +	0								
0									
1-999	12	70.0	627						
1000-1499	25	20.8	188						
1500-1749	12	22.0	213						
1750-2499	2610	2.6	7	1	1	2	3	5	7
2500 +	142264	1.7	1	1	1	1	2	3	4
144923	**1.8**	**2**	**1**	**1**	**1**	**2**	**3**	**4**	
144923	**1.8**	**2**	**1**	**1**	**1**	**2**	**3**	**4**	

DRG 392: Splenectomy Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	123	11.6	118	6	7	9	11	15	51
70-74	102	10.5	20	6	7	9	13	16	21
75-79	55	12.4	31	5	8	12	16	23	23
80-84	39	8.0	1						
85+	8	11.0							
SUBTOTAL	327	10.9	57	6	7	9	12	16	22
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	57	8.7	20	3	6	8	10	18	18
70-74	14	10.7	85						
75-79	6	22.0							
80-84	22	6.0	6						
85+	0								
SUBTOTAL	100	9.2	37	3	5	8	10	21	22
GRAND TOTAL	427	10.5	53	5	7	9	12	16	22

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	104	7.4	13	4	5	6	10	12	18
35-49	106	7.7	20	4	5	5	9	15	19
50-69	178	10.1	24	4	6	10	14	18	18
70+	6	23.0							
	394	9.0	24	4	5	7	12	18	18
0-17	0								
18-34	241	6.2	9	3	4	6	7	10	13
35-49	123	6.7	16	4	4	6	6	12	19
50-69	84	7.0	3	5	6	6	9	9	10
70+	8	5.0							
	456	6.4	10	4	4	6	7	10	13
	850	7.6	18	4	5	6	9	14	18

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	61	10.6	28	5	6	12	18	99+	99+
35-49	22	13.3	113						
50-69	22	8.9	33						
70+	0								
SUBTOTAL	106	10.8	48	5	5	9	18	30	99+
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	57	6.2	3	4	4	6	8	9	9
35-49	14	5.3	2						
50-69	12	9.0	1						
70+	0								
SUBTOTAL	84	6.4	4	4	4	7	8	9	10
GRAND TOTAL	190	8.9	33	4	5	7	10	19	30

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	200	7.5	100	4	5	6	7	7	9
35-49	104	9.3	74	4	5	7	9	17	41
50-69	47	20.7	370	6	7	8	48	55	55
70+	14	7.0							
	366	9.7	140	4	5	7	7	17	44
0-17	0								
18-34	182	5.5	3	4	4	5	6	8	8
35-49	96	5.9	8	3	4	5	7	11	13
50-69	47	6.0	3	4	4	6	7	9	9
70+	0								
	325	5.7	4	4	4	5	7	8	10
	691	7.8	80	4	5	6	7	9	17

DRG 393: Splenectomy Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	118	8.9	30	6	6	7	9	15	27
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	118	8.9	30	6	6	7	9	15	27
0-17	204	4.3	2	3	3	4	5	6	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	204	4.3	2	3	3	4	5	6	6
	323	6.0	17	3	4	5	6	9	12

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	25	17.0	141						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	25	17.0	141						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	55	5.0	5	2	3	5	6	10	10
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	55	5.0	5	2	3	5	6	10	10
GRAND TOTAL	80	8.7	76	3	4	5	8	23	33

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	25	5.7							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	25	5.7							
0-17	110	6.1	12	4	4	5	6	12	18
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	110	6.1	12	4	4	5	6	12	18
	135	6.0	10	4	5	5	6	7	12

DRG 394: Other O.R. Procedures of the Blood And Blood Forming Organs

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	70	20.9	676	3	4	11	22	86	86
70-74	45	4.7	30	1	1	2	4	16	16
75-79	25	10.7	123						
80-84	0								
85 +	8	17.0							
SUBTOTAL	**147**	**14.1**	**398**	**1**	**3**	**4**	**17**	**26**	**86**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	65	3.8	9	1	1	3	6	9	9
70-74	22	2.6	2						
75-79	12	4.5	2						
80-84	8	5.0							
85 +	0								
SUBTOTAL	**108**	**3.8**	**6**	**1**	**1**	**3**	**6**	**7**	**9**
GRAND TOTAL	**255**	**9.7**	**257**	**1**	**2**	**4**	**9**	**22**	**37**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	61	5.1	20	< 1	1	4	7	14	14
18-34	20	5.9	12						
35-49	47	14.5	359	2	2	5	25	59	59
50-69	63	6.7	27	1	2	4	13	14	14
70 +	6	7.0							
SUBTOTAL	**198**	**8.0**	**113**	**1**	**2**	**5**	**10**	**14**	**25**
0-17	358	2.8	5	< 1	< 1	2	4	6	8
18-34	123	2.9	13	< 1	1	2	3	6	11
35-49	153	2.8	6	1	1	1	4	6	8
50-69	98	2.5	10	1	1	1	2	8	13
70 +	0								
SUBTOTAL	**732**	**2.7**	**7**	**< 1**	**1**	**2**	**4**	**6**	**8**
GRAND TOTAL	**931**	**3.9**	**34**	**< 1**	**1**	**2**	**5**	**8**	**13**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	14	6.4							
18-34	8	1.0							
35-49	14	6.1	7						
50-69	12	14.0	17						
70 +	0								
SUBTOTAL	**49**	**7.3**	**25**	**1**	**4**	**7**	**9**	**18**	**18**
2.PATIENTS W/OUT CCs AGE GROUP									
0-1,	172	4.1	6	< 1	2	4	6	7	8
18-34	59	3.4	8	< 1	1	3	5	9	10
35-49	6	4.0							
50-69	18	4.0	6						
70 +	0								
SUBTOTAL	**256**	**3.9**	**6**	**< 1**	**2**	**4**	**6**	**7**	**8**
GRAND TOTAL	**305**	**4.5**	**11**	**< 1**	**2**	**4**	**6**	**8**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	12	6.5	33						
18-34	37	7.5	32	1	4	5	11	18	18
35-49	29	7.8	51						
50-69	35	7.4	21						
70 +	0								
SUBTOTAL	**113**	**7.4**	**33**	**1**	**4**	**5**	**11**	**18**	**20**
0-17	170	3.3	9	< 1	1	2	4	8	9
18-34	76	2.1	2	1	1	2	3	5	5
35-49	12	5.5	7						
50-69	18	4.0	6						
70 +	6	1.0							
SUBTOTAL	**282**	**3.1**	**8**	**< 1**	**1**	**2**	**4**	**7**	**8**
GRAND TOTAL	**395**	**4.3**	**19**	**1**	**1**	**3**	**5**	**11**	**14**

DRG 395: Red Blood Cell Disorders Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	1649	4.8	35	1	1	3	6	9	14
70-74	1118	5.0	24	1	2	4	6	10	13
75-79	1165	5.2	22	1	2	4	7	11	13
80-84	1111	4.8	21	1	2	3	6	9	13
85+	1140	4.9	14	2	3	4	6	9	10
SUBTOTAL	**6183**	**4.9**	**24**	**1**	**2**	**4**	**6**	**9**	**13**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	636	4.0	8	1	2	4	5	7	9
70-74	347	3.5	5	1	2	3	5	7	7
75-79	288	4.0	9	1	2	3	5	7	10
80-84	302	3.8	8	1	2	3	5	8	10
85+	405	4.3	12	1	2	4	5	7	12
SUBTOTAL	**1978**	**3.9**	**9**	**1**	**2**	**3**	**5**	**7**	**10**
GRAND TOTAL	**8161**	**4.7**	**20**	**1**	**2**	**4**	**6**	**9**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	172	5.5	32	1	1	4	7	13	14
35-49	329	5.1	18	1	1	5	7	11	12
50-69	677	4.7	26	1	2	3	5	10	13
70+	129	4.8	8	1	3	4	8	9	9
SUBTOTAL	**1306**	**4.9**	**23**	**1**	**1**	**4**	**6**	**11**	**13**
0-17	0								
18-34	315	3.5	8	1	1	3	4	8	10
35-49	327	2.6	3	1	1	2	3	5	6
50-69	306	3.3	4	1	2	3	4	6	7
70+	27	3.8	9						
SUBTOTAL	**975**	**3.1**	**6**	**1**	**1**	**3**	**4**	**6**	**9**
	2281	**4.2**	**16**	**1**	**1**	**3**	**5**	**9**	**11**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	671	7.3	85	1	3	5	8	18	22
35-49	278	5.9	21	2	3	5	8	12	13
50-69	370	5.4	25	1	2	4	8	12	13
70+	55	5.9	31	2	2	3	6	20	20
SUBTOTAL	**1375**	**6.5**	**55**	**1**	**3**	**4**	**8**	**12**	**19**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	1136	4.5	12	1	2	4	6	9	12
35-49	438	4.8	8	2	3	4	7	9	10
50-69	153	3.6	7	1	1	2	6	8	8
70+	20	8.2	43						
SUBTOTAL	**1748**	**4.5**	**11**	**1**	**2**	**4**	**6**	**9**	**10**
GRAND TOTAL	**3122**	**5.4**	**31**	**1**	**2**	**4**	**7**	**10**	**14**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	422	5.6	24	1	2	4	8	11	12
35-49	364	5.2	11	2	3	4	7	10	12
50-69	440	4.9	16	1	2	3	6	12	13
70+	149	3.4	9	1	1	2	4	9	9
SUBTOTAL	**1374**	**5.0**	**17**	**1**	**2**	**4**	**7**	**11**	**12**
0-17	0								
18-34	743	3.7	8	1	2	3	5	7	9
35-49	493	4.4	11	1	2	3	6	9	11
50-69	270	4.2	14	1	2	3	5	9	12
70+	157	2.3	9	1	1	1	2	4	11
SUBTOTAL	**1663**	**3.8**	**10**	**1**	**2**	**3**	**5**	**8**	**10**
	3038	**4.4**	**14**	**1**	**2**	**3**	[illegible]	[illegible]	**12**

DRG 396: Red Blood Cell Disorders Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	8	5.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**8**	**5.0**							
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**8**	**5.0**							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	364	4.6	26	1	1	2	6	12	17
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**364**	**4.6**	**26**	**1**	**1**	**2**	**6**	**12**	**17**
0-17	501	3.2	8	1	1	2	4	7	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**501**	**3.2**	**8**	**1**	**1**	**2**	**4**	**7**	**8**
	866	**3.8**	**16**	**1**	**1**	**2**	**5**	**9**	**11**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	399	4.6	23	1	2	3	6	9	14
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**399**	**4.6**	**23**	**1**	**2**	**3**	**6**	**9**	**14**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	1060	2.8	5	1	1	2	4	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1060**	**2.8**	**5**	**1**	**1**	**2**	**4**	**6**	**7**
GRAND TOTAL	**1459**	**3.3**	**11**	**1**	**1**	**2**	**4**	**7**	**9**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	186	5.3	28	1	2	4	6	13	14
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**186**	**5.3**	**28**	**1**	**2**	**4**	**6**	**13**	**14**
0-17	389	3.2	8	1	2	2	4	6	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**389**	**3.2**	**8**	**1**	**2**	**2**	**4**	**6**	**7**
	575	**3.9**	**16**	**1**	**2**	**3**	**5**	**7**	**13**

DRG 397: Coagulation Disorders

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	249	5.7	12	2	3	5	8	10	14
70-74	204	5.5	20	1	3	4	6	13	17
75-79	306	5.8	20	2	3	5	7	13	14
80-84	206	7.2	74	2	3	5	8	12	18
85 +	145	6.0	17	3	3	6	6	11	16
SUBTOTAL	**1111**	**6.0**	**28**	**2**	**3**	**5**	**7**	**13**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	98	5.2	10	2	3	4	7	10	14
70-74	22	6.5	7						
75-79	61	2.6	1	1	2	2	3	5	5
80-84	39	3.3	1						
85 +	82	5.0	5	3	4	4	5	9	10
SUBTOTAL	**302**	**4.5**	**7**	**2**	**3**	**4**	**5**	**8**	**10**
GRAND TOTAL	**1414**	**5.7**	**24**	**2**	**3**	**4**	**7**	**11**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	317	3.6	9	1	2	2	5	7	11
18-34	86	4.8	20	1	2	3	5	13	15
35-49	100	6.3	34	1	3	3	9	14	23
50-69	178	5.4	20	2	2	4	7	11	13
70 +	90	7.0	30	2	3	5	10	15	18
	771	**4.9**	**20**	**1**	**2**	**3**	**6**	**12**	**15**
0-17	685	2.6	20	1	1	2	3	3	4
18-34	184	4.2	7	2	2	4	5	9	9
35-49	123	4.0	4	2	2	4	6	7	7
50-69	204	4.4	8	1	3	4	5	7	9
70 +	14	3.6	9						
	1210	**3.3**	**15**	**1**	**2**	**2**	**4**	**6**	**7**
	1981	**3.9**	**17**	**1**	**2**	**3**	**5**	**7**	**12**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	172	3.7	21	1	1	3	4	6	8
18-34	78	5.5	13	1	2	6	8	11	12
35-49	82	5.7	31	2	2	3	7	8	23
50-69	86	6.4	25	1	3	5	7	16	19
70 +	14	4.3	4						
SUBTOTAL	**432**	**4.9**	**23**	**1**	**1**	**4**	**6**	**8**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	266	2.7	5	1	1	2	3	5	8
18-34	90	3.7	6	1	1	3	5	6	10
35-49	63	8.4	64	2	4	6	9	19	31
50-69	25	6.8	44						
70 +	6	1.0							
SUBTOTAL	**450**	**3.9**	**19**	**1**	**2**	**3**	**5**	**6**	**12**
GRAND TOTAL	**882**	**4.4**	**21**	**1**	**2**	**3**	**6**	**8**	**13**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	102	2.3	2	1	1	2	3	5	6
18-34	98	5.9	88	1	1	3	6	7	41
35-49	70	5.1	18	2	3	3	6	9	17
50-69	145	8.6	192	1	2	5	10	24	69
70 +	31	5.1	8						
	446	**5.8**	**91**	**1**	**2**	**3**	**6**	**10**	**24**
0-17	395	2.4	2	1	1	2	3	5	6
18-34	158	4.4	8	1	3	4	5	9	10
35-49	88	3.6	11	< 1	1	2	5	9	11
50-69	123	4.5	8	2	2	3	7	9	10
70 +	16	2.0							
	779	**3.3**	**6**	**1**	**1**	**2**	**5**	**6**	**9**
	1225	**4.2**	**38**	**1**	**2**	**3**	**5**	**8**	**10**

DRG 398: Reticuloendothelial & Immunity Disorders w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	495	6.5	17	2	3	5	9	12	14
70-74	454	7.4	37	2	3	6	9	16	18
75-79	317	6.5	25	2	3	5	8	15	18
80-84	168	7.6	32	1	3	6	10	18	19
85+	131	6.0	15	2	3	4	8	14	14
SUBTOTAL	1563	6.8	26	2	3	5	9	14	18
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	0								
GRAND TOTAL	1563	6.8	26	2	3	5	9	14	18

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	859	6.0	22	2	3	5	8	10	15
18-34	192	3.1	4	1	1	3	4	6	7
35-49	270	6.9	31	3	4	5	7	11	19
50-69	501	8.1	55	2	3	6	9	18	26
70+	37	6.3	12	1	3	7	9	11	11
SUBTOTAL	1859	6.4	32	2	3	5	8	12	18
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
GRAND TOTAL	1859	6.4	32	2	3	5	8	12	18

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	426	6.3	24	2	3	5	7	13	15
18-34	117	6.7	32	2	3	[illegible]	8	16	22
35-49	84	9.0	18	3	7	[illegible]	12	15	16
50-69	57	10.8	119	1	2	[illegible]	18	32	34
70+	0								
SUBTOTAL	683	7.1	34	2	3	6	8	15	18
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
GRAND TOTAL	683	7.1	34	2	3	6	8	15	18

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	319	6.1	42	<1	2	4	7	14	20
18-34	151	5.8	45	2	2	4	5	12	13
35-49	98	4.0	8	1	1	3	5	9	9
50-69	119	6.1	14	2	3	5	7	12	13
70+	29	7.6	9						
SUBTOTAL	716	5.8	33	1	2	4	7	12	14
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	0								
GRAND TOTAL	716	5.8	33	1	2	4	7	12	14

DRG 399: Reticuloendothelial & Immunity Disorders w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	78	3.4	11	< 1	1	2	5	10	11
70-74	43	4.0	11	< 1	1	2	7	10	10
75-79	33	2.6							
80-84	72	3.2	8	1	1	2	4	6	11
85 +	45	3.2	2	2	2	3	4	6	6
SUBTOTAL	**270**	**3.3**	**7**	**1**	**2**	**2**	**4**	**7**	**11**
GRAND TOTAL	**270**	**3.3**	**7**	**1**	**2**	**2**	**4**	**7**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	937	3.6	6	1	2	3	5	7	8
18-34	396	1.9	2	< 1	< 1	1	3	4	5
35-49	139	3.7	6	1	2	4	5	8	10
50-69	200	4.1	9	1	2	3	6	9	9
70 +	12	4.0	1						
1685	**3.3**	**6**	**< 1**	**1**	**3**	**4**	**6**	**8**	
1685	**3.3**	**6**	**< 1**	**1**	**3**	**4**	**6**	**8**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	415	4.1	4	2	3	4	5	7	8
18-34	61	4.6	7	< 1	2	5	7	8	9
35-49	20	12.6	107						
50-69	39	5.6	4	3	4	5	7	9	9
70 +	18	2.3	1						
SUBTOTAL	**554**	**4.5**	**11**	**2**	**3**	**4**	**5**	**8**	**9**
GRAND TOTAL	**554**	**4.5**	**11**	**2**	**3**	**4**	**5**	**8**	**9**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	446	4.4	7	1	2	4	6	8	8
18-34	180	3.7	11	1	1	3	5	8	12
35-49	86	3.0	8	< 1	1	1	5	8	9
50-69	98	5.5	12	1	2	5	8	11	11
70 +	14	7.4	59						
825	**4.3**	**10**	**1**	**2**	**4**	**6**	**8**	**11**	
825	**4.3**	**10**	**1**	**2**	**4**	**6**	**8**	**11**	

DRG 400: Lymphoma & Leukemia w/ Major O.R. Procedure

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	276	17.3	307	4	6	11	22	35	43
70-74	217	13.5	141	3	5	8	20	32	35
75-79	151	11.2	78	3	4	8	12	25	35
80-84	57	15.8	210	1	5	9	24	45	47
85 +	53	12.6	28	8	9	10	21	21	21
SUBTOTAL	**754**	**14.6**	**191**	**3**	**6**	**10**	**20**	**32**	**42**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	125	9.0	82	1	5	7	12	18	27
70-74	131	7.5	21	1	5	7	10	13	15
75-79	114	7.7	83	1	3	4	8	13	38
80-84	14	4.0	13						
85 +	18	13.7	264						
SUBTOTAL	**403**	**8.2**	**70**	**1**	**3**	**7**	**10**	**14**	**25**
GRAND TOTAL	**1157**	**12.3**	**158**	**2**	**5**	**8**	**15**	**31**	**36**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	33	8.1	4						
18-34	74	7.9	95	3	3	5	6	35	35
35-49	166	14.6	407	4	5	7	11	38	59
50-69	298	9.1	68	3	5	7	10	15	33
70 +	29	12.8	58						
SUBTOTAL	**599**	**10.6**	**167**	**3**	**5**	**7**	**10**	**24**	**36**
0-17	70	5.6	3	3	4	6	7	7	9
18-34	182	4.8	5	1	4	5	6	8	9
35-49	262	4.4	5	1	3	5	6	7	8
50-69	368	5.9	20	1	3	5	8	10	16
70 +	16	18.5	166						
SUBTOTAL	**897**	**5.4**	**17**	**1**	**3**	**5**	**7**	**9**	**11**
GRAND TOTAL	**1496**	**7.5**	**84**	**2**	**4**	**5**	**8**	**11**	**24**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	6	10.0							
18-34	35	35.6	1179						
35-49	37	13.4	110						
50-69	29	13.5	25						
70 +	6	18.0							
SUBTOTAL	**112**	**20.4**	**506**	**8**	**9**	**11**	**21**	**37**	**94**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	35	16.5	660						
18-34	39	6.9	3	4	6	7	9	9	9
35-49	22	7.0	3						
50-69	8	1.0							
70 +	0								
SUBTOTAL	**104**	**9.7**	**243**	**2**	**5**	**6**	**8**	**9**	**71**
GRAND TOTAL	**217**	**15.2**	**406**	**3**	**6**	**9**	**12**	**32**	**71**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	12	8.5							
18-34	53	11.5	48	5	5	6	17	23	23
35-49	53	17.0	97	5	6	14	27	33	33
50-69	80	15.2	193	1	3	14	33	35	44
70 +	8	1.0							
SUBTOTAL	**206**	**13.7**	**124**	**2**	**5**	**11**	**20**	**33**	**35**
0-17	12	8.0	1						
18-34	47	12.8	122	5	6	8	21	38	38
35-49	65	6.7	43	< 1	2	4	8	21	21
50-69	63	6.2	21	1	2	5	9	12	17
70 +	6	2.0							
SUBTOTAL	**194**	**8.0**	**58**	**1**	**4**	**6**	**9**	**21**	**21**
GRAND TOTAL	**401**	**10.9**	**100**	**2**	**4**	**8**	**14**	**25**	**33**

DRG 401: Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	213	12.5	147	2	4	9	13	33	34
70-74	174	10.3	105	2	5	7	13	26	31
75-79	174	9.0	48	1	3	9	14	18	22
80-84	119	14.4	114	5	7	10	21	30	42
85 +	59	14.8	140	1	2	15	27	36	36
SUBTOTAL	738	11.7	111	2	5	8	15	27	33
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	738	11.7	111	2	5	8	15	27	33

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	12	10.5							
18-34	31	11.9	7						
35-49	106	11.3	84	2	3	10	14	30	32
50-69	188	10.2	49	1	5	9	15	21	23
70 +	37	11.1	8						
SUBTOTAL	374	10.7	50	2	7	10	14	21	30
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	374	10.7	50	2	7	10	14	21	30

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	12	20.0	17						
18-34	33	13.7	36						
35-49	43	14.6	216	2	6	12	13	49	49
50-69	47	20.0	135	9	10	17	25	42	42
70 +	12	5.0	17						
SUBTOTAL	147	15.8	133	6	9	12	21	27	42
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	147	15.8	133	6	9	12	21	27	42

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	12	11.5	2						
18-34	18	9.7	7						
35-49	27	14.5	185						
50-69	94	12.2	104	4	8	10	14	46	99 +
70 +	16	9.0	1						
SUBTOTAL	168	11.9	90	4	8	10	14	37	46
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	168	11.9	90	4	8	10	14	37	46

DRG 402: Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	131	5.5	25	1	3	3	6	17	17
70-74	72	6.5	40	1	2	3	11	17	20
75-79	72	3.9	14	< 1	2	2	5	10	12
80-84	112	5.0	47	1	1	2	4	17	25
85 +	31	6.3	37						
SUBTOTAL	**417**	**5.3**	**33**	**1**	**2**	**3**	**5**	**17**	**18**
GRAND TOTAL	**417**	**5.3**	**33**	**1**	**2**	**3**	**5**	**17**	**18**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	37	2.5	5	< 1	< 1	1	3	7	7
18-34	31	4.9	2						
35-49	153	2.9	6	1	1	2	3	6	10
50-69	298	3.7	28	1	1	2	4	6	8
70 +	25	8.0	12						
SUBTOTAL	**544**	**3.6**	**19**	**1**	**1**	**3**	**4**	**7**	**10**
GRAND TOTAL	**544**	**3.6**	**19**	**1**	**1**	**3**	**4**	**7**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	12	1.5							
18-34	47	9.6	72	4	4	6	12	30	30
35-49	25	13.3	40						
50-69	43	6.8	49	1	2	2	12	21	21
70 +	0								
SUBTOTAL	**127**	**8.6**	**61**	**1**	**2**	**5**	**12**	**21**	**25**
GRAND TOTAL	**127**	**8.6**	**61**	**1**	**2**	**5**	**12**	**21**	**25**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	6	4.0							
18-34	96	4.8	22	1	1	4	7	10	18
35-49	59	4.3	18	1	1	1	7	11	11
50-69	121	3.5	12	1	1	2	5	9	12
70 +	14	1.0							
SUBTOTAL	**296**	**4.0**	**16**	**1**	**1**	**2**	**6**	**10**	**11**
GRAND TOTAL	**296**	**4.0**	**16**	**1**	**1**	**2**	**6**	**10**	**11**

DRG 403: Lymphoma & Non-acute Leukemia w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	906	8.6	52	2	4	6	11	19	22
70-74	893	9.4	93	3	4	6	11	19	27
75-79	869	9.2	54	2	4	7	13	18	24
80-84	476	8.8	41	3	4	7	11	18	21
85 +	337	7.9	25	2	4	6	12	14	16
SUBTOTAL	**3481**	**8.9**	**59**	**2**	**4**	**7**	**12**	**18**	**22**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3481**	**8.9**	**59**	**2**	**4**	**7**	**12**	**18**	**22**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	119	7.9	50	1	3	6	11	17	26
18-34	35	4.8	8						
35-49	325	9.1	91	1	3	6	11	25	30
50-69	760	11.2	157	2	4	7	14	27	34
70 +	139	9.2	48	2	4	8	13	19	20
SUBTOTAL	**1378**	**10.1**	**119**	**2**	**3**	**7**	**12**	**25**	**30**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1378**	**10.1**	**119**	**2**	**3**	**7**	**12**	**25**	**30**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	80	12.3	169	2	6	7	11	41	42
18-34	127	12.9	144	1	5	11	16	25	35
35-49	172	13.6	152	3	6	9	15	40	50
50-69	383	9.8	92	2	4	8	15	17	41
70 +	39	20.0	125	9	13	14	35	37	37
SUBTOTAL	**800**	**11.9**	**128**	**2**	**5**	**8**	**15**	**35**	**42**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**800**	**11.9**	**128**	**2**	**5**	**8**	**15**	**35**	**42**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	18	15.3	248						
18-34	84	5.4	39	1	2	3	5	14	23
35-49	174	12.7	218	3	4	9	15	26	31
50-69	299	10.8	107	1	4	8	14	22	32
70 +	80	6.3	21	1	3	5	10	11	18
SUBTOTAL	**655**	**10.2**	**128**	**2**	**3**	**7**	**11**	**23**	**31**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**655**	**10.2**	**128**	**2**	**3**	**7**	**11**	**23**	**31**

DRG 404: Lymphoma & Non-acute Leukemia w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	325	5.3	22	1	2	4	6	14	16
70-74	258	5.0	11	1	3	4	7	8	12
75-79	157	5.4	6	3	4	5	6	9	11
80-84	98	6.6	26	1	3	6	8	12	20
85 +	61	5.8	21	< 1	2	6	10	14	14
SUBTOTAL	**899**	**5.4**	**16**	**1**	**3**	**5**	**7**	**11**	**14**
GRAND TOTAL	**899**	**5.4**	**16**	**1**	**3**	**5**	**7**	**11**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	143	3.0	6	1	1	2	4	7	8
18-34	151	2.9	6	1	1	1	5	5	9
35-49	166	5.1	13	1	2	4	8	10	11
50-69	390	4.6	16	1	2	4	6	9	14
70 +	41	9.0	79	1	4	5	13	28	28
891	**4.4**	**17**	**1**	**1**	**3**	**6**	**9**	**12**	
891	**4.4**	**17**	**1**	**1**	**3**	**6**	**9**	**12**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	74	5.3	107	< 1	1	2	4	5	39
18-34	106	5.0	12	1	2	4	7	9	15
35-49	178	6.3	74	1	1	4	6	17	18
50-69	143	5.7	33	2	3	4	7	13	18
70 +	33	15.4	256						
SUBTOTAL	**534**	**6.3**	**71**	**1**	**2**	**4**	**7**	**14**	**18**
GRAND TOTAL	**534**	**6.3**	**71**	**1**	**2**	**4**	**7**	**14**	**18**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	49	6.1	10	1	3	6	9	10	10
18-34	149	8.1	294	1	2	4	6	10	14
35-49	147	5.3	24	1	2	3	6	13	14
50-69	205	7.5	64	1	2	3	8	20	26
70 +	41	5.0	16	1	2	3	7	13	13
591	**6.8**	**105**	**1**	**2**	**4**	**8**	**14**	**20**	
591	**6.8**	**105**	**1**	**2**	**4**	**8**	**14**	**20**	

DRG 405: Acute Leukemia w/o Major O.R. Procedure Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	522	10.5	98	2	3	7	15	24	36
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	522	10.5	98	2	3	7	15	24	36
0-17	649	5.0	12	< 1	2	5	7	9	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	649	5.0	12	< 1	2	5	7	9	11
	1171	7.4	58	1	3	5	9	19	24

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	362	13.9	157	3	5	9	20	30	46
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	362	13.9	157	3	5	9	20	30	46
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	215	4.8	12	< 1	1	5	7	9	13
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	215	4.8	12	< 1	1	5	7	9	13
GRAND TOTAL	577	10.5	123	1	3	7	14	26	32

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	147	13.0	82	3	4	11	20	24	28
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	147	13.0	82	3	4	11	20	24	28
0-17	280	6.6	45	1	2	5	7	16	19
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	280	6.6	45	1	2	5	7	16	19
	428	8.8	67	1	3	6	13	20	24

DRG 406: Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R.Proc w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	206	11.7	43	5	7	9	16	18	22
70-74	106	12.7	58	5	6	12	16	25	27
75-79	129	12.8	114	3	4	8	20	30	36
80-84	37	7.4	14						
85 +	37	15.1	310						
SUBTOTAL	**515**	**12.1**	**82**	**3**	**6**	**9**	**16**	**25**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**515**	**12.1**	**82**	**3**	**6**	**9**	**16**	**25**	**30**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	18	10.7	46						
18-34	35	9.9	2						
35-49	92	7.7	11	5	5	8	9	15	15
50-69	213	14.7	223	3	7	9	17	37	37
70 +	37	14.5	25						
	395	**12.4**	**136**	**3**	**7**	**9**	**14**	**25**	**37**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	395	**12.4**	**136**	**3**	**7**	**9**	**14**	**25**	**37**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	31	8.0	40						
18-34	6	8.0							
35-49	0								
50-69	27	18.7	86						
70 +	14	10.0	52						
SUBTOTAL	**78**	**12.0**	**77**	**2**	**6**	**9**	**19**	**29**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**78**	**12.0**	**77**	**2**	**6**	**9**	**19**	**29**	**30**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	12	8.5	22						
18-34	22	7.9	11						
35-49	37	13.5	168	4	5	8	14	41	41
50-69	41	13.5	146	1	7	8	18	39	39
70 +	6	8.0							
	119	**11.6**	**111**	**4**	**5**	**8**	**13**	**37**	**40**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	119	**11.6**	**111**	**4**	**5**	**8**	**13**	**37**	**40**

DRG 407: Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R.Proc w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	92	5.9	11	3	3	4	8	10	14
70-74	37	5.8	8						
75-79	41	4.7	5	2	3	4	7	8	8
80-84	8	3.0							
85 +	8	7.0							
SUBTOTAL	**186**	**5.6**	**9**	**2**	**3**	**5**	**8**	**10**	**10**
GRAND TOTAL	**186**	**5.6**	**9**	**2**	**3**	**5**	**8**	**10**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	45	4.0	3	2	2	5	6	6	6
18-34	47	4.9	3	2	3	6	6	7	7
35-49	131	4.0	4	1	3	4	5	7	7
50-69	135	6.5	22	2	3	5	10	15	15
70 +	6	5.0							
364	**5.1**	**11**	**2**	**3**	**5**	**6**	**9**	**14**	
364	**5.1**	**11**	**2**	**3**	**5**	**6**	**9**	**14**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	6	1.0							
18-34	18	9.7	23						
35-49	0								
50-69	6	5.0							
70 +	0								
SUBTOTAL	**31**	**7.0**	**26**						
GRAND TOTAL	**31**	**7.0**	**26**						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	27	8.2	22						
35-49	35	5.2	6						
50-69	51	7.0	16	3	5	7	7	17	17
70 +	6	5.0							
119	**6.7**	**15**	**3**	**4**	**5**	**7**	**14**	**17**	
119	**6.7**	**15**	**3**	**4**	**5**	**7**	**14**	**17**	

DRG 408: Myeloprolif Disord or Poorly Diff Neopl w/ Other O.R.Proc

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	155	5.8	48	1	1	3	7	8	26
70-74	102	7.9	53	2	3	6	10	22	29
75-79	84	7.1	42	3	3	5	5	16	26
80-84	57	6.1	30	1	2	4	8	19	20
85 +	8	3.0							
SUBTOTAL	**407**	**6.6**	**45**	**1**	**3**	**4**	**7**	**16**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	84	2.9	7	1	1	2	3	7	10
70-74	65	1.9		1	2	2	2	2	2
75-79	88	3.1	2	1	2	3	5	5	5
80-84	27	2.0							
85 +	29	2.8	3						
SUBTOTAL	**292**	**2.7**	**3**	**1**	**1**	**2**	**4**	**5**	**5**
GRAND TOTAL	**699**	**4.9**	**31**	**1**	**2**	**3**	**5**	**10**	**20**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	12	3.5	2						
18-34	37	5.9	8						
35-49	112	12.5	385	2	2	7	11	24	79
50-69	127	5.2	16	1	2	3	8	10	12
70 +	8	2.0							
SUBTOTAL	**296**	**7.9**	**166**	**1**	**2**	**5**	**8**	**13**	**24**
0-17	43	3.6	23	< 1	< 1	1	4	15	15
18-34	51	3.4	5	1	2	3	6	7	7
35-49	121	2.2	2	1	1	2	3	4	5
50-69	198	3.1	14	1	1	2	3	7	8
70 +	6	5.0							
SUBTOTAL	**419**	**3.0**	**10**	**1**	**1**	**2**	**3**	**6**	**7**
	716	**5.0**	**81**	**1**	**1**	**3**	**6**	**10**	**14**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	25	9.8	74						
18-34	29	14.8	404						
35-49	45	13.5	252	2	3	12	15	51	51
50-69	41	9.9	74	1	4	8	12	28	28
70 +	12	8.0	17						
SUBTOTAL	**151**	**11.7**	**186**	**2**	**3**	**7**	**12**	**28**	**46**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	6	3.0							
18-34	22	3.3							
35-49	6	4.0							
50-69	39	7.8	32	< 1	2	7	13	16	16
70 +	6	3.0							
SUBTOTAL	**80**	**5.5**	**20**	**1**	**3**	**3**	**7**	**13**	**16**
GRAND TOTAL	**231**	**9.5**	**137**	**2**	**3**	**4**	**12**	**24**	**46**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	12.0							
18-34	14	4.0							
35-49	31	14.4	90						
50-69	47	8.2	60	1	2	6	14	25	25
70 +	14	2.0							
SUBTOTAL	**113**	**8.8**	**67**	**2**	**3**	**6**	**14**	**25**	**30**
0-17	20	2.2	2						
18-34	49	4.6	7	2	3	4	5	11	11
35-49	80	4.4	13	< 1	2	4	5	7	15
50-69	88	3.9	33	1	1	2	3	7	24
70 +	12	1.5							
SUBTOTAL	**250**	**4.0**	**18**	**1**	**2**	**3**	**4**	**7**	**12**
	362	**5.5**	**38**	**1**	**2**	**3**	**6**	**14**	**20**

DRG 409: Radiotherapy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	217	6.7	41	2	2	5	8	15	21
70-74	229	7.6	75	3	4	4	5	20	24
75-79	194	13.7	242	1	3	8	18	28	60
80-84	82	14.1	135	3	4	11	17	33	37
85 +	37	15.2	28	7	10	17	17	23	23
SUBTOTAL	**759**	**10.0**	**123**	**2**	**4**	**5**	**15**	**21**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	18	4.7	10						
70-74	47	2.1	2	1	1	2	2	5	5
75-79	31	1.4							
80-84	8	2.0							
85 +	0								
SUBTOTAL	**104**	**2.3**	**4**	**1**	**1**	**2**	**2**	**5**	**9**
GRAND TOTAL	**863**	**9.1**	**115**	**1**	**2**	**5**	**11**	**21**	**30**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	5.0							
18-34	59	2.2		1	2	2	3	3	3
35-49	86	3.6	19	2	2	2	4	4	19
50-69	264	6.4	36	1	3	4	9	13	15
70 +	18	9.7	46						
	434	**5.4**	**31**	**1**	**2**	**4**	**5**	**12**	**15**
0-17	12	2.0							
18-34	104	1.8		1	1	2	2	2	3
35-49	151	2.1	1	1	1	2	2	3	4
50-69	137	1.8		1	2	2	2	2	3
70 +	0								
	405	**1.9**	**1**	**1**	**2**	**2**	**2**	**3**	**3**
	839	**3.7**	**19**	**1**	**2**	**2**	**4**	**7**	**13**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	20	1.4							
35-49	22	7.8	44						
50-69	14	3.7	2						
70 +	6	8.0							
SUBTOTAL	**63**	**4.8**	**24**	**1**	**2**	**2**	**6**	**11**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	12	2.0	1						
35-49	0								
50-69	6	3.0							
70 +	0								
SUBTOTAL	**18**	**2.3**	**1**						
GRAND TOTAL	**82**	**4.3**	**20**	**1**	**2**	**3**	**5**	**8**	**18**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	27	5.2	7						
50-69	43	6.1	29	< 1	1	4	12	16	16
70 +	6	16.0							
	76	**6.5**	**27**	**< 1**	**3**	**4**	**10**	**16**	**16**
0-17	0								
18-34	49	1.4		1	1	1	2	2	2
35-49	72	1.5		1	1	1	2	2	2
50-69	31	1.8							
70 +	0								
	151	**1.5**		**1**	**1**	**1**	**2**	**2**	**2**
	227	**3.2**	**15**	**1**	**1**	**2**	**3**	**10**	**16**

DRG 410: Chemotherapy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	6993	3.2	14	1	1	2	4	5	7
70-74	4493	3.1	10	1	1	2	4	5	7
75-79	2572	3.6	20	1	2	3	4	6	9
80-84	1022	2.8	5	1	1	2	4	5	7
85 +	272	3.4	6	1	1	3	4	6	8
SUBTOTAL	**15352**	**3.2**	**13**	**1**	**1**	**2**	**4**	**5**	**7**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	1569	2.3	2	1	1	2	3	5	5
70-74	1085	2.6	3	1	1	2	4	5	6
75-79	445	2.1	2	1	1	1	3	4	5
80-84	264	1.8	2	1	1	1	2	4	6
85 +	8	1.0							
SUBTOTAL	**3372**	**2.3**	**2**	**1**	**1**	**2**	**4**	**5**	**5**
GRAND TOTAL	**18724**	**3.1**	**11**	**1**	**1**	**2**	**4**	**5**	**6**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	4476	3.2	13	1	1	2	5	5	7
18-34	1676	4.0	9	2	2	4	5	5	6
35-49	3721	3.3	17	1	1	3	4	5	6
50-69	7800	3.0	12	1	1	2	4	5	7
70 +	192	4.3	25	1	1	3	5	9	10
SUBTOTAL	**17866**	**3.2**	**13**	**1**	**1**	**2**	**4**	**5**	**7**
0-17	2377	3.5	3	1	2	3	5	6	6
18-34	605	3.4	3	1	2	4	5	5	5
35-49	1156	2.3	2	1	1	2	3	5	5
50-69	1768	2.5	15	1	1	1	3	5	5
70 +	20	2.2	4						
SUBTOTAL	**5926**	**2.9**	**7**	**1**	**1**	**2**	**4**	**5**	**6**
	23792	**3.1**	**12**	**1**	**1**	**2**	**4**	**5**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	2276	3.0	7	1	1	2	5	6	6
18-34	822	4.7	13	2	3	4	5	7	12
35-49	1068	5.0	19	2	3	4	6	8	12
50-69	1532	3.5	6	1	2	3	5	6	7
70 +	41	4.3	11	1	1	4	7	10	10
SUBTOTAL	**5739**	**3.8**	**10**	**1**	**2**	**3**	**5**	**6**	**8**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	1038	3.5	3	1	2	3	5	6	6
18-34	383	3.3	7	1	1	2	4	6	7
35-49	366	3.4	5	1	2	3	5	5	7
50-69	432	3.4	7	1	2	3	5	5	6
70 +	37	2.6	4						
SUBTOTAL	**2255**	**3.4**	**5**	**1**	**2**	**3**	**5**	**6**	**6**
GRAND TOTAL	**7994**	**3.7**	**9**	**1**	**2**	**3**	**5**	**6**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	794	2.8	3	1	1	2	4	5	6
18-34	630	3.9	6	1	2	4	5	6	8
35-49	976	3.2	4	1	2	3	4	6	6
50-69	1371	2.8	10	1	1	2	4	6	7
70 +	119	2.2	2	1	1	2	3	5	6
SUBTOTAL	**3889**	**3.1**	**6**	**1**	**1**	**2**	**4**	**6**	**6**
0-17	737	3.1	3	1	2	3	4	6	6
18-34	466	3.3	2	1	2	4	4	5	6
35-49	350	2.5	5	1	1	2	4	6	6
50-69	505	2.6	3	1	1	2	4	5	6
70 +	6	1.0							
SUBTOTAL	**2064**	**2.9**	**3**	**1**	**1**	**2**	**4**	**5**	**6**
	5953	**3.0**	**5**	**1**	**1**	**2**	**4**	**5**	**6**

DRG 411: History of Malignancy w/o Endoscopy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	6	3.0							
75-79	16	3.0	1						
80-84	0								
85 +	0								
SUBTOTAL	**22**	**3.0**	**1**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	12	2.0	1						
85 +	0								
SUBTOTAL	**12**	**2.0**	**1**						
GRAND TOTAL	**35**	**2.6**	**1**						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	16	1.0							
70 +	0								
SUBTOTAL	**16**	**1.0**							
0-17	12	1.0							
18-34	8	1.0							
35-49	0								
50-69	16	3.5	2						
70 +	8	1.0							
SUBTOTAL	**45**	**1.9**	**2**	**<1**	**<1**	**1**	**2**	**5**	**5**
GRAND TOTAL	**61**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**5**	**5**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	6	6.0							
35-49	0								
50-69	0								
70 +	6	10.0							
SUBTOTAL	**12**	**8.0**	**4**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	6	2.0							
35-49	0								
50-69	18	1.7							
70 +	6	1.0							
SUBTOTAL	**31**	**1.6**							
GRAND TOTAL	**43**	**3.4**	**10**	**1**	**1**	**2**	**6**	**10**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	19.0							
18-34	0								
35-49	0								
50-69	6	1.0							
70 +	0								
SUBTOTAL	**12**	**10.0**	**88**						
0-17	0								
18-34	0								
35-49	12	1.0							
50-69	20	1.0							
70 +	0								
SUBTOTAL	**33**	**1.0**							
GRAND TOTAL	**45**	**3.5**	**39**	**<1**	**<1**	**1**	**1**	**19**	**19**

DRG 412: History of Malignancy w/ Endoscopy

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	6	11.0							
70-74									
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	6	11.0							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	16	1.0							
70-74	16	1.5							
75-79	8	1.0							
80-84	8	1.0							
85 +	0								
SUBTOTAL	49	1.2		<1	<1	<1	<1	2	2
GRAND TOTAL	55	2.3	10	<1	<1	<1	1	11	11

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	0								
18-34	0								
35-49	0								
50-69	16	3.5	7						
70 +	0								
	16	3.5	7						
	16	3.5	7						

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	6	1.0							
SUBTOTAL	6	1.0							
GRAND TOTAL	6	1.0							

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	0								

DRG 413: Other Myeloprolif Dis or Poorly Diff Neopl Diag w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS	298	8.5	3	3	4	8	11	17	17
70-74	214	10.4	84	3	4	9	12	18	29
75-79	225	8.4	48	3	3	5	12	19	25
80-84	151	9.4	39	4	5	8	10	21	21
85 +	74	8.8	78	1	2	6	8	24	31
SUBTOTAL	962	9.1	54	3	4	7	11	17	24
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	962	9.1	54	3	4	7	11	17	24

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	14	8.1	7						
18-34	63	10.2	36	4	5	8	11	24	24
35-49	98	12.4	303	1	2	5	12	47	60
50-69	243	10.1	101	2	4	7	11	27	31
70 +	51	6.0	8	2	2	6	9	10	10
	470	10.1	124	2	4	7	11	24	36
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	470	10.1	124	2	4	7	11	24	36

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	25	3.3	1						
18-34	41	5.8	2	4	5	5	7	8	8
35-49	39	24.9	994	3	7	11	25	95	95
50-69	65	6.9	17	2	3	7	9	11	16
70 +	6	16.0							
SUBTOTAL	176	10.4	286	2	4	7	9	16	25
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	0								
GRAND TOTAL	176	10.4	286	2	4	7	9	16	25

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	18	4.3	4						
35-49	80	7.3	21	1	3	7	10	15	16
50-69	127	8.6	63	2	4	7	12	14	22
70 +	37	3.7	7						
	262	7.2	41	2	3	6	9	13	16
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	262	7.2	41	2	3	6	9	13	16

DRG 414: Other Myeloprolif Dis or Poorly Diff Neopl Diag w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	65	7.5	25	2	4	6	9	16	17
70-74	39	4.6	5						
75-79	41	9.8	57						
80-84	78	6.5	12	2	3	7	9	12	12
85 +	39	4.0	2						
SUBTOTAL	**262**	**6.6**	**23**	**1**	**3**	**5**	**9**	**12**	**17**
GRAND TOTAL	**262**	**6.6**	**23**	**1**	**3**	**5**	**9**	**12**	**17**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	45	1.4	1	< 1	< 1	1	1	4	4
18-34	20	2.5	2						
35-49	92	2.5	1	< 1	2	3	3	4	5
50-69	102	4.8	18	1	1	3	6	10	15
70 +	0								
	260	**3.2**	**10**	**< 1**	**1**	**2**	**4**	**6**	**10**
	260	**3.2**	**10**	**< 1**	**1**	**2**	**4**	**6**	**10**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	12	2.0	1						
18-34	27	7.2	26						
35-49	55	5.9	13	1	3	6	9	12	12
50-69	129	7.7	36	1	3	7	10	18	20
70 +	18	9.7	95						
SUBTOTAL	**242**	**7.1**	**34**	**1**	**3**	**6**	**10**	**17**	**20**
GRAND TOTAL	**242**	**7.1**	**34**	**1**	**3**	**6**	**10**	**17**	**20**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	6	1.0							
18-34	25	3.0	13						
35-49	51	7.3	28	2	2	4	10	17	17
50-69	149	8.0	49	1	4	7	9	18	27
70 +	0								
	231	**7.1**	**42**	**< 1**	**2**	**6**	**9**	**17**	**27**
	231	**7.1**	**42**	**< 1**	**2**	**6**	**9**	**17**	**27**

DRG 415: O.R. Procedure for Infectious & Parasitic Diseases

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1073	19.5	252	6	9	15	25	41	63
70-74	591	17.7	206	6	9	14	21	31	42
75-79	515	18.5	200	5	9	14	22	41	53
80-84	302	18.6	199	8	11	15	21	28	30
85 +	341	18.0	284	5	7	10	23	33	54
SUBTOTAL	**2823**	**18.6**	**231**	**6**	**9**	**14**	**23**	**36**	**51**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	206	13.0	98	4	6	11	17	26	39
70-74	159	9.0	26	2	5	9	12	16	17
75-79	125	7.7	17	3	4	8	10	14	15
80-84	43	9.2	48	1	3	4	15	18	18
85 +	22	8.1	19						
SUBTOTAL	**556**	**10.2**	**57**	**3**	**5**	**9**	**13**	**18**	**24**
GRAND TOTAL	**3379**	**17.3**	**213**	**5**	**8**	**14**	**22**	**33**	**46**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	135	12.1	103	3	6	8	14	28	32
18-34	321	12.7	93	4	6	11	13	30	34
35-49	429	12.1	152	2	4	9	14	24	42
50-69	668	18.4	239	5	8	14	23	43	58
70 +	61	17.9	110	8	11	14	28	39	39
SUBTOTAL	**1615**	**15.1**	**179**	**4**	**6**	**11**	**19**	**33**	**45**
0-17	174	5.5	26	1	2	3	7	12	15
18-34	319	7.0	29	2	4	6	9	13	13
35-49	372	7.7	95	1	3	6	9	13	22
50-69	303	9.3	39	2	4	8	15	18	21
70 +	33	8.4	26						
SUBTOTAL	**1200**	**7.6**	**53**	**2**	**3**	**6**	**10**	**15**	**19**
GRAND TOTAL	**2815**	**11.9**	**139**	**2**	**4**	**9**	**14**	**25**	**35**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	68	17.8	330	4	8	12	20	21	72
18-34	160	13.6	80	7	8	11	14	33	36
35-49	162	16.5	102	5	10	15	20	39	42
50-69	149	19.8	227	5	8	17	28	52	90
70 +	20	16.9	46						
SUBTOTAL	**558**	**16.7**	**159**	**5**	**8**	**14**	**21**	**39**	**54**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	84	9.8	100	3	4	7	11	17	42
18-34	164	7.5	20	3	4	6	9	12	19
35-49	106	7.7	35	2	4	7	10	19	24
50-69	20	13.2	52						
70 +	0								
SUBTOTAL	**374**	**8.4**	**45**	**3**	**4**	**7**	**11**	**17**	**20**
GRAND TOTAL	**933**	**13.4**	**130**	**4**	**6**	**10**	**17**	**29**	**42**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	53	7.8	1	6	7	8	9	10	10
18-34	190	8.0	21	3	5	7	10	12	18
35-49	204	11.1	90	3	4	7	19	24	32
50-69	168	16.4	213	4	6	11	22	42	43
70 +	37	11.6	76						
SUBTOTAL	**652**	**11.3**	**104**	**3**	**5**	**8**	**13**	**22**	**36**
0-17	119	4.4	5	2	2	4	7	8	9
18-34	262	9.9	88	2	4	7	13	25	31
35-49	182	8.4	44	2	3	7	11	16	23
50-69	129	5.4	14	1	2	5	8	11	12
70 +	6	10.0							
SUBTOTAL	**697**	**7.8**	**53**	**2**	**3**	**6**	**10**	**15**	**23**
GRAND TOTAL	**1350**	**9.5**	**80**	**2**	**4**	**7**	**11**	**20**	**30**

DRG 416: Septicemia Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	3127	9.9	83	4	5	7	11	18	25
70-74	2503	9.9	52	4	5	8	12	19	24
75-79	2186	9.4	44	4	5	8	11	16	21
80-84	2327	9.8	42	4	6	8	11	18	24
85+	2803	9.3	32	4	6	8	11	17	21
SUBTOTAL	**12946**	**9.6**	**52**	**4**	**5**	**8**	**11**	**18**	**24**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	125	5.6	14	2	4	5	7	8	13
70-74	116	5.3	13	2	2	4	6	12	12
75-79	129	4.8	7	1	2	5	7	7	8
80-84	176	6.5	9	3	4	5	8	9	12
85+	131	8.9	65	3	4	5	10	26	33
SUBTOTAL	**676**	**6.3**	**23**	**2**	**4**	**5**	**7**	**11**	**13**
GRAND TOTAL	**13623**	**9.5**	**51**	**4**	**5**	**8**	**11**	**17**	**23**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	333	6.8	31	3	3	5	8	13	16
35-49	685	9.1	61	2	4	7	10	19	26
50-69	1606	9.4	53	4	5	7	11	17	27
70+	260	8.6	20	3	5	8	12	15	17
SUBTOTAL	**2884**	**9.0**	**50**	**3**	**5**	**7**	**11**	**16**	**23**
0-17	0								
18-34	104	3.6	5	1	2	3	5	8	9
35-49	157	5.0	15	2	2	4	6	10	16
50-69	153	5.1	5	2	3	5	7	8	9
70+	31	6.5	18						
SUBTOTAL	**445**	**4.8**	**10**	**2**	**3**	**4**	**6**	**8**	**11**
GRAND TOTAL	**3329**	**8.4**	**46**	**3**	**4**	**7**	**10**	**16**	**22**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	272	10.3	57	3	5	8	14	22	27
35-49	249	12.1	142	4	7	8	13	24	46
50-69	423	12.6	118	4	6	8	18	25	35
70+	127	13.1	90	5	8	11	15	40	40
SUBTOTAL	**1071**	**12.0**	**105**	**4**	**6**	**9**	**14**	**24**	**33**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	39	5.9	3						
35-49	35	11.9	130						
50-69	29	6.6	6						
70+	18	18.7	113						
SUBTOTAL	**121**	**9.8**	**76**	**4**	**5**	**6**	**11**	**26**	**33**
GRAND TOTAL	**1192**	**11.8**	**103**	**4**	**6**	**8**	**14**	**24**	**33**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	393	8.0	27	2	4	7	11	15	17
35-49	421	9.7	57	3	5	7	12	18	22
50-69	583	10.0	138	3	5	7	12	14	31
70+	300	9.0	36	4	5	7	11	16	24
SUBTOTAL	**1697**	**9.3**	**74**	**3**	**5**	**7**	**11**	**16**	**22**
0-17	0								
18-34	59	6.4	24	1	2	4	9	15	15
35-49	69	5.7	12	1	4	4	8	12	12
50-69	43	5.9	28	2	3	3	7	18	18
70+	29	10.3	146						
SUBTOTAL	**200**	**6.6**	**40**	**1**	**3**	**4**	**9**	**15**	**18**
GRAND TOTAL	**1897**	**9.0**	**71**	**3**	**4**	**7**	**11**	**16**	**22**

DRG 417: Septicemia Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	977	5.6	26	2	2	4	8	11	14
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**977**	**5.6**	**26**	**2**	**2**	**4**	**8**	**11**	**14**
0-17	1157	3.7	6	2	2	3	5	8	9
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1157**	**3.7**	**6**	**2**	**2**	**3**	**5**	**8**	**9**
GRAND TOTAL	**2135**	**4.6**	**16**	**2**	**2**	**3**	**5**	**9**	**11**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	812	6.6	23	2	3	5	9	14	16
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**812**	**6.6**	**23**	**2**	**3**	**5**	**9**	**14**	**16**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	745	4.6	17	2	2	3	5	10	12
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**745**	**4.6**	**17**	**2**	**2**	**3**	**5**	**10**	**12**
GRAND TOTAL	**1557**	**5.6**	**21**	**2**	**2**	**4**	**7**	**12**	**14**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	370	5.9	19	2	3	5	9	12	14
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**370**	**5.9**	**19**	**2**	**3**	**5**	**9**	**12**	**14**
0-17	647	4.5	11	1	2	3	6	10	11
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**647**	**4.5**	**11**	**1**	**2**	**3**	**6**	**10**	**11**
GRAND TOTAL	**1017**	**5.0**	**14**	**1**	**2**	**4**	**7**	**10**	**12**

DRG 418: Postoperative & Post-traumatic Infections

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	556	8.8	68	2	4	6	10	20	26
70-74	286	7.5	21	3	5	6	8	13	14
75-79	284	6.8	23	2	3	5	9	13	17
80-84	116	6.3	13	3	4	6	7	9	17
85 +	137	13.8	323	3	5	9	14	30	80
SUBTOTAL	**1379**	**8.4**	**74**	**3**	**4**	**6**	**10**	**17**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	294	4.5	4	3	3	4	6	6	9
70-74	192	7.0	63	1	3	4	7	15	21
75-79	92	5.4	6	3	3	4	7	8	11
80-84	33	8.8	38						
85 +	49	7.4	19	3	4	6	10	15	15
SUBTOTAL	**660**	**5.8**	**26**	**2**	**3**	**4**	**6**	**11**	**15**
GRAND TOTAL	**2039**	**7.5**	**60**	**2**	**4**	**5**	**9**	**14**	**20**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	108	4.9	12	2	3	4	5	11	14
18-34	243	6.0	27	2	3	4	6	14	21
35-49	255	6.5	27	2	3	4	9	14	18
50-69	392	7.6	30	2	4	6	10	14	20
70 +	69	12.3	76	4	4	9	20	27	27
	1069	**7.0**	**33**	**2**	**3**	**5**	**9**	**14**	**21**
0-17	227	4.7	7	2	3	4	7	7	8
18-34	580	3.8	8	1	2	3	4	6	8
35-49	615	5.3	20	2	3	4	6	8	18
50-69	382	5.3	10	2	3	5	7	9	11
70 +	35	7.6	2						
	1840	**4.8**	**13**	**2**	**3**	**4**	**6**	**8**	**11**
	2909	**5.6**	**21**	**2**	**3**	**4**	**7**	**11**	**16**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	45	4.3	16	2	2	2	4	14	14
18-34	74	7.2	48	2	2	4	8	24	24
35-49	125	6.2	28	2	3	4	9	11	22
50-69	106	9.3	62	3	4	6	11	25	30
70 +	6	14.0							
SUBTOTAL	**356**	**7.2**	**43**	**2**	**3**	**4**	**9**	**14**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	133	3.8	4	1	2	4	5	6	6
18-34	247	5.5	20	2	3	4	8	11	13
35-49	100	4.8	8	2	3	4	5	7	14
50-69	72	7.0	21	1	3	6	12	14	15
70 +	0								
SUBTOTAL	**552**	**5.2**	**15**	**2**	**3**	**4**	**6**	**10**	**13**
GRAND TOTAL	**908**	**6.0**	**27**	**2**	**3**	**4**	**8**	**13**	**14**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	20	3.1	2						
18-34	112	7.9	76	3	3	4	8	23	34
35-49	149	7.1	37	2	3	6	8	14	19
50-69	135	7.5	21	2	4	6	11	13	16
70 +	43	9.8	23	5	5	10	11	20	20
	460	**7.5**	**40**	**2**	**3**	**6**	**9**	**14**	**20**
0-17	147	4.6	5	2	3	5	6	8	8
18-34	452	4.3	11	2	2	3	5	8	13
35-49	282	4.8	10	1	2	4	7	9	11
50-69	94	5.5	12	2	3	4	7	11	13
70 +	31	2.7	1						
	1006	**4.5**	**10**	**2**	**2**	**4**	**6**	**9**	**11**
	1466	**5.5**	**21**	**2**	**3**	**4**	**7**	**11**	**13**

DRG 419: Fever of Unknown Origin Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	867	6.0	50	2	3	4	7	9	12
70-74	445	6.6	23	2	3	5	9	13	17
75-79	501	6.9	55	3	4	6	8	10	13
80-84	401	8.8	70	3	4	6	12	16	22
85 +	335	5.9	34	2	3	4	7	10	13
SUBTOTAL	**2549**	**6.7**	**48**	**2**	**3**	**5**	**8**	**12**	**16**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2549**	**6.7**	**48**	**2**	**3**	**5**	**8**	**12**	**16**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	235	4.1	7	2	2	4	5	8	11
35-49	360	5.2	14	2	2	4	7	10	12
50-69	603	6.0	36	2	3	5	7	11	18
70 +	115	5.0	5	2	3	5	7	8	9
SUBTOTAL	**1312**	**5.3**	**23**	**2**	**2**	**4**	**7**	**10**	**13**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1312**	**5.3**	**23**	**2**	**2**	**4**	**7**	**10**	**13**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	61	6.8	39	1	2	3	12	19	19
35-49	57	3.6	1	2	4	4	4	4	4
50-69	127	7.9	21	1	4	8	12	14	15
70 +	18	8.3	33						
SUBTOTAL	**264**	**6.7**	**24**	**2**	**3**	**4**	**11**	**14**	**16**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**264**	**6.7**	**24**	**2**	**3**	**4**	**11**	**14**	**16**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	133	3.8	5	2	2	3	4	9	9
35-49	127	6.5	35	2	3	4	8	16	24
50-69	190	6.6	26	2	3	5	8	11	22
70 +	47	4.5	6	2	2	4	6	9	9
SUBTOTAL	**497**	**5.6**	**23**	**2**	**3**	**4**	**7**	**10**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**497**	**5.6**	**23**	**2**	**3**	**4**	**7**	**10**	**16**

DRG 420: Fever of Unknown Origin Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	170	4.3	6	2	3	4	6	7	9
70-74	74	4.0	4	1	3	4	4	7	8
75-79	114	4.9	9	2	3	3	7	9	13
80-84	61	5.3	4	2	3	5	7	8	8
85+	131	4.2	7	1	3	4	5	9	11
SUBTOTAL	**550**	**4.5**	**7**	**2**	**3**	**4**	**6**	**8**	**9**
GRAND TOTAL	**550**	**4.5**	**7**	**2**	**3**	**4**	**6**	**8**	**9**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
0									
0-17	0								
18-34	190	3.9	4	2	2	4	5	8	8
35-49	253	4.3	7	2	3	4	5	7	11
50-69	302	3.9	6	1	2	3	5	6	9
70+	45	3.7	4	1	2	4	4	7	7
791	**4.0**	**6**	**2**	**2**	**4**	**5**	**7**	**8**	
791	**4.0**	**6**	**2**	**2**	**4**	**5**	**7**	**8**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	80	5.3	10	2	3	3	8	8	12
35-49	35	2.9	2						
50-69	29	4.4	7						
70+	0								
SUBTOTAL	**143**	**4.5**	**8**	**2**	**3**	**3**	**8**	**8**	**9**
GRAND TOTAL	**143**	**4.5**	**8**	**2**	**3**	**3**	**8**	**8**	**9**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
0									
0-17	0								
18-34	237	3.6	ε	1	1	3	4	9	11
35-49	102	3.3	ε	<1	1	2	4	9	10
50-69	139	4.5	20	1	1	3	6	12	14
70+	8	4.0							
487	**3.8**	**12**	**1**	**1**	**3**	**5**	**9**	**11**	
487	**3.8**	**12**	**1**	**1**	**3**	**5**	**9**	**11**	

DRG 421: Viral Illness Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	611	5.5	27	2	3	4	6	10	17
70-74	470	4.6	10	2	2	4	6	8	10
75-79	413	5.4	7	3	4	5	6	8	11
80-84	333	5.0	9	2	3	4	7	10	10
85+	302	5.0	9	2	3	4	7	10	11
SUBTOTAL	**2129**	**5.1**	**14**	**2**	**3**	**4**	**6**	**9**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	172	3.3	3	1	2	3	4	5	5
70-74	80	2.5	2	1	1	2	4	5	5
75-79	170	2.8	2	1	2	3	3	5	5
80-84	94	4.4	13	1	2	3	4	11	12
85+	157	4.6	14	2	3	4	6	7	15
SUBTOTAL	**672**	**3.5**	**7**	**1**	**2**	**3**	**4**	**6**	**8**
GRAND TOTAL	**2801**	**4.7**	**13**	**2**	**3**	**4**	**6**	**8**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	848	3.5	4	1	2	3	4	7	7
35-49	593	4.1	26	1	2	3	5	7	9
50-69	382	4.0	6	2	2	4	5	7	9
70+	102	3.5	3	2	2	3	5	7	7
SUBTOTAL	**1925**	**3.8**	**11**	**1**	**2**	**3**	**5**	**7**	**8**
0-17	0								
18-34	983	2.7	3	1	2	2	3	5	6
35-49	529	3.3	5	1	2	3	4	6	7
50-69	388	2.9	3	1	2	3	4	5	6
70+	35	3.6	6						
SUBTOTAL	**1935**	**2.9**	**4**	**1**	**2**	**2**	**4**	**5**	**6**
GRAND TOTAL	**3860**	**3.3**	**8**	**1**	**2**	**3**	**4**	**6**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	251	4.9	34	1	2	3	5	9	15
35-49	69	4.2	5	2	2	5	6	6	8
50-69	102	3.2	2	1	2	3	4	5	6
70+	29	2.5	1						
SUBTOTAL	**452**	**4.2**	**21**	**1**	**2**	**3**	**5**	**8**	**9**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	174	3.8	24	1	1	2	3	14	18
35-49	86	3.7	3	2	3	3	5	6	8
50-69	43	2.8	2	1	2	2	4	5	5
70+	12	4.0	1						
SUBTOTAL	**315**	**3.6**	**14**	**1**	**2**	**2**	**4**	**6**	**14**
GRAND TOTAL	**767**	**4.0**	**18**	**1**	**2**	**3**	**5**	**8**	**9**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	732	4.3	18	2	2	3	4	8	15
35-49	237	5.2	24	2	2	4	5	10	17
50-69	192	4.0	9	1	2	3	6	8	10
70+	29	3.0	3						
SUBTOTAL	**1190**	**4.4**	**18**	**1**	**2**	**3**	**5**	**8**	**13**
0-17	0								
18-34	751	2.8	5	1	1	2	3	5	8
35-49	243	2.8	4	1	1	2	4	5	8
50-69	119	3.8	6	2	2	3	5	9	9
70+	6	1.0							
SUBTOTAL	**1119**	**2.9**	**5**	**1**	**1**	**2**	**3**	**5**	**8**
GRAND TOTAL	**2309**	**3.7**	**12**	**1**	**2**	**3**	**4**	**7**	**9**

DRG 422: Viral Illness & Fever of Unknown Origin Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	35	4.4	6						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**35**	**4.4**	**6**						
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	8	1.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**8**	**1.0**							
GRAND TOTAL	**43**	**3.7**	**6**	**<1**	**1**	**2**	**6**	**7**	**7**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	3220	3.1	5	1	2	3	4	5	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**3220**	**3.1**	**5**	**1**	**2**	**3**	**4**	**5**	**7**
0-17	4433	2.5	2	1	2	2	3	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**4433**	**2.5**	**2**	**1**	**2**	**2**	**3**	**4**	**5**
	7653	**2.8**	**4**	**1**	**2**	**2**	**3**	**4**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	1602	3.6	7	1	2	3	4	7	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1602**	**3.6**	**7**	**1**	**2**	**3**	**4**	**7**	**8**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	2812	2.8	2	1	2	2	3	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**2812**	**2.8**	**2**	**1**	**2**	**2**	**3**	**4**	**5**
GRAND TOTAL	**4413**	**3.1**	**4**	**1**	**2**	**3**	**4**	**5**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	1411	3.3	7	1	2	3	4	6	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1411**	**3.3**	**7**	**1**	**2**	**3**	**4**	**6**	**8**
0-17	2800	2.7	6	1	2	2	3	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**2800**	**2.7**	**6**	**1**	**2**	**2**	**3**	**4**	**5**
	4211	**2.9**	**6**	**1**	**2**	**2**	**3**	**5**	**6**

DRG 423: Other Infectious & Parasitic Diseases Diagnoses

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	237	13.1	80	5	6	11	17	27	28
70-74	92	6.4	14	3	4	6	7	12	15
75-79	170	10.2	57	4	5	7	15	19	28
80-84	96	7.0	19	2	4	6	8	14	17
85 +	80	6.0	10	2	5	6	6	12	14
SUBTOTAL	**674**	**9.7**	**56**	**3**	**5**	**7**	**13**	**19**	**27**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	67	4.4	2	2	3	4	6	6	6
70-74	14	16.0							
75-79	31	4.7	5						
80-84	14	5.7	4						
85 +	22	11.3	27						
SUBTOTAL	**149**	**6.7**	**21**	**2**	**4**	**6**	**7**	**16**	**18**
GRAND TOTAL	**824**	**9.2**	**51**	**3**	**5**	**6**	**13**	**18**	**23**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	172	7.1	38	1	3	5	10	12	18
18-34	182	6.3	50	2	3	4	7	10	16
35-49	147	5.5	6	2	3	5	8	9	10
50-69	155	8.8	49	4	5	6	11	21	27
70 +	0								
	656	**6.9**	**38**	**2**	**3**	**5**	**9**	**11**	**21**
0-17	172	3.7	9	1	2	3	4	8	9
18-34	237	4.8	12	2	2	4	6	10	13
35-49	227	5.2	30	1	2	4	6	11	15
50-69	67	2.8	1	1	2	3	4	4	4
70 +	8	11.0							
	711	**4.5**	**17**	**1**	**2**	**3**	**5**	**9**	**13**
	1367	**5.7**	**28**	**2**	**2**	**4**	**7**	**11**	**14**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	88	4.4	10	1	2	3	5	10	11
18-34	110	7.2	32	1	2	5	11	17	17
35-49	113	11.6	114	3	5	8	12	29	45
50-69	121	11.9	81	3	5	10	16	30	32
70 +	14	13.1	21						
SUBTOTAL	**446**	**9.2**	**70**	**2**	**3**	**7**	**12**	**18**	**29**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	174	4.0	6	2	3	3	4	7	9
18-34	139	4.9	10	2	3	4	6	9	9
35-49	92	7.8	36	2	3	7	10	18	20
50-69	43	12.7	147	3	5	9	10	37	37
70 +	12	5.5	22						
SUBTOTAL	**460**	**5.9**	**33**	**2**	**3**	**4**	**7**	**10**	**15**
GRAND TOTAL	**906**	**7.5**	**54**	**2**	**3**	**5**	**10**	**16**	**20**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	96	5.6	12	2	3	4	9	11	12
18-34	239	9.8	118	2	3	6	14	22	29
35-49	145	9.7	143	1	2	5	12	29	35
50-69	96	13.3	303	2	4	7	12	46	66
70 +	12	22.0	245						
	589	**9.9**	**146**	**2**	**3**	**6**	**12**	**23**	**37**
0-17	205	4.5	17	1	2	2	6	10	14
18-34	393	3.5	6	1	2	3	5	6	7
35-49	139	5.5	13	1	3	4	8	11	11
50-69	98	5.9	15	3	4	4	7	13	16
70 +	0								
	835	**4.4**	**12**	**1**	**2**	**4**	**6**	**8**	**11**
	1424	**6.7**	**75**	**1**	**2**	**4**	**7**	**14**	**20**

DRG 424: O.R. Procedure w/ Principal Diagnoses of Mental Illness

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	76	20.5	190	3	15	18	22	54	54
70-74	51	12.5	107	1	5	11	16	37	37
75-79	82	24.1	203	9	13	21	32	47	58
80-84	55	21.1	162	8	14	17	41	42	42
85 +	88	11.5	28	5	7	12	15	18	24
SUBTOTAL	**352**	**18.0**	**161**	**5**	**11**	**15**	**22**	**37**	**42**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	63	27.3	216	10	16	26	40	50	51
70-74	12	15.0	4						
75-79	12	22.0	20						
80-84	27	14.2	57						
85 +	18	11.0	27						
SUBTOTAL	**133**	**20.8**	**169**	**4**	**13**	**17**	**26**	**40**	**49**
GRAND TOTAL	**485**	**18.8**	**164**	**5**	**11**	**16**	**23**	**40**	**49**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	26.0							
18-34	14	11.3	4						
35-49	86	13.4	136	3	4	9	17	33	41
50-69	65	12.8	134	1	1	10	23	28	33
70 +	0								
	172	**13.4**	**125**	**1**	**4**	**10**	**20**	**32**	**34**
0-17	12	31.5	13						
18-34	76	22.9	527	1	4	16	31	42	86
35-49	67	10.1	106	1	2	5	23	24	29
50-69	65	5.6	75	< 1	1	1	4	27	27
70 +	6	1.0							
	227	**14.0**	**301**	**1**	**1**	**5**	**24**	**31**	**42**
	399	**13.8**	**224**	**1**	**2**	**9**	**23**	**32**	**41**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	25	32.8	398						
18-34	33	16.7	151						
35-49	33	32.2	87						
50-69	8	16.0							
70 +	0								
SUBTOTAL	**98**	**25.8**	**236**	**3**	**16**	**25**	**37**	**48**	**56**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	12	36.0	1						
18-34	29	14.9	123						
35-49	8	17.0							
50-69	8	2.0							
70 +	0								
SUBTOTAL	**57**	**17.9**	**174**	**2**	**6**	**27**	**37**	**99 +**	**99 +**
GRAND TOTAL	**155**	**22.9**	**226**	**3**	**11**	**25**	**37**	**56**	**99 +**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	7.0							
18-34	16	8.5	2						
35-49	20	9.5	28						
50-69	6	3.0							
70 +	8	12.0							
	57	**8.6**	**16**	**3**	**7**	**8**	**11**	**16**	**17**
0-17	14	2.6							
18-34	78	3.8	9	1	1	2	5	10	11
35-49	94	7.4	78	1	2	3	10	16	36
50-69	61	9.7	96	1	2	3	14	29	29
70 +	0								
	247	**6.5**	**62**	**1**	**2**	**3**	**9**	**16**	**29**
	305	**6.9**	**54**	**1**	**2**	**4**	**10**	**16**	**20**

DRG 425: Acute Adjust React & Disturbances of Psychosocial Dysfunction

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	419	5.4	21	1	2	4	7	13	16
70-74	327	5.7	23	1	2	5	8	11	13
75-79	368	5.0	18	1	2	4	6	11	15
80-84	302	6.0	25	1	2	5	7	14	18
85 +	366	5.7	30	1	2	4	7	12	19
SUBTOTAL	**1782**	**5.5**	**24**	**1**	**2**	**4**	**7**	**12**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	472	4.2	18	1	1	3	5	11	13
70-74	170	4.6	36	< 1	1	2	5	8	17
75-79	196	5.1	10	2	3	4	6	11	11
80-84	202	3.6	7	1	2	2	5	7	10
85 +	131	3.8	6	1	2	3	5	8	8
SUBTOTAL	**1171**	**4.3**	**16**	**1**	**2**	**3**	**5**	**10**	**11**
GRAND TOTAL	**2953**	**5.0**	**21**	**1**	**2**	**4**	**7**	**11**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	41	4.9	24	1	1	2	8	13	13
18-34	235	6.3	52	1	1	3	9	19	23
35-49	235	5.1	37	< 1	1	2	7	13	22
50-69	276	5.6	47	1	1	3	5	18	23
70 +	63	2.5	1	1	2	2	3	4	4
SUBTOTAL	**850**	**5.4**	**41**	**1**	**1**	**2**	**7**	**14**	**22**
0-17	333	6.1	86	< 1	1	2	5	19	32
18-34	705	5.5	70	1	1	2	6	14	20
35-49	889	4.8	38	1	1	2	5	12	22
50-69	411	4.0	24	1	1	2	5	9	14
70 +	57	4.7	17	1	2	3	6	14	14
SUBTOTAL	**2395**	**5.0**	**52**	**1**	**1**	**2**	**5**	**13**	**21**
GRAND TOTAL	**3245**	**5.1**	**49**	**1**	**1**	**2**	**6**	**13**	**21**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	45	9.1	66	1	3	6	16	23	23
18-34	153	5.1	23	2	3	3	6	8	21
35-49	145	6.0	63	1	2	2	6	18	31
50-69	117	4.8	24	1	2	3	5	12	19
70 +	16	2.0	1						
SUBTOTAL	**476**	**5.5**	**41**	**1**	**2**	**3**	**6**	**16**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	182	16.1	343	1	3	5	33	53	59
18-34	386	4.2	19	1	1	2	5	10	13
35-49	143	3.6	10	1	2	2	4	9	12
50-69	88	4.3	10	1	2	3	6	7	12
70 +	6	3.0							
SUBTOTAL	**806**	**6.8**	**115**	**1**	**2**	**3**	**6**	**19**	**35**
GRAND TOTAL	**1282**	**6.3**	**88**	**1**	**2**	**3**	**6**	**16**	**28**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	37	1.7	1						
18-34	427	4.6	128	< 1	1	2	4	7	11
35-49	237	4.3	16	1	2	3	5	11	14
50-69	160	4.3	14	1	2	3	5	9	14
70 +	41	6.3	21	2	3	4	10	15	15
SUBTOTAL	**902**	**4.4**	**69**	**1**	**1**	**2**	**4**	**9**	**14**
0-17	166	5.6	68	1	1	2	10	12	17
18-34	848	3.7	20	1	1	2	4	8	13
35-49	566	5.7	49	1	1	3	7	13	20
50-69	290	4.1	17	1	1	2	6	8	14
70 +	22	3.5	3						
SUBTOTAL	**1893**	**4.5**	**33**	**1**	**1**	**2**	**5**	**11**	**14**
GRAND TOTAL	**2795**	**4.5**	**44**	**1**	**1**	**2**	**5**	**10**	**14**

DRG 426: Depressive Neuroses

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	570	7.9	144	2	3	4	8	17	30
70-74	161	9.6	53	2	3	8	13	22	26
75-79	186	9.5	62	2	5	7	12	17	30
80-84	100	5.5	12	3	3	4	7	9	15
85 +	118	7.4	151	1	2	3	8	10	51
SUBTOTAL	**1136**	**8.1**	**108**	**2**	**3**	**5**	**9**	**17**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	542	5.6	26	1	2	4	8	13	14
70-74	143	6.9	44	1	3	4	7	16	23
75-79	86	6.6	21	2	3	5	8	13	19
80-84	86	5.5	27	2	3	4	6	9	20
85 +	102	9.2	204	1	2	4	11	17	62
SUBTOTAL	**959**	**6.3**	**49**	**1**	**3**	**4**	**8**	**13**	**19**
GRAND TOTAL	**2095**	**7.3**	**81**	**2**	**3**	**4**	**8**	**15**	**23**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	695	19.4	200	3	9	17	28	41	56
18-34	781	6.1	42	1	1	4	7	15	23
35-49	632	6.2	33	1	2	5	9	13	17
50-69	251	8.5	57	1	3	6	14	22	25
70 +	29	23.1	286						
SUBTOTAL	**2388**	**10.5**	**126**	**1**	**2**	**6**	**15**	**28**	**36**
0-17	2553	18.7	310	2	5	14	28	43	56
18-34	2063	5.9	48	1	1	3	8	15	19
35-49	1615	5.3	28	1	2	3	7	13	15
50-69	511	5.7	20	1	2	4	8	13	15
70 +	12	6.5	13						
SUBTOTAL	**6754**	**10.6**	**180**	**1**	**2**	**5**	**14**	**28**	**38**
GRAND TOTAL	**9142**	**10.6**	**166**	**1**	**2**	**6**	**14**	**28**	**38**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	417	21.7	186	7	13	15	33	42	45
18-34	442	8.5	92	2	3	5	10	19	30
35-49	202	7.4	70	1	2	4	10	21	28
50-69	67	7.7	72	< 1	2	5	6	27	27
70 +	6	1.0							
SUBTOTAL	**1135**	**13.1**	**164**	**2**	**3**	**8**	**16**	**34**	**40**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1627	21.2	236	3	9	17	31	38	47
18-34	1037	5.3	27	1	2	3	7	13	15
35-49	331	5.9	57	1	2	3	7	10	14
50-69	65	7.7	58	1	2	4	15	17	24
70 +	8	8.0							
SUBTOTAL	**3069**	**13.9**	**203**	**1**	**3**	**9**	**21**	**34**	**40**
GRAND TOTAL	**4204**	**13.7**	**193**	**2**	**3**	**9**	**19**	**34**	**40**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	106	11.6	121	1	4	8	15	33	39
18-34	812	5.6	73	1	1	3	5	13	19
35-49	466	3.8	10	1	2	3	5	7	9
50-69	141	5.4	30	1	2	3	6	14	19
70 +	14	8.1	21						
SUBTOTAL	**1540**	**5.5**	**56**	**1**	**2**	**3**	**6**	**13**	**19**
0-17	749	11.5	241	1	2	5	15	30	45
18-34	1767	4.1	21	1	1	3	5	9	12
35-49	722	4.0	17	1	1	3	5	8	11
50-69	207	5.6	113	< 1	< 1	2	4	13	22
70 +	14	4.0							
SUBTOTAL	**3459**	**5.8**	**82**	**1**	**1**	**3**	**6**	**13**	**21**
GRAND TOTAL	**4999**	**5.7**	**74**	**1**	**1**	**3**	**6**	**13**	**20**

DRG 427: Neuroses except Depressive

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	313	8.0	104	1	2	4	9	20	34
70-74	31	5.8	16						
75-79	43	5.8	7	4	4	4	8	11	11
80-84	39	6.2	12						
85 +	6	8.0							
SUBTOTAL	**431**	**7.4**	**79**	**1**	**3**	**4**	**9**	**15**	**21**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	521	6.6	48	1	2	4	9	14	17
70-74	67	7.3	26	< 1	3	6	9	15	15
75-79	84	11.5	79	3	5	11	14	21	35
80-84	84	10.2	108	2	3	5	10	30	31
85 +	59	12.1	84	1	7	10	14	27	28
SUBTOTAL	**816**	**7.9**	**62**	**1**	**3**	**5**	**11**	**15**	**28**
GRAND TOTAL	**1247**	**7.8**	**68**	**1**	**3**	**5**	**10**	**15**	**28**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	311	17.5	302	1	4	13	32	51	76
18-34	343	9.9	148	1	2	5	13	22	42
35-49	235	9.8	94	1	2	7	15	28	30
50-69	59	4.1	6	1	2	2	7	7	7
70 +	6	17.0							
SUBTOTAL	**954**	**12.0**	**191**	**1**	**2**	**7**	**17**	**34**	**44**
0-17	1251	14.2	238	2	3	9	20	32	50
18-34	1233	6.2	53	1	2	3	7	16	24
35-49	897	8.3	78	1	2	4	13	21	30
50-69	151	6.2	28	2	2	5	8	13	22
70 +	0								
SUBTOTAL	**3533**	**9.6**	**136**	**1**	**2**	**5**	**13**	**25**	**31**
GRAND TOTAL	**4487**	**10.1**	**149**	**1**	**2**	**5**	**14**	**27**	**35**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	110	15.0	118	2	6	15	18	32	40
18-34	270	5.7	57	1	1	2	5	16	26
35-49	125	6.8	39	1	2	5	8	20	21
50-69	35	5.4	11						
70 +	6	2.0							
SUBTOTAL	**546**	**7.8**	**75**	**1**	**2**	**4**	**11**	**18**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	806	13.8	252	1	3	8	20	42	47
18-34	540	6.5	60	1	2	4	8	13	22
35-49	145	6.1	14	3	4	5	7	11	17
50-69	55	6.9	42	2	3	5	6	22	22
70 +	0								
SUBTOTAL	**1546**	**10.3**	**168**	**1**	**3**	**6**	**12**	**28**	**42**
GRAND TOTAL	**2092**	**9.6**	**145**	**1**	**2**	**5**	**12**	**27**	**39**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	57	10.3	93	1	3	7	16	30	32
18-34	487	3.6	12	< 1	1	2	4	8	11
35-49	196	8.8	95	1	3	5	11	21	31
50-69	49	4.5	16	1	1	3	10	11	11
70 +	8	10.0							
SUBTOTAL	**797**	**5.5**	**45**	**1**	**1**	**3**	**7**	**12**	**18**
0-17	397	9.6	156	1	2	4	10	31	38
18-34	931	4.9	36	1	2	3	5	11	18
35-49	378	7.5	70	1	2	4	9	19	26
50-69	106	4.8	15	1	3	3	5	13	15
70 +	0								
SUBTOTAL	**1812**	**6.5**	**72**	**1**	**2**	**3**	**7**	**18**	**23**
GRAND TOTAL	**2609**	**6.2**	**64**	**1**	**2**	**3**	**7**	**16**	**21**

DRG 428: Disorders of Personality & Impulse Control

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	170	7.9	22	3	3	7	12	13	14
70-74	6	1.0							
75-79	20	12.2	53						
80-84	0								
85 +	8	23.0							
SUBTOTAL	**205**	**8.7**	**35**	**2**	**3**	**10**	**13**	**15**	**20**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	434	9.4	56	2	4	8	12	17	24
70-74	8	7.0							
75-79	20	9.9	39						
80-84	0								
85 +	0								
SUBTOTAL	**462**	**9.4**	**54**	**2**	**4**	**8**	**12**	**17**	**24**
GRAND TOTAL	**667**	**9.2**	**49**	**2**	**3**	**8**	**13**	**17**	**20**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	125	16.3	189	2	2	10	28	39	40
18-34	386	12.2	168	1	2	8	18	27	35
35-49	108	14.2	516	1	2	6	15	51	90
50-69	27	7.5	29						
70 +	0								
SUBTOTAL	**646**	**13.1**	**227**	**1**	**2**	**7**	**18**	**28**	**39**
0-17	270	20.6	353	1	3	15	33	53	59
18-34	752	9.6	115	2	2	6	13	25	33
35-49	321	14.7	250	1	3	9	20	44	59
50-69	22	14.7	132						
70 +	0								
SUBTOTAL	**1366**	**13.1**	**212**	**1**	**3**	**7**	**19**	**36**	**49**
GRAND TOTAL	**2012**	**13.1**	**217**	**1**	**3**	**7**	**19**	**35**	**42**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	25	14.0	90						
18-34	125	11.5	110	2	4	6	22	27	37
35-49	37	10.6	47						
50-69	0								
70 +	0								
SUBTOTAL	**186**	**11.7**	**95**	**3**	**4**	**8**	**22**	**28**	**37**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	143	12.8	158	3	5	9	27	99 +	99 +
18-34	354	7.5	72	1	2	3	11	21	29
35-49	151	9.2	45	3	4	7	14	21	22
50-69	20	6.5	14						
70 +	0								
SUBTOTAL	**669**	**9.0**	**87**	**2**	**3**	**6**	**13**	**25**	**35**
GRAND TOTAL	**855**	**9.6**	**90**	**2**	**3**	**6**	**14**	**27**	**35**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	20	3.2	3						
18-34	198	6.8	112	1	1	3	7	11	34
35-49	61	17.7	711	1	1	2	21	68	75
50-69	12	9.5	7						
70 +	8	2.0							
SUBTOTAL	**301**	**8.7**	**240**	**1**	**1**	**3**	**7**	**17**	**55**
0-17	182	15.5	202	2	4	10	23	37	49
18-34	512	7.0	61	1	2	3	9	17	26
35-49	156	7.1	48	1	2	7	10	16	34
50-69	33	6.6	35						
70 +	6	7.0							
SUBTOTAL	**888**	**8.8**	**98**	**1**	**2**	**5**	**11**	**24**	**34**
GRAND TOTAL	**1189**	**8.8**	**134**	**1**	**2**	**4**	**11**	**23**	**35**

DRG 429: Organic Disturbances & Mental Retardation

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	454	10.0	109	2	3	6	14	24	30
70-74	511	8.2	67	2	4	6	9	17	20
75-79	695	8.1	44	2	4	7	10	14	19
80-84	791	8.1	35	3	4	6	11	15	20
85 +	1020	7.7	31	3	4	6	10	13	16
SUBTOTAL	**3471**	**8.2**	**50**	**2**	**4**	**6**	**10**	**16**	**20**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	376	9.7	164	1	2	5	11	21	45
70-74	260	11.6	148	3	5	6	15	22	44
75-79	535	8.8	92	2	3	6	11	17	23
80-84	632	9.0	64	3	4	6	12	17	23
85 +	636	7.4	55	1	3	5	9	16	32
SUBTOTAL	**2438**	**8.9**	**94**	**2**	**3**	**6**	**12**	**18**	**26**
GRAND TOTAL	**5909**	**8.5**	**68**	**2**	**4**	**6**	**11**	**17**	**23**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	51	25.5	109	11	13	24	31	44	44
18-34	51	16.2	336	2	4	9	18	59	59
35-49	82	10.1	93	1	2	8	15	16	37
50-69	176	8.9	69	1	4	7	9	19	25
70 +	168	6.6	11	3	4	7	8	12	14
SUBTOTAL	**528**	**10.7**	**114**	**2**	**4**	**7**	**13**	**25**	**35**
0-17	92	15.1	221	1	1	12	27	47	99 +
18-34	78	7.5	38	1	2	6	11	13	24
35-49	86	7.2	38	1	2	7	12	18	18
50-69	164	7.7	19	3	3	7	11	14	15
70 +	70	5.6	18	1	2	6	7	11	15
SUBTOTAL	**489**	**8.7**	**73**	**1**	**2**	**7**	**12**	**18**	**27**
GRAND TOTAL	**1016**	**9.7**	**95**	**1**	**4**	**7**	**13**	**22**	**34**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	133	30.4	700	2	6	21	48	76	79
18-34	84	14.0	113	2	5	14	22	23	38
35-49	72	12.0	180	3	4	7	14	24	51
50-69	135	16.4	339	3	6	8	48	99 +	99 +
70 +	78	14.8	489	3	7	9	13	13	89
SUBTOTAL	**501**	**18.8**	**445**	**2**	**5**	**10**	**23**	**53**	**85**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	172	25.9	499	1	4	23	41	61	67
18-34	129	15.3	316	1	3	7	21	36	55
35-49	104	9.4	144	2	3	6	10	20	54
50-69	119	16.6	334	2	6	8	18	48	66
70 +	90	6.9	55	1	2	3	8	17	30
SUBTOTAL	**620**	**16.2**	**347**	**2**	**3**	**8**	**21**	**44**	**61**
GRAND TOTAL	**1121**	**17.4**	**392**	**2**	**4**	**8**	**23**	**51**	**67**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	13.6	178						
18-34	123	9.6	51	1	3	6	14	22	22
35-49	119	7.9	49	1	2	5	13	18	25
50-69	108	18.3	409	2	3	11	26	53	69
70 +	141	14.5	421	2	3	7	13	41	85
SUBTOTAL	**522**	**12.6**	**246**	**1**	**3**	**7**	**14**	**28**	**42**
0-17	51	15.6	214	1	2	20	32	37	37
18-34	188	10.9	163	1	2	5	17	23	66
35-49	156	6.1	15	2	3	5	9	13	14
50-69	168	13.6	353	2	2	8	24	99 +	99 +
70 +	203	8.9	173	2	3	5	9	39	69
SUBTOTAL	**765**	**10.3**	**188**	**2**	**3**	**5**	**15**	**33**	**82**
GRAND TOTAL	**1287**	**11.2**	**213**	**2**	**3**	**6**	**15**	**32**	**66**

DRG 430: Psychoses

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4396	12.8	135	2	5	10	17	26	35
70-74	912	13.1	104	3	6	11	18	26	31
75-79	885	13.6	129	3	6	10	16	33	39
80-84	711	12.3	89	3	5	9	18	27	29
85+	533	8.7	54	3	4	6	11	16	27
SUBTOTAL	**7437**	**12.6**	**121**	**3**	**5**	**9**	**16**	**27**	**34**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	9547	12.5	120	3	5	10	17	27	33
70-74	1488	14.6	127	3	7	12	20	27	33
75-79	1132	15.2	136	3	7	13	22	31	39
80-84	630	14.5	131	3	6	11	22	29	37
85+	488	10.8	83	2	5	8	13	21	33
SUBTOTAL	**13285**	**13.0**	**123**	**3**	**5**	**10**	**18**	**27**	**35**
GRAND TOTAL	**20723**	**12.9**	**122**	**3**	**5**	**10**	**17**	**27**	**35**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	636	22.2	314	3	6	21	31	50	51
18-34	1691	12.0	101	3	5	9	16	25	30
35-49	1732	13.4	140	2	5	10	19	28	33
50-69	1073	12.2	94	3	5	9	16	25	31
70+	137	11.4	76	2	4	10	16	28	28
	5269	**13.7**	**147**	**3**	**5**	**10**	**19**	**30**	**37**
0-17	2440	20.7	249	4	9	19	28	39	51
18-34	6717	12.3	132	2	4	9	17	27	36
35-49	6894	12.4	110	2	5	10	17	26	30
50-69	2841	12.5	108	2	5	9	17	27	33
70+	206	10.1	73	2	3	6	19	22	28
	19098	**13.4**	**142**	**2**	**5**	**10**	**19**	**28**	**36**
	24367	**13.5**	**144**	**2**	**5**	**10**	**19**	**29**	**36**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	652	17.1	144	8	11	13	18	34	39
18-34	1895	13.4	175	2	5	10	18	27	41
35-49	1834	12.6	178	3	4	9	16	26	34
50-69	830	14.2	125	3	6	10	18	33	38
70+	43	7.1	15	<1	4	9	11	11	11
SUBTOTAL	**5255**	**13.6**	**165**	**3**	**5**	**10**	**17**	**28**	**39**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	2243	18.0	209	5	10	14	22	38	51
18-34	5293	11.2	127	2	4	8	15	23	32
35-49	3840	11.2	128	2	4	8	15	21	28
50-69	1272	13.6	132	3	6	11	18	29	37
70+	65	10.3	43	3	5	10	14	16	25
SUBTOTAL	**12713**	**12.7**	**148**	**2**	**5**	**10**	**16**	**27**	**37**
GRAND TOTAL	**17968**	**13.0**	**153**	**2**	**5**	**10**	**16**	**27**	**37**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	208	15.9	206	4	7	12	19	30	32
18-34	2031	11.1	89	2	4	8	15	25	33
35-49	1648	11.0	106	2	4	7	16	25	32
50-69	789	11.7	131	2	4	9	15	24	35
70+	219	11.1	84	1	5	7	16	23	29
	4896	**11.4**	**107**	**2**	**4**	**8**	**15**	**25**	**32**
0-17	711	16.6	207	3	6	14	21	36	42
18-34	7621	10.7	120	2	4	7	14	23	30
35-49	5118	11.1	127	2	4	8	14	23	31
50-69	1874	13.1	174	2	4	9	17	28	37
70+	249	11.2	103	1	3	7	20	31	37
	15574	**11.4**	**134**	**2**	**4**	**8**	**15**	**25**	**32**
	20470	**11.4**	**128**	**2**	**4**	**8**	**15**	**25**	**32**

DRG 431: Childhood Mental Disorders

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	20	11.2	5						
70-74	16	3.5							
75-79	0								
80-84	14	4.9	1						
85 +	0								
SUBTOTAL	**51**	**7.0**	**15**	**3**	**4**	**6**	**12**	**13**	**13**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	61	5.7	33	1	3	3	11	18	18
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**61**	**5.7**	**33**	**1**	**3**	**3**	**11**	**18**	**18**
GRAND TOTAL	**112**	**6.3**	**25**	**1**	**3**	**4**	**11**	**13**	**18**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	372	20.5	502	2	3	12	36	54	96
18-34	6	1.0							
35-49	12	6.0	10						
50-69	0								
70 +	0								
SUBTOTAL	**391**	**19.8**	**490**	**2**	**3**	**11**	**36**	**49**	**95**
0-17	1248	18.5	276	2	6	14	28	42	49
18-34	22	14.1	55						
35-49	8	2.0							
50-69	0								
70 +	0								
SUBTOTAL	**1279**	**18.3**	**272**	**2**	**6**	**14**	**28**	**42**	**49**
	1669	**18.7**	**323**	**2**	**5**	**13**	**28**	**43**	**59**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	270	16.3	143	2	7	12	28	38	42
18-34	29	7.5	25						
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**299**	**15.5**	**138**	**3**	**6**	**12**	**26**	**36**	**42**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1602	23.6	338	3	10	22	36	48	74
18-34	45	19.3	362	2	4	10	37	55	55
35-49	0								
50-69	0								
70 +	6	3.0							
SUBTOTAL	**1653**	**23.4**	**339**	**3**	**9**	**21**	**36**	**48**	**73**
GRAND TOTAL	**1952**	**22.2**	**317**	**3**	**9**	**18**	**35**	**47**	**72**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	82	15.7	402	3	4	5	15	60	62
18-34	0								
35-49	0								
50-69	0	—							
70 +	0								
SUBTOTAL	**82**	**15.7**	**402**	**3**	**4**	**5**	**15**	**60**	**62**
0-17	548	17.5	249	< 1	4	14	27	39	55
18-34	59	2.4	7	< 1	1	2	2	8	10
35-49	12	4.5							
50-69	6	4.0							
70 +	0								
SUBTOTAL	**626**	**15.7**	**242**	**1**	**3**	**11**	**25**	**37**	**46**
	707	**15.7**	**260**	**1**	**3**	**10**	**24**	**37**	**55**

DRG 432: Other Mental Disorder Diagnoses

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	67	4.3	3	2	3	4	5	8	8
70-74	25	4.0	3						
75-79	8	14.0							
80-84	0								
85 +	25	6.5	1						
SUBTOTAL	**125**	**5.3**	**9**	**2**	**3**	**5**	**6**	**8**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	53	10.2	194	< 1	1	2	17	40	40
70-74	0								
75-79	8	6.0							
80-84	16	3.0	4						
85 +	16	8.0	17						
SUBTOTAL	**94**	**8.2**	**120**	**< 1**	**1**	**5**	**12**	**17**	**40**
GRAND TOTAL	**219**	**6.6**	**58**	**1**	**3**	**5**	**6**	**14**	**17**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	41	19.6	162	4	7	20	30	41	41
18-34	200	18.1	175	1	6	20	27	30	36
35-49	31	10.7	32						
50-69	49	22.2	274	2	9	18	43	43	43
70 +	8	6.0							
SUBTOTAL	**329**	**17.9**	**181**	**2**	**7**	**18**	**27**	**36**	**43**
0-17	180	17.2	180	2	3	18	30	42	43
18-34	527	20.5	168	2	10	20	30	41	42
35-49	141	17.6	151	1	9	16	27	32	41
50-69	14	14.3	85						
70 +	8	20.0							
SUBTOTAL	**870**	**19.2**	**167**	**1**	**9**	**20**	**30**	**41**	**42**
GRAND TOTAL	**1199**	**18.9**	**171**	**2**	**7**	**20**	**30**	**41**	**42**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	6	24.0							
18-34	35	11.2	125						
35-49	8	8.0							
50-69	0								
70 +	0								
SUBTOTAL	**49**	**12.2**	**109**	**< 1**	**4**	**8**	**24**	**30**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	29	8.9	59						
18-34	29	14.5	220						
35-49	16	11.0	107						
50-69	0								
70 +	0								
SUBTOTAL	**74**	**11.6**	**135**	**1**	**1**	**9**	**21**	**37**	**99 +**
GRAND TOTAL	**123**	**11.8**	**124**	**1**	**1**	**8**	**21**	**37**	**47**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	20	40.0	834						
18-34	47	20.5	201	< 1	13	16	37	42	42
35-49	6	14.0							
50-69	25	2.8	6						
70 +	0								
SUBTOTAL	**98**	**19.7**	**425**	**1**	**2**	**16**	**22**	**42**	**83**
0-17	31	10.2	142						
18-34	98	11.1	91	1	2	7	19	25	29
35-49	33	11.0	128						
50-69	14	5.6	17						
70 +	8	17.0							
SUBTOTAL	**184**	**10.8**	**99**	**1**	**1**	**7**	**17**	**28**	**29**
GRAND TOTAL	**282**	**13.9**	**230**	**1**	**2**	**13**	**21**	**29**	**40**

DRG 434: Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2318	7.3	49	2	3	5	9	18	27
70-74	779	7.5	73	1	3	4	9	18	28
75-79	491	7.9	38	2	3	6	11	16	21
80-84	157	5.7	19	2	3	5	6	13	16
85+	139	5.4	31	2	3	4	5	8	8
SUBTOTAL	**3883**	**7.3**	**51**	**2**	**3**	**5**	**9**	**17**	**26**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3883**	**7.3**	**51**	**2**	**3**	**5**	**9**	**17**	**26**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	155	7.2	123	1	1	2	15	35	99+
18-34	746	7.9	91	1	2	3	11	28	29
35-49	1320	10.1	117	2	3	4	14	29	30
50-69	1275	8.1	59	2	3	5	10	21	28
70+	63	6.2	9	3	4	5	8	13	13
	3560	**8.7**	**90**	**1**	**3**	**4**	**11**	**28**	**29**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	3560	**8.7**	**90**	**1**	**3**	**4**	**11**	**28**	**29**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	96	11.9	238	<1	<1	2	16	42	45
18-34	495	6.0	52	1	2	4	6	13	27
35-49	910	4.7	31	1	2	3	6	9	13
50-69	660	6.7	52	2	2	4	8	15	28
70+	0								
SUBTOTAL	**2161**	**6.0**	**53**	**1**	**2**	**4**	**6**	**13**	**27**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2161**	**6.0**	**53**	**1**	**2**	**4**	**6**	**13**	**27**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	69	2.2	11	<1	<1	<1	1	11	11
18-34	2088	4.5	30	1	1	3	5	9	13
35-49	3115	4.7	29	1	2	3	6	9	13
50-69	1564	5.5	31	1	2	4	7	10	15
70+	96	8.4	73	1	2	3	10	23	28
	6933	**4.8**	**31**	**1**	**2**	**3**	**6**	**10**	**14**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	6933	**4.8**	**31**	**1**	**2**	**3**	**6**	**10**	**14**

DRG 435: Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	2122	8.1	72	1	2	4	12	21	28
70-74	478	7.8	66	2	3	4	8	21	23
75-79	231	7.5	65	1	2	4	9	21	27
80-84	84	6.6	16	2	5	5	12	12	14
85 +	114	3.7	12	1	1	3	5	6	15
SUBTOTAL	**3029**	**7.8**	**67**	**1**	**3**	**4**	**10**	**21**	**27**
GRAND TOTAL	**3029**	**7.8**	**67**	**1**	**3**	**4**	**10**	**21**	**27**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	2001	21.1	351	1	3	18	38	47	72
18-34	6405	13.3	133	1	3	9	26	29	30
35-49	5277	11.1	114	2	3	5	21	28	30
50-69	1725	9.8	98	1	3	5	18	28	29
70 +	96	5.7	19	1	2	5	7	14	17
SUBTOTAL	**15504**	**13.1**	**161**	**1**	**3**	**7**	**25**	**29**	**35**
GRAND TOTAL	**15504**	**13.1**	**161**	**1**	**3**	**7**	**25**	**29**	**35**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	652	23.8	270	1	8	25	42	42	42
18-34	1325	6.2	60	1	1	3	7	21	25
35-49	1035	4.6	33	1	1	3	5	9	21
50-69	567	4.2	19	1	1	3	5	9	12
70 +	31	3.4	4						
SUBTOTAL	**3609**	**8.6**	**135**	**1**	**1**	**3**	**9**	**28**	**42**
GRAND TOTAL	**3609**	**8.6**	**135**	**1**	**1**	**3**	**9**	**28**	**42**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	662	13.4	269	< 1	1	5	23	44	53
18-34	7259	5.9	72	1	1	3	5	21	28
35-49	6335	5.0	47	1	1	3	5	11	26
50-69	2100	4.9	35	1	2	3	5	9	22
70 +	155	5.4	36	1	2	4	7	10	25
SUBTOTAL	**16511**	**5.7**	**68**	**1**	**1**	**3**	**5**	**16**	**28**
GRAND TOTAL	**16511**	**5.7**	**68**	**1**	**1**	**3**	**5**	**16**	**28**

DRG 436: Alc/Drug Dependence w/ Rehabilitation Therapy *

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	123	24.4	63	16	18	26	28	31	46
70-74	51	23.9	35	12	21	28	28	28	28
75-79	14	22.4	45						
80-84	6	15.0							
85 +	0								
SUBTOTAL	**194**	**23.8**	**55**	**15**	**17**	**27**	**28**	**28**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	145	19.8	88	5	14	26	28	28	29
70-74	0								
75-79	8	29.0							
80-84	8	28.0							
85 +	0								
SUBTOTAL	**161**	**20.7**	**86**	**5**	**14**	**28**	**28**	**29**	**29**
GRAND TOTAL	**356**	**22.4**	**71**	**14**	**16**	**27**	**28**	**28**	**29**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	16	36.5	117						
18-34	29	29.6	3						
35-49	86	22.5	60	10	20	25	28	29	31
50-69	29	24.6	127						
70 +	0								
SUBTOTAL	**159**	**25.6**	**87**	**10**	**21**	**28**	**29**	**35**	**43**
0-17	241	29.5	128	19	26	28	29	47	56
18-34	683	21.7	94	6	12	27	29	29	34
35-49	333	19.5	62	7	14	20	28	28	28
50-69	106	20.1	89	5	12	25	28	29	30
70 +	0								
SUBTOTAL	**1363**	**22.4**	**103**	**7**	**15**	**27**	**28**	**29**	**35**
GRAND TOTAL	**1522**	**22.7**	**102**	**7**	**16**	**27**	**28**	**30**	**35**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	31	15.3	79						
18-34	14	20.4	105						
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**45**	**17.0**	**91**	**2**	**9**	**21**	**24**	**29**	**29**
GRAND TOTAL	**45**	**17.0**	**91**	**2**	**9**	**21**	**24**	**29**	**29**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	25	22.0	51						
35-49	16	22.0	10						
50-69	8	19.0							
70 +	8	31.0							
SUBTOTAL	**57**	**22.9**	**36**	**13**	**19**	**23**	**30**	**31**	**31**
0-17	22	31.6	90						
18-34	200	24.0	57	11	21	28	29	31	32
35-49	65	20.7	173	1	8	25	28	35	39
50-69	8	29.0							
70 +	0								
SUBTOTAL	**296**	**24.0**	**90**	**8**	**20**	**28**	**29**	**33**	**34**
GRAND TOTAL	**353**	**23.8**	**81**	**8**	**19**	**28**	**29**	**32**	**34**

* The patient records used in this table represent discharges from 10/01/89-6/30/90

DRG 437: Alc/Drug Dependence, Combined Rehab & Detox Therapy *

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	497	17.1	48	9	14	15	21	28	29
70-74	127	18.2	57	11	14	15	24	29	34
75-79	100	17.9	36	11	13	18	20	29	31
80-84	8	14.0							
85 +	0								
SUBTOTAL	**732**	**17.4**	**48**	**10**	**14**	**15**	**21**	**28**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	480	17.2	62	8	14	14	23	28	29
70-74	143	17.8	71	7	14	16	25	28	29
75-79	78	17.2	43	11	14	14	18	31	32
80-84	25	20.7	62						
85 +	20	11.6	5						
SUBTOTAL	**746**	**17.3**	**61**	**8**	**14**	**14**	**23**	**28**	**29**
GRAND TOTAL	**1477**	**17.3**	**54**	**9**	**14**	**15**	**22**	**28**	**30**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	8	33.0							
18-34	284	23.7	43	14	21	26	29	29	30
35-49	329	23.1	59	12	20	25	29	30	30
50-69	331	21.8	60	9	17	24	28	29	31
70 +	8	26.0							
SUBTOTAL	**961**	**22.9**	**55**	**11**	**20**	**26**	**28**	**30**	**30**
0-17	247	28.2	89	17	23	27	30	40	49
18-34	2331	21.3	61	8	17	22	28	29	30
35-49	1641	20.8	69	7	15	22	28	29	30
50-69	478	20.0	55	8	15	21	27	28	29
70 +	6	17.0							
SUBTOTAL	**4703**	**21.3**	**67**	**8**	**16**	**22**	**28**	**29**	**30**
GRAND TOTAL	**5664**	**21.6**	**66**	**8**	**17**	**22**	**28**	**29**	**30**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	22	22.5	83						
35-49	12	14.0	17						
50-69	0								
70 +	0								
SUBTOTAL	**35**	**19.5**	**76**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	104	18.1	157	3	8	14	28	32	46
35-49	29	12.7	79						
50-69	0								
70 +	0								
SUBTOTAL	**133**	**16.9**	**145**	**2**	**8**	**14**	**24**	**32**	**46**
GRAND TOTAL	**168**	**17.5**	**131**	**3**	**8**	**14**	**28**	**30**	**36**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	202	20.4	66	7	18	22	27	28	30
35-49	135	19.6	49	8	14	22	23	28	28
50-69	123	20.5	101	4	13	21	28	31	38
70 +	8	25.0							
SUBTOTAL	**468**	**20.3**	**69**	**7**	**14**	**22**	**27**	**28**	**30**
0-17	49	24.0	79	7	22	24	32	34	34
18-34	1134	21.9	68	10	16	23	28	30	32
35-49	609	20.4	64	9	15	21	28	29	29
50-69	178	17.7	84	6	10	20	26	28	31
70 +	8	28.0							
SUBTOTAL	**1978**	**21.2**	**70**	**8**	**15**	**22**	**28**	**29**	**32**
GRAND TOTAL	**2446**	**21.0**	**70**	**8**	**15**	**22**	**28**	**29**	**32**

Western Region, July 1989 - June 1990

* The patient records used in this table represent discharges from 10/01/89-6/30/90

DRG 439: Skin Grafts for Injuries

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	76	9.7	28	2	5	11	15	15	18
70-74	20	5.5	6						
75-79	14	10.3	2						
80-84	16	7.5	2						
85 +	31	15.9	216						
SUBTOTAL	**157**	**10.2**	**65**	2	5	9	12	18	30
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	39	3.5	5						
70-74	14	7.4	59						
75-79	16	3.5							
80-84	39	8.8	117						
85 +	8	16.0							
SUBTOTAL	**116**	**6.6**	**59**	< 1	1	4	7	16	29
GRAND TOTAL	**274**	**8.7**	**66**	1	3	6	12	18	30

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	20	4.7							
18-34	27	12.9	69						
35-49	12	16.5	198						
50-69	59	9.4	17	3	8	9	11	17	17
70 +	0								
	119	**10.1**	**54**	**3**	**5**	**9**	**11**	**26**	**29**
0-17	78	3.0	12	< 1	1	1	2	9	11
18-34	65	4.9	42	< 1	2	3	4	9	24
35-49	61	5.0	43	< 1	1	2	4	16	22
50-69	37	2.3	2						
70 +	14	8.3	32						
	256	**4.2**	**29**	**< 1**	**1**	**2**	**4**	**11**	**13**
	374	**6.1**	**44**	**1**	**1**	**3**	**9**	**13**	**22**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	35	21.0	172						
35-49	12	32.0	315						
50-69	8	53.0							
70 +	0								
SUBTOTAL	**55**	**28.2**	**302**	3	15	24	49	53	53
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	12	4.5							
18-34	43	14.3	75	1	7	18	19	28	28
35-49	14	5.6	9						
50-69	6	6.0							
70 +	0								
SUBTOTAL	**76**	**10.4**	**65**	3	4	7	18	19	28
GRAND TOTAL	**131**	**17.9**	**241**	3	5	16	24	49	53

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	15.0							
18-34	14	25.6	127						
35-49	12	11.5	22						
50-69	20	7.6	23						
70 +	0								
	53	**14.2**	**100**	**2**	**7**	**13**	**16**	**35**	**35**
0-17	20	9.0	40						
18-34	96	9.8	101	1	2	5	13	26	36
35-49	47	13.4	301	< 1	< 1	3	40	43	43
50-69	37	7.7	38	1	3	6	11	19	19
70 +	0								
	200	**10.2**	**132**	**1**	**1**	**5**	**13**	**26**	**40**
	254	**11.0**	**128**	**1**	**2**	**8**	**13**	**35**	**36**

DRG 440: Wound Debridements for Injuries

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	155	15.2	140	3	5	14	20	34	43
70-74	135	10.8	59	3	4	6	16	27	27
75-79	90	12.8	231	3	5	7	11	43	56
80-84	39	19.3	112						
85+	37	7.8	39						
SUBTOTAL	**456**	**13.2**	**131**	**3**	**5**	**10**	**16**	**30**	**36**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	129	7.5	113	1	3	4	6	8	38
70-74	65	8.0	40	2	4	5	11	18	21
75-79	45	3.9	5	1	2	3	6	8	8
80-84	22	6.6	11						
85+	6	27.0							
SUBTOTAL	**268**	**7.4**	**77**	**1**	**3**	**4**	**7**	**17**	**27**
GRAND TOTAL	**724**	**11.0**	**119**	**2**	**4**	**6**	**15**	**27**	**36**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	37	8.0	20	2	3	8	13	13	13
18-34	96	7.7	34	2	4	5	12	15	21
35-49	100	17.4	154	5	9	13	27	34	50
50-69	198	11.9	141	3	5	8	13	30	42
70+	16	13.0	38						
448	**12.0**	**119**	**3**	**5**	**9**	**15**	**27**	**34**	
0-17	278	6.5	61	1	2	5	7	13	21
18-34	351	4.9	29	1	2	4	6	8	9
35-49	288	3.9	16	1	1	3	4	8	11
50-69	131	4.3	17	1	1	3	6	9	10
70+	8	3.0							
1057	**4.9**	**33**	**1**	**2**	**3**	**6**	**8**	**13**	
1504	**7.0**	**69**	**1**	**2**	**4**	**8**	**15**	**23**	

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	25	7.8	20						
18-34	45	18.4	293	6	11	12	19	60	60
35-49	76	20.2	250	3	5	23	32	56	99+
50-69	35	13.3	17						
70+	0								
SUBTOTAL	**180**	**16.7**	**201**	**3**	**7**	**13**	**25**	**41**	**60**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	94	2.6	4	1	1	2	3	5	8
18-34	147	6.1	17	1	4	6	7	12	18
35-49	63	11.0	60	3	4	8	18	23	26
50-69	0								
70+	0								
SUBTOTAL	**305**	**6.0**	**31**	**1**	**2**	**4**	**7**	**12**	**18**
GRAND TOTAL	**485**	**10.0**	**121**	**1**	**3**	**7**	**12**	**25**	**33**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	35	10.6	46						
18-34	231	12.8	148	3	6	9	14	29	57
35-49	123	13.8	82	3	5	13	18	32	33
50-69	55	26.3	776	5	9	9	58	78	78
70+	6	8.0							
450	**14.5**	**216**	**3**	**6**	**10**	**17**	**32**	**58**	
0-17	188	4.6	15	1	1	4	5	13	14
18-34	751	6.4	35	1	3	5	9	13	17
35-49	221	7.7	75	1	2	5	11	18	34
50-69	117	5.6	15	1	2	4	7	12	12
70+	0								
1276	**6.3**	**38**	**1**	**2**	**4**	**9**	**13**	**17**	
1726	**8.4**	**97**	**1**	**3**	**6**	**10**	**17**	**27**	

DRG 441: Hand Procedures for Injuries

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS)	31	16.9	321						
70-74	6	26.0							
75-79	6	6.0							
80-84	8	2.0							
85 +	0								
SUBTOTAL	**51**	**14.3**	**244**	**1**	**2**	**6**	**26**	**45**	**45**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	47	3.4	8	1	1	2	5	9	9
70-74	37	1.8	1						
75-79	22	2.0	1						
80-84	0								
85 +	8	5.0							
SUBTOTAL	**114**	**2.7**	**5**	**1**	**1**	**2**	**3**	**5**	**9**
GRAND TOTAL	**166**	**6.3**	**106**	**1**	**1**	**2**	**6**	**15**	**31**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	25	7.5	17						
18-34	37	3.6	6						
35-49	37	4.2	3						
50-69	25	4.3	4						
70 +	20	4.2	3						
	143	**4.6**	**8**	**2**	**2**	**4**	**7**	**8**	**8**
0-17	100	3.0	5	1	1	2	3	6	10
18-34	241	2.8	5	1	1	2	4	6	8
35-49	145	2.3	2	1	1	2	3	4	5
50-69	63	2.4	4	< 1	1	1	4	7	7
70 +	6	4.0							
	556	**2.7**	**4**	**1**	**1**	**2**	**4**	**5**	**7**
	699	**3.1**	**6**	**1**	**1**	**2**	**4**	**7**	**8**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	20	6.2	28						
18-34	12	23.5	333						
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**33**	**12.7**	**208**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	18	3.0	2						
18-34	94	3.9	3	3	3	3	5	5	8
35-49	0								
50-69	14	7.6	17						
70 +	0								
SUBTOTAL	**127**	**4.2**	**6**	**3**	**3**	**3**	**5**	**8**	**11**
GRAND TOTAL	**160**	**5.9**	**58**	**2**	**3**	**4**	**5**	**11**	**14**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	8.0							
18-34	82	6.3	27	2	3	5	7	11	22
35-49	39	5.9	15	1	3	6	8	13	13
50-69	14	5.6							
70 +	0								
	141	**6.2**	**20**	**2**	**3**	**6**	**8**	**11**	**13**
0-17	74	2.4	2	< 1	1	2	4	4	5
18-34	233	4.5	13	1	2	3	8	9	10
35-49	117	4.4	31	< 1	1	2	5	19	20
50-69	41	2.5	6	1	1	1	3	8	8
70 +	0								
	464	**4.0**	**16**	**1**	**1**	**2**	**6**	**9**	**10**
	605	**4.5**	**18**	**1**	**1**	**3**	**6**	**9**	**13**

DRG 442: Other O.R. Procedures for Injuries w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1447	7.9	87	1	2	5	11	16	24
70-74	546	9.5	146	1	3	7	10	16	33
75-79	558	9.0	94	1	3	6	13	21	27
80-84	343	8.5	56	2	3	6	11	18	25
85 +	206	12.3	107	1	6	9	19	34	37
SUBTOTAL	**3101**	**8.7**	**98**	**1**	**3**	**6**	**11**	**19**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**3101**	**8.7**	**98**	**1**	**3**	**6**	**11**	**19**	**25**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	176	7.2	44	1	3	5	10	12	20
18-34	425	6.8	113	1	2	3	8	14	16
35-49	548	7.9	70	1	2	5	11	18	25
50-69	564	8.8	89	2	3	6	12	18	21
70 +	88	9.3	87	1	2	9	11	17	38
	1801	**7.9**	**85**	**1**	**2**	**5**	**11**	**17**	**20**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1801	**7.9**	**85**	**1**	**2**	**5**	**11**	**17**	**20**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	86	15.6	237	2	4	12	21	29	57
18-34	198	8.7	101	1	2	6	13	16	22
35-49	151	8.1	52	2	4	5	10	18	27
50-69	205	8.0	134	1	2	5	8	13	28
70 +	0								
SUBTOTAL	**640**	**9.3**	**124**	**1**	**3**	**6**	**11**	**20**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**640**	**9.3**	**124**	**1**	**3**	**6**	**11**	**20**	**28**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	78	8.9	226	< 1	1	3	6	25	55
18-34	665	7.8	59	1	3	6	9	15	26
35-49	211	8.9	76	2	4	6	10	23	39
50-69	221	9.7	97	1	4	7	11	19	35
70 +	45	11.1	48	2	6	11	14	25	25
	1219	**8.5**	**79**	**1**	**3**	**6**	**10**	**19**	**32**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1219	**8.5**	**79**	**1**	**3**	**6**	**10**	**19**	**32**

DRG 443: Other O.R. Procedures for Injuries w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	689	4.0	16	1	1	2	5	10	12
70-74	364	3.3	7	1	2	2	4	8	9
75-79	198	3.3	8	1	1	2	4	8	9
80-84	143	3.5	7	1	2	3	4	7	10
85 +	108	3.8	10	1	2	3	4	8	12
SUBTOTAL	**1502**	**3.7**	**11**	**1**	**1**	**2**	**4**	**9**	**11**
GRAND TOTAL	**1502**	**3.7**	**11**	**1**	**1**	**2**	**4**	**9**	**11**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	702	2.5	13	< 1	1	1	3	5	7
18-34	1055	2.2	3	1	1	2	3	5	6
35-49	891	3.8	13	1	1	3	4	9	12
50-69	807	3.7	11	1	1	2	5	8	10
70 +	80	4.2	16	1	1	3	6	10	14
	3534	**3.1**	**10**	**1**	**1**	**2**	**4**	**7**	**9**
	3534	**3.1**	**10**	**1**	**1**	**2**	**4**	**7**	**9**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	258	3.7	12	1	1	3	5	8	9
18-34	311	5.4	25	1	1	3	7	14	16
35-49	84	3.9	18	1	1	2	3	10	16
50-69	113	6.0	102	1	1	3	6	12	44
70 +	27	8.9	28						
SUBTOTAL	**792**	**4.9**	**32**	**1**	**1**	**3**	**5**	**12**	**15**
GRAND TOTAL	**792**	**4.9**	**32**	**1**	**1**	**3**	**5**	**12**	**15**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	284	4.6	61	1	1	2	6	9	14
18-34	1152	4.1	16	1	1	3	6	8	11
35-49	481	5.2	18	1	2	4	7	10	14
50-69	301	3.5	5	1	2	4	5	6	7
70 +	37	4.1	8						
	2254	**4.3**	**21**	**1**	**1**	**3**	**6**	**9**	**11**
	2254	**4.3**	**21**	**1**	**1**	**3**	**6**	**9**	**11**

DRG 444: Traumatic Injury Age >17 w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	155	4.2	4	2	2	4	5	7	8
70-74	80	6.0	30	1	2	4	8	10	22
75-79	121	5.7	21	2	3	5	6	12	17
80-84	125	6.2	12	3	3	5	9	11	14
85 +	106	5.3	6	3	3	4	7	9	11
SUBTOTAL	**586**	**5.4**	**14**	**2**	**3**	**4**	**7**	**10**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**586**	**5.4**	**14**	**2**	**3**	**4**	**7**	**10**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	225	3.2	4	1	2	3	4	6	7
35-49	90	4.4	15	2	2	3	5	7	17
50-69	145	3.1	2	2	2	3	4	5	5
70 +	29	3.6	3						
SUBTOTAL	**489**	**3.4**	**5**	**1**	**2**	**3**	**4**	**6**	**7**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**489**	**3.4**	**5**	**1**	**2**	**3**	**4**	**6**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	92	2.6	1	1	2	2	4	4	5
35-49	100	3.7	5	1	2	4	5	6	9
50-69	47	6.0	14	2	2	5	8	14	14
70 +	0								
SUBTOTAL	**239**	**3.8**	**7**	**1**	**2**	**3**	**5**	**6**	**8**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**239**	**3.8**	**7**	**1**	**2**	**3**	**5**	**6**	**8**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	456	3.4	11	1	1	2	4	9	11
35-49	170	4.1	9	1	1	3	6	9	11
50-69	123	4.5	20	1	2	3	6	7	19
70 +	8	3.0							
SUBTOTAL	**757**	**3.7**	**12**	**1**	**1**	**3**	**5**	**9**	**11**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**757**	**3.7**	**12**	**1**	**1**	**3**	**5**	**9**	**11**

DRG 445: Traumatic Injury Age >17 w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	129	3.1	11	< 1	1	2	4	5	15
70-74	78	3.4	4	1	2	3	5	6	7
75-79	59	3.2	7	1	1	2	5	9	9
80-84	78	4.0	8	1	2	3	6	9	10
85 +	117	8.7	191	1	3	6	7	15	55
SUBTOTAL	**460**	**4.7**	**60**	**1**	**1**	**3**	**5**	**9**	**10**
GRAND TOTAL	**460**	**4.7**	**60**	**1**	**1**	**3**	**5**	**9**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	756	2.5	9	< 1	1	2	3	5	6
35-49	650	2.4	3	1	1	2	3	5	6
50-69	290	3.3	6	1	2	3	4	6	10
70 +	57	3.4	3	1	2	3	4	7	7
1754	**2.6**	**6**	**1**	**1**	**2**	**3**	**5**	**6**
1754	**2.6**	**6**	**1**	**1**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	542	3.3	8	1	1	2	4	8	10
35-49	172	3.5	6	1	2	3	4	8	10
50-69	41	5.4	30	1	2	3	5	16	16
70 +	6	2.0							
SUBTOTAL	**761**	**3.5**	**9**	**1**	**1**	**3**	**4**	**8**	**10**
GRAND TOTAL	**761**	**3.5**	**9**	**1**	**1**	**3**	**4**	**8**	**10**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	2265	3.6	17	1	1	2	4	7	10
35-49	718	3.3	15	1	1	2	4	7	8
50-69	252	4.2	20	1	2	3	5	6	9
70 +	12	3.5							
3247	**3.6**	**17**	**1**	**1**	**2**	**4**	**7**	**9**
3247	**3.6**	**17**	**1**	**1**	**2**	**4**	**7**	**9**

DRG 446: Traumatic Injury Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	82	2.1	1	1	1	2	3	3	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**82**	**2.1**	**1**	**1**	**1**	**2**	**3**	**3**	**4**
0-17	681	2.0	2	1	1	2	2	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**681**	**2.0**	**2**	**1**	**1**	**2**	**2**	**4**	**5**
GRAND TOTAL	**763**	**2.1**	**2**	**1**	**1**	**2**	**2**	**4**	**5**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	49	10.0	72	2	2	7	14	26	26
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**49**	**10.0**	**72**	**2**	**2**	**7**	**14**	**26**	**26**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	393	3.0	20	1	1	2	3	4	7
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**393**	**3.0**	**20**	**1**	**1**	**2**	**3**	**4**	**7**
GRAND TOTAL	**442**	**3.8**	**30**	**1**	**1**	**2**	**4**	**7**	**13**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	72	5.1	41	1	2	3	4	11	24
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**72**	**5.1**	**41**	**1**	**2**	**3**	**4**	**11**	**24**
0-17	528	2.3	3	1	1	2	3	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**528**	**2.3**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**599**	**2.7**	**8**	**1**	**1**	**2**	**3**	**5**	**7**

DRG 447: Allergic Reactions Age >17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	82	1.6	1	<1	1	1	2	3	4
70-74	61	7.9	64	1	2	4	19	22	22
75-79	74	3.1	8	<1	1	2	5	10	10
80-84	29	2.6	1						
85+	20	4.8	2						
SUBTOTAL	**266**	**3.8**	**23**	**1**	**1**	**2**	**4**	**9**	**19**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	88	1.6	1	1	1	1	2	3	3
70-74	53	2.7	4	1	1	2	5	6	6
75-79	63	3.4	24	<1	1	1	2	16	16
80-84	31	3.4	3						
85+	20	2.5	2						
SUBTOTAL	**255**	**2.5**	**8**	**1**	**1**	**2**	**3**	**5**	**6**
GRAND TOTAL	**521**	**3.2**	**16**	**1**	**1**	**2**	**4**	**6**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	63	2.3	3	<1	1	2	3	6	6
35-49	74	3.5	8	1	2	2	4	7	11
50-69	92	3.0	3	1	1	3	4	6	6
70+	8	2.0							
SUBTOTAL	**237**	**2.9**	**5**	**1**	**1**	**2**	**4**	**6**	**7**
0-17	0								
18-34	213	1.7	3	<1	1	1	2	3	4
35-49	123	1.6	1	<1	1	1	2	3	4
50-69	210	1.3	1	1	1	1	1	3	4
70+	14	2.0							
SUBTOTAL	**560**	**1.6**	**2**	**<1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**797**	**2.0**	**3**	**1**	**1**	**1**	**2**	**4**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	14	1.9	1						
35-49	25	2.3							
50-69	25	2.0	1						
70+	6	10.0							
SUBTOTAL	**69**	**2.8**	**6**	**<1**	**2**	**2**	**3**	**3**	**10**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	20	2.3	1						
35-49	37	3.6	7						
50-69	14	1.6							
70+	0								
SUBTOTAL	**72**	**2.8**	**5**	**<1**	**1**	**2**	**4**	**7**	**7**
GRAND TOTAL	**141**	**2.8**	**5**	**<1**	**1**	**2**	**3**	**7**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	22	5.7	32						
35-49	45	2.5	5	1	1	2	2	8	8
50-69	41	2.2	2						
70+	0								
SUBTOTAL	**108**	**3.0**	**11**	**1**	**1**	**2**	**2**	**8**	**13**
0-17	0								
18-34	110	1.8	1	<1	1	2	2	4	4
35-49	76	3.3	29	<1	1	1	3	4	21
50-69	108	1.6	1	1	1	1	2	3	4
70+	0								
SUBTOTAL	**294**	**2.1**	**9**	**1**	**1**	**1**	**2**	**4**	**4**
GRAND TOTAL	**403**	**2.4**	**9**	**1**	**1**	**2**	**2**	**4**	**6**

DRG 448: Allergic Reactions Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	0								
GRAND TOTAL	0								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	51	2.4	2	<1	<1	2	3	5	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	51	2.4	2	<1	<1	2	3	5	5
0-17	119	1.1		<1	1	1	1	1	2
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	119	1.1		<1	1	1	1	1	2
	170	1.4	1	<1	1	1	2	2	3

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	27	4.3	10						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	27	4.3	10						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	37	2.8	1						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	37	2.8	1						
GRAND TOTAL	63	3.4	5	1	2	3	4	8	8

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	37	2.6	1						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	37	2.6	1						
0-17	55	1.6		<1	1	2	2	2	2
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	55	1.6		<1	1	2	2	2	2
	92	2.0	1	<1	1	2	2	3	4

DRG 449: Poisoning & Toxic Effects of Drugs Age >17 w/ CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2052	4.2	21	1	2	3	5	8	10
70-74	740	4.7	17	1	2	3	5	9	13
75-79	838	6.1	50	2	3	4	6	11	18
80-84	658	5.6	17	2	3	5	7	10	13
85+	568	6.3	33	1	3	5	8	13	16
SUBTOTAL	**4847**	**5.0**	**27**	**1**	**2**	**4**	**6**	**10**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	4847	5.0	27	1	2	4	6	10	14

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	1437	2.7	19	<1	1	2	3	5	7
35-49	1281	3.6	22	1	1	2	4	7	12
50-69	875	4.5	42	1	1	2	4	10	17
70+	178	4.8	8	2	3	4	6	10	10
SUBTOTAL	**3771**	**3.5**	**25**	**1**	**1**	**2**	**4**	**7**	**10**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	3771	3.5	25	1	1	2	4	7	10

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	1102	3.3	14	1	1	2	3	6	10
35-49	896	4.2	35	1	1	3	4	9	11
50-69	470	4.2	13	1	2	3	5	10	12
70+	8	4.0							
SUBTOTAL	**2476**	**3.8**	**22**	**1**	**1**	**2**	**4**	**8**	**11**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	2476	3.8	22	1	1	2	4	8	11

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	2991	2.7	11	<1	1	2	3	5	9
35-49	1895	2.8	10	1	1	2	3	6	8
50-69	622	3.7	17	1	1	3	4	8	11
70+	217	3.9	19	1	2	3	4	6	10
SUBTOTAL	**5725**	**2.9**	**12**	**1**	**1**	**2**	**3**	**6**	**9**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	5725	2.9	12	1	1	2	3	6	9

DRG 450: Poisoning & Toxic Effects of Drugs Age >17 w/o CC

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	801	2.8	10	< 1	1	2	3	6	8
70-74	141	2.8	3	1	1	2	4	6	6
75-79	321	5.0	159	1	2	2	4	9	11
80-84	106	3.6	12	1	1	2	4	11	11
85 +	145	3.4	8	1	2	2	4	7	9
SUBTOTAL	**1514**	**3.4**	**42**	**1**	**1**	**2**	**3**	**7**	**10**
GRAND TOTAL	**1514**	**3.4**	**42**	**1**	**1**	**2**	**3**	**7**	**10**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	2951	2.0	6	< 1	1	1	2	3	6
35-49	1647	2.3	8	1	1	1	2	4	7
50-69	621	2.8	10	1	1	2	3	6	9
70 +	27	5.9	24						
5245	**2.2**	**7**	**< 1**	**1**	**1**	**2**	**4**	**6**	
5245	**2.2**	**7**	**< 1**	**1**	**1**	**2**	**4**	**6**	

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	1437	2.2	5	< 1	1	1	2	5	6
35-49	628	2.5	9	< 1	1	1	3	5	8
50-69	227	4.1	16	1	1	3	5	9	13
70 +	14	5.4							
SUBTOTAL	**2306**	**2.5**	**8**	**1**	**1**	**1**	**3**	**5**	**7**
GRAND TOTAL	**2306**	**2.5**	**8**	**1**	**1**	**1**	**3**	**5**	**7**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	4999	1.7	2	< 1	1	1	2	3	4
35-49	1948	1.9	3	< 1	1	1	2	4	5
50-69	372	2.8	9	1	1	2	3	6	8
70 +	51	1.8		< 1	1	2	2	3	3
7371	**1.8**	**3**	**< 1**	**1**	**1**	**2**	**3**	**4**	
7371	**1.8**	**3**	**< 1**	**1**	**1**	**2**	**3**	**4**	

DRG 451: Poisoning & Toxic Effects of Drugs Age 0-17

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	6	2.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**6**	**2.0**							
GRAND TOTAL	**6**	**2.0**							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	785	3.4	38	1	1	1	3	5	8
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**785**	**3.4**	**38**	**1**	**1**	**1**	**3**	**5**	**8**
0-17	3489	2.2	21	< 1	1	1	2	3	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**3489**	**2.2**	**21**	**< 1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**4274**	**2.4**	**25**	**< 1**	**1**	**1**	**2**	**3**	**5**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	636	2.2	5	1	1	1	2	5	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**636**	**2.2**	**5**	**1**	**1**	**1**	**2**	**5**	**6**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	1685	1.7	6	< 1	1	1	2	3	4
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**1685**	**1.7**	**6**	**< 1**	**1**	**1**	**2**	**3**	**4**
GRAND TOTAL	**2320**	**1.9**	**6**	**1**	**1**	**1**	**2**	**3**	**5**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	605	2.0	2	< 1	1	1	2	4	5
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**605**	**2.0**	**2**	**< 1**	**1**	**1**	**2**	**4**	**5**
0-17	2355	2.1	10	< 1	1	1	2	3	6
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**2355**	**2.1**	**10**	**< 1**	**1**	**1**	**2**	**3**	**6**
GRAND TOTAL	**2960**	**2.1**	**8**	**< 1**	**1**	**1**	**2**	**4**	**5**

DRG 452: Complications of Treatment w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	1096	5.5	36	1	2	3	7	12	19
70-74	580	5.2	39	1	2	4	5	10	16
75-79	574	5.7	25	1	2	4	7	13	16
80-84	368	7.0	103	1	3	5	7	11	27
85 +	333	6.3	47	1	2	4	8	14	20
SUBTOTAL	**2951**	**5.8**	**45**	**1**	**2**	**4**	**7**	**13**	**18**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**2951**	**5.8**	**45**	**1**	**2**	**4**	**7**	**13**	**18**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	294	3.4	8	1	2	2	4	7	11
18-34	323	4.0	22	1	1	2	5	9	12
35-49	478	4.8	13	1	2	4	6	10	11
50-69	687	4.8	16	1	2	4	6	10	13
70 +	102	5.2	21	1	2	3	8	12	15
	1885	**4.5**	**16**	**1**	**2**	**3**	**6**	**10**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	1885	**4.5**	**16**	**1**	**2**	**3**	**6**	**10**	**12**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	158	3.9	9	1	2	2	5	9	9
18-34	155	5.3	20	1	1	4	7	12	14
35-49	92	6.0	19	1	3	5	10	12	13
50-69	180	9.1	149	1	2	4	12	27	27
70 +	41	4.8	25	1	1	2	8	15	15
SUBTOTAL	**626**	**6.1**	**59**	**1**	**2**	**3**	**8**	**13**	**17**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**626**	**6.1**	**59**	**1**	**2**	**3**	**8**	**13**	**17**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	121	3.4	24	< 1	1	2	2	10	17
18-34	162	6.3	26	1	2	5	8	13	17
35-49	178	4.2	9	1	2	3	6	9	9
50-69	258	4.3	12	1	2	3	6	11	12
70 +	57	4.1	7	1	2	3	6	9	9
	775	**4.5**	**17**	**1**	**2**	**3**	**6**	**11**	**12**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	775	**4.5**	**17**	**1**	**2**	**3**	**6**	**11**	**12**

DRG 453: Complications of Treatment w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	433	3.1	5	1	2	3	4	6	8
70-74	276	3.8	11	1	2	3	4	7	11
75-79	225	4.5	37	1	2	3	5	8	12
80-84	145	2.7	6	1	1	2	3	5	7
85 +	127	3.9	7	2	2	3	5	8	11
SUBTOTAL	**1206**	**3.6**	**13**	**1**	**2**	**3**	**4**	**7**	**9**
GRAND TOTAL	**1206**	**3.6**	**13**	**1**	**2**	**3**	**4**	**7**	**9**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	239	2.1	3	< 1	1	1	3	4	6
18-34	593	2.4	4	1	1	2	3	4	6
35-49	585	3.2	7	1	2	2	4	5	12
50-69	677	2.9	6	1	1	2	4	6	7
70 +	65	2.6	3	1	1	2	3	5	7
2159	**2.8**	**5**	**1**	**1**	**2**	**3**	**5**	**7**
2159	**2.8**	**5**	**1**	**1**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	153	2.0	2	1	1	1	2	5	5
18-34	211	4.6	25	1	2	3	5	9	12
35-49	78	4.2	5	1	2	5	6	7	7
50-69	92	4.7	18	1	1	3	7	12	15
70 +	18	5.0	13						
SUBTOTAL	**552**	**3.8**	**16**	**1**	**1**	**2**	**5**	**8**	**11**
GRAND TOTAL	**552**	**3.8**	**16**	**1**	**1**	**2**	**5**	**8**	**11**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	76	2.4	6	< 1	1	1	3	4	10
18-34	254	3.5	8	1	2	2	4	7	8
35-49	252	5.7	42	1	1	2	7	16	17
50-69	174	4.0	28	1	1	3	4	8	13
70 +	35	3.7	5						
790	**4.2**	**24**	**1**	**1**	**2**	**5**	**9**	**15**
790	**4.2**	**24**	**1**	**1**	**2**	**5**	**9**	**15**

DRG 454: Other Injury, Poisoning & Toxic Effect Diag w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	182	4.4	17	1	1	2	9	10	12
70-74	76	3.1	4	1	1	3	6	6	6
75-79	143	6.4	84	1	2	4	7	10	42
80-84	119	3.4	6	1	2	3	4	5	11
85 +	72	3.6	5	1	2	3	5	8	8
SUBTOTAL	**591**	**4.4**	**29**	**1**	**2**	**3**	**5**	**9**	**11**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**591**	**4.4**	**29**	**1**	**2**	**3**	**5**	**9**	**11**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	278	3.5	38	< 1	1	1	2	15	33
18-34	225	2.5	7	< 1	1	1	3	5	8
35-49	102	7.2	112	1	1	3	5	30	33
50-69	110	2.3	1	1	1	2	3	4	4
70 +	63	3.9	9	< 1	1	2	6	10	10
	779	**3.6**	**33**	**1**	**1**	**2**	**3**	**7**	**16**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	779	**3.6**	**33**	**1**	**1**	**2**	**3**	**7**	**16**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	145	7.3	206	1	1	2	3	11	57
18-34	55	1.6		< 1	< 1	2	2	2	2
35-49	57	4.9	26	1	2	3	7	16	17
50-69	20	9.9	30						
70 +	14	2.0							
SUBTOTAL	**292**	**5.7**	**116**	**1**	**1**	**2**	**3**	**10**	**18**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**292**	**5.7**	**116**	**1**	**1**	**2**	**3**	**10**	**18**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	157	1.8	3	1	1	1	2	2	7
18-34	284	2.0	3	1	1	1	2	4	6
35-49	133	2.7	5	< 1	1	2	4	5	7
50-69	84	2.8	3	1	1	2	4	6	6
70 +	31	2.3	1						
	689	**2.2**	**4**	**1**	**1**	**1**	**3**	**4**	**7**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
	689	**2.2**	**4**	**1**	**1**	**1**	**3**	**4**	**7**

DRG 455: Other Injury, Poisoning & Toxic Effect Diag w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	104	2.8	5	1	1	2	3	6	8
70-74	61	1.3		1	1	1	1	2	3
75-79	57	1.6	1	1	1	1	3	3	3
80-84	57	3.0	4	1	2	3	4	7	7
85 +	39	2.8	1						
SUBTOTAL	**319**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**7**
GRAND TOTAL	**319**	**2.3**	**3**	**1**	**1**	**2**	**3**	**4**	**7**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	765	1.4	1	1	1	1	1	2	4
18-34	528	1.6	1	< 1	1	1	2	3	3
35-49	397	1.9	2	< 1	1	1	2	3	5
50-69	317	1.9	5	1	1	1	2	2	6
70 +	20	3.1	2						
	2026	**1.6**	**2**	**< 1**	**1**	**1**	**2**	**3**	**4**
	2026	**1.6**	**2**	**< 1**	**1**	**1**	**2**	**3**	**4**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	512	1.5	2	1	1	1	1	2	4
18-34	63	1.4		< 1	< 1	1	2	2	3
35-49	14	2.7	2						
50-69	29	1.0							
70 +	0								
SUBTOTAL	**618**	**1.5**	**1**	**< 1**	**1**	**1**	**1**	**2**	**4**
GRAND TOTAL	**618**	**1.5**	**1**	**< 1**	**1**	**1**	**1**	**2**	**4**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
	0								
0-17	462	1.6	1	1	1	1	2	3	5
18-34	612	1.6	3	< 1	1	1	2	3	4
35-49	182	1.7	3	1	1	1	2	3	3
50-69	78	1.4		< 1	1	1	2	2	3
70 +	12	4.0							
	1346	**1.6**	**2**	**< 1**	**1**	**1**	**2**	**3**	**4**
	1346	**1.6**	**2**	**< 1**	**1**	**1**	**2**	**3**	**4**

DRG 457: Extensive Burns w/o O.R. Procedure

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	6	1.0							
SUBTOTAL	**6**	**1.0**							
GRAND TOTAL	**6**	**1.0**							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
0-17	0								
18-34	25	4.0	7						
35-49	0								
50-69	0								
70 +	0								
25	**4.0**	**7**							
25	**4.0**	**7**							

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	6	18.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**6**	**18.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**6**	**18.0**							

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	6	14.0							
35-49	6	7.0							
50-69	0								
70 +	0								
12	**10.5**	**13**							
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
0									
12	**10.5**	**13**							

DRG 458: Non-extensive Burns w/ Skin Graft

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	53	26.2	284	4	14	32	37	54	54
70-74	18	24.0	446						
75-79	25	14.0	117						
80-84	8	37.0							
85 +	0								
SUBTOTAL	**104**	**23.8**	**285**	**6**	**7**	**15**	**37**	**53**	**54**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	22	14.1	31						
70-74	0								
75-79	6	3.0							
80-84	0								
85 +	6	27.0							
SUBTOTAL	**35**	**14.4**	**72**						
GRAND TOTAL	**139**	**21.5**	**248**	**6**	**7**	**17**	**34**	**51**	**54**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	27	8.1	6						
18-34	43	19.7	180	6	10	16	34	45	45
35-49	25	25.8	19						
50-69	25	10.7	2						
70 +	0								
SUBTOTAL	**119**	**16.5**	**115**	**7**	**9**	**12**	**22**	**37**	**67**
0-17	139	3.9	13	< 1	< 1	1	7	10	11
18-34	67	8.1	25	3	5	6	10	17	17
35-49	88	10.1	56	3	3	9	15	19	29
50-69	0								
70 +	0								
SUBTOTAL	**294**	**6.7**	**36**	**< 1**	**1**	**5**	**10**	**15**	**18**
GRAND TOTAL	**413**	**9.5**	**78**	**< 1**	**3**	**8**	**11**	**22**	**31**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	18	21.3	282						
18-34	25	17.3	141						
35-49	18	15.7	9						
50-69	27	7.4	21						
70 +	6	31.0							
SUBTOTAL	**94**	**15.9**	**138**	**3**	**7**	**13**	**22**	**37**	**41**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	108	8.1	103	< 1	< 1	3	9	30	32
18-34	49	27.3	211	4	19	23	37	54	54
35-49	49	18.0	71	5	14	17	20	36	36
50-69	8	3.0							
70 +	0								
SUBTOTAL	**215**	**14.6**	**181**	**< 1**	**3**	**12**	**22**	**32**	**42**
GRAND TOTAL	**309**	**15.0**	**167**	**< 1**	**3**	**13**	**22**	**33**	**41**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	20	19.0	35						
18-34	37	16.5	192	5	5	12	19	45	45
35-49	55	10.3	75	1	3	7	18	27	27
50-69	8	2.0							
70 +	0								
SUBTOTAL	**121**	**13.1**	**119**	**2**	**4**	**11**	**19**	**26**	**38**
0-17	70	8.4	95	< 1	1	7	12	19	34
18-34	166	13.8	99	2	7	12	20	25	25
35-49	57	15.0	103	5	8	12	22	35	37
50-69	14	12.0	13						
70 +	0								
SUBTOTAL	**307**	**12.7**	**100**	**2**	**5**	**12**	**19**	**25**	**34**
GRAND TOTAL	**428**	**12.8**	**105**	**2**	**5**	**11**	**19**	**25**	**34**

DRG 459: Non-extensive Burns w/ Wound Debridement or Other O.R. Proc

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	61	17.0	368	2	6	10	19	51	66
70-74	0								
75-79	16	13.0	38						
80-84	8	12.0							
85 +	16	31.0	52						
SUBTOTAL	**102**	**18.2**	**268**	**3**	**7**	**11**	**24**	**38**	**66**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	20	17.8	41						
70-74	14	9.1	21						
75-79	0								
80-84	6	7.0							
85 +	6	20.0							
SUBTOTAL	**47**	**14.0**	**49**	**4**	**7**	**13**	**20**	**25**	**25**
GRAND TOTAL	**149**	**16.9**	**202**	**4**	**7**	**12**	**20**	**37**	**38**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	14	3.7	2						
50-69	12	4.0	10						
70 +	6	26.0							
	33	**8.0**	**82**						
0-17	94	4.7	34	< 1	< 1	1	7	14	22
18-34	27	7.9	30						
35-49	69	8.4	24	1	5	8	13	14	17
50-69	27	6.8	17						
70 +	0								
	217	**6.5**	**31**	**< 1**	**1**	**5**	**11**	**14**	**17**
	250	**6.7**	**37**	**< 1**	**1**	**5**	**11**	**14**	**18**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	6	8.0							
18-34	0								
35-49	6	29.0							
50-69	8	2.0							
70 +	0								
SUBTOTAL	**20**	**11.9**	**138**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	39	3.9	14	< 1	1	3	7	11	11
18-34	6	2.0							
35-49	12	3.5	2						
50-69	0								
70 +	0								
SUBTOTAL	**57**	**3.6**	**10**	**< 1**	**1**	**2**	**5**	**10**	**11**
GRAND TOTAL	**78**	**5.8**	**56**	**1**	**2**	**3**	**7**	**11**	**29**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	12	4.0	1						
35-49	0								
50-69	0								
70 +	6	21.0							
	18	**9.7**	**69**						
0-17	51	6.3	28	< 1	1	5	8	16	16
18-34	33	8.1	22						
35-49	70	7.7	31	1	2	7	12	16	16
50-69	22	6.5	18						
70 +	0								
	176	**7.2**	**27**	**1**	**2**	**7**	**12**	**16**	**16**
	194	**7.4**	**31**	**1**	**2**	**6**	**12**	**16**	**16**

DRG 460: Non-extensive Burns w/o O.R. Procedure

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	61	5.5	2	4	4	5	6	8	9
70-74	74	9.5	25	3	6	9	14	19	19
75-79	20	5.4	14						
80-84	16	6.0	1						
85 +	25	2.7	2						
SUBTOTAL	**196**	**6.7**	**17**	**3**	**4**	**5**	**7**	**14**	**14**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	94	4.5	9	1	3	4	5	8	12
70-74	8	8.0							
75-79	16	4.5	13						
80-84	14	3.4							
85 +	20	1.8	1						
SUBTOTAL	**153**	**4.2**	**9**	**< 1**	**1**	**4**	**8**	**8**	**8**
GRAND TOTAL	**349**	**5.6**	**15**	**1**	**3**	**4**	**7**	**11**	**14**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	49	4.4	12	1	1	2	8	10	10
18-34	39	5.5	14						
35-49	37	7.3	26						
50-69	86	6.9	34	1	1	4	13	14	17
70 +	0								
SUBTOTAL	**210**	**6.1**	**25**	**1**	**2**	**4**	**10**	**13**	**17**
0-17	397	3.0	11	< 1	1	2	4	6	9
18-34	317	5.0	12	1	2	4	7	9	13
35-49	153	5.7	23	1	2	4	7	14	17
50-69	84	2.8	7	1	1	2	3	5	10
70 +	6	20.0							
SUBTOTAL	**956**	**4.2**	**16**	**1**	**1**	**3**	**6**	**9**	**13**
GRAND TOTAL	**1167**	**4.5**	**18**	**1**	**1**	**3**	**6**	**10**	**13**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	125	7.1	52	1	2	3	13	19	21
18-34	39	10.5	70	3	4	6	14	25	25
35-49	51	6.4	26	1	2	4	9	16	16
50-69	43	11.6	44	4	7	9	15	25	25
70 +	8	5.0							
SUBTOTAL	**266**	**8.1**	**50**	**1**	**2**	**5**	**13**	**19**	**25**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	426	3.6	11	< 1	1	2	5	8	13
18-34	90	3.4	7	1	2	3	5	5	12
35-49	45	5.9	29	1	2	4	9	16	16
50-69	6	3.0							
70 +	0								
SUBTOTAL	**567**	**3.7**	**12**	**1**	**1**	**3**	**5**	**8**	**13**
GRAND TOTAL	**833**	**5.1**	**29**	**1**	**2**	**3**	**6**	**14**	**16**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	59	5.9	39	1	2	4	5	19	23
18-34	125	4.3	6	2	2	4	6	9	9
35-49	82	6.8	13	3	4	6	7	13	15
50-69	14	7.0	13						
70 +	8	3.0							
SUBTOTAL	**288**	**5.4**	**16**	**2**	**3**	**4**	**7**	**9**	**13**
0-17	364	3.2	11	1	1	2	4	6	10
18-34	331	4.3	12	1	1	3	6	10	12
35-49	98	2.7	4	1	1	2	3	6	7
50-69	45	3.1	2	1	2	3	4	5	5
70 +	0								
SUBTOTAL	**839**	**3.6**	**10**	**1**	**1**	**3**	**5**	**8**	**12**
GRAND TOTAL	**1127**	**4.1**	**13**	**1**	**1**	**3**	**5**	**9**	**12**

DRG 461: O.R. Proc w/ Diagnoses of Other Contact w/ Health Services

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	141	15.4	385	1	2	7	19	50	70
70-74	127	14.1	153	2	2	14	18	39	40
75-79	127	14.2	183	1	2	9	21	32	42
80-84	68	21.0	347	1	4	26	30	36	64
85 +	113	15.3	169	1	1	15	22	29	52
SUBTOTAL	**575**	**15.5**	**245**	**1**	**2**	**14**	**22**	**36**	**45**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	102	4.7	63	1	1	2	3	7	31
70-74	96	1.4	1	1	1	1	2	3	3
75-79	86	11.7	206	1	1	3	24	35	44
80-84	33	1.4	1						
85 +	37	10.0	299						
SUBTOTAL	**354**	**5.7**	**116**	**1**	**1**	**2**	**3**	**24**	**34**
GRAND TOTAL	**928**	**11.8**	**218**	**1**	**1**	**4**	**18**	**31**	**41**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	14	1.4							
18-34	41	15.7	477	1	2	3	9	85	85
35-49	90	18.4	472	1	3	8	29	61	72
50-69	139	15.1	283	1	3	9	26	42	46
70 +	14	38.9	139						
SUBTOTAL	**298**	**16.7**	**434**	**1**	**3**	**8**	**28**	**56**	**72**
0-17	166	5.6	230	< 1	1	1	2	3	51
18-34	337	2.5	13	< 1	1	2	3	4	4
35-49	384	4.6	54	1	1	2	4	8	18
50-69	229	2.7	6	1	1	2	4	6	8
70 +	12	1.0							
SUBTOTAL	**1128**	**3.7**	**58**	**1**	**1**	**2**	**3**	**6**	**10**
GRAND TOTAL	**1426**	**6.4**	**165**	**1**	**1**	**2**	**4**	**13**	**35**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	33	2.1	6						
18-34	27	23.5	1054						
35-49	33	3.0	3						
50-69	12	8.5	61						
70 +	0								
SUBTOTAL	**104**	**8.6**	**351**	**1**	**1**	**2**	**5**	**16**	**81**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	63	6.5	268	< 1	< 1	1	2	56	99 +
18-34	57	4.1	7	< 1	1	5	7	99 +	99 +
35-49	45	3.6	6	1	1	4	5	8	8
50-69	37	14.4	689						
70 +	6	7.0							
SUBTOTAL	**209**	**6.6**	**217**	**< 1**	**1**	**2**	**7**	**56**	**99 +**
GRAND TOTAL	**313**	**7.3**	**261**	**< 1**	**1**	**2**	**7**	**16**	**81**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	33	17.2	628	2	3	4	60	99 +	99 +
18-34	25	48.3	1413						
35-49	37	5.0	6	1	4	5	6	9	9
50-69	86	16.0	209	4	4	13	21	53	99 +
70 +	27	5.5	7						
SUBTOTAL	**200**	**16.7**	**516**	**3**	**4**	**9**	**25**	**98**	**99 +**
0-17	51	2.0	2	< 1	1	1	2	6	6
18-34	117	5.3	80	1	2	4	4	8	30
35-49	100	3.0	6	1	1	2	3	8	9
50-69	49	2.8	4	< 1	1	2	5	6	6
70 +	12	4.0	10						
SUBTOTAL	**329**	**3.6**	**33**	**1**	**1**	**2**	**4**	**6**	**9**
GRAND TOTAL	**530**	**8.6**	**256**	**1**	**2**	**4**	**8**	**37**	**98**

DRG 462: Rehabilitation

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	2786	19.0	172	6	10	16	25	35	43
70-74	2463	18.7	159	7	10	15	24	36	44
75-79	3099	17.8	148	7	9	14	22	33	41
80-84	3040	17.2	119	7	9	15	22	30	36
85 +	2887	16.9	94	7	10	15	21	28	36
SUBTOTAL	**14275**	**17.9**	**138**	**7**	**10**	**15**	**23**	**33**	**40**
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	1131	16.7	136	5	7	14	23	32	42
70-74	1346	14.6	115	4	7	12	18	29	35
75-79	1462	15.8	129	6	8	13	20	30	35
80-84	1364	15.4	110	5	8	14	20	27	33
85 +	1162	16.7	159	5	9	14	21	30	40
SUBTOTAL	**6465**	**15.8**	**129**	**5**	**8**	**13**	**21**	**30**	**37**
GRAND TOTAL	**20741**	**17.2**	**136**	**6**	**9**	**15**	**22**	**32**	**39**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	153	23.5	464	4	7	14	35	70	73
18-34	313	24.3	244	7	14	22	35	61	81
35-49	481	21.4	295	5	10	16	29	39	63
50-69	1113	19.4	197	6	9	15	26	42	53
70 +	923	18.2	162	5	9	15	24	35	44
SUBTOTAL	**2983**	**20.1**	**224**	**5**	**9**	**16**	**28**	**41**	**59**
0-17	149	18.2	112	6	9	21	26	45	99 +
18-34	268	21.2	250	6	9	18	29	46	79
35-49	272	20.1	224	3	7	17	32	46	51
50-69	554	16.6	141	6	7	14	22	31	38
70 +	360	15.1	94	5	7	14	22	27	33
SUBTOTAL	**1604**	**17.8**	**165**	**6**	**8**	**15**	**26**	**33**	**46**
GRAND TOTAL	**4587**	**19.3**	**205**	**5**	**9**	**16**	**26**	**39**	**53**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	88	35.7	598	17	18	28	64	99 +	99 +
18-34	174	27.5	532	7	15	20	40	75	95
35-49	117	17.8	174	7	8	18	25	60	99 +
50-69	233	20.2	279	5	9	16	27	46	81
70 +	12	36.0	157						
SUBTOTAL	**624**	**24.3**	**408**	**7**	**11**	**20**	**30**	**73**	**99**
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	84	39.4	637	12	19	43	56	73	93
18-34	37	15.8	79	6	9	12	24	31	31
35-49	53	22.1	63	8	15	25	30	31	31
50-69	61	12.9	17	7	10	12	17	19	19
70 +	14	13.4	105						
SUBTOTAL	**250**	**24.2**	**374**	**7**	**12**	**18**	**30**	**52**	**61**
GRAND TOTAL	**874**	**24.3**	**398**	**7**	**11**	**19**	**30**	**60**	**93**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	25	37.0	230						
18-34	61	25.6	313	4	8	24	37	51	62
35-49	55	22.1	373	6	11	23	65	99 +	99 +
50-69	231	21.2	263	6	11	17	29	42	56
70 +	342	15.9	74	7	9	14	21	28	35
SUBTOTAL	**714**	**19.6**	**204**	**6**	**10**	**16**	**26**	**41**	**59**
0-17	47	28.9	831	4	5	26	81	99 +	99 +
18-34	70	14.4	51	8	9	11	19	21	32
35-49	68	13.2	38	9	11	12	23	99 +	99 +
50-69	117	19.3	120	4	10	18	24	41	42
70 +	104	18.8	144	8	9	15	24	41	41
SUBTOTAL	**405**	**18.4**	**201**	**7**	**10**	**14**	**24**	**41**	**81**
GRAND TOTAL	**1119**	**19.2**	**203**	**6**	**10**	**15**	**25**	**41**	**65**

DRG 463: Signs & Symptoms w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	333	3.8	8	2	2	3	5	7	8
70-74	303	5.2	15	2	2	4	6	9	14
75-79	353	5.4	9	2	3	5	7	10	11
80-84	223	5.0	12	1	3	3	7	11	13
85 +	307	4.6	10	2	2	4	6	10	12
SUBTOTAL	**1518**	**4.8**	**11**	**2**	**2**	**4**	**6**	**9**	**12**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**1518**	**4.8**	**11**	**2**	**2**	**4**	**6**	**9**	**12**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	76	4.6	63	< 1	2	3	3	4	31
18-34	16	4.5	7						
35-49	110	4.1	37	1	1	2	5	7	28
50-69	208	5.9	17	2	3	5	7	14	15
70 +	94	5.3	45	1	2	3	5	8	26
SUBTOTAL	**505**	**5.1**	**33**	**1**	**2**	**3**	**6**	**8**	**20**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**505**	**5.1**	**33**	**1**	**2**	**3**	**6**	**8**	**20**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	76	2.7	3	1	1	2	4	6	6
18-34	43	7.0	51	3	3	4	6	24	24
35-49	84	4.7	14	1	2	3	6	12	12
50-69	112	6.7	18	1	4	5	11	13	15
70 +	35	6.8	24						
SUBTOTAL	**350**	**5.4**	**21**	**1**	**2**	**4**	**7**	**12**	**15**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**350**	**5.4**	**21**	**1**	**2**	**4**	**7**	**12**	**15**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	39	15.5	543	< 1	1	5	18	67	67
18-34	55	5.0	8	1	4	4	6	11	11
35-49	139	4.0	8	< 1	2	3	6	8	8
50-69	168	6.3	26	2	3	5	8	12	20
70 +	43	5.8	25	1	3	4	8	15	15
SUBTOTAL	**444**	**6.2**	**71**	**1**	**2**	**4**	**7**	**12**	**18**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**444**	**6.2**	**71**	**1**	**2**	**4**	**7**	**12**	**18**

DRG 464: Signs & Symptoms w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	206	3.1	4	1	2	2	5	6	7
70-74	90	4.2	6	2	3	3	6	8	9
75-79	94	2.8	5	1	1	2	3	6	8
80-84	112	4.7	11	2	2	3	6	9	14
85+	108	2.9	4	1	2	2	3	6	8
SUBTOTAL	**611**	**3.5**	**6**	**1**	**2**	**3**	**5**	**7**	**8**
GRAND TOTAL	**611**	**3.5**	**6**	**1**	**2**	**3**	**5**	**7**	**8**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	129	1.5	1	1	1	1	2	3	3
18-34	49	3.3	4	1	2	3	4	7	7
35-49	118	3.0	4	1	1	3	5	6	7
50-69	290	2.2	4	1	1	2	2	4	6
70+	33	3.8	3						
	619	**2.4**	**3**	**1**	**1**	**2**	**3**	**5**	**6**
	619	**2.4**	**3**	**1**	**1**	**2**	**3**	**5**	**6**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	80	1.8	1	1	1	2	2	2	4
18-34	33	3.3	2						
35-49	57	3.1	9	<1	<1	2	4	10	10
50-69	49	2.8	3	<1	2	2	3	7	7
70+	6	5.0							
SUBTOTAL	**225**	**2.7**	**4**	**<1**	**1**	**2**	**3**	**5**	**7**
GRAND TOTAL	**225**	**2.7**	**4**	**<1**	**1**	**2**	**3**	**5**	**7**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
0-17	84	3.3	14	1	2	2	3	4	16
18-34	86	4.8	48	1	1	3	4	6	29
35-49	90	6.5	2[illegible]	2	2	4	10	13	14
50-69	127	3.3	7	1	1	3	5	6	8
70+	8	2.0							
	395	**4.3**	**22**	**1**	**2**	**3**	**5**	**10**	**13**
	395	**4.3**	**22**	**1**	**2**	**3**	**5**	**10**	**13**

DRG 465: Aftercare w/ History of Malignancy As Secondary Diagnosis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	6	12.0							
70-74	20	9.1	103						
75-79	8	1.0							
80-84	6	14.0							
85 +	0								
SUBTOTAL	**41**	**8.7**	**68**	**<1**	**1**	**5**	**14**	**24**	**24**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	8	1.0							
70-74	0								
75-79	8	1.0							
80-84	8	1.0							
85 +	8	4.0							
SUBTOTAL	**33**	**1.8**	**2**						
GRAND TOTAL	**74**	**5.6**	**50**	**<1**	**<1**	**1**	**7**	**14**	**24**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	12	7.5	7						
70 +	0								
SUBTOTAL	**12**	**7.5**	**7**						
0-17	6	5.0							
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**6**	**5.0**							
	18	**6.7**	**6**						

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	6	1.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**6**	**1.0**							
GRAND TOTAL	**6**	**1.0**							

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
	0								

DRG 466: Aftercare w/o History of Malignancy As Secondary Diagnosis

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	217	12.9	161	1	4	9	20	36	52
70-74	123	11.1	83	3	4	8	15	27	28
75-79	117	14.4	152	3	8	11	16	39	51
80-84	125	18.8	208	5	7	10	32	36	45
85+	117	9.7	135	2	3	6	9	29	43
SUBTOTAL	**697**	**13.4**	**158**	**2**	**4**	**9**	**18**	**32**	**45**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	92	4.3	42	<1	<1	1	3	14	24
70-74	96	3.3	7	1	1	2	6	7	9
75-79	129	5.6	36	1	2	4	6	14	25
80-84	55	9.0	64	1	5	6	13	29	29
85+	8	3.0							
SUBTOTAL	**380**	**5.1**		**<1**	**1**	**3**	**6**	**13**	**24**
GRAND TOTAL	**1077**	**10.5**	**130**	**1**	**3**	**6**	**14**	**28**	**36**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	125	9.2	246	1	1	4	10	71	99+
18-34	43	3.1	7	1	1	3	4	9	9
35-49	61	7.6	96	1	2	3	7	25	33
50-69	110	5.0	27	1	2	4	6	24	81
70+	25	28.3	731						
	364	**8.2**	**190**	**1**	**1**	**4**	**8**	**31**	**71**
0-17	299	3.5	11	<1	1	3	5	6	10
18-34	188	2.9	2	1	2	3	4	5	5
35-49	90	5.1	102	1	1	3	3	4	42
50-69	67	2.1	2	<1	<1	1	3	3	6
70+	14	4.4	17						
	658	**3.4**	**20**	**<1**	**1**	**3**	**4**	**6**	**8**
	1022	**5.1**	**86**	**1**	**1**	**3**	**5**	**9**	**24**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	90	13.5	604	1	1	3	9	30	97
18-34	0								
35-49	0								
50-69	8	1.0							
70+	0								
SUBTOTAL	**98**	**12.5**	**566**	**1**	**1**	**3**	**8**	**30**	**97**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	113	4.2	13	<1	1	3	6	10	13
18-34	37	5.2	1	3	5	5	6	6	6
35-49	0								
50-69	20	1.0							
70+	12	1.5							
SUBTOTAL	**182**	**3.8**	**10**	**<1**	**1**	**3**	**6**	**7**	**10**
GRAND TOTAL	**280**	**6.9**	**220**	**<1**	**1**	**3**	**6**	**10**	**30**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	18	2.7	6						
18-34	31	7.4	66						
35-49	12	14.5	170						
50-69	22	3.1	2						
70+	14	1.6							
	98	**5.6**	**58**	**1**	**1**	**2**	**5**	**22**	**27**
0-17	70	1.9	3	1	1	1	3	4	6
18-34	149	3.4	18	1	1	2	4	6	7
35-49	57	5.2	15	1	2	6	7	13	14
50-69	45	1.8	1	<1	<1	1	3	4	4
70+	8	2.0							
	329	**3.1**	**13**	**1**	**1**	**2**	**4**	**6**	**7**
	428	**3.7**	**24**	**1**	**1**	**2**	**4**	**7**	**14**

DRG 471: Bilateral or Multiple Major Joint Procs of Lower Extremity

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	225	12.6	46	7	8	10	14	22	27
70-74	211	11.6	21	6	8	11	13	16	22
75-79	117	12.3	50	6	7	9	13	26	28
80-84	108	14.8	70	7	9	11	21	30	37
85 +	39	11.2	70	3	5	6	22	24	24
SUBTOTAL	**700**	**12.5**	**45**	**6**	**8**	**10**	**14**	**22**	**27**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	114	9.9	14	6	7	9	12	14	20
70-74	70	11.1	12	8	8	11	13	15	19
75-79	63	9.3	20	4	6	9	10	16	19
80-84	27	11.2	10						
85 +	0								
SUBTOTAL	**274**	**10.2**	**15**	**6**	**8**	**9**	**13**	**15**	**19**
GRAND TOTAL	**973**	**11.9**	**38**	**6**	**8**	**10**	**14**	**21**	**24**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	13.0							
18-34	6	4.0							
35-49	35	15.3	167						
50-69	108	11.2	13	7	8	11	13	18	21
70 +	43	13.1	13	8	9	14	15	19	19
SUBTOTAL	**198**	**12.2**	**43**	**7**	**8**	**11**	**14**	**19**	**21**
0-17	0								
18-34	0								
35-49	39	9.0	16	6	6	6	11	17	17
50-69	88	8.9	3	7	7	9	10	11	11
70 +	0								
SUBTOTAL	**127**	**8.9**	**7**	**6**	**7**	**9**	**10**	**11**	**12**
GRAND TOTAL	**325**	**10.9**	**31**	**6**	**8**	**10**	**11**	**16**	**19**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	6	12.0							
70 +	0								
SUBTOTAL	**6**	**12.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	12	8.5	22						
70 +	0								
SUBTOTAL	**12**	**8.5**	**22**						
GRAND TOTAL	**18**	**9.7**	**17**						

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	20	20.6	146						
70 +	0								
SUBTOTAL	**20**	**20.6**	**146**						
0-17	0								
18-34	0								
35-49	0								
50-69	12	8.0							
70 +	0								
SUBTOTAL	**12**	**8.0**							
GRAND TOTAL	**33**	**15.9**	**128**						

DRG 472: Extensive Burns w/ O.R. Procedure

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	6	58.0							
35-49	12	38.0	70						
50-69	6	39.0							
70 +	0								
	25	43.3	109						
0-17	0								
18-34	0								
35-49	0								
50-69	6	28.0							
70 +	0								
	6	28.0							
	31	40.2	125						

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	18	46.3	31						
35-49	6	33.0							
50-69	6	30.0							
70 +	0								
SUBTOTAL	**31**	**40.4**	**74**	**30**	**33**	**43**	**52**	**99 +**	**99 +**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**31**	**40.4**	**74**	**30**	**33**	**43**	**52**	**99 +**	**99 +**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	6	29.0							
35-49	0								
50-69	0								
70 +	0								
	6	29.0							
0-17	0								
18-34	6	17.0							
35-49	0								
50-69	0								
70 +	0								
	6	17.0							
	12	23.0	39						

DRG 473: Acute Leukemia w/o Major O.R. Procedure Age >17

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	223	24.7	319	3	9	25	32	55	64
70-74	86	34.3	818	3	10	29	65	71	93
75-79	86	18.4	296	3	3	13	25	30	69
80-84	112	14.1	276	2	3	5	31	45	53
85 +	35	7.6	16						
SUBTOTAL	**542**	**21.9**	**419**	**3**	**4**	**14**	**32**	**55**	**65**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	57	10.2	85	4	4	5	16	26	26
70-74	31	3.3	9						
75-79	16	8.5	2						
80-84	16	2.5							
85 +	25	5.0	3						
SUBTOTAL	**145**	**6.8**	**46**	**1**	**3**	**5**	**7**	**13**	**26**
GRAND TOTAL	**687**	**18.7**	**378**	**3**	**4**	**10**	**29**	**48**	**64**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	92	21.4	353	3	4	20	32	52	60
35-49	157	27.6	425	5	8	24	36	61	66
50-69	209	24.2	461	3	8	18	31	49	80
70 +	29	27.9	80						
	487	**25.0**	**410**	**3**	**8**	**23**	**34**	**60**	**68**
0-17	0								
18-34	14	20.6	127						
35-49	29	3.0	3						
50-69	47	4.7	9	1	3	4	6	11	11
70 +	8	7.0							
	98	**6.7**	**57**	**1**	**3**	**5**	**7**	**11**	**30**
	585	**21.9**	**397**	**3**	**5**	**16**	**31**	**55**	**61**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	297	23.1	293	2	7	27	34	41	50
35-49	121	24.7	206	6	14	28	39	43	50
50-69	49	19.1	334	< 1	3	13	30	57	57
70 +	6	8.0							
SUBTOTAL	**473**	**22.9**	**275**	**3**	**6**	**26**	**34**	**41**	**54**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	61	9.3	143	< 1	2	4	7	32	36
35-49	43	9.7	139	3	4	5	7	38	38
50-69	53	8.7	93	1	3	4	6	30	30
70 +	0								
SUBTOTAL	**158**	**9.2**	**124**	**1**	**3**	**5**	**7**	**30**	**36**
GRAND TOTAL	**630**	**19.5**	**272**	**2**	**5**	**14**	**33**	**39**	**50**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	149	27.0	415	8	12	20	36	44	71
35-49	76	29.5	327	6	22	29	36	66	66
50-69	47	20.7	262	1	6	32	34	44	44
70 +	22	8.4	53						
	295	**25.2**	**369**	**4**	**9**	**26**	**36**	**44**	**67**
0-17	0								
18-34	74	13.6	306	1	3	5	18	37	58
35-49	29	19.3	141						
50-69	14	4.9	21						
70 +	6	14.0							
	123	**13.9**	**233**	**1**	**4**	**6**	**29**	**35**	**47**
	417	**21.9**	**355**	**3**	**6**	**15**	**34**	**44**	**66**

DRG 475: Respiratory System Diagnosis with Ventilator Support

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	2319	14.0	101	5	8	11	18	25	34
70-74	1295	15.0	109	5	7	12	20	29	37
75-79	1185	15.2	108	5	8	12	19	29	38
80-84	740	16.1	139	6	8	13	21	28	40
85 +	587	13.9	98	5	8	11	17	25	36
SUBTOTAL	**6127**	**14.7**	**108**	**5**	**8**	**12**	**19**	**27**	**37**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	31	9.9	49						
70-74	33	13.5	32						
75-79	37	10.2	25						
80-84	14	11.7	165						
85 +	0								
SUBTOTAL	**114**	**11.3**	**51**	**3**	**6**	**10**	**18**	**23**	**25**
GRAND TOTAL	**6241**	**14.6**	**108**	**5**	**8**	**12**	**19**	**27**	**36**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	209	14.3	141	3	7	11	17	36	41
18-34	166	9.9	105	2	4	6	9	26	37
35-49	315	10.2	40	3	4	9	16	19	20
50-69	775	12.4	104	4	6	10	16	21	27
70 +	186	16.4	95	7	9	14	22	26	27
SUBTOTAL	**1650**	**12.4**	**99**	**3**	**6**	**10**	**16**	**22**	**27**
0-17	113	6.3	10	2	4	6	9	11	13
18-34	37	3.4	1						
35-49	20	3.7							
50-69	51	5.6	7	2	4	5	6	11	11
70 +	0								
SUBTOTAL	**221**	**5.4**	**8**	**2**	**4**	**4**	**6**	**10**	**11**
	1870	**11.6**	**93**	**3**	**5**	**9**	**15**	**21**	**27**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	358	17.4	259	3	8	13	21	35	67
18-34	112	9.7	84	1	3	6	18	32	80
35-49	145	13.1	146	4	5	10	13	24	35
50-69	511	10.5	87	3	5	8	14	20	29
70 +	61	11.3	65	5	7	9	10	24	34
SUBTOTAL	**1188**	**12.9**	**154**	**3**	**5**	**10**	**17**	**27**	**41**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	70	7.7	14	3	4	9	11	12	14
18-34	29	5.0	2						
35-49	41	5.5	15	2	2	4	8	12	12
50-69	41	10.9	28	2	9	12	13	19	19
70 +	6	11.0							
SUBTOTAL	**186**	**7.6**	**20**	**2**	**4**	**7**	**12**	**13**	**14**
GRAND TOTAL	**1374**	**12.2**	**139**	**3**	**5**	**9**	**15**	**23**	**35**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	135	12.9	341	2	3	10	13	18	36
18-34	233	6.8	31	2	3	5	9	15	20
35-49	256	11.1	60	2	6	10	14	18	26
50-69	693	11.1	69	3	5	10	14	26	29
70 +	221	11.4	74	3	6	8	18	23	42
SUBTOTAL	**1538**	**10.7**	**89**	**2**	**4**	**9**	**14**	**23**	**28**
0-17	80	6.2	14	2	3	5	10	11	14
18-34	47	4.3	7	1	2	4	7	9	9
35-49	78	4.5	5	2	3	4	6	6	10
50-69	25	3.5	1						
70 +	6	32.0							
SUBTOTAL	**235**	**5.6**	**27**	**2**	**3**	**4**	**6**	**10**	**13**
	1773	**10.0**	**84**	**2**	**4**	**8**	**13**	**21**	**28**

DRG 478: Other Vascular Procedures w/ CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	4170	7.5	64	1	3	5	9	16	21
70-74	2567	8.0	50	2	3	6	10	16	21
75-79	2555	8.8	58	2	4	7	11	18	23
80-84	1478	9.4	51	2	5	7	13	18	24
85+	861	9.4	36	3	5	8	13	19	21
SUBTOTAL	**11630**	**8.3**	**57**	**2**	**3**	**6**	**11**	**17**	**22**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**11630**	**8.3**	**57**	**2**	**3**	**6**	**11**	**17**	**22**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	82	4.7	21	1	1	3	8	10	16
18-34	119	6.8	22	1	3	5	9	14	16
35-49	317	7.0	34	1	3	6	8	14	18
50-69	2017	6.9	43	1	3	5	9	13	20
70+	433	8.5	40	1	3	7	12	17	22
	2968	**7.1**	**40**	**1**	**3**	**6**	**9**	**14**	**20**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	2968	**7.1**	**40**	**1**	**3**	**6**	**9**	**14**	**20**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	49	7.8	49	1	2	7	9	24	24
18-34	63	9.9	43	4	5	6	17	19	22
35-49	141	8.7	109	1	3	6	8	25	27
50-69	550	8.4	89	1	2	5	10	16	30
70+	96	19.7	121	11	13	15	23	40	50
SUBTOTAL	**900**	**9.7**	**102**	**1**	**3**	**7**	**13**	**22**	**30**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
GRAND TOTAL	**900**	**9.7**	**102**	**1**	**3**	**7**	**13**	**22**	**30**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	25	4.8	5						
18-34	49	9.9	21	1	7	10	14	15	15
35-49	125	7.7	78	1	2	5	9	22	44
50-69	577	9.1	82	2	3	6	11	19	29
70+	276	7.2	26	2	4	6	9	14	18
	1051	**8.3**	**63**	**2**	**4**	**6**	**10**	**19**	**26**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
	0								
	1051	**8.3**	**63**	**2**	**4**	**6**	**10**	**19**	**26**

DRG 479: Other Vascular Procedures w/o CC

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-69	1433	4.2	19	1	2	3	5	8	9
70-74	971	3.9	15	1	1	3	5	7	9
75-79	889	4.6	33	1	2	3	6	8	8
80-84	448	5.4	13	1	3	4	7	11	12
85+	192	6.1	15	1	2	6	8	11	15
SUBTOTAL	**3932**	**4.5**	**21**	**1**	**2**	**4**	**6**	**8**	**10**
GRAND TOTAL	**3932**	**4.5**	**21**	**1**	**2**	**4**	**6**	**8**	**10**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
0-17	119	2.5	6	<1	1	1	6	7	7
18-34	98	3.9	7	1	2	3	6	9	9
35-49	276	3.7	4	1	2	3	5	7	8
50-69	1689	3.9	11	1	2	3	5	8	9
70+	147	3.7	4	1	2	4	5	6	6
SUBTOTAL	**2328**	**3.8**	**10**	**1**	**2**	**3**	**5**	**8**	**9**
GRAND TOTAL	**2328**	**3.8**	**10**	**1**	**2**	**3**	**5**	**8**	**9**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs AGE GROUP									
0-17	49	4.0	19	1	1	1	6	14	14
18-34	47	5.3	15	1	2	5	9	13	13
35-49	59	7.1	30	1	4	7	8	17	20
50-69	149	7.4	73	1	2	6	9	16	17
70+	18	7.0	13						
SUBTOTAL	**323**	**6.5**	**47**	**1**	**2**	**5**	**9**	**13**	**17**
GRAND TOTAL	**323**	**6.5**	**47**	**1**	**2**	**5**	**9**	**13**	**17**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**0**								
0-17	43	4.3	6	1	2	5	7	8	8
18-34	106	6.7	36	1	1	4	9	18	19
35-49	151	5.8	47	1	2	4	5	14	19
50-69	503	5.9	25	1	2	5	8	11	16
70+	80	6.6	50	1	3	4	5	15	26
SUBTOTAL	**884**	**5.9**	**32**	**1**	**2**	**4**	**8**	**14**	**18**
GRAND TOTAL	**884**	**5.9**	**32**	**1**	**2**	**4**	**8**	**14**	**18**

DRG 480: Liver Transplant

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	79.0							
18-34	0								
35-49	61	37.7	328	19	25	28	59	66	68
50-69	43	34.0	304	14	22	29	59	61	61
70 +	0								
SUBTOTAL	**111**	**38.6**	**397**	**19**	**22**	**29**	**59**	**68**	**79**
0-17	0								
18-34	0								
35-49	0								
50-69	6	22.0							
70 +	0								
SUBTOTAL	**6**	**22.0**							
GRAND TOTAL	**117**	**37.7**	**390**	**19**	**22**	**29**	**59**	**68**	**77**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	0								
35-49	0								
50-69	6	21.0							
70 +	0								
SUBTOTAL	**6**	**21.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**6**	**21.0**							

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	48.0							
18-34	0								
35-49	6	19.0							
50-69	0								
70 +	0								
SUBTOTAL	**12**	**33.5**	**229**						
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**12**	**33.5**	**229**						

DRG 481: Bone Marrow Transplant

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**0**								

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	68	47.3	221	31	33	49	52	65	81
18-34	0								
35-49	0								
50-69	6	29.0							
70 +	0								
SUBTOTAL	**74**	**45.8**	**228**	**30**	**32**	**46**	**51**	**65**	**81**
0-17	18	4.3	23						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**18**	**4.3**	**23**						
GRAND TOTAL	**92**	**37.5**	**464**	**1**	**29**	**36**	**50**	**65**	**81**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	31	40.4	116						
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**31**	**40.4**	**116**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	6	34.0							
18-34	6	42.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**12**	**38.0**	**17**						
GRAND TOTAL	**43**	**39.7**	**88**	**32**	**32**	**35**	**43**	**60**	**60**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	12	38.0	4						
18-34	6	25.0							
35-49	8	30.0							
50-69	0								
70 +	0								
SUBTOTAL	**27**	**32.5**	**32**						
0-17	0								
18-34	6	4.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**6**	**4.0**							
GRAND TOTAL	**33**	**27.2**	**154**						

DRG 482: Tracheostomy w/ Mouth, Larynx or Pharynx Disorder

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	243	14.1	107	5	8	11	15	34	39
70-74	168	18.6	96	7	12	16	23	31	36
75-79	82	19.4	170	7	9	19	21	24	59
80-84	55	13.9	19	7	12	14	18	22	22
85+	49	19.1	43	9	16	17	22	33	33
SUBTOTAL	**597**	**16.5**	**105**	**7**	**9**	**14**	**21**	**30**	**36**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	78	7.6	16	2	5	7	12	14	14
70-74	25	10.3	46						
75-79	20	11.6	5						
80-84	0								
85+	0								
SUBTOTAL	**123**	**8.8**	**22**	**2**	**5**	**8**	**14**	**14**	**16**
GRAND TOTAL	**720**	**15.2**	**99**	**5**	**8**	**14**	**19**	**25**	**36**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	18	33.0	387						
18-34	22	9.5	12						
35-49	76	13.4	52	7	7	13	15	29	29
50-69	288	14.4	97	6	9	12	16	29	31
70+	43	11.1	6	7	9	12	13	14	14
	448	**14.4**	**104**	**6**	**8**	**12**	**15**	**29**	**33**
0-17	25	5.8	12						
18-34	45	7.0	40	1	2	4	12	20	20
35-49	51	4.6	4	1	4	5	6	8	8
50-69	160	7.1	10	2	4	7	10	12	12
70+	16	8.5							
	297	**6.6**	**14**	**2**	**4**	**6**	**9**	**12**	**12**
	744	**11.3**	**83**	**4**	**6**	**9**	**14**	**19**	**29**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	18	37.0	787						
18-34	31	23.8	125						
35-49	82	16.1	25	9	12	17	20	21	23
50-69	115	22.0	203	8	11	21	37	53	81
70+	18	27.0	446						
SUBTOTAL	**264**	**21.8**	**220**	**9**	**12**	**20**	**24**	**52**	**56**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	20	4.8	2						
18-34	12	11.5	7						
35-49	51	13.4	150	4	8	9	11	45	45
50-69	49	12.1	35	2	8	12	16	22	22
70+	0								
SUBTOTAL	**133**	**11.4**	**79**	**4**	**6**	**9**	**14**	**18**	**22**
GRAND TOTAL	**397**	**18.3**	**196**	**7**	**9**	**14**	**22**	**43**	**53**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	20.0							
18-34	74	11.5	22	6	7	12	16	18	18
35-49	41	16.0	42	8	10	16	20	28	28
50-69	125	17.3	251	5	7	12	17	39	58
70+	20	23.3	292						
	266	**16.0**	**162**	**6**	**7**	**13**	**18**	**28**	**45**
0-17	37	22.0	223	6	6	21	37	41	41
18-34	119	9.7	20	4	6	10	13	17	19
35-49	90	10.5	20	4	6	11	14	16	17
50-69	137	13.7	43	7	9	14	17	21	29
70+	8	18.0							
	391	**12.6**	**59**	**5**	**7**	**12**	**15**	**19**	**29**
	657	**14.0**	**103**	**5**	**7**	**12**	**17**	**25**	**34**

DRG 483: Tracheostomy except for Mouth, Larynx or Pharynx Disorder

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	625	37.3	487	11	23	39	58	99+	99+
70-74	454	45.6	532	17	31	44	60	87	95
75-79	309	45.5	604	13	32	41	68	91	99
80-84	147	43.6	492	13	32	43	74	99+	99+
85+	78	48.1	543	18	33	48	69	75	91
SUBTOTAL	**1613**	**42.3**	**540**	**13**	**27**	**42**	**65**	**93**	**99+**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	27	4.2	5						
70-74	12	3.5	7						
75-79	6	1.0							
80-84	8	18.0							
85+	0								
SUBTOTAL	**53**	**5.8**	**32**	**1**	**2**	**5**	**7**	**75**	**99+**
GRAND TOTAL	**1666**	**41.1**	**565**	**11**	**25**	**41**	**64**	**93**	**99+**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	117	27.2	259	8	12	34	49	99+	99+
18-34	229	32.0	345	8	19	34	56	99+	99+
35-49	206	39.8	389	13	19	44	58	86	99+
50-69	474	40.6	408	18	26	41	56	77	99+
70+	90	43.2	231	27	31	44	67	99+	99+
	1116	**37.5**	**385**	**13**	**25**	**39**	**58**	**99+**	**99+**
0-17	6	25.0							
18-34	41	24.0	981	2	6	6	36	93	93
35-49	16	5.0							
50-69	27	12.6	59						
70+	6	29.0							
	96	**18.0**	**491**	**3**	**5**	**10**	**25**	**36**	**93**
	1212	**35.9**	**421**	**10**	**22**	**36**	**56**	**93**	**99+**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	80	27.9	369	8	10	32	58	99+	99+
18-34	241	39.0	359	16	26	38	58	99+	99+
35-49	119	45.2	625	15	38	70	99+	99+	99+
50-69	200	40.7	598	11	24	45	80	99+	99+
70+	74	67.4	353	35	58	77	87	89	99+
SUBTOTAL	**714**	**42.2**	**562**	**11**	**26**	**53**	**81**	**99+**	**99+**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	12	20.0	279						
18-34	39	17.8	273	5	9	9	17	54	54
35-49	29	6.1	12						
50-69	33	17.6	210						
70+	6	32.0							
SUBTOTAL	**119**	**15.9**	**214**	**4**	**7**	**9**	**17**	**48**	**70**
GRAND TOTAL	**832**	**38.5**	**597**	**8**	**23**	**45**	**78**	**99+**	**99+**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	72	35.4	691	7	14	33	74	99+	99+
18-34	338	29.8	417	7	14	30	52	96	99+
35-49	207	30.9	463	8	15	28	52	88	99+
50-69	231	36.1	539	10	18	39	71	99+	99+
70+	53	45.8	157	23	36	52	55	61	61
	900	**33.1**	**481**	**8**	**17**	**31**	**57**	**99+**	**99+**
0-17	12	22.0	70						
18-34	94	11.9	105	5	5	9	15	23	45
35-49	57	27.2	755	6	11	16	22	79	80
50-69	31	8.2	45						
70+	6	8.0							
	201	**16.2**	**330**	**5**	**6**	**11**	**17**	**30**	**77**
	1101	**30.0**	**495**	**6**	**14**	**27**	**54**	**86**	**99+**

DRG 484: Craniotomy for Multiple Significant Trauma

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	0								
70-74	0								
75-79	6	26.0							
80-84	0								
85 +	0								
SUBTOTAL	**6**	**26.0**							
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**6**	**26.0**							

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	72	28.5	522	8	11	15	42	53	84
18-34	55	21.6	108	9	10	25	27	39	39
35-49	20	19.9	113						
50-69	22	30.3	601						
70 +	0								
SUBTOTAL	**170**	**25.5**	**359**	**9**	**11**	**19**	**36**	**53**	**62**
0-17	6	10.0							
18-34	8	10.0							
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**14**	**10.0**							
GRAND TOTAL	**184**	**24.3**	**348**	**9**	**10**	**15**	**31**	**53**	**62**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	35	19.1	111						
18-34	41	33.6	464	3	8	45	47	61	61
35-49	12	37.5	262						
50-69	0								
70 +	0								
SUBTOTAL	**88**	**28.4**	**350**	**4**	**10**	**25**	**45**	**53**	**61**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**88**	**28.4**	**350**	**4**	**10**	**25**	**45**	**53**	**61**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	33	20.7	79						
18-34	94	27.3	320	6	11	25	40	54	62
35-49	43	27.9	479	5	13	22	41	73	73
50-69	0								
70 +	6	7.0							
SUBTOTAL	**176**	**25.5**	**319**	**6**	**11**	**22**	**35**	**54**	**62**
0-17	16	15.5	22						
18-34	16	33.0	720						
35-49	6	24.0							
50-69	0								
70 +	0								
SUBTOTAL	**39**	**24.2**	**367**						
GRAND TOTAL	**215**	**25.3**	**326**	**7**	**11**	**22**	**35**	**59**	**62**

DRG 485: Limb Reattachment, Hip And Femur Proc for Multiple Significant Trauma

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	82	18.5	62	12	13	14	22	32	37
70-74	29	24.2	57						
75-79	39	14.1	55						
80-84	55	17.0	314	8	8	10	13	59	59
85+	112	11.6	42	7	7	9	12	23	29
SUBTOTAL	317	15.8	111	7	8	13	19	29	34
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	8	43.0							
70-74	16	6.5	2						
75-79	0								
80-84	8	12.0							
85+	0								
SUBTOTAL	33	17.0	239						
GRAND TOTAL	349	15.9	123	7	8	12	19	32	37

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	141	12.2	60	4	7	11	14	26	31
18-34	243	16.5	178	6	9	12	16	28	58
35-49	90	15.7	33	10	12	15	18	22	31
50-69	65	16.0	60	6	10	15	22	28	28
70+	31	17.3	102						
	570	15.3	111	6	9	13	16	28	34
0-17	0								
18-34	22	9.8	14						
35-49	6	11.0							
50-69	0								
70+	0								
	29	10.1	11						
	599	15.1	108	6	9	13	16	28	33

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	45	19.2	46	9	11	21	26	29	29
18-34	174	27.8	436	10	13	21	38	61	65
35-49	25	10.5	8						
50-69	12	25.5	98						
70+	0								
SUBTOTAL	256	24.5	340	9	13	20	37	59	61
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	18	13.0	30						
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	18	13.0	30						
GRAND TOTAL	274	23.7	327	9	12	19	26	41	61

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	65	11.7	37	4	8	10	13	19	26
18-34	456	18.9	256	6	8	13	24	40	61
35-49	68	19.6	132	9	10	14	27	43	43
50-69	31	37.6	480						
70+	22	7.9	34						
	642	18.7	249	6	8	13	24	40	56
0-17	0								
18-34	20	24.2	611						
35-49	6	14.0							
50-69	0								
70+	0								
	27	21.9	483						
	669	18.9	258	6	8	13	24	40	61

DRG 486: Other O.R. Procedures for Multiple Significant Trauma

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	112	22.0	157	7	10	20	30	32	60
70-74	47	20.1	385	4	9	11	20	61	61
75-79	35	14.1	28						
80-84	43	8.1	23	1	5	8	11	15	15
85+	51	9.8	15	6	6	9	15	16	16
SUBTOTAL	**288**	**16.5**	**165**	**6**	**8**	**14**	**20**	**30**	**41**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	8	8.0							
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**8**	**8.0**							
GRAND TOTAL	**296**	**16.3**	**162**	**6**	**8**	**14**	**20**	**30**	**32**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	354	9.4	28	4	6	8	12	17	20
18-34	707	12.1	78	5	6	9	17	23	25
35-49	356	16.4	153	6	8	14	18	44	51
50-69	188	15.4	150	5	8	11	17	27	41
70+	43	17.4	85	8	11	12	21	37	37
	1647	**13.0**	**98**	**5**	**7**	**10**	**16**	**24**	**37**
0-17	51	10.7	111	2	6	8	11	38	38
18-34	22	4.2	3						
35-49	6	11.0							
50-69	0								
70+	0								
	80	**8.9**	**80**	**2**	**5**	**6**	**11**	**11**	**38**
	1727	**12.8**	**98**	**5**	**7**	**10**	**16**	**24**	**37**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	219	13.8	97	3	7	11	16	29	38
18-34	509	15.0	90	6	7	12	20	33	37
35-49	160	20.1	318	4	7	14	26	46	62
50-69	22	14.7	164						
70+	6	13.0							
SUBTOTAL	**917**	**15.6**	**137**	**5**	**7**	**12**	**20**	**35**	**42**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	6	17.0							
18-34	37	8.8	14	5	7	7	11	16	16
35-49	0								
50-69	0								
70+	0								
SUBTOTAL	**43**	**10.0**	**20**	**5**	**7**	**7**	**16**	**17**	**17**
GRAND TOTAL	**960**	**15.3**	**133**	**5**	**7**	**12**	**19**	**35**	**42**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	301	10.6	36	5	6	9	13	18	20
18-34	1702	12.7	126	5	6	9	15	24	35
35-49	360	13.8	107	6	7	9	19	26	42
50-69	90	19.5	209	7	10	15	26	36	62
70+	31	16.2	50						
	2483	**12.9**	**117**	**5**	**6**	**9**	**16**	**25**	**35**
0-17	39	13.5	261	4	6	6	10	50	50
18-34	121	10.1	39	5	6	8	14	24	25
35-49	22	19.4	282						
50-69	0								
70+	0								
	182	**12.0**	**124**	**5**	**6**	**8**	**14**	**25**	**41**
	2666	**12.8**	**117**	**5**	**6**	**9**	**16**	**25**	**36**

DRG 487: Other Multiple Significant Trauma

MEDICARE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	106	10.1	85	3	4	6	16	30	31
70-74	41	10.8	44						
75-79	65	11.7	37	6	7	9	17	22	22
80-84	51	9.1	12	4	5	10	13	14	14
85 +	61	13.1	59	5	5	12	16	28	28
SUBTOTAL	**325**	**10.9**	**55**	**4**	**5**	**8**	**16**	**22**	**28**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	16	17.5	166						
75-79	0								
80-84	8	6.0							
85 +	0								
SUBTOTAL	**25**	**13.7**	**139**						
GRAND TOTAL	**349**	**11.1**	**61**	**4**	**5**	**8**	**16**	**22**	**30**

BLUE CROSS/PRIVATE INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	403	7.9	41	2	3	7	9	16	21
18-34	566	6.9	34	2	3	6	9	14	18
35-49	290	6.9	18	2	4	6	10	13	16
50-69	190	9.5	31	5	5	7	12	20	21
70 +	102	11.6	47	3	8	10	13	22	28
SUBTOTAL	**1551**	**7.8**	**35**	**2**	**4**	**6**	**10**	**15**	**19**
0-17	27	5.1	5						
18-34	51	9.2	49	2	2	8	15	22	22
35-49	20	5.8	7						
50-69	8	3.0							
70 +	6	11.0							
SUBTOTAL	**112**	**7.3**	**29**	**2**	**2**	**7**	**9**	**1[illegible]**	**22**
GRAND TOTAL	**1664**	**7.8**	**35**	**2**	**4**	**6**	**10**	**15**	**20**

MEDICAID

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	209	12.5	283	2	4	6	14	28	47
18-34	155	12.7	156	3	4	8	17	25	25
35-49	74	14.1	154	4	5	12	22	45	99 +
50-69	22	12.2	76						
70 +	0								
SUBTOTAL	**460**	**12.8**	**209**	**2**	**4**	**8**	**17**	**28**	**62**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	27	5.3	6						
18-34	27	3.2	3						
35-49	8	5.0							
50-69	0								
70 +	0								
SUBTOTAL	**61**	**4.3**	**5**	**2**	**3**	**3**	**6**	**8**	**9**
GRAND TOTAL	**522**	**11.8**	**192**	**2**	**4**	**6**	**15**	**26**	**47**

NO INSURANCE

TYPE OF PATIENT	TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	248	9.8	56	2	5	7	14	20	22
18-34	679	9.0	127	1	3	5	10	19	27
35-49	252	8.7	48	2	4	6	11	22	24
50-69	88	11.9	123	3	3	9	14	32	35
70 +	20	9.4	12						
SUBTOTAL	**1286**	**9.3**	**96**	**2**	**3**	**7**	**11**	**21**	**27**
0-17	43	4.1	1	3	3	4	5	6	6
18-34	68	6.2	14	2	3	6	10	12	12
35-49	35	4.6	9						
50-69	8	4.0							
70 +	16	6.0	4						
SUBTOTAL	**170**	**5.2**	**9**	**2**	**3**	**4**	**7**	**10**	**12**
GRAND TOTAL	**1456**	**8.8**	**88**	**2**	**3**	**6**	**11**	**19**	**27**

DRG 488: HIV w/ Extensive O.R. Procedure

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	12	20.5	7						
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**12**	**20.5**	**7**						
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	0								
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**12**	**20.5**	**7**						

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	155	17.1	150	5	10	15	21	24	32
35-49	190	10.1	20	5	8	10	12	15	18
50-69	51	14.8	135	7	7	9	17	40	40
70 +	0								
SUBTOTAL	**397**	**13.5**	**96**	**5**	**8**	**11**	**16**	**23**	**32**
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**397**	**13.5**	**96**	**5**	**8**	**11**	**16**	**23**	**32**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	0								
18-34	119	21.0	234	8	10	15	25	49	60
35-49	84	15.6	36	10	12	13	15	27	28
50-69	12	19.0	4						
70 +	0								
SUBTOTAL	**215**	**18.8**	**150**	**9**	**12**	**15**	**21**	**30**	**50**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	0								
18-34	0								
35-49	0								
50-69	0								
70 +	0								
SUBTOTAL	**0**								
GRAND TOTAL	**215**	**18.8**	**150**	**9**	**12**	**15**	**21**	**30**	**50**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	0								
18-34	84	18.1	190	5	8	13	22	39	48
35-49	68	17.4	77	5	14	17	25	25	32
50-69	25	23.7	111						
70 +	0								
SUBTOTAL	**176**	**18.6**	**139**	**5**	**8**	**17**	**25**	**38**	**39**
0-17	0								
18-34	0								
35-49	6	6.0							
50-69	0								
70 +	0								
SUBTOTAL	**6**	**6.0**							
GRAND TOTAL	**182**	**18.2**	**139**	**5**	**8**	**17**	**25**	**38**	**39**

DRG 489: HIV w/ Major Related Condition

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	274	13.2	102	2	5	11	19	29	31
70-74	31	10.3	53						
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**305**	**12.9**	**97**	**2**	**5**	**11**	**19**	**29**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	6	7.0							
70-74	0								
75-79	0								
80-84	0								
85 +	0								
SUBTOTAL	**6**	**7.0**							
GRAND TOTAL	**311**	**12.8**	**96**	**2**	**5**	**11**	**18**	**29**	**31**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	31	5.2	43						
18-34	756	10.3	87	3	5	7	12	22	29
35-49	734	12.2	158	2	5	9	14	23	31
50-69	168	13.1	217	2	4	7	14	37	50
70 +	6	12.0							
	1695	**11.3**	**131**	**2**	**5**	**8**	**13**	**23**	**32**
0-17	0								
18-34	6	6.0							
35-49	0								
50-69	0								
70 +	0								
	6	**6.0**							
	1701	**11.3**	**130**	**3**	**5**	**8**	**13**	**23**	**32**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	82	5.7	15	2	3	5	10	13	99 +
18-34	1451	11.9	84	3	5	10	15	23	29
35-49	1079	12.4	130	3	5	9	15	26	33
50-69	139	14.8	74	3	8	15	21	29	31
70 +	0								
SUBTOTAL	**2751**	**12.0**	**101**	**3**	**5**	**9**	**15**	**23**	**31**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	12	4.5							
18-34	37	11.5	21	7	7	11	14	19	19
35-49	37	11.2	44	3	3	12	17	20	20
50-69	6	22.0							
70 +	0								
SUBTOTAL	**92**	**11.1**	**39**	**3**	**5**	**10**	**17**	**20**	**22**
GRAND TOTAL	**2843**	**12.0**	**99**	**3**	**5**	**10**	**15**	**23**	**31**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARI-ANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	3.0							
18-34	952	13.6	123	2	6	12	18	28	33
35-49	847	12.0	73	3	6	10	16	23	28
50-69	102	17.4	193	2	6	11	24	45	45
70 +	0								
	1907	**13.0**	**106**	**2**	**6**	**11**	**18**	**26**	**33**
0-17	12	4.5	7						
18-34	55	8.3	132	2	2	4	7	40	40
35-49	31	7.4	23						
50-69	0								
70 +	0								
	98	**7.6**	**83**	**2**	**2**	**4**	**8**	**15**	**40**
	2006	**12.8**	**106**	**2**	**5**	**10**	**18**	**26**	**33**

DRG 490: HIV w/ or w/o Other Related Condition

TYPE OF PATIENT	MEDICARE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-69 (YRS.)	110	4.5	10	1	1	4	6	10	10
70-74	16	2.5							
75-79	8	16.0							
80-84	8	4.0							
85+	0								
SUBTOTAL	**143**	**4.9**	**16**	**1**	**2**	**4**	**6**	**10**	**16**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-69	6	7.0							
70-74	0								
75-79	0								
80-84	0								
85+	0								
SUBTOTAL	**6**	**7.0**							
GRAND TOTAL	**149**	**5.0**	**16**	**1**	**2**	**4**	**7**	**10**	**16**

TYPE OF PATIENT	BLUE CROSS/PRIVATE INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	25	11.5	79						
18-34	237	8.6	63	2	3	6	9	19	29
35-49	329	5.8	43	1	2	3	6	14	22
50-69	94	10.2	157	1	2	3	11	29	42
70+	0								
SUBTOTAL	**685**	**7.6**	**70**	**1**	**2**	**5**	**9**	**19**	**29**
0-17	0								
18-34	22	3.1	5						
35-49	39	16.8	664						
50-69	0								
70+	0								
SUBTOTAL	**61**	**11.8**	**463**	**1**	**1**	**4**	**6**	**66**	**66**
GRAND TOTAL	**746**	**7.9**	**103**	**1**	**2**	**5**	**9**	**19**	**29**

TYPE OF PATIENT	MEDICAID TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
1.PATIENTS W/ CCs									
AGE GROUP									
0-17 (YRS.)	49	8.8	37	2	4	7	13	20	20
18-34	491	6.9	66	1	2	5	8	16	22
35-49	385	7.1	63	1	2	4	10	20	23
50-69	45	15.4	54	7	8	12	26	26	26
70+	0								
SUBTOTAL	**970**	**7.5**	**66**	**1**	**2**	**5**	**9**	**20**	**23**
2.PATIENTS W/OUT CCs									
AGE GROUP									
0-17	18	1.3							
18-34	88	5.0	14	1	3	4	5	12	14
35-49	74	6.4	24	2	3	5	8	9	20
50-69	31	1.2							
70+	0								
SUBTOTAL	**211**	**4.6**	**18**	**1**	**1**	**4**	**6**	**9**	**14**
GRAND TOTAL	**1181**	**7.0**	**58**	**1**	**2**	**5**	**8**	**17**	**22**

TYPE OF PATIENT	NO INSURANCE TOTAL PATIENTS	AVG. STAY	VARIANCE	PERCENTILES 10TH	25TH	50TH	75TH	90TH	95TH
0-17	6	6.0							
18-34	305	6.9	102	1	2	4	8	13	14
35-49	194	8.3	49	1	3	7	10	17	23
50-69	20	7.4	72						
70+	0								
SUBTOTAL	**526**	**7.4**	**80**	**1**	**2**	**6**	**9**	**14**	**20**
0-17	18	1.0							
18-34	102	5.1	32	1	2	3	7	17	19
35-49	111	2.8	3	1	2	2	3	5	9
50-69	25	8.8	45						
70+	0								
SUBTOTAL	**256**	**4.2**	**22**	**<1**	**1**	**2**	**5**	**9**	**19**
GRAND TOTAL	**782**	**6.4**	**63**	**1**	**2**	**4**	**8**	**14**	**19**

Appendix

Appendix 1

1989-90 HOSPITAL CHARACTERISTICS
Short-Term, Nonfederal Hospitals[1]

HOSPITAL CATEGORY	UNIVERSE TOTAL[2]	LOS BY DRG SAMPLE
Region		
Northeastern	772	87
North Central	1,579	174
Southern	2,052	72
Western	1,022	159
Total	5,425	492
Location[3]		
Urban	2,844	247
Rural	2,581	245
Teaching Intensity[4]		
High/Medium	983	366
Low	4,442	126

[1]Hospitals with average stay less than 30 days

[2]1988 Annual Survey of Hospitals, magnetic tape, American Hospital Association

[3]Urban hospitals are those with a metropolitan statistical area designation on the AHA Annual Survey of Hospitals. Hospitals without a metropolitan statistical area designation represent rural hospitals.

[4]The teaching designation is determined by a weighted index measuring program intensity developed by Phillip and Hai.

Appendix 2

STATE INCLUSIONS BY REGION

Northeast	North Central	South	West
Connecticut	Illinois	Alabama	Alaska
Maine	Indiana	Arkansas	Arizona
Massachusetts	Iowa	Delaware	California
New Hampshire	Kansas	District of Columbia	Colorado
New Jersey	Michigan	Florida	Hawaii
New York	Minnesota	Georgia	Idaho
Pennsylvania	Missouri	Kentucky	Montana
Rhode Island	Nebraska	Louisiana	Nevada
Vermont	North Dakota	Maryland	New Mexico
	Ohio	Mississippi	Oregon
	South Dakota	North Carolina	Utah
	Wisconsin	Oklahoma	Washington
		South Carolina	Wyoming
		Tennessee	
		Texas	
		Virginia	
		West Virginia	

Appendix 3

DIAGNOSIS RELATED GROUPS

DRG	Description
1	Craniotomy Age >17 except for Trauma
2	Craniotomy for Trauma Age > 17
3	Craniotomy Age 0-17
4	Spinal Procedures
5	Extracranial Vascular Procedures
6	Carpal Tunnel Release
7	Periph & Craniai Nerve & Other Nerv Syst Proc w/ CC
8	Periph & Cranial Nerve & Other Nerv Syst Proc w/o CC
9	Spinal Disorders & Injuries
10	Nervous System Neoplasms w/ CC
11	Nervous System Neoplasms w/o CC
12	Degenerative Nervous System Disorders
13	Multiple Sclerosis & Cerebellar Ataxia
14	Specific Cerebrovascular Disorders except TIA
15	Transient Ischemic Attack & Precerebral Occlusions
16	Nonspecific Cerebrovascular Disorders w/ CC
17	Nonspecific Cerebrovascular Disorders w/o CC
18	Cranial & Peripheral Nerve Disorders w/ CC
19	Cranial & Peripheral Nerve Disorders w/o CC
20	Nervous System Infection except Viral Meningitis
21	Viral Meningitis
22	Hypertensive Encephalopathy
23	Nontraumatic Stupor & Coma
24	Seizure & Headache Age >17 w/ CC
25	Seizure & Headache Age >17 w/o CC
26	Seizure & Headache Age 0-17
27	Traumatic Stupor & Coma, Coma >1 Hr
28	Traumatic Stupor & Coma, Coma <1 Hr Age >17 w/ CC
29	Traumatic Stupor & Coma, Coma <1 Hr Age >17 w/o CC
30	Traumatic Stupor & Coma, Coma <1 Hr Age 0-17
31	Concussion Age >17 w/ CC
32	Concussion Age >17 w/o CC
33	Concussion Age 0-17
34	Other Disorders of Nervous System w/ CC
35	Other Disorders of Nervous System w/o CC
36	Retinal Procedures
37	Orbital Procedures
38	Primary Iris Procedures
39	Lens Procedures with or without Vitrectomy
40	Extraocular Procedures except Orbit Age > 17
41	Extraocular Procedures except Orbit Age 0-17
42	Intraocular Procedures except Retina, Iris & Lens
43	Hyphema
44	Acute Major Eye Infections
45	Neurological Eye Disorders
46	Other Disorders of the Eye Age >17 w/ CC
47	Other Disorders of the Eye Age >17 w/o CC
48	Other Disorders of the Eye Age 0-17
49	Major Head & Neck Procedures
50	Sialoadenectomy
51	Salivary Gland Procedures except Sialoadenectomy
52	Cleft Lip & Palate Repair

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
53	Sinus & Mastoid Procedures Age > 17
54	Sinus & Mastoid Procedures Age 0-17
55	Miscellaneous Ear, Nose, Mouth & Throat Procedures
56	Rhinoplasty
57	T&A Proc, except Tonsillectomy &/or Adenoidectomy Only, Age >17
58	T&A Proc, except Tonsillectomy &/or Adenoidectomy Only, Age 0-17
59	Tonsillectomy &/or Adenoidectomy Only, Age > 17
60	Tonsillectomy &/or Adenoidectomy Only, Age 0-17
61	Myringotomy w/ Tube Insertion Age > 17
62	Myringotomy w/ Tube Insertion Age 0-17
63	Other Ear, Nose, Mouth & Throat O.R. Procedures
64	Ear, Nose, Mouth & Throat Malignancy
65	Dysequilibrium
66	Epistaxis
67	Epiglottitis
68	Otitis Media & URI Age >17 w/ CC
69	Otitis Media & URI Age >17 w/o CC
70	Otitis Media & URI Age 0-17
71	Laryngotracheitis
72	Nasal Trauma & Deformity
73	Other Ear, Nose, Mouth & Throat Diagnoses Age > 17
74	Other Ear, Nose, Mouth & Throat Diagnoses Age 0-17
75	Major Chest Procedures
76	Other Resp System O.R. Procedures w/ CC
77	Other Resp System O.R. Procedures w/o CC
78	Pulmonary Embolism
79	Respiratory Infections & Inflammations Age >17 w/ CC
80	Respiratory Infections & Inflammations Age >17 w/o CC
81	Respiratory Infections & Inflammations Age 0-17
82	Respiratory Neoplasms
83	Major Chest Trauma w/ CC
84	Major Chest Trauma w/o CC
85	Pleural Effusion w/ CC
86	Pleural Effusion w/o CC
87	Pulmonary Edema & Respiratory Failure
88	Chronic Obstructive Pulmonary Disease
89	Simple Pneumonia & Pleurisy Age >17 w/ CC
90	Simple Pneumonia & Pleurisy Age >17 w/o CC
91	Simple Pneumonia & Pleurisy Age 0-17
92	Interstitial Lung Disease w/ CC
93	Interstitial Lung Disease w/o CC
94	Pneumothorax w/ CC
95	Pneumothorax w/o CC
96	Bronchitis & Asthma Age >17 w/ CC
97	Bronchitis & Asthma Age >17 w/o CC
98	Bronchitis & Asthma Age 0-17
99	Respiratory Signs & Symptoms w/ CC
100	Respiratory Signs & Symptoms w/o CC
101	Other Respiratory System Diagnoses w/ CC
102	Other Respiratory System Diagnoses w/o CC
103	Heart Transplant
104	Cardiac Valve Procedures w/ Cardiac Cath
105	Cardiac Valve Procedures w/o Cardiac Cath
106	Coronary Bypass w/ Cardiac Cath
107	Coronary Bypass w/o Cardiac Cath
108	Other Cardiothoracic Procedures

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
109	No Longer Valid (Table Excluded)
110	Major Cardiovascular Procedures w/ CC
111	Major Cardiovascular Procedures w/o CC
112	Percutaneous Cardiovascular Procedures
113	Amputation for Circ System Disorders except Upper Limb & Toe
114	Upper Limb & Toe Amputation for Circ System Disorders
115	Perm Cardiac Pacemaker Implant w/ AMI, Heart Failure or Shock
116	Perm Cardiac Pacemaker Implant w/o AMI, Heart Failure or Shock
117	Cardiac Pacemaker Revision except Device Replacement
118	Cardiac Pacemaker Device Replacement
119	Vein Ligation & Stripping
120	Other Circulatory System O.R. Procedures
121	Circulatory Disorders w/ AMI & C.V. Comp Disch Alive
122	Circulatory Disorders w/ AMI w/o C.V. Comp Disch Alive
123	Circulatory Disorders w/ AMI, Expired (Table Excluded)
124	Circulatory Disorders except AMI, w/ Card Cath & Complex Diag
125	Circulatory Disorders except AMI, w/ Card Cath w/o Complex Diag
126	Acute & Subacute Endocarditis
127	Heart Failure & Shock
128	Deep Vein Thrombophlebitis
129	Cardiac Arrest, Unexplained
130	Peripheral Vascular Disorders w/ CC
131	Peripheral Vascular Disorders w/o CC
132	Atherosclerosis w/ CC
133	Atherosclerosis w/o CC
134	Hypertension
135	Cardiac Congenital & Valvular Disorders Age >17 w/ CC
136	Cardiac Congenital & Valvular Disorders Age >17 w/o CC
137	Cardiac Congenital & Valvular Disorders Age 0-17
138	Cardiac Arrhythmia & Conduction Disorders w/ CC
139	Cardiac Arrhythmia & Conduction Disorders w/o CC
140	Angina Pectoris
141	Syncope & Collapse w/ CC
142	Syncope & Collapse w/o CC
143	Chest Pain
144	Other Circulatory System Diagnoses w/ CC
145	Other Circulatory System Diagnoses w/o CC
146	Rectal Resection w/ CC
147	Rectal Resection w/o CC
148	Major Small & Large Bowel Procedures w/ CC
149	Major Small & Large Bowel Procedures w/o CC
150	Peritoneal Adhesiolysis w/ CC
151	Peritoneal Adhesiolysis w/o CC
152	Minor Small & Large Bowel Procedures w/ CC
153	Minor Small & Large Bowel Procedures w/o CC
154	Stomach, Esophageal & Duodenal Procedures Age >17 w/ CC
155	Stomach, Esophageal & Duodenal Procedures Age >17 w/o CC
156	Stomach, Esophageal & Duodenal Procedures Age 0-17
157	Anal & Stomal Procedures w/ CC
158	Anal & Stomal Procedures w/o CC
159	Hernia Procedures except Inguinal & Femoral Age >17 w/ CC
160	Hernia Procedures except Inguinal & Femoral Age >17 w/o CC
161	Inguinal & Femoral Hernia Procedures Age >17 w/ CC
162	Inguinal & Femoral Hernia Procedures Age >17 w/o CC
163	Hernia Procedures Age 0-17
164	Appendectomy w/ Complicated Principal Diag w/ CC

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
165	Appendectomy w/ Complicated Principal Diag w/o CC
166	Appendectomy w/o Complicated Principal Diag w/ CC
167	Appendectomy w/o Complicated Principal Diag w/o CC
168	Mouth Procedures w/ CC
169	Mouth Procedures w/o CC
170	Other Digestive System O.R. Procedures w/ CC
171	Other Digestive System O.R. Procedures w/o CC
172	Digestive Malignancy w/ CC
173	Digestive Malignancy w/o CC
174	G.I. Hemorrhage w/ CC
175	G.I. Hemorrhage w/o CC
176	Complicated Peptic Ulcer
177	Uncomplicated Peptic Ulcer w/ CC
178	Uncomplicated Peptic Ulcer w/o CC
179	Inflammatory Bowel Disease
180	G.I. Obstruction w/ CC
181	G.I. Obstruction w/o CC
182	Esophagitis, Gastroent & Misc Digest Disorders Age > 17 w/ CC
183	Esophagitis, Gastroent & Misc Digest Disorders Age > 17 w/o CC
184	Esophagitis, Gastroent & Misc Digest Disorders Age 0-17
185	Dental & Oral Dis except Extractions & Restorations, Age >17
186	Dental & Oral Dis except Extractions & Restorations, Age 0-17
187	Dental Extractions & Restorations
188	Other Digestive System Diagnoses Age >17 w/ CC
189	Other Digestive System Diagnoses Age >17 w/o CC
190	Other Digestive System Diagnoses Age 0-17
191	Pancreas, Liver & Shunt Procedures w/ CC
192	Pancreas, Liver & Shunt Procedures w/o CC
193	Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/ CC
194	Biliary Tract Proc except only Tot Cholecyst w/ or w/o C.D.E. w/o CC
195	Total Cholecystectomy w/ C.D.E. w/ CC
196	Total Cholecystectomy w/ C.D.E. w/o CC
197	Total Cholecystectomy w/o C.D.E. w/ CC
198	Total Cholecystectomy w/o C.D.E. w/o CC
199	Hepatobiliary Diagnostic Procedure for Malignancy
200	Hepatobiliary Diagnostic Procedure for Non-malignancy
201	Other Hepatobiliary or Pancreas O.R. Procedures
202	Cirrhosis & Alcoholic Hepatitis
203	Malignancy of Hepatobiliary System or Pancreas
204	Disorders of Pancreas except Malignancy
205	Disorders of Liver except Malig, Cirr, Alc Hepa w/ CC
206	Disorders of Liver except Malig, Cirr, Alc Hepa w/o CC
207	Disorders of the Biliary Tract w/ CC
208	Disorders of the Biliary Tract w/o CC
209	Major Joint & Limb Reattachment Procedures
210	Hip & Femur Procedures except Major Joint Age >17 w/ CC
211	Hip & Femur Procedures except Major Joint Age >17 w/o CC
212	Hip & Femur Procedures except Major Joint Age 0-17
213	Amputation for Musculoskeletal System & Conn Tissue Disorders
214	Back & Neck Procedures w/ CC
215	Back & Neck Procedures w/o CC
216	Biopsies of Musculoskeletal System & Connective Tissue
217	Wnd Debrid & Skn Grft except Hand, for Muscskelet & Conn Tiss Dis
218	Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/ CC
219	Lower Extrem & Humer Proc except Hip, Foot, Femur Age >17 w/o CC
220	Lower Extrem & Humer Proc except Hip, Foot, Femur Age 0-17

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
221	Knee Procedures w/ CC
222	Knee Procedures w/o CC
223	Major Shoulder/Elbow Proc, or Other Upper Extremity Proc w/ CC
224	Shoulder, Elbow or Forearm Proc, exc Major Joint Proc, w/o CC
225	Foot Procedures
226	Soft Tissue Procedures w/ CC
227	Soft Tissue Procedures w/o CC
228	Major Thumb or Joint Proc, or Oth Hand or Wrist Proc w/ CC
229	Hand or Wrist Proc, except Major Joint Proc, w/o CC
230	Local Excision & Removal of Int Fix Devices of Hip & Femur
231	Local Excision & Removal of Int Fix Devices except Hip & Femur
232	Arthroscopy
233	Other Musculoskelet Sys & Conn Tiss O.R. Proc w/ CC
234	Other Musculoskelet Sys & Conn Tiss O.R. Proc w/o CC
235	Fractures of Femur
236	Fractures of Hip & Pelvis
237	Sprains, Strains, & Dislocations of Hip, Pelvis & Thigh
238	Osteomyelitis
239	Pathological Fractures & Musculoskeletal & Conn Tiss Malignancy
240	Connective Tissue Disorders w/ CC
241	Connective Tissue Disorders w/o CC
242	Septic Arthritis
243	Medical Back Problems
244	Bone Diseases & Specific Arthropathies w/ CC
245	Bone Diseases & Specific Arthropathies w/o CC
246	Non-specific Arthropathies
247	Signs & Symptoms of Musculoskeletal System & Conn Tissue
248	Tendonitis, Myositis & Bursitis
249	Aftercare, Musculoskeletal System & Connective Tissue
250	Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/ CC
251	Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age >17 w/o CC
252	Fx, Sprn, Strn & Disl of Forearm, Hand, Foot Age 0-17
253	Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age > 17 w/ CC
254	Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age > 17 w/o CC
255	Fx, Sprn, Strn & Disl of Uparm, Lowleg ex Foot Age 0-17
256	Other Musculoskeletal System & Connective Tissue Diagnoses
257	Total Mastectomy for Malignancy w/ CC
258	Total Mastectomy for Malignancy w/o CC
259	Subtotal Mastectomy for Malignancy w/ CC
260	Subtotal Mastectomy for Malignancy w/o CC
261	Breast Proc for Non-malignancy except Biopsy & Local Excision
262	Breast Biopsy & Local Excision for Non-malignancy
263	Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/ CC
264	Skin Graft &/or Debrid for Skn Ulcer or Cellulitis w/o CC
265	Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/ CC
266	Skin Graft &/or Debrid except for Skin Ulcer or Cellulitis w/o CC
267	Perianal & Pilonidal Procedures
268	Skin, Subcutaneous Tissue & Breast Plastic Procedures
269	Other Skin, Subcut Tiss & Breast Proc w/ CC
270	Other Skin, Subcut Tiss & Breast Proc w/o CC
271	Skin Ulcers
272	Major Skin Disorders w/ CC
273	Major Skin Disorders w/o CC
274	Malignant Breast Disorders w/ CC
275	Malignant Breast Disorders w/o CC
276	Non-malignant Breast Disorders

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
277	Cellulitis Age >17 w/ CC
278	Cellulitis Age >17 w/o CC
279	Cellulitis Age 0-17
280	Trauma to the Skin, Subcut Tiss & Breast Age >17 w/ CC
281	Trauma to the Skin, Subcut Tiss & Breast Age >17 w/o CC
282	Trauma to the Skin, Subcut Tiss & Breast Age 0-17
283	Minor Skin Disorders w/ CC
284	Minor Skin Disorders w/o CC
285	Amputat of Lower Limb for Endocrine, Nutrit & Metabol Disorders
286	Adrenal & Pituitary Procedures
287	Skin Grafts & Wound Debrid for Endoc, Nutrit & Metab Disorders
288	O.R. Procedures for Obesity
289	Parathyroid Procedures
290	Thyroid Procedures
291	Thyroglossal Procedures
292	Other Endocrine, Nutrit & Metab O.R. Proc w/ CC
293	Other Endocrine, Nutrit & Metab O.R. Proc w/o CC
294	Diabetes Age > 35
295	Diabetes Age 0-35
296	Nutritional & Misc Metabolic Disorders Age >17 w/ CC
297	Nutritional & Misc Metabolic Disorders Age >17 w/o CC
298	Nutritional & Misc Metabolic Disorders Age 0-17
299	Inborn Errors of Metabolism
300	Endocrine Disorders w/ CC
301	Endocrine Disorders w/o CC
302	Kidney Transplant
303	Kidney, Ureter & Major Bladder Procedures for Neoplasm
304	Kidney, Ureter & Major Bladder Proc for Non-neopl w/ CC
305	Kidney, Ureter & Major Bladder Proc for Non-neopl w/o CC
306	Prostatectomy w/ CC
307	Prostatectomy w/o CC
308	Minor Bladder Procedures w/ CC
309	Minor Bladder Procedures w/o CC
310	Transurethral Procedures w/ CC
311	Transurethral Procedures w/o CC
312	Urethral Procedures Age >17 w/ CC
313	Urethral Procedures Age >17 w/o CC
314	Urethral Procedures Age 0-17
315	Other Kidney & Urinary Tract O.R. Procedures
316	Renal Failure
317	Admit for Renal Dialysis
318	Kidney & Urinary Tract Neoplasms w/ CC
319	Kidney & Urinary Tract Neoplasms w/o CC
320	Kidney & Urinary Tract Infections Age >17 w/ CC
321	Kidney & Urinary Tract Infections Age >17 w/o CC
322	Kidney & Urinary Tract Infections Age 0-17
323	Urinary Stones w/ CC, &/or ESW Lithotripsy
324	Urinary Stones w/o CC
325	Kidney & Urinary Tract Signs & Symptoms Age >17 w/ CC
326	Kidney & Urinary Tract Signs & Symptoms Age >17 w/o CC
327	Kidney & Urinary Tract Signs & Symptoms Age 0-17
328	Urethral Stricture Age >17 w/ CC
329	Urethral Stricture Age >17 w/o CC
330	Urethral Stricture Age 0-17
331	Other Kidney & Urinary Tract Diagnoses Age >17 w/ CC
332	Other Kidney & Urinary Tract Diagnoses Age >17 w/o CC

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
333	Other Kidney & Urinary Tract Diagnoses Age 0-17
334	Major Male Pelvic Procedures w/ CC
335	Major Male Pelvic Procedures w/o CC
336	Transurethral Prostatectomy w/ CC
337	Transurethral Prostatectomy w/o CC
338	Testes Procedures, for Malignancy
339	Testes Procedures, Non-malignancy Age > 17
340	Testes Procedures, Non-malignancy Age 0-17
341	Penis Procedures
342	Circumcision Age > 17
343	Circumcision Age 0-17
344	Other Male Reproductive System O.R. Procedures for Malignancy
345	Other Male Reproductive System O.R. Proc except for Malignancy
346	Malignancy, Male Reproductive System, w/ CC
347	Malignancy, Male Reproductive System, w/o CC
348	Benign Prostatic Hypertrophy w/ CC
349	Benign Prostatic Hypertrophy w/o CC
350	Inflammation of the Male Reproductive System
351	Sterilization, Male
352	Other Male Reproductive System Diagnoses
353	Pelvic Evisceration, Radical Hysterectomy & Radical Vulvectomy
354	Uterine, Adnexa Proc for Non-ovarian/Adnexal Malig w/ CC
355	Uterine, Adnexa Proc for Non-ovarian/Adnexal Malig w/o CC
356	Female Reproductive System Reconstructive Procedures
357	Uterine & Adnexa Proc for Ovarian or Adnexal Malignancy
358	Uterine & Adnexa Proc for Non-malignancy w/ CC
359	Uterine & Adnexa Proc for Non-malignancy w/o CC
360	Vagina, Cervix & Vulva Procedures
361	Laparoscopy & Incisional Tubal Interruption
362	Endoscopic Tubal Interruption
363	D&C, Conization & Radio-implant, for Malignancy
364	D&C, Conization except for Malignancy
365	Other Female Reproductive System O.R. Procedures
366	Malignancy, Female Reproductive System w/ CC
367	Malignancy, Female Reproductive System w/o CC
368	Infections, Female Reproductive System
369	Menstrual & Other Female Reproductive System Disorders
370	Cesarean Section w/ CC
371	Cesarean Section w/o CC
372	Vaginal Delivery w/ Complicating Diagnoses
373	Vaginal Delivery w/o Complicating Diagnoses
374	Vaginal Delivery w/ Sterilization &/or D&C
375	Vaginal Delivery w/ O.R. Proc except Steril &/or D&C
376	Postpartum & Post Abortion Diagnoses w/o O.R. Procedure
377	Postpartum & Post Abortion Diagnoses w/ O.R. Procedure
378	Ectopic Pregnancy
379	Threatened Abortion
380	Abortion w/o D&C
381	Abortion w/ D&C, Aspiration Curettage or Hysterotomy
382	False Labor
383	Other Antepartum Diagnoses w/ Medical Complications
384	Other Antepartum Diagnoses w/o Medical Complications
385	Neonates, Died or Transferred to Another Acute Care Facility (Table Excluded)
386	Extreme Immaturity or Respiratory Distress Syndrome, Neonate
387	Prematurity w/ Major Problems

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
388	Prematurity w/o Major Problems
389	Full Term Neonate w/ Major Problems
390	Neonate w/ Other Significant Problems
391	Normal Newborn
392	Splenectomy Age > 17
393	Splenectomy Age 0-17
394	Other O.R. Procedures of the Blood And Blood Forming Organs
395	Red Blood Cell Disorders Age > 17
396	Red Blood Cell Disorders Age 0-17
397	Coagulation Disorders
398	Reticuloendothelial & Immunity Disorders w/ CC
399	Reticuloendothelial & Immunity Disorders w/o CC
400	Lymphoma & Leukemia w/ Major O.R. Procedure
401	Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/ CC
402	Lymphoma & Non-acute Leukemia w/ Other O.R. Proc w/o CC
403	Lymphoma & Non-acute Leukemia w/ CC
404	Lymphoma & Non-acute Leukemia w/o CC
405	Acute Leukemia w/o Major O.R. Procedure Age 0-17
406	Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R. Proc w/ CC
407	Myeloprolif Disord or Poorly Diff Neopl w/ Maj O.R. Proc w/o CC
408	Myeloprolif Disord or Poorly Diff Neopl w/ Other O.R. Proc
409	Radiotherapy
410	Chemotherapy
411	History of Malignancy w/o Endoscopy
412	History of Malignancy w/ Endoscopy
413	Other Myeloprolif Dis or Poorly Diff Neopl Diag w/ CC
414	Other Myeloprolif Dis or Poorly Diff Neopl Diag w/o CC
415	O/R. Procedure for Infectious & Parasitic Diseases
416	Septicemia Age > 17
417	Septicemia Age 0-17
418	Postoperative & Post-traumatic Infections
419	Fever of Unknown Origin Age >17 w/ CC
420	Fever of Unknown Origin Age >17 w/o CC
421	Viral Illness Age > 17
422	Viral Illness & Fever of Unknown Origin Age 0-17
423	Other Infectious & Parasitic Diseases Diagnoses
424	O.R. Procedure w/ Principal Diagnoses of Mental Illness
425	Acute Adjust React & Disturbances of Psychosocial Dysfunction
426	Depressive Neuroses
427	Neuroses except Depressive
428	Disorders of Personality & Impulse Control
429	Organic Disturbances & Mental Retardation
430	Psychoses
431	Childhood Mental Disorders
432	Other Mental Disorder Diagnoses
433	Alcohol/Drug Abuse or Dependence, Left AMA (Table Excluded)
434	Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w/ CC
435	Alc/Drug Abuse or Depend, Detox or Oth Sympt Treat w/o CC
436	Alc/Drug Dependence w/ Rehabilitation Therapy
437	Alc/Drug Dependence, Combined Rehab & Detox Therapy
438	No Longer Valid (Table Excluded)
439	Skin Grafts for Injuries
440	Wound Debridements for Injuries
441	Hand Procedures for Injuries
442	Other O.R. Procedures for Injuries w/ CC
443	Other O.R. Procedures for Injuries w/o CC

DIAGNOSIS RELATED GROUPS (Continued)

DRG	Description
444	Traumatic Injury Age >17 w/ CC
445	Traumatic Injury Age >17 w/o CC
446	Traumatic Injury Age 0-17
447	Allergic Reactions Age >17
448	Allergic Reactions Age 0-17
449	Poisoning & Toxic Effects of Drugs Age >17 w/ CC
450	Poisoning & Toxic Effects of Drugs Age >17 w/o CC
451	Poisoning & Toxic Effects of Drugs Age 0-17
452	Complications of Treatment w/ CC
453	Complications of Treatment w/o CC
454	Other Injury, Poisoning & Toxic Effect Diag w/ CC
455	Other Injury, Poisoning & Toxic Effect Diag w/o CC
456	Burns, Transferred to Another Acute Care Facility (Table Excluded)
457	Extensive Burns w/o O.R. Procedure
458	Non-extensive Burns w/ Skin Graft
459	Non-extensive Burns w/ Wound Debridement or Other O.R. Proc
460	Non-extensive Burns w/o O.R. Procedure
461	O.R. Proc w/ Diagnoses of Other Contact w/ Health Services
462	Rehabilitation
463	Signs & Symptoms w/ CC
464	Signs & Symptoms w/o CC
465	Aftercare w/ History of Malignancy As Secondary Diagnosis
466	Aftercare w/o History of Malignancy As Secondary Diagnosis
467	Other Factors Influencing Health Status (Table Excluded)
468	Extensive O.R. Procedure Unrelated to Principal Diagnosis (Table Excluded)
469	Principal Diagnosis Invalid As Discharge Diagnosis (Table Excluded)
470	Ungroupable (Table Excluded)
471	Bilateral or Multiple Major Joint Procs of Lower Extremity
472	Extensive Burns w/ O.R. Procedure
473	Acute Leukemia w/o Major O.R. Procedure Age > 17
474	No Longer Valid (Table Excluded)
475	Respiratory System Diagnosis with Ventilator Support
476	Prostatic O.R. Procedure Unrelated to Principal Diagnosis (Table Excluded)
477	Non-extensive O.R. Procedure Unrelated to Principal Diagnosis (Table Excluded)
478	Other Vascular Procedures w/ CC
479	Other Vascular Procedures w/o CC
480	Liver Transplant
481	Bone Marrow Transplant
482	Tracheostomy w/ Mouth, Larynx or Pharynx Disorder
483	Tracheostomy Except for Mouth, Larynx or Pharynx Disorder
484	Craniotomy for Multiple Significant Trauma
485	Limb Reattach., Hip and Femur Procs for Multi Sign Trauma
486	Other O.R. Procedures for Multiple Significant Trauma
487	Other Multiple Significant Trauma
488	HIV w/ Extensive O.R. Procedure
489	HIV w/ Major Related Condition
490	HIV w/ or w/o Other Related Condition